

COMMISSION

COMMISSION DECISION

of 3 February 1998

on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards systems of mechanically fastened flexible roof waterproofing membranes

(Text with EEA relevance)

(98/143/EC)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,
Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 89/106/EEC of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products⁽¹⁾, as amended by Directive 93/68/EEC⁽²⁾, and in particular Article 13(4) thereof,

Whereas the Commission is required to select, as between the two procedures under Article 13(3) of Directive 89/106/EEC for attesting the conformity of a product, the 'least onerous possible procedure consistent with safety'; whereas this means that it is necessary to decide whether, for a given product or family of products, the existence of a factory production control system under the responsibility of the manufacturer is a necessary and sufficient condition for an attestation of conformity, or whether, for reasons related to compliance with the criteria mentioned in Article 13(4), the intervention of an approved certification body is therefore required;

Whereas Article 13(4) requires that the procedure thus determined must be indicated in the mandates and in the technical specifications; whereas, therefore, it is desirable to define the concept of products or family of products as used in the mandates and in the technical specifications;

Whereas the two procedures provided for in Article 13(3) are described in detail in Annex III to Directive 89/106/EEC; whereas it is necessary therefore to specify clearly the methods by which the two procedures must be implemented, by reference to Annex III, for each product or family of products, since Annex III gives preference to certain systems;

Whereas the procedure referred to in point (a) of Article 13(3) corresponds to the systems set out in the first possi-

bility, without continuous surveillance, and the second and third possibilities of point (ii) of section 2 of Annex III, and the procedure referred to in point (b) of Article 13(3) corresponds to the systems set out in point (i) of section 2 of Annex III, and in the first possibility, with continuous surveillance, of point (ii) of section 2 of Annex III;

Whereas the measures provided for in this Decision are in accordance with the opinion of the Standing Committee on Construction,

HAS ADOPTED THIS DECISION:

Article 1

The products set out in Annex I shall have their conformity attested by a procedure whereby, in addition to a factory production control system operated by the manufacturer, an approved certification body is involved in assessment and surveillance of the production control or of the product itself.

Article 2

The procedure for attesting conformity as set out in Annex II shall be indicated in mandates for guidelines for European technical approvals.

Article 3

This Decision is addressed to the Member States.

Done at Brussels, 3 February 1998.

For the Commission

Martin BANGEMANN

Member of the Commission

⁽¹⁾ OJ L 40, 11. 2. 1989, p. 12.

⁽²⁾ OJ L 220, 30. 8. 1993, p. 1.

ANNEX I

Systems of mechanically fastened flexible roof waterproofing membranes including the system of fastening, jointing and edging, and sometimes thermal insulation, limited to continuous watertight systems based on flexible sheets, for roof waterproofing.

ANNEX II

Product family: **Systems of mechanically fastened flexible roof waterproofing membranes (1/1)**

1. **Systems of attestation of conformity**

For the product(s) and intended use(s) listed below, the European Organisation for Technical Approval is requested to specify the following system(s) of attestation of conformity in the relevant guideline for European Technical Approval:

Products	Intended uses	Levels or classes	Attestation of conformity systems
Systems of mechanically fastened flexible roof waterproofing membranes including the system of fastening, jointing and edging, and sometimes thermal insulation, limited to continuous water-tight systems based on flexible sheets	For roof waterproofing		2+

System 2+: See Annex III Section 2 point (ii) of Directive 89/106/EEC, first possibility, including certification of the factory production control by an approved body on the basis of initial inspection of factory and of factory production control as well as of continuous surveillance assessment and approval of factory production control

The specification for the system should be such that it can be implemented even where performance does not need to be determined for a certain characteristic, because at least one Member State has no legal requirement at all for such characteristic (see Article 2.1 of the CPD and, where applicable, clause 1.2.3 of the Interpretative Documents). In those cases the verification of such a characteristic must not be imposed on the manufacturer if he does not wish to declare the performance of the product in that respect.