

This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

► **B**

**COUNCIL REGULATION (EU) No 1388/2013  
of 17 December 2013**

**opening and providing for the management of autonomous tariff quotas of the Union for certain  
agricultural and industrial products, and repealing Regulation (EU) No 7/2010**

(OJ L 354, 28.12.2013, p. 319)

Amended by:

|                    |                                                          | Official Journal |      |            |
|--------------------|----------------------------------------------------------|------------------|------|------------|
|                    |                                                          | No               | page | date       |
| ► <b><u>M1</u></b> | Council Regulation (EU) No 713/2014 of 24 June 2014      | L 190            | 2    | 28.6.2014  |
| ► <b><u>M2</u></b> | Council Regulation (EU) No 1340/2014 of 15 December 2014 | L 363            | 1    | 18.12.2014 |
| ► <b><u>M3</u></b> | Council Regulation (EU) 2015/981 of 23 June 2015         | L 159            | 1    | 25.6.2015  |
| ► <b><u>M4</u></b> | Council Regulation (EU) 2015/2448 of 14 December 2015    | L 345            | 1    | 30.12.2015 |

**COUNCIL REGULATION (EU) No 1388/2013****of 17 December 2013****opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) The Union production of certain agricultural and industrial products is insufficient to meet the specific requirements of the user industries in the Union. Consequently Union supplies of those products depend to a considerable extent on imports from third countries. The most urgent Union needs for the products in question should be met immediately on the most favourable terms. Union tariff quotas at preferential duty rates should therefore be opened within the limits of appropriate volumes taking into account the need not to perturb the markets for such products or impede the establishment or development of Union production.
- (2) It is necessary to ensure for all Union importers equal and uninterrupted access to those quotas and to ensure the uninterrupted application of the rates laid down for the quotas to all imports of the products concerned into all Member States until the quotas have been exhausted.
- (3) Commission Regulation (EEC) No 2454/93 <sup>(1)</sup> provides for a system of tariff quota management which ensures equal and uninterrupted access to the quotas and uninterrupted application of the rates and follows the chronological order of dates of acceptance of declarations of release for free circulation. The tariff quotas opened by this Regulation should therefore be managed by the Commission and the Member States in accordance with that system.

<sup>(1)</sup> Commission Regulation (EEC) No 2454/93 of 2 July 1993 laying down provisions for the implementation of Council Regulation (EEC) No 2913/92 establishing the Community Customs Code (OJ L 253, 11.10.1993, p. 1).

**▼B**

- (4) The quota volumes are usually expressed in tonnes. For certain products for which an autonomous tariff quota is opened the quota volume is set out in another measurement unit. Where for those products no supplementary measurement unit is specified in the Combined Nomenclature laid down in Annex I to Council Regulation (EEC) No 2658/87 <sup>(1)</sup> there can be uncertainty in respect of the measurement unit used. For the sake of clarity and in the interests of better quota management it is therefore necessary to provide that, in order to benefit from those autonomous tariff quotas, the exact quantity of the products imported be entered in the declaration for release for free circulation using the measurement unit of the quota volume set out for those products in the Annex to this Regulation.
- (5) Council Regulation (EU) No 7/2010 <sup>(2)</sup> has been amended many times. In the interest of transparency and in order to facilitate economic operators in following the goods subject to autonomous tariff quotas, it is appropriate to replace Regulation (EU) No 7/2010 in its entirety.
- (6) In accordance with the principle of proportionality, it is necessary and appropriate for the achievement of the basic objective of promoting trade between Member States and third countries to lay down rules in order to balance the commercial interest of economic operators in the Union without changing the Union's World Trade Organisation (WTO) schedule. This Regulation does not go beyond what is necessary in order to achieve the objectives pursued in accordance with Article 5(4) of the Treaty on European Union.
- (7) Since the tariff quotas must take effect from 1 January 2014, this Regulation should enter into force immediately upon its publication in the *Official Journal of the European Union* and should apply from 1 January 2014,

HAS ADOPTED THIS REGULATION:

**▼M3***Article 1*

1. For the products listed in the Annex, autonomous tariff quotas of the Union shall be opened within which the autonomous Common Customs Tariff duties shall be suspended for the periods, at the duty rates, and up to the volumes indicated therein.

<sup>(1)</sup> Council Regulation (EEC) No 2658/87 of 23 July 1987 on the tariff and statistical nomenclature and on the Common Customs Tariff (OJ L 256, 7.9.1987, p. 1).

<sup>(2)</sup> Council Regulation (EU) No 7/2010 of 22 December 2009 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products and repealing Regulation (EC) No 2505/96 (OJ L 3, 7.1.2010, p. 1).

**▼M3**

2. Paragraph 1 does not apply to any mixtures, preparations or products made up of different components containing products listed in the Annex.

**▼B***Article 2*

The tariff quotas referred to in Article 1 of this Regulation shall be managed by the Commission in accordance with Articles 308a, 308b and 308c of Regulation (EEC) No 2454/93.

*Article 3*

Where a declaration for release for free circulation is presented for a product mentioned in this Regulation, for which the quota volume is expressed in a measurement unit other than the weight in tonnes or kilograms and other than the value, for products for which no supplementary unit is set out in the Combined Nomenclature laid down in Annex I to Regulation (EEC) No 2658/87, the exact quantity of the products imported shall be entered in 'Box 41: Supplementary units' of that declaration using the measurement unit of the quota volume for those products as set out in the Annex to this Regulation.

*Article 4*

Regulation (EU) No 7/2010 is hereby repealed.

*Article 5*

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2014.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

## ANNEX

| Order number | CN code                                                                                                                                                                | TARIC                                                    | Description                                                                                                                                                                                                                                                                                                                                                                                                                            | Quota period | Quota volume  | Quota duty         |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|--------------------|
| *09.2637     | ex 0710 40 00<br>ex 2005 80 00                                                                                                                                         | 10<br>20                                                 | Corn from corn cobs ( <i>Zea Mays Saccharata</i> ) with a diameter of 10 mm or more, but not more than 20 mm, husked, sorted, trimmed, washed, blanched, either cooled and individually quick-frozen, or prepared or preserved otherwise than by vinegar or acetic acid, not frozen for use in the manufacture of products of the food industry for treatment other than simple repacking <sup>(1)</sup> <sup>(2)</sup> <sup>(3)</sup> | 1.1.-31.12.  | 550 tonnes    | 0 % <sup>(3)</sup> |
| 09.2849      | ex 0710 80 69                                                                                                                                                          | 10                                                       | Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals <sup>(1)</sup> <sup>(2)</sup>                                                                                                                                                                                                                                                        | 1.1.-31.12.  | 700 tonnes    | 0 %                |
| *09.2664     | ex 2008 60 39                                                                                                                                                          | 30                                                       | Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products <sup>(1)</sup>                                                                                                                                                                                                                                         | 1.1.-31.12.  | 1 000 tonnes  | 10 %               |
| 09.2913      | ex 2401 10 35<br>ex 2401 10 70<br>ex 2401 10 95<br>ex 2401 10 95<br>ex 2401 10 95<br>ex 2401 20 35<br>ex 2401 20 70<br>ex 2401 20 95<br>ex 2401 20 95<br>ex 2401 20 95 | 91<br>10<br>11<br>21<br>91<br>91<br>10<br>11<br>21<br>91 | Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 <sup>(1)</sup>                                                                                                                                                                               | 1.1.-31.12.  | 6 000 tonnes  | 0 %                |
| 09.2928      | ex 2811 22 00                                                                                                                                                          | 40                                                       | Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide                                                                                                                                                                                                                                                                                                                                      | 1.1.-31.12.  | 1 700 tonnes  | 0 %                |
| 09.2703      | ex 2825 30 00                                                                                                                                                          | 10                                                       | Vanadium oxides and hydroxides exclusively for use in alloys <sup>(1)</sup>                                                                                                                                                                                                                                                                                                                                                            | 1.1.-31.12.  | 13 000 tonnes | 0 %                |
| 09.2806      | ex 2825 90 40                                                                                                                                                          | 30                                                       | Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)                                                                                                                                                                                                                                                                                                                                               | 1.1.-31.12.  | 12 000 tonnes | 0 %                |
| 09.2929      | 2903 22 00                                                                                                                                                             |                                                          | Trichloroethylene (CAS RN 79-01-6)                                                                                                                                                                                                                                                                                                                                                                                                     | 1.1.-31.12.  | 10 000 tonnes | 0 %                |
| *09.2837     | ex 2903 79 30                                                                                                                                                          | 20                                                       | Bromochloromethane (CAS RN 74-97-5)                                                                                                                                                                                                                                                                                                                                                                                                    | 1.1.-31.12.  | 600 tonnes    | 0 %                |
| 09.2933      | ex 2903 99 90                                                                                                                                                          | 30                                                       | 1,3-Dichlorobenzene (CAS RN 541-73-1)                                                                                                                                                                                                                                                                                                                                                                                                  | 1.1.-31.12.  | 2 600 tonnes  | 0 %                |

## ▼M4

| Order number | CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                               | Quota period | Quota volume     | Quota duty |
|--------------|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|------------|
| 09.2830      | ex 2906 19 00 | 40    | Cyclopropylmethanol (CAS RN 2516-33-8)                                                                                                                                                                                                                                                                                                                    | 1.1.-31.12.  | 20 tonnes        | 0 %        |
| 09.2851      | ex 2907 12 00 | 10    | O-Cresol having a purity of not less than 98,5 % by weight (CAS RN 95-48-7)                                                                                                                                                                                                                                                                               | 1.1.-31.12.  | 20 000 tonnes    | 0 %        |
| 09.2624      | 2912 42 00    |       | Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4)                                                                                                                                                                                                                                                                                          | 1.1.-31.12.  | 950 tonnes       | 0 %        |
| *09.2683     | ex 2914 19 90 | 50    | Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form <sup>(1)</sup>                                                                                                                                                                                                                              | 1.1.-31.12.  | 100 tonnes       | 0 %        |
| 09.2852      | ex 2914 29 00 | 60    | Cyclopropyl methyl ketone (CAS RN 765-43-5)                                                                                                                                                                                                                                                                                                               | 1.1.-31.12.  | 300 tonnes       | 0 %        |
| 09.2638      | ex 2915 21 00 | 10    | Acetic acid of a purity by weight of 99 % or more (CAS RN 64-19-7)                                                                                                                                                                                                                                                                                        | 1.1.-31.12.  | 1 000 000 tonnes | 0 %        |
| 09.2972      | 2915 24 00    |       | Acetic anhydride (CAS RN 108-24-7)                                                                                                                                                                                                                                                                                                                        | 1.1.-31.12.  | 50 000 tonnes    | 0 %        |
| *09.2679     | 2915 32 00    |       | Vinyl acetate (CAS RN 108-05-4)                                                                                                                                                                                                                                                                                                                           | 1.1.-31.12.  | 200 000 tonnes   | 0 %        |
| *09.2665     | ex 2916 19 95 | 30    | Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)                                                                                                                                                                                                                                                                                                     | 1.1.-31.12.  | 8 250 tonnes     | 0 %        |
| *09.2684     | ex 2916 39 90 | 28    | 2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)                                                                                                                                                                                                                                                                                                     | 1.1.-31.12.  | 250 tonnes       | 0 %        |
| 09.2769      | ex 2917 13 90 | 10    | Dimethyl sebacate (CAS RN 106-79-6)                                                                                                                                                                                                                                                                                                                       | 1.1.-31.12.  | 1 000 tonnes     | 0 %        |
| *09.2680     | ex 2917 19 80 | 25    | n-Dodecenylsuccinic acid anhydride (CAS RN 19780-11-1) with:<br>— a Gardner colour index level of not more than 1,<br>— a transmission at 500 nm of 98 % or more for a 10 % solution by weight in toluene,<br>for use in the manufacture of automotive coatings <sup>(1)</sup>                                                                            | 1.1.-31.12.  | 80 tonnes        | 0 %        |
| *09.2634     | ex 2917 19 80 | 40    | Dodecanedioic acid, of a purity by weight of more than 98,5 % (CAS RN 693-23-2)                                                                                                                                                                                                                                                                           | 1.1.-31.12.  | 4 600 tonnes     | 0 %        |
| 09.2808      | ex 2918 22 00 | 10    | <i>o</i> -Acetylsalicylic acid (CAS RN 50-78-2)                                                                                                                                                                                                                                                                                                           | 1.1.-31.12.  | 120 tonnes       | 0 %        |
| *09.2646     | ex 2918 29 00 | 55    | Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with:<br>— a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight and<br>— a melting point of 110 °C or more, but not more than 125 °C,<br>for use in the manufacture of PVC-processing stabilizer-one packs based on powder mixtures <sup>(1)</sup> | 1.1.-31.12.  | 80 tonnes        | 0 %        |

## ▼ M4

| Order number | CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                         | Quota period | Quota volume  | Quota duty |
|--------------|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|------------|
| *09.2647     | ex 2918 29 00 | 65    | Pentaerythritol tetrakis (3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8):<br>— with a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and<br>— a melting point of 49 °C or more, but not more than 54 °C,<br>for use in the manufacture of PVC-processing stabilizer-one packs based on powder mixtures <sup>(1)</sup> | 1.1.-31.12.  | 380 tonnes    | 0 %        |
| 09.2975      | ex 2918 30 00 | 10    | Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)                                                                                                                                                                                                                                                                                                                                                               | 1.1.-31.12.  | 1 000 tonnes  | 0 %        |
| *09.2648     | ex 2920 90 10 | 70    | Dimethyl Sulphate (CAS RN 77-78-1)                                                                                                                                                                                                                                                                                                                                                                                                  | 1.1.-31.12.  | 12 000 tonnes | 0 %        |
| *09.2688     | ex 2920 90 85 | 70    | Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)                                                                                                                                                                                                                                                                                                                                                                         | 1.1.-31.12.  | 6 000 tonnes  | 0 %        |
| *09.2649     | ex 2921 29 00 | 60    | Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)                                                                                                                                                                                                                                                                                                                                                                           | 1.1.-31.12.  | 1 700 tonnes  | 0 %        |
| *09.2682     | ex 2921 41 00 | 10    | Aniline with a purity by weight of 99 % or more (CAS RN 62-53-3)                                                                                                                                                                                                                                                                                                                                                                    | 1.1.-31.12.  | 50 000 tonnes | 0 %        |
| 09.2602      | ex 2921 51 19 | 10    | o-Phenylenediamine (CAS RN 95-54-5)                                                                                                                                                                                                                                                                                                                                                                                                 | 1.1.-31.12.  | 1 800 tonnes  | 0 %        |
| 09.2854      | ex 2924 19 00 | 85    | 3-Iodoprop-2-ynyl N-butylcarbamate (CAS RN 55406-53-6)                                                                                                                                                                                                                                                                                                                                                                              | 1.1.-31.12.  | 500 tonnes    | 0 %        |
| *09.2977     | 2926 10 00    |       | Acrylonitrile (CAS RN 107-13-1)                                                                                                                                                                                                                                                                                                                                                                                                     | 1.1.-31.12.  | 35 000 tonnes | 0 %        |
| *09.2856     | ex 2926 90 95 | 84    | 2-Nitro-4(trifluoromethyl)benzonitrile (CAS RN 778-94-9)                                                                                                                                                                                                                                                                                                                                                                            | 1.1.-31.12.  | 900 tonnes    | 0 %        |
| *09.2838     | ex 2927 00 00 | 85    | C,C'-Azodi(formamide) (CAS RN 123-77-3) with:<br>— a pH of 6,5 or more but not more than 7,5, and<br>— a semicarbazide (CAS RN 57-56-7) content of not more than 1 500 mg/kg as determined by liquid chromatography mass spectrometry (LC-MS),<br>— decomposition temperature range of 195 °C – 205 °C,<br>— specific gravity 1,64-1,66, and<br>— combustion heat 215-220 Kcal/mol                                                  | 1.1.-31.12.  | 100 tonnes    | 0 %        |
| *09.2685     | ex 2929 90 00 | 30    | Nitroguanidine (CAS RN 556-88-7)                                                                                                                                                                                                                                                                                                                                                                                                    | 1.1.-31.12.  | 6 500 tonnes  | 0 %        |

## ▼ M4

| Order number | CN code       | TARIC | Description                                                                                                                                                    | Quota period | Quota volume   | Quota duty |
|--------------|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|------------|
| 09.2955      | ex 2932 19 00 | 60    | Flurtamone (ISO) (CAS RN 96525-23-4)                                                                                                                           | 1.1.-31.12.  | 300 tonnes     | 0 %        |
| 09.2812      | ex 2932 20 90 | 77    | Hexan-6-olide (CAS RN 502-44-3)                                                                                                                                | 1.1.-31.12.  | 4 000 tonnes   | 0 %        |
| *09.2858     | 2932 93 00    |       | Piperonal (CAS RN 120-57-0)                                                                                                                                    | 1.1.-31.12.  | 220 tonnes     | 0 %        |
| *09.2831     | ex 2932 99 00 | 40    | 1,3:2,4-Bis-O-(3,4-dimethylbenzylidene)-D-glucitol (CAS RN 135861-56-2)                                                                                        | 1.1.-31.12.  | 500 tonnes     | 0 %        |
| *09.2673     | ex 2933 39 99 | 43    | 2,2,6,6-tetramethylpiperidin-4-ol (CAS RN 2403-88-5)                                                                                                           | 1.1.-31.12.  | 1 000 tonnes   | 0 %        |
| *09.2674     | ex 2933 39 99 | 44    | Chlorpyrifos (ISO) (CAS RN 2921-88-2)                                                                                                                          | 1.1.-31.12.  | 9 000 tonnes   | 0 %        |
| 09.2860      | ex 2933 69 80 | 30    | 1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)                                                                                | 1.1.-31.12.  | 400 tonnes     | 0 %        |
| 09.2658      | ex 2933 99 80 | 73    | 5-(Acetoacetylamino)benzimidazolone (CAS RN 26576-46-5)                                                                                                        | 1.1.-31.12.  | 200 tonnes     | 0 %        |
| *09.2675     | ex 2935 00 90 | 79    | 4-[[[2-Methoxybenzoyl]amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)                                                                                     | 1.1.-31.12.  | 1 000 tonnes   | 0 %        |
| 09.2945      | ex 2940 00 00 | 20    | D-Xylose (CAS RN 58-86-6)                                                                                                                                      | 1.1.-31.12.  | 400 tonnes     | 0 %        |
| *09.2686     | ex 3204 11 00 | 75    | Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight | 1.1.-31.12.  | 2 500 kg       | 0 %        |
| *09.2676     | ex 3204 17 00 | 14    | Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more by weight                                      | 1.1.-31.12.  | 50 tonnes      | 0 %        |
| *09.2666     | ex 3204 17 00 | 55    | Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight      | 1.1.-31.12.  | 40 tonnes      | 0 %        |
| *09.2659     | ex 3802 90 00 | 19    | Soda flux calcinated diatomaceous earth                                                                                                                        | 1.1.-31.12.  | 30 000 tonnes  | 0 %        |
| 09.2908      | ex 3804 00 00 | 10    | Sodium lignosulphonate                                                                                                                                         | 1.1.-31.12.  | 40 000 tonnes  | 0 %        |
| 09.2889      | 3805 10 90    |       | Sulphate turpentine                                                                                                                                            | 1.1.-31.12.  | 25 000 tonnes  | 0 %        |
| 09.2935      | ex 3806 10 00 | 10    | Rosin and resin acids obtained from fresh oleoresins                                                                                                           | 1.1.-31.12.  | 280 000 tonnes | 0 %        |
| *09.2832     | ex 3808 92 90 | 40    | Preparation containing 38 % or more but not more than 50 % by weight of pyrrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion                    | 1.1.-31.12.  | 500 tonnes     | 0 %        |



## ▼ M4

| Order number | CN code                        | TARIC    | Description                                                                                                                                                                                                                                                                                           | Quota period | Quota volume  | Quota duty |
|--------------|--------------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|------------|
| 09.2681      | ex 3812 10 00<br>ex 3824 90 92 | 20<br>85 | Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)                                                                                                                                                                                                                               | 1.1.-31.12.  | 9 000 tonnes  | 0 %        |
| 09.2814      | ex 3815 90 90                  | 76       | Catalyst consisting of titanium dioxide and tungsten trioxide                                                                                                                                                                                                                                         | 1.1.-31.12.  | 3 000 tonnes  | 0 %        |
| 09.2644      | ex 3824 90 92                  | 77       | Preparation containing by weight:<br>— 55 % or more but not more than 78 % of dimethyl glutarate,<br>— 10 % or more but not more than 30 % of dimethyl adipate, and<br>— not more than 35 % of dimethyl succinate                                                                                     | 1.1.-31.12.  | 10 000 tonnes | 0 %        |
| 09.2140      | ex 3824 90 92                  | 79       | Mixture of tertiary amines containing by weight:<br>— 2,0-4,0 % of N,N-dimethyl-1-octanamine<br>— 94 % minimum of N,N-dimethyl-1-decanamine<br>— 2 % maximum of N,N-dimethyl-1-dodecanamine                                                                                                           | 1.1.-31.12.  | 4 500 tonnes  | 0 %        |
| *09.2650     | ex 3824 90 92                  | 87       | Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %                                                                                                                                                                                                         | 1.1.-31.12.  | 2 000 tonnes  | 0 %        |
| 09.2829      | ex 3824 90 93                  | 43       | Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics:<br>— a resin acid content not exceeding 30 % by weight,<br>— an acid number not exceeding 110,<br>and<br>— a melting point of 100 °C or more | 1.1.-31.12.  | 1 600 tonnes  | 0 %        |
| 09.2907      | ex 3824 90 93                  | 67       | Mixture of phytosterols, in the form of powder, containing by weight:<br>— 75 % or more of sterols,<br>— not more than 25 % of stanols,<br>— for use in the manufacture of stanols/sterols or stanol/sterol esters <sup>(1)</sup>                                                                     | 1.1.-31.12.  | 2 500 tonnes  | 0 %        |
| *09.2660     | ex 3902 30 00                  | 98       | Amorphous polyalpha olefin adhesive for the manufacture of hygiene products <sup>(1)</sup>                                                                                                                                                                                                            | 1.1.-31.12.  | 500 tonnes    | 0 %        |
| *09.2639     | 3905 30 00                     |          | Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups                                                                                                                                                                                                                            | 1.1.-31.12.  | 15 000 tonnes | 0 %        |

## ▼ M4

| Order number | CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                    | Quota period | Quota volume  | Quota duty |
|--------------|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|------------|
| *09.2671     | ex 3905 99 90 | 81    | Poly(vinyl butyral)(CAS RN 63148-65-2):<br>— containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and<br>— with a median particle size (D50) of more than 0,6 mm                                                                                                                                                    | 1.1.-31.12.  | 12 000 tonnes | 0 %        |
| *09.2687     | ex 3907 40 00 | 25    | Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2) | 1.1.-31.12   | 400 tonnes    | 0 %        |
| 09.2616      | ex 3910 00 00 | 30    | Polydimethylsiloxane with a degree of polymerisation of 2 800 monomer units ( $\pm 100$ )                                                                                                                                                                                                                                                      | 1.1.-31.12.  | 1 300 tonnes  | 0 %        |
| 09.2816      | ex 3912 11 00 | 20    | Cellulose acetate flakes                                                                                                                                                                                                                                                                                                                       | 1.1.-31.12.  | 75 000 tonnes | 0 %        |
| *09.2864     | ex 3913 10 00 | 10    | Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)                                                                                                                                                                                                                                                                               | 1.1.-31.12.  | 1 000 tonnes  | 0 %        |
| 09.2641      | ex 3913 90 00 | 87    | Sodium hyaluronate, non sterile, with:<br>— a weight average molecular weight ( $M_w$ ) of not more than 900 000,<br>— an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,<br>— an ethanol content of not more than 1 % by weight,<br>— an isopropanol content of not more than 0,5 % by weight                                 | 1.1.-31.12.  | 200 kg        | 0 %        |
| 09.2661      | ex 3920 51 00 | 50    | Sheets of polymethylmethacrylate conforming to standards:<br>— EN 4364 (MIL-P-5425E) and DTD5592A, or<br>— EN 4365 (MIL-P-8184) and DTD5592A                                                                                                                                                                                                   | 1.1.-31.12.  | 100 tonnes    | 0 %        |
| 09.2645      | ex 3921 14 00 | 20    | Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm ( $\pm 10$ cm) x 100 cm ( $\pm 10$ cm) x 40 cm ( $\pm 5$ cm)                                                                                                                                 | 1.1.-31.12.  | 1 700 tonnes  | 0 %        |
| 09.2818      | ex 6902 90 00 | 10    | Refractory bricks with:<br>— an edge length of more than 300 mm, and<br>— a $TiO_2$ content of not more than 1 % by weight, and<br>— a $Al_2O_3$ content of not more than 0,4 % by weight, and<br>— a change in volume of less than 9 % at 1 700 °C                                                                                            | 1.1.-31.12.  | 225 tonnes    | 0 %        |

▼ **M4**

| Order number | CN code                        | TARIC    | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Quota period | Quota volume             | Quota duty |
|--------------|--------------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|------------|
| 09.2628      | ex 7019 52 00                  | 10       | Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m <sup>2</sup> (± 10 g/m <sup>2</sup> ), of a type used in rolling insect screens with fixed frames                                                                                                                                                                                                                                                                                                                    | 1.1.-31.12.  | 3 000 000 m <sup>2</sup> | 0 %        |
| 09.2799      | ex 7202 49 90                  | 10       | Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium                                                                                                                                                                                                                                                                                                                                                                            | 1.1.-31.12.  | 50 000 tonnes            | 0 %        |
| *09.2652     | ex 7409 11 00<br>ex 7410 11 00 | 20<br>30 | Refined copper foil and strips, electrolytically coated                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1.1.-31.12.  | 1 020 tonnes             | 0 %        |
| *09.2662     | ex 7410 21 00                  | 55       | Plates:<br>— consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,<br>— covered on one or both sides with copper foil with a thickness of not more than 0,15 mm,<br>— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,<br>— with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,<br>— with a comparative tracking index (CTI) of 600 or more                    | 1.1.-31.12.  | 45 000 m <sup>2</sup>    | 0 %        |
| *09.2834     | ex 7604 29 10                  | 20       | Aluminium alloy rods with a diameter of 200 mm or more, but not exceeding 300 mm                                                                                                                                                                                                                                                                                                                                                                                                                | 1.1.-31.12.  | 2 000 tonnes             | 0 %        |
| 09.2835      | ex 7604 29 10                  | 30       | Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm                                                                                                                                                                                                                                                                                                                                                                                                            | 1.1.-31.12.  | 1 000 tonnes             | 0 %        |
| *09.2689     | ex 7606 12 92<br>ex 7607 11 90 | 50<br>70 | Aluminium and magnesium alloy strip or foil:<br>— in rolls,<br>— of a thickness of 0,14 mm or more but not more than 0,27 mm,<br>— a width of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50 mm or 356 mm,<br>— a tensile strength of 285 N/mm <sup>2</sup> or more,<br>and<br>— an elongation at break of 1 % or more, and<br>— containing by weight:<br>— 93,3 % or more of aluminium,<br>— 0,8 % or more but not more than 5 % of magnesium, and<br>— not more than 1,8 % of other elements | 1.1.-30.6    | 500 tonnes               | 0 %        |

## ▼ M4

| Order number | CN code                        | TARIC    | Description                                                                                                                                                                                                                                                                                                                                                                                                                                             | Quota period | Quota volume     | Quota duty |
|--------------|--------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|------------|
| 09.2840      | ex 8104 30 00                  | 20       | Magnesium powder:<br>— of purity by weight of 98 % or more, but not more than 99,5 %<br>— with a particle size of 0,2 mm or more but not more than 0,8 mm                                                                                                                                                                                                                                                                                               | 1.1.-31.12.  | 2 000 tonnes     | 0 %        |
| 09.2629      | ex 8302 49 00                  | 91       | Aluminium telescopic handle for use in the manufacture of luggage <sup>(1)</sup>                                                                                                                                                                                                                                                                                                                                                                        | 1.1.-31.12.  | 1 000 000 pieces | 0 %        |
| *09.2690     | ex 8483 30 80                  | 20       | Wave slide bearing for axial applications, of FeP01 steel (according to EN 10130-1991) with a sliding layer of porous sinter bronze and poly(tetrafluoroethylene), suitable for installation into motor bike suspension units                                                                                                                                                                                                                           | 1.1.-31.12.  | 1 500 000 pieces | 0 %        |
| 09.2642      | ex 8501 40 20<br>ex 8501 40 80 | 30<br>40 | Assembly, consisting of:<br>— a single-phase electric AC commutator motor, with an output of 480 W or more, but not more than 1 400 W, an input power of more than 900 W but not more than 1 600 W, an external diameter of more than 119,8 mm but not more than 135,2 mm and a rated speed of more than 30 000 rpm but not more than 50 000 rpm, and<br>— an air-inducting ventilator,<br>for use in the manufacture of vacuum cleaners <sup>(1)</sup> | 1.1.-31.12.  | 120 000 pieces   | 0 %        |
| 09.2763      | ex 8501 40 20<br>ex 8501 40 80 | 40<br>30 | Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm ( $\pm$ 0,2 mm) but not more than 135 mm ( $\pm$ 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners <sup>(1)</sup>                                     | 1.1.-31.12.  | 2 000 000 pieces | 0 %        |
| 09.2633      | ex 8504 40 82                  | 20       | Electric rectifier, with a capacity of not more than 1 kVA, for use in the manufacture of appliances falling within subheading 8509 80 and heading 8510 <sup>(1)</sup>                                                                                                                                                                                                                                                                                  | 1.1.-31.12.  | 4 500 000 pieces | 0 %        |
| 09.2643      | ex 8504 40 82                  | 30       | Power supply boards for use in the manufacture of goods falling under heading 8521 and 8528 <sup>(1)</sup>                                                                                                                                                                                                                                                                                                                                              | 1.1.-31.12.  | 1 038 000 pieces | 0 %        |

## ▼ M4

| Order number | CN code                        | TARIC    | Description                                                                                                                                                                                                               | Quota period | Quota volume       | Quota duty |
|--------------|--------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------|------------|
| 09.2620      | ex 8526 91 20                  | 20       | Assembly for GPS system having a position determination function, without display, and a weight of not more than 2 500 g                                                                                                  | 1.1.-31.12.  | 3 000 000 pieces   | 0 %        |
| 09.2672      | ex 8529 90 92<br>ex 9405 40 39 | 75<br>70 | Printed circuit board with LED diodes:<br>— whether or not equipped with prisms/lens, and<br>— whether or not fitted with connector(s)<br>for the manufacture of backlight units for goods of heading 8528 <sup>(1)</sup> | 1.1.-31.12.  | 115 000 000 pieces | 0 %        |
| 09.2003      | ex 8543 70 90                  | 63       | Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm                                     | 1.1.-31.12.  | 1 400 000 pieces   | 0 %        |
| *09.2668     | ex 8714 91 10<br>ex 8714 91 10 | 21<br>31 | Bicycle frame, constructed from carbon fibres and artificial resin, painted, lacquered and/or polished, for use in the manufacture of bicycles <sup>(1)</sup>                                                             | 1.1.-31.12.  | 304 000 pieces     | 0 %        |
| *09.2669     | ex 8714 91 30<br>ex 8714 91 30 | 21<br>31 | Bicycle front fork, constructed from carbon fibres and artificial resin, painted, lacquered and/or polished, for use in the manufacture of bicycles <sup>(1)</sup>                                                        | 1.1.-31.12.  | 257 000 pieces     | 0 %        |
| 09.2631      | ex 9001 90 00                  | 80       | Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 9015 <sup>(1)</sup>                                                                | 1.1.-31.12.  | 5 000 000 pieces   | 0 %        |
| *09.2836     | ex 9003 11 00<br>ex 9003 19 00 | 10<br>20 | Spectacle frames of plastic or base metal for use in the manufacture of corrective glasses <sup>(1)</sup>                                                                                                                 | 1.1.-31.12.  | 5 800 000 pieces   | 0 %        |

<sup>(1)</sup> Suspension of duties is subject to end-use customs supervision in accordance with Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 of 2 July 1993 laying down provisions for the implementation of Council Regulation (EEC) No 2913/92 establishing the Community Customs Code (OJ L 253, 11.10.1993, p. 1).

<sup>(2)</sup> However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

<sup>(3)</sup> Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

\* A newly introduced measure or a measure with amended conditions.