

II

(Non-legislative acts)

REGULATIONS

COMMISSION IMPLEMENTING REGULATION (EU) No 578/2013

of 17 June 2013

suspending the introduction into the Union of specimens of certain species of wild fauna and flora

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein⁽¹⁾, and in particular Article 4(6) thereof,

Whereas:

- (1) Article 4(6) of Regulation (EC) No 338/97 provides that the Commission may establish restrictions to the introduction of certain species into the Union in accordance with the conditions laid down in points (a) to (d) thereof. Furthermore, implementing measures for such restrictions have been laid down in Article 71 of Commission Regulation (EC) No 865/2006 of 4 May 2006 laying down detailed rules concerning the implementation of Council Regulation (EC) No 338/97 of the protection of species of wild fauna and flora by regulating trade therein⁽²⁾.
- (2) A list of species for which the introduction into the Union is suspended was last established in Commission Regulation (EU) No 757/2012 of 20 August 2012 suspending the introduction into the Union of specimens of certain species of wild fauna and flora⁽³⁾.
- (3) On the basis of recent information, the Scientific Review Group has concluded that the conservation status of certain additional species listed in Annexes A and B to Regulation (EC) No 338/97 will be seriously jeopardised if their introduction into the Union from certain countries of origin is not suspended. The introduction of the following new species should therefore be suspended:

Hippopotamus amphibius from Cameroon and Mozambique;

Cercopithecus dryas from the Democratic Republic of the Congo;

Stephanoaetus coronatus and *Torgos tracheliotus* from Tanzania;

Balearica pavonina from Sudan;

Chamaeleo africanus from Niger;

Heosemys annandalii and *Heosemys grandis* from Laos;

Mantella pulchra from Madagascar;

Tridacna crocea, *Tridacna maxima* and *Tridacna squamosa* from Cambodia;

Nardostachys grandiflora from Nepal.

- (4) The Scientific Review Group has also concluded that, on the basis of the most recent available information, the suspension of the introduction into the Union of the following species should no longer be required for:

Canis lupus from Kyrgyzstan;

Ateles geoffroyi and *Brachypelma albopilosum* from Nicaragua;

Calumma brevicorne, *Calumma gastrotaenia*, *Calumma nasutum*, *Calumma parsonii*, *Furcifer antimenae*, *Furcifer campani* and *Furcifer minor* from Madagascar;

Cuora amboinensis, *Cuora galbinifrons*, Cycadaceae spp., *Christensonia vietnamica*, Stangeriaceae spp. and Zamiaceae spp. from Vietnam;

Rauvolfia serpentina from Myanmar;

Pterocarpus santalinus from India.

- (5) The countries of origin of the species which are subject to new restrictions to introduction into the Union have all been consulted.

- (6) The list of species for which the introduction into the Union is suspended should therefore be amended and Regulation (EU) No 757/2012 should, for reasons of clarity, be replaced.

⁽¹⁾ OJ L 61, 3.3.1997, p. 1.

⁽²⁾ OJ L 166, 19.6.2006, p. 1.

⁽³⁾ OJ L 223, 21.8.2012, p. 31.

- (7) The Scientific Review Group established pursuant to Article 17 of Regulation (EC) No 338/97 has been consulted.
- (8) The measures provided for in this Regulation are in accordance with the opinion of the Committee on Trade in Wild Fauna and Flora established pursuant to Article 18 of Regulation (EC) No 338/97,

Article 2

Implementing Regulation (EU) No 757/2012 is repealed.

References to the repealed Regulation shall be construed as references to this Regulation.

HAS ADOPTED THIS REGULATION:

Article 1

The introduction into the Union of specimens of the species of wild fauna and flora listed in the Annex to this Regulation is suspended.

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 17 June 2013.

For the Commission
The President
José Manuel BARROSO

ANNEX

Specimens of species included in Annex A to Regulation (EC) No 338/97 whose introduction into the Union is suspended

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|-------------------------|-------------------|---------------------|---------------------------------------|-------------------------------|
| FAUNA | | | | |
| CHORDATA | | | | |
| MAMMALIA | | | | |
| ARTIODACTYLA | | | | |
| Bovidae | | | | |
| <i>Capra falconeri</i> | Wild | Hunting trophies | Uzbekistan | (a) |
| CARNIVORA | | | | |
| Canidae | | | | |
| <i>Canis lupus</i> | Wild | Hunting trophies | Belarus, Mongolia, Tajikistan, Turkey | (a) |
| Felidae | | | | |
| Ursidae | | | | |
| <i>Ursus arctos</i> | Wild | Hunting trophies | Canada (British Columbia), Kazakhstan | (a) |
| <i>Ursus thibetanus</i> | Wild | Hunting trophies | Russia | (a) |
| AVES | | | | |
| FALCONIFORMES | | | | |
| Falconidae | | | | |
| <i>Falco cherrug</i> | Wild | All | Bahrain | (a) |

Specimens of species included in Annex B to Regulation (EC) No 338/97 whose introduction into the Union is suspended

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--------------------------------|-------------------|---------------------|---------------------|-------------------------------|
| FAUNA | | | | |
| CHORDATA | | | | |
| MAMMALIA | | | | |
| ARTIODACTYLA | | | | |
| Bovidae | | | | |
| <i>Ovis vignei bocharensis</i> | Wild | All | Uzbekistan | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|---|-------------------|---------------------|--|-------------------------------|
| <i>Saiga borealis</i> | Wild | All | Russia | (b) |
| Cervidae | | | | |
| <i>Cervus elaphus bactrianus</i> | Wild | All | Uzbekistan | (b) |
| Hippopotamidae | | | | |
| <i>Hexaprotodon liberiensis</i> (synonym <i>Choeropsis liberiensis</i>) | Wild | All | Nigeria | (b) |
| <i>Hippopotamus amphibius</i> | Wild | All | Cameroon, Gambia, Mozambique, Niger, Nigeria, Sierra Leone, Togo | (b) |
| Moschidae | | | | |
| <i>Moschus moschiferus</i> | Wild | All | Russia | (b) |
| CARNIVORA | | | | |
| Eupleridae | | | | |
| <i>Cryptoprocta ferox</i> | Wild | All | Madagascar | (b) |
| Felidae | | | | |
| <i>Panthera leo</i> | Wild | All | Ethiopia | (b) |
| <i>Profelis aurata</i> | Wild | All | Tanzania, Togo | (b) |
| Mustelidae | | | | |
| <i>Hydrictis maculicollis</i> | Wild | All | Tanzania | (b) |
| Odobenidae | | | | |
| <i>Odobenus rosmarus</i> | Wild | All | Greenland | (b) |
| MONOTREMATA | | | | |
| Tachyglossidae | | | | |
| <i>Zaglossus bartoni</i> | Wild | All | Indonesia, Papua New Guinea | (b) |
| <i>Zaglossus bruijni</i> | Wild | All | Indonesia | (b) |
| PHOLIDOTA | | | | |
| Manidae | | | | |
| <i>Manis temminckii</i> | Wild | All | Democratic Republic of the Congo | (b) |
| PRIMATES | | | | |
| Atelidae | | | | |
| <i>Alouatta guariba</i> | Wild | All | All | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--|-------------------|---------------------|--|-------------------------------|
| <i>Ateles belzebuth</i> | Wild | All | All | (b) |
| <i>Ateles fusciceps</i> | Wild | All | All | (b) |
| <i>Ateles geoffroyi</i> | Wild | All | Belize, Colombia, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Panama | (b) |
| <i>Ateles hybridus</i> | Wild | All | All | (b) |
| <i>Lagothrix lagotricha</i> | Wild | All | All | (b) |
| <i>Lagothrix lugens</i> | Wild | All | All | (b) |
| <i>Lagothrix poeppigii</i> | Wild | All | All | (b) |
| Cercopithecidae | | | | |
| <i>Cercopithecus dryas</i> | Wild | All | Democratic Republic of the Congo | (b) |
| <i>Cercopithecus erythrogaster</i> | Wild | All | All | (b) |
| <i>Cercopithecus erythrotis</i> | Wild | All | All | (b) |
| <i>Cercopithecus hamlyni</i> | Wild | All | All | (b) |
| <i>Cercopithecus mona</i> | Wild | All | Togo | (b) |
| <i>Cercopithecus petaurista</i> | Wild | All | Togo | (b) |
| <i>Cercopithecus pogonias</i> | Wild | All | Nigeria | (b) |
| <i>Cercopithecus preussi</i> (synonym <i>C. lhoesti preussi</i>) | Wild | All | Nigeria | (b) |
| <i>Colobus vellerosus</i> | Wild | All | Nigeria, Togo | (b) |
| <i>Lophocebus albigena</i> (synonym <i>Cercocebus albigena</i>) | Wild | All | Nigeria | (b) |
| <i>Macaca cyclopis</i> | Wild | All | All | (b) |
| <i>Macaca sylvanus</i> | Wild | All | Algeria, Morocco | (b) |
| <i>Ptilocolobus badius</i> (synonym <i>Colobus badius</i>) | Wild | All | All | (b) |
| Galagidae | | | | |
| <i>Euoticus pallidus</i> (synonym <i>Galago elegantulus pallidus</i>) | Wild | All | Nigeria | (b) |
| <i>Galago matschiei</i> (synonym <i>G. inustus</i>) | Wild | All | Rwanda | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--------------------------------|-------------------|---------------------|---------------------|-------------------------------|
| Lorisidae | | | | |
| <i>Arctocebus calabarensis</i> | Wild | All | Nigeria | (b) |
| <i>Perodicticus potto</i> | Wild | All | Togo | (b) |
| Pitheciidae | | | | |
| <i>Chiropotes chiropotes</i> | Wild | All | Guyana | (b) |
| <i>Pithecia pithecia</i> | Wild | All | Guyana | (b) |
| RODENTIA | | | | |
| Sciuridae | | | | |
| <i>Callosciurus erythraeus</i> | All | Live | All | (d) |
| <i>Sciurus carolinensis</i> | All | Live | All | (d) |
| <i>Sciurus niger</i> | All | Live | All | (d) |
| AVES | | | | |
| ANSERIFORMES | | | | |
| Anatidae | | | | |
| <i>Oxyura jamaicensis</i> | All | Live | All | (d) |
| CICONIIFORMES | | | | |
| Balaenicipitidae | | | | |
| <i>Balaeniceps rex</i> | Wild | All | Tanzania | (b) |
| FALCONIFORMES | | | | |
| Accipitridae | | | | |
| <i>Accipiter erythropus</i> | Wild | All | Guinea | (b) |
| <i>Accipiter melanoleucus</i> | Wild | All | Guinea | (b) |
| <i>Accipiter ovampensis</i> | Wild | All | Guinea | (b) |
| <i>Aquila rapax</i> | Wild | All | Guinea | (b) |
| <i>Aviceda cuculoides</i> | Wild | All | Guinea | (b) |
| <i>Gyps africanus</i> | Wild | All | Guinea | (b) |
| <i>Gyps bengalensis</i> | Wild | All | All | (b) |
| <i>Gyps indicus</i> | Wild | All | All | (b) |
| <i>Gyps rueppellii</i> | Wild | All | Guinea | (b) |
| <i>Gyps tenuirostris</i> | Wild | All | All | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|----------------------------------|-------------------|---------------------|--|-------------------------------|
| <i>Hieraaetus ayresii</i> | Wild | All | Cameroon, Guinea, Togo | (b) |
| <i>Hieraaetus spilogaster</i> | Wild | All | Guinea, Togo | (b) |
| <i>Leucopternis lacernulatus</i> | Wild | All | Brazil | (b) |
| <i>Lophaetus occipitalis</i> | Wild | All | Guinea | (b) |
| <i>Macheiramphus alcinus</i> | Wild | All | Guinea | (b) |
| <i>Polemaetus bellicosus</i> | Wild | All | Cameroon, Guinea, Tanzania, Togo | (b) |
| <i>Spizaetus africanus</i> | Wild | All | Guinea | (b) |
| <i>Stephanoaetus coronatus</i> | Wild | All | Côte d'Ivoire, Guinea, Tanzania, Togo | (b) |
| <i>Terathopius ecaudatus</i> | Wild | All | Tanzania | (b) |
| <i>Torgos tracheliotus</i> | Wild | All | Cameroon, Sudan, Tanzania | (b) |
| <i>Trionoceph occipitalis</i> | Wild | All | Côte d'Ivoire, Guinea | (b) |
| <i>Urotriorchis macrourus</i> | Wild | All | Guinea | (b) |
| Falconidae | | | | |
| <i>Falco chicquera</i> | Wild | All | Guinea, Togo | (b) |
| Sagittariidae | | | | |
| <i>Sagittarius serpentarius</i> | Wild | All | Cameroon, Guinea, Tanzania, Togo | (b) |
| GRUIFORMES | | | | |
| Gruidae | | | | |
| <i>Balearica pavonina</i> | Wild | All | Guinea, Mali, Sudan | (b) |
| <i>Balearica regulorum</i> | Wild | All | Botswana, Burundi, Democratic Republic of the Congo, Kenya, South Africa, Zambia, Zimbabwe | (b) |
| <i>Bugeranus carunculatus</i> | Wild | All | South Africa, Tanzania | (b) |
| PSITTACIFORMES | | | | |
| Loriidae | | | | |
| <i>Chamosyna diadema</i> | Wild | All | All | (b) |
| Psittacidae | | | | |
| <i>Agapornis fischeri</i> | Wild | All | Tanzania | (b) |
| <i>Agapornis nigrigenis</i> | Wild | All | All | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|-----------------------------------|-------------------|---------------------|--|----------------------------------|
| <i>Agapornis pullarius</i> | Wild | All | Democratic Republic of the Congo, Côte d'Ivoire, Guinea, Mali, Togo | (b) |
| <i>Aratinga auricapillus</i> | Wild | All | All | (b) |
| <i>Coracopsis vasa</i> | Wild | All | Madagascar | (b) |
| <i>Deroptyus accipitrinus</i> | Wild | All | Suriname | (b) |
| <i>Hapalopsittaca amazonina</i> | Wild | All | All | (b) |
| <i>Hapalopsittaca pyrrhops</i> | Wild | All | All | (b) |
| <i>Leptosittaca branickii</i> | Wild | All | All | (b) |
| <i>Poicephalus gulielmi</i> | Wild | All | Cameroon, Côte d'Ivoire, Congo, Guinea | (b) |
| <i>Poicephalus robustus</i> | Wild | All | Democratic Republic of the Congo, Côte d'Ivoire, Guinea, Mali, Nigeria, Togo, Uganda | (b) |
| <i>Psittacus erithacus</i> | Wild | All | Benin, Equatorial Guinea, Liberia, Nigeria | (b) |
| <i>Psittacus erithacus timneh</i> | Wild | All | Guinea, Guinea-Bissau | (b) |
| <i>Psittichas fulgidus</i> | Wild | All | All | (b) |
| <i>Pyrrhura caeruleiceps</i> | Wild | All | Colombia | (b) |
| <i>Pyrrhura pfrimeri</i> | Wild | All | Brazil | (b) |
| <i>Pyrrhura subandina</i> | Wild | All | Colombia | (b) |
| STRIGIFORMES | | | | |
| Strigidae | | | | |
| <i>Asio capensis</i> | Wild | All | Guinea | (b) |
| <i>Bubo lacteus</i> | Wild | All | Guinea | (b) |
| <i>Bubo poensis</i> | Wild | All | Guinea | (b) |
| <i>Glaucidium capense</i> | Wild | All | Rwanda | (b) |
| <i>Glaucidium perlatum</i> | Wild | All | Cameroon, Guinea | (b) |
| <i>Ptilopsis leucotis</i> | Wild | All | Guinea | (b) |
| <i>Scotopelia bouvieri</i> | Wild | All | Cameroon | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--------------------------------|-------------------|---------------------|----------------------|-------------------------------|
| <i>Scotopelia peli</i> | Wild | All | Guinea | (b) |
| REPTILIA | | | | |
| CROCODYLIA | | | | |
| Alligatoridae | | | | |
| <i>Palaeosuchus trigonatus</i> | Wild | All | Guyana | (b) |
| Crocodylidae | | | | |
| <i>Crocodylus niloticus</i> | Wild | All | Madagascar | (b) |
| SAURIA | | | | |
| Agamidae | | | | |
| <i>Uromastyx dispar</i> | Wild | All | Algeria, Mali, Sudan | (b) |
| <i>Uromastyx geyri</i> | Wild | All | Mali, Niger | (b) |
| Chamaeleonidae | | | | |
| <i>Brookesia decaryi</i> | Wild | All | Madagascar | (b) |
| <i>Calumma ambreense</i> | Wild | All | Madagascar | (b) |
| <i>Calumma capuroni</i> | Wild | All | Madagascar | (b) |
| <i>Calumma cucullatum</i> | Wild | All | Madagascar | (b) |
| <i>Calumma furcifer</i> | Wild | All | Madagascar | (b) |
| <i>Calumma guibei</i> | Wild | All | Madagascar | (b) |
| <i>Calumma hilleniusi</i> | Wild | All | Madagascar | (b) |
| <i>Calumma linota</i> | Wild | All | Madagascar | (b) |
| <i>Calumma peyrierasi</i> | Wild | All | Madagascar | (b) |
| <i>Calumma tsaratananense</i> | Wild | All | Madagascar | (b) |
| <i>Calumma vatosoa</i> | Wild | All | Madagascar | (b) |
| <i>Chamaeleo africanus</i> | Wild | All | Niger | (b) |
| <i>Chamaeleo camerunensis</i> | Wild | All | Cameroon | (b) |
| <i>Chamaeleo deremensis</i> | Wild | All | Tanzania | (b) |
| <i>Chamaeleo eisentrauti</i> | Wild | All | Cameroon | (b) |
| <i>Chamaeleo feae</i> | Wild | All | Equatorial Guinea | (b) |
| <i>Chamaeleo fuelleborni</i> | Wild | All | Tanzania | (b) |
| <i>Chamaeleo gracilis</i> | Wild | All | Benin, Ghana, Togo | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--------------------------------|-------------------|--|---------------------|-------------------------------|
| | Ranched | All | Benin | (b) |
| | Ranched | Snout to vent length greater than 8 cm | Togo | (b) |
| <i>Chamaeleo montium</i> | Wild | All | Cameroon | (b) |
| <i>Chamaeleo senegalensis</i> | Wild | All | Benin, Ghana, Togo | (b) |
| | Ranched | Snout to vent length greater than 6 cm | Benin, Togo | (b) |
| <i>Chamaeleo werneri</i> | Wild | All | Tanzania | (b) |
| <i>Chamaeleo wiedersheimi</i> | Wild | All | Cameroon | (b) |
| <i>Furcifer angeli</i> | Wild | All | Madagascar | (b) |
| <i>Furcifer balteatus</i> | Wild | All | Madagascar | (b) |
| <i>Furcifer belalandaensis</i> | Wild | All | Madagascar | (b) |
| <i>Furcifer labordi</i> | Wild | All | Madagascar | (b) |
| <i>Furcifer monoceras</i> | Wild | All | Madagascar | (b) |
| <i>Furcifer nicosiai</i> | Wild | All | Madagascar | (b) |
| <i>Furcifer tuzetae</i> | Wild | All | Madagascar | (b) |
| Cordylidae | | | | |
| <i>Cordylus mossambicus</i> | Wild | All | Mozambique | (b) |
| <i>Cordylus tropidosternum</i> | Wild | All | Mozambique | (b) |
| <i>Cordylus vittifer</i> | Wild | All | Mozambique | (b) |
| Gekkonidae | | | | |
| <i>Phelsuma abbotti</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma antanosy</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma barbouri</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma berghofi</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma breviceps</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma comorensis</i> | Wild | All | Comoros | (b) |
| <i>Phelsuma dubia</i> | Wild | All | Comoros, Madagascar | (b) |
| <i>Phelsuma flavigularis</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma guttata</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma hielscheri</i> | Wild | All | Madagascar | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|-------------------------------|-------------------|---------------------------------|---------------------|-------------------------------|
| <i>Phelsuma klemmeri</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma laticauda</i> | Wild | All | Comoros | (b) |
| <i>Phelsuma malamakibo</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma masohoala</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma modesta</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma mutabilis</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma pronki</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma pusilla</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma seippi</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma serraticauda</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma standingi</i> | Wild | All | Madagascar | (b) |
| <i>Phelsuma v-nigra</i> | Wild | All | Comoros | (b) |
| <i>Uroplatus ebenaui</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus fimbriatus</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus guentheri</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus henkeli</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus lineatus</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus malama</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus phantasticus</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus pietschmanni</i> | Wild | All | Madagascar | (b) |
| <i>Uroplatus sikorae</i> | Wild | All | Madagascar | (b) |
| Scincidae | | | | |
| <i>Corucia zebrata</i> | Wild | All | Solomon Islands | (b) |
| Varanidae | | | | |
| <i>Varanus albigularis</i> | Wild | All | Tanzania | (b) |
| <i>Varanus beccarii</i> | Wild | All | Indonesia | (b) |
| <i>Varanus dumerilii</i> | Wild | All | Indonesia | (b) |
| <i>Varanus exanthematicus</i> | Wild | All | Benin, Togo | (b) |
| | Ranched | Greater than 35 cm total length | Benin, Togo | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|---|-------------------|---------------------------------|-----------------------|-------------------------------|
| <i>Varanus jobiensis</i> (synonym <i>V. karlschmidti</i>) | Wild | All | Indonesia | (b) |
| <i>Varanus niloticus</i> | Wild | All | Benin, Togo | (b) |
| | Ranched | Greater than 35 cm total length | Benin | (b) |
| | Ranched | All | Togo | (b) |
| <i>Varanus ornatus</i> | Wild | All | Togo | (b) |
| | Ranched | All | Togo | (b) |
| <i>Varanus salvadorii</i> | Wild | All | Indonesia | (b) |
| <i>Varanus spinulosus</i> | Wild | All | Solomon Islands | (b) |
| SERPENTES | | | | |
| Boidae | | | | |
| <i>Boa constrictor</i> | Wild | All | Honduras | (b) |
| <i>Calabaria reinhardtii</i> | Wild | All | Togo | (b) |
| | Ranched | All | Benin, Togo | (b) |
| Elapidae | | | | |
| <i>Naja atra</i> | Wild | All | Laos | (b) |
| <i>Naja kaouthia</i> | Wild | All | Laos | (b) |
| <i>Naja siamensis</i> | Wild | All | Laos | (b) |
| Pythonidae | | | | |
| <i>Liasis fuscus</i> | Wild | All | Indonesia | (b) |
| <i>Morelia boeleni</i> | Wild | All | Indonesia | (b) |
| <i>Python molurus</i> | Wild | All | China | (b) |
| <i>Python natalensis</i> | Ranched | All | Mozambique | (b) |
| <i>Python regius</i> | Wild | All | Benin, Guinea | (b) |
| <i>Python reticulatus</i> | Wild | All | Malaysia (Peninsular) | (b) |
| <i>Python sebae</i> | Wild | All | Mauritania | (b) |
| TESTUDINES | | | | |
| Emydidae | | | | |
| <i>Chrysemys picta</i> | All | Live | All | (d) |
| <i>Trachemys scripta elegans</i> | All | Live | All | (d) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--------------------------------------|-------------------|--|--------------------------|-------------------------------|
| Geoemydidae | | | | |
| <i>Batagur borneoensis</i> | Wild | All | All | (b) |
| <i>Cuora amboinensis</i> | Wild | All | Indonesia, Malaysia | (b) |
| <i>Cuora galbinifrons</i> | Wild | All | China, Laos | (b) |
| <i>Heosemys annandalii</i> | Wild | All | Laos | (b) |
| <i>Heosemys grandis</i> | Wild | All | Laos | (b) |
| <i>Heosemys spinosa</i> | Wild | All | Indonesia | (b) |
| <i>Leucocephalon yuwonoi</i> | Wild | All | Indonesia | (b) |
| <i>Malayemys subtrijuga</i> | Wild | All | Indonesia | (b) |
| <i>Notochelys platynota</i> | Wild | All | Indonesia | (b) |
| <i>Siebenrockiella crassicollis</i> | Wild | All | Indonesia | (b) |
| Podocnemididae | | | | |
| <i>Erymnochelys madagascariensis</i> | Wild | All | Madagascar | (b) |
| <i>Peltocephalus dumerilianus</i> | Wild | All | Guyana | (b) |
| <i>Podocnemis lewyana</i> | Wild | All | All | (b) |
| <i>Podocnemis unifilis</i> | Wild | All | Suriname | (b) |
| Testudinidae | | | | |
| <i>Geochelone sulcata</i> | Ranched | All | Benin, Togo | (b) |
| <i>Gopherus agassizii</i> | Wild | All | All | (b) |
| <i>Gopherus berlandieri</i> | Wild | All | All | (b) |
| <i>Indotestudo forstenii</i> | Wild | All | All | (b) |
| <i>Indotestudo travancorica</i> | Wild | All | All | (b) |
| <i>Kinixys belliana</i> | Wild | All | Benin, Ghana, Mozambique | (b) |
| | Ranched | Greater than 5 cm straight carapace length | Benin | (b) |
| <i>Kinixys erosa</i> | Wild | All | Togo | (b) |
| <i>Kinixys homeana</i> | Wild | All | Benin, Ghana, Togo | (b) |
| | Ranched | All | Benin | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|--|-------------------|--|--|-------------------------------|
| | Ranched | Greater than 8 cm straight carapace length | Togo | (b) |
| <i>Kinixys spekii</i> | Wild | All | Mozambique | (b) |
| <i>Manouria emys</i> | Wild | All | Indonesia | (b) |
| <i>Manouria impressa</i> | Wild | All | Vietnam | (b) |
| <i>Stigmochelys pardalis</i> | Wild | All | Democratic Republic of the Congo, Mozambique, Uganda | (b) |
| | Ranched | All | Mozambique, Zambia | (b) |
| | Source 'F' (1) | All | Zambia | (b) |
| <i>Testudo horsfieldii</i> | Wild | All | Kazakhstan | (b) |
| Trionychidae | | | | |
| <i>Amyda cartilaginea</i> | Wild | All | Indonesia | (b) |
| <i>Chitra chitra</i> | Wild | All | Malaysia | (b) |
| <i>Pelochelys cantorii</i> | Wild | All | Indonesia | (b) |
| AMPHIBIA | | | | |
| ANURA | | | | |
| Dendrobatidae | | | | |
| <i>Cryptophyllobates azureiventris</i> | Wild | All | Peru | (b) |
| <i>Dendrobates variabilis</i> | Wild | All | Peru | (b) |
| <i>Dendrobates ventrimaculatus</i> | Wild | All | Peru | (b) |
| Mantellidae | | | | |
| <i>Mantella aurantiaca</i> | Wild | All | Madagascar | (b) |
| <i>Mantella bernhardi</i> | Wild | All | Madagascar | (b) |
| <i>Mantella cowani</i> | Wild | All | Madagascar | (b) |
| <i>Mantella crocea</i> | Wild | All | Madagascar | (b) |
| <i>Mantella expectata</i> | Wild | All | Madagascar | (b) |
| <i>Mantella milotympanum</i> (syn. <i>M. aurantiaca milotympanum</i>) | Wild | All | Madagascar | (b) |
| <i>Mantella pulchra</i> | Wild | All | Madagascar | (b) |
| <i>Mantella viridis</i> | Wild | All | Madagascar | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|----------------------------------|-------------------|---------------------|---------------------------|-------------------------------|
| Microhylidae | | | | |
| <i>Scaphiophryne gottlebei</i> | Wild | All | Madagascar | (b) |
| Ranidae | | | | |
| <i>Conraua goliath</i> | Wild | All | Cameroon | (b) |
| <i>Rana catesbeiana</i> | All | Live | All | (d) |
| ACTINOPTERYGII | | | | |
| PERCIFORMES | | | | |
| Labridae | | | | |
| <i>Cheilinus undulatus</i> | Wild | All | Indonesia | (b) |
| SYNGNATHIFORMES | | | | |
| Syngnathidae | | | | |
| <i>Hippocampus barbouri</i> | Wild | All | Indonesia | (b) |
| <i>Hippocampus comes</i> | Wild | All | Indonesia | (b) |
| <i>Hippocampus erectus</i> | Wild | All | Brazil | (b) |
| <i>Hippocampus histrix</i> | Wild | All | Indonesia | (b) |
| <i>Hippocampus kelloggi</i> | Wild | All | Indonesia | (b) |
| <i>Hippocampus kuda</i> | Wild | All | China, Indonesia, Vietnam | (b) |
| <i>Hippocampus spinosissimus</i> | Wild | All | Indonesia | (b) |
| ARTHROPODA | | | | |
| ARACHNIDA | | | | |
| SCORPIONES | | | | |
| Scorpionidae | | | | |
| <i>Pandinus imperator</i> | Wild | All | Ghana | (b) |
| | Ranched | All | Benin | (b) |
| INSECTA | | | | |
| LEPIDOPTERA | | | | |
| Papilionidae | | | | |
| <i>Ornithoptera croesus</i> | Wild | All | Indonesia | (b) |
| <i>Ornithoptera urvillianus</i> | Wild | All | Solomon Islands | (b) |
| | Ranched | All | Solomon Islands | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|-------------------------------|-------------------|---------------------|---|-------------------------------|
| <i>Ornithoptera victoriae</i> | Wild | All | Solomon Islands | (b) |
| | Ranched | All | Solomon Islands | (b) |
| MOLLUSCA | | | | |
| BIVALVIA | | | | |
| VENEROIDA | | | | |
| Tridacnidae | | | | |
| <i>Hippopus hippopus</i> | Wild | All | New Caledonia, Tonga, Vanuatu, Vietnam | (b) |
| <i>Tridacna crocea</i> | Wild | All | Cambodia, Fiji, Solomon Islands, Tonga, Vanuatu, Vietnam | (b) |
| <i>Tridacna derasa</i> | Wild | All | Fiji, New Caledonia, Philippines, Palau, Solomon Islands, Tonga, Vanuatu, Vietnam | (b) |
| <i>Tridacna gigas</i> | Wild | All | Marshall Islands, Solomon Islands, Tonga, Vietnam | (b) |
| <i>Tridacna maxima</i> | Wild | All | Cambodia, Fiji, Marshall Islands, Micronesia, Mozambique, New Caledonia, Solomon Islands, Tonga, Vanuatu, Vietnam | (b) |
| <i>Tridacna rosewateri</i> | Wild | All | Mozambique | (b) |
| <i>Tridacna squamosa</i> | Wild | All | Cambodia, Fiji, Mozambique, New Caledonia, Solomon Islands, Tonga, Vanuatu, Vietnam | (b) |
| <i>Tridacna tevoroa</i> | Wild | All | Tonga | (b) |
| GASTROPODA | | | | |
| MESOGASTROPODA | | | | |
| Strombidae | | | | |
| <i>Strombus gigas</i> | Wild | All | Grenada, Haiti | (b) |
| CNIDARIA | | | | |
| ANTHOZOA | | | | |
| HELIOPORACEA | | | | |
| Helioporidae | | | | |
| <i>Heliopora coerulea</i> | Wild | All | Solomon Islands | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|-------------------------------|-------------------|---|---------------------|-------------------------------|
| SCLERACTINIA | | | | |
| <i>Scleractinia</i> spp. | Wild | All | Ghana | (b) |
| Agariciidae | | | | |
| <i>Agaricia agaricites</i> | Wild | All | Haiti | (b) |
| Caryophylliidae | | | | |
| <i>Catalaphyllia jardinei</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Catalaphyllia jardinei</i> | Wild | All | Solomon Islands | (b) |
| <i>Euphyllia cristata</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Euphyllia divisa</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Euphyllia fimbriata</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Euphyllia paraancora</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Euphyllia paradivisa</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Euphyllia picteti</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Euphyllia yaeyamaensis</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Plerogyra</i> spp. | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| Dendrophylliidae | | | | |
| <i>Eguchipsammia fistula</i> | Wild | All | Indonesia | (b) |
| Faviidae | | | | |
| <i>Favites halicora</i> | Wild | All | Tonga | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|---------------------------------|-------------------|---|--|-------------------------------|
| <i>Platygyra sinensis</i> | Wild | All | Tonga | (b) |
| Fungiidae | | | | |
| <i>Heliofungia actiniformis</i> | Wild | All | Indonesia | (b) |
| Merulinidae | | | | |
| <i>Hydnophora microconos</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| Mussidae | | | | |
| <i>Acanthastrea hemprichii</i> | Wild | All | Tonga | (b) |
| <i>Blastomussa</i> spp. | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Cynarina lacrymalis</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| <i>Scolymia vitiensis</i> | Wild | All | Tonga | (b) |
| <i>Scolymia vitiensis</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| Pocilloporidae | | | | |
| <i>Seriatopora stellata</i> | Wild | All | Indonesia | (b) |
| Trachyphylliidae | | | | |
| <i>Trachyphyllia geoffroyi</i> | Wild | All | Fiji | (b) |
| <i>Trachyphyllia geoffroyi</i> | Wild | All except maricultured specimens attached to artificial substrates | Indonesia | (b) |
| FLORA | | | | |
| Amaryllidaceae | | | | |
| <i>Galanthus nivalis</i> | Wild | All | Bosnia and Herzegovina, Switzerland, Ukraine | (b) |
| Apocynaceae | | | | |
| <i>Pachypodium inopinatum</i> | Wild | All | Madagascar | (b) |
| <i>Pachypodium rosulatum</i> | Wild | All | Madagascar | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|-------------------------------------|-------------------|---------------------|--|-------------------------------|
| <i>Pachypodium softense</i> | Wild | All | Madagascar | (b) |
| Cycadaceae | | | | |
| Cycadaceae spp. | Wild | All | Mozambique | (b) |
| Euphorbiaceae | | | | |
| <i>Euphorbia ankarensis</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia banae</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia berorohae</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia bongolavensis</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia bulbispina</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia duranii</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia fianarantsoae</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia guillauminiana</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia iharanae</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia kondoi</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia labatii</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia lophogona</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia millotii</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia neohumbertii</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia pachypodioides</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia razafindratsirae</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia suzannae-marnierae</i> | Wild | All | Madagascar | (b) |
| <i>Euphorbia waringiae</i> | Wild | All | Madagascar | (b) |
| Orchidaceae | | | | |
| <i>Anacamptis pyramidalis</i> | Wild | All | Turkey | (b) |
| <i>Barlia robertiana</i> | Wild | All | Turkey | (b) |
| <i>Cypripedium japonicum</i> | Wild | All | China, North Korea, Japan, South Korea | (b) |
| <i>Cypripedium macranthos</i> | Wild | All | South Korea, Russia | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|----------------------------------|-------------------|---------------------|--|-------------------------------|
| <i>Cypripedium margaritaceum</i> | Wild | All | China | (b) |
| <i>Cypripedium micranthum</i> | Wild | All | China | (b) |
| <i>Dactylorhiza romana</i> | Wild | All | Turkey | (b) |
| <i>Dendrobium bellatulum</i> | Wild | All | Vietnam | (b) |
| <i>Dendrobium nobile</i> | Wild | All | Laos | (b) |
| <i>Dendrobium wardianum</i> | Wild | All | Vietnam | (b) |
| <i>Myrmecophila tibicinis</i> | Wild | All | Belize | (b) |
| <i>Ophrys holoserica</i> | Wild | All | Turkey | (b) |
| <i>Ophrys pallida</i> | Wild | All | Algeria | (b) |
| <i>Ophrys tenthredinifera</i> | Wild | All | Turkey | (b) |
| <i>Ophrys umbilicata</i> | Wild | All | Turkey | (b) |
| <i>Orchis coriophora</i> | Wild | All | Russia, | (b) |
| <i>Orchis italica</i> | Wild | All | Turkey | (b) |
| <i>Orchis mascula</i> | Wild/ Rached | All | Albania | (b) |
| <i>Orchis morio</i> | Wild | All | Turkey | (b) |
| <i>Orchis pallens</i> | Wild | All | Russia | (b) |
| <i>Orchis punctulata</i> | Wild | All | Turkey | (b) |
| <i>Orchis purpurea</i> | Wild | All | Turkey | (b) |
| <i>Orchis simia</i> | Wild | All | Bosnia and Herzegovina, Croatia, Former Yugoslav Republic of Macedonia, Turkey | (b) |
| <i>Orchis tridentata</i> | Wild | All | Turkey | (b) |
| <i>Orchis ustulata</i> | Wild | All | Russia | (b) |
| <i>Phalaenopsis parishii</i> | Wild | All | Vietnam | (b) |
| <i>Serapias cordigera</i> | Wild | All | Turkey | (b) |
| <i>Serapias parviflora</i> | Wild | All | Turkey | (b) |
| <i>Serapias vomeracea</i> | Wild | All | Turkey | (b) |
| Primulaceae | | | | |
| <i>Cyclamen intaminatum</i> | Wild | All | Turkey | (b) |
| <i>Cyclamen mirabile</i> | Wild | All | Turkey | (b) |

| Species | Source(s) covered | Specimen(s) covered | Countries of origin | Basis in Article 4(6), Point: |
|----------------------------------|-------------------|---------------------|---------------------|-------------------------------|
| <i>Cyclamen pseudibericum</i> | Wild | All | Turkey | (b) |
| <i>Cyclamen trochopteranthum</i> | Wild | All | Turkey | (b) |
| Stangeriaceae | | | | |
| Stangeriaceae spp. | Wild | All | Mozambique | (b) |
| Valerianaceae | | | | |
| <i>Nardostachys grandiflora</i> | Wild | All | Nepal | (b) |
| Zamiaceae | | | | |
| Zamiaceae spp. | Wild | All | Mozambique | (b) |

(¹) Animals born in captivity but for which the criteria of Chapter XIII of Regulation 865/2006 are not met, as well as parts and derivatives thereof.