

COUNCIL REGULATION (EC) No 729/2007**of 25 June 2007****amending Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 26 thereof,

Having regard to the proposal from the Commission,

Whereas:

- (1) It is in the interest of the Community to suspend partially or totally the autonomous common customs tariff duties for a number of new products not listed in the Annex to Council Regulation (EC) No 1255/96 ⁽¹⁾.
- (2) A number of products should be withdrawn from the list in the Annex to Regulation (EC) No 1255/96 because it is no longer in the Community's interest to maintain suspension of autonomous common customs tariff duties or because the description needs to be altered in order to take account of technical product developments and economic trends on the market.
- (3) Accordingly, products whose description needs to be altered should be regarded as new products.
- (4) The validity period of the measures should be limited in order to enable economic examinations of the individual suspensions in this period to be carried out. Experience has shown the need to provide for an expiry date for the suspensions listed in Regulation (EC) No 1255/96 to ensure that account is taken of technological and economic changes. This should not exclude the premature termination of certain measures or their continuation beyond this period, if economic reasons are submitted, in accordance with the principles laid down

in the Commission Communication concerning autonomous tariff suspensions and quotas ⁽²⁾.

- (5) Regulation (EC) No 1255/96 should therefore be amended accordingly.
- (6) Having regard to the economic importance of this Regulation, it is necessary to rely on the grounds of urgency provided for in point I.3 of the Protocol on the role of national parliaments in the European Union annexed to the Treaty on European Union and to the Treaties establishing the European Communities.
- (7) Since this Regulation is to apply from 1 July 2007, it should enter into force immediately,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EC) No 1255/96 is hereby amended as follows:

1. the products listed in Annex I to this Regulation, together with the corresponding rates of duty and validity periods, shall be inserted;
2. the products for which CN and TARIC codes are set out in Annex II to this Regulation, together with the corresponding rates of duty and validity periods, shall be deleted.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply from 1 July 2007.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 25 June 2007.

For the Council
The President
A. SCHAVAN

⁽¹⁾ OJ L 158, 29.6.1996, p. 1. Regulation as last amended by Regulation (EC) No 1897/2006 (OJ L 395, 30.12.2006, p. 1).

⁽²⁾ OJ C 128, 25.4.1998, p. 2.

ANNEX I

CN code	TARIC	Description	Rate of autonomous duty	Validity period
ex 0302 70 00	11	Hard fish roes, fresh, chilled or frozen	0 %	1.7.2007-31.12.2008
ex 0302 70 00	31			
ex 0302 70 00	41			
ex 0302 70 00	82			
ex 0302 70 00	83			
ex 0302 70 00	84			
ex 0302 70 00	89			
ex 0303 80 90	10			
ex 0303 80 90	12			
ex 0303 80 90	14			
ex 0303 80 90	16			
ex 0303 80 90	19			
ex 2009 80 79	87	Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 65	0 %	1.7.2007-31.12.2011
ex 2009 80 99	93	Untreated frozen coconut water, not put up for retail sale	0 %	1.7.2007-31.12.2011
ex 2811 22 00	20	Microspheres of amorphous silicon of a particle size of 5 µm (± 1 µm), for use in the manufacture of cosmetic product ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 2811 22 00	30	Balls of porous white silica of a particle size of more than 1 µm for use in the manufacture of cosmetic products ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 2827 39 85	20	Antimony pentachloride of a purity by weight of 99 % or more	0 %	1.7.2007-31.12.2011
ex 2845 90 90	10	Helium-3	0 %	1.7.2007-31.12.2011
ex 2845 90 90	20	Water enriched at a level of 95 % or more with oxygen-18	0 %	1.7.2007-31.12.2011
ex 2845 90 90	30	Carbon monoxide ¹³ C	0 %	1.7.2007-31.12.2011
ex 2916 39 00	45	2-Chlorobenzoic acid	0 %	1.7.2007-31.12.2011
2920 90 40		Triethyl phosphite	0 %	1.7.2007-31.12.2011
ex 2921 51 19	40	<i>p</i> -Phenylenediamine	0 %	1.7.2007-31.12.2011
ex 2924 19 00	60	<i>N,N</i> -Dimethylacrylamide	0 %	1.7.2007-31.12.2011
ex 2926 90 95	61	<i>m</i> -(1-Cyanoethyl)benzoic acid	0 %	1.7.2007-31.12.2011
ex 2929 10 90	80	1,3-Bis(isocyanatomethyl) benzene	0 %	1.7.2007-31.12.2011
ex 2930 90 85	78	4-Mercaptomethyl-3,6-dithia-1,8-octanedithiol	0 %	1.7.2007-31.12.2011

CN code	TARIC	Description	Rate of autonomous duty	Validity period
ex 2932 29 85	60	6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one	0 %	1.7.2007-31.12.2011
ex 2932 29 85	71	6'-(Diethylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one	0 %	1.7.2007-31.12.2011
ex 2932 29 85	72	2'-[Bis(phenylmethyl)amino]-6'-(diethylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one	0 %	1.7.2007-31.12.2011
ex 2933 21 00	70	α -(4-Methoxybenzoyl)- α -(1-benzyl-5-ethoxy-3-hydantoinyl)-2-chloro-5-dodecyloxy-carbonylacetanilide	0 %	1.7.2007-31.12.2011
ex 2933 39 99	50	N-Fluoro-2,6-dichloropyridinium tetrafluoroborate	0 %	1.7.2007-31.12.2011
ex 2933 99 90	81	1,2,3-Benzotriazole	0 %	1.7.2007-31.12.2011
ex 2933 99 90	82	Tolyltriazole	0 %	1.7.2007-31.12.2011
ex 3707 10 00	40	Sensitising emulsion, containing: — not more than 10 % by weight of naphthoquinonediazide esters, — 2 % or more but not more than 20 % by weight of copolymers of hydroxystyrene — not more than 7 % by weight of epoxy-containing derivatives dissolved in 1-ethoxy-2-propyl acetate and/or ethyl lactate	0 %	1.7.2007-31.12.2011
ex 3815 90 90	71	Catalyst, containing N-(2-hydroxypropylammonium)diazabicyclo (2,2,2) octane-2-ethyl hexanoate, dissolved in ethane-1,2-diol	0 %	1.7.2007-31.12.2011
ex 3903 19 00	30	Crystalline polystyrene with a melting point of 268 °C or more but not more than 272 °C and a setting point of 247 °C or more but not more than 252 °C, whether or not containing additives and filling material	0 %	1.7.2007-31.12.2011
ex 3904 22 00	91	Poly(vinyl chloride), dyed in the mass, in the form of flakes, grains, pebbles or rectangular chips, for use as decorative elements in floor and wall coverings ⁽¹⁾	0 %	1.7.2007-31.12.2008
ex 3926 90 97	80			
ex 3907 30 00 ex 3916 90 15 ex 3926 90 97	40 10 70	Epoxide resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of heading No 8533, 8535, 8536, 8541, 8542 or 8548 ⁽¹⁾	0 %	1.7.2007-31.12.2008
ex 3919 10 38	40	Double-sided, self-adhesive modified epoxy resin foil, put up in rolls, 10 to 20 cm wide, 10 to 210 m long and with a total thickness of 10 to 50 μ m, not for retail sale	0 %	1.7.2007-31.12.2011
ex 3920 59 90	10	Non-cellular and non-laminated sheet of modified copolymer of acrylonitrile-methyl acrylate with a thickness of 1,0 mm or more but not more than 1,3 mm, put up in rolls	0 %	1.7.2007-31.12.2011
ex 3920 99 28	50	Thermoplastic polyurethane film, of a thickness of 250 μ m or more but not more than 350 μ m, covered on one side with a removable protective film	0 %	1.7.2007-31.12.2011

CN code	TARIC	Description	Rate of autonomous duty	Validity period
ex 3920 99 59	55	Ion-exchange membranes of fluorinated plastic material	0 %	1.7.2007-31.12.2008
ex 5004 00 10	10	Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scoured or bleached, entirely of silk	0 %	1.7.2007-31.12.2011
ex 5004 00 90	10	Yarn spun entirely from silk, not put up for retail sale	2,5 %	1.7.2007-31.12.2011
ex 5907 00 90	10	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter not exceeding 150 µm	0 %	1.7.2007-31.12.2011
ex 7011 20 00	20	Glass cone (funnel) for cathode-ray tube with a diagonal measurement of 508,8 mm or more but not more than 811,0 mm	0 %	1.7.2007-31.12.2011
ex 7011 20 00	50	Glass face plate with — a light transmission of 52,5 % (± 5 %) at a glass thickness of 11,43 mm and — a diagonal measurement of 512,1 mm or more but not more than 814,2 mm and — dimensions of 341,8 × 440,5 × 94,1 mm (± 1,4 mm) or 359,4 × 454,8 × 80,0 mm (± 1,4 mm) or 358,0 × 454,0 × 90,0 (± 1,4 mm) or 359,4 × 454,8 × 72,0 (± 1,4 mm) or 396,0 × 633,0 × 103,7 mm (± 1,4 mm) or 472,7 × 600,8 × 97,6 mm (± 1,4 mm) or 472,7 × 600,8 × 84,5 mm (± 1,4 mm) or 445,0 × 726,1 × 112,5 mm (± 1,4 mm) or 445,0 × 726,1 × 93,0 mm (± 1,4 mm)	0 %	1.7.2007-31.12.2011
ex 8407 90 10	10	Four-stroke petrol engines of a cylinder capacity of not more than 250 cm ³ for use in the manufacture of lawnmowers of sub-heading 8433 11, mowers with motor of subheading 8433 20 10, rotovators of sub-heading 8432 29 50 or garden shredders of sub-heading 8436 80 99 ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 8413 91 00	20	Manganese-silicon-bronze swash plates with a copper content of 58 % or more but not more than 63 % by weight for incorporation into fluid pumps for air conditioners of motor vehicles	0 %	1.7.2007-31.12.2011
ex 8501 31 00	30	DC motor, brushless, with a three-phase winding, an external diameter of 85 mm or more, but not exceeding 115 mm, a nominal torque of 2,23 Nm (± 1,0 Nm), of an output of more than 120 W but not exceeding 520 W, calculated with 1 550 RPM (± 350 RPM) at a supply voltage of 12 V equipped with electronic circuit with sensors using the Hall effect, for use with an electric power steering control module (power steering motor) ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 8507 80 30	40	Rectangular lithium-ion-accumulator, with — a length of 80 mm or more, but not more than 1 000 mm, — a width of 25 mm or more, but not more than 150 mm, — a height of 100 mm or more, but not more than 500 mm, — a weight of 0,5 kg or more, but not more than 30 kg, — a capacity of 20 Ah or more, but not more than 1 000 Ah, for use in the manufacture of rechargeable power-supply units for incorporation into goods of heading No 8903 ⁽¹⁾	0 %	1.7.2007-31.12.2011

CN code	TARIC	Description	Rate of autonomous duty	Validity period
ex 8529 90 65	70	Unit driver consisting of an electronic integrated circuit and a flexible printed circuit, for use in the manufacture of LCD modules ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 8539 39 00	20	Cold cathode (CCFL) or External Electrode (EEFL) fluorescent lamps, of a diameter not exceeding 5 mm and with a length of more than 120 mm but not exceeding 1 570 mm, for incorporation in backlight units of LCD modules ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 8540 11 11	95	Colour cathode-ray tube with a slot mask, equipped with an electron gun and a deflection yoke and with a screen width/height ratio of 4/3 and a diagonal measurement of the screen of not more than 42 cm	0 %	1.7.2007-31.12.2011
ex 8540 11 19	91	Colour cathode-ray tube equipped with electron guns placed side by side (in-line technology), with a diagonal measurement of the screen of 79 cm or more	0 %	1.7.2007-31.12.2011
ex 9001 20 00	20	Optical, diffuser, reflector or prism sheets, unprinted diffuser plates, whether or not possessing polarising properties, specifically cut, for use in the manufacture of LCD modules ⁽¹⁾	0 %	1.7.2007-31.12.2011
ex 9001 90 00	55			
ex 9001 90 00	70	Polyethylene terephthalate film with a thickness of less than 300 µm according to ASTM D2103, having on one side prisms of acrylic resin with a prism angle of 90° and a prism pitch of 50 µm	0 %	1.7.2007-31.12.2011

⁽¹⁾ Entry under this subheading is subject to conditions laid down in the relevant Community provisions (see Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 (OJ L 253, 11.10.1993, p. 1)).

ANNEX II

CN code	TARIC
0302 70 00	11
0302 70 00	31
0302 70 00	41
0302 70 00	82
0302 70 00	83
0302 70 00	84
0302 70 00	89
0303 80 90	10
0303 80 90	19
3707 10 00	20
3904 22 00	91
3926 90 98	80
3907 30 00	40
3916 90 15	10
3926 90 98	70
3919 10 38	40
3920 99 53	55
3920 99 59	
5004 00 10	10
5004 00 90	10
5402 49 00	85
5503 90 90	40
5907 00 90	10
6307 90 10	10
7019 19 10	40
8540 11 19	91
9001 20 00	20
9001 90 00	55
9001 20 00	30
9001 90 00	65