

II

(Non-legislative acts)

REGULATIONS

COMMISSION REGULATION (EU) 2015/399

of 25 February 2015

amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for 1,4-dimethylnaphthalene, benfuracarb, carbofuran, carbosulfan, ethephon, fenamidone, fenvalerate, fenhexamid, furathiocarb, imazapyr, malathion, picoxystrobin, spirotetramat, tepraloxydim and trifloxystrobin in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC ⁽¹⁾, and in particular Article 14(1)(a) and Article 49(2) thereof,

Whereas:

- (1) For ethephon, fenvalerate, picoxystrobin and tepraloxydim maximum residue levels (MRLs) were set in Annex II to Regulation (EC) No 396/2005. For carbofuran, carbosulfan, fenamidone, fenhexamid and trifloxystrobin MRLs were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For malathion and spirotetramat MRLs were set in Part A of Annex III to Regulation (EC) No 396/2005. For benfuracarb and furathiocarb MRLs were set in Annex V to Regulation (EC) No 396/2005. As regards 1,4-dimethylnaphthalene and imazapyr, no specific MRLs were set in these Annexes, nor were the substances included in Annex IV to that Regulation, so the default value of 0,01 mg/kg applies.
- (2) In the context of a procedure for the authorisation of the use of a plant protection product containing the active substance 1,4-dimethylnaphthalene on potatoes, an application was submitted in accordance with Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRL.
- (3) As regards fenvalerate, such an application was made for peppers, broccoli and lettuce. As regards ethephon, an application for modification of the existing MRLs was made for table olives. As regards fenhexamid, such an application was made for blueberries, cranberries, gooseberries and azarole. As regards malathion, such an application was made for citrus fruit, strawberries and lettuce. As regards picoxystrobin, such an application was made for sugar beet. As regards spirotetramat, such an application was made for olives for oil production. As regards tepraloxydim, such an application was made for Jerusalem artichokes and radishes. As regards trifloxystrobin, such an application was made for cane fruit.
- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 an application was submitted for fenamidone used on root and tuber vegetables of code number 0213000, bulb vegetables, tomatoes, peppers, chilli peppers, aubergines, broccoli, Chinese cabbage, lettuce and other salad plants, spinach and similar (leaves),

⁽¹⁾ OJ L 70, 16.3.2005, p. 1.

herbs, cardoons, celery, fennel and rhubarb. The applicant claims that the authorised uses of that substance on such crops in the United States lead to residues exceeding the MRLs contained in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops.

- (5) As regards imazapyr, an application for modification of the existing MRLs was submitted on genetically modified soya bean, lentils, sunflower seed, rape seed, mustard seed. The applicant claims that the authorised uses of such substance on those crops in Argentina, Brazil and Canada lead to residues exceeding the MRLs in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops. As regards malathion, such an application was submitted on apple, pears and plums. The applicant claims that the authorised uses of that substance on those crops in Argentina, Chile and South Africa lead to residues exceeding the MRLs in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops.
- (6) In accordance with Article 8 of Regulation (EC) No 396/2005 these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.
- (7) The European Food Safety Authority, hereinafter 'the Authority', assessed the applications and the evaluation reports, examining in particular the risks to the consumer and, where relevant, to animals and gave reasoned opinions on the proposed MRLs ⁽¹⁾. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (8) The Authority concluded in its reasoned opinion that the submitted data were not sufficient to set new MRLs for the use of malathion on apples, pears, plums and strawberries. The existing MRLs should therefore remain unchanged.
- (9) The Commission has been informed by the European Spice Association that a significant number of lots of dried white mushrooms imported from China contain residue levels of carbofuran above 0,1 mg/kg. In accordance with Article 43 of Regulation (EC) No 396/2005, the Commission asked the Authority to evaluate that information for the purpose of setting an import tolerance on cultivated mushrooms. In parallel, the Commission asked the Authority to review all existing MRLs for the N-methyl-carbamate insecticides carbofuran, carbosulfan, benfuracarb and furathiocarb, including the MRLs set by the Codex Alimentarius Commission (CXLs) that were implemented by that Regulation.
- (10) In its reasoned opinion of 3 February 2014 ⁽²⁾ the Authority recommended maintaining the MRL for carbofuran in fresh cultivated mushrooms at the current limit of determination (LOD) of 0,01 mg/kg, since higher values may result in an acute consumer intake concern. Moreover, the Authority recommended the deletion of the MRLs set for carbofuran and carbosulfan on mandarin, orange, sunflower, rape seed and spices, which

⁽¹⁾ EFSA scientific reports available online: <http://www.efsa.europa.eu>:

Reasoned opinion on the setting of a new MRL for 1,4-dimethylnaphthalene in potatoes. *EFSA Journal* 2014;12(6):3735 [24 pp.]. doi:10.2903/j.efsa.2014.3735.

Reasoned Opinion on the modification of the existing maximum residue levels for esfenvalerate in peppers, broccoli and lettuce. *EFSA Journal* 2014;12(5):3693 [27 pp.]. doi:10.2903/j.efsa.2014.3693.

Reasoned opinion on the modification of the existing MRLs for ethephon in table olive and table grape. *EFSA Journal* 2014;12(5):3698 [22 pp.]. doi:10.2903/j.efsa.2014.3698.

Reasoned opinion on the modification of the existing MRLs for fenamidone in various vegetables. *EFSA Journal* 2014;12(3):3627 [36 pp.]. doi:10.2903/j.efsa.2014.3627.

Reasoned opinion on the modification of the MRLs for fenhexamid in various berries. *EFSA Journal* 2014;12(7):3785 [18 pp.]. doi:10.2903/j.efsa.2014.3785.

Reasoned opinion on the setting of MRLs for imazapyr in genetically modified soya bean and other oilseeds and in lentils. *EFSA Journal* 2014;12(6):3743 [31 pp.]. doi:10.2903/j.efsa.2014.3743.

Reasoned Opinion on the modification of the existing MRLs for malathion in various crops. *EFSA Journal* 2014;12(2):3588 [56 pp.]. doi:10.2903/j.efsa.2014.3588.

Reasoned opinion on the modification of the existing MRL for picoxystrobin in sugar beet. *EFSA Journal* 2014;12(5):3716 [26 pp.]. doi:10.2903/j.efsa.2014.3716.

Reasoned opinion on the modification of the existing MRLs for spirotetramat in olives for oil production. *EFSA Journal* 2014;12(6):3739 [25 pp.]. doi:10.2903/j.efsa.2014.3739.

Reasoned opinion on the modification of the existing MRLs for tepraloxymid in Jerusalem artichoke and radishes. *EFSA Journal* 2014;12(7):3788 [18 pp.]. doi:10.2903/j.efsa.2014.3788.

Reasoned opinion on the modification of the existing MRL for trifloxystrobin in cane fruit. *EFSA Journal* 2014;12(7):3751 [17 pp.]. doi:10.2903/j.efsa.2014.3751.

⁽²⁾ Reasoned opinion on the review of the existing MRLs for carbofuran, carbosulfan, benfuracarb and furathiocarb and the setting of an import tolerance for carbofuran in cultivated mushrooms. *EFSA Journal* 2014;12(2):3559 [38 pp.]. doi:10.2903/j.efsa.2014.3559.

correspond to CXLs. As regards carbofuran, in view of its low toxicological reference values, the Authority recommended setting MRLs below the current LOD for products that contribute significantly to consumer diets.

- (11) The Commission consulted the European Union reference laboratories which provided evidence that during the analytical process, carbosulfan, benfuracarb and furathiocarb are partially converted to carbofuran. It is therefore appropriate to set a common residue definition for the N-methyl carbamate compounds. In addition, the European Union reference laboratories confirmed that for certain products technical development permits the setting of lower LODs.
- (12) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2) of Regulation (EC) No 396/2005.
- (13) Through the World Trade Organisation, the trading partners of the Union were consulted on the new MRLs and their comments have been taken into account.
- (14) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (15) In order to allow normal marketing, processing and consumption of products, this Regulation should provide for a transitional arrangement for products which have been lawfully produced before the modification of the MRLs and for which information shows that a high level of consumer protection is maintained.
- (16) A reasonable period should be allowed to elapse before the modified MRLs become applicable in order to permit Member States and interested parties to prepare themselves to meet the new requirements which will result from the modification of the MRLs.
- (17) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II, III and V to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

Regulation (EC) No 396/2005 as it stood before being amended by this Regulation shall continue to apply to products which were lawfully produced before 3 October 2015.

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 3 October 2015 as regards the MRLs for benfuracarb, carbofuran, carbosulfan and furathiocarb.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 25 February 2015.

For the Commission
The President
Jean-Claude JUNCKER

ANNEX

Annexes II, III and V to Regulation (EC) No 396/2005 are amended as follows:

(1) Annex II is amended as follows:

(a) the columns for carbofuran, ethephon, fenamidone, fenhexamid, fenvalerate, picoxystrobin, tepraloxym and trifloxystrobin are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxym (sum of tepraloxym and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxym)	Trifloxystrobin (F) (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS						0,01 (*)	0,1 (*)	
0110000	(i) Citrus fruit	0,01 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,3
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)								
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)								
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))								
0110040	Limes								
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))								
0110990	Others								
0120000	(ii) Tree nuts	0,02 (*)		0,02 (*)	0,05 (*)	0,05 (*)			0,02 (*)
0120010	Almonds		0,1			(+)			
0120020	Brazil nuts		0,1						
0120030	Cashew nuts		0,1						
0120040	Chestnuts		0,1						
0120050	Coconuts		0,1						
0120060	Hazelnuts (Filbert)		0,2						
0120070	Macadamia		0,1						
0120080	Pecans		0,1						
0120090	Pine nuts		0,1						

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfluracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0120100	Pistachios		0,1						
0120110	Walnuts		0,5						
0120990	Others		0,1						
0130000	(iii) Pome fruit	0,001 (*)		0,02 (*)	0,05 (*)				0,5
0130010	Apples (Crab apple)		0,6			0,1 (+)			
0130020	Pears (Oriental pear)		0,05 (*)			0,1 (+)			
0130030	Quinces		0,05 (*)			0,02 (*)			
0130040	Medlar	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0130050	Loquat	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0130990	Others		0,05 (*)			0,02 (*)			
0140000	(iv) Stone fruit	0,002 (*)		0,02 (*)					
0140010	Apricots		0,05 (*)		5	0,2			1
0140020	Cherries (Sweet cherries, sour cherries)		3		5	0,02 (*) (+)			1
0140030	Peaches (Nectarines and similar hybrids)		0,05 (*)		5	0,2			1
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))		0,05 (*)		1	0,02 (*) (+)			0,2
0140990	Others		0,05 (*)		0,05 (*)	0,02 (*)			0,02 (*)
0150000	(v) Berries & small fruit								
0151000	(a) <i>Table and wine grapes</i>	0,002 (*)		0,5	5	0,3			5
0151010	Table grapes		0,7						
0151020	Wine grapes		2						
0152000	(b) <i>Strawberries</i>	0,005 (*)	0,05 (*)	0,04	5	0,02 (*) (+)		(+)	1
0153000	(c) <i>Cane fruit</i>	0,01 (*)	0,05 (*)	0,02 (*)	10	0,02 (*)			3
0153010	Blackberries								
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)								

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))					(+)			
0153990	Others								
0154000	(d) <i>Other small fruit & berries</i>	0,01 (*)		0,02 (*)		0,02 (*)		(+)	
0154010	Blueberries (Bilberries)		20		15				2
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		0,05 (*)		15				0,02 (*)
0154030	Currants (red, black and white)		0,05 (*)		15				1
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		0,05 (*)		15				1
0154050	Rose hips	(**)	0,05 (*)	(**)	(**)				(**)
0154060	Mulberries (<i>Arbutus</i> berry)	(**)	0,05 (*)	(**)	(**)				(**)
0154070	Azarole (mediteranean medlar) (<i>Kiwi</i> -berry (<i>Actinidia arguta</i>))	(**)	0,05 (*)	(**)	(**)				(**)
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	(**)	0,05 (*)	(**)	(**)				(**)
0154990	Others		0,05 (*)		5				0,02 (*)
0160000	(vi) Miscellaneous fruit			0,02 (*)					
0161000	(a) <i>Edible peel</i>	0,003 (*)			0,05 (*)	0,02 (*)			
0161010	Dates		0,05 (*)						0,02 (*)
0161020	Figs		0,05 (*)						0,02 (*)
0161030	Table olives		7						0,3
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		0,05 (*)						0,02 (*)
0161050	Carambola (<i>Bilimbi</i>)	(**)	0,05 (*)	(**)	(**)				(**)
0161060	Persimmon	(**)	0,05 (*)	(**)	(**)				(**)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/gru-michama (<i>Eugenia uniflora</i>))	(**)	0,05 (*)	(**)	(**)				(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0161990	Others		0,05 (*)						0,02 (*)
0162000	(b) <i>Inedible peel, small</i>	0,01 (*)	0,05 (*)			0,02 (*)			
0162010	Kiwi				10				0,02 (*)
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsak, salak)				0,05 (*)				0,02 (*)
0162030	Passion fruit				0,05 (*)				4
0162040	Prickly pear (cactus fruit)	(**)		(**)	(**)				(**)
0162050	Star apple	(**)		(**)	(**)				(**)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mam-mey sapote)	(**)		(**)	(**)				(**)
0162990	Others				0,05 (*)				0,02 (*)
0163000	(c) <i>Inedible peel, large</i>	0,01 (*)			0,05 (*)				
0163010	Avocados		0,05 (*)			0,02 (*)			0,02 (*)
0163020	Bananas (Dwarf banana, plantain, apple banana)		0,05 (*)			0,02 (*)			0,05
0163030	Mangoes		0,05 (*)			1,5			0,5
0163040	Papaya		0,05 (*)			0,02 (*)			1
0163050	Pomegranate		0,05 (*)			0,02 (*)			0,02 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163080	Pineapples		2			0,02 (*)			0,02 (*)
0163090	Bread fruit (Jackfruit)	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163100	Durian	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163110	Soursop (guanabana)	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163990	Others		0,05 (*)			0,02 (*)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0200000	2. VEGETABLES FRESH OR FROZEN								
0210000	(i) Root and tuber vegetables		0,05 (*)		0,05 (*)	0,02 (*)	0,01 (*)		
0211000	(a) <i>Potatoes</i>	0,001 (*)		0,02 (*)				0,4	0,02 (*)
0212000	(b) <i>Tropical root and tuber vegetables</i>	0,002 (*)		0,02 (*)				0,1 (*)	0,02 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)								
0212020	Sweet potatoes								
0212030	Yams (Potato bean/yam bean, Mexican yam bean)								
0212040	Arrowroot	(**)		(**)	(**)				(**)
0212990	Others								
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	0,002 (*)		0,15					
0213010	Beetroot							0,2	0,02 (*)
0213020	Carrots					(+)		0,4	0,05
0213030	Celeriac							0,3	0,02 (*)
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)					(+)		0,4	0,08
0213050	Jerusalem artichokes (Crosne)							0,4	0,02 (*)
0213060	Parsnips							0,4	0,04
0213070	Parsley root					(+)		0,4	0,08
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))					(+)		0,4	0,08
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)							0,4	0,04
0213100	Swedes							0,3	0,04
0213110	Turnips							0,3	0,04
0213990	Others							0,1 (*)	0,02 (*)
0220000	(ii) Bulb vegetables	0,002 (*)	0,05 (*)			0,02 (*)	0,01 (*)	0,3	
0220010	Garlic			0,2	0,05 (*)	(+)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfluracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0220020	Onions (Other bulb onions, silverskin onions)			0,2	0,6	(+)			0,02 (*)
0220030	Shallots			0,2	0,05 (*)				0,02 (*)
0220040	Spring onions and welsh onions (Other green onions and similar varieties)			1,5	0,05 (*)				0,1
0220990	Others			0,02 (*)	0,05 (*)				0,02 (*)
0230000	(iii) Fruiting vegetables						0,01 (*)	0,1 (*)	
0231000	(a) <i>Solanacea</i>	0,002 (*)							
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		1	1	1	0,1			0,5
0231020	Peppers (Chilli peppers)		0,05 (*)	1 (+)	2	0,05			0,3
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macro-carpon))		0,05 (*)	1	1	0,06			0,7
0231040	Okra (lady's fingers)		0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,02 (*)
0231990	Others		0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,02 (*)
0232000	(b) <i>Cucurbits — edible peel</i>	0,002 (*)	0,05 (*)	0,2	1	0,02 (*) (+)		(+)	0,2
0232010	Cucumbers								
0232020	Gherkins								
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)								
0232990	Others								
0233000	(c) <i>Cucurbits-inedible peel</i>	0,01 (*)	0,05 (*)	0,2	0,05 (*)	0,02 (*)			
0233010	Melons (Kiwano)					(+)			0,3
0233020	Pumpkins (Winter squash, marrow (late variety))								0,2
0233030	Watermelons								0,2
0233990	Others								0,02 (*)
0234000	(d) <i>Sweet corn (Baby corn)</i>	0,002 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*) (+)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepaloxystrobin (sum of tepaloxystrobin and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxystrobin)	Trifloxystrobin (F) (R)
0239000	(e) <i>Other fruiting vegetables</i>	0,01 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,02 (*)
0240000	(iv) Brassica vegetables	0,002 (*)	0,05 (*)		0,05 (*)		0,01 (*)		
0241000	(a) <i>Flowering brassica</i>							0,5 (+)	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			5		0,05			0,05
0241020	Cauliflower			0,02 (*)		0,02 (*) (+)			0,05
0241990	Others			0,02 (*)		0,02 (*) (+)			0,02 (*)
0242000	(b) <i>Head brassica</i>			0,02 (*)					
0242010	Brussels sprouts					0,05 (+)		0,6 (+)	0,5
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)					0,08		0,8 (+)	0,3
0242990	Others					0,02 (*)		0,1 (*) (+)	0,02 (*)
0243000	(c) <i>Leafy brassica</i>					0,02 (*)		1 (+)	3
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choy sum, Peking cabbage/pe-tsai)			55					
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			0,02 (*)					
0243990	Others			0,02 (*)					
0244000	(d) <i>Kohlrabi</i>			0,02 (*)		0,02 (*)		0,5 (+)	0,5
0250000	(v) Leaf vegetables & fresh herbs		0,05 (*)						
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>						0,01 (*)	0,1 (*)	
0251010	Lamb's lettuce (Italian corn salad)	0,002 (*)		40	30	0,02 (*)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	0,002 (*)		30	40	0,2 (+)			15
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	0,001 (*)		40	30	0,02 (*)			10
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	0,002 (*)		40	30	0,02 (*)			0,02 (*)
0251050	Land cress	(**)		(**)	(**)	0,02 (*)			(**)
0251060	Rocket, Rucola (Wild rocket (Diplo-taxis spp.))	0,002 (*)		40	30	0,02 (*)			0,02 (*)
0251070	Red mustard	(**)		(**)	(**)	0,02 (*)			(**)
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	0,002 (*)		40	30	0,02 (*)			15
0251990	Others	0,002 (*)		2	30	0,02 (*)			0,02 (*)
0252000	(b) <i>Spinach & similar (leaves)</i>	0,005 (*)		60	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)					(+)			
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	(**)		(**)	(**)				(**)
0252030	Beet leaves (chard) (Leaves of beet-root)								
0252990	Others								
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	(**)		(**)	(**)	0,02 (*)	0,01 (*)	0,1 (*)	(**)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,01 (*)		0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)
0255000	(e) <i>Witloof</i>	0,002 (*)		0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benflurcarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0256000	(f) <i>Herbs</i>	0,02 (*)		60	30	0,05 (*)	0,02 (*)		10
0256010	Chervil							0,1 (*)	
0256020	Chives							0,3	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))							0,1 (*) (+)	
0256040	Parsley (leaves of root parsley)					(+)		0,1 (*)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	(**)		(**)	(**)			0,1 (*)	(**)
0256060	Rosemary	(**)		(**)	(**)			0,1 (*)	(**)
0256070	Thyme (Marjoram, oregano)	(**)		(**)	(**)			0,1 (*)	(**)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	(**)		(**)	(**)			0,1 (*)	(**)
0256090	Bay leaves (laurel) (Lemon grass)	(**)		(**)	(**)			0,1 (*)	(**)
0256100	Tarragon (Hyssop)	(**)		(**)	(**)			0,1 (*)	(**)
0256990	Others							0,1 (*)	
0260000	(vi) Legume vegetables (fresh)	0,01 (*)	0,05 (*)	0,02 (*)			0,01 (*)	0,1 (*)	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)				5	0,1			1
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)				0,05 (*)	0,02 (*)			0,02 (*)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)				0,05 (*)	0,1			0,02 (*)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)				0,05 (*)	0,02 (*)			0,02 (*)
0260050	Lentils				0,05 (*)	0,02 (*)			0,02 (*)
0260990	Others				0,05 (*)	0,02 (*)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfluracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0270000	(vii) Stem vegetables (fresh)	0,002 (*)	0,05 (*)		0,05 (*)	0,02 (*)	0,01 (*)		
0270010	Asparagus			0,02 (*)				0,1 (*)	0,05
0270020	Cardoons (Borago officinalis stems)			40				0,1 (*)	0,02 (*)
0270030	Celery			40				0,1 (*)	1
0270040	Fennel			4				0,1 (*)	0,02 (*)
0270050	Globe artichokes (Banana flower)			0,02 (*)				0,1 (*)	0,2
0270060	Leek			0,02 (*)		(+)		0,3 (+)	0,2
0270070	Rhubarb			4				0,1 (*)	0,02 (*)
0270080	Bamboo shoots	(**)		(**)	(**)			0,1 (*)	(**)
0270090	Palm hearts	(**)		(**)	(**)			0,1 (*)	(**)
0270990	Others			0,02 (*)				0,1 (*)	0,02 (*)
0280000	(viii) Fungi	0,01 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))								
0280020	Wild fungi (Chanterelle, truffle, morel, cep)								
0280990	Others								
0290000	(ix) Sea weeds	(**)	0,05 (*)	(**)	(**)	0,02 (*)	0,01 (*)	0,1 (*)	(**)
0300000	3. PULSES, DRY	0,005 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)		0,02 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)							0,6 (+)	
0300020	Lentils					(+)		0,6 (+)	
0300030	Peas (Chickpeas, field peas, chickling vetch)							0,6 (+)	
0300040	Lupins							0,1 (*)	
0300990	Others							0,1 (*)	
0400000	4. OILSEEDS AND OILFRUITS					0,05 (*)			
0401000	(i) Oilseeds			0,05 (*)	0,1 (*)				0,05 (*)
0401010	Linseed	0,02 (*)	0,1 (*)				0,01 (*)	0,8	
0401020	Peanuts	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401030	Poppy seed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0401040	Sesame seed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401050	Sunflower seed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401060	Rape seed (Bird rapeseed, turnip rape)	0,02 (*)	0,1 (*)				0,02 (+)	0,8	
0401070	Soya bean	0,02 (*)	0,1 (*)				0,01 (*)	5	
0401080	Mustard seed	0,02 (*)	0,1 (*)				0,01 (*)	1	
0401090	Cotton seed	0,1	2 (+)				0,01 (*)	1	
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401110	Safflower	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,1 (*)	(**)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,8	(**)
0401130	Gold of pleasure	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,1 (*)	(**)
0401140	Hempseed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401150	Castor bean	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,1 (*)	(**)
0401990	Others	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0402000	(ii) Oilfruits	0,02 (*)					0,01 (*)	0,1 (*)	
0402010	Olives for oil production		10	0,02 (*)	0,05 (*)				0,3
0402020	Palm nuts (palmoil kernels)	(**)	0,05 (*)	(**)	(**)				(**)
0402030	Palmfruit	(**)	0,05 (*)	(**)	(**)				(**)
0402040	Kapok	(**)	0,05 (*)	(**)	(**)				(**)
0402990	Others		0,05 (*)	0,05 (*)	0,1 (*)				0,05 (*)
0500000	5. CEREALS	0,01 (*)		0,02 (*)	0,05 (*)			0,1 (*)	
0500010	Barley		1			0,3 (+)	0,3		0,3
0500020	Buckwheat (Amaranthus, quinoa)		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0500030	Maize		0,05 (*)			0,02 (*) (+)	0,01 (*)		0,02 (*)
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0500050	Oats		0,05 (*)			0,3 (+)	0,3		0,02 (*)
0500060	Rice (Indian/wild rice (Zizania aquatica))		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0500070	Rye		1			0,2 (+)	0,05		0,05
0500080	Sorghum		0,05 (*)			0,02 (*) (+)	0,01 (*)		0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0500090	Wheat (Spelt, triticale)		1			0,2 (+)	0,05		0,05
0500990	Others (Canary grass seeds (<i>Phalaris canariensis</i>))		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,05 (*)
0610000	(i) Tea								
0620000	(ii) Coffee beans	(**)		(**)	(**)				(**)
0630000	(iii) Herbal infusions (dried)	(**)		(**)	(**)				(**)
0631000	(a) <i>Flowers</i>	(**)		(**)	(**)				(**)
0631010	Camomille flowers	(**)		(**)	(**)				(**)
0631020	Hybiscus flowers	(**)		(**)	(**)				(**)
0631030	Rose petals	(**)		(**)	(**)				(**)
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))	(**)		(**)	(**)				(**)
0631050	Lime (linden)	(**)		(**)	(**)				(**)
0631990	Others	(**)		(**)	(**)				(**)
0632000	(b) <i>Leaves</i>	(**)		(**)	(**)				(**)
0632010	Strawberry leaves	(**)		(**)	(**)				(**)
0632020	Rooibos leaves (<i>Ginkgo</i> leaves)	(**)		(**)	(**)				(**)
0632030	Maté	(**)		(**)	(**)				(**)
0632990	Others	(**)		(**)	(**)				(**)
0633000	(c) <i>Roots</i>	(**)		(**)	(**)				(**)
0633010	Valerian root	(**)		(**)	(**)				(**)
0633020	Ginseng root	(**)		(**)	(**)				(**)
0633990	Others	(**)		(**)	(**)				(**)
0639000	(d) <i>Other herbal infusions</i>	(**)		(**)	(**)				(**)
0640000	(iv) Cocoa beans (fermented or dried)	(**)		(**)	(**)				(**)
0650000	(v) Carob (st johns bread)	(**)		(**)	(**)				(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0700000	7. HOPS (dried)	0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)	30
0800000	8. SPICES	(**)		(**)	(**)				(**)
0810000	(i) Seeds	(**)	0,1 (*)	(**)	(**)	0,1 (*) (+)	0,05 (*)	0,1 (*)	(**)
0810010	Anise	(**)		(**)	(**)				(**)
0810020	Black caraway	(**)		(**)	(**)				(**)
0810030	Celery seed (Lovage seed)	(**)		(**)	(**)				(**)
0810040	Coriander seed	(**)		(**)	(**)				(**)
0810050	Cumin seed	(**)		(**)	(**)				(**)
0810060	Dill seed	(**)		(**)	(**)				(**)
0810070	Fennel seed	(**)		(**)	(**)				(**)
0810080	Fenugreek	(**)		(**)	(**)				(**)
0810090	Nutmeg	(**)		(**)	(**)				(**)
0810990	Others	(**)		(**)	(**)				(**)
0820000	(ii) Fruits and berries	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0820010	Allspice	(**)		(**)	(**)				(**)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	(**)		(**)	(**)				(**)
0820030	Caraway	(**)		(**)	(**)				(**)
0820040	Cardamom	(**)		(**)	(**)				(**)
0820050	Juniper berries	(**)		(**)	(**)				(**)
0820060	Pepper, black, green and white (Long pepper, pink pepper)	(**)		(**)	(**)				(**)
0820070	Vanilla pods	(**)		(**)	(**)				(**)
0820080	Tamarind	(**)		(**)	(**)				(**)
0820990	Others	(**)		(**)	(**)				(**)
0830000	(iii) Bark	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0830010	Cinnamon (Cassia)	(**)		(**)	(**)				(**)
0830990	Others	(**)		(**)	(**)				(**)
0840000	(iv) Roots or rhizome	(**)		(**)	(**)				(**)
0840010	Liquorice	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0840020	Ginger	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0840030	Turmeric (Curcuma)	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0840040	Horseradish	(**)	(+)	(**)	(**)	(+)	(+)	(+)	(**)
0840990	Others	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0850000	(v) Buds	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0850010	Cloves	(**)		(**)	(**)				(**)
0850020	Capers	(**)		(**)	(**)				(**)
0850990	Others	(**)		(**)	(**)				(**)
0860000	(vi) Flower stigma	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0860010	Saffron	(**)		(**)	(**)				(**)
0860990	Others	(**)		(**)	(**)				(**)
0870000	(vii) Aril	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0870010	Mace	(**)		(**)	(**)				(**)
0870990	Others	(**)		(**)	(**)				(**)
0900000	9. SUGAR PLANTS	(**)	0,05 (*)	(**)	(**)	0,02 (*)		0,1 (*)	(**)
0900010	Sugar beet (root)	(**)		(**)	(**)		0,015		(**)
0900020	Sugar cane	(**)		(**)	(**)		0,01 (*)		(**)
0900030	Chicory roots	(**)		(**)	(**)		0,01 (*)		(**)
0900990	Others	(**)		(**)	(**)		0,01 (*)		(**)
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS		0,05 (*)		0,05 (*)				
1010000	(i) Tissue	0,01 (*)		0,01 (*)			0,01 (*)		0,04 (*)
1011000	(a) <i>Swine</i>					(+)		0,1 (*)	
1011010	Muscle					0,02 (*)			
1011020	Fat					0,03			
1011030	Liver					0,02 (*)			
1011040	Kidney					0,02 (*)			

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
1011050	Edible offal					0,02 (*)			
1011990	Others					0,02 (*)			
1012000	(b) <i>Bovine</i>					(+)		0,1 (*)	
1012010	Muscle					0,025			
1012020	Fat					0,25			
1012030	Liver					0,07			
1012040	Kidney					0,05			
1012050	Edible offal					0,02 (*)			
1012990	Others					0,02 (*)			
1013000	(c) <i>Sheep</i>					(+)		0,1 (*)	
1013010	Muscle					0,02 (*)			
1013020	Fat					0,2			
1013030	Liver					0,07			
1013040	Kidney					0,05			
1013050	Edible offal					0,02 (*)			
1013990	Others					0,02 (*)			
1014000	(d) <i>Goat</i>					(+)		0,1 (*)	
1014010	Muscle					0,02 (*)			
1014020	Fat					0,2			
1014030	Liver					0,07			
1014040	Kidney					0,05			
1014050	Edible offal					0,02 (*)			
1014990	Others					0,02 (*)			
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)		(**)	(**)	(+)		0,1 (*)	(**)
1015010	Muscle	(**)		(**)	(**)	0,02 (*)			(**)
1015020	Fat	(**)		(**)	(**)	0,2			(**)
1015030	Liver	(**)		(**)	(**)	0,07			(**)
1015040	Kidney	(**)		(**)	(**)	0,05			(**)
1015050	Edible offal	(**)		(**)	(**)	0,02 (*)			(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
1015990	Others	(**)		(**)	(**)	0,02 (*)			(**)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>					0,02 (*) (+)			
1016010	Muscle							0,1 (*)	
1016020	Fat							0,1 (*)	
1016030	Liver							0,2	
1016040	Kidney							0,1 (*)	
1016050	Edible offal							0,1 (*)	
1016990	Others							0,1 (*)	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	(**)		(**)	(**)	(+)		0,1 (*)	(**)
1017010	Muscle	(**)		(**)	(**)	0,02 (*)			(**)
1017020	Fat	(**)		(**)	(**)	0,2			(**)
1017030	Liver	(**)		(**)	(**)	0,07			(**)
1017040	Kidney	(**)		(**)	(**)	0,05			(**)
1017050	Edible offal	(**)		(**)	(**)	0,02 (*)			(**)
1017990	Others	(**)		(**)	(**)	0,02 (*)			(**)
1020000	(ii) Milk	0,001 (*)		0,01 (*)		(+)	0,01	0,02 (*)	0,02 (*)
1020010	Cattle					0,04			
1020020	Sheep					0,02 (*)			
1020030	Goat					0,02 (*)			
1020040	Horse					0,02 (*)			
1020990	Others					0,02 (*)			
1030000	(iii) Bird eggs	0,01 (*)		0,01 (*)		0,02 (*) (+)	0,01 (*)	0,1 (*)	0,04*
1030010	Chicken								
1030020	Duck	(**)		(**)	(**)				(**)
1030030	Goose	(**)		(**)	(**)				(**)
1030040	Quail	(**)		(**)	(**)				(**)
1030990	Others	(**)		(**)	(**)				(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepaloxystrobin (sum of tepaloxystrobin and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxystrobin)	Trifloxystrobin (F) (R)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	(**)		(**)	(**)	0,05 (*)	0,05 (*)	0,05 (*)	(**)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	(**)		(**)	(**)	0,02 (*) (+)	0,01 (*)	0,1 (*)	(**)
1060000	(vi) Snails	(**)		(**)	(**)	0,02 (*) (+)	0,01 (*)	0,1 (*)	(**)
1070000	(vii) Other terrestrial animal products (Wild game)	(**)		(**)	(**)	0,02 (*) (+)	0,01 (*)	0,1 (*)	(**)

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(+) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(f) = Fat soluble

Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

Ethephon

(+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study

0401090 Cotton seed

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenamidone

(+) The following MRL applies to Chilli peppers: 3,5 mg/kg.

0231020 Peppers (Chilli peppers)

Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (f) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Esfenvalerate — codes 1011030, 1011040, 1012030, 1012040, 1013030, 1013040, 1014030, 1014040, 1015030, 1015040, 1016030, 1016040, 1017030 and 1017040: sum of fenvalerate (any ratio of constituent isomers including esfenvalerate) and CPIA (chlorophenyl isovaleric acid), expressed as fenvalerate

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

0120010 Almonds

0130010 Apples (Crab apple)

0130020 Pears (Oriental pear)

0140020	Cherries (Sweet cherries, sour cherries)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))
0152000	(b) Strawberries
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))
0213020	Carrots
0213040	Horseradish (<i>Angelica</i> roots, lovage roots, gentiana roots)
0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))
0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (<i>patisson</i>), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233010	Melons (Kiwano)
0234000	(d) Sweet corn (Baby corn)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (<i>cos</i>) lettuce)
0252010	Spinach (New Zealand spinach, amaranthus spinach (<i>pak-khom</i> , <i>tampara</i>), tajer leaves, bitterblad/bitawiri)
0256040	Parsley (leaves of root parsley)
0270060	Leek
0300020	Lentils
0500010	Barley
0500030	Maize
0500050	Oats
0500070	Rye
0500080	Sorghum
0500090	Wheat (<i>Spelt</i> , <i>triticale</i>)
0810000	(i) Seeds
0810010	Anise
0810020	Black caraway
0810030	Celery seed (<i>Lovage</i> seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1011000 (a) Swine

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1012000 (b) Bovine

1012010 Muscle

1012020 Fat

1012030 Liver

1012040 Kidney

1012050 Edible offal

1012990 Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1013000 (c) Sheep

1013010 Muscle

1013020 Fat

1013030 Liver

1013040 Kidney

1013050 Edible offal

1013990 Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1014000 (d) Goat

1014010 Muscle

1014020 Fat

1014030 Liver

1014040 Kidney

1014050 Edible offal

1014990 Others

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1015000 (e) Horses, asses, mules or hinnies

1015010 Muscle

1015020 Fat

1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others

(+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

Picoxystrobin (F)

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

0401060	Rape seed (Bird rapeseed, turnip rape)
----------------	---

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
----------------	--------------------

Tepaloxymid (sum of tepaloxymid and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxymid)

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0152000	(b) Strawberries
0154000	(d) Other small fruit & berries
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other Ribes species)
0154050	Rose hips
0154060	Mulberries (Arbutus berry)
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea salallowthorn, hawthorn, serviceberries, and other treeberries)
0154990	Others
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))
0270060	Leek

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
----------------	--------------------

Trifloxystrobin (f) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Trifloxystrobin- code 1000000: the sum of trifloxystrobin and its metabolite (E, E)-methoxyimino- [2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl]-acetic acid (CGA 321113)

(b) the column for carbosulfan is deleted;

(2) Part A of Annex III is amended as follows:

(a) the columns for malathion and spirotetramat are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS		
0110000	(i) Citrus fruit	2	1
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))		
0110990	Others		
0120000	(ii) Tree nuts	0,02 (*)	0,5
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0130000	(iii) Pome fruit	0,02 (*)	1
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) Stone fruit	0,02 (*)	3
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))		
0140990	Others		
0150000	(v) Berries & small fruit	0,02 (*)	
0151000	(a) <i>Table and wine grapes</i>		2
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		0,4
0153000	(c) <i>Cane fruit</i>		0,1 (*)
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))		
0153990	Others		
0154000	(d) <i>Other small fruit & berries</i>		0,1 (*)
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0154060	Mulberries (Arbutus berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))		
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) Miscellaneous fruit	0,02 (*)	
0161000	(a) <i>Edible peel</i>		
0161010	Dates		0,1 (*)
0161020	Figs		0,1 (*)
0161030	Table olives		4
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))		0,1 (*)
0161050	Carambola (Bilimbi)		0,1 (*)
0161060	Persimmon		0,1 (*)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))		0,1 (*)
0161990	Others		0,1 (*)
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		0,3
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)		15
0162030	Passion fruit		0,1 (*)
0162040	Prickly pear (cactus fruit)		0,1 (*)
0162050	Star apple		0,1 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		0,1 (*)
0162990	Others		0,1 (*)
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		0,7
0163020	Bananas (Dwarf banana, plantain, apple banana)		0,6
0163030	Mangoes		0,3
0163040	Papaya		0,4
0163050	Pomegranate		0,1 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))		0,1 (*)
0163080	Pineapples		0,3
0163090	Bread fruit (Jackfruit)		0,1 (*)
0163100	Durian		0,1 (*)
0163110	Soursop (guanabana)		0,1 (*)
0163990	Others		0,1 (*)
0200000	2. VEGETABLES FRESH OR FROZEN		
0210000	(i) Root and tuber vegetables	0,02 (*)	
0211000	(a) <i>Potatoes</i>		0,8
0212000	(b) <i>Tropical root and tuber vegetables</i>		0,1 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		0,1 (*)
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) Bulb vegetables	0,02 (*)	
0220010	Garlic		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0220020	Onions (Other bulb onions, silverskin onions)		0,4
0220030	Shallots		0,4
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		0,1 (*)
0220990	Others		0,1 (*)
0230000	(iii) Fruiting vegetables	0,02 (*)	
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		2
0231020	Peppers (Chilli peppers)		2
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		2
0231040	Okra (lady's fingers)		1
0231990	Others		1
0232000	(b) <i>Cucurbits — edible peel</i>		0,2
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		0,2
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		0,1 (*)
0239000	(e) <i>Other fruiting vegetables</i>		0,1 (*)
0240000	(iv) Brassica vegetables	0,02 (*)	
0241000	(a) <i>Flowering brassica</i>		1
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ⁽ⁱ⁾	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		0,3
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		2
0242990	Others		0,1 (*)
0243000	(c) <i>Leafy brassica</i>		7
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		2
0250000	(v) Leaf vegetables & fresh herbs		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		7
0251010	Lamb's lettuce (Italian corn salad)	0,02 (*)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	0,5	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	0,02 (*)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	0,02 (*)	
0251050	Land cress	0,02 (*)	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	0,02 (*)	
0251070	Red mustard	0,02 (*)	
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	0,02 (*)	
0251990	Others	0,02 (*)	
0252000	(b) <i>Spinach & similar (leaves)</i>	0,02 (*)	7
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitter-blad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti (Salsola soda))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,02 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,02 (*)	7
0255000	(e) <i>Witloof</i>	0,02 (*)	0,1 (*)
0256000	(f) <i>Herbs</i>	0,02 (*)	4
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) Legume vegetables (fresh)	0,02 (*)	1,5
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) Stem vegetables (fresh)	0,02 (*)	
0270010	Asparagus		0,1 (*)
0270020	Cardoons (Borago officinalis stems)		0,1 (*)
0270030	Celery		4
0270040	Fennel		0,1 (*)
0270050	Globe artichokes (Banana flower)		0,1 (*)
0270060	Leek		0,1 (*)
0270070	Rhubarb		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0270080	Bamboo shoots		0,1 (*)
0270090	Palm hearts		0,1 (*)
0270990	Others		0,1 (*)
0280000	(viii) Fungi	0,02 (*)	0,1 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) Sea weeds	0,02 (*)	0,1 (*)
0300000	3. PULSES, DRY	0,02 (*)	2
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. OILSEEDS AND OILFRUITS	0,02 (*)	
0401000	(i) Oilseeds		
0401010	Linseed		0,1 (*)
0401020	Peanuts		0,1 (*)
0401030	Poppy seed		0,1 (*)
0401040	Sesame seed		0,1 (*)
0401050	Sunflower seed		0,1 (*)
0401060	Rape seed (Bird rapeseed, turnip rape)		0,1 (*)
0401070	Soya bean		4
0401080	Mustard seed		0,1 (*)
0401090	Cotton seed		0,4
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		0,1 (*)
0401110	Safflower		0,1 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		0,1 (*)
0401130	Gold of pleasure		0,1 (*)
0401140	Hempseed		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0401150	Castor bean		0,1 (*)
0401990	Others		0,1 (*)
0402000	(ii) Oilfruits		
0402010	Olives for oil production		4
0402020	Palm nuts (palmoil kernels)		0,1 (*)
0402030	Palmfruit		0,1 (*)
0402040	Kapok		0,1 (*)
0402990	Others		0,1 (*)
0500000	5. CEREALS	8	0,1 (*)
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice (Zizania aquatica))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds (Phalaris canariensis))		
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA		0,1 (*)
0610000	(i) Tea	0,5	
0620000	(ii) Coffee beans	0,02 (*)	
0630000	(iii) Herbal infusions (dried)		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers	1,5	
0631020	Hybiscus flowers	0,02 (*)	
0631030	Rose petals	0,02 (*)	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	0,02 (*)	
0631050	Lime (linden)	0,02 (*)	
0631990	Others	0,02 (*)	

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0632000	(b) <i>Leaves</i>	0,02 (*)	
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>	0,02 (*)	
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>	0,02 (*)	
0640000	(iv) Cocoabeans (fermented or dried)	0,02 (*)	
0650000	(v) Carob (st johns bread)	0,02 (*)	
0700000	7. HOPS (dried)	0,02 (*)	15
0800000	8. SPICES		
0810000	(i) Seeds	0,02 (*)	0,1 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) Fruits and berries	0,02 (*)	0,1 (*)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) Bark	0,02 (*)	0,1 (*)
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) Roots or rhizome		
0840010	Liquorice	0,02 (*)	0,1 (*)
0840020	Ginger	0,02 (*)	0,1 (*)
0840030	Turmeric (Curcuma)	0,02 (*)	0,1 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	0,02 (*)	0,1 (*)
0850000	(v) Buds	0,02 (*)	0,1 (*)
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) Flower stigma	0,02 (*)	0,1 (*)
0860010	Saffron		
0860990	Others		
0870000	(vii) Aril	0,02 (*)	0,1 (*)
0870010	Mace		
0870990	Others		
0900000	9. SUGAR PLANTS	0,02 (*)	0,1 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS		
1010000	(i) Tissue	0,02 (*)	
1011000	(a) <i>Swine</i>		
1011010	Muscle		0,05
1011020	Fat		0,01 (*)
1011030	Liver		0,7
1011040	Kidney		0,7
1011050	Edible offal		0,7
1011990	Others		0,01 (*)
1012000	(b) <i>Bovine</i>		
1012010	Muscle		0,05
1012020	Fat		0,01 (*)
1012030	Liver		0,7
1012040	Kidney		0,7
1012050	Edible offal		0,7
1012990	Others		0,01 (*)
1013000	(c) <i>Sheep</i>		
1013010	Muscle		0,05
1013020	Fat		0,01 (*)
1013030	Liver		0,7
1013040	Kidney		0,7
1013050	Edible offal		0,7
1013990	Others		0,01 (*)
1014000	(d) <i>Goat</i>		
1014010	Muscle		0,05
1014020	Fat		0,01 (*)
1014030	Liver		0,7
1014040	Kidney		0,7
1014050	Edible offal		0,7
1014990	Others		0,01 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		0,05

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
1015020	Fat		0,01 (*)
1015030	Liver		0,7
1015040	Kidney		0,7
1015050	Edible offal		0,7
1015990	Others		0,01 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		0,01 (*)
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		0,05
1017020	Fat		0,01 (*)
1017030	Liver		0,7
1017040	Kidney		0,7
1017050	Edible offal		0,7
1017990	Others		0,01 (*)
1020000	(ii) Milk	0,02 (*)	0,005 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) Bird eggs	0,02 (*)	0,01 (*)
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,02 (*)	0,01 (*)
1060000	(vi) Snails	0,02 (*)	0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,02 (*)	0,01 (*)

(*) Indicates lower limit of analytical determination

(^e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Malathion (sum of malathion and malaoxon expressed as malathion)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Spirotetramat — Code 1000000 except 1040000: Spirotetramat and its metabolite BY108330-enol expressed as spirotetramat

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(b) the columns for 1,4-dimethylnaphthalene and imazapyr are added:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	1,4-Dimethylnaphthalene	Imazapyr
0100000	1. FRUIT FRESH OR FROZEN NUTS		
0110000	(i) Citrus fruit		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))		
0110990	Others		
0120000	(ii) Tree nuts		
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) Pome fruit		
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) Stone fruit		
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))		
0140990	Others		
0150000	(v) Berries & small fruit		
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))		
0153990	Others		
0154000	(d) <i>Other small fruit & berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries (<i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))		
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/seaallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) Miscellaneous fruit		
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (<i>Eugenia uniflora</i>))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsats, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	2. VEGETABLES FRESH OR FROZEN		
0210000	(i) Root and tuber vegetables		
0211000	(a) <i>Potatoes</i>	15	
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0220000	(ii) Bulb vegetables		
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) Fruiting vegetables		
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) Brassica vegetables		
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) Leaf vegetables & fresh herbs		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) Spinach & similar (leaves)		
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti (Salsola soda))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>		
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>		
0255000	(e) <i>Witloof</i>		
0256000	(f) <i>Herbs</i>		
0256010	Chervil		
0256020	Chives		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) Legume vegetables (fresh)		
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) Stem vegetables (fresh)		
0270010	Asparagus		
0270020	Cardoons (<i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	(viii) Fungi		
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) Sea weeds		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0300000	3. PULSES, DRY		
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		0,2
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. OILSEEDS AND OILFRUITS		
0401000	(i) Oilseeds		
0401010	Linseed		0,05 0,05 (*) 3 0,05 (*)
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) Oilfruits		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. CEREALS		
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0500060	Rice (Indian/wild rice (<i>Zizania aquatica</i>))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds (<i>Phalaris canariensis</i>))		
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA		
0610000	(i) Tea		
0620000	(ii) Coffee beans		
0630000	(iii) Herbal infusions (dried)		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) Cocoabeans (fermented or dried)		
0650000	(v) Carob (st johns bread)		
0700000	7. HOPS (dried)		
0800000	8. SPICES		
0810000	(i) Seeds		
0810010	Anise		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) Fruits and berries		
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) Bark		
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) Roots or rhizome		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		
0850000	(v) Buds		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) Flower stigma		
0860010	Saffron		
0860990	Others		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0870000	(vii) Aril		
0870010	Mace		
0870990	Others		
0900000	9. SUGAR PLANTS		
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS		
1010000	(i) Tissue		0,05 (*)
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) Milk		0,01 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) Bird eggs		0,01 (*)
1030010	Chicken		
1030020	Duck		
1030030	Goose		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	1,4-Dimethylnaphthalene	Imazapyr
1030040	Quail		
1030990	Others		
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))		0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)		0,01 (*)
1060000	(vi) Snails		0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)		0,01 (*)

(*) Indicates lower limit of analytical determination

(^e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(3) Part B of Annex III is amended as follows:

(a) the columns for carbofuran, fenamidone and fenhexamid are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, bentazocarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0130040	Medlar	0,001 (*)	0,02 (*)	0,05 (*)
0130050	Loquat	0,001 (*)	0,02 (*)	0,05 (*)
0154050	Rose hips	0,01 (*)	0,02 (*)	5
0154060	Mulberries (Arbutus berry)	0,01 (*)	0,02 (*)	10
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))	0,01 (*)	0,02 (*)	15
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sal-lowthorn, hawthorn, serviceberries, and other treeberries)	0,01 (*)	0,02 (*)	5
0161050	Carambola (Bilimbi)	0,003 (*)	0,02 (*)	0,05 (*)
0161060	Persimmon	0,003 (*)	0,02 (*)	0,05 (*)
0161070	Jambolan (java plum) (java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	0,003 (*)	0,02 (*)	0,05 (*)
0162040	Prickly pear (cactus fruit)	0,01 (*)	0,02 (*)	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0162050	Star apple	0,01 (*)	0,02 (*)	0,05 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	0,01 (*)	0,02 (*)	0,05 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)	0,01 (*)	0,02 (*)	0,05 (*)
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))	0,01 (*)	0,02 (*)	0,05 (*)
0163090	Bread fruit (Jackfruit)	0,01 (*)	0,02 (*)	0,05 (*)
0163100	Durian	0,01 (*)	0,02 (*)	0,05 (*)
0163110	Soursop (guanabana)	0,01 (*)	0,02 (*)	0,05 (*)
0212040	Arrowroot	0,002 (*)	0,02 (*)	0,05 (*)
0251050	Land cress	0,002 (*)	40	30
0251070	Red mustard	0,002 (*)	40	30
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	0,005 (*)	60	0,05 (*)
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,01 (*)	0,02 (*)	0,05 (*)
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	0,02 (*)	60	30
0256060	Rosemary	0,02 (*)	60	30
0256070	Thyme (Marjoram, oregano)	0,02 (*)	60	30
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	0,02 (*)	60	30
0256090	Bay leaves (laurel) (Lemon grass)	0,02 (*)	60	30
0256100	Tarragon (Hyssop)	0,02 (*)	60	30
0270080	Bamboo shoots	0,002 (*)	0,02 (*)	0,05 (*)
0270090	Palm hearts	0,002 (*)	0,02 (*)	0,05 (*)
0290000	(ix) Sea weeds	0,01 (*)	0,02	0,05 (*)
0401110	Safflower	0,02 (*)	0,05 (*)	0,1 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	0,02 (*)	0,05 (*)	0,1 (*)
0401130	Gold of pleasure	0,02 (*)	0,05 (*)	0,1 (*)
0401150	Castor bean	0,02 (*)	0,05 (*)	0,1 (*)
0402020	Palm nuts (palmoil kernels)	0,02 (*)	0,05 (*)	0,1 (*)
0402030	Palmfruit	0,02 (*)	0,05 (*)	0,1 (*)
0402040	Kapok	0,02 (*)	0,05 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0620000	(ii) Coffee beans	0,05 (*)	0,05 (*)	0,1 (*)
0630000	(iii) Herbal infusions (dried)	0,05 (*)	0,05 (*)	0,1 (*)
0631000	(a) <i>Flowers</i>	0,05 (*)	0,05 (*)	0,1 (*)
0631010	Camomille flowers	0,05 (*)	0,05 (*)	0,1 (*)
0631020	Hybiscus flowers	0,05 (*)	0,05 (*)	0,1 (*)
0631030	Rose petals	0,05 (*)	0,05 (*)	0,1 (*)
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	0,05 (*)	0,05 (*)	0,1 (*)
0631050	Lime (linden)	0,05 (*)	0,05 (*)	0,1 (*)
0631990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0632000	(b) <i>Leaves</i>	0,05 (*)	0,05 (*)	0,1 (*)
0632010	Strawberry leaves	0,05 (*)	0,05 (*)	0,1 (*)
0632020	Rooibos leaves (Ginkgo leaves)	0,05 (*)	0,05 (*)	0,1 (*)
0632030	Maté	0,05 (*)	0,05 (*)	0,1 (*)
0632990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0633000	(c) <i>Roots</i>	0,05 (*)	0,05 (*)	0,1 (*)
0633010	Valerian root	0,05 (*)	0,05 (*)	0,1 (*)
0633020	Ginseng root	0,05 (*)	0,05 (*)	0,1 (*)
0633990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0639000	(d) <i>Other herbal infusions</i>	0,05 (*)	0,05 (*)	0,1 (*)
0640000	(iv) Cocoabeans (fermented or dried)	0,05 (*)	0,05 (*)	0,1 (*)
0650000	(v) Carob (st johns bread)	0,05 (*)	0,05 (*)	0,1 (*)
0800000	8. SPICES			
0810000	(i) Seeds	0,05 (*)	0,05 (*)	0,1 (*)
0810010	Anise	0,05 (*)	0,05 (*)	0,1 (*)
0810020	Black caraway	0,05 (*)	0,05 (*)	0,1 (*)
0810030	Celery seed (Lovage seed)	0,05 (*)	0,05 (*)	0,1 (*)
0810040	Coriander seed	0,05 (*)	0,05 (*)	0,1 (*)
0810050	Cumin seed	0,05 (*)	0,05 (*)	0,1 (*)
0810060	Dill seed	0,05 (*)	0,05 (*)	0,1 (*)
0810070	Fennel seed	0,05 (*)	0,05 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0810080	Fenugreek	0,05 (*)	0,05 (*)	0,1 (*)
0810090	Nutmeg	0,05 (*)	0,05 (*)	0,1 (*)
0810990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0820000	(ii) Fruits and berries	0,05 (*)	0,05 (*)	0,1 (*)
0820010	Allspice	0,05 (*)	0,05 (*)	0,1 (*)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	0,05 (*)	0,05 (*)	0,1 (*)
0820030	Caraway	0,05 (*)	0,05 (*)	0,1 (*)
0820040	Cardamom	0,05 (*)	0,05 (*)	0,1 (*)
0820050	Juniper berries	0,05 (*)	0,05 (*)	0,1 (*)
0820060	Pepper, black, green and white (Long pepper, pink pepper)	0,05 (*)	0,05 (*)	0,1 (*)
0820070	Vanilla pods	0,05 (*)	0,05 (*)	0,1 (*)
0820080	Tamarind	0,05 (*)	0,05 (*)	0,1 (*)
0820990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0830000	(iii) Bark	0,05 (*)	0,05 (*)	0,1 (*)
0830010	Cinnamon (Cassia)	0,05 (*)	0,05 (*)	0,1 (*)
0830990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0840000	(iv) Roots or rhizome			
0840010	Liquorice	0,05 (*)	0,05 (*)	0,1 (*)
0840020	Ginger	0,05 (*)	0,05 (*)	0,1 (*)
0840030	Turmeric (Curcuma)	0,05 (*)	0,05 (*)	0,1 (*)
0840040	Horseradish	(+)	(+)	(+)
0840990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0850000	(v) Buds	0,05 (*)	0,05 (*)	0,1 (*)
0850010	Cloves	0,05 (*)	0,05 (*)	0,1 (*)
0850020	Capers	0,05 (*)	0,05 (*)	0,1 (*)
0850990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0860000	(vi) Flower stigma	0,05 (*)	0,05 (*)	0,1 (*)
0860010	Saffron	0,05 (*)	0,05 (*)	0,1 (*)
0860990	Others	0,05 (*)	0,05 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0870000	(vii) Aril	0,05 (*)	0,05 (*)	0,1 (*)
0870010	Mace	0,05 (*)	0,05 (*)	0,1 (*)
0870990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0900000	9. SUGAR PLANTS	0,01 (*)	0,02 (*)	0,05 (*)
0900010	Sugar beet (root)	0,01 (*)	0,02 (*)	0,05 (*)
0900020	Sugar cane	0,01 (*)	0,02 (*)	0,05 (*)
0900030	Chicory roots	0,01 (*)	0,02 (*)	0,05 (*)
0900990	Others	0,01 (*)	0,02 (*)	0,05 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	0,01 (*)	0,01 (*)	0,05 (*)
1015010	Muscle	0,01 (*)	0,01 (*)	0,05 (*)
1015020	Fat	0,01 (*)	0,01 (*)	0,05 (*)
1015030	Liver	0,01 (*)	0,01 (*)	0,05 (*)
1015040	Kidney	0,01 (*)	0,01 (*)	0,05 (*)
1015050	Edible offal	0,01 (*)	0,01 (*)	0,05 (*)
1015990	Others	0,01 (*)	0,01 (*)	0,05 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	0,01 (*)	0,01 (*)	0,05 (*)
1017010	Muscle	0,01 (*)	0,01 (*)	0,05 (*)
1017020	Fat	0,01 (*)	0,01 (*)	0,05 (*)
1017030	Liver	0,01 (*)	0,01 (*)	0,05 (*)
1017040	Kidney	0,01 (*)	0,01 (*)	0,05 (*)
1017050	Edible offal	0,01 (*)	0,01 (*)	0,05 (*)
1017990	Others	0,01 (*)	0,01 (*)	0,05 (*)
1030020	Duck	0,01 (*)	0,01 (*)	0,05 (*)
1030030	Goose	0,01 (*)	0,01 (*)	0,05 (*)
1030040	Quail	0,01 (*)	0,01 (*)	0,05 (*)
1030990	Others	0,01 (*)	0,01 (*)	0,05 (*)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,01 (*)	0,01 (*)	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
1060000	(vi) Snails	0,01 (*)	0,01 (*)	0,05 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,01 (*)	0,01 (*)	0,05 (*)

(*) Indicates lower limit of analytical determination

(e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenamidone

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenhexamid

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish'

(b) the column for carbosulfan is deleted;

(4) in Annex V, the columns for benfuracarb and furathiocarb are deleted.