



---

▶ <b><u>M18</u></b>	Commission Implementing Regulation (EU) 2023/1535 of 24 July 2023	L 187	1	26.7.2023
▶ <b><u>M19</u></b>	Commission Implementing Regulation (EU) 2023/2458 of 31 October 2023	L 2458	1	3.11.2023
▶ <b><u>M20</u></b>	Commission Implementing Regulation (EU) 2023/2743 of 8 December 2023	L 2743	1	11.12.2023

**▼B****COMMISSION IMPLEMENTING REGULATION (EU) 2018/2019  
of 18 December 2018****establishing a provisional list of high risk plants, plant products or other objects, within the meaning of Article 42 of Regulation (EU) 2016/2031 and a list of plants for which phytosanitary certificates are not required for introduction into the Union, within the meaning of Article 73 of that Regulation***Article 1***High risk plants, plant products and other objects**

The plants, plant products and other objects listed in Annex I are considered high risk plants, plant products and other objects within the meaning of Article 42(1) of Regulation (EU) 2016/2031, and their introduction into the Union territory shall be prohibited pending a risk assessment.

**▼M1****▼B***Article 3***Entry into force and application**

This Regulation shall enter into force the twentieth day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 14 December 2019.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼ M2

## ANNEX

▼ B**List of high risk plants, plant products and other objects, within the meaning of Article 42(1) of Regulation (EU) 2016/2031**

1. Plants for planting, other than seeds, *in vitro* material and naturally or artificially dwarfed woody plants for planting, originating from all third countries and belonging to the following genera or species:

CN Code	Description
ex 0602	<i>Acacia</i> Mill.
ex 0602	<p>► <b>M18</b> <i>Acer</i> L., other than:</p> <ul style="list-style-type: none"> <li>— One- to three-year-old bare rooted, dormant, free of leaves, grafted or budded plants for planting of <i>Acer japonicum</i> Thunberg, <i>Acer palmatum</i> Thunberg, and <i>Acer shirasawanum</i> Koidzumi, originating in New Zealand;</li> <li>— up to fifteen-year-old plants for planting of <i>Acer campestre</i> with a maximum diameter of 88 mm at the base of the stem, originating in the United Kingdom;</li> <li>— up to seven-year-old plants for planting of <i>Acer palmatum</i> with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom;</li> <li>— up to seven-year-old plants for planting of <i>Acer platanoides</i> with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom; and</li> <li>— up to seven-year-old plants for planting of <i>Acer pseudoplatanus</i> with a maximum diameter of 88 mm at the base of the stem, originating in the United Kingdom. ◀</li> </ul>
ex 0602	<p>► <b>M2</b> <i>Albizia</i> Durazz., other than bare-rooted dormant grafted plants for planting with a maximum diameter of 2,5 cm of <i>Albizia julibrissin</i> Durazzini originating in Israel ◀</p>
ex 0602	<i>Alnus</i> Mill.
ex 0602	<i>Annona</i> L.
ex 0602	<i>Bauhinia</i> L.
ex 0602	<i>Berberis</i> L.
ex 0602	<i>Betula</i> L.
ex 0602	<i>Caesalpinia</i> L.
ex 0602	<i>Cassia</i> L.
ex 0602	<i>Castanea</i> Mill.
ex 0602	<i>Cornus</i> L.
ex 0602	<p>► <b>M6</b> <i>Corylus</i> L., other than plants for planting of <i>Corylus avellana</i> L. or <i>Corylus colurna</i> L. originating in Serbia ◀</p>

▼ B

CN Code	Description
ex 0602	▶ <b>M15</b> <i>Crataegus</i> L., other than up to 15-year-old plants for planting of <i>Crataegus monogyna</i> with a maximum diameter of 13 cm at the base of the stem, originating in the United Kingdom ◀
ex 0602	<i>Diospyros</i> L.
ex 0602	▶ <b>M19</b> <i>Fagus</i> L., other than up to fifteen-year-old plants for planting of <i>Fagus sylvatica</i> with a maximum diameter of 80 mm at the base of the stem, originating in the United Kingdom ◀
ex 0602	▶ <b>M5</b> <i>Ficus carica</i> L., other than bare-rooted, dormant, without leaves, one-year-old plants for planting with a maximum diameter of 2 cm at the base of the stem of <i>Ficus carica</i> L., and one-year-old rooted cuttings without leaves of plants for planting with growing medium and with a maximum diameter of 1 cm at the base of the stem of <i>Ficus carica</i> L., originating in Israel ◀
ex 0602	<i>Fraxinus</i> L.
ex 0602	<i>Hamamelis</i> L.
ex 0602	▶ <b>M12</b> <i>Jasminum</i> L., other than unrooted cuttings of plants for planting of <i>Jasminum polyanthum</i> Franchet originating in Israel and Uganda ◀
ex 0602	▶ <b>M11</b> <i>Juglans</i> L., other than: — up to two-year-old plants for planting of <i>Juglans regia</i> L. which are bare-rooted, free of leaves and with a maximum diameter of 2 cm at the base of the stem, originating in Turkey; and — up to two-year-old, bare-rooted, dormant, free of leaves, grafted plants for planting and rootstocks of <i>Juglans regia</i> L. originating in Moldova ◀
ex 0602	▶ <b>M14</b> <i>Ligustrum</i> L., other than up to 20-year-old plants for planting of <i>Ligustrum delavayanum</i> and <i>Ligustrum japonicum</i> in growing medium, with a maximum diameter of 18 cm at the base of the stem, originating in the UK ◀
ex 0602	▶ <b>M10</b> <i>Lonicera</i> L. other than up to four-year-old rooted plants for planting in growing medium of <i>Lonicera x bella</i> , <i>Lonicera caprifolium</i> , <i>Lonicera caucasica</i> , <i>Lonicera etrusca</i> , <i>Lonicera fragrantissima</i> , <i>Lonicera hellenica</i> , <i>Lonicera ligustrina</i> , <i>Lonicera sempervirens</i> and <i>Lonicera tatarica</i> , originating in Turkey ◀

▼ **B**

CN Code	Description
ex 0602	<p>► <b>M17</b> <i>Malus</i> Mill., other than:</p> <ul style="list-style-type: none"> <li>— one- to two-year-old bare rooted, dormant, free of leaves, grafted plants for planting of <i>Malus domestica</i> originating in Serbia;</li> <li>— up to three-year-old bare-rooted, dormant, free of leaves, grafted plants for planting of <i>Malus domestica</i> originating in Moldova;</li> <li>— up to three-year-old bare-rooted, dormant, free of leaves, rootstocks of <i>Malus domestica</i> originating in Ukraine;</li> <li>— up to three-year-old bare-rooted, dormant, free of leaves, grafted plants for planting of <i>Malus domestica</i> originating in Ukraine;</li> <li>— up to one-year-old free of leaves, cuttings of <i>Malus domestica</i> originating in the United Kingdom;</li> <li>— up to seven-year-old plants for planting of <i>Malus domestica</i> originating in the United Kingdom; and</li> <li>— up to seven-year-old plants for planting of <i>Malus sylvestris</i> with a maximum diameter of 40 mm at the base of the stem, originating in the United Kingdom ◀</li> </ul>
ex 0602	<p>► <b>M7</b> <i>Nerium</i> L. other than up to four-year-old plants for planting of <i>Nerium oleander</i> L. originating in Turkey ◀</p>
ex 0602	<p>► <b>M5</b> <i>Persea</i> Mill., other than rooted, with leaves, grafted plants for planting with growing medium and a maximum diameter of 1 cm at the base of the stem of <i>Persea americana</i> Mill., and unrooted cuttings of plants for planting with a maximum diameter of 2 cm of <i>Persea americana</i> Mill., originating in Israel ◀</p>
ex 0602	<i>Populus</i> L.
ex 0602	<p>► <b>M13</b> <i>Prunus</i> L., other than bare-rooted, dormant, free of leaves plants for planting of <i>Prunus domestica</i> grafted on <i>Prunus cerasifera</i> rootstocks originating in Ukraine ◀</p>
ex 0602	<p>► <b>M20</b> <i>Quercus</i> L., other than:</p> <ul style="list-style-type: none"> <li>— up to fifteen-year-old plants for planting of <i>Quercus petraea</i> with a maximum diameter of 80 mm at the base of the stem, originating in the United Kingdom; and</li> <li>— up to fifteen-year-old plants for planting of <i>Quercus robur</i> with a maximum diameter of 80 mm at the base of the stem, originating in the United Kingdom. ◀</li> </ul>
ex 0602	<p>► <b>M7</b> <i>Robinia</i> L. other than bare rooted dormant grafted plants for planting with a maximum diameter of 2,5 cm of <i>Robinia pseudoacacia</i> L. originating in Israel and other than up to seven-year-old plants for planting of <i>Robinia pseudoacacia</i> L. with a maximum diameter of 25 cm, originating in Turkey ◀</p>

**▼ B**

CN Code	Description
ex 0602	<i>Salix</i> L.
ex 0602	<i>Sorbus</i> L.
ex 0602	<i>Taxus</i> L.
ex 0602	<i>Tilia</i> L.
ex 0602	<i>Ulmus</i> L.

2. Plants of *Ullucus tuberosus* originating from all third countries.

**▼ M4**

CN code	Description
ex 0601 10 90 ex 0601 20 90 ex 0604 20 90 ex 0714 90 20 ex 1209 91 80 ex 1404 90 00	<i>Ullucus tuberosus</i> Loz.

**▼ B**

3. Fruits of *Momordica* L. originating from third countries or areas of third countries where *Thrips palmi* Karny is known to occur and where effective mitigation measures for that pest are lacking.

CN Code	Description
ex 0709 99 90	► <b>M8</b> <i>Momordica</i> L., other than fruits of <i>Momordica charantia</i> L. originating in Honduras, Mexico, Sri Lanka and Thailand ◀

**▼ M2****▼ M1**