This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►B

COMMISSION IMPLEMENTING REGULATION (EU) 2018/245

of 15 February 2018

concerning the authorisation of menthol, d-carvone, menthyl acetate, d,l-isomenthone, 3-methyl-2-(pent-2(cis)-enyl)cyclopent-2-en-1-one, 3,5,5-trimethylcyclohex-2-en-1-one, d-fenchone, fenchyl alcohol, carvyl acetate, dihydrocarvyl acetate and fenchyl acetate as feed additives for all animal species

(Text with EEA relevance)

(OJ L 53, 23.2.2018, p. 87)

Amended by:

		Official Journal		
		No	page	date
►M1	Commission Implementing Regulation (EU) 2024/1989 of 22 July 2024	L 1989	1	24.7.2024

▼B

COMMISSION IMPLEMENTING REGULATION (EU) 2018/245

of 15 February 2018

concerning the authorisation of menthol, d-carvone, menthyl acetate, d,l-isomenthone, 3-methyl-2-(pent-2(cis)-enyl)cyclopent-2-en-1-one, 3,5,5-trimethylcyclohex-2-en-1-one, d-fenchone, fenchyl alcohol, carvyl acetate, dihydrocarvyl acetate and fenchyl acetate as feed additives for all animal species

(Text with EEA relevance)

Article 1

Authorisation

The substances specified in the Annex, belonging to the additive category ‘sensory additives’ and to the functional group ‘flavouring compounds’, are authorised as feed additives in animal nutrition subject to the conditions laid down in that Annex.

Article 2

Transitional measures

1. The substances specified in the Annex and premixtures containing those substances, which are produced and labelled before 15 September 2018 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted.

2. Feed materials and compound feed containing the substances as specified in the Annex which are produced and labelled before 15 March 2019 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for food-producing animals.

3. Feed materials and compound feed containing the substances as specified in the Annex which are produced and labelled before 15 March 2020 in accordance with the rules applicable before 15 March 2018 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for non-food-producing animals.

Article 3

Entry into force

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
Category: Sensory additives. Functional group: Flavouring compounds									
2b02015	—	Menthol	*Additive composition* Menthol *Characterisation of the active substance* Menthol Produced by chemical synthesis Purity: min. 95 % assay Chemical formula: $C_{10}H_{20}O$ CAS number: 89-78-1 FLAVIS No: 02.015 *Method of analysis* (1) For the determination of menthol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 25 mg/kg.' 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 25 mg/kg	15.3.2028

02018R0245 — EN — 13.08.2024 — 001.001 — 3

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b07146	—	d-Carvone	*Additive composition* d-Carvone *Characterisation of the active substance* d-Carvone Produced by chemical synthesis Purity: min. 95 % assay Chemical formula: $C_{10}H_{14}O$ CAS number: 2244-16-8 FLAVIS No: 07.146	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Method of analysis ([1]) For the determination of d-carvone in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09016	—	Menthyl acetate	*Additive composition* Menthyl acetate *Characterisation of the active substance* Menthyl acetate Produced by chemical synthesis Purity: min. 97 % assay	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Chemical formula: $C_{12}H_{22}O_2$ CAS number: 29066-34-0 FLAVIS No: 09.016 *Method of analysis* (1) For the determination of menthyl acetate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg.' 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 5 mg/kg 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b07078	—	d,l-Isomenthone	*Additive composition* d,l-Isomenthone *Characterisation of the active substance* d,l-Isomenthone Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: $C_{10}H_{18}O$ CAS number: 491-07-6 FLAVIS No: 07.078 *Method of analysis* (1) For the determination of d,l-isomenthone in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. ►**M1** 3. On the label of the additive, the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 5 mg/kg for all animal species. 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds 5 mg/kg for all animal species. ◄ 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b07094	—	3-Methyl-2-(pent-2(cis)-enyl) cyclopent-t-2-en-1-one	*Additive composition* 3-Methyl-2-(pent-2(cis)-enyl) cyclopent-2-en-1-one *Characterisation of the active substance*	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			3-Methyl-2-(pent-2(cis)-enyl) cyclopent-2-en-1-one Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: $C_{11}H_{16}O$ CAS number: 488-10-8 FLAVIS No: 07.094 *Method of analysis* ([1]) For the determination of 3-methyl-2-(pent-2(cis)-enyl)cyclopent-2-en-1-one in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 0,3 mg/kg for pigs and poultry; — 0,5 mg/kg for other species and categories.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the levels referred to in point 3 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: — 0,3 mg/kg for pigs and poultry; — 0,5 mg/kg for other species and categories.	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b07126	—	3,5,5-Trimethylcyclohex-2-en-1-one	*Additive composition* 3,5,5-Trimethylcyclohex-2-en-1-one *Characterisation of the active substance* 3,5,5-Trimethylcyclohex-2-en-1-one Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: $C_9H_{14}O$ CAS number: 78-59-1	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 0,3 mg/kg for pigs and poultry; — 0,5 mg/kg for other species and categories.’	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			FLAVIS No: 07.126 *Method of analysis* (1) For the determination of 3,5,5-trimethylcyclohex-2-en-1-one in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the levels referred to in point 3. 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: — 0,3 mg/kg for pigs and poultry; — 0,5 mg/kg for other species and categories 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and glove.	
2b07159	—	d-Fenchone	*Additive composition* d-Fenchone *Characterisation of the active substance* d-Fenchone Produced by chemical synthesis Purity: min. 97 % assay Chemical formula: $C_{10}H_{16}O$ CAS number: 4695-62-9 FLAVIS No: 07.159 *Method of analysis* ([1]) For the determination of d-fenchone in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: — 0,3 mg/kg for pigs and poultry; — 0,5 mg/kg for other species and categories.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the levels referred to in point 3	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: — 0,3 mg/kg for pigs and poultry; — 0,5 mg/kg for other species and categories 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves	
2b02038	—	Fenchyl alcohol	*Additive composition* Fenchyl alcohol *Characterisation of the active substance* Fenchyl alcohol	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Produced by chemical synthesis Purity: min. 97 % assay Chemical formula: $C_{10}H_{18}O$ CAS number: 1632-73-1 FLAVIS No: 02.038 *Method of analysis* (1) For the determination of fenchyl alcohol in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL.					3. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.' 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09215	—	Carvyl acetate	*Additive composition* Carvyl acetate *Characterisation of the active substance* Carvyl acetate Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: $C_{12}H_{18}O_2$ CAS number: 97-42-7 FLAVIS No: 09.215 *Method of analysis* (1) For the determination of carvyl acetate in the feed additive and in feed flavouring premixtures:	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Gas chromatography mass spectrometry with retention time locking GC-MS-RTL					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg. 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09216	—	Dihydrocarvyl acetate	*Additive composition* Dihydrocarvyl acetate *Characterisation of the active substance* Dihydrocarvyl acetate Produced by chemical synthesis	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated.	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			Purity: min. 97 % assay Chemical formula: $C_{12}H_{20}O_2$ CAS number: 20777-49-5 FLAVIS No: 09.216 *Method of analysis* ([1]) For the determination of dihydrocarvyl acetate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL					3. On the label of the additive the following shall be indicated: 'Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.' 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3 5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum	

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
								by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	
2b09269	—	Fenchyl acetate	*Additive composition* Fenchyl acetate *Characterisation of the active substance* Fenchyl acetate Produced by chemical synthesis Purity: min. 98 % assay Chemical formula: $C_{12}H_{20}O_2$ CAS number: 13851-11-1	All animal species	—	—	—	1. The additive shall be incorporated into the feed in the form of a premixture. 2. In the directions for use of the additive and premixtures, the storage and stability conditions shall be indicated. 3. On the label of the additive the following shall be indicated: ‘Recommended maximum content of the active substance of complete feedingstuff with a moisture content of 12 %: 1 mg/kg.’ 4. The functional group, the identification number, the name and the added amount of the active substance shall be indicated on the label of the premixture where the use level suggested on the label of the premixture would result in exceeding the level referred to in point 3	15.3.2028

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %			
			FLAVIS No: 09.269 *Method of analysis* (1) For the determination of fenchyl acetate in the feed additive and in feed flavouring premixtures: Gas chromatography mass spectrometry with retention time locking GC-MS-RTL					5. The functional group, the identification number, the name and the added amount of the active substance shall be indicated in the labelling of feed materials and compound feedingstuffs where the content of the active substance in the complete feedingstuff with a moisture content of 12 % exceeds: 1 mg/kg 6. For users of the additive and premixtures, feed business operators shall establish operational procedures and organisational measures to address potential risks by inhalation, dermal contact or eyes contact. Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment, including breathing protection, safety glasses and gloves.	

(1) Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports