

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

► **B** COMMISSION IMPLEMENTING REGULATION (EU) 2019/2072
of 28 November 2019

establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants, and repealing Commission Regulation (EC) No 690/2008 and amending Commission Implementing Regulation (EU) 2018/2019

(OJ L 319, 10.12.2019, p. 1)

Amended by:

		Official Journal		
		No	page	date
► <u>M1</u>	Commission Implementing Regulation (EU) 2020/1199 of 13 August 2020	L 267	3	14.8.2020
► <u>M2</u>	Commission Implementing Regulation (EU) 2020/1292 of 15 September 2020	L 302	20	16.9.2020
► <u>M3</u>	Commission Implementing Regulation (EU) 2020/1825 of 2 December 2020	L 406	58	3.12.2020
► <u>M4</u>	Commission Implementing Regulation (EU) 2020/2210 of 22 December 2020	L 438	28	28.12.2020
► <u>M5</u>	Commission Implementing Regulation (EU) 2020/2211 of 22 December 2020	L 438	41	28.12.2020
► <u>M6</u>	Commission Implementing Regulation (EU) 2021/759 of 7 May 2021	L 162	18	10.5.2021
► <u>M7</u>	Commission Implementing Regulation (EU) 2021/901 of 3 June 2021	L 197	75	4.6.2021
► <u>M8</u>	Commission Implementing Regulation (EU) 2021/2069 of 25 November 2021	L 421	28	26.11.2021
► <u>M9</u>	Commission Implementing Regulation (EU) 2021/2285 of 14 December 2021	L 458	173	22.12.2021
► <u>M10</u>	Commission Implementing Regulation (EU) 2022/853 of 31 May 2022	L 150	62	1.6.2022
► <u>M11</u>	Commission Implementing Regulation (EU) 2022/959 of 16 June 2022	L 165	30	21.6.2022

▼B**COMMISSION IMPLEMENTING REGULATION (EU) 2019/2072****of 28 November 2019**

establishing uniform conditions for the implementation of Regulation (EU) 2016/2031 of the European Parliament and the Council, as regards protective measures against pests of plants, and repealing Commission Regulation (EC) No 690/2008 and amending Commission Implementing Regulation (EU) 2018/2019

*Article 1***Subject matter**

This Regulation implements Regulation (EU) 2016/2031, as regards the listing of Union quarantine pests, protected zone quarantine pests and Union regulated non-quarantine pests, and the measures on plants, plant products and other objects to reduce the risks of those pests to an acceptable level.

*Article 2***Definitions**

1. For the purposes of this Regulation, the definitions provided for in Annex I shall apply.

2. In addition, the following definitions shall apply:
 - (a) ‘practically free from pests’ means the extent of presence of pests, other than Union quarantine pests or protected zone quarantine pests, on the plants for planting or fruit plants, which is sufficiently low to ensure acceptable quality and usefulness of those plants;

 - (b) ‘official statement’ means a phytosanitary certificate, as provided for in Article 71 of Regulation (EU) 2016/2031, a plant passport, as provided for in Article 78 of that Regulation, the mark on wood packaging material, wood or other objects, as referred to in Article 96 of that Regulation, or the official attestations as referred to in Article 99 of that Regulation;

 - (c) ‘systems approach’ means the integration of different risk management measures, at least two of which act independently, and which, when applied together, achieve the appropriate level of protection against Union quarantine pests, protected zone quarantine pests and pests subject to the measures adopted pursuant to Article 30 of Regulation (EU) 2016/2031;

▼M9

- (d) ‘pollen’ means pollen, within the meaning of Article 2(1), point (k), of Regulation (EU) 2016/2031, intended for planting.

▼B*Article 3***List of Union quarantine pests**

The list of Union quarantine pests, as referred to in Article 5 of Regulation (EU) 2016/2031, is set out in Annex II to this Regulation.

The list of Union quarantine pests not known to occur in the Union territory is set out in Part A of Annex II and the list of Union quarantine pests known to occur in the Union territory is set out in Part B of Annex II.

*Article 4***List of protected zones and the respective protected zone quarantine pests**

The list of the protected zones and the respective protected zone quarantine pests, as referred to in Article 32(3) of Regulation (EU) 2016/2031, is set out in Annex III to this Regulation.

*Article 5***List of Union regulated non-quarantine pests and specific plants for planting, with categories and thresholds**

The list of Union regulated non-quarantine pests ('RNQPs') and specific plants for planting with categories and thresholds, as referred to in Article 37(2) of Regulation (EU) 2016/2031, are set out in Annex IV to this Regulation. Those plants for planting shall not be introduced into, or moved within, the Union if the presence of the RNQPs, or symptoms caused by RNQPs, on those plants for planting is above those thresholds.

The prohibition of introduction and movement provided for in the first paragraph shall apply only to the categories of plants for planting as provided for in Annex IV.

*Article 6***Measures to prevent the presence of RNQPs on specific plants for planting**

1. The measures to prevent the presence of RNQPs concerning the movement within and introduction into the Union of specific plants for planting, as referred to in Article 37(4) of Regulation (EU) 2016/2031, are set out in Annex V to this Regulation.

2. The list set out in Annex IV to this Regulation and Annex V thereto shall not affect the measures adopted pursuant to Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 98/56/EC, 1999/105/EC, 2002/54/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC and 2008/90/EC concerning:

- (a) inspections, sampling and testing of the plants for planting concerned or the plants from which they originate;
- (b) the origin of the respective plants for planting from the areas or sites, which are free from, or with physical protection from, the RNQPs concerned;

▼B

- (c) treatments of the plants for planting concerned, or the plants from which they originate;
- (d) the production of the plants for planting.

3. In addition, the list set out in Annex IV to this Regulation and Annex V thereto shall not affect the exceptions for plants for planting, adopted pursuant to Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 98/56/EC, 1999/105/EC, 2002/54/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC and 2008/90/EC, from the requirements for marketing set out by those Directives, including:

- (a) exceptions concerning the supply of plants for planting to official testing and inspection bodies;
- (b) exceptions concerning the supply of plants for planting as grown to providers of services for processing or packaging, under the condition that the provider of services does not acquire title to the plants thus supplied and the identity of the plants is ensured;
- (c) exceptions concerning the supply of plants for planting under certain conditions to providers of services for the production of certain agricultural raw materials, intended for industrial purposes, or seed propagation for that purpose;
- (d) exceptions for plants for planting intended for scientific purposes, selection work, other test or trial purposes;
- (e) exceptions from marketing requirements concerning plants for planting not finally certified;
- (f) exceptions from marketing requirements set out in the provisions of Implementing Decision (EU) 2017/478;
- (g) exceptions from marketing requirements for plants for planting shown to be intended for export to third countries.

*Article 7***List of plants, plant products and other objects whose introduction into the Union from certain third countries is prohibited**

The list of plants, plant products and other objects whose introduction into the Union territory is prohibited, together with the third countries, groups of third countries or specific areas of third countries to which the prohibition applies, as referred to in Article 40(2) of Regulation (EU) 2016/2031, is set out in Annex VI to this Regulation.

▼M3

The first paragraph shall apply without prejudice to any other acts setting out prohibitions, having a temporary character, adopted pursuant to Articles 40(2), 42(3) or 49(1) of Regulation (EU) 2016/2031, and concerning the introduction into the Union territory of certain plants, plant products or other objects to address particular phytosanitary risks which are not yet fully assessed.

▼B*Article 8***List of plants, plant products and other objects originating from third countries, or in the Union territory and the corresponding special requirements for their introduction into or movement within the Union territory**

1. The list of plants, plant products and other objects, originating from third countries, and the corresponding special requirements for their introduction into the Union territory, as referred to in Article 41(2) of Regulation (EU) 2016/2031, is set out in Annex VII to this Regulation.

▼M3

The first subparagraph shall apply without prejudice to any other acts setting out special requirements, having a temporary character, adopted pursuant to Articles 41(2), 42(4) or 49(1) of Regulation (EU) 2016/2031, and concerning the introduction into the Union territory of certain plants, plant products or other objects to address particular phytosanitary risks which are not yet fully assessed.

▼B

2. The list of plants, plant products and other objects, originating in the Union territory, and the corresponding special requirements for their movement within the Union territory, as referred to in Article 41(2) of Regulation (EU) 2016/2031, is set out in Annex VIII to this Regulation.

▼M3

The first subparagraph shall apply without prejudice to any other acts setting out special requirements, having a temporary character, adopted pursuant to Articles 28(1), 30(1), 41(2), 42(4) or 49(1) of Regulation (EU) 2016/2031, and concerning the movement within the Union territory of certain plants, plant products or other objects to address particular phytosanitary risks which are not yet fully assessed.

▼B*Article 9***List of plants, plant products and other objects, whose introduction into certain protected zones is prohibited**

The list of plants, plant products and other objects, originating from third countries or within the Union territory, whose introduction into certain protected zones is prohibited, as referred to in Article 53(2) of Regulation (EU) 2016/2031, is set out in Annex IX to this Regulation.

*Article 10***List of plants, plant products and other objects to be introduced into, or moved within protected zones and corresponding special requirements for protected zones**

The list of plants, plant products and other objects, the respective protected zones and the corresponding special requirements for protected zones, as referred to in Article 54(2) of Regulation (EU) 2016/2031, are set out in Annex X to this Regulation.

▼B*Article 11***List of plants, plant products and other objects, as well as the respective third countries of origin or dispatch, for which phytosanitary certificates are required**

1. The list of plants, plant products and other objects, as well as the respective third countries of origin or dispatch, whose introduction into the Union territory requires a phytosanitary certificate, as referred to in Article 72(1) of Regulation (EU) 2016/2031, is set out in Part A of Annex XI to this Regulation.
2. The list of plants, subject to the exception from a phytosanitary certificate as provided for in the second subparagraph of Article 73 of Regulation (EU) 2016/2031, is set out in Part C of Annex XI to this Regulation.
3. All plants, other than the plants referred to in paragraphs 1 and 2, shall only be introduced into the Union, if they are accompanied by a phytosanitary certificate in accordance with the first subparagraph of Article 73 of Regulation (EU) 2016/2031. The available CN codes of those plants are listed in Part B of Annex XI to this Regulation.

*Article 12***List of plants, plant products and other objects for which a phytosanitary certificate is required for their introduction into a protected zone from certain third countries of origin or dispatch**

The list of plants, plant products and other objects, whose introduction into certain protected zones from certain third countries of origin or dispatch requires a phytosanitary certificate, as referred to in Article 74(1) of Regulation (EU) 2016/2031, is set out in Annex XII to this Regulation.

*Article 13***List of plants, plant products and other objects for which a plant passport is required for their movement within the Union territory**

1. The list of plants, plant products and other objects for which a plant passport is required for their movement within the Union territory, as referred to in Article 79(1) of Regulation (EU) 2016/2031, is set out in Annex XIII to this Regulation.
2. By way of derogation from paragraph 1, a plant passport shall not be required for the movement within the Union of seeds, which fulfil both of the following conditions:

(a) they are subject to the exceptions referred to in Article 6(3); and

▼M6

- (b) they are not subject to the special requirements of Annex VIII or Annex X to this Regulation or to those provided for by the implementing acts adopted pursuant to Articles 28(1), 30(1) or 49(1) of Regulation (EU) 2016/2031.

▼B*Article 14***List of plants, plant products and other objects for which a plant passport with the designation ‘PZ’ is required for introduction into, and movement within certain protected zones**

The list of plants, plant products and other objects for which a plant passport is required for their introduction into, or movement within certain protected zones, as referred to in Article 80(1) of Regulation (EU) 2016/2031, is set out in Annex XIV to this Regulation.

Plant passports referred to in the first paragraph shall bear the designation ‘PZ’.

*Article 15***Repeal of Regulation (EC) No 690/2008**

Regulation (EC) No 690/2008 is repealed.

*Article 16***Amendment of Implementing Regulation (EU) 2018/2019**

Implementing Regulation (EU) 2018/2019 is amended as follows:

- (1) Article 2 is deleted;
- (2) Annex II is deleted.

*Article 17***Transitional measures**

Seeds and other plants for planting introduced into the Union territory, moved within the Union territory or produced, before 14 December 2019, pursuant to the applicable requirements of Directives 66/401/EEC, 66/402/EEC, 68/193/EEC, 98/56/EC, 2002/55/EC, 2002/56/EC, 2002/57/EC, 2008/72/EC, 2008/90/EC concerning the presence of RNQPs before that date, may, until 14 December 2020, be introduced into, or moved within, the Union territory if they comply with those requirements. As of 14 December 2020, Articles 5 and 6 shall apply to all plants for planting covered by this Regulation.

Plant passports, required by this Regulation for the movement of seeds and other plants for planting within the Union territory benefitting from the transitional period laid down in paragraph 1 of this Article, shall until 14 December 2020 only be required to attest their compliance with the rules concerning Union quarantine pests, protected zone quarantine pests or measures adopted pursuant to Article 30 of Regulation (EU) 2016/2031.

*Article 18***Entry into force and application**

This Regulation shall enter into force on the third day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 14 December 2019.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B*ANNEX I***Definitions as referred to in Article 2(1)**

For the purposes of this Regulation, the terms listed in Part A, when used in the Annexes to this Regulation, have the same meaning as defined in the respective Directives listed in the second column of Part B.

PART A**List of terms**

- Pre-basic seed,
- Basic seed,
- Certified seed,
- Standard seed,
- Vine,
- Initial propagating material,
- Basic propagating material,
- Pre-basic material,
- Basic material,
- Certified material,
- Standard material,
- Propagating material of ornamental plants,
- Forest reproductive material,
- Vegetable propagating and planting material,
- Fruit plant propagating material and fruit plants intended for fruit production,
- Candidate pre-basic mother plant,
- Pre-basic mother plant,
- Basic mother plant,
- Certified mother plant,
- *Conformitas Agraria Communitatis* (CAC) material,
- Fodder plant seed,
- Cereal seed,
- Vegetable seed,
- Seed potatoes,
- Oil and fibre plants seed.



PART B
List of Directives and Annexes

1. ANNEXES TO THIS REGULATION	2. DIRECTIVES
ANNEX IV, Part A (RNQPs concerning fodder plant seed) ANNEX V, Part A (Measures concerning fodder plant seed)	Directive 66/401/EEC
ANNEX IV, Part B (RNQPs concerning cereal seed) ANNEX V, Part B (Measures concerning cereal seed)	Directive 66/402/EEC
ANNEX IV, Part C (RNQPs concerning vine propagating material)	Directive 68/193/EEC
ANNEX IV, Part D (RNQPs concerning propagating material of ornamental plants) ANNEX V, Part C (Measures concerning ornamental plants)	Directive 98/56/EC
ANNEX IV, Part E (RNQPs concerning forest reproductive material, other than seeds) ANNEX V, Part D (Measures concerning forest reproductive material, other than seeds)	Directive 1999/105/EC
ANNEX IV, Part F (RNQPs concerning vegetable seed) ANNEX V, Part E (Measures concerning vegetable seed)	Directive 2002/55/EC
ANNEX IV, Part G (RNQPs concerning seed potatoes) ANNEX V, Part F (Measures concerning seed potatoes)	Directive 2002/56/EC
ANNEX IV, Part H (RNQPs concerning seed of oil and fibre plants) ANNEX V, Part G (Measures concerning seed of oil and fibre plants)	Directive 2002/57/EC
ANNEX IV, Part I RNQPs concerning vegetable propagating and planting material ANNEX V, Part H (Measures concerning vegetable propagating and planting material)	Directive 2008/72/EC

▼ B

1. ANNEXES TO THIS REGULATION	2. DIRECTIVES
ANNEX IV, Part J (RNQPs concerning fruit propagating material and fruit plants intended for fruit production)	Directive 2008/90/EC
▶ M9 ANNEX XIII, point 5 Cereal seed ◀	Directive 66/402/EEC
▶ M9 ANNEX XIII, point 6 Vegetable seed ◀	Directive 2002/55/EC
▶ M9 ANNEX XIII, point 9 Oil and fibre plants seed ◀	Directive 2002/57/EC

▼ **M9**

ANNEX II

List of Union quarantine pests and their respective codes assigned by EPPO

TABLE OF CONTENTS

Part A : Pests not known to occur in the Union territory

1. Bacteria
2. Fungi and oomycetes
3. Insects and mites
4. Nematodes
5. Parasitic plants
6. Viruses, viroids and phytoplasmas

Part B: Pests known to occur in the Union territory

1. Bacteria
2. Fungi and oomycetes
3. Insects and mites
4. Molluscs
5. Nematodes
6. Viruses, viroids and phytoplasmas

PART A

PESTS NOT KNOWN TO OCCUR IN THE UNION TERRITORY

Quarantine Pests and their codes assigned by EPPO

1. Bacteria

1.	<i>Candidatus Liberibacter africanus</i> [LIBEAF]
2.	<i>Candidatus Liberibacter americanus</i> [LIBEAM]
3.	<i>Candidatus Liberibacter asiaticus</i> [LIBEAS]
4.	<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> (Hedges) Collins and Jones [CORBFL]
5.	<i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters [ERWIST]
6.	<i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> [RALSPS]
7.	<i>Ralstonia syzygii</i> subsp. <i>celebesensis</i> Safni <i>et al.</i> [RALSSC]
8.	<i>Ralstonia syzygii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> [RALSSI]
9.	<i>Xanthomonas oryzae</i> pv. <i>oryzae</i> (Ishiyama) Swings <i>et al.</i> [XANTOR]
10.	<i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> (Fang <i>et al.</i>) Swings <i>et al.</i> [XANTTO]

▼M9

11.	<i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> [XANTAU]
12.	<i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i> [XANTCI]
2. Fungi and oomycetes	
1.	<i>Anisogramma anomala</i> (Peck) E. Müller [CRSPAN]
2.	<i>Apiosporina morbosa</i> (Schwein.) Arx [DIBOMO]
3.	<i>Atropellis</i> spp. [1ATRPG]
4.	<i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka [PHYOPI]
5.	<i>Bretziella fagacearum</i> (Bretz) Z.W de Beer, T.A. Duong & M.J. Wingfield, comb. nov. [CERAFa]
6.	<i>Chrysomyxa arctostaphyli</i> Dietel [CHMYAR]
7.	<i>Cronartium</i> spp. [1CRONG], except <i>Cronartium gentianum</i> (Thümen) [CRONGE], <i>Cronartium pini</i> (Willdenow) Jørstad [ENDCPI] and <i>Cronartium ribicola</i> Fischer [CRONRI]
8.	<i>Davidsoniella virescens</i> (R.W. Davidson) Z.W. de Beer, T.A. Duong & M.J. Wingfield [CERAVI]
9.	<i>Elsinoë australis</i> Bitanc. & Jenkins [ELSIAU]
10.	<i>Elsinoë citricola</i> X.L. Fan, R.W. Barreto & Crous [ELSICI]
11.	<i>Elsinoë fawcettii</i> Bitanc. & Jenkins [ELSIFA]
12.	<i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon [FUSAAL]
13.	<i>Guignardia laricina</i> (Sawada) W. Yamam& Kaz. Itô [GUIGLA]
14.	<i>Gymnosporangium</i> spp. [1GYMNG], except: <i>Gymnosporangium amelantheris</i> E. Fisch. ex F. Kern [GYMNAM], <i>Gymnosporangium atlanticum</i> Guyot & Malençon [GYMNAT], <i>Gymnosporangium clavariiforme</i> (Wulfen) DC [GYMNCF], <i>Gymnosporangium confusum</i> Plowr. [GYMNCO], <i>Gymnosporangium cornutum</i> Arthur ex F. Kern [GYMNCR], <i>Gymnosporangium fusisporum</i> E. Fisch. [GYMNFS], <i>Gymnosporangium gaeumannii</i> H. Zogg [GYMNGA], <i>Gymnosporangium gracile</i> Pat. [GYMNGR], <i>Gymnosporangium minus</i> Crowell [GYMNMI], <i>Gymnosporangium orientale</i> P. Syd. & Syd. [GYMNOR], <i>Gymnosporangium sabiniae</i> (Dicks.) G. Winter [GYMNFU], <i>Gymnosporangium torminali-juniperini</i> E. Fisch. [GYMNTJ], <i>Gymnosporangium tremelloides</i> R. Hartig [GYMNTR]
15.	<i>Coniferiporia sulphurascens</i> (Pilát) L.W. Zhou & Y.C. Dai [PHELSU]
16.	<i>Coniferiporia weirii</i> (Murrill) L.W. Zhou & Y.C. Dai [INONWE]
17.	<i>Melampsora farlowii</i> (Arthur) Davis [MELMFA]
18.	<i>Melampsora medusae</i> f. sp. <i>tremuloidis</i> Shain [MELMMT]
19.	<i>Mycodiella laricis-leptolepidis</i> (Kaz. Itô, K. Satô & M. Ota) Crous [MYCOLL]
20.	<i>Neocosmospora ambrosia</i> (Gadd & Loos) L. Lombard & Crous [FUSAAM]
21.	<i>Neocosmospora euwallaceae</i> (S. Freeman, Z. Mendel, T. Aoki & O'Donnell) Sandoval-Denis, L. Lombard & Crous [FUSAEW]

▼ **M9**

22.	<i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa [GUIGCI]
23.	<i>Phyllosticta solitaria</i> Ellis & Everhart [PHYSSL]
24.	<i>Phymatotrichopsis omnivora</i> (Duggar) Hennebert [PHMPOM]
25.	<i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld [PHYTRA]
26.	<i>Pseudocercospora angolensis</i> (T. Carvalho & O. Mendes) Crous & U. Braun [CERCAN]
27.	<i>Pseudocercospora pini-densiflorae</i> (Hori & Nambu) Deighton [CERSPD]
28.	<i>Puccinia pittieriana</i> Hennings [PUCCTP]
29.	<i>Septoria malagutii</i> E.T. Cline [SEPTLM]
30.	<i>Sphaerulina musiva</i> (Peck) Quaedvlieg, Verkley & Crous. [MYCOPP]
31.	<i>Stagonosporopsis andigena</i> (Turkensteen) Aveskamp, Gruyter & Verkley [PHOMAN]
32.	<i>Stegophora ulmea</i> (Fr.) Syd. & P. Syd [GNOMUL]
33.	<i>Thecaphora solani</i> (Thirumalachar & O'Brien) Mordue [THPHSO]
34.	<i>Tilletia indica</i> Mitra [NEOVIN]
35.	<i>Venturia nashicola</i> S. Tanaka & S. Yamamoto [VENTNA]

3. Insects and mites

1.	<i>Acleris</i> spp.: 1.1. <i>Acleris gloverana</i> (Walsingham) [ACLRGL] 1.2. <i>Acleris issikii</i> Oku [ACLRIS] 1.3. <i>Acleris minuta</i> (Robinson) [ACLRMI] 1.4. <i>Acleris nishidai</i> Brown [ACLRNI] 1.5. <i>Acleris nivisellana</i> (Walsingham) [ACLRNV] 1.6. <i>Acleris robinsoniana</i> (Forbes) [ACLRRO] 1.7. <i>Acleris semipurpurana</i> (Kearfott) [CROISE] 1.8. <i>Acleris senescens</i> (Zeller) [ACLRSE] 1.9. <i>Acleris variana</i> (Fernald) [ACLRVA]
2.	<i>Acrobasis pyrivorella</i> (Matsumura) [NUMOPI]
3.	<i>Agrilus anxius</i> Gory [AGRLAX]
4.	<i>Agrilus planipennis</i> Fairmaire [AGRLPL]
5.	<i>Aleurocanthus citriperdus</i> Quaintance & Baker [ALECCT]
6.	<i>Aleurocanthus woglumi</i> Ashby [ALECWO]
7.	<i>Andean potato weevil complex</i> : 7.1. <i>Phyrdenus muriceus</i> Germar [PHRDMU] 7.2. <i>Premnotrypes</i> spp. [1PREMG] 7.3. <i>Rhigopsidius tucumanus</i> Heller [RHGPTU]
8.	<i>Anthonomus bisignifer</i> Schenkling [ANTHBI]
9.	<i>Anthonomus eugenii</i> Cano [ANTHEU]
10.	<i>Anthonomus grandis</i> (Boh.) [ANTHGR]

▼ M9

11.	<i>Anthonomus quadrigibbus</i> Say [TACYQU]
12.	<i>Anthonomus signatus</i> Say [ANTHSI]
13.	<i>Apriona cinerea</i> Chevrolat [APRICI]
14.	<i>Apriona germari</i> (Hope) [APRIGE]
15.	<i>Apriona rugicollis</i> Chevrolat [APRIJA]
16.	<i>Arrhenodes minutus</i> Drury [ARRHMI]
17.	<i>Aschistonyx eppoi</i> Inouye [ASCXEP]
18.	<i>Bactericera cockerelli</i> (Šulc.) [PARZCO]
19.	<i>Bemisia tabaci</i> Genn. (non-European populations) known to be vector of viruses [BEMITA]
20.	<i>Carposina sasakii</i> Matsumara [CARSSA]
21.	<i>Ceratothripoides claratris</i> (Shumsher) [CRTZCL]
22.	<p><i>Choristoneura</i> spp.:</p> <p>22.1. <i>Choristoneura carnana</i> Barnes & Busck [CHONCA]</p> <p>22.2. <i>Choristoneura conflictana</i> Walker [ARCHCO]</p> <p>22.3. <i>Choristoneura fumiferana</i> Clemens [CHONFU]</p> <p>22.4. <i>Choristoneura lambertiana</i> Busck [TORTLA]</p> <p>22.5. <i>Choristoneura occidentalis biennis</i> Freeman</p> <p>22.6. <i>Choristoneura occidentalis occidentalis</i> Freeman [CHONOC]</p> <p>22.7. <i>Choristoneura orae</i> Freeman [CHONOR]</p> <p>22.8. <i>Choristoneura parallela</i> Robinson [CHONPA]</p> <p>22.9. <i>Choristoneura pinus</i> Freeman [CHONPI]</p> <p>22.10. <i>Choristoneura retiniana</i> Walsingham [CHONRE]</p> <p>22.11. <i>Choristoneura rosaceana</i> Harris [CHONRO]</p>
23.	<p><i>Cicadomorpha</i>, known to be vectors of <i>Xylella fastidiosa</i> (Wells <i>et al.</i>) [XYLEFA]:</p> <p>23.1. <i>Acrogonia citrina</i> Marucci [ACRGC1]</p> <p>23.2. <i>Acrogonia virescens</i> (Metcalfe) [ACRGVI]</p> <p>23.3. <i>Aphrophora angulata</i> Ball [APHRAN]</p> <p>23.4. <i>Aphrophora permutata</i> Uhler [APHRPE]</p> <p>23.5. <i>Bothrogonia ferruginea</i> (Fabricius) [TETTFE]</p> <p>23.6. <i>Bucephalagonia xanthopis</i> (Berg)</p> <p>23.7. <i>Clasteroptera achatina</i> Germar</p> <p>23.8. <i>Clasteroptera brunnea</i> Ball</p> <p>23.9. <i>Cuernia costalis</i> (Fabricius) [CUERCO]</p> <p>23.10. <i>Cuernia occidentalis</i> Osman and Beamer [CUEROC]</p> <p>23.11. <i>Cyphonia clavigera</i> (Fabricius)</p> <p>23.12. <i>Dechacona missionum</i> Berg</p> <p>23.13. <i>Dilobopterus costalimai</i> Young [DLBPCO]</p> <p>23.14. <i>Draeculacephala minerva</i> Ball [DRAEMI]</p> <p>23.15. <i>Draeculacephala</i> sp. [1DRAEG]</p> <p>23.16. <i>Ferrariana trivittata</i> Signoret</p> <p>23.17. <i>Fingeriana dubia</i> Cavichioli</p> <p>23.18. <i>Friscanus friscanus</i> (Ball)</p> <p>23.19. <i>Graphocephala atropunctata</i> (Signoret) [GRCPAT]</p> <p>23.20. <i>Graphocephala confluens</i> Uhler</p> <p>23.21. <i>Graphocephala versuta</i> (Say) [GRCPVE]</p> <p>23.22. <i>Helochara delta</i> Oman</p>

▼ M9

	<p>23.23. <i>Homalodisca ignorata</i> Melichar 23.24. <i>Homalodisca insolita</i> Walker [HOMLIN] 23.25. <i>Homalodisca vitripennis</i> (Germar) [HOMLTR] 23.26. <i>Lepyronia quadrangularis</i> (Say) [LEPOQU] 23.27. <i>Macugonalia cavifrons</i> (Stal) 23.28. <i>Macugonalia leucomelas</i> (Walker) 23.29. <i>Molomea consolidata</i> Schroder 23.30. <i>Neokolla hyeroglyphica</i> (Say) 23.31. <i>Neokolla severini</i> DeLong 23.32. <i>Oncometopia facialis</i> Signoret [ONCMFA] 23.33. <i>Oncometopia nigricans</i> Walker [ONCMNI] 23.34. <i>Oncometopia orbona</i> (Fabricius) [ONCMUN] 23.35. <i>Oragua discoidula</i> Osborn 23.36. <i>Pagaronia confusa</i> Oman 23.37. <i>Pagaronia furcata</i> Oman 23.38. <i>Pagaronia trecedecepunctata</i> Ball 23.39. <i>Pagaronia triunata</i> Ball 23.40. <i>Parathona gratiosa</i> (Blanchard) 23.41. <i>Plesiommata corniculata</i> Young 23.42. <i>Plesiommata mollicella</i> Fowler 23.43. <i>Poophilus costalis</i> (Walker) [POOPCO] 23.44. <i>Sibovia sagata</i> (Signoret) 23.45. <i>Sonesimia grossa</i> (Signoret) 23.46. <i>Tapajosa rubromarginata</i> (Signoret) 23.47. <i>Xyphon flaviceps</i> (Riley) [CARNFL] 23.48. <i>Xyphon fulgida</i> (Nottingham) [CARNFU] 23.49. <i>Xyphon triguttata</i> (Nottingham) [CARNTR]</p>
24.	<i>Conotrachelus nenuphar</i> (Herbst) [CONHNE]
25.	<i>Dendrolimus sibiricus</i> Chetverikov [DENDSI]
26.	<i>Diabrotica barberi</i> Smith and Lawrence [DIABLO]
27.	<i>Diabrotica undecimpunctata howardi</i> Barber [DIABUH]
28.	<i>Diabrotica undecimpunctata undecimpunctata</i> Mannerheim [DIABUN]
29.	<i>Diabrotica virgifera zea</i> Krysan & Smith [DIABVZ]
30.	<i>Diaphorina citri</i> Kuwayana [DIAACI]
31.	<i>Eotetranychus lewisi</i> (McGregor) [EOTELE]
32.	<i>Euwallacea fornicatus sensu lato</i> [XYLBFO]
33.	<i>Exomala orientalis</i> (Waterhouse) [ANMLOR]
34.	<i>Grapholita inopinata</i> (Heinrich) [CYDIIN]
35.	<i>Grapholita packardi</i> Zeller [LASPPA]
36.	<i>Grapholita prunivora</i> (Walsh) [LASPPR]
37.	<i>Helicoverpa zea</i> (Boddie) [HELIZE]
38.	<i>Hishimonus phycitis</i> (Distant) [HISHPH]

▼ M9

39.	<i>Keiferia lycopersicella</i> (Walsingham) [GNORLY]
40.	<i>Liriomyza sativae</i> Blanchard [LIRISA]
41.	<i>Listronotus bonariensis</i> (Kuschel) [HYROBO]
42.	<i>Lopholeucaspis japonica</i> Cockerell [LOPLJA]
43.	<i>Lycorma delicatula</i> (White) [LYCMDE]
44.	<p><i>Margarodidae</i>:</p> <p>44.1. <i>Dimargarodes meridionalis</i> Morrison</p> <p>44.2. <i>Eumargarodes laingi</i> Allsopp <i>et al.</i> [EUMGLA]</p> <p>44.3. <i>Eurhizococcus brasiliensis</i> Jakubski [EURHBR]</p> <p>44.4. <i>Eurhizococcus colombianus</i> Jakubski</p> <p>44.5. <i>Margarodes capensis</i> Giard [MARGCA]</p> <p>44.6. <i>Margarodes greeni</i> Brain [MARGGR]</p> <p>44.7. <i>Margarodes prieskaensis</i> (Jakubski) [MARGPR]</p> <p>44.8. <i>Margarodes trimeni</i> Brain [MARGTR]</p> <p>44.9. <i>Margarodes vitis</i> Reed [MARGVI]</p> <p>44.10. <i>Margarodes vredendalensis</i> de Klerk [MARGVR]</p> <p>44.11. <i>Porphyrophora tritici</i> Sarkisov <i>et al.</i> [PORPTR]</p>
45.	<i>Massicus raddei</i> (Blessig) [MALLRA]
46.	<i>Monochamus</i> spp. (non-European populations) [1MONCG]
47.	<i>Myndus crudus</i> van Duzee [MYNDCR]
48.	<i>Naupactus leucoloma</i> Boheman [GRAGLE]
49.	<i>Nemorimyza maculosa</i> (Malloch) [AMAZMA]
50.	<i>Neoleucinodes elegantalis</i> (Guenée) [NEOLEL]
51.	<i>Oemona hirta</i> (Fabricius) [OEMOHI]
52.	<i>Oligonychus perditus</i> Pritchard and Baker [OLIGPD]
53.	<i>Pissodes cibriani</i> O'Brien [PISOCI]
54.	<i>Pissodes fasciatus</i> Leconte [PISOFA]
55.	<i>Pissodes nemorensis</i> Germar [PISONE]
56.	<i>Pissodes nitidus</i> Roelofs [PISONI]
57.	<i>Pissodes punctatus</i> Langor & Zhang [PISOPU]
58.	<i>Pissodes strobi</i> (Peck) [PISOST]
59.	<i>Pissodes terminalis</i> Hopping [PISOTE]
60.	<i>Pissodes yunnanensis</i> Langor & Zhang [PISOYU]
61.	<i>Pissodes zitacuarensis</i> Sleeper [PISOZI]
62.	<i>Polygraphus proximus</i> Blandford [POLGPR]

▼ **M9**

63.	<i>Prodiplosis longifila</i> Gagné [PRDILO]
64.	<i>Pseudopityophthorus minutissimus</i> (Zimmermann) [PSDPMI]
65.	<i>Pseudopityophthorus pruinus</i> (Eichhoff) [PSDPPR]
66.	<i>Rhynchophorus palmarum</i> (L.) [RHYCPA]
67.	<i>Ripersiella hibisci</i> Kawai and Takagi [RHIOHI]
68.	<i>Saperda candida</i> Fabricius [SAPECN]
69.	<i>Scirtothrips aurantii</i> Faure [SCITAU]
70.	<i>Scirtothrips citri</i> (Moulton) [SCITCI]
71.	<i>Scirtothrips dorsalis</i> Hood [SCITDO]
72.	<i>Scolytinae</i> spp. (non-European) [ISCOLF]
73.	<i>Spodoptera eridania</i> (Cramer) [PRODER]
74.	<i>Spodoptera frugiperda</i> (Smith) [LAPHFR]
75.	<i>Spodoptera litura</i> (Fabricius) [PRODLI]
76.	<i>Tecia solanivora</i> (Povolný) [TECASO]
77.	<p><i>Tephritidae:</i></p> <p>77.1. <i>Acidiella kagoshimensis</i> (Miyake)</p> <p>77.2. <i>Acidoxantha bombacis</i> de Meijere</p> <p>77.3. <i>Acroceratitis distincta</i> (Zia)</p> <p>77.4. <i>Adrama</i> spp. [1ADRAG]</p> <p>77.5. <i>Anastrepha</i> spp. [1ANSTG]</p> <p>77.6. <i>Anastrepha ludens</i> (Loew) [ANSTLU]</p> <p>77.7. <i>Asimoneura pantomelas</i> (Bezzi)</p> <p>77.8. <i>Austrotephritis protrusa</i> (Hardy & Drew)</p> <p>77.9. <i>Bactrocera</i> spp. [1BCTRG] except <i>Bactrocera oleae</i> (Gmelin) [DACUOL]</p> <p>77.10. <i>Bactrocera dorsalis</i> (Hendel) [DACUDO]</p> <p>77.11. <i>Bactrocera latifrons</i> (Hendel) [DACULA]</p> <p>77.12. <i>Bactrocera zonata</i> (Saunders) [DACUZO]</p> <p>77.13. <i>Bistrispinaria fortis</i> (Speiser)</p> <p>77.14. <i>Bistrispinaria magniceps</i> Bezzi</p> <p>77.15. <i>Callistomyia flavilabris</i> Hering</p> <p>77.16. <i>Campiglossa albiceps</i> (Loew)</p> <p>77.17. <i>Campiglossa californica</i> (Novak)</p> <p>77.18. <i>Campiglossa duplex</i> (Becker)</p> <p>77.19. <i>Campiglossa reticulata</i> (Becker)</p> <p>77.20. <i>Campiglossa snowi</i> (Hering)</p> <p>77.21. <i>Carpomya incompleta</i> (Becker) [CARYIN]</p> <p>77.22. <i>Carpomya pardalina</i> (Bigot) [CARYPA]</p> <p>77.23. <i>Ceratitis</i> spp. [1CERTG], except <i>Ceratitis capitata</i> (Wiedemann) [CERTCA]</p> <p>77.24. <i>Craspedoxantha marginalis</i> (Wiedemann) [CRSXMA]</p> <p>77.25. <i>Dacus</i> spp. [1DACUG]</p> <p>77.26. <i>Dioxya chilensis</i> (Macquart)</p> <p>77.27. <i>Dirioxa pornia</i> (Walker) [TRYEMU]</p> <p>77.28. <i>Euleia separata</i> (Becker)</p> <p>77.29. <i>Euphranta camelliae</i> Hardy</p> <p>77.30. <i>Euphranta canadensis</i> (Loew) [EPOCCA]</p>

▼ M9

	<p>77.31. <i>Euphranta cassia</i> Hancock and Drew 77.32. <i>Euphranta japonica</i> (Ito) [RHACJA] 77.33. <i>Euphranta oshimensis</i> Sun et al. 77.34. <i>Eurosta solidaginis</i> (Fitch) 77.35. <i>Eutreta</i> spp. [1EUTTG] 77.36. <i>Gastrozona nigrifemur</i> David & Hancock 77.37. <i>Goedenia stenoparia</i> (Steyskal) 77.38. <i>Gymnocarena</i> spp. 77.39. <i>Insizwa oblita</i> Munro 77.40. <i>Marriottella exquisita</i> Munro 77.41. <i>Monacrostichus citricola</i> Bezzi [MNAHCI] 77.42. <i>Neaspilota alba</i> (Loew) 77.43. <i>Neaspilota reticulata</i> Norrbom 77.44. <i>Paracantha trinotata</i> (Foote) 77.45. <i>Parastenopa limata</i> (Coquillett) 77.46. <i>Paratephritis fukaii</i> Shiraki 77.47. <i>Paratephritis takeuchii</i> Ito 77.48. <i>Paraterellia varipennis</i> Coquillett 77.49. <i>Philophylla fossata</i> (Fabricius) 77.50. <i>Procecidochares</i> spp. [1PROIG] 77.51. <i>Ptilona confinis</i> (Walker) 77.52. <i>Ptilona persimilis</i> Hendel 77.53. <i>Rhagoletis</i> spp. [1RHAGG], except <i>Rhagoletis alternata</i> (Fallén) [RHAGAL], <i>Rhagoletis batava</i> Hering [RHAGBA], <i>Rhagoletis berberidis</i> Klug, <i>Rhagoletis cerasi</i> L. [RHAGCE], <i>Rhagoletis cingulata</i> (Loew) [RHAGCI], <i>Rhagoletis completa</i> Cresson [RHAGCO], <i>Rhagoletis meigenii</i> (Loew) [CERTME], <i>Rhagoletis suavis</i> (Loew) [RHAGSU], <i>Rhagoletis zernyi</i> Hendel 77.54. <i>Rhagoletis pomonella</i> (Walsh) [RHAGPO] 77.55. <i>Rioxoptilona dunlopi</i> (van der Wulp) 77.56. <i>Sphaeniscus binoculatus</i> (Bezzi) 77.57. <i>Sphenella nigricornis</i> Bezzi 77.58. <i>Strauzia</i> [1STRAG] spp., except <i>Strauzia longipennis</i> (Wiedemann)[STRALO] 77.59. <i>Taomyia marshalli</i> Bezzi 77.60. <i>Tephritis leavittensis</i> Blanc 77.61. <i>Tephritis luteipes</i> Merz 77.62. <i>Tephritis ovatipennis</i> Foote 77.63. <i>Tephritis pura</i> (Loew) 77.64. <i>Toxotrypana curvicauda</i> Gerstaecker [TOXTCU] 77.65. <i>Toxotrypana recurcauda</i> Tigrero 77.66. <i>Trupanea bisetosa</i> (Coquillett) 77.67. <i>Trupanea femoralis</i> (Thomson) 77.68. <i>Trupanea wheeleri</i> Curran 77.69. <i>Trypanocentra nigrithorax</i> Malloch 77.70. <i>Trypeta flaveola</i> Coquillett 77.71. <i>Urophora christophi</i> Loew 77.72. <i>Xanthaciura insecta</i> (Loew) 77.73. <i>Zacerata asparagi</i> Coquillett 77.74. <i>Zeugodacus</i> spp. [1ZEUDG] 77.75. <i>Zonosemata electa</i> (Say) [ZONOEL]</p>
78.	<i>Thaumatotibia leucotreta</i> (Meyrick) [ARGPLE]
79.	<i>Thrips palmi</i> Karny [THRIPL]
80.	<i>Trirachys sartus</i> Solsky [AELSSA]
81.	<i>Unaspis citri</i> (Comstock) [UNASCI]

▼ **M9****4. Nematodes**

1.	<i>Hirschmanniella</i> spp. Luc & Goodey [HIRSG], except: <i>Hirschmanniella behningi</i> (Micoletzky) Luc & Goodey [HIRSBE], <i>Hirschmanniella gracilis</i> (de Man) Luc & Goodey [HIRSGR], <i>Hirschmanniella halophila</i> Sturhan & Hall [HIRSHA], <i>Hirschmanniella loofi</i> Sher [HIRSLO] and <i>Hirschmanniella zostericola</i> (Allgén) Luc & Goodey [HIRSZO]
2.	<i>Longidorus diadecturus</i> Eveleigh and Allen [LONGDI]
3.	<i>Meloidogyne enterolobii</i> Yang & Eisenback [MELGMY]
4.	<i>Nacobbus aberrans</i> (Thorne) Thorne and Allen [NACOBBA]
5.	<i>Xiphinema americanum</i> Cobb <i>sensu stricto</i> [XIPHAA]
6.	<i>Xiphinema bricolense</i> Ebsary, Vrain & Graham [XIPHBC]
7.	<i>Xiphinema californicum</i> Lamberti & Bleve-Zacheo [XIPHCA]
8.	<i>Xiphinema inaequale</i> Khan et Ahmad [XIPHNA]
9.	<i>Xiphinema intermedium</i> Lamberti & Bleve-Zacheo [XIPHIM]
10.	<i>Xiphinema rivesi</i> (non-EU populations) Dalmasso [XIPHRI]
11.	<i>Xiphinema tarjanense</i> Lamberti & Bleve-Zacheo [XIPHTA]

5. Parasitic plants

1.	<i>Arceuthobium</i> spp. [IAREG], except : <i>Arceuthobium azoricum</i> Wiens & Hawksworth [AREAZ], <i>Arceuthobium gambyi</i> Fridl [AREGA] and <i>Arceuthobium oxycedri</i> DC. M. Bieb. [AREOX]
----	---

6. Viruses, viroids and phytoplasmas

1.	Beet curly top virus [BCTV00]
2.	Begomoviruses, except: Abutilon mosaic virus [ABMV00], Papaya leaf crumple virus [PALCRV], Sweet potato leaf curl virus [SPLCV0], Tomato leaf curl New Delhi Virus [TOLCND], Tomato yellow leaf curl virus [TYLCV0], Tomato yellow leaf curl Sardinia virus [TYLCSV], Tomato yellow leaf curl Malaga virus [TYLCMA], Tomato yellow leaf curl Axarquia virus [TYLCAX]
3.	Black raspberry latent virus [TSVBL0]
4.	<i>Candidatus</i> Phytoplasma aurantifolia-reference strain [PHYPAF]
5.	Chrysanthemum stem necrosis virus [CSNV00]
6.	Citrus leprosis viruses [CILV00]: 6.1. CiLV-C [CILVC0] 6.2. CiLV-C2 [CILVC2] 6.3. HGSV-2 [HGSV20] 6.4. Citrus strain of OFV [OFV00] (citrus strain) 6.5. CiLV-N <i>sensu novo</i> 6.6. Citrus chlorotic spot virus

▼ **M9**

7.	Citrus tristeza virus (non-EU isolates) [CTV000]
8.	Coconut cadang-cadang viroid [CCCVD0]
9.	Cowpea mild mottle virus [CPMMV0]
10.	Lettuce infectious yellows virus [LIYV00]
11.	Melon yellowing-associated virus [MYAV00]
12.	Palm lethal yellowing phytoplasmas [PHYP56]: 12.1. <i>Candidatus</i> Phytoplasma cocostanzania – subgroup 16SrIV-C 12.2. <i>Candidatus</i> Phytoplasma palmae – subgroups 16SrIV-A, 16SrIV-B, 16SrIV-D, 16SrIV-E, 16SrIV-F 12.3. <i>Candidatus</i> Phytoplasma palmicola – 16SrXXII-A 12.4. <i>Candidatus</i> Phytoplasma palmicola-related strain 16SrXXII-B 12.5. New <i>Candidatus</i> Phytoplasma causing palm lethal yellowing from 16SrIV group – ‘Bogia coconut syndrome’
13.	Satsuma dwarf virus [SDV000]
14.	Squash vein yellowing virus [SQVYVX]
15.	Sweet potato chlorotic stunt virus [SPCSV0]
16.	Sweet potato mild mottle virus [SPMMV0]
17.	Tobacco ringspot virus [TRSV00]
18.	Tomato chocolate virus [TOCHV0]
19.	Tomato marchitez virus [TOANV0]
20.	Tomato mild mottle virus [TOMMOV]
21.	Tomato ringspot virus [TORSV0]
22.	Viruses, viroids and phytoplasmas of <i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L. and <i>Vitis</i> L.: 22.1. American plum line pattern virus [APLPV0] 22.2. Apple fruit crinkle viroid [AFCVD0] 22.3. Apple necrotic mosaic virus 22.4. Buckland valley grapevine yellows phytoplasma [PHYP77] 22.5. Blueberry leaf mottle virus [BLMOV0] 22.6. <i>Candidatus</i> Phytoplasma aurantifolia-related strains (Pear decline Taiwan II, Crotalaria witches’ broom phytoplasma, Sweet potato little leaf phytoplasma [PHYP39]) 22.7. <i>Candidatus</i> Phytoplasma australiense Davis <i>et al.</i> [PHYPAU] (reference strain) 22.8. <i>Candidatus</i> Phytoplasma fraxini (reference strain) Griffiths <i>et al.</i> [PHYPFR] 22.9. <i>Candidatus</i> Phytoplasma hispanicum (reference strain) Davis <i>et al.</i> [PHYP07] 22.10. <i>Candidatus</i> Phytoplasma phoenicium [PHYPPH] 22.11. <i>Candidatus</i> Phytoplasma pruni-related strain (North American grapevine yellows, NAGYIII) Davis <i>et al.</i> 22.12. <i>Candidatus</i> Phytoplasma pyri-related strain (Peach yellow leaf roll) Norton <i>et al.</i> 22.13. <i>Candidatus</i> Phytoplasma ziziphi (reference strain) Jung <i>et al.</i> [PHYPZI] 22.14. Cherry rasp leaf virus (CRLV) [CRLV00] 22.15. Cherry rosette virus 22.16. Cherry rusty mottle associated virus [CRMAV0] 22.17. Cherry twisted leaf associated virus [CTLAV0] 22.18. Grapevine berry inner necrosis virus [GINV00] 22.19. Grapevine red blotch virus [GRBAV0] 22.20. Grapevine vein-clearing virus [GVCV00]

▼ M9

	<p>22.21. Peach mosaic virus [PCMV00] 22.22. Peach rosette mosaic virus [PRMV00] 22.23. Raspberry latent virus [RPLV00] 22.24. Raspberry leaf curl virus [RLCV00] 22.25. Strawberry chlorotic fleck-associated virus 22.26. Strawberry leaf curl virus 22.27. Strawberry necrotic shock virus [SNSV00] 22.28. Temperate fruit decay-associated virus</p>
23.	<p>Viruses, viroids and phytoplasmas of <i>Solanum tuberosum</i> L. and other tuber-forming <i>Solanum</i> spp.:</p> <p>23.1. Andean potato latent virus [APLV00] 23.2. Andean potato mild mosaic virus [APMMV0] 23.3. Andean potato mottle virus [APMOV0] 23.4. <i>Candidatus</i> Phytoplasma americanum 23.5. <i>Candidatus</i> Phytoplasma aurantifolia-related strains (GD32; St_JO_10, 14, 17; PPT-SA; Rus-343F; PPT-GTO29, -GTO30, -SINTV; Potato Huayao Survey 2; Potato hair sprouts) 23.6. <i>Candidatus</i> Phytoplasma fragariae-related strains (YN-169, YN-10G) 23.7. <i>Candidatus</i> Phytoplasma pruni-related strains (Clover yellow edge, Potato purple top Akpot7, MT117, Akpot6; PPT-COHP, -GTOP) 23.8. Chilli leaf curl virus [CHILCU] 23.9. Potato black ringspot virus [PBRV00] 23.10. Potato virus B [PVB000] 23.11. Potato virus H [PVH000] 23.12. Potato virus P [PVP000] 23.13. Potato virus T [PVT000] 23.14. Potato yellow dwarf virus [PYDV00] 23.15. Potato yellow mosaic virus [PYMV00] 23.16. Potato yellow vein virus [PYVV00] 23.17. Potato yellowing virus [PYV000] 23.18. Tomato mosaic Havana virus [THV000] 23.19. Tomato mottle Taino virus [TOMOTV] 23.20. Tomato severe rugose virus [TOSRV0] 23.21. Tomato yellow vein streak virus [TOYVSV] 23.22. Non-EU isolates of potato viruses S, X and Potato leafroll virus [PVS000], [PVX000] and [PLRV00]</p>

PART B

PESTS KNOWN TO OCCUR IN THE UNION TERRITORY

Quarantine Pests and their codes assigned by EPPO

1. Bacteria

1.	<i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> [CORBSE]
2.	<i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> Emend. Safni <i>et al.</i> [RALSSL]
3.	<i>Xylella fastidiosa</i> (Wells <i>et al.</i>) [XYLEFA]

2. Fungi and oomycetes

1.	<i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr [CERAFP]
----	---

▼ **M9**

2.	<i>Fusarium circinatum</i> Nirenberg & O'Donnell [GIBBCI]
3.	<i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat [GEOHMO]
4.	<i>Synchytrium endobioticum</i> (Schilb.) Percival [SYNCEN]
3. Insects and mites	
1.	<i>Aleurocanthus spiniferus</i> (Quaintance) [ALECSN]
2.	<i>Anoplophora chinensis</i> (Thomson) [ANOLCN]
3.	<i>Anoplophora glabripennis</i> (Motschulsky) [ANOLGL]
4.	<i>Aromia bungii</i> (Faldermann) [AROMBU]
5.	<i>Pityophthorus juglandis</i> Blackman [PITOUJU]
6.	<i>Popillia japonica</i> Newman [POPIJA]
7.	<i>Toxoptera citricida</i> (Kirkaldy) [TOXOCI]
8.	<i>Trioza erytrae</i> Del Guercio [TRIZER]
4. Molluscs	
1.	<i>Pomacea</i> (Perry) [IPOMAG]
5. Nematodes	
1.	<i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle <i>et al.</i> [BURSXY]
2.	<i>Globodera pallida</i> (Stone) Behrens [HETDPA]
3.	<i>Globodera rostochiensis</i> (Wollenweber) Behrens [HETDRO]
4.	<i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> [MELGCH]
5.	<i>Meloidogyne fallax</i> Karssen [MELGFA]
6. Viruses, viroids and phytoplasmas	
1.	Grapevine flavescence dorée phytoplasma [PHYP64]
2.	Tomato leaf curl New Delhi virus [TOLCND]

▼ **M4**

ANNEX III

List of protected zones and the respective protected zone quarantine pests and their respective codes

The protected zones listed in the third column of the following table respectively cover one of the following:

- (a) the whole territory of the Member State ⁽¹⁾ listed;
- (b) the territory of the Member State listed with the exceptions specified within brackets;
- (c) only the part of the territory of the Member State which is specified within brackets.

Protected zone quarantine pests	EPPO code	Protected zones
---------------------------------	-----------	-----------------

(a) Bacteria

1.	<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i>	ERWIAM	<ul style="list-style-type: none"> (a) Estonia; (b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa in the Basque Country, the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida in Comunidad autonoma de Catalunya; and the municipalities of Alborache and Turis in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante in Comunidad Valenciana); (c) France (Corsica); ► M6 (d) Italy (Abruzzo, Apúlia, Basilicata, Calabria, Campania (except the municipalities of Agerola, Gragnano, Lettere, Piemonte and Vico Equense in the province of Naples, Amalfi, Atrani, Conca dei Marini, Corbara, Furore, Maiori, Minori, Positano, Praiano, Ravello, Scala and Tramonti in the province of Salerno), Lazio, Liguria, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Maderno, Desio, Limbiate, Nova Milanese and Varedo in Monza Brianza Province), Marche (except the communes of Colli al Metauro, Fano, Pesaro and San Costanzo in the province of Pesaro e Urbino), Molise, Sardinia, Sicily (except the municipalities of Cesarò in the province of Messina, Maniace, Bronte, Adrano in the province of Catania and Centuripe, Regalbuto and Troina in the province of Enna), Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes Barbona,
----	---	--------	--

⁽¹⁾ In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, for the purposes of this Annex, references to Member States include the United Kingdom in respect of Northern Ireland.

▼ **M4**

	Protected zone quarantine pests	EPPO code	Protected zones
			<p>Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the province of Padova and the communes of Albaredo d'Adige, Angiari, Arcole, Belfiore, Bevilacqua, Bonavigo, Boschi S. Anna, Bovolone, Buttapietra, Caldiero, Casaleone, Castagnaro, Castel d'Azzano, Cerea, Cologna Veneta, Concamarise, Erbe, Gazzo Veronese, Isola della Scala, Isola Rizza, Legnago, Minerbe, Mozzecane, Nogara, Nogarole Rocca, Oppeano, Palù, Povegliano Veronese, Pressana, Ronco all'Adige, Roverchiara, Roveredo di Guà, San Bonifacio, Sanguinetto, San Pietro di Morubio, San Giovanni Lupatoto, Salizzole, San Martino Buon Albergo, Sommacampagna, Sorgà, Terrazzo, Trevenzuolo, Valeggio sul Mincio, Veronella, Villa Bartolomea, Villafranca di Verona, Vigasio, Zevio, Zimella in the province of Verona); ◀</p> <p>(e) Latvia;</p> <p>(f) Finland;</p> <p>► M6 (g) Ireland (except Galway city);</p> <p>(h) Lithuania (except the municipality of Kėdainiai in the region of Kaunas);</p> <p>(i) Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Dol pri Ljubljani, Lendava, Litija, Moravče, Renče-Vogrsko, Velika Polana and Žužemberk, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Črnelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Škrjanče, Trebnja Gorica, Velike Lese, Veliko Črnelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica);</p> <p>(j) Slovakia (except the county of Dunajská Streda, and the townships of Hronovce and Hronské Kľačany in the Levice County, Dvory nad Žitavou in the Nové Zámky County, Málíneč in the Poltár County, Valice, Jesenské and Rimavská Sobota in the Rimavská Sobota County, Hrhov in the Rožňava County, Veľké Ripňany in the Topoľčany County, Kazimír, Luhyňa, Malý Horeš, Svätušie and Zatin in the Trebišov County). ◀</p>
2.	<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i>	XANTPR	until 30 April 2023: United Kingdom (Northern Ireland)

(b) **Fungi and oomycetes**

1.	<i>Colletotrichum gossypii</i> Southw	GLOMGO	Greece
----	---------------------------------------	--------	--------

▼ M4

	Protected zone quarantine pests	EPP0 code	Protected zones
2.	<i>Cryphonectria parasitica</i> (Murrill) Barr.	ENDOPA	(a) Czechia; (b) Ireland; (c) Sweden; (d) United Kingdom (Northern Ireland).
3.	<i>Entoleuca mammata</i> (Wahlenb.) Rogers and Ju	HYPOMA	(a) Ireland; (b) United Kingdom (Northern Ireland).
4.	<i>Gremmeniella abietina</i> (Lagerberg) Morelet	GREMAB	Ireland

(c) Insects and mites

1.	<i>Bemisia tabaci</i> Genn. (European populations)	BEMITA	(a) Ireland; (b) Sweden; (c) United Kingdom (Northern Ireland).
2.	<i>Cephalcia lariciphila</i> Wachtl	CEPCAL	(a) Ireland; (b) United Kingdom (Northern Ireland).
3.	<i>Dendroctonus micans</i> Kugelan	DENCMI	(a) Ireland; (b) Greece; (c) United Kingdom (Northern Ireland).
4.	<i>Dryocosmus kuriphilus</i> Yasumatsu	DRYCKU	(a) Ireland; (b) United Kingdom (Northern Ireland).
5.	<i>Gilpinia hercyniae</i> Hartig	GILPPO	(a) Ireland; (b) Greece; (c) United Kingdom (Northern Ireland).
6.	<i>Gonipterus scutellatus</i> Gyllenhal	GONPSC	(a) Greece; (b) Portugal (Azores, except the Terceira island).
7.	<i>Ips amitinus</i> Eichhoff	IPSXAM	(a) Ireland; (b) Greece; (c) United Kingdom (Northern Ireland).
8.	<i>Ips cembrae</i> Heer	IPSXCE	(a) Ireland; (b) Greece; (c) United Kingdom (Northern Ireland).
9.	<i>Ips duplicatus</i> Sahlberg	IPSXDU	(a) Ireland; (b) Greece; (c) United Kingdom (Northern Ireland).
10.	<i>Ips sexdentatus</i> Börner	IPSXSE	(a) Ireland; (b) Cyprus; (c) United Kingdom (Northern Ireland).
11.	<i>Ips typographus</i> Heer	IPSXTY	(a) Ireland; (b) United Kingdom (Northern Ireland).

▼ **M4**

	Protected zone quarantine pests	EPP0 code	Protected zones
12.	<i>Leptinotarsa decemlineata</i> Say	LPTNDE	(a) Ireland; (b) Spain (Ibiza and Menorca); (c) Cyprus; (d) Malta; (e) Portugal (Azores and Madeira); (f) Finland (districts of Åland, Häme, Kymi, Pirkanmaa, Satakunta, Turku, Uusimaa); (g) Sweden (counties of Blekinge, Gotland, Halland, Kalmar and Skåne); (h) United Kingdom (Northern Ireland).
13.	<i>Liriomyza bryoniae</i> (Kaltenbach)	LIRIBO	(a) Ireland; (b) United Kingdom (Northern Ireland).
14.	<i>Liriomyza huidobrensis</i> (Blanchard)	LIRIHU	(a) Ireland; (b) until 30 April 2023: United Kingdom (Northern Ireland).
15.	<i>Liriomyza trifolii</i> (Burgess)	LIRITR	(a) Ireland; (b) until 30 April 2023: United Kingdom (Northern Ireland).
16.	<i>Paysandisia archon</i> (Burmeister)	PAYSAR	(a) Ireland; (b) Malta; (c) United Kingdom (Northern Ireland).
17.	<i>Rhynchophorus ferrugineus</i> (Olivier)	RHYCFE	(a) Ireland; (b) Portugal (Azores); (c) United Kingdom (Northern Ireland).
18.	<i>Sternochetus mangiferae</i> Fabricius	CRYPMA	(a) Spain (Granada and Malaga); (b) Portugal (Alentejo, Algarve and Madeira).
19.	<i>Thaumetopoea pityocampa</i> Denis & Schiffermüller	THAUPI	(a) until 30 April 2023: Ireland; (b) United Kingdom (Northern Ireland).
20.	<i>Thaumetopoea processionea</i> L.	THAUPR	(a) Ireland; (b) until 30 April 2023: United Kingdom (Northern Ireland).
21.	<i>Viteus vitifoliae</i> (Fitch)	VITEVI	Cyprus.

▼ **M6**▼ **M4**(d) **Virus, viroids and phytoplasmas**

1.	Beet necrotic yellow vein virus	BNYVV0	(a) Ireland; (b) France (Brittany); (c) Portugal (Azores); (d) Finland; (e) United Kingdom (Northern Ireland).
2.	<i>Candidatus Phytoplasma ulmi</i>	PHYPUL	United Kingdom (Northern Ireland)
3.	Citrus tristeza virus (EU isolates)	CTV000	Malta

▼B

ANNEX IV

List of Union regulated non-quarantine pests ('RNQPs') and specific plants for planting, with categories and thresholds as referred to in Article 5

TABLE OF CONTENTS

- Part A: RNQPs concerning fodder plant seed
- Part B: RNQPs concerning cereal seed
- Part C: RNQPs concerning vine propagating material
- Part D: RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes
- Part E: RNQPs concerning forest reproductive material, other than seeds
- Part F: RNQPs concerning vegetable seed
- Part G: RNQPs concerning seed potatoes
- Part H: RNQPs concerning seed of oil and fibre plants
- Part I: RNQPs concerning vegetable propagating and planting material, other than seeds
- Part J: RNQPs concerning fruit propagating material and fruit plants intended for fruit production
- Part K: RNQPs concerning seeds of *Solanum tuberosum*
- Part L: RNQPs concerning plants for planting of *Humulus lupulus*, other than seeds
- ▼M9**
- Part M: RNQPs concerning fruit propagating material and fruit plants intended for fruit production of *Actinidia* Lindl., other than seeds

▼B

PART A

RNQPs concerning fodder plant seed

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for pre-basic seed	Thresholds for basic seed	Thresholds for certified seed
<i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> (McCulloch 1925) Davis <i>et al.</i> [CORBIN]	<i>Medicago sativa</i> L.	0 %	0 %	0 %
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Medicago sativa</i> L.	0 %	0 %	0 %

PART B

RNQPs concerning cereal seed**Nematodes**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for pre-basic seed	Thresholds for basic seed	Thresholds for certified seed
<i>Aphelenchoides besseyi</i> Christie [APLOBE]	<i>Oryza sativa</i> L.	0 %	0 %	0 %

Fungi

<i>Gibberella fujikuroi</i> Sawada [GIBBFU]	<i>Oryza sativa</i> L.	Practically free	Practically free	Practically free
---	------------------------	------------------	------------------	------------------



PART C

RNQPs concerning vine propagating material

Bacteria			
RNQPs or symptoms caused by RNQPs	Plants for planting other than seeds (genus or species)	Threshold for initial propagating material, basic propagating material, certified material	Threshold for standard material
<i>Xylophilus ampelinus</i> Willems <i>et al.</i> [XANTAM]	<i>Vitis</i> L.	0 %	0 %

Insects and mites			
RNQPs or symptoms caused by RNQPs	Plants for planting other than seeds (genus or species)	Threshold for initial propagating material, basic propagating material, certified material	Threshold for standard material
<i>Viteus vitifoliae</i> Fitch [VITEVI]	Non-grafted <i>Vitis vinifera</i> L.	0 %	0 %
<i>Viteus vitifoliae</i> Fitch [VITEVI]	<i>Vitis</i> L. other than non-grafted <i>Vitis vinifera</i> L.	Practically free	Practically free

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting other than seeds (genus or species)	Threshold for initial propagating material, basic propagating material, certified material	Threshold for standard material
<i>Arabis</i> mosaic virus [ARMV00]	<i>Vitis</i> L.	0 %	0 %
<i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> [PHYPSO]	<i>Vitis</i> L.	0 %	0 %
Grapevine fanleaf virus [GFLV00]	<i>Vitis</i> L.	0 %	0 %
Grapevine fleck virus [GFKV00]	Rootstocks of <i>Vitis</i> spp. and their hybrids, except <i>Vitis vinifera</i> L.	0 % for initial propagating material N/A for basic propagating material and certified material	Not applicable
Grapevine leafroll associated virus 1 [GLRAV1]	<i>Vitis</i> L.	0 %	0 %
Grapevine leafroll associated virus 3 [GLRAV3]	<i>Vitis</i> L.	0 %	0 %

▼ **B**

PART D

RNQPs concerning propagating material of ornamental plants and other plants for planting intended for ornamental purposes

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting other than seeds <i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik., <i>Crataegus</i> Tourn. ex L., <i>Cydonia</i> Mill., <i>Eriobrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> Bosc ex Spach, <i>Photinia davidiana</i> Decne., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L., <i>Sorbus</i> L.	0 %
▼ M9 <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto [PSDMAK]	Plants for planting other than seeds <i>Actinidia</i> Lindl.	0 %
▼ B <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie [PSDMPE]	Plants for planting other than seeds <i>Prunus persica</i> (L.) Batsch, <i>Prunus</i> <i>salicina</i> Lindl.	0 %
<i>Spiroplasma citri</i> Saglio <i>et al.</i> [SPIRCI]	Plants for planting other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle., <i>Fortunella</i> Swingle. hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids	0 %
<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> [XANTPR]	Plants for planting other than seeds <i>Prunus</i> L.	0 %
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	<i>Capsicum annuum</i> L.	0 %
<i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L.	0 %
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	<i>Capsicum annuum</i> L.	0 %
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	<i>Capsicum annuum</i> L.	0 %
Fungi and oomycetes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Cryphonectria parasitica</i> (Murrill) Barr [ENDOPA]	Plants for planting other than seeds <i>Castanea</i> L.	0 %
<i>Dothistroma pini</i> Hulbary [DOTSPI]	Plants for planting other than seeds <i>Pinus</i> L.	0 %
<i>Dothistroma septosporum</i> (Dorogin) Morelet [SCIRPI]	Plants for planting other than seeds <i>Pinus</i> L.	0 %

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Lecanosticta acicola</i> (von Thümen) Sydow [SCIRAC]	Plants for planting other than seeds <i>Pinus</i> L.	0 %

▼ **M9**

<i>Phytophthora ramorum</i> (EU isolates) Werres, De Cock & Man in 't Veld [PHYTRA]	Plants for planting other than pollen and seeds <i>Camellia</i> L., <i>Castanea sativa</i> Mill., <i>Fraxinus excelsior</i> L., <i>Larix decidua</i> Mill., <i>Larix kaempferi</i> (Lamb.) Carrière, <i>Larix × eurolepis</i> A. Henry, <i>Pseudotsuga menziesii</i> (Mirb.) Franco, <i>Quercus cerris</i> L., <i>Quercus ilex</i> L., <i>Quercus rubra</i> L., <i>Rhododendron</i> L. other than <i>R. simsii</i> L., <i>Viburnum</i> L.	0 %
---	--	-----

▼ **B**

<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA]	Seeds <i>Helianthus annuus</i> L.	0 %
<i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley [DEUTTR]	Plants for planting other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids	0 %
<i>Puccinia horiana</i> P. Hennings [PUCCHN]	Plants for planting other than seeds <i>Chrysanthemum</i> L.	0 %

Insects and mites

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Aculops fuchsiae</i> Keifer [ACUPFU]	Plants for planting other than seeds <i>Fuchsia</i> L.	0 %
<i>Opogona sacchari</i> Bo [OPOGSC]	Plants for planting other than seeds <i>Beaucarnea</i> Lem., <i>Bougainvillea</i> Comm. ex Juss., <i>Crassula</i> L., <i>Crinum</i> L., <i>Dracaena</i> Vand. ex L., <i>Ficus</i> L., <i>Musa</i> L., <i>Pachira</i> Aubl., <i>Palmae</i> , <i>Sansevieria</i> Thunb., <i>Yucca</i> L.	0 %
<i>Rhynchophorus ferrugineus</i> (Olivier) [RHYCFE]	Plants for planting, other than seeds <i>Palmae</i> , as regards the following genera and species: <i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr., <i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H.Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota maxima</i> Blume, <i>Caryota cumingii</i> Lodd. ex Mart., <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., <i>Corypha utan</i> Lam., <i>Copernicia</i> Mart., <i>Elaeis guineensis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubaea chilensis</i> (Molina) Baill., <i>Livistona australis</i> C. Martius, <i>Livistona decora</i> (W. Bull) Dowe, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon sagu</i> Rottb., <i>Phoenix canariensis</i> Chabaud, <i>Phoenix dactylifera</i> L., <i>Phoenix reclinata</i>	0 %

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
	Jacq., <i>Phoenix roebelenii</i> O'Brien, <i>Phoenix sylvestris</i> (L.) Roxb., <i>Phoenix theophrasti</i> Greuter, <i>Pritchardia</i> Seem. & H. Wendl., <i>Ravenea rivularis</i> Jum. & H. Perrier, <i>Roystonea regia</i> (Kunth) O.F. Cook, <i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult.f., <i>Syagrus roman-zoffiana</i> (Cham.) Glassman, <i>Trachycarpus fortunei</i> (Hook.) H. Wendl., <i>Washingtonia</i> H. Wendl.	

Nematodes

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Allium</i> L.	0 %
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	Plants for planting other than seeds <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> Weston, <i>Galanthus</i> L., <i>Hyacinthus</i> Tourn. ex L, <i>Hymenocallis</i> Salisb., <i>Muscari</i> Mill., <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> L., <i>Sternbergia</i> Waldst. & Kit., <i>Tulipa</i> L.	0 %

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Candidatus</i> Phytoplasma <i>mali</i> Seemüller & Schneider [PHYPMA]	Plants for planting other than seeds <i>Malus</i> Mill.	0 %
<i>Candidatus</i> Phytoplasma <i>prunorum</i> Seemüller & Schneider [PHYPPR]	Plants for planting other than seeds <i>Prunus</i> L.	0 %
<i>Candidatus</i> Phytoplasma <i>pyri</i> Seemüller & Schneider [PHYPPY]	Plants for planting other than seeds <i>Pyrus</i> L.	0 %
<i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> [PHYPSO]	Plants for planting other than seeds <i>Lavandula</i> L.	0 %
Chrysanthemum stunt viroid [CSVD00]	Plants for planting other than seeds <i>Argyranthemum</i> Webb ex Sch.Bip., <i>Chrysanthemum</i> L.,	0 %
<i>Citrus</i> exocortis viroid [CEVD00]	Plants for planting other than seeds <i>Citrus</i> L.	0 %

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the propagating material of ornamental plants concerned and other plants for planting intended for ornamental purposes
<i>Citrus tristeza</i> virus [CTV000] (EU isolates)	Plants for planting other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. Hybrids,	0 %
<i>Impatiens</i> necrotic spot tospovirus [INSV00]	Plants for planting other than seeds <i>Begonia x hiemalis</i> Fotsch, <i>Impatiens</i> L. New Guinea Hybrids	0 %
Potato spindle tuber viroid [PSTVD0]	<i>Capsicum annuum</i> L.,	0 %
Plum pox virus [PPV000]	Plants of the following species of <i>Prunus</i> L., intended for planting, other than seeds: <i>Prunus armeniaca</i> L., <i>Prunus blireiana</i> Andre, <i>Prunus brigantina</i> Vill., <i>Prunus cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> ssp. <i>domestica</i> L., <i>Prunus domestica</i> ssp. <i>insititia</i> (L.) C.K. Schneid, <i>Prunus domestica</i> ssp. <i>italica</i> (Borkh.) Hegi., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus japonica</i> Thunb., <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus maritima</i> Marsh., <i>Prunus mume</i> Sieb. and Zucc., <i>Prunus nigra</i> Ait., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> L., <i>Prunus sibirica</i> L., <i>Prunus simonii</i> Carr., <i>Prunus spinosa</i> L., <i>Prunus tomentosa</i> Thunb., <i>Prunus triloba</i> Lindl., other species of <i>Prunus</i> L. susceptible to Plum pox virus	0 %
Tomato spotted wilt tospovirus [TSWV00]	Plants for planting other than seeds <i>Begonia x hiemalis</i> Fotsch, <i>Capsicum annuum</i> L., <i>Chrysanthemum</i> L., <i>Gerbera</i> L., <i>Impatiens</i> L. New Guinea Hybrids, <i>Pelargonium</i> L.	0 %

▼ **M9**

PART E

RNQPs concerning forest reproductive material, other than seeds

Fungi and oomycetes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the forest reproductive material concerned
<i>Cryphonectria parasitica</i> (Murrill) Barr [ENDOPA]	Plants for planting, other than seeds <i>Castanea sativa</i> Mill.	0 %
<i>Dothistroma pini</i> Hulbary [DOTSPI]	Plants for planting, other than seeds <i>Pinus</i> L.	0 %
<i>Dothistroma septosporum</i> (Dorogin) Morelet [SCIRPI]	Plants for planting, other than seeds <i>Pinus</i> L.	0 %

▼ **M9**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the forest reproductive material concerned
<i>Lecanosticta acicola</i> (von Thümen) Sydow [SCIRAC]	Plants for planting, other than seeds <i>Pinus</i> L.	0 %
<i>Phytophthora ramorum</i> (EU isolates) Werres, De Cock & Man in 't Veld	Plants for planting, other than pollen and seeds <i>Castanea sativa</i> Mill., <i>Fraxinus excelsior</i> L., <i>Larix decidua</i> Mill., <i>Larix kaempferi</i> (Lamb.) Carrière, <i>Larix × eurolepis</i> A. Henry, <i>Pseudotsuga menziesii</i> (Mirb.) Franco, <i>Quercus cerris</i> L., <i>Quercus ilex</i> L., <i>Quercus rubra</i> L.	0 %

▼ **B**

PART F

RNQPs concerning vegetable seed

Bacteria

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable seed concerned
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> [CORBMI]	<i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i> [XANTPH]	<i>Phaseolus vulgaris</i> L.	0 %
<i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i> [XANTFF]	<i>Phaseolus vulgaris</i> L.	0 %
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas gardneri</i> (ex Šutič 1957) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %

Insects and mites

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable seed concerned
<i>Acanthoscelides obtectus</i> (Say) [ACANOB]	<i>Phaseolus coccineus</i> L., <i>Phaseolus vulgaris</i> L.	0 %
<i>Bruchus pisorum</i> (Linnaeus) [BRCHPI]	<i>Pisum sativum</i> L.	0 %

▼ **M9**

▼ **M9**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable seed concerned
<i>Bruchus rufimanus</i> Boheman [BRCHRU]	<i>Vicia faba</i> L.	0 %

▼ **B****Nematodes**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable seed concerned
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Allium cepa</i> L., <i>Allium porrum</i> L.	0 %

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable seed concerned
Pepino mosaic virus [PEPMV0]	<i>Solanum lycopersicum</i> L.	0 %
Potato spindle tuber viroid [PSTVD0]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %

PART G

RNQPs concerning seed potato

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the direct progeny of pre-basic seed potatoes		Threshold for the direct progeny of basic seed potatoes	Threshold for the direct progeny of certified seed potatoes
		PBTC	PB		
Symptoms of virus infection	<i>Solanum tuberosum</i> L.	0 %	0,5 %	4,0 %	10,0 %

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the plant for planting of pre-basic seed potatoes		Threshold for the plant for planting of basic seed potatoes	Threshold for the plant for planting of certified seed potatoes
		PBTC	PB		
Blackleg (<i>Dickeya</i> Samson <i>et al. spp.</i> [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al. spp.</i> [1PECBG])	<i>Solanum tuberosum</i> L.	0 %	Practically free	Practically free	Practically free
<i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefiting <i>et al.</i> [LIBEPS]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %
<i>Candidatus</i> Phytoplasma <i>solanii</i> Quaglino <i>et al.</i> [PHYPSO]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %
<i>Ditylenchus destructor</i> Thorne [DITYDE]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %

▼B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the plant for planting of pre-basic seed potatoes		Threshold for the plant for planting of basic seed potatoes	Threshold for the plant for planting of certified seed potatoes
		PBTC	PB		
Black scurf as caused by <i>Thanatephorus cucumeris</i> (A.B. Frank) Donk [RHIZSO]	<i>Solanum tuberosum</i> L.	0 %	1,0 % affecting tubers over more than 10 % of their surface	5,0 % affecting tubers over more than 10 % of their surface	5,0 % affecting tubers over more than 10 % of their surface
Powdery scab as caused by <i>Spongospora subterranea</i> (Wallr.) Lagerh. [SPONSU]	<i>Solanum tuberosum</i> L.	0 %	1,0 % affecting tubers over more than 10 % of their surface	3,0 % affecting tubers over more than 10 % of their surface	3,0 % affecting tubers over more than 10 % of their surface
Mosaic symptoms caused by viruses and symptoms caused by leaf roll virus [PLRV00]	<i>Solanum tuberosum</i> L.	0 %	0,1 %	0,8 %	6,0 %
Potato spindle tuber viroid [PSTVD0]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %

PART H

RNQPs concerning seed of oil and fibre plants

Fungi and oomycetes

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for pre-basic seed	Thresholds for basic seed	Thresholds for certified seed
<i>Alternaria linicola</i> Groves & Skolko [ALTELI]	<i>Linum usitatissimum</i> L.	5 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	5 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	5 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp
<i>Boeremia exigua</i> var. <i>linicola</i> (Naumov & Vassiljevsky) Aveskamp, Gruyter & Verkley [PHOMEL]	<i>Linum usitatissimum</i> L. - flax	1 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	1 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	1 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for pre-basic seed	Thresholds for basic seed	Thresholds for certified seed
<i>Boeremia exigua</i> var. <i>linicola</i> (Naumov & Vassiljevsky) Aveskamp, Gruyter & Verkley [PHOMEL]	<i>Linum usitatissimum</i> L. - linseed	5 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	5 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	5 % 5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp
<i>Botrytis cinerea</i> de Bary [BOTRCI]	<i>Helianthus annuus</i> L., <i>Linum usitatissimum</i> L.	5 %	5 %	5 %
<i>Colletotrichum lini</i> Westerdijk [COLLLI]	<i>Linum usitatissimum</i> L.	5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp	5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> spp
<i>Diaporthe caulivora</i> (Athow & Caldwell) J.M. Santos, Vrandecic & A.J.L. Phillips [DIAPPC] <i>Diaporthe phaseolorum</i> var. <i>sojae</i> Lehman [DIAPPS]	<i>Glycine max</i> (L.) Merr	15 % for infection with the Phomopsis complex	15 % for infection with the Phomopsis complex	15 % for infection with the Phomopsis complex
<i>Fusarium</i> (anamorphic genus) Link [1FUSAG] other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon [FUSAAL] and <i>Fusarium circinatum</i> Nirenberg & O'Donnell [GIBBCI]	<i>Linum usitatissimum</i> L.	5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> (anamorphic genus) Link other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell	5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> (anamorphic genus) Link other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell	5 % affected with <i>Alternaria linicola</i> , <i>Boeremia exigua</i> var. <i>linicola</i> , <i>Colletotrichium lini</i> and <i>Fusarium</i> (anamorphic genus) Link other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell
<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA]	<i>Helianthus annuus</i> L.	0 %	0 %	0 %
<i>Sclerotinia sclerotiorum</i> (Libert) de Bary [SCLESC]	<i>Brassica rapa</i> L. var. <i>silvestris</i> (Lam.) Briggs,	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC.	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC.	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC.

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for pre-basic seed	Thresholds for basic seed	Thresholds for certified seed
<i>Sclerotinia sclerotiorum</i> (Libert) de Bary [SCLESC]	<i>Brassica napus</i> L. (partim), <i>Helianthus annuus</i> L.	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC	Not more than 10 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC
<i>Sclerotinia sclerotiorum</i> (Libert) de Bary [SCLESC]	<i>Sinapis alba</i> L.	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC.	Not more than 5 sclerotia or fragments of sclerotia found in a laboratory examination of a representative sample of each seed lot, of a size specified in column 4 of Annex III to Directive 2002/57/EC.

PART I

RNQPs concerning vegetable propagating and planting material other than seeds

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable propagating and planting material concerned
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> [CORBMI]	<i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> [XANTEU]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas gardneri</i> (ex Šutić 1957) Jones <i>et al.</i> [XANTGA]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas perforans</i> Jones <i>et al.</i> [XANTPF]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> [XANTVE]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
Fungi and oomycetes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable propagating and planting material concerned
<i>Fusarium</i> Link (anamorphic genus) [1FUSAG] other than <i>Fusarium oxysporum</i> f. sp. <i>albiginis</i> (Kill. & Maire) W.L. Gordon [FUSAAL] and <i>Fusarium circinatum</i> Nirenberg & O'Donnell [GIBBCI]	<i>Asparagus officinalis</i> L.	0 %

▼**B**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable propagating and planting material concerned
<i>Helicobasidium brebissonii</i> (Desm.) Donk [HLCBBR]	<i>Asparagus officinalis</i> L.	0 %
<i>Stromatinia cepivora</i> Berk. [SCLOCE]	<i>Allium cepa</i> L., <i>Allium fistulosum</i> L., <i>Allium porrum</i> L., <i>Allium sativum</i> L.	0 %
<i>Verticillium dahliae</i> Kleb. [VERTDA]	<i>Cynara cardunculus</i> L.	0 %

Nematodes

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable propagating and planting material concerned
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Allium cepa</i> L., <i>Allium sativum</i> L.	0 %

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the vegetable propagating and planting material concerned
Leek yellow stripe virus [LYSV00]	<i>Allium sativum</i> L.	1 %
Onion yellow dwarf virus [OYDV00]	<i>Allium cepa</i> L., <i>Allium sativum</i> L.	1 %
Potato spindle tuber viroid [PSTVD0]	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	0 %
Tomato spotted wilt tospovirus [TSWV00]	<i>Capsicum annuum</i> L., <i>Lactuca sativa</i> L., <i>Solanum lycopersicum</i> L., <i>Solanum melongena</i> L.	0 %
Tomato yellow leaf curl virus [TYLCV0]	<i>Solanum lycopersicum</i> L.	0 %

PART J

RNQPs concerning fruit propagating material and fruit plants intended for fruit production**Bacteria**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Agrobacterium tumefaciens</i> (Smith & Townsend) Conn [AGRBTU]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L., <i>Vaccinium</i> L.	0 %
<i>Agrobacterium</i> spp. Conn [1AGRBG]	<i>Rubus</i> L.	0 %

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Candidatus Phlomobacter fragariae</i> Zreik, Bové & Garnier [PHMBFR]	<i>Fragaria</i> L.	0 %
<i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> [ERWIAM]	Plants for planting other than seeds <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Pseudomonas avellanae</i> Janse <i>et al.</i> [PSDMAL]	<i>Corylus avellana</i> L.	0 %
<i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> (Smith) Gardan <i>et al.</i> [PSDMSA]	<i>Olea europaea</i> L.	0 %
<i>Pseudomonas syringae</i> pv. <i>morsprunorum</i> (Wormald) Young, Dye & Wilkie [PSDMMP]	<i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie [PSDMPE]	Plants for planting other than seeds <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Pseudomonas syringae</i> pv. <i>Syringae</i> van Hall [PSDMSY]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L., <i>Prunus armeniaca</i> L.	0 %
<i>Pseudomonas viridiflava</i> (Burkholder) Dowson [PSDMVF]	<i>Prunus armeniaca</i> L.	0 %
<i>Rhodococcus fascians</i> Tilford [CORBFA]	<i>Rubus</i> L.	0 %
<i>Spiroplasma citri</i> Saglio <i>et al.</i> [SPIRCI]	Plants for planting other than seeds <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	0 %
<i>Xanthomonas arboricola</i> pv. <i>Corylina</i> (Miller, Bollen, Simmons, Gross & Barss) Vauterin, Hoste, Kersters & Swings [XANTCY]	<i>Corylus avellana</i> L.	0 %
<i>Xanthomonas arboricola</i> pv. <i>Juglandi</i> (Pierce) Vauterin <i>et al.</i> [XANTJU]	<i>Juglans regia</i> L.	0 %
<i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> [XANTPR]	Plants for planting other than seeds <i>Prunus amygdalus</i> Batsch, <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Xanthomonas campestris</i> pv. <i>fici</i> (Cavara) Dye [XANTFI]	<i>Ficus carica</i> L.	0 %
<i>Xanthomonas fragariae</i> Kennedy & King [XANTFR]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %

▼B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Fungi and oomycetes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Armillariella mellea</i> (Vahl) Kummer [ARMIME]	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Chondrostereum purpureum</i> Pouzar [STERPU]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Colletotrichum acutatum</i> Simmonds [COLLAC]	<i>Fragaria</i> L.	0 %
<i>Cryphonectria parasitica</i> (Murrill) Barr [ENDOPA]	Plants for planting other than seeds <i>Castanea sativa</i> Mill.	0 %
<i>Diaporthe strumella</i> (Fries) Fuckel [DIAPST]	<i>Ribes</i> L.	0 %
<i>Diaporthe vaccinii</i> Shear [DIAPVA]	<i>Vaccinium</i> L.	0 %
<i>Exobasidium vaccinii</i> (Fuckel) Woronin [EXOBVA]	<i>Vaccinium</i> L.	0 %
<i>Glomerella cingulata</i> (Stoneman) Spaulding & von Schrenk [GLOMCI]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Godronia cassandrae</i> (anamorph <i>Topospora myrtilli</i>) Peck [GODRCA]	<i>Vaccinium</i> L.	0 %
<i>Microsphaera grossulariae</i> (Wallroth) Léveillé [MCRSGR]	<i>Ribes</i> L.	0 %
<i>Mycosphaerella punctiformis</i> Verkley & U. Braun [RAMUEN]	<i>Castanea sativa</i> Mill.	0 %
<i>Neofabraea alba</i> Desmazières [PEZIAL]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Neofabraea malicorticis</i> Jackson [PEZIMA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Neonectria ditissima</i> (Tulasne & C. Tulasne) Samuels & Rossman [NECTGA]	<i>Cydonia oblonga</i> Mill., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Peronospora rubi</i> Rabenhorst [PERORU]	<i>Rubus</i> L.	0 %
<i>Phytophthora cactorum</i> (Lebert & Cohn) J.Schröter [PHYTCC]	<i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Juglans regia</i> L., <i>Malus</i> Mill., <i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Phytophthora cambivora</i> (Petri) Buisman [PHYTCM]	<i>Castanea sativa</i> Mill., <i>Pistacia vera</i> L.	0 %
<i>Phytophthora cinnamomi</i> Rands [PHYTCN]	<i>Castanea sativa</i> Mill.	0 %
<i>Phytophthora citrophthora</i> (R.E.Smith & E.H.Smith) Leonian [PHYTCO]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Phytophthora cryptogea</i> Pethybridge & Lafferty [PHYTCR]	<i>Pistacia vera</i> L.	0 %
<i>Phytophthora fragariae</i> C.J. Hickman [PHYTFR]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
<i>Phytophthora nicotianae</i> var. <i>parasitica</i> (Dastur) Waterhouse [PHYTNP]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %

▼ **M9**

<i>Phytophthora ramorum</i> (EU isolates) Werres, De Cock & Man in 't Veld [PHYTRA]	Plants for planting other than pollen and seeds <i>Castanea sativa</i> Mill., <i>Vaccinium</i> L.	0 %
---	--	-----

▼ **B**

<i>Phytophthora</i> spp. de Bary [1PHYTG]	<i>Rubus</i> L.	0 %
<i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley [DEUTTR]	Plants for planting other than seeds <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	0 %
<i>Podosphaera aphanis</i> (Wallroth) Braun & Takamatsu [PODOAP]	<i>Fragaria</i> L.	0 %
<i>Podosphaera mors-uvae</i> (Schweinitz) Braun & Takamatsu [SPHRMU]	<i>Ribes</i> L.	0 %
<i>Rhizoctonia fragariae</i> Hussain & W.E.McKeen [RHIZFR]	<i>Fragaria</i> L.	0 %
<i>Rosellinia necatrix</i> Prillieux [ROSLNE]	<i>Pistacia vera</i> L.	0 %
<i>Sclerophora pallida</i> Yao & Spooner [SKLPPA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Verticillium albo-atrum</i> Reinke & Berthold [VERTAA]	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Verticillium dahliae</i> Kleb [VERTDA]	<i>Corylus avellana</i> L., <i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Pistacia vera</i> L., <i>Prunus armeniaca</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %

▼B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Insects and mites		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Aleurothrixus floccosus</i> Maskell [ALTHFL]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Cecidophyopsis ribis</i> Westwood [ERPHRI]	<i>Ribes</i> L.	0 %
<i>Ceroplastes rusci</i> Linnaeus [CERPRU]	<i>Ficus carica</i> L.	0 %
<i>Chaetosiphon fragaefolii</i> Cockerell [CHTSFR]	<i>Fragaria</i> L.	0 %
<i>Dasineura tetensi</i> Rübсаamen [DASYTE]	<i>Ribes</i> L.	0 %
<i>Epidiaspis leperii</i> Signoret [EPIDBE]	<i>Juglans regia</i> L.	0 %
<i>Eriosoma lanigerum</i> Hausmann [ERISLA]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Parabemisia myricae</i> Kuwana [PRABMY]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, and <i>Poncirus</i> Raf.	0 %
<i>Phytoptus avellanae</i> Nalepa [ERPHAV]	<i>Corylus avellana</i> L.	0 %
<i>Phytonemus pallidus</i> Banks [TARSPA]	<i>Fragaria</i> L.	0 %
<i>Pseudaulacaspis pentagona</i> Targioni-Tozzetti [PSEAPE]	<i>Juglans regia</i> L., <i>Prunus armeniaca</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L.	0 %
<i>Psylla</i> spp. Geoffroy [1PSYLG]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Quadraspidiotus perniciosus</i> Comstock [QUADPE]	<i>Juglans regia</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L.	0 %
<i>Resseliella theobaldi</i> Barnes [THOMTE]	<i>Rubus</i> L.	0 %
<i>Tetranychus urticae</i> Koch [TETRUR]	<i>Ribes</i> L.	0 %

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Nematodes		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Aphelenchoides besseyi</i> Christie [APLOBE]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
<i>Aphelenchoides blastophthorus</i> Franklin [APLOBL]	<i>Fragaria</i> L.	0 %
<i>Aphelenchoides fragariae</i> (Ritzema Bos) Christie [APLOFR]	<i>Fragaria</i> L.	0 %
<i>Aphelenchoides ritzemabosi</i> (Schwartz) Steiner & Buhner [APLORI]	<i>Fragaria</i> L., <i>Ribes</i> L.	0 %
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Fragaria</i> L., <i>Ribes</i> L.	0 %
<i>Heterodera fici</i> Kirjanova [HETDFI]	<i>Ficus carica</i> L.	0 %
<i>Longidorus attenuatus</i> Hooper [LONGAT]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Rubus</i> L.	0 %
<i>Longidorus elongatus</i> (de Man) Thorne & Swanger [LONGEL]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L., <i>Rubus</i> L.	0 %
<i>Longidorus macrosoma</i> Hooper [LONGMA]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L., <i>Rubus</i> L.	0 %
<i>Meloidogyne arenaria</i> Chitwood [MELGAR]	<i>Ficus carica</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Meloidogyne hapla</i> Chitwood [MELGHA]	<i>Cydonia oblonga</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
<i>Meloidogyne incognita</i> (Kofold & White) Chitwood [MELGIN]	<i>Ficus carica</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Meloidogyne javanica</i> Chitwood [MELGJA]	<i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %

▼B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Pratylenchus penetrans</i> (Cobb) Filipjev & Schuurmans-Stekhoven [PRATPE]	<i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Malus</i> Mill., <i>Pistacia vera</i> L., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
<i>Pratylenchus vulnus</i> Allen & Jensen [PRATVU]	<i>Citrus</i> L., <i>Cydonia oblonga</i> Mill., <i>Ficus carica</i> L., <i>Fortunella</i> Swingle, <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Olea europaea</i> L., <i>Pistacia vera</i> L., <i>Poncirus</i> Raf., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
<i>Tylenchulus semipenetrans</i> Cobb [TYLESE]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Xiphinema diversicaudatum</i> (Mikoletzky) Thorne [XIPHDI]	<i>Fragaria</i> L., <i>Juglans regia</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Ribes</i> L., <i>Rubus</i> L.	0 %
<i>Xiphinema index</i> Thorne & Allen [XIPHIN]	<i>Pistacia vera</i> L.	0 %

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Apple chlorotic leaf spot virus [ACLSV0]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Pyrus</i> L.	0 %
Apple dimple fruit viroid [ADFVD0]	<i>Malus</i> Mill.	0 %
Apple flat limb agent [AFL000]	<i>Malus</i> Mill.	0 %
Apple mosaic virus [APMV00]	<i>Corylus avellana</i> L., <i>Malus</i> Mill., <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley, <i>Rubus</i> L.	0 %
Apple star crack agent [APHW00]	<i>Malus</i> Mill.	0 %

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Apple rubbery wood agent [ARW000]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L.	0 %
Apple scar skin viroid [ASSVD0]	<i>Malus</i> Mill.	0 %
Apple stem-grooving virus [ASGV00]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
Apple stem-pitting virus [ASPV00]	<i>Cydonia oblonga</i> Mill., <i>Malus</i> Mill., <i>Pyrus</i> L.	0 %
Apricot latent virus [ALV000]	<i>Prunus armeniaca</i> L., <i>Prunus persica</i> (L.) Batsch	0 %
<i>Arabidopsis</i> mosaic virus [ARMV00]	<i>Fragaria</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L., <i>Rubus</i> L.	0 %
Aucuba mosaic agent and blackcurrant yellows agent combined	<i>Ribes</i> L.	0 %
Black raspberry necrosis virus [BRNV00]	<i>Rubus</i> L.	0 %
Blackcurrant reversion virus [BRAV00]	<i>Ribes</i> L.	0 %
Blueberry mosaic associated virus [BLMAV0]	<i>Vaccinium</i> L.	0 %
Blueberry red ringspot virus [BRRV00]	<i>Vaccinium</i> L.	0 %
Blueberry scorch virus [BLSCV0]	<i>Vaccinium</i> L.	0 %
Blueberry shock virus [BLSHV0]	<i>Vaccinium</i> L.	0 %
Blueberry shoestring virus [BSSV00]	<i>Vaccinium</i> L.	0 %
<i>Candidatus</i> Phytoplasma asteris Lee <i>et al.</i> [PHYPPAS]	<i>Fragaria</i> L., <i>Vaccinium</i> L.	0 %

<i>Candidatus</i> Phytoplasma fragariae Valiunas, Staniulis & Davis [PHYPPFG]	<i>Fragaria</i> L.	0 %

▼ **M9**▼ **B**

▼B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Candidatus</i> Phytoplasma <i>mali</i> Seemüller & Schneider [PHYPPMA]	Plants for planting other than seeds <i>Malus</i> Mill.	0 %
<i>Candidatus</i> Phytoplasma <i>pruni</i> [PHYPPN]	<i>Fragaria</i> L., <i>Vaccinium</i> L.	0 %
<i>Candidatus</i> Phytoplasma <i>prunorum</i> Seemüller & Schneider [PHYPPR]	Plants for planting other than seeds <i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Candidatus</i> Phytoplasma <i>pyri</i> [PHYPPY]	Plants for planting other than seeds <i>Pyrus</i> L.	0 %
<i>Candidatus</i> Phytoplasma <i>rubi</i> Malembic-Maher <i>et al.</i> [PHYPRU]	<i>Rubus</i> L.	0 %
<i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> [PHYPSO]	<i>Fragaria</i> L., <i>Vaccinium</i> L.	0 %
Cherry green ring mottle virus [CGRMV0]	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Cherry leaf roll virus [CLRV00]	<i>Juglans regia</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Cherry mottle leaf virus [CMLV00]	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Cherry necrotic rusty mottle virus [CRNRM0]	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Chestnut mosaic agent	<i>Castanea sativa</i> Mill.	0 %
<i>Citrus cristacortis</i> agent [CSCC00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Citrus exocortis</i> viroid [CEVD00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Citrus impietratura</i> agent [CSI000]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %

▼B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Citrus</i> leaf Blotch virus [CLBV00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Citrus psorosis</i> virus [CPSV00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Citrus tristeza</i> virus [CTV000] (EU isolates)	Plants for planting other than seeds <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	0 %
Citrus variegation virus [CVV000]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
<i>Clover phyllody</i> phytoplasma [PHYP03]	<i>Fragaria</i> L.	0 %
Cranberry false blossom phytoplasma [PHYPFB]	<i>Vaccinium</i> L.	0 %
Cucumber mosaic virus [CMV000]	<i>Ribes</i> L., <i>Rubus</i> L.	0 %
Fig mosaic agent [FGM000]	<i>Ficus carica</i> L.	0 %
Fruit disorders: chat fruit [APCF00], green crinkle [APGC00], bumpy fruit of Ben Davis, rough skin [APRSK0], star crack, russet ring [APLP00], russet wart	<i>Malus</i> Mill.	0 %
Gooseberry vein banding associated virus [GOVB00]	<i>Ribes</i> L.	0 %
Hop stunt viroid [HSVD00]	<i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.	0 %
Little cherry virus 1 and 2 [LCHV10], [LCHV20])	<i>Prunus avium</i> L., <i>Prunus cerasus</i> L.	0 %
Myrobalan latent ringspot virus [MLRSV0]	<i>Prunus domestica</i> L., <i>Prunus salicina</i> Lindley	0 %
Olive leaf yellowing associated virus [OLYAV0]	<i>Olea europaea</i> L.	0 %
Olive vein yellowing-associated virus [OVYAV0]	<i>Olea europaea</i> L.	0 %
Olive yellow mottling and decline associated virus [OYMDAV]	<i>Olea europaea</i> L.	0 %
Peach latent mosaic viroid [PLMVD0]	<i>Prunus persica</i> (L.) Batsch	0 %
Pear bark necrosis agent [PRBN00]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %

▼**B**

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Pear bark split agent [PRBS00]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Pear blister canker viroid [PBCVD0]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Pear rough bark agent [PRRB00]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Plum pox virus [PPV000]	<i>Prunus armeniaca</i> L., <i>Prunus avium</i> L., <i>Prunus cerasifera</i> , <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley. In the case of <i>Prunus</i> hybrids where material is grafted onto rootstocks, other species of <i>Prunus</i> L. rootstocks susceptible to Plum pox virus.	0 %
Prune dwarf virus [PDV000]	<i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
<i>Prunus</i> necrotic ringspot virus [PNRSV0]	<i>Prunus avium</i> L., <i>Prunus armeniaca</i> L., <i>Prunus cerasus</i> L., <i>Prunus domestica</i> L., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindley	0 %
Quince yellow blotch agent [ARW000]	<i>Cydonia oblonga</i> Mill., <i>Pyrus</i> L.	0 %
Raspberry bushy dwarf virus [RBDV00]	<i>Rubus</i> L.	0 %
Raspberry leaf mottle virus [RLMV00]	<i>Rubus</i> L.	0 %
Raspberry ringspot virus [RPRSV0]	<i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Ribes</i> L., <i>Rubus</i> L.	0 %
Raspberry vein chlorosis virus [RVCV00]	<i>Rubus</i> L.	0 %
Raspberry yellow spot [RYS000]	<i>Rubus</i> L.	0 %
Rubus yellow net virus [RYNV00]	<i>Rubus</i> L.	0 %
Strawberry crinkle virus [SCRV00]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Strawberry latent ringspot virus [SLRSV0]	<i>Fragaria</i> L., <i>Olea europaea</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Prunus persica</i> (L.) Batsch, <i>Ribes</i> L., <i>Rubus</i> L.	0 %

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
Strawberry mild yellow edge virus [SMYEV0]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Strawberry mottle virus [SMOV00]	<i>Fragaria</i> L.	0 %
Strawberry multiplier disease phytoplasma [PHYP75]	<i>Fragaria</i> L.	0 %
Strawberry vein banding virus [SVBV00]	Plants for planting other than seeds <i>Fragaria</i> L.	0 %
Tomato black ring virus [TBRV00]	Plants for planting other than seeds <i>Fragaria</i> L., <i>Prunus avium</i> L., <i>Prunus cerasus</i> L., <i>Rubus</i> L.	0 %

PART K

RNQPs concerning seed of *Solanum tuberosum* L.

Viruses, viroids, virus-like diseases and phytoplasmas		
RNQPs	Plants for planting	Threshold for the seeds
Potato spindle tuber viroid [PSTVD0]	<i>Solanum tuberosum</i> L.	0 %

PART L

RNQPs concerning plants for planting of *Humulus lupulus*, other than seeds

Fungi and oomycetes		
RNQPs	Plants for planting (genus or species)	Threshold for the plant for planting
<i>Verticillium dahliae</i> Kleb. [VERTDA]	<i>Humulus lupulus</i> L.	0 %
<i>Verticillium nonalfalfae</i> Inderbitzin, H.W. Platt, Bostock, R.M. Davis & K.V. Subbarao [VERTNO]	<i>Humulus lupulus</i> L.	0 %

▼ M9

Viruses, viroids, virus-like diseases and phytoplasmas		
RNQPs	Plants for planting	Threshold for the seeds
Citrus bark cracking viroid [CBCVD0]	Plants for planting other than pollen and seeds <i>Humulus lupulus</i> L.	0 %

▼ M9

PART M

RNQPs concerning fruit propagating material and fruit plants intended for fruit production of *Actinidia* Lindl., other than seeds

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the fruit propagating material and fruit plants concerned
<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto [PSDMAK]	<i>Actinidia</i> Lindl.	0 %

▼B

ANNEX V

Measures to prevent the presence of RNQPs on specific plants for planting

TABLE OF CONTENTS

- Part A: Measures to prevent the presence of RNQPs on fodder plant seed
1. Inspection of the crop
 2. Sampling and testing of fodder plant seed
 3. Additional measures for certain plant species
- Part B: Measures concerning cereal seed
1. Inspection of the crop
 2. Sampling and testing of cereal seed
 3. Additional measures for seeds of *Oryza sativa* L.
- Part C: Measures to prevent the presence of RNQPs on propagating material of ornamental plants and plants for planting intended for ornamental purposes
- Part D: Measures to prevent the presence of RNQPs on forest reproductive material, other than seeds
- Part E: Measures to prevent the presence of the RNQPs on vegetable seed
- Part F: Measures to prevent the presence of the RNQPs on seed potatoes
- Part G: Measures to prevent the presence of RNQPs on seed of oil and fibre plants
1. Inspection of the crop
 2. Sampling and testing of seed of oil and fibre plants
 3. Additional measures for seed of oil and fibre plants
- Part H: Measures to prevent the presence of RNQPs on vegetable propagating and planting material other than seeds
- Part I: Measures to prevent the presence of the RNQPs on seed of *Solanum tuberosum*
- Part J: Measures to prevent the presence of the RNQPs on plants for planting of *Humulus lupulus*, other than seeds
- ▼M9**
- Part K: Measures to prevent the presence of RNQPs on fruit propagating material and fruit plants intended for fruit production of *Actinidia Lindl.*, other than seeds

▼B

PART A

Measures to prevent the presence of RNQPs on fodder plant seed**1. Inspection of the crop**

- (1) The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out field inspections on the crop from which the fodder plant seed is produced concerning the presence of RNQPs in the crop to ensure that the presence of the RNQPs does not exceed the thresholds set out in this table:

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for production of pre-basic seed	Thresholds for the production of basic seed	Thresholds for the production of certified seed
<i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> (McCulloch 1925) Davis <i>et al.</i> [CORBIN]	<i>Medicago sativa</i> L.	0 %	0 %	0 %
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev [DITYDI]	<i>Medicago sativa</i> L.	0 %	0 %	0 %

The competent authority may authorise inspectors, other than the professional operators, to carry out the field inspections on its behalf and under its official supervision.

- (2) Those field inspections shall be carried out when the condition and the stage of development of the crop allow for an adequate inspection. There shall be at least one field inspection per year, at the most appropriate time for the detection of the respective RNQPs.
- (3) The competent authority shall determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.

The proportion of the crops for the production of seed to be officially inspected by the competent authority shall be at least 5 %.

2. Sampling and testing of fodder plant seed

- (1) The competent authority shall:
 - (a) officially draw seed samples from lots of fodder plant seed;
 - (b) authorise seed samplers to carry out sampling on its behalf and under its official supervision;
 - (c) compare the seed samples drawn by itself with those of the same seed lot drawn by the seed samplers under official supervision as referred to in point (b);
 - (d) supervise the performance of the seed samplers provided for in point (2).
- (2) The competent authority or the professional operator under official supervision shall sample and test the fodder plant seed in accordance with up to date international methods.

Except for automatic sampling, the competent authority shall check-sample a proportion of at least 5 % of the seed lots entered for official certification. That proportion shall be as evenly spread as possible over natural and legal persons entering seed for certification, and the species entered, but may also be aimed at eliminating specific doubts.

- (3) For automatic sampling, appropriate procedures shall be applied and it shall be officially supervised.

For the examination of seed for certification, samples shall be drawn from homogeneous lots. As regards the lot and sample weights, the table of Annex III to Directive 66/401/EEC shall apply.

3. Additional measures for certain plant species

The competent authorities, or the professional operators under the official supervision of the competent authorities, shall carry out the following additional inspections or take any other actions for certain plant species to ensure that the requirements, concerning the respective RNQPs and plants for planting, are fulfilled.

- (1) the pre-basic, basic and certified seeds of *Medicago sativa* L. to prevent the presence of *Clavibacter michiganensis* ssp. *insidiosus*, and in order to ascertain that:
 - (a) the seeds originate in areas known to be free from *Clavibacter michiganensis* ssp. *insidiosus*; or

▼B

- (b) the crop has been grown on land on which no previous *Medicago sativa* L. crop has been present during the last three years prior to sowing, and no symptoms of *Clavibacter michiganensis* ssp. *insidiosus* are observed during field inspection at the site of production or no symptoms of *Clavibacter michiganensis* ssp. *insidiosus* have been observed on any *Medicago sativa* L. crop adjacent to it, during the previous cropping; or
- (c) the crop belongs to a variety recognised as being highly resistant to *Clavibacter michiganensis* ssp. *insidiosus* and the content of inert matter shall not exceed 0,1 % by weight;
- (2) the pre-basic, basic and certified seed of *Medicago sativa* L. to prevent the presence of *Ditylenchus dipsaci*, and in order to ascertain that:
- (a) no symptoms of *Ditylenchus dipsaci* have been observed at the site of production during the previous cropping and no main host crops have been grown during the two preceding years on the site of production and appropriate hygiene measures have been taken to prevent infestation of the place of production; or
- (b) no symptoms of *Ditylenchus dipsaci* have been observed at the site of production during the previous cropping and no *Ditylenchus dipsaci* has been found by laboratory tests on a representative sample; or
- (c) the seeds have been subjected to an appropriate physical or chemical treatment against *Ditylenchus dipsaci* and have been found to be free of this pest after laboratory tests on a representative sample.

PART B

Measures concerning cereal seed

1. Inspection of the crop

- (1) The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out field inspections on the crop from which the cereal seed is produced, to confirm that the presence of the RNQPs does not exceed the thresholds set out in this table:

Fungi and oomycetes				
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for the production of pre-basic seed	Thresholds for the production of basic seed	Thresholds for the production of certified seed
<i>Gibberella fujikuroi</i> Sawada [GIBBFU]	<i>Oryza sativa</i> L.	Not more than 2 symptomatic plants per 200 m ² seen during field inspections at appropriate times of a representative sample of the plants in each crop.	Not more than 2 symptomatic plants per 200 m ² seen during field inspections at appropriate times of a representative sample of the plants in each crop.	Certified seed of the first generation (C1): Not more than 4 symptomatic plants per 200 m ² seen during field inspections at appropriate times of a representative sample of the plants in each crop. Certified seed of the second generation (C2): Not more than 8 symptomatic plants per 200 m ² seen during field inspections at appropriate times of a representative sample of the plants in each crop.

▼ **B**

Nematodes				
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for the production of pre-basic seed	Thresholds for the production of basic seed	Thresholds for the production of certified seed
<i>Aphelenchoides besseyi</i> Christie [APLOBE]	<i>Oryza sativa</i> L.	0 %	0 %	0 %

The competent authority may authorise inspectors, other than professional operators, to carry out the field inspections on its behalf and under its official supervision.

- (2) Those field inspections shall be carried out when the condition and the stage of development of the crop allow for an adequate inspection.

There shall be at least one field inspection per year, at the most appropriate time for the detection of the respective RNQPs.

- (3) The competent authority shall determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.

The proportion of the crops for the production of seed to be officially inspected by the competent authority shall be at least 5 %

2. Sampling and testing of cereal seed

- (1) The competent authority shall:

- (a) officially draw seed samples from lots of cereal seed;
- (b) authorise seed samplers to carry out sampling on its behalf and under official supervision;
- (c) compare the seed samples drawn by itself with those of the same seed lot drawn by the seed samples under official supervision as referred to in point (b);
- (d) supervise the performance of the seed samplers as provided for in point (2).

- (2) The competent authority or the professional operator under the official supervision shall sample and test the cereal seed in accordance with up to date international methods.

Except for automatic sampling, the competent authority shall check-sample a proportion of at least 5 % of the seed lots entered for official certification. That proportion shall be as evenly spread as possible over natural and legal persons entering seed for certification, and the species entered, but may also be aimed at eliminating specific doubts.

- (3) For automatic sampling, appropriate procedures shall be applied and it shall be officially supervised.

For the examination of seed for certification, samples shall be drawn from homogeneous lots. As regards the lot and sample weights, the provisions of the table of Annex III to Directive 66/402/EEC shall apply.

3. Additional measures for seeds of *Oryza sativa* L.

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out the following additional inspections or take any other actions to ensure that the requirements concerning the respective RNQPs for the seed of *Oryza sativa* L. are fulfilled:

Seeds of *Oryza sativa* L. shall fulfil one of the following requirements:

- (a) originates in area known to be free from *Aphelenchoides besseyi*;
- (b) has been officially tested by the competent authorities by appropriate nematological tests on a representative sample from each lot, and have been found free from *Aphelenchoides besseyi*;
- (c) has been subjected to an appropriate hot water treatment or other appropriate treatment against *Aphelenchoides besseyi*.

▼ **B**

PART C

Measures to prevent the presence of RNQPs on propagating material of ornamental plants and other plants for planting intended for ornamental purposes

The following measures shall be taken concerning the respective RNQPs and:

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements, concerning the respective RNQPs and plants for planting, provided for in the following table, are fulfilled

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i></p>	<p>Plants for planting other than seeds</p> <p><i>Amelanchier</i> Medik., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Medik., <i>Crataegus</i> Tourn. ex L., <i>Cydonia</i> Mill., <i>Eriobrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> Bosc ex Spach, <i>Photinia davidiana</i> Decne., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L., <i>Sorbus</i> L.</p>	<p>(a) the plants have been produced in areas known to be free from <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i>;</p> <p>or</p> <p>(b) the plants have been grown in a production site that has been visually inspected at an appropriate time to detect the pest during the last growing season for the detection of that pest and plants showing symptoms of that pest, and any surrounding host plants, have been immediately rogued out and destroyed.</p>
<p>▼ M9</p> <p><i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto [PSDMAK]</p>	<p>Plants for planting other than seeds</p> <p><i>Actinidia</i> Lindl.</p>	<p>(a) the plants have been produced in areas established by the competent authority as being free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in accordance with the relevant International Standards for Phytosanitary Measures;</p> <p>or</p> <p>(b) (i) no symptoms of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> have been observed on plants in the production site over the last complete growing season; or</p> <p>(ii) symptoms of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> have been observed on no more than 1% of plants in the production site, and those plants, and any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed, and</p> <p>a representative portion of the remaining asymptomatic plants have been sampled and tested for <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> and found free from the pest;</p> <p>and</p> <p>the plants have been subjected to random sampling and testing for <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> before marketing and found free from the pest.</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie</p>	<p>Plants for planting other than seeds <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> Lindl.</p>	<p>(a) the plants have been produced in areas known to be free from <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie; or (b) the plants have grown in a site of production found free from the <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier, Luisetti & Gardan) Young, Dye & Wilkie over the last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately; or (c) no more than 2 % of plants in the lot have shown symptoms during visual inspections, at appropriate times to detect the pest during the last growing season, and those symptomatic plants and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately.</p>
<p><i>Spiroplasma citri</i> Saglio</p>	<p>Plants for planting other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle., <i>Fortunella</i> Swingle. hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids</p>	<p>The plants derive from mother plants which have been visually inspected, at the most appropriate time to detect the pest, and found free from <i>Spiroplasma citri</i> Saglio, and</p> <p>(a) the plants have been produced in areas known to be free from <i>Spiroplasma citri</i> Saglio, or (b) the site of production has been found free from <i>Spiroplasma citri</i> Saglio over the last complete growing season by visual inspection of the plants, at the most appropriate time to detect the pest during the last growing season; or (c) not more than 2 % of plants have shown symptoms during a visual inspection at the appropriate time to detect the pest during the last growing season, and all infected plants have been rogued out and destroyed immediately.</p>
<p><i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i></p>	<p>Plants for planting other than seeds <i>Prunus</i> L.</p>	<p>(a) the plants have been produced in an area known to be free from <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Vauterin <i>et al.</i>; or</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(b) the plants have grown in a site of production found free from <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Vauterin <i>et al.</i> over the last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity, and the neighbouring plants, have been rogued out and destroyed immediately, unless they have been tested on the basis of a representative sample of symptomatic plants and it is shown in those tests that the symptoms are not caused by <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Vauterin <i>et al.</i>; or</p> <p>(c) no more than 2 % of plants in the lot have shown symptoms during visual inspections at appropriate times during the last growing season, and those symptomatic plants and any symptomatic plants in the site of production and the immediate vicinity, and the neighbouring plants have been rogued out and destroyed immediately unless they are tested, on the basis of a representative sample of symptomatic plants and it is shown in those tests that the symptoms are not caused by <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Vauterin <i>et al.</i>; or</p> <p>(d) in the case of evergreen species, the plants have been visually inspected, before movement and found free from symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> Vauterin <i>et al.</i></p>
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>	<i>Capsicum annuum</i> L.	<p>(1) In the case of seeds:</p> <p>(a) the seeds originate in areas known to be free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> have been observed in visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found in these tests to be free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i></p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(2) In the case of plants other than seeds:</p> <p>(a) the seedlings have been grown from seeds that meet the requirements laid down in point (1) of this entry;</p> <p>and</p> <p>(b) young plants have been maintained in appropriate hygiene conditions to prevent infection.</p>
<p><i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i></p>	<p><i>Capsicum annuum</i> L.</p>	<p>(1) In the case of seeds:</p> <p>(a) the seeds originate in areas known to be free from <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> on a representative sample and using appropriate methods (whether or not following an appropriate treatment), and have been found in these tests to be free from <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i></p> <p>(2) In the case of plants other than seeds:</p> <p>(a) the seedlings have been grown from seeds that meet the requirements laid down in point (1) of this entry;</p> <p>and</p> <p>(b) young plants have been maintained in appropriate hygiene conditions to prevent infection.</p>
<p><i>Xanthomonas perforans</i> Jones <i>et al.</i></p>	<p><i>Capsicum annuum</i> L.</p>	<p>(1) In the case of seeds:</p> <p>(a) the seeds originate in areas known to be free from <i>Xanthomonas perforans</i> Jones <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas perforans</i> Jones <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas perforans</i> Jones <i>et al.</i> on a representative sample and using appropriate methods (whether or not following an appropriate treatment), and have been found in these tests to be free from <i>Xanthomonas perforans</i> Jones <i>et al.</i></p> <p>(2) In the case of plants other than seeds:</p> <p>(a) the seedlings have been grown from seeds that meet the requirements laid down in point (1) of this entry;</p> <p>and</p> <p>(b) the young plants have been maintained in appropriate hygiene conditions to prevent infection</p>
<p><i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i></p>	<p><i>Capsicum annuum</i> L.</p>	<p>(1) In the case of seeds:</p> <p>(a) the seeds originate in areas known to be free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> have been observed in visual inspections, at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> on a representative sample and using appropriate methods (whether or not following an appropriate treatment), and have been found in these tests to be free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i></p> <p>(2) In the case of plants other than seeds:</p> <p>(a) the seedlings have been grown from seeds that meet the requirements laid down in point (1) of this entry;</p> <p>and</p>

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		(b) young plants have been maintained in appropriate hygiene conditions to prevent infection.

Fungi and oomycetes

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Cryphonectria parasitica</i> (Murrill) Barr	<i>Castanea</i> L.	<p>(a) the plants have been produced in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr;</p> <p>or</p> <p>(b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the site of production since the beginning of the last complete cycle of vegetation;</p> <p>or</p> <p>(c) plants showing symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been rogued out, and the remaining plants have been inspected at weekly intervals and no symptoms have been observed at the site of production for at least three weeks before movement.</p>
<p><i>Dothistroma pini</i> Hulbary,</p> <p><i>Dothistroma septosporum</i> (Dorogin) Morelet</p> <p><i>Lecanosticta acicola</i> (von Thümen) Sydow</p>	<i>Pinus</i> L.	<p>(a) the plants originate in areas known to be free from <i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet and <i>Lecanosticta acicola</i> (von Thümen) Sydow;</p> <p>or</p> <p>(b) no symptoms of needle blight, caused by <i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet or <i>Lecanosticta acicola</i> (von Thümen) Sydow, have been observed at the site of production or its immediate vicinity since the beginning of the last complete cycle of vegetation;</p> <p>or</p> <p>(c) appropriate treatments have been carried out against needle blight, caused by <i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet or <i>Lecanosticta acicola</i> (von Thümen) Sydow, and the plants have been inspected before movement and found free from symptoms of needle blight.</p>

▼ **B**▼ **M9**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Phytophthora ramorum</i> (EU isolates) Werres, De Cock & Man in 't Veld</p>	<p><i>Camellia</i> L., <i>Castanea sativa</i> Mill., <i>Fraxinus excelsior</i> L., <i>Larix decidua</i> Mill., <i>Larix kaempferi</i> (Lamb.) Carrière, <i>Larix × eurolepis</i> A. Henry, <i>Pseudotsuga menziesii</i> (Mirb.) Franco, <i>Quercus cerris</i> L., <i>Quercus ilex</i> L., <i>Quercus rubra</i> L., <i>Rhododendron</i> L. other than <i>R. simsii</i> L., <i>Viburnum</i> L.</p>	<p>(a) the plants have been produced in areas established by the competent authority as being free from <i>Phytophthora ramorum</i> (EU isolates) in accordance with the relevant International Standards for Phytosanitary Measures; or</p> <p>(b) no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on host plants at the site of production over the last complete growing season; or</p> <p>(c) (i) plants showing symptoms of <i>Phytophthora ramorum</i> (EU isolates) at the site of production and all plants within a 2 m radius of the symptomatic material, have been rogued out and destroyed, including adhering soil;</p> <p>and</p> <p>(ii) for all host plants located within a 10 m radius of symptomatic plants and for any remaining plants from the affected lot:</p> <ul style="list-style-type: none"> — within three months following the detection of symptomatic plants, no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on those plants in at least two inspections at appropriate times to detect the pest, and during that three-month period no treatments suppressing symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been carried out, and — after that three-month period: — no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on those plants at the site of production, or — a representative sample of those plants to be moved has been tested and found free from <i>Phytophthora ramorum</i> (EU isolates); <p>and</p>

▼ M9

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(iii) for all other plants at the place of production:</p> <ul style="list-style-type: none"> — no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on those plants at the site of production, or — a representative sample of those plants to be moved has been tested and found free from <i>Phytophthora ramorum</i> (EU isolates).

▼ B

<p><i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni</p>	<p>Seeds of <i>Helianthus annuus</i> L.</p>	<p>(a) the seeds originate in areas known to be free from <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni;</p> <p>or</p> <p>(b) no symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni have been observed at the seed production site in at least two inspections at appropriate times, to detect the pest during the growing season;</p> <p>or</p> <p>(c) (i) the seed production site has been subject to at least two inspections at appropriate times to detect the pest, during the growing season;</p> <p>and</p> <p>(ii) no more than 5 % of plants have shown symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni during these inspections, and all plants showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection;</p> <p>and</p> <p>(iii) at the final inspection no plants have been found showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni;</p> <p>or</p> <p>(d) (i) the seed production site has been subject to at least two inspections at appropriate times to detect the pest during the growing season;</p> <p>and</p>
---	---	---

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(ii) all plants showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni have been removed and destroyed immediately after inspection;</p> <p>and</p> <p>(iii) at the final inspection, no plants have been found showing symptoms of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni, and a representative sample from each lot has been tested and found free from <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni;</p> <p>or</p> <p>(e) the seeds have been subjected to an appropriate treatment which has been demonstrated to be effective against all known strains of <i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni.</p>
<p><i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley</p>	<p><i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. hybrids</p>	<p>(a) the plants have been produced in areas known to be free from <i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkleys;</p> <p>or</p> <p>(b) the plants have been grown in a site of production that was found free from <i>Plenodomus tracheiphilus</i> (Petri) Gruyter, Aveskamp & Verkley over the last complete growing season, by at least two visual inspection at appropriate times, during that growing season, and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately;</p> <p>or</p> <p>(c) no more than 2 % of plants in the lot showing symptoms during at least two visual inspections at appropriate times to detect the pest during the last growing season, and those symptomatic plants and any other symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately.</p>
<p><i>Puccinia horiana</i> P. Hennings</p>	<p><i>Chrysanthemum</i> L.</p>	<p>(a) the plants derive from mother plants which have been inspected at least monthly during the previous three months and no symptoms have been seen at the site of production;</p> <p>or</p> <p>(b) mother plants showing symptoms have been removed and destroyed, along with plants within a 1m radius, and an appropriate physical or chemical treatment has been applied to the plants which have been inspected before movement and found free from symptoms.</p>



Insects and mites		
RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Aculops fuchsiae</i> Keifer	Plants for planting other than seed <i>Fuchsia</i> L.	<p>(a) the plants have been produced in areas known to be free from <i>Aculops fuchsiae</i> Keifer;</p> <p>or</p> <p>(b) no symptoms have been seen on the plants, or the mother plants from which they derive, during visual inspections at the site of production during the previous growing season, at the most appropriate time to detect the pest;</p> <p>or</p> <p>(c) appropriate chemical or physical treatment has been applied before movement, following which the plants have been inspected and no symptoms of the pest have been found.</p>
<i>Opogona sacchari</i> Bojer	<i>Beaucarnea</i> Lem., <i>Bougainvillea</i> Comm. ex Juss., <i>Crassula</i> L., <i>Crinum</i> L., <i>Dracaena</i> Vand. ex L., <i>Ficus</i> L., <i>Musa</i> L., <i>Pachira</i> Aubl., <i>Palmae</i> , <i>Sansevieria</i> Thunb., <i>Yucca</i> L.	<p>(a) the plants have been produced in areas known to be free from <i>Opogona sacchari</i> Bojer;</p> <p>or</p> <p>(b) the plants have been grown at a production site at which no symptoms or signs of <i>Opogona sacchari</i> Bojer have been observed in visual inspections carried out at least every three months during a period of at least six months prior to movement;</p> <p>or</p> <p>(c) a regime is applied on the site of production aimed at monitoring and suppressing the population of <i>Opogona sacchari</i> Bojer and at removing infested plants and each lot has been visually inspected, at the most appropriate time to detect the pest, before movement and found free from symptoms of <i>Opogona sacchari</i> Bojer.</p>
<i>Rhynchophorus ferrugineus</i> (Olivier)	Plants for planting of <i>Palmae</i> , other than fruit and seeds, having a diameter of the stem at the base of over 5 cm, and belonging to the following genera and species: <i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr., <i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H.Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota cumingii</i> Lodd. ex Mart., <i>Caryota maxima</i> Blume, <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., <i>Copernicia</i> Mart., <i>Corypha utan</i> Lam., <i>Elaeis guineensis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubaea chilensis</i> (Molina) Baill., <i>Livistona australis</i> C. Martius, <i>Livistona decora</i> (W. Bull) Dowe, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon sagu</i> Rottb., <i>Phoenix canariensis</i> Chabaud, <i>Phoenix dactylifera</i> L., <i>Phoenix reclinata</i>	<p>► M9 (a) the plants have been grown for their entire life in an area which has been established as free from <i>Rhynchophorus ferrugineus</i> (Olivier) by the responsible official body in accordance with the relevant International Standards for Phytosanitary Measures; or</p> <p>(b) the plants have been grown in the two years prior to their movement in a site within the Union with physical isolation against the introduction of <i>Rhynchophorus ferrugineus</i> (Olivier), or in a site within the Union where the appropriate preventive treatments have been applied, with respect to that pest; and</p>

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
	Jacq., <i>Phoenix roebelenii</i> O'Brien, <i>Phoenix sylvestris</i> (L.) Roxb., <i>Phoenix theophrasti</i> Greuter, <i>Pritchardia</i> Seem. & H. Wendl., <i>Ravenea rivularis</i> Jum. & H. Perrier, <i>Roystonea regia</i> (Kunth) O.F. Cook, <i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult.f., <i>Syagrus romanzoffiana</i> (Cham.) Glassman, <i>Trachycarpus fortunei</i> (Hook.) H. Wendl., <i>Washingtonia</i> H. Wendl.	(c) the plants have been subject to visual inspections carried out at least once every four months, confirming freedom of that material from <i>Rhynchophorus ferrugineus</i> (Olivier). ◀

Nematodes

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev	<i>Allium</i> sp. L.	(a) the plants or seed-producing plants have been inspected and no symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been observed on the lot since the beginning of the last complete cycle of vegetation; or (b) the bulbs have been found free from symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev, on the basis of visual inspections carried out at the most appropriate time to detect the pest, and packed for sale to the final consumer.
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev	Plants for planting other than seed <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> Weston, <i>Galanthus</i> L., <i>Hyacinthus</i> Tourn. ex L., <i>Hymenocallis</i> Salisb., <i>Muscari</i> Mill., <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Sternbergia</i> Waldst. & Kit., <i>Scilla</i> L., <i>Tulipa</i> L.	(a) the plants have been inspected and no symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been observed on the lot since the beginning of the last complete cycle of vegetation; or (b) the bulbs have been found free from symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev, on the basis of visual inspections carried out at the most appropriate time to detect the pest, and packed for sale to the final consumer.

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Candidatus Phytoplasma mali</i> Seemüller & Schneider	Plants for planting other than seeds <i>Malus</i> Mill.	(a) the plants derive from mother plants which have been visually inspected, and found free from symptoms of <i>Candidatus Phytoplasma mali</i> Seemüller & Schneider; and (b) (i) the plants have been produced in areas known to be free from <i>Candidatus Phytoplasma mali</i> Seemüller & Schneider; or

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(ii) the plants have grown in a site of production found free from <i>Candidatus Phytoplasma mali</i> Seemüller & Schneider over the last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity rogued out and destroyed immediately;</p> <p>or</p> <p>(iii) no more than 2 % of plants in the site of production have shown symptoms during visual inspections at appropriate times during the last growing season, and those plants and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately, and a representative sample of the remaining asymptomatic plants in the lots in which symptomatic plants were found has been tested, and found free from <i>Candidatus Phytoplasma mali</i> Seemüller & Schneider.</p>
<p><i>Candidatus Phytoplasma prunorum</i> Seemüller & Schneider</p>	<p>Plants for planting other than seeds <i>Prunus</i> L.</p>	<p>(a) the plants derive from mother plants which have been visually inspected, and found free from symptoms of <i>Candidatus Phytoplasma prunorum</i> Seemüller & Schneider.</p> <p>and</p> <p>(b) (i) plants have been produced in areas known to be free from <i>Candidatus Phytoplasma prunorum</i> Seemüller & Schneider;</p> <p>or</p> <p>(ii) the plants have grown in a site of production found free from <i>Candidatus Phytoplasma prunorum</i> Seemüller & Schneider over the last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately;</p> <p>or</p> <p>(iii) no more than 1 % of plants in the site of production have shown symptoms during inspections at appropriate times during the last growing season, and those symptomatic plants and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately, and a representative sample of the remaining asymptomatic plants in the lots in which symptomatic plants were found has been tested, and found free from <i>Candidatus Phytoplasma prunorum</i> Seemüller & Schneider.</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Candidatus</i> Phytoplasma <i>pyri</i> Seemüller & Schneider</p>	<p>Plants for planting other than seeds <i>Pyrus</i> L.</p>	<p>► M9 (a) the plants derive from mother plants which have been visually inspected, and found free from symptoms of <i>Candidatus</i> Phytoplasma <i>pyri</i> Seemüller & Schneider; and</p> <p>(b) (i) the plants have been produced in areas established by the competent authority as being free from <i>Candidatus</i> Phytoplasma <i>pyri</i> Seemüller & Schneider in accordance with the relevant International Standards for Phytosanitary Measures; or</p> <p>(ii) the plants have been grown in a site of production found free from the pest over the last complete growing season by visual inspection, and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately;</p> <p>or</p> <p>(c) the plants in the site of production and any plants in the immediate vicinity, which have shown symptoms of <i>Candidatus</i> Phytoplasma <i>pyri</i> Seemüller & Schneider during visual inspections at appropriate times during the last three growing seasons, have been rogued out and destroyed immediately. ◀</p>
<p><i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i></p>	<p>Plants for planting other than seed <i>Lavandula</i> L.</p>	<p>(a) the plants have grown in a site of production known to be free from <i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of <i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> have been seen during visual inspections, of the lot in the last complete cycle of vegetation;</p> <p>or</p> <p>(c) plants showing symptoms of <i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> have been rogued out and destroyed, and the lot has been tested, on the basis of a representative sample of remaining plants and found free from the pest.</p>
<p>Chrysanthemum stunt viroid</p>	<p>Plants for planting other than seeds <i>Argyranthemum</i> Webb ex Sch.Bip., <i>Chrysanthemum</i> L.</p>	<p>The plants derive within three generations of propagation from stock which has been found, to be free from Chrysanthemum stunt viroid by testing.</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Citrus exocortis</i> viroid	Plants for planting other than seeds <i>Citrus</i> L.	(a) the plants derive from mother plants which have been visually inspected and found free from <i>Citrus exocortis</i> viroid; and (b) the plants have grown in a site of production that has been found free from the pest over the last complete growing season by visual inspection of the plants, at the appropriate time to detect the pest.
<i>Citrus tristeza</i> virus (EU isolates)	Plants for planting other than seeds <i>Citrus</i> L., <i>Citrus</i> L. hybrids, <i>Fortunella</i> Swingle, <i>Fortunella</i> Swingle hybrids, <i>Poncirus</i> Raf., <i>Poncirus</i> Raf. Hybrids	(a) the plants derive from mother plants which have been tested, within the previous three years and found free from <i>Citrus tristeza</i> virus; and (b) (i) the plants have been produced in areas known to be free from <i>Citrus tristeza</i> virus; or (ii) the plants have grown in a site of production found free from <i>Citrus tristeza</i> virus over the last complete growing season by testing of a representative sample of the plants at the appropriate time to detect the pest; or (iii) the plants have grown in a site of production under physical protection from vectors, and found free from <i>Citrus tristeza</i> virus over the last complete growing season by testing at random of the plants, carried out at the most appropriate time to detect the pest; or (iv) in the cases where there is a positive test result for the presence of <i>Citrus tristeza</i> virus in a lot, all plants have been tested individually and no more than 2 % of those plants were found positive, and the plants tested and found infected by the pest have been rogued out and destroyed immediately.

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Impatiens</i> necrotic spot tospovirus	Plants for planting other than seeds <i>Begonia x hiemalis</i> , Fotsch, <i>Impatiens</i> L. New Guinea Hybrids	(a) the plants have grown in a site of production that has been subjected to a monitoring of relevant thrips vectors (<i>Frankliniella occidentalis</i> Pergande) and, upon their detection, to appropriate treatments to ensure effective suppression of their populations; and (b) (i) no symptoms of <i>Impatiens</i> necrotic spot tospovirus have been observed on plants at the site of production during the current growing period; or (ii) any plants at the production site showing symptoms of <i>Impatiens</i> necrotic spot tospovirus during the current growing period have been rogued out and a representative sample of the plants to be moved has been tested and found free from <i>Impatiens</i> necrotic spot tospovirus.
Potato spindle tuber viroid	<i>Capsicum annuum</i> L.	(a) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation; or (b) the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample and using appropriate methods, and have been found, in these tests, free from that pest.
Plum pox virus	Plants of the following species of <i>Prunus</i> L., intended for planting, other than seeds: <i>Prunus armeniaca</i> L., <i>Prunus blireiana</i> Andre, <i>Prunus brigantina</i> Vill.,— <i>Prunus cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen,— <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> ssp. <i>domestica</i> L., <i>Prunus domestica</i> ssp. <i>insititia</i> (L.) K. Schneid, <i>Prunus domestica</i> ssp. <i>italica</i> (Borkh.) Hegi., <i>Prunus dulcis</i> (Mill.) D. A. Webb, <i>Prunus glandulosa</i> Thunb., <i>Prunus holosericea</i> Batal., <i>Prunus hortulana</i> Bailey, <i>Prunus japonica</i> Thunb., <i>Prunus mandshurica</i> (Maxim.) Koehne, <i>Prunus maritima</i> Marsh., <i>Prunus mume</i> Sieb. and Zucc., <i>Prunus nigra</i> Ait., <i>Prunus persica</i> (L.) Batsch, <i>Prunus salicina</i> L., <i>Prunus sibirica</i> L., <i>Prunus simonii</i> Carr., <i>Prunus spinosa</i> L., <i>Prunus tomentosa</i> Thunb., <i>Prunus triloba</i> Lindl., <i>Prunus</i> L. susceptible to Plum pox virus Fotsch	(a) vegetatively propagated rootstocks of <i>Prunus</i> derived from motherplants which have been sampled and tested within the previous 5 years and found free from Plum pox virus; and (b) (i) the propagating material has been produced in areas known to be free from Plum pox virus; or (ii) no symptoms of Plum pox virus have been observed on propagating material in the production site over the last complete growing season in the most appropriate period of the year taking into account the climatic conditions and the growing conditions of the plant and the biology of Plum pox virus, and any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed; or

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(iii) symptoms of Plum pox virus have been observed on no more than 1 % of plants in the production site over the last complete growing season in the most appropriate period of the year taking into account the climatic conditions and the growing conditions of the plant and the biology of Plum pox virus, and any symptomatic plants in the immediate vicinity have been rogued out and immediately destroyed, and a representative sample of the remaining asymptomatic plants in the lots in which symptomatic plants were found has been tested and found free from the pest. A representative portion of plants not showing any symptoms of Plum pox virus upon visual inspection may be sampled and tested on the basis of an assessment of the risk of infection of those plants concerning the presence of that pest.</p>
Tomato spotted wilt tospovirus virus	<p>Plants for planting other than seeds</p> <p><i>Begonia x hiemalis</i> Fotsch, <i>Capsicum annuum</i> L., <i>Chrysanthemum</i> L., <i>Gerbera</i> L., <i>Impatiens</i> L. New Guinea Hybrids, <i>Pelargonium</i> L.</p>	<p>(a) the plants have grown in a site of production that has been subjected to a monitoring of relevant thrips vectors (<i>Frankliniella occidentalis</i> and <i>Thrips tabaci</i>) and, upon their detection, to appropriate treatments to ensure effective suppression of their populations;</p> <p>and</p> <p>(b) no symptoms of Tomato spotted wilt tospovirus have been observed on plants at the site of production during the current growing period; or</p> <p>(c) any plants at the production site showing symptoms of Tomato spotted wilt tospovirus during the current growing period have been rogued out and a representative sample of the plants to be moved has been tested and found free from Tomato spotted wilt tospovirus.</p>

▼ **M9**

PART D

Measures to prevent the presence of RNQPs on forest reproductive material, other than seeds

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements, concerning the respective RNQPs and plants for planting, provided for in the third column of the following table, are fulfilled.

Fungi and oomycetes		
RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Cryphonectria parasitica</i> (Murrill) Barr	Plants for planting, other than seeds <i>Castanea sativa</i> Mill.	<ul style="list-style-type: none"> (a) forest reproductive material originates in areas established by the competent authority, as being free from <i>Cryphonectria parasitica</i> (Murrill) Barr in accordance with the relevant International Standards for Phytosanitary Measures; or (b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the site of production over the last complete growing season; or (c) forest reproductive material showing symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr has been rogued out, the remaining material has been inspected at weekly intervals and no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the site of production for at least three weeks before movement of that material.
<i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet <i>Lecanosticta acicola</i> (von Thümen) Sydow	Plants for planting, other than seeds <i>Pinus</i> L.	<ul style="list-style-type: none"> (a) forest reproductive material originates in areas established by the competent authority, as being free from <i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet and <i>Lecanosticta acicola</i> (von Thümen) Sydow in accordance with the relevant International Standards for Phytosanitary Measures; or (b) no symptoms of needle blight, caused by <i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet or <i>Lecanosticta acicola</i> (von Thümen) Sydow, have been observed at the site of production or its immediate vicinity over the last complete growing season; or (c) appropriate treatments have been carried out in the site of production against needle blight, caused by <i>Dothistroma pini</i> Hulbary, <i>Dothistroma septosporum</i> (Dorogin) Morelet or <i>Lecanosticta acicola</i> (von Thümen) Sydow, and the forest reproductive material has been visually inspected before movement and found free from symptoms of needle blight.

▼ M9

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Phytophthora ramorum</i> (EU isolates) Werres, De Cock & Man in 't Veld</p>	<p>Plants for planting, other than pollen and seeds</p> <p><i>Castanea sativa</i> Mill., <i>Fraxinus excelsior</i> L., <i>Larix decidua</i> Mill., <i>Larix kaempferi</i> (Lamb.) Carrière, <i>Larix</i> × <i>eurolepis</i> A. Henry, <i>Pseudotsuga menziesii</i> (Mirb.) Franco, <i>Quercus cerris</i> L., <i>Quercus ilex</i> L., <i>Quercus rubra</i> L.</p>	<p>(a) forest reproductive material originates in areas established by the competent authority, as being free from <i>Phytophthora ramorum</i> (EU isolates) in accordance with the relevant International Standards for Phytosanitary Measures; or</p> <p>(b) no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on forest reproductive material at the site of production over the last complete growing season; or</p> <p>(c) (i) forest reproductive material showing symptoms of <i>Phytophthora ramorum</i> (EU isolates) at the site of production and all forest reproductive material with adherent soil within a 2 m radius of the symptomatic material, has been rogued out and destroyed, including adhering soil;</p> <p>and</p> <p>(ii) for all forest reproductive material located within a 10 m radius of symptomatic plants and for any remaining forest reproductive material from the affected lot:</p> <ul style="list-style-type: none"> — within three months following the detection of symptomatic forest reproductive material, no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on that forest reproductive material in at least two inspections at appropriate times to detect the pest and during that three-month period no treatments suppressing symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been carried out, and — after that three-month period: <ul style="list-style-type: none"> — no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on that forest reproductive material at the site of production, or — a representative sample of that forest reproductive material to be moved has been tested and found free from <i>Phytophthora ramorum</i> (EU isolates); <p>and</p>

▼ **M9**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(iii) for all other forest reproductive material at the place of production:</p> <ul style="list-style-type: none"> — no symptoms of <i>Phytophthora ramorum</i> (EU isolates) have been observed on that forest reproductive material at the site of production, or — a representative sample of that forest reproductive material to be moved has been tested and found free from <i>Phytophthora ramorum</i> (EU isolates).

▼ **B**

PART E

Measures to prevent the presence of the RNQPs on vegetable seed

The following measures shall be taken concerning the respective RNQPs and plants for planting: the competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements, concerning the respective RNQPs and plants for planting, provided for in the third column of the following table, are fulfilled.

Bacteria

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i>	<i>Solanum lycopersicum</i> L.	<p>(a) the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method;</p> <p>and</p> <p>(b) (i) the seeds originate in areas known to be free from <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i>;</p> <p>or</p> <p>(ii) no symptoms of disease caused by <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> have been observed in visual inspections at appropriate times to detect the pest during their complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(iii) the seeds have been subjected to official testing for <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i> on a representative sample and using appropriate methods, and have been found, in those tests, to be free from the pest.</p>

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i></p>	<p><i>Phaseolus vulgaris</i> L.</p>	<p>(a) the seeds originate in areas known to be free from <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i>;</p> <p>or</p> <p>(b) the crop from which the seed was harvested was visually inspected at appropriate times during the growing season and found free from <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i>;</p> <p>or</p> <p>(c) a representative sample of the seeds has been tested and found free from <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> (Smith) Vauterin <i>et al.</i> in those tests.</p>
<p><i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i></p>	<p><i>Phaseolus vulgaris</i> L.</p>	<p>(a) the seeds originate in areas known to be free from <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i>;</p> <p>or</p> <p>(b) the crop from which the seed was harvested was visually inspected at appropriate times during the growing season and found free from <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i>;</p> <p>or</p> <p>(c) a representative sample of the seeds has been tested and found free from <i>Xanthomonas fuscans</i> subsp. <i>fuscans</i> Schaad <i>et al.</i> in those tests.</p>
<p><i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i></p>	<p><i>Capsicum annuum</i> L.</p>	<p>(a) the seeds originate in areas known to be free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> have been observed in visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in those tests, free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i></p>

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>	<i>Solanum lycopersicum</i> L.	<p>(a) the seeds are obtained by an appropriate acid extraction; and</p> <p>(b) the seeds originate in areas known to be free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>;</p> <p>or</p> <p>(c) (i) no symptoms of disease caused by <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> have been observed in visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(ii) the seeds have been subjected to official testing for <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in those tests, free from <i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i></p>
<i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i>	<i>Capsicum annuum</i> L.	<p>(a) the seeds originate in areas known to be free from <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> have been observed in visual inspections at appropriate times to detect the pest during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in those tests, free from <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i></p>
<i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i>	<i>Solanum lycopersicum</i> L.	<p>(a) the seeds are obtained by an appropriate acid extraction; and</p> <p>(b) the seeds originate in areas known to be free from <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i>;</p> <p>or</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(c) (i) no symptoms of disease caused by <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(ii) the seeds have been subjected to official testing for <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in these tests, free from <i>Xanthomonas gardneri</i> (ex Šutič) Jones <i>et al.</i></p>
<i>Xanthomonas perforans</i> Jones <i>et al.</i>	<i>Capsicum annuum</i> L	<p>(a) the seeds originate in areas known to be free from <i>Xanthomonas perforans</i> Jones <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas perforans</i> Jones <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas perforans</i> Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in those tests, free from <i>Xanthomonas perforans</i> Jones <i>et al.</i></p>
<i>Xanthomonas perforans</i> Jones <i>et al.</i>	<i>Solanum lycopersicum</i> L.	<p>(a) the seeds are obtained by an appropriate acid extraction; and</p> <p>(b) the seeds originate in areas known to be free from <i>Xanthomonas perforans</i> Jones <i>et al.</i>;</p> <p>or</p> <p>(c) (i) no symptoms of disease caused by <i>Xanthomonas perforans</i> Jones <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(ii) the seeds have been subjected to official testing for <i>Xanthomonas perforans</i> Jones <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in these tests, free from <i>Xanthomonas perforans</i> Jones <i>et al.</i></p>

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>	<i>Capsicum annuum</i> L	<p>(a) the seeds originate in areas known to be free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>;</p> <p>or</p> <p>(b) no symptoms of disease caused by <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(c) the seeds have been subjected to official testing for <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in those tests, free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i></p>
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>	<i>Solanum lycopersicum</i> L.	<p>(a) the seeds are obtained by an appropriate acid extraction; and</p> <p>(b) the seeds originate in areas known to be free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>;</p> <p>or</p> <p>(c) (i) no symptoms of disease caused by <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> have been observed in visual inspections at appropriate times during the complete cycle of vegetation of the plants at the site of production;</p> <p>or</p> <p>(ii) the seeds have been subjected to official testing for <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i> on a representative sample and using appropriate methods, whether or not following an appropriate treatment, and have been found, in those tests, free from <i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i></p>

Insects and mites

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
<i>Acanthoscelides obtectus</i> (Say)	<i>Phaseolus coccineus</i> L., <i>Phaseolus vulgaris</i> L.	<p>(a) a representative sample of the seed has been subject to visual inspection at the most appropriate time to detect the pest, which may follow an appropriate treatment, and</p> <p>(b) the seed has been found free from <i>Acanthoscelides obtectus</i> (Say).</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
▼ M9 <i>Bruchus</i> (Linnaeus) <i>pisorum</i>	<i>Pisum sativum</i> L.	(a) a representative sample of the seeds has been subjected to visual inspection at the most appropriate time to detect the pest, which may follow an appropriate treatment; and (b) the seed has been found free from <i>Bruchus pisorum</i> (Linnaeus).
<i>Bruchus</i> Boheman <i>rufimanus</i>	<i>Vicia faba</i> L.	(a) a representative sample of the seeds has been subjected to visual inspection at the most appropriate time to detect the pest, which may follow an appropriate treatment; and (b) the seed has been found free from <i>Bruchus rufimanus</i> Boheman.

▼ B**Nematodes**

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
<i>Ditylenchus</i> (Kuehn) Filipjev <i>dipsaci</i>	<i>Allium cepa</i> L., <i>Allium porrum</i> L.	(a) the crop has been visually inspected at least once at an appropriate time to detect the pest since the beginning of the last complete cycle of vegetation and no symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been observed; or (b) the harvested seeds have been found to be free of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev after laboratory tests on a representative sample; or (c) the planting material has been subjected to an appropriate chemical or physical treatment against <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev and the seeds have been found to be free of this pest after laboratory tests on a representative sample.

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
Pepino mosaic virus	<i>Solanum lycopersicum</i> L.	(a) the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method, and: (b) (i) the seeds originate in areas where Pepino mosaic virus is known not to occur; or

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
		<p>(ii) no symptoms of diseases caused by Pepino mosaic virus have been observed on the plants at the place of production during their complete cycle of vegetation; or</p> <p>(iii) the seeds have been subjected to official testing for Pepino mosaic virus, on a representative sample and using appropriate methods, and have been found, in those tests, free from the pest.</p>
Potato spindle tuber viroid	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	<p>(a) (i) the seeds originate in areas where Potato spindle tuber viroid is not known to occur; or</p> <p>(ii) no symptoms of diseases caused Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation; or</p> <p>(iii) the seeds have been subjected to official testing for Potato spindle tuber viroid, on a representative sample and using appropriate methods, and have been found, in those tests, free from the pest.</p>

PART F

Measures to prevent the presence of the RNQPs on seed potatoes

The competent authority or, if so required, the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements concerning the respective RNQPs and plants for planting, provided for in the following table, are fulfilled.

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
Blackleg (<i>Dickeya</i> Samson <i>et al.</i> spp.; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp.)	<i>Solanum tuberosum</i> L.	<p>(a) In the case of pre-basic seed potatoes:</p> <p>official inspections show that they derive from mother plants which are free from <i>Dickeya</i> Samson <i>et al.</i> spp. and <i>Pectobacterium</i> Waldee emend. Hauben <i>et al.</i> spp.</p> <p>(b) In the case of all categories:</p> <p>the growing plants have been subjected to official field inspection by competent authorities.</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<p><i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefiting <i>et al.</i></p>	<p><i>Solanum tuberosum</i> L.</p>	<p>(a) In the case of pre-basic seed potatoes:</p> <p>official inspections show that they derive from mother plants which are free from <i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefiting <i>et al.</i>.</p> <p>(b) In the case of all categories:</p> <p>(i) plants have been produced in areas known to be free from <i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefiting <i>et al.</i>, taking into account the possible presence of the vectors;</p> <p>or</p> <p>(ii) no symptoms of <i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefiting <i>et al.</i> have been seen during official inspections by competent authorities of growing plants at the site of production since the start of the last complete cycle of vegetation.</p>
<p><i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i></p>	<p><i>Solanum tuberosum</i> L.</p>	<p>(a) In the case of pre-basic seed potatoes:</p> <p>official inspections show that they derive from mother plants which are free from <i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i></p> <p>(b) In the case of all categories:</p> <p>(i) no symptoms of <i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> have been seen at the place of production during official inspection since the start of the last complete cycle of vegetation;</p> <p>or</p> <p>(ii) any plants at the site of production showing symptoms have been rogued out, with their progeny tubers, and destroyed, for any stocks in which symptoms have been seen in the growing crop, official post harvest tuber testing has been carried out, for each lot, to confirm the absence of <i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i></p>
<p>Mosaic symptoms caused by viruses and:</p> <p>symptoms caused by:</p> <p>— Potato leaf roll virus</p>	<p><i>Solanum tuberosum</i> L.</p>	<p>(a) In the case of pre-basic seed potatoes:</p> <p>they derive from mother plants which are free from Potato virus A, Potato virus M, Potato virus S, Potato virus X, Potato virus Y and Potato leaf roll virus.</p> <p>Where methods of micro-propagation are used, compliance with this point shall be established by official testing, or testing under official supervision, of the mother plant.</p> <p>Where methods of clonal selection are used, compliance with this point shall be established by official testing, or testing under official supervision, of the clonal stock.</p> <p>(b) In the case of all categories, the growing plants have been subjected to official inspection by the competent authorities.</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
Potato spindle tuber viroid	<i>Solanum tuberosum</i> L.	<p>(a) In the case of clonal stock:</p> <p>Official testing, or testing under official supervision, has shown that they derive from mother plants which are free from Potato spindle tuber viroid.</p> <p>(b) In the case of pre-basic and basic seed potatoes:</p> <p>no symptoms of Potato spindle tuber viroid have been found.</p> <p>or</p> <p>for each lot, official post-harvest testing of tubers have been performed and those tubers have been found free from Potato spindle tuber viroid.</p> <p>(c) In the case of certified seed potatoes, official visual inspection has shown that they are free from the pest, and testing is carried out if any symptoms of the pest are seen.</p>

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
Symptoms of virus infection	<i>Solanum tuberosum</i> L.	During official inspection of the direct progeny, the number of symptomatic plants shall not exceed the percentage indicated in Annex IV.

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefting <i>et al.</i>	<i>Solanum tuberosum</i> L.	The competent authority has subjected the lots to official inspection and confirms that they comply with the respective provisions of Annex IV, unless the lot has been produced from plants complying with point (b)(i) of the third column of the second row of the first table in Part F of Annex V.

▼ B

<i>Ditylenchus destructor</i> Thorne	<i>Solanum tuberosum</i> L.	The competent authority has subjected the lots to official inspection and confirms that they comply with the respective provisions of Annex IV.
Black scurf affecting tubers over more than 10 % of their surface as caused by <i>Thanatephorus cucumeris</i> (A.B. Frank) Donk	<i>Solanum tuberosum</i> L.	The competent authority has subjected the lots to official inspection and confirms that they comply with the respective provisions of Annex IV.
Powdery scab affecting tubers over more than 10 % of their surface as caused by <i>Spongospora subterranea</i> (Wallr.) Lagerh.	<i>Solanum tuberosum</i> L.	The competent authority has subjected the lots to official inspection and confirms that they comply with the respective provisions of Annex IV.

▼B

In addition, the competent authorities shall carry out official inspections to ensure that the presence of RNQPs on the growing plants shall not exceed the thresholds set out in the following table:

RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Threshold for the growing plants for pre-basic seed potatoes		Threshold for the growing plants for basic seed potatoes	Threshold for the growing plants for certified seed potatoes
		PBTC	PB		
Blackleg (<i>Dickeya</i> Samson <i>et al. spp.</i> [1DICKG]; <i>Pectobacterium</i> Waldee emend. Hauben <i>et al. spp.</i> [1PECBG])	<i>Solanum tuberosum</i> L.	0 %	0 %	1,0 %	4,0 %
<i>Candidatus</i> Liberibacter <i>solanacearum</i> Liefing <i>et al.</i> [LIBEPS]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %
<i>Candidatus</i> Phytoplasma <i>solani</i> Quaglino <i>et al.</i> [PHYPSO]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %
Mosaic symptoms caused by viruses and symptoms caused by leaf roll virus [PLRV00]	<i>Solanum tuberosum</i> L.	0 %	0,1 %	0,8 %	6,0 %
Potato spindle tuber viroid [PSTVD0]	<i>Solanum tuberosum</i> L.	0 %	0 %	0 %	0 %

PART G

Measures to prevent the presence of RNQPs on seed of oil and fibre plants**1. Inspection of the crop**

- (1) The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out field inspections on the crop from which the seed of oil and fibre plants is produced to ensure that the presence of the RNQPs does not exceed the thresholds set out in the following table:

Fungi and oomycetes				
RNQPs or symptoms caused by RNQPs	Plants for planting (genus or species)	Thresholds for the production of pre-basic seed	Thresholds for the production of basic seed	Thresholds for the production of certified seed
<i>Plasmopara halstedii</i> (Farlow) Berlese & de Toni [PLASHA]	<i>Helianthus annuus</i> L.	0 %	0 %	0 %

The competent authority may authorise inspectors, other than the professional operators, to carry out the field inspections on its behalf and under its official supervision.

▼B

- (2) Those field inspections shall be carried out when the condition and the stage of development of the crop allow for an adequate inspection.

There shall be at least one field inspection per year, at the most appropriate time for the detection of the respective RNQPs.

- (3) The competent authority shall determine the size, the number and the distribution of the portions of the field to be inspected in accordance with appropriate methods.

The proportion of the crops for the production of seed to be officially inspected by the competent authority shall be at least 5 %.

2. Sampling and testing of seed of oil and fibre plants

- (1) The competent authority shall:

- (a) officially draw seed samples from lots of seed of oil and fibre plants;
- (b) authorise seed samplers to carry out sampling, on its behalf and under its official supervision;
- (c) compare the seed samples drawn by itself with those of the same seed lot drawn by the seed samplers under official supervision;
- (d) supervise the performance of the seed samplers as provided for in point (b).

- (2) The competent authority or the professional operator under the official supervision shall sample and test the seed of oil and fibre plants in accordance with up to date international methods.

Except for automatic sampling, the competent authority shall check-sample a proportion of at least 5 % of the seed lots entered for certification. That proportion shall be as evenly spread as possible over natural and legal persons entering seed for certification, and the species entered, but may also be aimed at eliminating specific doubts.

- (3) For automatic sampling, appropriate procedures shall be applied and it shall be officially supervised.
- (4) For the examination of seed for certification and the examination of commercial seed, samples shall be drawn from homogeneous lots. As regards the lot and sample weights, the table of Annex III to Directive 2002/57/EC shall apply.

3. Additional measures for seed of oil and fibre plants

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out the following additional inspections and take any other actions to ensure that the requirements, concerning the respective RNQPs and plants for planting, are fulfilled:

- (1) Measures on seed of *Helianthus annuus* L. to prevent the presence of *Plasmopora halstedii*

- (a) the seeds of *Helianthus annuus* L. originate in areas known to be free from *Plasmopara halstedii*;

or

- (b) no symptoms of *Plasmopara halstedii* have been observed at the production site in at least two inspections at appropriate times during the growing season;

or

▼B

- (c) (i) the production site has been subject to at least two field inspections at appropriate times to detect the pest during the growing season; and
 - (ii) no more than 5 % of plants have shown symptoms of *Plasmopara halstedii* during field inspection, all plants showing symptoms of *Plasmopara halstedii* have been removed and destroyed immediately after inspection; and
 - (iii) at the final inspection no plants have been found showing symptoms of *Plasmopara halstedii*;
 or
 - (d) (i) the production site has been subject to at least two field inspections at appropriate times during the growing season; and
 - (ii) all plants showing symptoms of *Plasmopara halstedii* have been removed and destroyed immediately after inspection; and
 - (iii) at the final inspection, no plants have been found showing symptoms of *Plasmopara halstedii*, and a representative sample from each lot has been tested and found free from *Plasmopara halstedii* or (e) the seeds have been subjected to an appropriate treatment which has been demonstrated to be effective against all known strains of *Plasmopara halstedii* (Farlow) Berlese & de Toni.
- (2) Measures on seeds of *Helianthus annuus* L. and *Linum usitatissimum* L. to prevent the presence of *Botrytis cinerea*
- (a) seed treatment authorised for use against *Botrytis cinerea* has been applied;
- or
- (b) the set tolerance on seed is not exceeded on the basis of laboratory test of a representative sample.
- (3) Measures on seeds of *Glycine max* (L.) Merrill to prevent the presence of *Diaporthe caulivora* (*Diaporthe phaseolorum* var. *caulivora*)
- (a) Seed treatment authorised for use against *Diaporthe caulivora* (*Diaporthe phaseolorum* var. *caulivora*) has been applied;
- or
- (b) the set tolerance on seed is not exceeded on the basis of laboratory test of a representative sample.
- (4) Measures on seeds of *Glycine max* (L.) Merrill to prevent the presence of *Diaporthe* var. *sojae*
- (a) seed treatment authorised for use against *Diaporthe* var. *sojae* has been applied;
- or
- (b) the set tolerance on seed is not exceeded on the basis of laboratory test of a representative sample.
- (5) Measures on seeds of *Linum usitatissimum* L. to prevent the presence of *Alternaria linicola*
- (a) seed treatment authorised for use against *Alternaria linicola* has been applied;
- or
- (b) the set tolerance on seed is not exceeded on the basis of laboratory test of a representative sample.

▼ B

- (6) Measures on seeds of *Linum usitatissimum* L. to prevent the presence of *Boeremia exigua* var. *linicola*
- (a) seed treatment authorised for use against *Boeremia exigua* var. *linicola* has been applied;
- or
- (b) the set tolerance on seed is not exceeded on the basis of a laboratory test of a representative sample.
- (7) Measures on seeds of *Linum usitatissimum* L. to prevent the presence of *Colletotrichum lini*
- (a) seed treatment authorised for use against *Colletotrichum lini* has been applied;
- or
- (b) the set tolerance on seed is not exceeded on the basis of a laboratory test of a representative sample.
- (8) Measures on seeds of *Linum usitatissimum* L. to prevent the presence of *Fusarium* (anamorphic genus), other than *Fusarium oxysporum* f. sp. *albedinis* (Kill. & Maire) W.L. Gordon and *Fusarium circinatum* Nirenberg & O'Donnell.
- (a) seed treatment authorised for use against *Fusarium* (anamorphic genus), other than *Fusarium oxysporum* f. sp. *albedinis* (Kill. & Maire) W.L. Gordon and *Fusarium circinatum* Nirenberg & O'Donnell, has been applied;
- or
- (b) the set tolerance on seed is not exceeded based on laboratory test of a representative sample.

PART H

Measures to prevent the presence of RNQPs on vegetable propagating and planting material, other than seeds**Visual inspection**

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that:

- (a) the plants shall at least appear, on visual inspection, to be practically free from pests listed in the table in this point, in respect of the genus or species concerned.
- (b) any plants showing visible signs or symptoms of the pests listed in the tables in this point, at the stage of the growing crop, have been treated properly immediately upon their appearance or, where appropriate, have been eliminated.
- (c) in the case of bulbs of shallots and garlic, the plants derive directly from material which, at the stage of the growing crop, has been checked and found to be practically free from any pest listed in the tables in this point.

In addition, the competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements, concerning the respective RNQPs and plants for planting, provided for in the following table, are fulfilled:

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (Smith) Davis <i>et al.</i>	<i>Solanum lycopersicum</i> L.	The plants have been grown from seeds which comply with the requirements laid down in Annex V, Part E and have been maintained free from infection by appropriate hygiene measures.

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Xanthomonas euvesicatoria</i> Jones <i>et al.</i>	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	(a) seedlings have been grown from seeds that meet the requirements laid down in Part E for vegetable seeds; and (b) young plants have been maintained in appropriate hygiene conditions to prevent infection.
<i>Xanthomonas gardneri</i> (ex Šutič 1957) Jones <i>et al.</i>	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	(a) seedlings have been grown from seeds that meet the requirements laid down in Part E for vegetable seeds; and (b) young plants have been maintained in appropriate hygiene conditions to prevent infection.
<i>Xanthomonas perforans</i> Jones <i>et al.</i>	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	(a) seedlings have been grown from seeds that meet the requirements laid down in Part E for vegetable seeds; and (b) young plants have been maintained in appropriate hygiene conditions to prevent infection.
<i>Xanthomonas vesicatoria</i> (ex Doidge) Vauterin <i>et al.</i>	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	(a) seedlings have been grown from seeds that meet the requirements laid down in Part E for vegetable seeds; and (b) young plants have been maintained in appropriate hygiene conditions to prevent infection.

Fungi and oomycetes

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Fusarium</i> Link (anamorphic genus), other than <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> (Kill. & Maire) W.L. Gordon and <i>Fusarium circinatum</i> Nirenberg & O'Donnell	<i>Asparagus officinalis</i> L.	(a) (i) the crop has been visually inspected at an appropriate time for the detection of the pest during the growing season, a representative sample of the plants have been uprooted and no symptoms of <i>Fusarium</i> Link have been observed; or (ii) the crop has been visually inspected at least twice at appropriate times for the detection of the pest during the growing season and plants showing symptoms of <i>Fusarium</i> Link have been rogued out immediately with no symptoms seen at a final inspection of the growing crop; and (b) the crowns have been visually inspected before movement and no symptoms of <i>Fusarium</i> Link have been seen.
<i>Helicobasidium brebissonii</i> (Desm.) Donk	<i>Asparagus officinalis</i> L.	(a) (i) the crop has been visually inspected at an appropriate time for the detection of the pest during the growing season, a representative sample of the plants have been uprooted and no symptoms of <i>Helicobasidium brebissonii</i> (Desm.) Donk have been observed; or (ii) the crop has been visually inspected at least twice at appropriate times for the detection of the pest during the growing season and plants showing symptoms of <i>Helicobasidium brebissonii</i> (Desm.) Donk have been rogued out immediately with no symptoms seen at a final inspection of the growing crop; and (b) the crowns have been visually inspected before movement and no symptoms of <i>Helicobasidium brebissonii</i> (Desm.) Donk have been seen.

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Stromatinia cepivora</i> Berk.	<i>Allium cepa</i> L., <i>Allium fistulosum</i> L., <i>Allium porrum</i> L.	<p>(a) the plants are module-raised transplants grown in medium free from <i>Stromatinia cepivora</i> Berk.;</p> <p>or</p> <p>(b) (i) — the crop has been visually inspected at an appropriate time for the detection of the pest during the growing season and no symptoms of <i>Stromatinia cepivora</i> Berk. have been observed; or</p> <p>— the crop has been visually inspected at an appropriate time for the detection of the pest during the growing season and plants showing symptoms of <i>Stromatinia cepivora</i> Berk. have been rogued out immediately with no symptoms seen at an additional final inspection of the growing crop;</p> <p>and</p> <p>(ii) the plants have been visually inspected before movement and no symptoms of <i>Stromatinia cepivora</i> Berk. have been seen.</p>
<i>Stromatinia cepivora</i> Berk.	<i>Allium sativum</i> L.	<p>(a) (i) the crop has been visually inspected at an appropriate time for the detection of the pest during the growing season and no symptoms of <i>Stromatinia cepivora</i> Berk. have been observed; or</p> <p>(ii) the crop has been visually inspected at an appropriate time for the detection of the pest during the growing season and plants showing symptoms of <i>Stromatinia cepivora</i> Berk. have been rogued out immediately with no symptoms seen at an additional final inspection of the growing crop;</p> <p>and</p> <p>(b) the plants or sets have been visually inspected before movement and no symptoms of <i>Stromatinia cepivora</i> Berk. have been seen.</p>
<i>Verticillium dahliae</i> Kleb. [VERTDA]	<i>Cynara cardunculus</i> L.	<p>(a) mother plants derive from pathogen tested material; and</p> <p>(b) the plants have been grown in a site of production of which the cropping history is known, with no records of the occurrence of <i>Verticillium dahliae</i> Kleb.; and</p> <p>(c) plants have been visually inspected at appropriate times since the beginning of the last complete cycle of vegetation and found free from symptoms of <i>Verticillium dahliae</i> Kleb.</p>

Nematodes

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
<i>Ditylenchus dipsaci</i> (Kuehn) Filipjev	<i>Allium cepa</i> L., <i>Allium sativum</i> L.	<p>In the case of plants, other than the plants for the production of a commercial crop:</p> <p>(a) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and no symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been observed;</p> <p>or</p>

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<p>(b) (i) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and not more than 2 % of plants have shown symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev infestation, and</p> <p>(ii) the plants found to be infected by that pest have been rogued out immediately, and</p> <p>(iii) the plants have then been found to be free from that pest through laboratory tests on a representative sample;</p> <p>or</p> <p>(c) the plants have been subjected to an appropriate chemical or physical treatment against <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev and have been found to be free from that pest after laboratory tests on a representative sample.</p> <p>In the case of plants for production of a commercial crop:</p> <p>(a) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and no symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been observed;</p> <p>or</p> <p>(b) (i) the crop has been inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation;</p> <p>(ii) plants showing symptoms of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev have been rogued out immediately, and</p> <p>(iii) the plants have been found to be free from that pest after laboratory tests on a representative sample;</p> <p>or</p> <p>(c) the plants have been subject to an appropriate physical or chemical treatment and have been found to be free of <i>Ditylenchus dipsaci</i> (Kuehn) Filipjev after laboratory tests on a representative sample.</p>
Viruses, viroids, virus-like diseases and phytoplasmas		
RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
Leek yellow stripe virus	<i>Allium sativum</i> L.	<p>(a) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation and no symptoms of Leek yellow stripe virus have been seen;</p> <p>or</p>

▼ B

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		(b) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation in which not more than 10 % of the plants showed symptoms of Leek yellow stripe virus, with those plants rogued out immediately and not more than 1 % of plants showing symptoms seen in a final inspection.
Onion yellow dwarf virus	<i>Allium cepa</i> L., <i>Allium sativum</i> L.	(a) the crop has been visually inspected at least once at an appropriate time since the beginning of the last complete cycle of vegetation and no symptoms of Onion yellow dwarf virus have been seen; or (b) (i) the crop has been visually inspected at least once at an appropriate time for the detection of the pest since the beginning of the last complete cycle of vegetation in which not more than 10 % of the plants showed symptoms of Onion yellow dwarf virus; and (ii) the plants rogued found infected by that pest have been rogued out immediately; and (iii) not more than 1 % of plants show symptoms of that pest have been seen in a final inspection.
Potato spindle tuber viroid	<i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L.	(a) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation; or (b) the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample and using appropriate methods, and have been found, in these tests, free from that pest.
Tomato spotted wilt tospovirus	<i>Capsicum annuum</i> L., <i>Lactuca sativa</i> L., <i>Solanum lycopersicum</i> L., <i>Solanum melongena</i> L.	(a) the plants have grown in a site of production that has been subjected to a monitoring regime of relevant thrips vectors (<i>Frankliniella occidentalis</i> Pergande and <i>Thrips tabaci</i> Lindeman) and upon detection of those vectors appropriate treatments are carried out to ensure effective suppression of populations; and (b) (i) no symptoms of Tomato spotted wilt tospovirus have been observed on plants at the site of production during the current growing period; or (ii) any plants at the production site showing symptoms of Tomato spotted wilt tospovirus during the current growing period have been rogued out and a representative sample of the plants to be moved has been tested and found free from the pest.

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
Tomato yellow leaf curl virus	<i>Solanum lycopersicum</i> L.	(a) no symptoms of Tomato yellow leaf curl virus have been observed on the plants; or (b) no symptoms of Tomato yellow leaf curl disease have been observed on the place of production

PART I

Measures to prevent the presence of RNQPs on seed of *Solanum tuberosum* L.

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the following requirements are fulfilled concerning the presence of RNQPs on seed of *Solanum tuberosum*:

- (a) the seeds originate in areas where Potato spindle tuber viroid is not known to occur; or
- (b) no symptoms of diseases caused by Potato spindle tuber viroid have been observed on the plants at the place of production during their complete cycle of vegetation; or
- (c) the plants have been subjected to official testing for Potato spindle tuber viroid, on a representative sample and using appropriate methods, and have been found, in these tests, free from that pest.

PART J

Measures to prevent the presence of RNQPs on plants for planting of *Humulus lupulus* L., other than seeds

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements, concerning the respective RNQPs and plants for planting, provided for in the third column of the following table, are fulfilled:

► **M9** Fungi and oomycetes ◀

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
<i>Verticillium dahliae</i> Kleb. [VERTDA]	<i>Humulus lupulus</i> L.	(a) the plants for planting derive from mother plants which have been visually inspected at the most appropriate time and found free from symptoms of <i>Verticillium dahliae</i> ; and (b) (i) the plants for planting have been produced in a place of production known to be free from <i>Verticillium dahliae</i> ; or (ii) — the plants for planting have been isolated from production crops of <i>Humulus lupulus</i> ; and — the production site has been found free from <i>Verticillium dahliae</i> over the last complete growing season at appropriate times by visual inspection of the foliage at the most appropriate time; and — the cropping and soil borne disease history of fields has been recorded and there has been a rest period from host plants of at least four years between findings of <i>Verticillium dahliae</i> and the next planting.

▼ **B**

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
<i>Verticillium nonalfalfae</i> Inderbitzin, H.W. Platt, Bostock, R.M. Davis & K.V. Subbarao [VERTNO]	<i>Humulus lupulus</i> L.	<p>(a) the plants for planting derive from mother plants which have been visually inspected at the most appropriate time and found free from symptoms of <i>Verticillium nonalfalfae</i>; and</p> <p>(b) (i) the plants for planting have been produced in a place of production known to be free from <i>Verticillium nonalfalfae</i>; or</p> <p>(ii) — the plants for planting have been isolated from production crops of <i>Humulus lupulus</i>; and</p> <p>— the production site has been found free from <i>Verticillium nonalfalfae</i> over the last complete growing season at appropriate times by visual inspection of the foliage; and</p> <p>— the cropping and soil borne disease history of fields have been recorded and there has been a rest period from host plants of at least four years between findings of <i>Verticillium nonalfalfae</i> and the next planting.</p>

▼ **M9**

Viruses, viroids, virus-like diseases and phytoplasmas

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
Citrus bark cracking viroid [CBCVD0]	<i>Humulus lupulus</i> L.	<p>(a) plants have been produced in areas established by the competent authority as being free from Citrus bark cracking viroid in accordance with the relevant International Standards for Phytosanitary Measures; or</p> <p>(b) (i) the place of production has been found free from Citrus bark cracking viroid over the last two complete growing seasons by visual inspection of the plants at the most appropriate time to detect the pest and in order to prevent mechanical transmission, appropriate hygienic measures have been applied at the place of production; and</p> <p>(ii) plants for planting derive from mother plants which have been found free from Citrus bark cracking viroid, and</p> <p>— in the case of mother plants which have been maintained in a site of production with a physical protection from sources of infection with Citrus bark cracking viroid, the mother plants have been visually inspected, sampled and tested every year at the most appropriate time to detect the presence of Citrus bark cracking viroid in order to have all mother plants tested within an interval of 5 years, or</p> <p>— in the case of mother plants which have not been maintained in a site of production with a physical protection from sources of infection with Citrus bark cracking viroid, the mother plants have been found free from Citrus bark cracking viroid over the last five complete growing seasons by visual inspection at the most appropriate time to detect the pest, and</p>

▼ **M9**

RNQPs or symptoms caused by RNQPs	Plants for planting	Requirements
		<ul style="list-style-type: none"> — a representative sample of mother plants has been tested at the most appropriate time to detect the pest during the last 12 month and found free from Citrus bark cracking viroid, and — the mother plants have been isolated from <i>Humulus lupulus</i> L. grown in neighbouring places of production situated at, at least, 20 m; and <p>(iii) in the case of production of rooted plants for planting to be moved, the site of production used for rooting</p> <ul style="list-style-type: none"> — has been isolated from production crops of <i>Humulus lupulus</i> L. situated at, at least, 20 m, or — has been physically protected from sources of infection with Citrus bark cracking viroid.

PART K

Measures to prevent the presence of RNQPs on fruit propagating material and fruit plants intended for fruit production of *Actinidia* Lindl., other than seeds

The competent authority, or the professional operator under the official supervision of the competent authority, shall carry out checks and take any other actions to ensure that the requirements, concerning the respective RNQP and plants for planting, provided for in the third column of the following table, are fulfilled.

Bacteria		
RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Takikawa, Serizawa, Ichikawa, Tsuyumu & Goto [PSDMAK]	<i>Actinidia</i> Lindl.	<p>(a) propagating material and fruit plants have been produced in areas established by the competent authority, as being free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in accordance with the relevant International Standards for Phytosanitary Measures; or</p> <p>(b) propagating material and fruit plants derive from mother plants which have been visually inspected twice a year, and found free from <i>Pseudomonas syringae</i> pv. <i>actinidiae</i>;</p> <p>and</p> <p>(c) (i) in the case of mother plants which have been maintained in facilities ensuring physical protection against infections with <i>Pseudomonas syringae</i> pv. <i>actinidiae</i>, a representative portion of mother plants has been sampled and tested every four years concerning the presence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in order to have all mother plants tested within an interval of 8 years; or</p> <p>(ii) in the case of mother plants which have not been maintained in the above-mentioned facilities, a representative portion of mother plants has been sampled and tested every year concerning the presence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> in order to have all mother plants tested within an interval of 3 years;</p>

▼ **M9**

RNQPs or symptoms caused by RNQPs	Plants for planting	Measures
		<p>and</p> <p>(d) (i) in the case of propagating material and fruit plants which have been maintained in the above-mentioned facilities, no symptoms of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> have been observed on that propagating material and those fruit plants in the production site over the last complete growing season; or</p> <p>(ii) in the case of propagating material and fruit plants which have not been maintained in the above-mentioned facilities, no symptoms of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> have been observed on that propagating material and those fruit plants in the production site over the last complete growing season and that propagating material and those fruit plants have been subjected to random sampling and testing for <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> before marketing and found free from the pest concerned; or</p> <p>(iii) in the case of propagating material and fruit plants which have not been maintained in the above-mentioned facilities, symptoms of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> have been observed on no more than 1 % of propagating material and fruit plants in the production site, and that propagating material and those fruit plants, and any symptomatic propagating material and fruit plants in the immediate vicinity have been rogued out and immediately destroyed, and a representative portion of the remaining asymptomatic propagating material and fruit plants have been sampled and tested for <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> and found free from the pest concerned.</p>

▼ **B**

ANNEX VI

List of plants, plant products and other objects whose introduction into the Union from certain third countries is prohibited

	Description	CN Code	Third country, group of third countries or specific area of third country
1.	Plants of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Chamaecyparis</i> Spach, <i>Juniperus</i> L., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruit and seeds	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 20 ex 0604 20 40	► M4 Third countries other than Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (¹) ◀
2.	Plants of <i>Castanea</i> Mill. and <i>Quercus</i> L., with leaves, other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	► M4 Third countries other than Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo- Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (¹) ◀
3.	Plants of <i>Populus</i> L., with leaves, other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Canada, Mexico, United States
▼ M9			
3.1	Isolated bark of <i>Acer macrophyllum</i> Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd., <i>Quercus</i> L. and <i>Taxus brevifolia</i> Nutt.	ex 1404 90 00 ex 4401 40 90	Canada, United Kingdom (¹), United States, Vietnam
▼ B			
4.	Isolated bark of <i>Castanea</i> Mill.	ex 1404 90 00 ex 4401 40 90	All third countries
▼ M9			
5.	Isolated bark of <i>Quercus</i> L., other than <i>Quercus suber</i> L.	ex 1404 90 00 ex 4401 40 90	Mexico

▼ B

	Description	CN Code	Third country, group of third countries or specific area of third country
6.	Isolated bark of <i>Acer saccharum</i> Marsh.	ex 1404 90 00 ex 4401 40 90	Canada, Mexico, United States
7.	Isolated bark of <i>Populus</i> L.	ex 1404 90 00 ex 4401 40 90	The Americas
8.	Plants for planting of <i>Chaenomeles</i> Ldl., <i>Crateagus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Rosa</i> L., other than dormant plants free from leaves, flowers and fruits	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 40 00 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	► M4 Third countries other than Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (!) ◀
9.	Plants for planting of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L. and their hybrids, and <i>Fragaria</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	► M4 Third countries other than Albania, Algeria, Andorra, Armenia, Australia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canada, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, New Zealand, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine, the United Kingdom (!) and United States other than Hawaii ◀
10.	Plants of <i>Vitis</i> L., other than fruits	0602 10 10 0602 20 10 ex 0604 20 90 ex 1404 90 00	Third countries other than Switzerland
11.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruits and seeds	ex 0602 10 90 ex 0602 20 20 0602 20 30 ex 0602 20 80 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	All third countries
12.	Plants for planting of <i>Photinia</i> Ldl., other than dormant plants free from leaves, flowers and fruits	ex 0602 10 90 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	China, Democratic People's Republic of Korea, Japan, Republic of Korea and United States

▼ B

	Description	CN Code	Third country, group of third countries or specific area of third country
13.	Plants of <i>Phoenix</i> spp. other than fruit and seeds	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Algeria, Morocco
14.	Plants for planting of the family <i>Poaceae</i> , other than plants of ornamental perennial grasses of the subfamilies <i>Bambusoideae</i> and <i>Panicoideae</i> and of the genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Calamagrostis</i> , <i>Cortaderia</i> Stapf., <i>Glyceria</i> R. Br., <i>Hakonechloa</i> Mak. ex Honda, <i>Hystrix</i> , <i>Molinia</i> , <i>Phalaris</i> L., <i>Shibataea</i> , <i>Spartina</i> Schreb., <i>Stipa</i> L. and <i>Uniola</i> L., other than seeds	ex 0602 90 50 ex 0602 90 91 ex 0602 90 99	► M4 Third countries other than Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom (!) ◀
15.	Tubers of <i>Solanum tuberosum</i> L., seed potatoes	0701 10 00	Third countries other than Switzerland
16.	Plants for planting of stolon- or tuber-forming species of <i>Solanum</i> L. or their hybrids, other than those tubers of <i>Solanum tuberosum</i> L. as specified in entry 15	ex 0601 10 90 ex 0601 20 90 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries other than Switzerland
17.	Tubers of species of <i>Solanum</i> L., and their hybrids, other than those specified in entries 15 and 16	ex 0601 10 90 ex 0601 20 90 0701 90 10 0701 90 50 0701 90 90	► M8 Third countries or regions other than: (a) Algeria, Egypt, Israel, Libya, Morocco, Syria, Switzerland, Tunisia and Turkey; or (b) those which fulfil the following: (i) they are one of following: Albania, Andorra, Armenia, Azerbaijan, Belarus, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino and Ukraine; and (ii) they fulfil one of the following: — they are recognised as being free from <i>Clavibacter sepedonicus</i> (Spieckermann and Kotthoff) Nouioui <i>et al.</i> , in accordance with the procedure referred to in Article 107 of Regulation (EU) 2016/2031, or

▼ B

	Description	CN Code	Third country, group of third countries or specific area of third country
			<p>— their legislation is recognised as equivalent to the Union rules concerning protection against <i>Clavibacter sepedonicus</i> (Spieckermann and Kotthoff) Nouioui <i>et al.</i> in accordance with the procedure referred to in Article 107 of Regulation (EU) 2016/2031;</p> <p>or</p> <p>(c) Bosnia and Herzegovina, Montenegro, Serbia and the United Kingdom⁽¹⁾, provided the following condition is fulfilled: the submission by those third countries to the Commission, by 30 April of each year, of survey results of the previous year confirming that <i>Clavibacter sepedonicus</i> (Spieckermann and Kotthoff) Nouioui <i>et al.</i> is not present on their territories. ◀</p>
18.	Plants for planting of <i>Solanaceae</i> other than seeds and the plants covered by entries 15, 16 or 17	<p>► M9 ex 0602 10 90</p> <p>ex 0602 90 30</p> <p>ex 0602 90 45</p> <p>ex 0602 90 46</p> <p>ex 0602 90 48</p> <p>ex 0602 90 50</p> <p>ex 0602 90 70</p> <p>ex 0602 90 91</p> <p>ex 0602 90 99 ◀</p>	<p>► M4 Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom⁽¹⁾ ◀</p>
19.	Soil as such consisting in part of solid organic substances	<p>ex 2530 90 00</p> <p>ex 3824 99 93</p>	Third countries other than Switzerland
20.	Growing medium as such, other than soil, consisting in whole or in part of solid organic substances, other than that composed entirely of peat or fibre of <i>Cocos nucifera</i> L., previously not used for growing of plants or for any agricultural purposes	<p>ex 2530 10 00</p> <p>ex 2530 90 00</p> <p>ex 2703 00 00</p> <p>ex 3101 00 00</p> <p>ex 3824 99 93</p>	Third countries other than Switzerland
▼ <u>M1</u>			
21.	<i>Citrus limon</i> (L.) N. Burm.f. and <i>Citrus sinensis</i> (L.) Osbeck (until 30 April 2021)	<p>ex 0805 50 10</p> <p>0805 10 22</p> <p>0805 10 24</p> <p>0805 10 28</p> <p>ex 0805 10 80</p>	Argentina

▼ B

⁽¹⁾ In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, for the purposes of this Annex, references to the United Kingdom do not include Northern Ireland.

▼B

ANNEX VII

List of plants, plant products and other objects, originating from third countries and the corresponding special requirements for their introduction into the Union territory

	Plants, plant products and other objects	CN codes	Origin	Special requirements
1.	Growing medium, attached to or associated with plants, intended to sustain the vitality of the plants, with the exception of sterile medium of <i>in-vitro</i> plants	N/A ⁽¹⁾	Third countries other than Switzerland	<p>Official statement that:</p> <p>(a) the growing medium, at the time of planting of the associated plants:</p> <p>(i) was free from soil and organic matter and had not been previously used for growing plants or for any other agricultural purposes,</p> <p>or</p> <p>(ii) was composed entirely of peat or fibre of <i>Cocos nucifera</i> L. and had not been previously used for growing plants or for any other agricultural purposes,</p> <p>or</p> <p>(iii) was subjected to effective fumigation or heat treatment to ensure freedom from pests and which is indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(iv) was subjected to effective systems approach to ensure freedom from pests and which is indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration';</p> <p>and</p> <p>in all the cases mentioned in points (i) to (iv) was stored and maintained under appropriate conditions to keep it free from quarantine pests</p> <p>and</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) since planting:</p> <p>(i) appropriate measures have been taken to ensure that the growing medium has been kept free from Union quarantine pests, including at least:</p> <ul style="list-style-type: none"> — physical isolation of the growing medium from soil and other possible sources of contamination, — hygiene measures, — using water free from Union quarantine pests; <p>or</p> <p>(ii) within two weeks prior to export the growing medium including, where appropriate, soil has been completely removed by washing using water free from Union quarantine pests. Replanting may be performed in the growing medium that meets the requirements laid down in point (a). Appropriate conditions shall be maintained to keep freedom from Union quarantine pests, as provided for in point (b).</p>
2.	Machinery and vehicles which have been operated for agricultural or forestry purposes	ex 8432 10 00 ex 8432 21 00 ex 8432 29 10 ex 8432 29 30 ex 8432 29 50 ex 8432 29 90 ex 8432 31 00 ex 8432 39 11 ex 8432 39 19 ex 8432 39 90 ex 8432 41 00 ex 8432 42 00 ex 8432 80 00 ex 8432 90 00 ex 8433 40 00 ex 8433 51 00 ex 8433 53 10 ex 8433 53 30 ex 8433 53 90	Third countries other than Switzerland	Official statement that machinery or vehicles are cleaned and free from soil and plant debris.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
		ex 8436 80 10 ex 8701 20 90 ex 8701 91 10 ex 8701 92 10 ex 8701 93 10 ex 8701 94 10 ex 8701 95 10		

▼ M9

2.1	Plants for planting, other than bulbs, corms, rhizomes, seeds, tubers, and plants in tissue culture	0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	Third countries, other than Switzerland	Official statement that the plants: (a) have been grown in nurseries, which are registered and supervised by the national plant protection organisation of the country of origin, and (b) have been inspected at appropriate times and prior to export.
-----	---	---	---	---

▼ B

3.	Plants for planting with roots, grown in open air	ex 0601 20 30 ex 0601 20 90 ex 0602 20 20 ex 0602 20 80 ex 0602 30 00 ex 0602 40 00 ex 0602 90 20 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0706 90 10	Third countries	Official statement that: (a) the place of production is known to be free from <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> and <i>Synchytrium endobioticum</i> (Schilb.) Percival, and (b) the plants originate from a field known to be free from <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens.
----	---	--	-----------------	---

▼ **B**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
4.	Plants for planting, other than bulbs, corms, rhizomes, seeds, tubers, and plants in tissue culture	0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	Third countries	Official statement that the plants have been grown in nurseries and: (a) originate in an area, established in the country of origin by the national plant protection service of that country, as being free from <i>Thrips palmi</i> Karny in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031 under the rubric 'Additional declaration', or (b) originate in a place of production, established in the country of origin by the national plant protection service of that country, as being free from <i>Thrips palmi</i> Karny in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031 under the rubric 'Additional declaration', and declared free from <i>Thrips palmi</i> Karny on official inspections carried out at least monthly during the last three months prior to export; or (c) immediately prior to export, have been subjected to an appropriate treatment against <i>Thrips palmi</i> Karny, the details of which have been indicated on the phytosanitary certificates referred to in Article 71 of Regulation (EU) No 2016/2031, and have been officially inspected and found free from <i>Thrips palmi</i> Karny.

▼ **M9**

4.1	Plants for planting with roots, other than plants in tissue culture	ex 0601 20 30 ex 0601 20 90 ex 0602 30 00 ex 0602 40 00 ex 0602 90 20 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries	Official statement that the plants: (a) originate in a country established by the national plant protection organisation in the country of origin as being free from <i>Meloidogyne enterolobii</i> Yang & Eisenback in accordance with the relevant International Standards for Phytosanitary Measures, or
-----	---	---	-----------------	---

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Meloidogyne enterolobii</i> Yang & Eisenback in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(c) have been grown throughout their life in a growing medium which at the time of planting of the plants:</p> <p>(i) was free from soil and organic matter and had not been previously used for growing plants or for any other agricultural purposes,</p> <p>or</p> <p>(ii) was composed entirely of peat or fibre of <i>Cocos nucifera</i> L. and had not been previously used for growing plants or for any other agricultural purposes,</p> <p>or</p> <p>(iii) was subjected to effective fumigation or heat treatment to ensure freedom from <i>Meloidogyne enterolobii</i> Yang & Eisenback and which is indicated on the phytosanitary certificate,</p> <p>or</p> <p>(iv) was subjected to effective systems approach to ensure freedom from <i>Meloidogyne enterolobii</i> Yang & Eisenback and which is indicated on the phytosanitary certificate;</p> <p>and</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>in all the cases mentioned in points (i) to (iv) was stored and maintained under appropriate conditions to keep it free from <i>Meloidogyne enterolobii</i> Yang & Eisenback and since planting appropriate measures have been taken to ensure that the plants have been kept free from <i>Meloidogyne enterolobii</i> Yang & Eisenback, including at least:</p> <ul style="list-style-type: none"> — physical isolation of the growing medium from soil and other possible sources of contamination, and — hygiene measures, <p>or</p> <p>(d) (i) originate in a place of production, established by the national plant protection organisation in the country of origin as being free from <i>Meloidogyne enterolobii</i> Yang & Eisenback in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>and</p> <p>(ii) immediately prior to export the roots of a representative sample of the consignment have been inspected and are found free from symptoms of <i>Meloidogyne enterolobii</i> Yang & Eisenback.</p>
4.2	Plants for planting with growing media intended to sustain the vitality of the plants, other than plants in tissue culture and aquatic plants	ex 0602 20 80 ex 0602 30 00 ex 0602 40 00 ex 0602 90 20 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Canada, China, India, Japan, Russia, Switzerland, and United States	<p>Official statement that the plants:</p> <p>(a) originate in an area established by the national plant protection organisation of the country of origin as being free from <i>Popillia japonica</i> Newman in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) have been grown in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Popillia japonica</i> Newman in accordance with the relevant International Standards for Phytosanitary Measures:</p> <p>(i) which has been subjected to an annual official inspection and, at least, a monthly inspection during the three months prior to export, for any signs of <i>Popillia japonica</i> Newman, carried out at appropriate times to detect the presence of the pest concerned, at least by visual examination of all plants, including weeds, and sampling of the growing media in which plants are growing,</p> <p>and</p> <p>(ii) which is surrounded by a buffer zone of at least 100 m, where the absence of <i>Popillia japonica</i> Newman was confirmed by official surveys carried out annually at appropriate times,</p> <p>and</p> <p>(iii) immediately prior to export the plants and the growing media have been subjected to an official inspection, including the sampling of the growing media, and found free from <i>Popillia japonica</i> Newman,</p> <p>and</p> <p>(iv) the plants:</p> <p>— are handled and packed or transported in ways to prevent infestation from <i>Popillia japonica</i> Newman after leaving the place of production</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>— are moved outside the flight season of <i>Popillia japonica</i> Newman,</p> <p>or</p> <p>(c) have been grown throughout their life in a site of production with physical isolation against the introduction of <i>Popillia japonica</i> Newman and the plants:</p> <p>(i) are handled and packed or transported in ways to prevent infestation from <i>Popillia japonica</i> Newman after leaving the site of production,</p> <p>or</p> <p>(ii) are moved outside the flight season of <i>Popillia japonica</i> Newman</p> <p>or</p> <p>(d) have been produced following a systems approach approved in accordance with the procedure laid down in Article 107 of Regulation (EU) 2016/2031 to ensure freedom of <i>Popillia japonica</i> Newman.</p>

▼ B

5.	Annual and biennial plants for planting, other than <i>Poaceae</i> and seeds	ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	<p>► <u>M4</u> Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom (?) ◀</p>	<p>Official statement that the plants:</p> <p>(a) have been grown in nurseries;</p> <p>(b) are free from plant debris, flowers and fruits;</p> <p>(c) have been inspected at appropriate times and prior to export;</p> <p>(d) are found to be free from symptoms of harmful bacteria, viruses and virus-like organisms; and</p> <p>(e) are either found to be free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.</p>
----	--	--	---	---

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
6.	Plants for planting, of the family <i>Poaceae</i> of ornamental perennial grasses of the subfamilies <i>Bambusoideae</i> , <i>Panicoideae</i> and of the genera <i>Buchloe</i> Lag., <i>Bouteloua</i> Lag., <i>Calamagrostis</i> Adan., <i>Cortaderia</i> Stapf, <i>Glyceria</i> R. Br., <i>Hakonechloa</i> Mak. ex Honda, <i>Hystrix</i> L., <i>Molinia</i> Schnrak, <i>Phalaris</i> L., <i>Shibataea</i> Mak. Ex Nakai, <i>Spartina</i> Schreb., <i>Stipa</i> L. and <i>Uniola</i> L., other than seeds	ex 0602 90 50 ex 0602 90 91 ex 0602 90 99	► M4 Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom (2) ◀	Official statement that the plants: (a) have been grown in nurseries; (b) are free from plants debris, flowers and fruits; (c) have been inspected and prior to export; (d) are found to be free from symptoms of harmful bacteria, viruses and virus-like organisms; and (e) are found to be free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.
7.	Plants for planting, other than dormant plants, plants in tissue culture, seeds, bulbs, tubers, corms and rhizomes. The relevant Union quarantine pests are: — Begomoviruses other than: Abutilon mosaic virus, Sweet potato leaf curl virus, Tomato yellow leaf curl virus, Tomato yellow leaf curl virus, Sardinia virus, Tomato yellow leaf curl Malaga virus, Tomato yellow leaf curl Axarquia virus,	ex 0602 20 20 ex 0602 20 80 ex 0602 30 00 ex 0602 40 00 ex 0602 90 20 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	Third countries where the relevant Union quarantine pests are known to occur	

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<ul style="list-style-type: none"> — Cowpea mild mottle virus, — Lettuce infectious yellows virus, — Melon yellowing-associated virus, — Squash vein yellowing virus, — Sweet potato chlorotic stunt virus, — Sweet potato mild mottle virus, — Tomato mild mottle virus. 		<p>(a) Where <i>Bemisia tabaci</i> Genn. (non-European populations) or other vectors of the Union quarantine pests are not known to occur</p> <p>(b) Where <i>Bemisia tabaci</i> Genn. (non-European populations) or other vectors of the Union quarantine pests are known to occur</p>	<p>Official statement that no symptoms of the relevant Union quarantine pests have been observed on the plants during their complete cycle of vegetation.</p> <p>Official statement that no symptoms of the relevant Union quarantine pests have been observed on the plants during their complete cycle of vegetation,</p> <p>and</p> <p>(a) the plants originate in areas known to be free from <i>Bemisia tabaci</i> Genn. and other vectors of the Union quarantine pests,</p> <p>or</p> <p>(b) the site of production has been found free from <i>Bemisia tabaci</i> Genn. and other vectors of the relevant Union quarantine pests on official inspections carried out at appropriate times to detect the pest,</p> <p>or</p> <p>(c) the plants have been subjected to an effective treatment ensuring the eradication of <i>Bemisia tabaci</i> Genn and the other vectors of the Union quarantine pests and have been found free thereof prior to export.</p>

▼ B▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
8.	Plants for planting of herbaceous species, other than bulbs, corms, plants of the family <i>Poaceae</i> , rhizomes, seeds, tubers, and plants in tissue culture	ex 0602 10 90 0602 90 20 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 ex 0706 90 10 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	Third countries where <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch) are known to occur	<p>Official statement that the plants:</p> <p>(a) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(b) originate in a place of production, established by the national plant protection organisation of the country of origin as being free from <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch) in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate under the rubric 'Additional declaration', and declared free from <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch) on official inspections carried out at least monthly during the three months prior to export,</p> <p>or</p> <p>(c) immediately prior to export, have been subjected to an appropriate treatment against <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch) and have been officially inspected and found free from <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch).</p> <p>Details of the treatment referred to in point (c) shall be mentioned on the phytosanitary certificate.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
9.	Herbaceous perennial plants for planting, other than seeds, of the families <i>Caryophyllaceae</i> (except <i>Dianthus</i> L.), <i>Compositae</i> (except <i>Chrysanthemum</i> L.), <i>Cruciferae</i> , <i>Leguminosae</i> and <i>Rosaceae</i> (except <i>Fragaria</i> L.)	ex 0602 10 90 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	►M4 Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom (2) ◀	Official statement that the plants: (a) have been grown in nurseries, (b) are free from plant debris, flowers and fruits, (c) have been inspected at appropriate times and prior to export, (d) are found to be free from symptoms of harmful bacteria, viruses and virus-like organisms, and (e) are either found to be free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.
10.	Trees and shrubs, intended for planting, other than seeds and plants in tissue culture	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 30 00 ex 0602 40 00 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	►M4 Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom (2) ◀	Official statement that the plants: (a) are clean (i.e. free from plant debris) and free from flowers and fruits, (b) have been grown in nurseries, (c) have been inspected at appropriate times and prior to export and found free from symptoms of harmful bacteria, viruses and virus-like organisms, and either found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
11.	Deciduous trees and shrubs, intended for planting, other than seeds and plants in tissue culture	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 30 00 ex 0602 40 00 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	► M4 Third countries other than: Albania, Algeria, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Egypt, Faeroe Islands, Georgia, Iceland, Israel, Jordan, Lebanon, Libya, Liechtenstein, Moldova, Monaco, Montenegro, Morocco, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Syria, Tunisia, Turkey, Ukraine and the United Kingdom (²) ◀	Official statement that the plants are dormant and free from leaves.
12.	Root and tubercle vegetables, other than tubers of <i>Solanum tuberosum</i> L.	0706 10 00 0706 90 10 0706 90 30 0706 90 90 ex 0709 99 90 ex 0714 10 00 ex 0714 20 10 ex 0714 20 90 ex 0714 30 00 ex 0714 40 00 ex 0714 50 00 ex 0714 90 20 ex 0714 90 90 ex 0910 11 00 ex 0910 30 00 ex 0910 99 91 ex 1212 91 80 ex 1212 94 00 ex 1212 99 95 ex 1214 90 10 ex 1214 90 90	Third countries other than Switzerland	Official statement that the consignment or lot does not contain more than 1 % by net weight of soil and growing medium.

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
13.	Bulbs, corms, rhizomes and tubers, intended for planting, other than tubers of <i>Solanum tuberosum</i>	0601 10 10 0601 10 20 0601 10 30 0601 10 40 0601 10 90 0601 20 10 0601 20 30 0601 20 90 ex 0706 90 10 ex 0910 11 00 ex 0910 20 10 ex 0910 30 00	Third countries other than Switzerland	Official statement that the consignment or lot does not contain more than 1 % by net weight of soil and growing medium.
14.	Tubers of <i>Solanum tuberosum</i> L.	0701 10 00 0701 90 10 0701 90 50 0701 90 90	Third countries other than Switzerland	Official statement that the consignment or lot does not contain more than 1 % by net weight of soil and growing medium.
15.	Tubers of <i>Solanum tuberosum</i> L.	0701 10 00 0701 90 10 0701 90 50 0701 90 90	Third countries	Official statement that the tubers originate in: (a) a country where <i>Tecia solanivora</i> (Povolný) is not known to occur, or (b) an area free from <i>Tecia solanivora</i> (Povolný), established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures.
16.	Tubers of <i>Solanum tuberosum</i> L.	0701 10 00 0701 90 10 0701 90 50 0701 90 90	Third countries	Official statement that: (a) the tubers originate in countries known to be free from <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> ; or (b) provisions recognised as equivalent to the provisions of Union law on combating <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031, have been complied with, in the country of origin.

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
17.	Tubers of <i>Solanum tuberosum</i> L.	0701 10 00 0701 90 10 0701 90 50 0701 90 90	Third countries where <i>Synchytrium endobioticum</i> (Schilb.) Percival is known to occur	Official statement that: (a) the tubers originate in areas known to be free from <i>Synchytrium endobioticum</i> (Schilb.) Percival (all races other than Race 1, the common European race), and no symptoms of <i>Synchytrium endobioticum</i> (Schilb.) Percival have been observed either at the place of production or in its immediate vicinity for an adequate period, or (b) provisions recognised as equivalent to the provisions of Union law on combating <i>Synchytrium endobioticum</i> (Schilb.) Percival in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031 have been complied with in the country of origin.
18.	Tubers of <i>Solanum tuberosum</i> L., for planting	0701 10 00	Third countries	Official statement that the tubers originate from a site known to be free from <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Globodera pallida</i> (Stone) Behrens.
19.	Tubers of <i>Solanum tuberosum</i> L., for planting	0701 10 00	Third countries	Official statement that: (a) the tubers originate in areas in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> are known not to occur; or

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(b) in areas where <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> or <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> is known to occur, the tubers originate from a place of production found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> or considered to be free thereof, as a consequence of measures taken to eradicate <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> and set out in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031.

▼ M9

20.	Tubers of <i>Solanum tuberosum</i> L., for planting	0701 10 00	Third countries	<p>Official statement that the tubers:</p> <p>(a) originate in a country recognised as being free from <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i>, <i>Meloidogyne enterolobii</i> Yang & Eisenback and <i>Meloidogyne fallax</i> Karssen in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i>, <i>Meloidogyne enterolobii</i> Yang & Eisenback and <i>Meloidogyne fallax</i> Karssen in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p>
-----	---	------------	-----------------	--

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(c) originate in a place of production, established by the national plant protection organisation in the country of origin as being free from <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i>, <i>Meloidogyne enterolobii</i> Yang & Eisenback and <i>Meloidogyne fallax</i> Karssen based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production,</p> <p>or</p> <p>(d) the tubers after harvest have been randomly sampled and, either checked for the presence of symptoms after an appropriate method to induce symptoms, or laboratory tested, as well as inspected visually both externally and by cutting the tubers, at appropriate times and in all cases at the time of closing of the packages or containers and no symptoms of <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i>, <i>Meloidogyne enterolobii</i> Yang & Eisenback and <i>Meloidogyne fallax</i> Karssen have been found.</p>

▼ B

21.	Tubers of <i>Solanum tuberosum</i> L., other than those for planting	0701 90 10 0701 90 50 0701 90 90	Third countries	Official statement that the tubers originate in areas in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> are known not to occur.
-----	--	--	-----------------	--

▼ M9

21.1	Plants for planting of <i>Cucurbitaceae</i> Juss. and <i>Solanaceae</i> Juss., other than bulbs, corms, rhizomes, pollen, seeds, tubers, and plants in tissue culture	ex 0602 10 90 ex 0602 90 30 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries	Official statement that the plants: (a) originate in a country recognised as being free from <i>Ceratothripoides claratris</i> (Shumsher) in accordance with the relevant International Standards for Phytosanitary Measures, or
------	---	---	-----------------	--

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Ceratothripoides claratris</i> (Shumsher) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(c) have been grown throughout their life in a site of production with physical protection against the introduction of <i>Ceratothripoides claratris</i> (Shumsher), and which has been subjected for at least three months prior to export to at least one inspection to detect the presence of <i>Ceratothripoides claratris</i> (Shumsher).</p>
21.2	Plants for planting of <i>Allium cepa</i> L., <i>Asparagus</i> L., <i>Cynara scolymus</i> L., <i>Citrullus lanatus</i> (Thnb.) Matusm. & Nakai, <i>Cucurbita</i> L., <i>Cucumis melo</i> L., <i>Cucumis sativum</i> L., <i>Glycine max</i> (L.), Merr., <i>Gossypium</i> L., <i>Medicago sativa</i> , L., <i>Persea americana</i> Mill., <i>Phaseolus</i> L., <i>Ricinus communis</i> L., and <i>Tagetes</i> L., other than bulbs, corms, plants in tissue culture, rhizomes, pollen, seeds and tubers.	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 30 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Bolivia, Colombia, Ecuador, Peru, and United States	Official statement that the plants: <p>(a) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Prodiplosis longifila</i> Gagné, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(b) have been grown at least during the two months prior to export, or in the case of plants which are younger than two months, throughout their life, in a site of production with physical protection established in the country of origin as being free from <i>Prodiplosis longifila</i> Gagné, on the basis of official inspections carried out throughout their life or during the last two months prior to export.</p>

▼ B

22.	Plants for planting of <i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L., <i>Musa</i> L., <i>Nicotiana</i> L. and <i>Solanum melongena</i> L., other than seeds	ex 0602 10 90 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries where <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> or <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> is known to occur	Official statement that: <p>(a) the plants originate in areas which have been found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i>, <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i>, <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i></p>
-----	---	--	---	--

▼ **B**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				or (b) no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i> , <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i> have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
23.	Plants of <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L., other than fruits and seeds	ex 0602 10 90 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Third countries	Official statement that the plants originate in: (a) a country recognised as being free of <i>Keiferia lycopersicella</i> (Walsingham) in accordance with relevant International Standards for Phytosanitary Measures, or (b) an area established by the national plant protection organisation of the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration'.
24.	Plants for planting of <i>Beta vulgaris</i> L., other than seeds	ex 0602 90 30 ex 0602 90 50	Third countries	Official statement that no symptoms of Beet curly top virus have been observed at the place of production since the beginning of the last complete cycle of vegetation.
▼ M9				
24.1	Plants for planting of <i>Euphorbia pulcherrima</i> Willd., <i>Fragaria</i> L. and <i>Rubus</i> L., other than plants in tissue culture, pollen and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 30 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries	Official statement that the plants: (a) originate in a country recognised as being free from <i>Eotetranychus lewisi</i> (McGregor) in accordance with the relevant International Standards for Phytosanitary Measures, or (b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Eotetranychus lewisi</i> (McGregor) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(c) originate in a place of production, established in the country of origin by the national plant protection organisation in that country, as being free from <i>Eotetranychus lewisi</i> (McGregor), in accordance with the relevant International Standards for Phytosanitary Measures.</p>

▼ B

25.	Plants of <i>Chrysanthemum</i> L., <i>Dianthus</i> L. and <i>Pelargonium</i> l'Hérit. ex Ait., other than seeds	ex 0602 10 90 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 0603 12 00 0603 14 00 ex 0603 19 70 ex 0603 90 00	Third countries	<p>Official statement that:</p> <p>(a) the plants originate in an area free from <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera frugiperda</i> Smith and <i>Spodoptera litura</i> (Fabricius), established by the national plant protection organisation in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) no signs of <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera frugiperda</i> Smith, and <i>Spodoptera litura</i> (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation,</p> <p>or</p> <p>(c) the plants have undergone appropriate treatment to protect them from the relevant pests.</p>
26.	Plants for planting, of <i>Chrysanthemum</i> L. and <i>Solanum lycopersicum</i> L., other than seeds	ex 0602 10 90 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries	<p>Official statement that the plants have been grown throughout their life in:</p> <p>(a) a country free from Chrysanthemum stem necrosis virus,</p> <p>or</p> <p>(b) an area established by the national plant protection organisation of the country of origin as being free from Chrysanthemum stem necrosis virus in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(c) a place of production, established as being free from <i>Chrysanthemum stem necrosis virus</i> and verified through official inspections and, where appropriate, testing.
27.	Plants for planting, of <i>Pelargonium</i> L'Herit. ex Ait., other than seeds	ex 0602 10 90 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries where Tomato ringspot virus is known to occur:	
			(a) where <i>Xiphinema americanum</i> Cobb <i>sensu stricto</i> , <i>Xiphinema bricolense</i> Ebsary, Vrain & Graham, <i>Xiphinema californicum</i> Lamberti & Bleve-Zacheo, <i>Xiphinema inaequale</i> Khan et Ahmad, <i>Xiphinema intermedium</i> Lamberti & Bleve-Zacheo, <i>Xiphinema rivesi</i> (non-EU populations) Dalmasso and <i>Xiphinema tarjanense</i> Lamberti & Bleve-Zacheo or other vectors of Tomato ringspot virus are not known to occur	Official statement that the plants are: (a) directly originating from places of production known to be free from Tomato ringspot virus, or (b) of no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus under an official approved system of virological testing.
			(b) where <i>Xiphinema americanum</i> Cobb <i>sensu stricto</i> , <i>Xiphinema bricolense</i> Ebsary, Vrain & Graham, <i>Xiphinema californicum</i> Lamberti & Bleve-Zacheo, <i>Xiphinema inaequale</i> Khan et Ahmad, <i>Xiphinema intermedium</i> Lamberti & Bleve-Zacheo, <i>Xiphinema rivesi</i> (non-EU populations) Dalmasso and <i>Xiphinema tarjanense</i> Lamberti & Bleve-Zacheo or other vectors of Tomato ringspot virus are known to occur	Official statement that the plants are: (a) directly derived from places of production known to be free from Tomato ringspot virus in the soil or plants, or (b) of no more than second generation stock, derived from mother plants found to be free from Tomato ringspot virus under an officially approved system of virological testing.

▼ B▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
28.	Cut flowers of <i>Chrysanthemum</i> L., <i>Dianthus</i> L., <i>Gypsophila</i> L. and <i>Solidago</i> L., and leafy vegetables of <i>Apium graveolens</i> L. and <i>Ocimum</i> L.	0603 12 00, 0603 14 00 ex 0603 19 70 0709 40 00 ex 0709 99 10 ex 0709 99 90 ex 1211 90 86 ex 1404 90 00	Third countries	Official statement that the cut flowers and the leafy vegetables: (a) originate in a country recognised as being free from <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch) in accordance with the relevant International Standards for Phytosanitary Measures, or (b) immediately prior to their export, have been officially inspected and found free from <i>Liriomyza sativae</i> (Blanchard) and <i>Nemorimyza maculosa</i> (Malloch).
29.	Cut flowers of <i>Orchidaceae</i>	0603 13 00	Third countries, other than Thailand	Official statement that the cut flowers: (a) originate in a country recognised as being free from <i>Thrips palmi</i> Karny in accordance with the relevant International Standards for Phytosanitary Measures, or (b) immediately prior to their export, have been officially inspected and found free from <i>Thrips palmi</i> Karny.
29.1	Cut flowers of <i>Orchidaceae</i>	0603 13 00	Thailand	Official statement that the cut flowers: (a) were produced at a place of production which has been found free from <i>Thrips palmi</i> Karny on official inspections carried out at least monthly during the three months prior to export, or (b) have undergone an appropriate fumigation treatment to ensure freedom from <i>Thrips palmi</i> Karny, and the details of the treatment are indicated on the phytosanitary certificate.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
30.	Naturally or artificially dwarfed plants for planting other than seeds	ex 0602 20 80 ex 0602 30 00 ex 0602 40 00 ex 0602 90 41 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 91 ex 0602 90 99	►M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (?) ◀	Official statement that: (a) the plants, including those collected directly from natural habitats, have been grown, held and trained for at least two consecutive years prior to dispatch in officially registered nurseries, which are subject to an officially supervised control regime, (b) the plants in the nurseries referred to in point (a) of this entry: (i) at least during the period referred to in point (a) of this entry: — were potted, in pots which are placed on shelves at least 50 cm above ground, — have been subjected to appropriate treatments to ensure freedom from non-European rusts, and the active ingredient, concentration and date of application of these treatments has been mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Disinfestation and/or disinfection treatment'. — have been officially inspected at least six times a year at appropriate intervals for the presence of Union quarantine pests of concern in accordance with Regulation (EU) No 2016/2031, and

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>these inspections have also been carried out on plants in the immediate vicinity of the nurseries referred to in point (a) of this entry, at least by visual examination of each row in the field or nursery and by visual examination of all parts of the plant above the growing medium, using a random sample of at least 300 plants from a given genus where the number of plants of that genus is not more than 3 000 plants, or 10 % of the plants if there are more than 3 000 plants from that genus,</p> <p>— have been found free, in these inspections, from the relevant Union quarantine pests of concern as specified in the previous indent, infested plants have been removed and the remaining plants, where appropriate, have been effectively treated, and have been held for an appropriate period and inspected to ensure freedom from such pests,</p> <p>— have been planted in either an unused artificial growing medium or in a natural growing medium, which has been treated by fumigation or by appropriate heat treatment and has been of any Union quarantine pests,</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>— have been kept under conditions which ensure that the growing medium has been maintained free from Union quarantine pests and within two weeks prior to dispatch, have been:</p> <p>— shaken and washed with clean water to remove the original growing medium and kept bare rooted, or</p> <p>— shaken and washed with clean water to remove the original growing medium and replanted in growing medium which meets the conditions laid down in (i) fifth indent, or</p> <p>— subjected to appropriate treatments to ensure that the growing medium is free from Union quarantine pests, and the active ingredient, concentration and date of application of these treatments have been indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/203 under the rubric 'Disinfestation and/or disinfection treatment'.</p> <p>(ii) were packed in closed containers which have been officially sealed and bear the registration number of the registered nursery, and this number has been indicated under the rubric 'Additional declaration' on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/203, enabling the consignments to be identified.</p>

▼ B▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
30.1	Plants for planting of <i>Diospyros kaki</i> L., <i>Ficus carica</i> L., <i>Hedera helix</i> L., <i>Laurus nobilis</i> L., <i>Magnolia</i> L., <i>Malus</i> Mill., <i>Melia</i> L., <i>Mespilus germanica</i> L., <i>Parthenocissus</i> Planch., <i>Prunus</i> L., <i>Psidium guajava</i> L., <i>Punica granatum</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L., <i>Rosa</i> L., other than seeds, pollen and plants in tissue culture	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 40 00 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Australia, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, Eswatini, Guam, India, Indonesia, Iran, Japan, Kenya, Laos, Malaysia, Mauritius, Micronesia, Montenegro, Nigeria, North Korea, Northern Mariana Islands, Pakistan, Palau, Papua New Guinea, Philippines, Reunion, South Africa, South Korea, Sri Lanka, Taiwan, Tanzania, Thailand, Uganda, Vietnam, and United States	Official statement that the plants: (a) originate in an area established by the national plant protection organisation of the country of origin as being free from <i>Aleurocanthus spiniferus</i> (Quaintance) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (b) have been grown in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Aleurocanthus spiniferus</i> (Quaintance) in accordance with the relevant International Standards for Phytosanitary Measures: (i) which has been subjected during the last year prior to export to official inspections carried out at appropriate times, and (ii) the plants have been handled and packed in ways to prevent infestation after leaving the place of production, or (c) have been subjected to an effective treatment ensuring the freedom of <i>Aleurocanthus spiniferus</i> (Quaintance) and have been found free thereof prior to export.
31.	► <u>M9</u> Plants of conifers (Pinopsida), other than fruit and seeds ◀	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 20 0604 20 40 ex 1404 90 00	Third countries	Official statement that the plants have been produced in a place of production free from <i>Pissodes cibriani</i> O'Brien, <i>Pissodes fasciatus</i> Leconte, <i>Pissodes nemorensis</i> Germar, <i>Pissodes nitidus</i> Roelofs, <i>Pissodes punctatus</i> Langor & Zhang, <i>Pissodes strobi</i> (Peck), <i>Pissodes terminalis</i> Hopping, <i>Pissodes yunnanensis</i> Langor & Zhang and <i>Pissodes zitacuarensis</i> Sleeper.

▼ B

▼ B

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
32.	Plants of conifers (Pinopsida), other than fruit and seeds, over 3 m in height	ex 0602 20 80 ex 0602 90 41 ex 0602 90 47 ex 0602 90 50 ex 0602 90 99 ex 0604 20 20 ex 0604 20 40 ex 1404 90 00	Third countries other than Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, United Kingdom (?) and Ukraine	Official statement that the plants have been produced in a place of production free from <i>Scolytinae</i> spp. (non-European).
32.1	Plants for planting of <i>Acacia</i> Mill., <i>Acer buergerianum</i> Miq., <i>Acer macrophyllum</i> Pursh, <i>Acer negundo</i> L., <i>Acer palmatum</i> Thunb., <i>Acer paxii</i> Franch., <i>Acer pseudoplatanus</i> L., <i>Aesculus californica</i> (Spach) Nutt., <i>Ailanthus altissima</i> (Mill.) Swingle, <i>Albizia falcata</i> Backer ex Merr., <i>Albizia julibrissin</i> Durazz., <i>Alectryon excelsus</i> Gärtn., <i>Alnus rhombifolia</i> Nutt., <i>Archontophoenix cunninghamiana</i> H. Wendl. & Drude, <i>Artocarpus integer</i> (Thunb.) Merr., <i>Azadirachta indica</i> A. Juss., <i>Baccharis salicina</i> Torr. & A.Gray, <i>Bauhinia variegata</i> L., <i>Brachychiton discolor</i> F.Muell., <i>Brachychiton populneus</i> R.Br., <i>Camellia semiserrata</i> C.W.Chi, <i>Camellia sinensis</i> (L.) Kuntze, <i>Canarium commune</i> L., <i>Castanospermum australe</i> A.Cunningham & C.Fraser, <i>Cercidium floridum</i> Benth. ex A.Gray, <i>Cercidium</i>	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries	Official statement that the plants: (a) have a diameter of less than 2 cm at the base of the stem, or (b) originate in a country recognised as being free from <i>Euwallacea fornicatus sensu lato</i> in accordance with the relevant International Standards for Phytosanitary Measures, or (c) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Euwallacea fornicatus sensu lato</i> , in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>sonorae Rose & I.M.Johnst., <i>Cocculus laurifolius</i> DC., <i>Combretum kraussii</i> Hochst., <i>Cupaniopsis anacardioides</i> (A.Rich.) Radlk., <i>Dombeya cacuminum</i> Hochr., <i>Erythrina coralloendron</i> L., <i>Erythrina coralloides</i> Moc. & Sessé ex DC., <i>Erythrina falcata</i> Benth., <i>Erythrina fusca</i> Lour., <i>Eucalyptus ficifolia</i> F.Müll., <i>Fagus crenata</i> Blume, <i>Ficus</i> L., <i>Gleditsia triacanthos</i> L., <i>Hevea brasiliensis</i> (Willd. ex A.Juss) Muell.Arg., <i>Howea forsteriana</i> (F.Müller) Becc., <i>Ilex cornuta</i> Lindl. & Paxton, <i>Inga vera</i> Willd., <i>Jacaranda mimosifolia</i> D.Don, <i>Koelreuteria bipinnata</i> Franch., <i>Liquidambar styraciflua</i> L., <i>Magnolia grandiflora</i> L., <i>Magnolia virginiana</i> L., <i>Mimosa bracaatinga</i> Hoehne, <i>Morus alba</i> L., <i>Parkinsonia aculeata</i> L., <i>Persea americana</i> Mill., <i>Pithecellobium lobatum</i> Benth., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platanus mexicana</i> Torr., <i>Platanus occidentalis</i> L., <i>Platanus orientalis</i> L., <i>Platanus racemosa</i> Nutt., <i>Podalyria calyptrata</i> Willd., <i>Populus fremontii</i> S.Watson, <i>Populus nigra</i> L., <i>Populus trichocarpa</i> Torr. & A.Gray ex Hook., <i>Prosopis articulata</i> S.Watson, <i>Protium serratum</i> Engl., <i>Psoralea pinnata</i> L., <i>Pterocarya stenoptera</i> C.DC., <i>Quercus agrifolia</i> Née, <i>Quercus calliprinos</i> Webb., <i>Quercus chrysolepis</i> Liebm., <i>Quercus engelmannii</i> Greene, <i>Quercus ithaburensis</i> Dence., <i>Quercus lobata</i> Née, <i>Quercus palustris</i> Marshall, <i>Quercus robur</i> L., <i>Quercus suber</i> L., <i>Ricinus communis</i> L., <i>Salix alba</i></p>			<p>(d) have been grown:</p> <p>(i) in a site of production with physical isolation against the introduction of <i>Euwallacea fornicatus sensu lato</i> at least during six months prior to export, which is subjected to official inspections at appropriate times and has been found free from the pest, confirmed at least with traps which are checked at least every four weeks, including immediately prior to export,</p> <p>or</p> <p>(ii) in a site of production which has been found free from <i>Euwallacea fornicatus sensu lato</i> since the beginning of the last complete cycle of vegetation, confirmed at least with traps, during official inspections carried out at least every four weeks; in case of suspicion of the presence of the pest at the site of production, appropriate treatments against the pest have been carried out to ensure the absence of the pest; a surrounding zone of 1 km is established, which is monitored at appropriate times for <i>Euwallacea fornicatus sensu lato</i> and where the pest is found, those plants should be immediately rogued out and destroyed,</p> <p>and</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	L., <i>Salix babylonica</i> L., <i>Salix gooddingii</i> C.R.Ball, <i>Salix laevigata</i> Bebb, <i>Salix mucronata</i> Thnb., <i>Shorea robusta</i> C.F.Gaertn., <i>Spathodea campanulata</i> P.Beauv., <i>Spondias dulcis</i> Parkinson, <i>Tamarix ramosissima</i> Kar. ex Boiss., <i>Virgilia oroboides</i> subsp. <i>ferrugine</i> B.-E.van Wyk, <i>Wisteria floribunda</i> (Willd.) DC. and <i>Xylosma avilae</i> Sleumer, other than plants in tissue culture, pollen and seeds			immediately prior to export, consignments of the plants have been subjected to an official inspection for the presence of the pest, in particular in stems and branches of the plants, including destructive sampling. The size of the sample for inspection shall be such as to enable at least the detection of 1 % level of infestation with a level of confidence of 99 %.
32.2	Plants for planting of <i>Artocarpus chaplasha</i> Roxb., <i>Artocarpus heterophyllus</i> Lam., <i>Artocarpus integer</i> (Thunb.) Merr., <i>Alnus formosana</i> Makino, <i>Bombax malabaricum</i> DC., <i>Broussonetia papyrifera</i> (L.) Vent., <i>Broussonetia kazinoki</i> Siebold, <i>Cajanus cajan</i> (L.) Huth, <i>Camellia oleifera</i> C.Abel, <i>Castanea</i> Mill., <i>Celtis sinensis</i> Pers., <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Cunninghamia lanceolata</i> (Lamb.) Hook., <i>Dalbergia</i> L.f., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Ficus carica</i> L., <i>Ficus hispida</i> L.f., <i>Ficus infectoria</i> Willd., <i>Ficus retusa</i> L., <i>Juglans regia</i> L., <i>Machura tricuspidata</i> Carrière, <i>Melia azedarach</i> L., <i>Morus</i> L., <i>Populus</i> L., <i>Robimia pseudoacacia</i> L., <i>Salix</i> L., <i>Sapium sebiferum</i> (L.) Roxb., <i>Schima superba</i> Gardner & Champ., <i>Sophora japonica</i> L., <i>Trema amboinense</i> (Willd.) Blume, <i>Trema orientale</i> (L.) Blume, <i>Ulmus</i> L.,	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that the plants: (a) have a diameter of less than 1 cm at the base of the stem, or (b) originate in a country recognised as being free from <i>Apriona germari</i> (Hope) in accordance with the relevant International Standards for Phytosanitary Measures, or (c) have been grown throughout their life in an area free from <i>Apriona germari</i> (Hope), established by the national plant protection organisation in the country of origin in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p><i>Vernicia fordii</i> (Hemsl.) Airy Shaw, and <i>Xylosma</i> G.Forst., other than plants in tissue culture, pollen and seeds</p>			<p>(d) have been grown throughout their life or during a period of at least two years prior to export, in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Apriona germari</i> (Hope) in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>and</p> <p>(i) which has been subjected annually to two official inspections for any signs of <i>Apriona germari</i> (Hope), carried out at appropriate times and no signs of the pest have been found,</p> <p>and</p> <p>(ii) with the application of appropriate preventive treatments and surrounded by a buffer zone with a width of at least 2 000 m where the absence of <i>Apriona germari</i> (Hope) was confirmed by official surveys carried out annually at appropriate times,</p> <p>and</p> <p>(iii) immediately prior to export have been subjected to an inspection for the presence of <i>Apriona germari</i> (Hope), in particular in stems of the plants; where appropriate, this inspection should include destructive sampling,</p> <p>or</p> <p>(e) have been grown throughout their life or during a period of at least two years prior to export in a site of production with physical isolation against the introduction of <i>Apriona germari</i> (Hope)</p> <p>and</p> <p>immediately prior to export have been subjected to an inspection for the presence of <i>Apriona germari</i> (Hope), in particular in stems of the plant; where appropriate, this inspection should include destructive sampling.</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
32.3	Plants for planting of <i>Caesalpinia japonica</i> Siebold & Zucc., <i>Camellia sinensis</i> (L.) Kuntze, <i>Celtis sinensis</i> Pers., <i>Cercis chinensis</i> Bunge, <i>Chaenomeles sinensis</i> (Thouin) Koehne, <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Cornus kousa</i> Bürger ex Hanse, <i>Crataegus cordata</i> Aiton, <i>Debregeasia edulis</i> (Siebold & Zucc.) Wedd., <i>Diospyros kaki</i> L., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Enkianthus perulatus</i> (Miq.) C.K.Schneid., <i>Fagus crenata</i> Blume, <i>Ficus carica</i> L., <i>Firmiana simplex</i> (L.) W.Wight, <i>Gleditsia japonica</i> Miq., <i>Hovenia dulcis</i> Thunb., <i>Lagerstroemia indica</i> L., <i>Morus</i> L., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platycarya strobilacea</i> Siebold & Zucc., <i>Populus</i> L., <i>Pterocarya rhoifolia</i> Siebold & Zucc., <i>Pterocarya stenoptera</i> C.DC., <i>Punica granatum</i> L., <i>Robinia pseudoacacia</i> L., <i>Salix</i> L., <i>Spiraea thunbergii</i> Siebold ex Blume, <i>Ulmus parvifolia</i> Jacq., <i>Villebrunea pedunculata</i> Shirai, and <i>Zelkova serrata</i> (Thunb.) Makino, other than plants in tissue culture, pollen, and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that the plants: (a) have a diameter of less than 1 cm at the base of the stem, or (b) originate in a country recognised as being free from <i>Apriona rugicollis</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures, or (c) have been grown throughout their life in an area free from <i>Apriona rugicollis</i> Chevrolat, established by the national plant protection organisation in the country of origin in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (d) have been grown throughout their life or during a period of at least two years prior to export, in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Apriona rugicollis</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures, and (i) which has been subjected annually to two official inspections for any signs of <i>Apriona rugicollis</i> Chevrolat, carried out at appropriate times and no signs of the pest have been found, and (ii) with the application of appropriate preventive treatments and surrounded by a buffer zone with a width of at least 2 000 m where the absence of <i>Apriona rugicollis</i> Chevrolat was confirmed by official surveys carried out annually at appropriate times,

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>and</p> <p>(iii) immediately prior to export have been subjected to an inspection for the presence of <i>Apriona rugicollis</i> Chevrolat, in particular in stems of the plants; where appropriate, this inspection should include destructive sampling,</p> <p>or</p> <p>(e) have been grown throughout their life or during a period of at least two years prior to export in a site of production with physical isolation against the introduction of <i>Apriona rugicollis</i> Chevrolat</p> <p>and</p> <p>immediately prior to export have been subjected to an inspection for the presence of <i>Apriona rugicollis</i> Chevrolat, in particular in stems of the plants; where appropriate, this inspection should include destructive sampling.</p>
32.4	Plants for planting of <i>Debregeasia hypoleuca</i> (Hochst. ex Steud.) Wedd., <i>Ficus</i> L., <i>Machura pomifera</i> (Raf.) C.K.Schneid., <i>Morus</i> L., <i>Populus</i> L. and <i>Salix</i> L., other than plants in tissue culture, pollen, and seeds	<p>ex 0602 10 90</p> <p>ex 0602 20 20</p> <p>ex 0602 20 80</p> <p>ex 0602 90 41</p> <p>ex 0602 90 45</p> <p>ex 0602 90 46</p> <p>ex 0602 90 47</p> <p>ex 0602 90 48</p> <p>ex 0602 90 50</p> <p>ex 0602 90 70</p> <p>ex 0602 90 91</p> <p>ex 0602 90 99</p>	<p>Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Moldova, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen</p>	<p>Official statement that the plants:</p> <p>(a) have a diameter of less than 1 cm at the base of the stem,</p> <p>or</p> <p>(b) originate in a country recognised as being free from <i>Apriona cinerea</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(c) have been grown throughout their life in an area free from <i>Apriona cinerea</i> Chevrolat, established by the national plant protection organisation in the country of origin in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(d) the plants have been grown throughout their life or during a period of at least two years prior to export, in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Apriona cinerea</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>and</p> <p>(i) which has been subjected annually to two official inspections for any signs of <i>Apriona cinerea</i> Chevrolat, carried out at appropriate times and no signs of the pest have been found,</p> <p>and</p> <p>(ii) with the application of appropriate preventive treatments and surrounded by a buffer zone with a width of at least 2 000 m where the absence of <i>Apriona cinerea</i> Chevrolat was confirmed by official surveys carried out annually at appropriate times,</p> <p>and</p> <p>(iii) immediately prior to export have been subjected to an inspection for the presence of <i>Apriona cinerea</i> Chevrolat, in particular in stems of the plants; where appropriate, this inspection should include destructive sampling,</p> <p>or</p> <p>(e) have been grown throughout their life or during a period of at least two years prior to export in a site of production with physical isolation against the introduction of <i>Apriona cinerea</i> Chevrolat</p> <p>and</p> <p>immediately prior to export have been subjected to an inspection for the presence of <i>Apriona cinerea</i> Chevrolat, in particular in stems of the plants; where appropriate, this inspection should include destructive sampling.</p>

▼M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
32.5	Plants of <i>Acer macrophyllum</i> Pursh, <i>Acer pseudoplatanus</i> L., <i>Adiantum aleuticum</i> (Rupr.) Paris, <i>Adiantum jordanii</i> C. Muell., <i>Aesculus californica</i> (Spach) Nutt., <i>Aesculus hippocastanum</i> L., <i>Arbutus menziesii</i> Pursch., <i>Arbutus unedo</i> L., <i>Arctostaphylos</i> Adans., <i>Calluna vulgaris</i> (L.) Hull, <i>Camellia</i> L., <i>Castanea sativa</i> Mill., <i>Fagus sylvatica</i> L., <i>Frangula californica</i> (Eschsch.) Gray, <i>Frangula purshiana</i> (DC.) Cooper, <i>Fraxinus excelsior</i> L., <i>Griselinia littoralis</i> (Raoul), <i>Hamamelis virginiana</i> L., <i>Heteromeles arbutifolia</i> (Lindley) M. Roemer, <i>Kalmia latifolia</i> L., <i>Larix decidua</i> Mill., <i>Larix kaempferi</i> (Lamb.) Carrière, <i>Larix</i> × <i>eurolepis</i> A. Henry, <i>Laurus nobilis</i> L., <i>Leucothoe</i> D. Don, <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd., <i>Lonicera hispidula</i> (Lindl.) Dougl. ex Torr.&Gray, <i>Magnolia</i> L., <i>Michelia doltsopa</i> Buch-Ham. ex DC., <i>Nothofagus obliqua</i> (Mirbel) Blume, <i>Osmanthus heterophyllus</i> (G. Don) P. S. Green, <i>Parrotia persica</i> (DC) C.A. Meyer, <i>Photinia x fraseri</i> Dress, <i>Pieris</i> D. Don, <i>Pseudotsuga menziesii</i> (Mirbel) Franco, <i>Quercus</i> L., <i>Rhododendron</i> L. other than <i>Rhododendron simsii</i> Planch., <i>Rosa gymnocarpa</i> Nutt., <i>Salix caprea</i> L., <i>Sequoia sempervirens</i> (Lamb. ex D. Don) Endl., <i>Syringa vulgaris</i> L., <i>Taxus</i> L., <i>Trientalis latifolia</i> (Hook.), <i>Umbellularia californica</i> (Hook. & Arn.) Nutt., <i>Vaccinium</i> L. and <i>Viburnum</i> L., other than fruit, pollen and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 30 00 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 40 ex 0604 20 90 ex 0604 90 91 ex 1401 90 00 ex 1404 90 00	Canada, United Kingdom (?), United States and Vietnam	Official statement that: (a) the plants originate in areas known to be free from <i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld, established by the national plant protection organisation of the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (b) no signs of <i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld have been observed on any susceptible plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms carried out since the beginning of the last complete cycle of vegetation, and a representative sample of the plants has been inspected before shipment and found free from <i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld in these inspections.

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
32.6	Plants for planting of <i>Acer</i> L., <i>Betula</i> L., <i>Elaeagnus</i> L., <i>Fraxinus</i> L., <i>Gleditsia</i> L., <i>Juglans</i> L., <i>Malus</i> Mill., <i>Morus</i> L., <i>Platanus</i> L., <i>Populus</i> L., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Quercus</i> L., <i>Robinia</i> L., <i>Salix</i> L., or <i>Ulmus</i> L., other than scions, cuttings, plants in tissue culture, pollen, or seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Afghanistan, India, Iran, Kyrgyzstan, Pakistan, Tajikistan, Turkmenistan and Uzbekistan	Official statement that the plants: (a) have a diameter of less than 9 cm at the base of the stem, or (b) have been grown throughout their life in an area free from <i>Trirachys sartus</i> Solsky, established by the national plant protection organisation of the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (c) have been grown throughout their life or during a period of at least two years prior to export, in a site of production free from <i>Trirachys sartus</i> Solsky, in accordance with the relevant International Standards for Phytosanitary Measures, and where the plants have been grown (i) in a site of production with physical isolation against the introduction of <i>Trirachys sartus</i> Solsky, which has been subjected to at least one inspection per year for any signs of <i>Trirachys sartus</i> Solsky, carried out at appropriate times of the year to detect the presence of the pest concerned, or (ii) in a site of production with the application of appropriate preventive treatments which has been subjected to annually at least two inspections for any signs of <i>Trirachys sartus</i> Solsky, carried out at appropriate times of the year to detect the presence of the pest concerned, surrounded by a buffer zone with a width of at least 500 m where the absence of <i>Trirachys sartus</i> Solsky was confirmed during these official surveys,

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				and immediately prior to export the plants have been subjected to an inspection for the presence of <i>Trirachys sartus</i> Solsky, in particular in the stems of the plant, including where appropriate, destructive sampling, and no signs of presence of <i>Trirachys sartus</i> Solsky have been observed.’
32.7	Plants for planting of <i>Castanea</i> Mill., <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L., other than plants in tissue culture, pollen, and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	China, North Korea, Russia, South Korea, Taiwan and Vietnam	Official statement that the plants: (a) have a diameter of less than 9 cm at the base of the stem, or (b) have been grown throughout their life in an area free from <i>Massicus raddei</i> (Blessig), established by the national plant protection organisation in the country of origin in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (c) have been grown throughout their life or during a period of at least two years prior to export, in a site of production free from <i>Massicus raddei</i> (Blessig), in accordance with the relevant International Standards for Phytosanitary Measures, and where the plants have been grown (i) in a site of production with physical isolation against the introduction of <i>Massicus raddei</i> (Blessig), which has been subjected annually to at least one inspection for any signs of <i>Massicus raddei</i> (Blessig), carried out at appropriate times of the year to detect the presence of the pest concerned, or

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(ii) in a site of production with the application of appropriate preventive treatments which has been subjected annually to at least two inspections for any signs of <i>Massicus raddei</i> (Blessig), carried out at appropriate times of the year to detect the presence of the pest concerned, surrounded by a buffer zone with a width of at least 2000 m where the absence of <i>Massicus raddei</i> (Blessig) was confirmed during official surveys,</p> <p>and immediately prior to export the plants have been subjected to an inspection for the presence of <i>Massicus raddei</i> (Blessig), in particular in the stems of the plant, including where appropriate, destructive sampling, and no signs of presence of <i>Massicus raddei</i> (Blessig) have been observed.</p>
▼ <u>B</u>				
33.	Plants of <i>Castanea</i> Mill. and <i>Quercus</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Third countries	Official statement that no symptoms of <i>Cronartium</i> spp., with the exception of <i>Cronartium gentianeum</i> , <i>Cronartium pini</i> and <i>Cronartium ribicola</i> , have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
34.	Plants of <i>Quercus</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	United States	Official statement that the plants originate in areas known to be free from <i>Bretziella fagacearum</i> (Bretz) Z.W. deBeer, Marinc., T.A. Duong & M.J. Wingf., comb. nov.

▼ **B**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
35.	Plants for planting, of <i>Corylus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Canada and United States	Official statement that the plants originate in: (a) an area, established in the country of origin by the national plant protection organisation in that country, as being free from <i>Anisogramma anomala</i> (Peck) E. Müller, in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031 under the rubric 'Additional declaration', or (b) a place of production, established in the country of origin by the national plant protection organisation in that country, as being free from <i>Anisogramma anomala</i> (Peck) E. Müller on official inspections carried out at the place of production or its immediate vicinity since the beginning of the last three complete cycles of vegetation, in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031 under the rubric 'Additional declaration'.

▼ **M9**

36.	Plants of <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States	Official statement that the plants originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Agrilus planipennis</i> Fairmaire, in accordance with the relevant International Standards for Phytosanitary Measures, and located at a minimum distance of 100 km to the closest known area, where the presence of the specified pest has been officially confirmed; the name of the area is mentioned on the phytosanitary certificate and the freedom status of that area has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.
-----	--	--	--	---

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
37.	Plants for planting, of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth, other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	United States	<p>Official statement that the plants for planting:</p> <p>(a) have been grown throughout their life in an area free from <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031 under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) originate in a place of production, including its vicinity of at least 5 km radius, where neither symptoms of <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, nor the presence of the vector, have been observed during official inspections within a period of two years prior to export; the plants for planting have been inspected immediately prior to export and handled and packaged in ways to prevent infestation after leaving the place of production,</p> <p>or</p> <p>(c) originate in a place of production with complete physical isolation, and plants for planting have been inspected immediately prior to export and handled and packaged in ways to prevent infestation after leaving the place of production.</p>
38.	Plants of <i>Betula</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Third countries	Official statement that the plants originate in a country known to be free of <i>Agrilus anxius</i> Gory.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
39.	Plants for planting of <i>Platanus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Albania, Armenia, Switzerland, Turkey and United States	<p>Official statement that the plants:</p> <p>(a) originate in an area established by the national plant protection organisation of the country of origin as being free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr. in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031 under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) have been grown in a place of production established as free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr. in accordance with relevant International Standards for Phytosanitary Measures:</p> <p>(i) which is registered and supervised by the national plant protection organisation in the country of origin,</p> <p>and</p> <p>(ii) which has been subjected annually to official inspections for any symptoms of <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr., including its immediate vicinity, carried out at the most appropriate times of the year to detect the presence of the pest concerned,</p> <p>and</p> <p>(iii) a representative sample of the plants has been subjected to testing for the presence of <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr., at appropriate times of the year to detect the presence of the pest.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
40.	Plants for planting of <i>Populus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries	Official statement that no symptoms of <i>Melampsora medusae</i> f.sp. <i>tremuloidis</i> Shain have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
41.	Plants of <i>Populus</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Americas	Official statement that no symptoms of <i>Sphaerulina musiva</i> (Peck) Quaedvl., Verkley & Crous have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
42.	Plants for planting, other than scions, cuttings, plants in tissue culture, pollen and seeds, of <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L.	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Canada and United States	Official statement that the plants: (a) have been grown throughout their life in an area free from <i>Saperda candida</i> Fabricius, established by the national plant protection organisation of the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', or (b) have been grown during a period of at least two years prior to export, or in the case of plants which are younger than two years have been grown throughout their life, in a place of production established as free from <i>Saperda candida</i> Fabricius in accordance with relevant International Standards for Phytosanitary Measures: (i) which is registered and supervised by the national plant protection organisation in the country of origin, and

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(ii) which has been subjected annually to two official inspections for any signs of <i>Saperda candida</i> Fabricius carried out at the most appropriate times of the year to detect the presence of the pest concerned, and</p> <p>(iii) where the plants have been grown:</p> <ul style="list-style-type: none"> — in an insect proof site of production against the introduction of <i>Saperda candida</i> Fabricius, or — in a site with the application of appropriate preventive treatments and surrounded by a buffer zone with a width of at least 500 m, where the absence of <i>Saperda candida</i> Fabricius was confirmed by official surveys carried out annually at appropriate times, and <p>(iv) immediately prior to export the plants have been subjected to a meticulous inspection for the presence of <i>Saperda candida</i> Fabricius, in particular in the stems of the plant, including, where appropriate, destructive sampling.</p>
43.	Plants for planting, other than plants in tissue culture and seeds, of <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L.	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Canada, Mexico and United States	<p>Official statement that the plants have been grown:</p> <p>(a) throughout their life in an area free from <i>Grapholita packardi</i> Zeller, established by the national plant protection organisation of the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(b) throughout their life, in a place of production established as free from <i>Grapholita packardi</i> Zeller in accordance with the relevant International Standards for Phytosanitary Measures:</p> <p>(i) which is registered and supervised by the national plant protection organisation of the country of origin,</p> <p>and</p> <p>(ii) which has been subjected to annual inspections for any signs of <i>Grapholita packardi</i> Zeller carried out at appropriate times of the year to detect the presence of the pest concerned,</p> <p>and</p> <p>(iii) where the plants have been grown in a site with the application of appropriate preventive treatments and where the absence of <i>Grapholita packardi</i> Zeller was confirmed by official surveys carried out annually at appropriate times of the year to detect the presence of the pest concerned,</p> <p>and</p> <p>(iv) immediately prior to export the plants have been subjected to a meticulous inspection for the presence of <i>Grapholita packardi</i> Zeller;</p> <p>or</p> <p>(c) in an insect proof site of production against the introduction of <i>Grapholita packardi</i> Zeller.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
44.	Plants for planting of <i>Crataegus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries where <i>Phyllosticta solitaria</i> Ell. and Ev. is known to occur	Official statement that no symptoms of <i>Phyllosticta solitaria</i> Ell. and Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.
45.	Plants for planting of <i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 30 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries where ►M9 viruses, viroids and phytoplasmas referred to in point 22 of Part A of Annex II ◀ or <i>Phyllosticta solitaria</i> Ell. and Ev. are known to occur on the genera concerned	Official statement that no symptoms of diseases caused by ►M9 viruses, viroids and phytoplasmas referred to in point 22 of Part A of Annex II ◀ and <i>Phyllosticta solitaria</i> Ell. and Ev. have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
46.	Plants for planting of <i>Malus</i> Mill., other than seeds.	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Third countries where Cherry rasp leaf virus or Tomato ringspot virus, are known to occur	Official statement that: (a) the plants have been: (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least Cherry rasp leaf virus and Tomato ringspot virus using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests, or (ii) derived in direct line from material which is maintained under appropriate conditions and subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Cherry rasp leaf virus and Tomato ringspot virus using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests;

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(b) no symptoms of diseases caused by Cherry rasp leaf virus or Tomato ringspot virus have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
47.	Plants for planting of <i>Prunus</i> L., other than seeds in the case of (b)	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0802 11 10 ex 0802 11 90 ex 0802 12 10 ex 0802 12 90 ex 1209 99 10 ex 1209 99 91 ex 1209 99 99	a) Third countries where Tomato ringspot virus is known to occur b) Third countries where American plum line pattern virus, Cherry rasp leaf virus, Peach mosaic virus, Peach rosette mosaic virus are known to occur	Official statement that: (a) the plants have been: (i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing at least for the relevant Union quarantine pests using appropriate indicators for the presence of those pests or equivalent methods and has been found free, in these tests, from those pests, or (ii) derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing at least for the relevant Union quarantine pests, using appropriate indicators for the presence of those pests or equivalent methods and has been found free, in these tests, from those Union quarantine pests, (b) no symptoms of diseases caused by the relevant Union quarantine pests have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
48.	Plants for planting of <i>Rubus</i> L., other than seeds in the case of point (b)	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 1202 99 99	a) Third countries where Tomato ringspot virus, Black raspberry latent virus are known to occur, b) Third countries where Raspberry leaf curl virus, Cherry rasp leaf virus are known to occur	(a) the plants shall be free from aphids, including their eggs, (b) official statement that: (i) the plants have been: — officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing at least for the relevant Union quarantine pests, using appropriate indicators for the presence of those pests or equivalent methods and has been found free, in these tests, from those Union quarantine pests, or — derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing at least for relevant Union quarantine pests, using appropriate indicators for the presence of those pests or for equivalent methods and has been found free, in these tests, from those Union quarantine pests; (ii) no symptoms of diseases caused by the relevant Union quarantine pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycles of vegetation.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
49.	Plants for planting of <i>Fragaria</i> L., other than seeds	ex 0602 10 90 ex 0602 90 30	Third countries where ► M9 <i>Candidatus</i> Phytoplasma australiense Davis <i>et al.</i> (reference strain), <i>Candidatus</i> Phytoplasma fraxini (reference strain) Griffiths <i>et al.</i> , and <i>Candidatus</i> Phytoplasma hispanicum (reference strain) Davis <i>et al.</i> ◀ known to occur	Official statement that: (a) the plants, other than those raised from seed, have been: (i) either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least ► M9 <i>Candidatus</i> Phytoplasma australiense Davis <i>et al.</i> (reference strain), <i>Candidatus</i> Phytoplasma fraxini (reference strain) Griffiths <i>et al.</i> , and <i>Candidatus</i> Phytoplasma hispanicum (reference strain) Davis <i>et al.</i> ◀ using appropriate indicators for the presence of those pests or equivalent methods and has been found free, in these tests, from ► M9 <i>Candidatus</i> Phytoplasma australiense Davis <i>et al.</i> (reference strain), <i>Candidatus</i> Phytoplasma fraxini (reference strain) Griffiths <i>et al.</i> , and <i>Candidatus</i> Phytoplasma hispanicum (reference strain) Davis <i>et al.</i> ◀, or (ii) derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least ► M9 <i>Candidatus</i> Phytoplasma australiense Davis <i>et al.</i> (reference strain), <i>Candidatus</i> Phytoplasma fraxini (reference strain) Griffiths <i>et al.</i> , and <i>Candidatus</i> Phytoplasma hispanicum (reference strain) Davis <i>et al.</i> ◀ using appropriate indicators for the presence of those pests or equivalent methods and has been found free, in these tests, from ► M9 <i>Candidatus</i> Phytoplasma australiense Davis <i>et al.</i> (reference strain), <i>Candidatus</i> Phytoplasma fraxini (reference strain) Griffiths <i>et al.</i> , and <i>Candidatus</i> Phytoplasma hispanicum (reference strain) Davis <i>et al.</i> ◀,

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(b) no symptoms of diseases caused by ► M9 <i>Candidatus</i> Phytoplasma <i>australiense</i> Davis <i>et al.</i> (reference strain), <i>Candidatus</i> Phytoplasma <i>fraxini</i> (reference strain) Griffiths <i>et al.</i> , and <i>Candidatus</i> Phytoplasma <i>hispanicum</i> (reference strain) Davis <i>et al.</i> ◀ have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.
50.	Plants for planting of <i>Fragaria</i> L. other than seeds	ex 0602 10 90 ex 0602 90 30	Third countries	Official statement that the plants originate in an area known to be free from <i>Anthonomus signatus</i> Say and <i>Anthonomus bisignifer</i> Schenkling.
51.	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle., <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour. and <i>Vepris</i> Comm., other than fruit (but including seeds); and seeds of <i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids	ex 0602 10 90 ex 0602 20 20 ex 0602 20 30 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1209 30 00 ex 1209 99 10 ex 1209 99 91 ex 1209 99 99 ex 1404 90 00	Third countries	Official statement that the plants originate in a country recognised as being free from <i>Candidatus</i> Liberibacter africanus, <i>Candidatus</i> Liberibacter americanus and <i>Candidatus</i> Liberibacter asiaticus, causal agents of Huanglongbing disease of citrus/citrus greening, in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in writing to the Commission by the national plant protection organisation of the third country concerned.
52.	Plants of <i>Casimiroa</i> La Llave, <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Murraya</i> J.Koenig ex L., <i>Vepris</i> Comm, <i>Zanthoxylum</i> L., other than fruits and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1404 90 00	Third countries	Official statement that: (a) the plants originate in a country in which <i>Trioza erytrae</i> Del Guercio is known not to occur, or (b) the plants originate in an area free from <i>Trioza erytrae</i> Del Guercio, established by the national plant protection organisation in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(c) the plants have been grown in a place of production, which is registered and supervised by the national plant protection organisation of the country of origin,</p> <p>and</p> <p>where the plants have been grown during a period of one year, in an insect proof site of production against the introduction of <i>Trioxa erytrae</i> Del Guercio,</p> <p>and</p> <p>where, during a period of at least one year prior to the movement, two official inspections were carried out at appropriate times and no signs of <i>Trioxa erytrae</i> Del Guercio have been observed in that site,</p> <p>and</p> <p>prior to movement are handled and packaged in ways to prevent infestation after leaving the place of production.</p>
53.	Plants of <i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl., <i>Amyris</i> P. Browne, <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Choisya</i> Kunth, <i>Citropsis</i> Swingle & Kellerman, <i>Clausena</i> Burm. f., <i>Eremocitrus</i> Swingle, <i>Esenbeckia</i> Kunth., <i>Glycosmis</i> Corrêa, <i>Limonia</i> L., <i>Merrillia</i> Swingle, <i>Microcitrus</i> Swingle, <i>Murraya</i> J. Koenig ex L., <i>Naringi</i> Adans., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Tetradium</i> Lour., <i>Toddalia</i> Juss., <i>Triphasia</i> Lour., <i>Vepris</i> Comm., <i>Zanthoxylum</i> L., other than fruit and seed	ex 0602 10 90 ex 0602 20 20 ex 0602 20 30 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1404 90 00	Third countries	<p>Official statement that the plants originate:</p> <p>(a) in a country in which <i>Diaphorina citri</i> Kuway is known not to occur,</p> <p>or</p> <p>(b) in an area free from <i>Diaphorina citri</i> Kuway, established by the national plant protection organisation in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration'.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
54.	Plants of <i>Microcitrus Swingle</i> , <i>Naringi</i> Adans. and <i>Swinglea</i> Merr., other than fruits and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 30 ex 0602 20 80 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1404 90 00	Third countries	Official statement that the plants the plants originate: (a) in a country recognised as being free from <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i> in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in writing to the Commission by the national plant protection organisation of the third country concerned, or (b) in an area established by the national plant protection organisation in the country of origin as being free from <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i> , in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric ‘Additional declaration’, provided that this freedom status has been communicated in writing to the Commission by the national plant protection organisation of the third country concerned.
55.	Plants for planting of <i>Palmae</i> other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	►M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), North-western Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (?) ◀	Official statement that: (a) either the plants originate in an area known to be free from Palm lethal yellowing phytoplasmas and Coconut cadang-cadang viroid, and no symptoms have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation, or (b) no symptoms of Palm lethal yellowing phytoplasmas and Coconut cadang-cadang viroid have been observed on the plants since the beginning of the last complete cycle of vegetation, and plants at the place of production which have shown symptoms giving rise to the suspicion of contamination by the pests have been rogued out at that place and the plants have undergone appropriate treatment to rid them of <i>Myndus crudus</i> Van Duzee,

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(c) in the case of plants in tissue culture, the plants were derived from plants which have met the requirements laid down in point (a) or (b).

▼ M9

56.	Plants for planting of <i>Cryptocoryne</i> sp., <i>Hygrophila</i> sp. and <i>Vallisneria</i> sp., other than pollen and seeds	ex 0602 10 90 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Third countries, other than Switzerland	Official statement that the roots have been subjected to testing for at least nematode pests, of a representative sample, using appropriate methods for the detection of the pests and have been found at these tests free from the nematode pests.
-----	---	--	---	---

▼ B

57.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids	0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 50 90 ex 0805 90 00	Third countries	The fruits shall be free from peduncles and leaves and the packaging shall bear an appropriate origin mark.
-----	--	---	-----------------	---

58.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., <i>Swinglea</i> Merr., and their hybrids	0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 50 90 ex 0805 90 00	Third countries	Official statement that: (a) the fruits originate in a country recognised as being free of <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i> in accordance with the relevant International Standards for Phytosanitary Measures, and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, or (b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i> in accordance with the relevant
-----	--	---	-----------------	--

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) the fruits originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i> in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(d) the site of production and the immediate vicinity are subject to appropriate treatments and cultural practices against <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i>,</p> <p>and</p> <p>the fruits have been subjected to a treatment with sodium orthophenylphenate, or another effective treatment mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, and the treatment method has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>and</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>official inspections carried out at appropriate times prior to export have shown that the fruits are free from symptoms of <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i>,</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(e) in the case of fruits destined for industrial processing, official inspections prior to export have shown that the fruits are free from symptoms of <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i>,</p> <p>and</p> <p>the site of production and the immediate vicinity are subject to appropriate treatments and cultural practices against <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> (Schaad <i>et al.</i>) Constantin <i>et al.</i> and <i>Xanthomonas citri</i> pv. <i>citri</i> (Hasse) Constantin <i>et al.</i>,</p> <p>and</p> <p>movement, storage and processing takes place under conditions, approved in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031,</p> <p>and</p> <p>the fruits have been transported in individual packages bearing a label, which contains a traceability code and the indication that the fruits are destined for industrial processing</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
59.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids	0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 50 90 ex 0805 90 00	Third countries	Official statement that: (a) the fruits originate in a country recognised as being free from <i>Pseudocercospora angolensis</i> (T. Carvalho & O. Mendes) Crous & U. Braun in accordance with the relevant International Standards for Phytosanitary Measures, and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, or (b) the fruits originate in an area recognised as being free from <i>Pseudocercospora angolensis</i> (T. Carvalho & O. Mendes) Crous & U. Braun, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, or (c) no symptoms of <i>Pseudocercospora angolensis</i> (T. Carvalho & O. Mendes) Crous & U. Braun have been observed in the site of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and none of the fruits harvested in the site of production has shown, in appropriate official examination, symptoms of this pest.
60.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruits of <i>Citrus aurantium</i> L. and <i>Citrus latifolia</i> Tanaka	0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 50 90 ex 0805 90 00	Third countries	Official statement that: (a) the fruits originate in a country recognised as free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa, in accordance with the relevant International Standards for Phytosanitary Measures, and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, or

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) the fruits originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>and</p> <p>the fruits are found free of symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa by official inspection of a representative sample, defined in accordance with international standards,</p> <p>or</p> <p>(d) the fruits originate in a site of production subjected to appropriate treatments and cultural measures against <i>Phyllosticta citricarpa</i> (McAlpine) van der Aa,</p> <p>and</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>official inspections have been carried out in the site of production during the growing season since the beginning of the last cycle of vegetation, and no symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) van der Aa have been detected in the fruits,</p> <p>and</p> <p>the harvested fruits from that site of production are found free of symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa during an official inspection prior to export, of a representative sample, defined in accordance with international standards</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(e) in the case of fruits destined for industrial processing, the fruits have been found free of symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa prior to the export during an official inspection of a representative sample, defined in accordance with international standards,</p> <p>and</p> <p>a statement that the fruits originate in a site of production subjected to appropriate treatments against <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa carried out at the appropriate time of the year to detect the presence of the pest concerned is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>and</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>movement, storage and processing takes place under conditions, approved in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031,</p> <p>and</p> <p>the fruits have been transported in individual packages bearing a label, which contains a traceability code and the indication that the fruits are destined for industrial processing</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼ M9

61.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, <i>Mangifera</i> L. and <i>Prunus</i> L.	ex 0804 50 00 0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 50 90 ex 0805 90 00 0809 10 00 0809 21 00 0809 29 00 0809 30 10 0809 30 90 0809 40 05 0809 40 90	Third countries	<p>Official statement that:</p> <p>(a) the fruits originate in a country recognised as free from <i>Tephritidae</i> as referred to in point 77 of table 3, Part A of Annex II, to which those fruits are known to be susceptible, in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Tephritidae</i> as referred to in point 77 of table 3, Part A of Annex II, to which those fruits are known to be susceptible, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the</p>
-----	--	--	-----------------	---

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>phytosanitary certificate, and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) no signs of <i>Tephritidae</i> as referred to in point 77 of table 3, Part A of Annex II, to which those fruits are known to be susceptible, have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official examinations, signs of the relevant pest and information on traceability is included in the phytosanitary certificate,</p> <p>or</p> <p>(d) have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Tephritidae</i> as referred to in point 77 of table 3, Part A of Annex II, to which those fruits are known to be susceptible, and the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate, provided that the systems approach or the post-harvest treatment method has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>

▼B

▼M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
62.	Fruits of <i>Capsicum</i> (L.), <i>Citrus</i> L., other than <i>Citrus aurantiifolia</i> (Christm.) Swingle <i>Citrus limon</i> (L.) Osbeck. and <i>Citrus sinensis</i> Pers., <i>Prunus persica</i> (L.) Batsch and <i>Punica granatum</i> L.	0709 60 10 0709 60 91 0709 60 95 0709 60 99 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 90 00 0809 30 10 0809 30 90 ex 0810 90 75	Countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	Official statement that: (a) the fruits originate in a country recognised as being free from <i>Thaumatotibia leucotreta</i> (Meyrick) in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin, or (b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia leucotreta</i> (Meyrick), in accordance with the International Standard for Phytosanitary Measures ISPM 4(*). The pest free area is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin, or (c) the fruits: (i) originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia leucotreta</i> (Meyrick) in accordance with the International Standard for Phytosanitary Measures ISPM 10(**), and which is included in the list of place of production codes that has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin, and

▼ M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(ii) have been subjected to official inspections carried out in the place of production at appropriate times during the growing season and prior to export, including a visual examination with an intensity to enable at least the detection of a 2 % level of infestation, with a level of confidence of 95 % in accordance with the International Standard for Phytosanitary Measures ISPM 31 (***) and including destructive sampling in case of symptoms, and have been found to be free from <i>Thaumatotibia leucotreta</i> (Meyrick),</p> <p>and</p> <p>(iii) are accompanied by a phytosanitary certificate that indicates the place of production codes,</p> <p>or</p> <p>(d) the fruits</p> <p>(i) have been produced in an approved site of production, which is included in the list of production site codes that has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin,</p> <p>and</p> <p>(ii) have been subjected to an effective systems approach to ensure freedom from <i>Thaumatotibia leucotreta</i> (Meyrick), in accordance with the International Standards for Phytosanitary Measures ISPM 14(****), or an effective stand-alone post-harvest treatment to ensure freedom from <i>Thaumatotibia leucotreta</i> (Meyrick), provided that the respective systems approach used or the post-harvest treatment, together with documentary evidence of its effectiveness, have been</p>

▼M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin and that post-harvest treatment has been assessed by the European Food Safety Authority,</p> <p>and</p> <p>(iii) prior to export, have been subjected to official inspections for the presence of <i>Thaumatotibia leucotreta</i> (Meyrick), with an intensity to enable at least the detection of 2 % level of infestation, with a level of confidence of 95 % in accordance with the International Standard for Phytosanitary Measures ISPM 31 (***) and including destructive sampling in case of symptoms,</p> <p>and</p> <p>(iv) are accompanied by a phytosanitary certificate that indicates the production site codes and mentions the details of the post-harvest treatment used, or the use of the systems approach.</p>
62.1	Fruits of <i>Citrus sinensis</i> Pers.	0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80	Countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel	<p>Official statement that:</p> <p>(a) the fruits originate in a country recognised as being free from <i>Thaumatotibia leucotreta</i> (Meyrick) in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin,</p> <p>or</p>

▼ M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thaumtotibia leucotreta</i> (Meyrick), in accordance with the International Standard for Phytosanitary Measures ISPM 4(*). The pest free area is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin, or</p> <p>(c) the fruits</p> <p>(i) originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Thaumtotibia leucotreta</i> (Meyrick) in accordance with the International Standard for Phytosanitary Measures ISPM 10(**), and which is included in the list of place of production codes that has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin,</p> <p>and</p> <p>(ii) have been subjected to official inspections carried out in the place of production at appropriate times during the growing season and prior to export, including a visual examination with an intensity to enable at least the detection of a 2 % level of infestation, with a level of confidence of 95 % in accordance with the International Standard for Phytosanitary Measures ISPM 31 (***) and including destructive sampling in case of symptoms, and found to be free from <i>Thaumtotibia leucotreta</i> (Meyrick),</p> <p>and</p>

▼ M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(iii) are accompanied by a phytosanitary certificate that indicates the place of production codes,</p> <p>or</p> <p>(d) the fruits:</p> <p>(i) have been produced in an approved site of production, which is included in the list of production site codes that has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin,</p> <p>and</p> <p>(ii) have been subjected to:</p> <ul style="list-style-type: none"> — an effective systems approach, which includes a cold treatment of 0 °C to – 1 °C for at least 16 days, in accordance with the relevant International Standards for Phytosanitary Measures ISPM 14(****) and ISPM 42(****), provided that the cold treatment has been documented and checked for each consignment by the exporting third country and the systems approach, together with documentary evidence of its effectiveness, have been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin, <p>or</p> — an effective systems approach in accordance with the International Standard for Phytosanitary Measures ISPM 14(****), which includes a precooling step of the pulp of the fruit to the temperature of the cold treatment applied, followed by that cold treatment

▼ M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>for at least 20 days at a set temperature between – 1 °C and +2 °C, provided that the precooling step and the cold treatment have been documented and checked for each consignment by the exporting third country, and provided that the systems approach, together with documentary evidence of its effectiveness, have been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin,</p> <p>or</p> <p>— an effective stand-alone post-harvest treatment to ensure freedom from <i>Thaumatotibia leucotreta</i> (Meyrick), provided that that post-harvest treatment, together with documentary evidence of its effectiveness has been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin and has been assessed by the European Food Safety Authority,</p> <p>or</p> <p>— until 31 December 2022, an effective systems approach in accordance with the International Standard for Phytosanitary Measures ISPM 14^(****), which includes a precooling step of the pulp of the fruit to 5 °C, followed by a cold treatment for at least 25 days at a set temperature between – 1 °C and +2 °C, provided that the precooling step and the cold treatment</p>

▼ M11

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>have been documented and checked for each consignment by the exporting third country, and provided that the systems approach, together with documentary evidence of its effectiveness, have been communicated in advance in writing to the Commission by the national plant protection organisation of the country of origin,</p> <p>and</p> <p>(iii) prior to export have been subjected to official inspections for the presence of <i>Thaumalotibia leucotreta</i> (Meyrick), with an intensity to enable at least the detection of a 2 % level of infestation, with a level of confidence of 95 % in accordance with the International Standard for Phytosanitary Measures ISPM 31 (***) and including destructive sampling in case of symptoms,</p> <p>and</p> <p>(iv) are accompanied by a phytosanitary certificate that indicates the production site codes, mentions details of the post-harvest treatment used or the use of the systems approach together with the set temperature used and the duration of the cold treatment applied in that systems approach;</p> <p>and</p> <p>(v) in case the cold treatment has been applied during transport, in addition to the phytosanitary certificate, records on the application of the treatment have been kept and made available upon request.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
63.	Fruits of <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L.	0808 10 10 0808 10 80 0808 30 10 0808 30 90 0809 10 00 0809 21 00 0809 29 00 0809 30 10 0809 30 90 0809 40 05 0809 40 90 0810 40 10 0810 40 30 0810 40 50 0810 40 90	Canada, Mexico and the United States	<p>Official statement that the fruits:</p> <p>(a) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Grapholita packardi</i> Zeller in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) originate in a place of production where official inspections and surveys for the presence of <i>Grapholita packardi</i> Zeller are carried out at appropriate times during the growing season, including an inspection of a representative sample of fruits, shown to be free of the pest,</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(c) have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Grapholita packardi</i> Zeller and the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, provided that the systems approach or the post-harvest treatment method has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
64.	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L.	0808 10 10 0808 10 80 0808 30 10 0808 30 90	Third countries	<p>Official statement that the fruits:</p> <p>(a) originate in a country recognised as being free from <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', provided that this freedom status has been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission,</p> <p>or</p> <p>(c) originate in a place of production where official inspections and surveys for the presence of <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka are carried out at appropriate times during the growing season to detect the presence of the pest, including a visual inspection of a representative sample of fruits, shown to be free of the pest</p> <p>and</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(d) have been subjected to an effective systems approach or an effective post-harvest effective treatment to ensure freedom from <i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka and the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, provided that the systems approach or the post-harvest treatment method have been communicated in advance in writing by the national plant protection organisation of the third country concerned to the Commission.</p>
65.	Fruits of <i>Malus</i> Mill. and <i>Pyrus</i> L.	0808 10 10 0808 10 80 0808 30 10 0808 30 90	Third countries	<p>Official statement that the fruits:</p> <p>(a) originate in a country recognised as being free from <i>Anthonomus quad-rigibbus</i> Say in accordance with relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Anthonomus quad-rigibbus</i> Say in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', provided that this freedom status has</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) originate in a place of production where official inspections and surveys for the presence of <i>Anthonomus quadrigibbus</i> Say are carried out at appropriate times during the growing season, including a visual inspection of a representative sample of fruits, shown to be free of the pest</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(d) have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Anthonomus quadrigibbus</i> Say and the use of a systems approach or details of the treatment method are indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, provided that the systems approach or the post-harvest treatment method have been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
66.	Fruits of <i>Malus</i> Mill.	0808 10 10 0808 10 80	Third countries	<p>Official statement that the fruits:</p> <p>(a) originate in a country recognised as being free from <i>Grapholita prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh) in accordance with the relevant International Standards for Phytosanitary Measures, and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Grapholita prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration', and this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) originate in a place of production where official inspections and surveys for the presence of <i>Grapholita prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh) are carried out at appropriate times during the growing season to detect the presence of the pest(s), including a visual inspection of a representative sample of fruits, shown to be free of the pest(s)</p> <p>and</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>information on traceability is included in the certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(d) have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Grapholita prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh) and the use of a systems approach or details of the treatment method are indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, provided that the systems approach or the post-harvest treatment method have been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>

▼ M9

67.	Fruits of <i>Solanaceae</i>	0702 00 00 0709 30 00 0709 60 10 0709 60 91 0709 60 95 0709 60 99 ex 0709 99 90 ex 0810 90 75	Australia, the Americas and New Zealand	<p>Official statement that the fruits originate in:</p> <p>(a) a country recognised as being free from <i>Bactericera cockerelli</i> (Sulc.) in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) an area established by the national plant protection organisation in the country of origin as being free from <i>Bactericera cockerelli</i> (Sulc.) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p>
-----	-----------------------------	--	---	--

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(c) a place of production, where official inspections and surveys for the presence of <i>Bactericera cockerelli</i> (Sulc.) including its immediate vicinity have been carried out during the last three months prior to export and subjected to effective treatments to ensure freedom from the pest, and representative samples of the fruit have been inspected prior to export, and information on traceability is included in the phytosanitary certificate,</p> <p>or</p> <p>(d) an insect proof site of production, established by the national plant protection organisation in the country of origin, as being free from <i>Bactericera cockerelli</i> (Sulc.), on the basis of official inspections and surveys carried out during the three months prior to export, and information on traceability is included in the phytosanitary certificate.</p>

▼ B

68.	Fruits of <i>Capsicum annuum</i> L., <i>Solanum aethiopicum</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L.	0702 00 00 0709 30 00 ex 0709 60 10 ex 0709 60 91 ex 0709 60 95 ex 0709 60 99 ex 0709 99 90	Third countries	<p>Official statement that the fruits originate in:</p> <p>(a) a country recognised as being free from <i>Neoleucinodes elegantalis</i> (Guenée) in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) an area established by the national plant protection organisation in the country of origin as being free from <i>Neoleucinodes elegantalis</i> (Guenée) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary</p>
-----	--	---	-----------------	---

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric ‘Additional declaration’, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) a place of production established by the national plant protection organisation of the country of origin as being free from of <i>Neoleucinodes elegantalis</i> (Guenée) in accordance with the relevant International Standards for Phytosanitary Measures and official inspections have been carried out in the place of production at appropriate times during the growing season to detect the presence of the pest, including an examination on representative samples of fruit, shown to be free from <i>Neoleucinodes elegantalis</i> (Guenée),</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(d) an insect proof site of production, established by the national plant protection organisation in the country of origin as being free from <i>Neoleucinodes elegantalis</i> (Guenée), on the basis of official inspections and surveys carried out during the three months prior to export,</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼ B▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
68.1	Fruits of <i>Capsicum</i> L. and <i>Solanum lycopersicum</i> L.	0702 00 00 0709 60 10 0709 60 91 0709 60 95 0709 60 99 ex 0709 99 90	Bolivia, Colombia, Ecuador, Peru, and United States	<p>Official statement that the fruits:</p> <p>(a) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Prodiplosis longifila</i> Gagné in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Prodiplosis longifila</i> Gagné in accordance with the relevant International Standards for Phytosanitary Measures and official inspections and surveys have been carried out in the place of production at appropriate times during the growing season, including an examination on representative samples of fruit, shown to be free from <i>Prodiplosis longifila</i> Gagné, and information on traceability is included in the phytosanitary certificate,</p> <p>or</p> <p>(c) originate in a site of production with a physical isolation, against the introduction of <i>Prodiplosis longifila</i> Gagné established in the country of origin by the national plant protection organisation as being free from <i>Prodiplosis longifila</i> Gagné, on the basis of official inspections carried out during the two months prior to export, and information on traceability is included in the phytosanitary certificate,</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(d) have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Prodidiplosis longifila</i> Gagné and the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate, provided that the systems approach or the post-harvest treatment method has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate.</p>

▼ B

69.	Fruits of <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L.	0702 00 00 0709 30 00	Third countries	<p>Official statement that the fruits originate in:</p> <p>(a) a country recognised as being free of <i>Keiferia lycopersicella</i> (Walsingham) in accordance with relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) an area established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(c) a place of production, established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham), on the basis of official inspections and surveys carried out during the last three months prior to export, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration'.</p>
-----	--	--------------------------	-----------------	---

▼ **B**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
70.	Fruits of <i>Solanum melongena</i> L.	0709 30 00	Third countries	<p>Official statement that the fruits:</p> <p>(a) originate in a country free from <i>Thrips palmi</i> Karny in accordance with relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thrips palmi</i> Karny in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(c) immediately prior to their export, have been officially inspected and found free from <i>Thrips palmi</i> Karny.</p>

▼ **M10**

71.	Fruits of <i>Momordica</i> L., other than fruits of <i>Momordica charantia</i> L. originating in Honduras, Mexico, Sri Lanka, and Thailand	ex 0709 99 90	Third countries	<p>Official statement that the fruits originate in:</p> <p>(a) a country recognised as being free from <i>Thrips palmi</i> Karny in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) an area established by the national plant protection organisation in the country of origin as being free from <i>Thrips palmi</i> Karny in accordance with the relevant International Standard for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>
-----	--	---------------	-----------------	---

▼ **B**▼ **M10**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
71.1	Fruits of <i>Momordica charantia</i> L.	ex 0709 99 90	Honduras, Mexico, Sri Lanka, and Thailand	<p>Official statement that the fruits:</p> <p>(a) originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thrips palmi</i> Karny, in accordance with the relevant International Standard for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) originate in a site of production with physical protection against <i>Thrips palmi</i> Karny, and immediately prior to export, have been found free of that pest and/or symptoms of it by an official inspection of a representative sample, defined in accordance with international standard ISPM31⁽³⁾, and</p> <p>have been handled and packaged in ways to prevent infestation with <i>Thrips Palmi</i> Karny after leaving the site of production,</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate.</p> <p>or</p> <p>(c) have been produced following an effective systems approach to ensure freedom from <i>Thrips palmi</i> Karny, which includes at least the fulfilment of all of the following requirements:</p> <p>(i) the site of production:</p> <ul style="list-style-type: none"> — has been equipped with sticky traps to detect <i>Thrips palmi</i> Karny during the entire production cycle,

▼ **M10**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>— has been subjected to at least thrice-a-week inspections and found free of symptoms and/or the pest of concern, during the entire production cycle; in case of suspicion of the presence of <i>Thrips palmi</i> Karny, appropriate treatments have been carried out to ensure the absence of that pest,</p> <p>— has been subjected to effective weed control to eliminate alternative hosts of <i>Thrips palmi</i> Karny, and</p> <p>(ii) the fruits were subject to effective cultural control measures against <i>Thrips palmi</i> Karny and those measures have been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, and</p> <p>(iii) the harvested fruits have been:</p> <p>— handled and transported to the packaging houses in a way that prevents infestation after leaving the site of production,</p> <p>— brushed and washed with water containing a disinfectant to ensure freedom from larvae or adults of <i>Thrips palmi</i> Karny,</p> <p>— handled and packaged in ways that prevent infestation after leaving the packaging house,</p>

▼ **M10**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>— immediately prior to export, found free of symptoms of <i>Thrips palmi</i> Karny by an official inspection of a representative sample, defined in accordance with international standard ISPM31,</p> <p>(iv) information on traceability is included in the phytosanitary certificate.</p>

▼ **B**

72.	Fruits of <i>Capsicum</i> L.	ex 0709 60 10 0709 60 91 ex 0709 60 95 ex 0709 60 99	Belize, Costa Rica, Dominican Republic, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, United States and French Polynesia where <i>Anthonomus eugenii</i> Cano is known to occur	<p>Official statement that the fruits originate in:</p> <p>(a) an area free from <i>Anthonomus eugenii</i> Cano, established by the national plant protection organisation in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric ‘Additional declaration’,</p> <p>or</p> <p>(b) a place of production, established in the country of origin by the national plant protection organisation in that country, as being free from <i>Anthonomus eugenii</i> Cano, in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric ‘Additional declaration’, and declared free from <i>Anthonomus eugenii</i> Cano on official inspections carried out at least monthly during the two months prior to export, at the place of production and its immediate vicinity.</p>
-----	------------------------------	---	--	--

▼ B▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
72.1	Fruits of <i>Capsicum</i> L. and <i>Solanum</i> L.	0702 00 00 0709 30 00 0709 60 10 0709 60 91 0709 60 95 0709 60 99	Algeria, Angola, Benin Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Congo, Côte d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia Niger, Nigeria, Réunion, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, South Sudan, Sudan, Tanzania, The Democratic Republic of the Congo, Togo, Tunisia, Uganda, Zambia, Zimbabwe Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, , India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that: (a) the fruits originate in a country recognised as being free from <i>Bactrocera latifrons</i> (Hendel) in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, or (b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Bactrocera latifrons</i> (Hendel) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned, or (c) no signs of <i>Bactrocera latifrons</i> (Hendel) have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official examinations, signs of <i>Bactrocera latifrons</i> (Hendel), and information on traceability is included in the phytosanitary certificate,

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(d) the fruits have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Bactrocera latifrons</i> (Hendel) and</p> <p>the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate, provided that the systems approach or the post-harvest treatment method have been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>
72.2	Fruits of <i>Annona</i> L. and <i>Carica papaya</i> L.	ex 0810 90 75 0807 20 00	<p>Algeria, Angola, Benin</p> <p>Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Congo, Côte d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia</p> <p>Niger, Nigeria, Réunion, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, South Sudan, Sudan, Tanzania, The Democratic Republic of the Congo, Togo, Tunisia, Uganda, Zambia, Zimbabwe</p>	<p>Official statement that:</p> <p>(a) the fruits originate in a country recognised as being free from <i>Bactrocera dorsalis</i> (Hendel) in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Bactrocera dorsalis</i> (Hendel) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
			<p>Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, , India, Indonesia, Iran, Iraq, Japan,</p> <p>Jordan, Kazakhstan, Kuwait, Kyrgyzstan,</p> <p>Laos,</p> <p>Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen</p>	<p>(c) no signs of <i>Bactrocera dorsalis</i> (Hendel) have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official examinations, signs of <i>Bactrocera dorsalis</i> (Hendel),</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate,</p> <p>or</p> <p>(d) the fruits have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Bactrocera dorsalis</i> (Hendel) and</p> <p>the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate, provided that the systems approach or the post-harvest treatment method have been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
72.3	Fruits of <i>Psidium guajava</i> L.	ex 0804 50 00	<p>Algeria, Angola, Benin</p> <p>Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Congo, Côte d'Ivoire, Djibouti, Egypt, Equatorial Guinea, Eritrea, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Kenya, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia</p> <p>Niger, Nigeria, Réunion, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, South Sudan, Sudan, Tanzania, The Democratic Republic of the Congo, Togo, Tunisia, Uganda, Zambia, Zimbabwe</p> <p>Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, , India, Indonesia, Iran, Iraq, Japan,</p> <p>Jordan, Kazakhstan, Kuwait, Kyrgyzstan,</p> <p>Laos,</p> <p>Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar</p> <p>Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen</p>	<p>Official statement that:</p> <p>(a) the fruits originate in a country recognised as being free from <i>Bactrocera dorsalis</i> (Hendel) and <i>Bactrocera zonata</i> (Saunders) in accordance with the relevant International Standards for Phytosanitary Measures, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(b) the fruits originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Bactrocera dorsalis</i> (Hendel) and <i>Bactrocera zonata</i> (Saunders) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, provided that this freedom status has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,</p> <p>or</p> <p>(c) no signs of <i>Bactrocera dorsalis</i> (Hendel) and <i>Bactrocera zonata</i> (Saunders) have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official examinations, signs of <i>Bactrocera dorsalis</i> (Hendel) and <i>Bactrocera zonata</i> (Saunders),</p> <p>and</p> <p>information on traceability is included in the phytosanitary certificate,</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(d) the fruits have been subjected to an effective systems approach or an effective post-harvest treatment to ensure freedom from <i>Bactrocera dorsalis</i> (Hendel) and <i>Bactrocera zonata</i> (Saunders) and the use of a systems approach or details of the treatment method are indicated on the phytosanitary certificate, provided that the systems approach or the post-harvest treatment method have been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.
73.	Seeds of <i>Zea mays</i> L.	0712 90 11 1005 10 13 1005 10 15 1005 10 18 1005 10 90	Third countries	Official statement that: (a) the seeds originate in a country recognised as being free from <i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters, in accordance with the relevant International Standards for Phytosanitary Measures, or (b) the seeds originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate, or (c) a representative sample of the seeds has been tested and found free from <i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters in this test. The size of the sample for inspection shall be such as to enable at least the detection of 0,5 % level of infestation with a level of confidence of 99 %. However, in the case of seed lots smaller than 8000 seeds, a representative sample

▼M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				of 10 % of the lot has been tested and found free from <i>Pantoea stewartii</i> subsp. <i>stewartii</i> (Smith) Mergaert, Verdonck & Kersters in this test.

▼B

74.	Seeds of the genera <i>Triticum</i> L., <i>Secale</i> L. and <i>xTriticosecale</i> Wittm. ex A. Camus	1001 11 00 1001 91 10 1001 91 20 1001 91 90 1002 10 00 1008 60 00	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and United States where <i>Tilletia indica</i> Mitra is known to occur	Official statement that the seeds originate in an area where <i>Tilletia indica</i> Mitra is known not to occur. The name of the area is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'place of origin'.
75.	Grain of the genera <i>Triticum</i> L., <i>Secale</i> L. and <i>xTriticosecale</i> Wittm. ex A. Camus	1001 19 00 1001 99 00 1002 90 00 ex 1008 60 00	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and United States where <i>Tilletia indica</i> Mitra is known to occur	Official statement that: (a) the grain originates in an area where <i>Tilletia indica</i> Mitra is known not to occur. The name of the area or areas is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'place of origin', or (b) no symptoms of <i>Tilletia indica</i> Mitra have been observed on the plants at the place of production during their last complete cycle of vegetation and representative samples of the grain have been taken both at the time of harvest and before shipment and have been tested and found free from <i>Tilletia indica</i> Mitra in these tests; the latter is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'name of produce' as 'tested and found free from <i>Tilletia indica</i> Mitra'.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
76.	<p>Wood of ►M9 conifers (Pinopsida) ◄, except that of <i>Thuja</i> L. and <i>Taxus</i> L., other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>— wood of <i>Libocedrus decurrens</i> Torr. where there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82 °C for a seven to eight-day period,</p> <p>but including that which has not kept its natural round surface</p>	<p>ex 4401 11 00</p> <p>ex 4403 11 00</p> <p>4403 21 10</p> <p>4403 21 90</p> <p>4403 22 00</p> <p>4403 23 10</p> <p>4403 23 90</p> <p>4403 24 00</p> <p>ex 4403 25 10</p> <p>ex 4403 25 90</p> <p>ex 4403 26 00</p> <p>ex 4404 10 00</p> <p>ex 4406 11 00</p> <p>ex 4406 91 00</p> <p>4407 11 10</p> <p>4407 11 20</p> <p>4407 11 90</p> <p>4407 12 10</p> <p>4407 12 20</p> <p>4407 12 90</p> <p>ex 4407 19 10</p> <p>ex 4407 19 20</p> <p>ex 4407 19 90</p> <p>ex 4408 10 15</p> <p>ex 4408 10 91</p> <p>ex 4408 10 98</p> <p>►M9 ex 4409 10 18 ◄</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	<p>Canada, China, Japan, Republic of Korea, Mexico, Taiwan and United States, where <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> is known to occur</p>	<p>Official statement that the wood has undergone an appropriate:</p> <p>(a) heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, indicated by a mark 'HT' put on the wood or on any wrapping in accordance with current usage, and on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>and</p> <p>official statement that subsequent to its treatment the wood was transported until leaving the country issuing that statement outside of the flight season of the vector <i>Monochamus</i>, taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season, or, except in the case of wood free from any bark, with a protective covering ensuring that infestation with <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> or its vector cannot occur.</p> <p>or</p> <p>(b) fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m³) and the exposure time of which are indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(c) chemical pressure impregnation with a product approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the pressure (psi or kPa) and the concentration (%) of which are indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(d) heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, which is indicated by a mark 'kiln-dried' or 'K.D.' or another internationally recognised mark together with a mark 'HT', put on the wood or on any wrapping in accordance with current usage, and on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>
77.	Wood of ► M9 conifers (Pinopsida) ◀ in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers	4401 21 00 ex 4401 40 10 ex 4401 40 90	Canada, China, Japan, Republic of Korea, Mexico, Taiwan and USA, where <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> is known to occur	<p>Official statement that the wood has undergone an appropriate:</p> <p>(a) heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, the latter to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>and</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>official statement that subsequent to its treatment the wood was transported until leaving the country issuing that statement outside of the flight season of the vector <i>Monochamus</i>, taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season, or, except in the case of wood free from any bark, with a protective covering ensuring that infestation with <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle et al. or its vector cannot occur,</p> <p>or</p> <p>(b) fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m^3) and the exposure time (h) of which are indicated on the phytosanitary certificates referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(c) heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, which is indicated by a mark 'kiln-dried' or 'K.D.' or another internationally recognised mark together with a mark 'HT', put on the wood or on any wrapping in accordance with current usage, and on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
78.	<p>Wood of <i>Thuja</i> L. and <i>Taxus</i> L., other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers,</p> <p>wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including wood which has not kept its natural round surface</p>	<p>ex 4401 11 00 ex 4403 11 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 ex 4406 11 00 ex 4406 91 00 ex 4407 19 10 ex 4407 19 20 ex 4407 19 90 ex 4408 10 15 ex 4408 10 91 ex 4408 10 98 ►M9 ex 4409 10 18 ◀ ex 4416 00 00 ex 9406 10 00</p>	<p>Canada, China, Japan, Republic of Korea, Mexico, Taiwan and the United States, where <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> is known to occur</p>	<p>Official statement that the wood:</p> <p>(a) is bark-free, or</p> <p>(b) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, indicated by a mark 'kiln-dried' or 'K.D.' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage, or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood indicated by a mark 'HT' put on the wood or on any wrapping in accordance with current usage, and on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, or</p> <p>(d) has undergone an appropriate fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m³) and the exposure time (h) of which are indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, or</p> <p>(e) has undergone an appropriate chemical pressure impregnation with a product approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the pressure (psi or kPa) and the concentration (%) of which are indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
79.	<p>Wood of ►M9 conifers (Pinopsida) ◄, other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether actually in use or not in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including that which has not kept its natural round surface</p>	<p>4401 11 00</p> <p>4403 11 00</p> <p>4403 21 10</p> <p>4403 21 90</p> <p>4403 22 00</p> <p>4403 23 10</p> <p>4403 23 90</p> <p>4403 24 00</p> <p>4403 25 10</p> <p>4403 25 90</p> <p>4403 26 00</p> <p>ex 4404 10 00</p> <p>4406 11 00</p> <p>4406 91 00</p> <p>4407 11 10</p> <p>4407 11 20</p> <p>4407 11 90</p> <p>4407 12 10</p> <p>4407 12 20</p> <p>4407 12 90</p> <p>4407 19 10</p> <p>4407 19 20</p> <p>4407 19 90</p> <p>4408 10 15</p> <p>4408 10 91</p> <p>4408 10 98</p> <p>►M9 ex 4409 10 18 ◄</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	Kazakhstan, Russia and Turkey	<p>Official statement that the wood:</p> <p>(a) originates in areas known to be free from:</p> <p>(i) <i>Monochamus</i> spp. (non-European populations)</p> <p>(ii) <i>Pissodes cibriani</i> O'Brien, <i>Pissodes fasciatus</i> Leconte, <i>Pissodes nemorensis</i> Gemar, <i>Pissodes nitidus</i> Roelofs, <i>Pissodes punctatus</i> Langor & Zhang, <i>Pissodes strobi</i> (Peck), <i>Pissodes terminalis</i> Hopping, <i>Pissodes yunnanensis</i> Langor & Zhang and <i>Pissodes zitacuarensis</i> Sleeper</p> <p>(iii) ►M9 <i>Scolytinae</i> spp. (non-European) ◄</p> <p>and indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'place of origin',</p> <p>or</p> <p>(b) is bark-free and free from grub holes, caused by the genus <i>Monochamus</i> spp. (non-European populations), defined for this purpose as those which are larger than 3 mm across,</p> <p>or</p> <p>(c) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule and indicated by a mark 'kiln-dried' or 'K.D.' or another internationally recognised mark, put on the wood or on any wrapping in accordance with the current usage,</p> <p>or</p> <p>(d) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and indicated by a mark 'HT' put on the wood or on any wrapping in accordance with current usage, and on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(e) has undergone an appropriate fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m³) and the exposure time (h) of which have been indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(f) has undergone an appropriate chemical pressure impregnation with a product approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the pressure (psi or kPa) and the concentration (%) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>
80.	<p>Wood of ►M9 conifers (Pinopsida) ◀, other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these conifers,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether actually in use or not in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p>	<p>4401 11 00</p> <p>4403 11 00</p> <p>4403 21 10</p> <p>4403 21 90</p> <p>4403 22 00</p> <p>4403 23 10</p> <p>4403 23 90</p> <p>4403 24 00</p> <p>4403 25 10</p> <p>4403 25 90</p> <p>4403 26 00</p> <p>ex 4404 10 00</p> <p>4406 11 00</p> <p>4406 91 00</p> <p>4407 11 10</p> <p>4407 11 20</p> <p>4407 11 90</p> <p>4407 12 10</p> <p>4407 12 20</p> <p>4407 12 90</p> <p>4407 19 10</p> <p>4407 19 20</p> <p>4407 19 90</p> <p>4408 10 15</p> <p>4408 10 91</p> <p>4408 10 98</p> <p>►M9 ex 4409 10 18 ◀</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	<p>►M4 Third countries, other than:</p> <p>— Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Kazakhstan, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia, San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (2),</p> <p>— Canada, China, Japan, Republic of Korea, Mexico, Taiwan and United States, where <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> is known to occur. ◀</p>	<p>Official statement that the wood:</p> <p>(a) is bark-free and free from grub holes, caused by the genus <i>Monochamus</i> spp. (non-European populations), defined for this purpose as those which are larger than 3 mm across,</p> <p>or</p> <p>(b) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, indicated by a mark 'kiln-dried' or 'K.D' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage,</p> <p>or</p> <p>(c) has undergone an appropriate fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m³) and the exposure time (h) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	but including that which has not kept its natural round surface.			<p>or</p> <p>(d) has undergone an appropriate chemical pressure impregnation with a product approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the pressure (psi or kPa) and the concentration (%) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(e) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, and indicated by the mark 'HT' put on the wood or on any wrapping in accordance with current usage, and on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>
81.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from ►M9 conifers (Pinopsida) ◀	4401 21 00 ex 4401 40 10 ex 4401 40 90	<p>►M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, San Marino, Serbia, Switzerland, Ukraine and the United Kingdom (?),</p> <p>and other than Canada, China, Japan, Republic of Korea, Mexico, Taiwan and USA, where <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> is known to occur. ◀</p>	<p>Official statement that the wood:</p> <p>(a) originates in areas known to be free from <i>Monochamus</i> spp. (non-European populations), <i>Pissodes cibriani</i> O'Brien, <i>Pissodes fasciatus</i> Leconte, <i>Pissodes nemorensis</i> Germar, <i>Pissodes nitidus</i> Roelofs, <i>Pissodes punctatus</i> Langor & Zhang, <i>Pissodes strobi</i> (Peck), <i>Pissodes terminalis</i> Hopping, <i>Pissodes yunnanensis</i> Langor & Zhang and <i>Pissodes zitacuarensis</i> Sleeper, ►M9 <i>Scolytinae</i> spp. (non-European) ◀</p> <p>The area shall be mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'place of origin,'</p> <p>or</p> <p>(b) has been produced from debarked round wood,</p> <p>or</p> <p>(c) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule,</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(d) has undergone an appropriate fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m³) and the exposure time (h) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(e) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, the latter to be indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>
82.	Isolated bark of ► M9 conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	► M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (?) ◀	<p>Official statement that the isolated bark:</p> <p>(a) has been subjected to an appropriate fumigation with a fumigant approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum bark temperature, the rate (g/m³) and the exposure time (h) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the bark, indicated on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>and</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(c) that subsequent to its treatment the bark was transported until leaving the country issuing that statement outside of the flight season of the vector <i>Monochamus</i> , taking into account a safety margin of four additional weeks at the beginning and at the end of the expected flight season, or with a protective covering ensuring that infestation with <i>Bursaphelenchus xylophilus</i> (Steiner et Bühner) Nickle <i>et al.</i> or its vector cannot occur.
83.	<p>Wood of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth, other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the sametype and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including that which has not kept its natural round surface</p>	<p>ex 4401 12 00</p> <p>ex 4403 12 00</p> <p>ex 4403 99 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>es 4406 92 00</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	United States	<p>Official statement that the wood:</p> <p>(a) originates in an area free from <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the wood and indicated by the mark 'HT' put on the wood or on any wrapping in accordance with current use, and on phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(c) has been squared to entirely remove the natural rounded surface.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
84.	<p>Isolated bark and wood of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth, in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants</p>	<p>ex 1404 90 00 ex 4401 22 00 ex 4401 40 10 ex 4401 40 90</p>	United States	<p>Official statement that the wood or the isolated bark:</p> <p>(a) originates in an area free from <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the national plant protection organisation in accordance with the relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the bark or the wood, the latter to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>
85.	<p>Wood of <i>Acer saccharum</i> Marsh., including wood which has not kept its natural round surface, other than in the form of:</p> <p>— wood intended for the production of veneer sheets,</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap,</p>	<p>ex 4401 12 00 ex 4403 12 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 93 10 4407 93 91 4407 93 99 ex 4416 00 00 ex 9406 10 00</p>	Canada and United States	<p>Official statement that the wood has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule and indicated by the mark 'Kiln-dried' or 'K.D.' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment			
86.	Wood of <i>Acer saccharum</i> Marsh., intended for the production of veneer sheets	ex 4403 12 00 4407 93 10 4407 93 91 4407 93 99 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95	Canada and United States	Official statement that the wood originates in areas known to be free from <i>Davidsoniella virescens</i> (R.W. Davidson) Z.W. de Beer, T.A. Duong & M.J. Wingf Moreau and is intended for the production of veneer sheets.

▼ M9

87.	Wood of <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc., other than in the form of — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all	ex 4401 12 00 ex 4403 12 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 95 10 4407 95 91 4407 95 99 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4409 29 10 ex 4409 29 91 ex 4409 29 99 ex 4416 00 00 ex 9406 10 00	Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States	Official statement that: (a) the wood originates in an area recognised as being free from <i>Agrilus planipennis</i> Fairmaire, established by the national plant protection organisation in the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, and located at a minimum distance of 100 km to the closest known area, where the presence of the specified pest has been officially confirmed; the area is mentioned on the phytosanitary certificate and pest-freedom status of that area has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned,
-----	---	--	--	---

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood</p>			<p>or</p> <p>(b) the bark and at least 2,5 cm of the outer sapwood have been removed in a facility authorised and supervised by the national plant protection organisation,</p> <p>or</p> <p>(c) the wood has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.</p>
88.	<p>Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc.</p>	<p>ex 4401 22 90</p> <p>ex 4401 40 10</p> <p>ex 4401 40 90</p> <p>ex 4404 20 00</p>	<p>Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States</p>	<p>Official statement that the wood originates in an area recognised as being free from <i>Agrilus planipennis</i> Fairmaire, established by the national plant protection organisation in the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, and located at a minimum distance of 100 km to the closest known area, where the presence of the specified pest has been officially confirmed; the area is mentioned on the phytosanitary certificate and pest-freedom status of that area has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>
89.	<p>Isolated bark and objects made of bark of <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc.</p>	<p>ex 1404 90 00</p> <p>ex 4401 40 90</p>	<p>Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States</p>	<p>Official statement that the bark originates in an area recognised as being free from <i>Agrilus planipennis</i> Fairmaire, established by the national plant protection organisation in the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, and located at a minimum distance of 100 km to the closest known area, where the presence of the specified pest has been officially confirmed; the area is mentioned on the phytosanitary certificate and pest-freedom status of that area has been communicated in advance in writing to the Commission by the national plant protection organisation of the third country concerned.</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
90.	<p>Wood of <i>Quercus</i> L., other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap,</p> <p>— casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves where there is documented evidence that the wood has been produced or manufactured using heat treatment to achieve a minimum temperature of 176 °C for 20 minutes</p> <p>— Wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including wood which has not kept its natural round surface</p>	<p>ex 4401 12 00</p> <p>ex 4403 12 00</p> <p>4403 91 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>ex 4406 92 00</p> <p>4407 91 15</p> <p>4407 91 31</p> <p>4407 91 39</p> <p>4407 91 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	United States	<p>Official statement that the wood:</p> <p>(a) is squared so as to remove entirely the rounded surface,</p> <p>or</p> <p>(b) is bark-free and the water content is less than 20 % expressed as a percentage of the dry matter,</p> <p>or</p> <p>(c) is bark-free and has been disinfected by an appropriate hot-air or hot water treatment,</p> <p>or</p> <p>(d) if sawn, with or without residual bark attached, has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, indicated by the mark 'Kiln-dried' or 'KD' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
91.	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap and obtained in whole or part from <i>Quercus</i> L.	► M9 ex 4401 22 90 ◀ ex 4401 40 10 ex 4401 40 90	United States	Official statement that the wood: (a) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter achieved through an appropriate time/temperature schedule, or (b) has undergone an appropriate fumigation to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m ³) and the exposure time (h) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, or (c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, the latter to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.
92.	Wood of <i>Betula</i> L., other than in the form of — chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and	ex 4401 12 00 ex 4403 12 00 4403 95 10 4403 95 90 4403 96 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 96 10 4407 96 91 4407 96 99 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4416 00 00 ex 9406 10 00	Canada and United States where <i>Agrilus anxius</i> Gory is known to occur	Official statement that: (a) the bark and at least 2,5 cm of the outer sapwood are removed in a facility authorised and supervised by the national plant protection organisation, or (b) the wood has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood</p>			
93.	Wood chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Betula</i> L.	► M9 ex 4401 22 90 ◀ ex 4401 40 10 ex 4401 40 90	Third countries	Official statement that the wood originates in a country known to be free of <i>Agrilus anxius</i> Gory.
94.	Bark and objects made of bark of <i>Betula</i> L.	ex 1404 90 00 ex 4401 40 90	Canada and United States where <i>Agrilus anxius</i> Gory is known to occur	Official statement that the bark is free from wood.
95.	Wood of <i>Platanus</i> L., except — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,	ex 4401 12 00 ex 4403 12 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4416 00 00 ex 9406 10 00	Albania, Armenia, Switzerland, Turkey and United States	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr. in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, indicated by the mark 'kiln-dried' or 'KD' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p>

▼ **B**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	but including wood which has not kept its natural round surface, and wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Platanus</i> L.			
96.	<p>Wood of <i>Populus</i> L., except that in the form of:</p> <ul style="list-style-type: none"> — chips, particles, sawdust, shavings, wood waste and scrap, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment, <p>but including wood which has not kept its natural round surface</p>	<p>ex 4401 12 00 ex 4403 12 00 ex 4403 97 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 97 10 4407 97 91 4407 97 99 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4416 00 00 ex 9406 10 00</p>	Americas	<p>Official statement that the wood:</p> <p>(a) is bark-free, or</p> <p>(b) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, indicated by the mark 'kiln-dried' or 'KD' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p>
97.	<p>Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap and obtained in whole or in part from:</p> <p>(a) <i>Acer saccharum</i> Marsh., (b) <i>Populus</i> L.</p>	<p>► M9 ex 4401 22 90 ◀ ex 4401 40 10 ex 4401 40 90</p>	<p>a) Canada and United States b) Americas</p>	<p>Official statement that the wood:</p> <p>(a) has been produced from debarked round wood, or</p> <p>(b) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter achieved through an appropriate time/temperature schedule,</p>

▼B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>or</p> <p>(c) has undergone an appropriate fumigation to a specification approved in accordance with the procedure referred to in Article 107 of Regulation (EU) No 2016/2031, the active ingredient, the minimum wood temperature, the rate (g/m³) and the exposure time (h) of which are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(d) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, the latter to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>
98.	<p>Wood of <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L., other than in the form of:</p> <p>— chips, sawdust and shavings, obtained in whole or part from these plants,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnages supporting consignments of wood, which is constructed from wood of the same type and quality as</p>	<p>ex 4401 12 00</p> <p>ex 4403 12 00</p> <p>ex 4403 99 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>ex 4406 92 00</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	Canada and United States	<p>Official statement that the wood:</p> <p>(a) originates in an area free from <i>Saperda candida</i> Fabricius, established by the national plant protection organisation of the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric ‘Additional declaration’,</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(c) has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including that which has not kept its natural round surface</p>			
99.	<p>Wood in the form of chips obtained in whole or part from <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L.</p>	<p>► M9 ex 4401 22 90 ◀ ex 4401 40 10 ex 4401 40 90</p>	Canada and United States	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation of the country of origin as being free from <i>Saperda candida</i> Fabricius in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) has been processed into pieces of not more than 2,5 cm thickness and width,</p> <p>or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 minutes throughout the entire profile of the chips, which is to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼ B

	Plants, plant products and other objects	CN codes	Origin	Special requirements
100.	<p>Wood of <i>Prunus</i> L., other than in the form of:</p> <p>— chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these plants,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including that which has not kept its natural round surface</p>	<p>ex 4401 12 00</p> <p>ex 4403 12 00</p> <p>ex 4403 99 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>ex 4406 92 00</p> <p>4407 94 10</p> <p>4407 94 91</p> <p>4407 94 99</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	<p>China, Democratic People's Republic of Korea, Mongolia, Japan, Republic of Korea and Vietnam</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area free from <i>Aromia bungii</i> (Falderman), established by the national plant protection organisation of the country of origin, in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration',</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031,</p> <p>or</p> <p>(c) has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, to be indicated on the phytosanitary certificate referred to in Regulation (EU) No 2016/2031.</p>
101.	<p>Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from <i>Prunus</i> L.</p>	<p>►M9 ex 4401 22 90 ◀</p> <p>ex 4401 40 10</p> <p>ex 4401 40 90</p>	<p>China, Democratic People's Republic of Korea, Mongolia, Japan, Republic of Korea and Vietnam</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Aromia bungii</i> (Faldermann) in accordance with the relevant International Standards for Phytosanitary Measures, which is mentioned on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031, under the rubric 'Additional declaration'</p> <p>or</p>

▼ **B**

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				<p>(b) has been processed into pieces of not more than 2,5 cm thickness and width,</p> <p>or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.</p>

▼ **M9**

102.	<p>Wood of <i>Acacia</i> Mill., <i>Acer buergerianum</i> Miq., <i>Acer macrophyllum</i> Pursh, <i>Acer negundo</i> L., <i>Acer palmatum</i> Thunb., <i>Acer paxii</i> Franch., <i>Acer pseudoplatanus</i> L., <i>Aesculus californica</i> (Spach) Nutt., <i>Ailanthus altissima</i> (Mill.) Swingle, <i>Albizia falcata</i> Backer ex Merr., <i>Albizia julibrissin</i> Durazz., <i>Alectryon excelsus</i> Gärtner., <i>Alnus rhombifolia</i> Nutt., <i>Archontophoenix cunninghamiana</i> H. Wendl. & Drude, <i>Artocarpus integer</i> (Thunb.) Merr., <i>Azadirachta indica</i> A. Juss., <i>Baccharis salicina</i> Torr. & A.Gray, <i>Bauhinia variegata</i> L., <i>Brachychiton discolor</i> F.Muell., <i>Brachychiton populneus</i> R.Br., <i>Camellia semiserrata</i> C.W.Chi., <i>Camellia sinensis</i> (L.) Kuntze, <i>Canarium commune</i> L., <i>Castanospermum australe</i> A.Cunningham & C.Fraser, <i>Cercidium floridum</i> Benth. ex A.Gray, <i>Cercidium sonora</i> Rose & I.M.Johnst., <i>Cocculus laurifolius</i> DC., <i>Combretum kraussii</i> Hochst., <i>Cupaniopsis anacardioides</i> (A.Rich.) Radlk., <i>Dombeya cacuminum</i> Hochr., <i>Erythrina corallodendron</i> L., <i>Erythrina coraloides</i> Moc. & Sessé ex DC., <i>Erythrina falcata</i> Benth., <i>Erythrina fusca</i> Lour., <i>Eucalyptus ficifolia</i> F.Müll., <i>Fagus crenata</i> Blume, <i>Ficus</i> L., <i>Gleditsia triacanthos</i> L., <i>Hevea</i></p>	<p>ex 4401 12 00</p> <p>ex 4403 12 00</p> <p>4403 91 00</p> <p>4403 93 00</p> <p>4403 97 00</p> <p>4403 98 00</p> <p>ex 4403 99 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>ex 4406 92 00</p> <p>4407 91 15</p> <p>4407 91 31</p> <p>4407 91 39</p> <p>4407 91 90</p> <p>4407 92 00</p> <p>4407 93 10</p> <p>4407 93 91</p> <p>4407 93 99</p> <p>4407 97 10</p> <p>4407 97 91</p> <p>4407 97 99</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	Third countries	<p>Official statement that the wood:</p> <p>(a) originates in a country recognised as being free from <i>Euwallacea fornicatus sensu lato</i> in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Euwallacea fornicatus sensu lato</i>, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes to ensure freedom from <i>Euwallacea fornicatus sensu lato</i>, throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate,</p> <p>or</p>
------	---	--	-----------------	---

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>brasiliensis (Willd. ex A.Juss) Muell.Arg., <i>Howea forsteriana</i> (F.Müller) Becc., <i>Ilex cornuta</i> Lindl. & Paxton, <i>Inga vera</i> Willd., <i>Jacaranda mimosifolia</i> D.Don, <i>Koelreuteria bipinnata</i> Franch., <i>Liquidambar styraciflua</i> L., <i>Magnolia grandiflora</i> L., <i>Magnolia virginiana</i> L., <i>Mimosa bracaatinga</i> Hoehne, <i>Morus alba</i> L., <i>Parkinsonia aculeata</i> L., <i>Persea americana</i> Mill., <i>Pithecellobium lobatum</i> Benth., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platanus mexicana</i> Torr., <i>Platanus occidentalis</i> L., <i>Platanus orientalis</i> L., <i>Platanus racemosa</i> Nutt., <i>Podalyria calyptata</i> Willd., <i>Populus fremontii</i> S.Watson, <i>Populus nigra</i> L., <i>Populus trichocarpa</i> Torr. & A.Gray ex Hook., <i>Prosopis articulata</i> S.Watson, <i>Protium serratum</i> Engl., <i>Psoralea pinnata</i> L., <i>Pterocarya stenoptera</i> C.DC., <i>Quercus agrifolia</i> Née, <i>Quercus calliprinos</i> Webb., <i>Quercus chrysolepis</i> Liebm., <i>Quercus engelmannii</i> Greene, <i>Quercus ithaburensis</i> Dence, <i>Quercus lobata</i> Née, <i>Quercus palustris</i> Marshall, <i>Quercus robur</i> L., <i>Quercus suber</i> L., <i>Ricinus communis</i> L., <i>Salix alba</i> L., <i>Salix babylonica</i> L., <i>Salix gooddingii</i> C.R.Ball, <i>Salix laevigata</i> Bebb, <i>Salix mucronata</i> Thnb., <i>Shorea robusta</i> C.F.Gaertn., <i>Spathodea campanulata</i> P.Beauv., <i>Spondias dulcis</i> Parkinson, <i>Tamarix ramosissima</i> Kar. ex Boiss., <i>Virgilia oroboides</i> subsp. <i>ferrugine</i> B.-E.van Wyk, <i>Wisteria floribunda</i> (Willd.) DC. and <i>Xylosma avilae</i> Sleumer,</p> <p>other than in the form of:</p> <p>— chips, sawdust, shavings and wood waste, obtained in whole or part from these plants,</p>			<p>(d) has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter achieved through an appropriate time/temperature schedule, and indicated by the mark 'Kiln-dried' or 'K.D.' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p>

▼M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including that which has not kept its natural round surface</p>			
103.	<p>Wood of <i>Artocarpus chaplasha</i> Roxb., <i>Artocarpus heterophyllus</i> Lam., <i>Artocarpus integer</i> (Thunb.) Merr., <i>Alnus formosana</i> Makino, <i>Bombax malabaricum</i> DC., <i>Broussonetia papyrifera</i> (L.) Vent., <i>Broussonetia kazinoki</i> Siebold, <i>Cajanus cajan</i> (L.) Huth, <i>Camellia oleifera</i> C.Abel, <i>Castanea</i> Mill., <i>Celtis sinensis</i> Pers., <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Citrus</i> L., <i>Cunninghamia lanceolata</i> (Lamb.) Hook., <i>Dalbergia</i> L.f., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Ficus carica</i> L., <i>Ficus hispida</i> L.f., <i>Ficus infectoria</i> Willd., <i>Ficus retusa</i> L., <i>Juglans regia</i> L., <i>Machura tricuspidata</i> Carrière, <i>Malus</i> Mill., <i>Melia azedarach</i> L., <i>Morus</i> L., <i>Populus</i> L., <i>Prunus pseudocerasus</i>, <i>Pyrus</i> spp., <i>Robinia pseudoacacia</i> L., <i>Salix</i> L., <i>Sapium sebiferum</i> (L.) Roxb., <i>Schima superba</i> Gardner & Champ., <i>Sophora japonica</i> L., <i>Trema amboinense</i> (Willd.) Blume, <i>Trema orientale</i> (L.) Blume, <i>Ulmus</i> L., <i>Vernicia fordii</i> (Hemsl.)</p>	<p>ex 4401 12 00 ex 4403 12 00 4403 97 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 93 10 4407 93 91 4407 93 99 4407 94 10 4407 94 91 4407 94 99 4407 97 10 4407 97 91 4407 97 99 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4409 29 91 ex 4409 29 99 ex 4416 00 00 ex 9406 10 00</p>	<p>Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, , India, Indonesia, Iran, Iraq, , Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen</p>	<p>Official statement that the wood:</p> <p>(a) originates in a country recognised as being free from <i>Apriona germari</i> (Hope) in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Apriona germari</i> (Hope) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate,</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>Airy Shaw, and <i>Xylosma</i> G.Forst., other than in the form of:</p> <ul style="list-style-type: none"> — chips, sawdust, shavings and wood waste, obtained in whole or part from these plants , — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment, but including that which has not kept its natural round surface 			<p>or</p> <p>(d) has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood,</p> <p>or</p> <p>(e) is bark-free and not exceeding 20 cm in cross-section at its largest dimension and has undergone an appropriate sulfuryl fluoride fumigation treatment in accordance with the relevant International Standard for Phytosanitary Measures.</p>
104.	<p>Wood in the form of chips and wood waste, obtained in whole or part from <i>Artocarpus chaplasha</i> Roxb., <i>Artocarpus heterophyllus</i> Lam., <i>Artocarpus integer</i> (Thunb.) Merr., <i>Alnus formosana</i> Makino, <i>Bombax malabaricum</i> DC., <i>Broussonetia papyrifera</i> (L.) Vent., <i>Broussonetia kazinoki</i> Siebold, <i>Cajanus cajan</i> (L.) Huth, <i>Camellia oleifera</i> C.Abel, <i>Castanea</i> Mill., <i>Celtis sinensis</i> Pers., <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Citrus</i> spp., <i>Cunninghamia lanceolata</i> (Lamb.) Hook., <i>Dalbergia</i> L.f., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Ficus carica</i> L., <i>Ficus hispida</i> L.f., <i>Ficus infectoria</i> Willd., <i>Ficus retusa</i> L., <i>Juglans regia</i> L., <i>Maclura tricuspidata</i> Carrière, <i>Malus</i> Mill., <i>Melia azedarach</i> L., <i>Morus</i> L., <i>Populus</i> L., <i>Prunus pseudocerasus</i>, <i>Pyrus</i> spp., <i>Robinia pseudoacacia</i> L.,</p>	<p>ex 4401 22 90 ex 4401 40 90</p>	<p>Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, , India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny</p>	<p>Official statement that the wood:</p> <p>(a) originates in a country recognised as being free from <i>Apriona germari</i> (Hope) in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Apriona germari</i> (Hope), in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<i>Salix</i> L., <i>Sapium sebiferum</i> (L.) Roxb., <i>Schima superba</i> Gardner & Champ., <i>Sophora japonica</i> L., <i>Trema amboinense</i> (Willd.) Blume, <i>Trema orientale</i> (L.) Blume, <i>Ulmus</i> L., <i>Vernicia fordii</i> (Hemsl.) Airy Shaw, and <i>Xylosma</i> G.Forst.		okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	or (c) has been processed into pieces of not more than 2,5 cm thickness and width, or (d) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate.
105.	Wood of <i>Caesalpinia japonica</i> Siebold & Zucc., <i>Camellia sinensis</i> (L.) Kuntze, <i>Celtis sinensis</i> Pers., <i>Cercis chinensis</i> Bunge, <i>Chaenomeles sinensis</i> (Thouin) Koehne, <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Citrus</i> spp., <i>Cornus kousa</i> Bürger ex Hanse, <i>Crataegus cordata</i> Aiton, <i>Debregeasia edulis</i> (Siebold & Zucc.) Wedd., <i>Diospyros kaki</i> L., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Enkianthus perulatus</i> (Miq.) C.K.Schneid., <i>Fagus crenata</i> Blume, <i>Ficus carica</i> L., <i>Firmiana simplex</i> (L.) W.Wight, <i>Gleditsia japonica</i> Miq., <i>Hovenia dulcis</i> Thunb., <i>Lagerstroemia indica</i> L., <i>Malus pumila</i> Mill., <i>Morus</i> L., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platycarya strobilacea</i> Siebold & Zucc., <i>Populus</i> L., <i>Pterocarya rhoifolia</i> Siebold & Zucc., <i>Pterocarya stenoptera</i> C.DC., <i>Punica granatum</i> L., <i>Pyrus pyrifolia</i> (Burm.f.) Nakai, <i>Robinia pseudoacacia</i> L., <i>Salix</i> L., <i>Spiraea thumbergii</i> Siebold ex Blume, <i>Ulmus parvifolia</i> Jacq., <i>Villebrunea pedunculata</i> Shirai, and <i>Zelkova serrata</i> (Thunb.) Makino, other than in the form of: — chips, sawdust, shavings and wood waste, obtained in whole or part from these plants,	ex 4401 12 00 ex 4403 12 00 4403 97 00 4403 93 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 92 00 4407 93 10 4407 93 91 4407 93 99 4407 97 10 4407 97 91 4407 97 99 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4409 29 91 ex 4409 29 99 ex 4416 00 00 ex 9406 10 00	Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, , Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that the wood: (a) originates in a country recognised as being free from <i>Apriona rugicollis</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures, or (b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Apriona rugicollis</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate, or (d) has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood, or (e) is bark-free and not exceeding 20 cm in cross-section at its largest dimension and has undergone an appropriate sulfuryl fluoride fumigation treatment in accordance with the relevant International Standard for Phytosanitary Measures.

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is[constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment, but including that which has not kept its natural round surface			
106.	Wood in the form of chips and wood waste, obtained in whole or part from <i>Caesalpinia japonica</i> Siebold & Zucc., <i>Camellia sinensis</i> (L.) Kuntze, <i>Celtis sinensis</i> Pers., <i>Cercis chinensis</i> Bunge, <i>Chaenomeles sinensis</i> (Thouin) Koehne, <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Citrus</i> spp., <i>Cornus kousa</i> Bürger ex Hanse, <i>Crataegus cordata</i> Aiton, <i>Debregeasia edulis</i> (Siebold & Zucc.) Wedd., <i>Diospyros kaki</i> L., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Enkianthus perulatus</i> (Miq.) C.K.Schneid., <i>Fagus crenata</i> Blume, <i>Ficus carica</i> L., <i>Firmiana simplex</i> (L.) W.Wight, <i>Gleditsia japonica</i> Miq., <i>Hovenia dulcis</i> Thunb., <i>Lagerstroemia indica</i> L., <i>Malus pumila</i> Mill., <i>Morus</i> L., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platycarya strobilacea</i> Siebold & Zucc., <i>Populus</i> L., <i>Pterocarya rhoifolia</i>	ex 4401 22 90 ex 4401 40 90	Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, , India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirskiy federalny okrug), and Ural Federal District (Uralskiy federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that the wood: (a) originates in a country recognised as being free from <i>Apriona rugicollis</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures, or (b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Apriona rugicollis</i> Chevrolat, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (c) has been processed into pieces of not more than 2,5 cm thickness and width, or (d) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate.

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	Siebold & Zucc., <i>Pterocarya stenoptera</i> C.DC., <i>Punica granatum</i> L., <i>Pyrus pyrifolia</i> (Burm.f.) Nakai, <i>Robinia pseudoacacia</i> L., <i>Salix</i> L., <i>Spiraea thunbergii</i> Siebold ex Blume, <i>Ulmus parvifolia</i> Jacq., <i>Villebrunea pedunculata</i> Shirai, and <i>Zelkova serrata</i> (Thunb.) Makino			
107.	Wood of <i>Debregeasia hypoleuca</i> (Hochst. ex Steud.) Wedd., <i>Ficus</i> L., <i>Maclura pomifera</i> (Raf.) C.K.Schneid., <i>Malus domestica</i> (Suckow) Borkh., <i>Morus</i> L., <i>Populus</i> L., <i>Prunus</i> spp., <i>Pyrus</i> spp. and <i>Salix</i> L., other than in the form of: <ul style="list-style-type: none"> — chips, sawdust, shavings and wood waste, obtained in whole or part from these plants, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment, but including that which has not kept its natural round surface 	ex 4401 12 00 ex 4403 12 00 4403 97 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 93 10 4407 93 91 4407 93 99 4407 94 10 4407 94 91 4407 94 99 4407 97 10 4407 97 91 4407 97 99 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4409 29 91 ex 4409 29 99 ex 4416 00 00 ex 9406 10 00	Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that the wood: <p>(a) originates in a country recognised as being free from <i>Apriona cinerea</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Apriona cinerea</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate,</p> <p>or</p> <p>(d) has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood,</p> <p>or</p> <p>(e) is bark-free and not exceeding 20 cm in cross-section at its largest dimension and has undergone an appropriate sulfuryl fluoride fumigation treatment in accordance with the relevant International Standard for Phytosanitary Measures.</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
108.	Wood in the form of chips and wood waste, obtained in whole or part from <i>Debregeasia hypoleuca</i> (Hochst. ex Steud.) Wedd., <i>Ficus</i> L., <i>Maclura pomifera</i> (Raf.) C.K.Schneid., <i>Malus domestica</i> (Suckow) Borkh., <i>Morus</i> L., <i>Populus</i> L., <i>Prunus</i> spp., <i>Pyrus</i> spp. and <i>Salix</i> L.	ex 4401 22 90 ex 4401 40 90	Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, Japan, Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen	Official statement that the wood: (a) originates in a country recognised as being free from <i>Apriona cinerea</i> Chevrolat in accordance with the relevant International Standards for Phytosanitary Measures, or (b) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Apriona cinerea</i> Chevrolat, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (c) has been processed into pieces of not more than 2,5 cm thickness and width, or (d) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate.
109.	Wood of <i>Acer</i> L., <i>Betula</i> L., <i>Elaeagnus</i> L., <i>Fraxinus</i> L., <i>Gleditsia</i> L., <i>Juglans</i> L., <i>Malus</i> Mill., <i>Morus</i> L., <i>Platanus</i> L., <i>Populus</i> L., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Quercus</i> L., <i>Robinia</i> L., <i>Salix</i> L., or <i>Ulmus</i> L., other than in the form of — chips, particles, sawdust, shavings, wood waste, or scrap, obtained in whole or part from these trees, 4407 91 15 — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets or other load boards, pallet collars, dunnage, whether or not actually in use in 4407 91 31 4407 91 39 4407 91 90 4407 93 10 4407 93 91 4407 93 99 4407 94 10 4407 94 91	ex 4401 12 00 ex 4403 12 00 4403 91 00 4403 95 10 4403 95 90 4403 96 00 4403 97 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 4407 91 15 4407 91 31 4407 91 39 4407 91 90 4407 93 10 4407 93 91 4407 93 99 4407 94 10 4407 94 91	Afghanistan, India, Iran, Kyrgyzstan, Pakistan, Tajikistan, Turkmenistan and Uzbekistan	Official statement that the wood: (a) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Trirachys sartus</i> Solsky, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate, or (b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate, or

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
	<p>the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment,</p> <p>but including that which has not kept its natural round surface,</p>	<p>4407 94 99</p> <p>4407 95 10</p> <p>4407 95 91</p> <p>4407 95 99</p> <p>4407 96 10</p> <p>4407 96 91</p> <p>4407 96 99</p> <p>4407 97 10</p> <p>4407 97 91</p> <p>4407 97 99</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>		<p>(c) has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood,</p> <p>or</p> <p>(d) is bark-free and not exceeding 20 cm in cross-section at its largest dimension and has undergone an appropriate sulfuryl fluoride fumigation treatment in accordance with the relevant International Standard for Phytosanitary Measures.</p>
110.	<p>Wood in the form of chips, particles, shavings, wood waste, or scrap, obtained in whole or part from <i>Acer</i> L., <i>Betula</i> L., <i>Elaeagnus</i> L., <i>Fraxinus</i> L., <i>Gleditsia</i> L., <i>Juglans</i> L., <i>Malus</i> Mill., <i>Morus</i> L., <i>Platanus</i> L., <i>Populus</i> L., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Quercus</i> L., <i>Robinia</i> L., <i>Salix</i> L., or <i>Ulmus</i> L.</p>	<p>ex 4401 22 90</p> <p>ex 4401 40 90</p>	<p>Afghanistan, India,</p> <p>Iran, Kyrgyzstan, Pakistan, Tajikistan, Turkmenistan, or Uzbekistan</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Trirachys sartus</i> Solsky, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(b) has been processed into pieces of not more than 2,5 cm thickness and width,</p> <p>or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate.</p>

▼M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
111.	<p>Wood of <i>Acer macrophyllum</i> Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd., <i>Quercus</i> L. and <i>Taxus brevifolia</i> Nutt., other than in the form of:</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment, but including that which has not kept its natural round surface</p>	<p>ex 4401 11 00</p> <p>ex 4401 12 00</p> <p>ex 4401 21 00</p> <p>ex 4401 22 90</p> <p>ex 4401 40 90</p> <p>ex 4403 11 00</p> <p>ex 4403 12 00</p> <p>4403 91 00</p> <p>ex 4403 99 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>ex 4406 92 00</p> <p>4407 91 15</p> <p>4407 91 31</p> <p>4407 91 39</p> <p>4407 91 90</p> <p>4407 93 10</p> <p>4407 93 91</p> <p>4407 93 99</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	<p>Canada, United Kingdom (2), United States and Vietnam</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation in the country of origin as free from <i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld, in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(b) has been stripped of its bark and:</p> <p>(i) it has been squared so as to remove entirely the rounded surface;</p> <p>or</p> <p>(ii) the water content of the wood does not exceed 20 % expressed as a percentage of the dry matter;</p> <p>or</p> <p>(iii) the wood has been disinfected by an appropriate hot-air or hot-water treatment,</p> <p>or</p> <p>(c) in the case of sawn wood with or without residual bark attached, has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, indicated by a mark 'kiln-dried' or 'K.D.' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
112.	<p>Wood of <i>Castanea</i> Mill., <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L., other than in the form of:</p> <p>— chips, sawdust and shavings, obtained in whole or part from these plants,</p> <p>— wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignments and which meets the same Union phytosanitary requirements as the wood in the consignment, but including that which has not kept its natural round surface</p>	<p>ex 4401 12 00</p> <p>ex 4401 40 90</p> <p>ex 4403 12 00</p> <p>4403 91 00</p> <p>ex 4403 99 00</p> <p>ex 4404 20 00</p> <p>ex 4406 12 00</p> <p>ex 4406 92 00</p> <p>4407 91 15</p> <p>4407 91 31</p> <p>4407 91 39</p> <p>4407 91 90</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>ex 4416 00 00</p> <p>ex 9406 10 00</p>	<p>China, North Korea, Russia, South Korea, Taiwan and Vietnam</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Massicus raddei</i> (Blessig) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the wood, which is to be indicated on the phytosanitary certificate,</p> <p>or</p> <p>(c) has undergone an appropriate ionising radiation to achieve a minimum absorbed dose of 1 kGy throughout the wood,</p> <p>or</p> <p>(d) is bark-free and not exceeding 20 cm in cross-section at its largest dimension and has undergone an appropriate sulfuryl fluoride fumigation treatment in accordance with the relevant International Standard for Phytosanitary Measures.</p>
113.	<p>Wood in the form of chips obtained in whole or part from <i>Castanea</i> Mill., <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L.</p>	<p>ex 4401 22 90</p>	<p>China, North Korea, Russia, South Korea, Taiwan and Vietnam</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area established by the national plant protection organisation in the country of origin as being free from <i>Massicus raddei</i> (Blessig) in accordance with the relevant International Standards for Phytosanitary Measures. The name of the area shall be mentioned on the phytosanitary certificate,</p> <p>or</p> <p>(b) has been processed into pieces of not more than 2,5 cm thickness and width,</p> <p>or</p>

▼ M9

	Plants, plant products and other objects	CN codes	Origin	Special requirements
				(c) has undergone an appropriate heat treatment to achieve a minimum temperature of 56°C for a minimum duration of 30 continuous minutes throughout the entire profile of the chips, which is to be indicated on the phytosanitary certificate.

▼ B

- (¹) The CN code of an associated plant shall apply
- (²) In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, for the purposes of this Annex, references to the United Kingdom do not include Northern Ireland.
- (³) ISPM 31. Methodologies for sampling of consignments (fao.org).
- (⁴) ISPM 4 'Requirements for the establishment of pest free areas'.
- (⁵) ISPM 10 'Requirements for the establishment of pest free places of production and pest free production site'.
- (⁶) ISPM 31 'Methodologies for sampling of consignments'.
- (⁷) ISPM 42 'Requirements for the use of temperature treatments as phytosanitary measures'.
- (⁸) ISPM 14 'The use of integrated measures in a systems approach for pest risk management'.

▼ B

ANNEX VIII

List of plants, plant products and other objects, originating in the Union territory and the corresponding special requirements for their movement within the Union territory

The competent authorities, or the professional operators under the official supervision of the competent authorities, shall check, at the most appropriate times to detect the respective pest as applicable, the fulfilment of the requirements laid down of the following table.

	Plants, plant products and other objects	Requirements
1.	Machinery and vehicles which have been operated for agricultural or forestry purposes	<p>The machinery or vehicles have been:</p> <p>(a) moved from an area free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr., established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) cleaned and made free from soil and plant debris prior to movement out of the infected area.</p>
2.	Plants for planting with roots, grown in the open air	Official statement that the place of production is known to be free from <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i> and <i>Synchytrium endobioticum</i> (Schilb.) Percival.
▼ <u>M9</u>	2.1	<p>Plants for planting with growing media, other than plants in tissue culture and aquatic plants</p> <p>Official statement that the plants:</p> <p>(a) originate in an area known to be free from <i>Popillia japonica</i> Newman, established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) have been grown in a place of production established as being free from <i>Popillia japonica</i> Newman in accordance with the relevant International Standards for Phytosanitary Measures:</p> <p>(i) which has been subjected to an annual official inspection and, at least, a monthly inspection during the three months prior to movement for any signs of <i>Popillia japonica</i> Newman, carried out at appropriate times to detect the presence of the pest concerned, at least by visual examination of all plants, including weeds, and sampling of growing media in which plants are growing,</p> <p>and</p> <p>(ii) which is surrounded by a buffer zone of at least 100 m, where the absence of <i>Popillia japonica</i> Newman was confirmed by official surveys carried out annually at appropriate times</p> <p>and</p> <p>(iii) prior to movement the plants and the growing media have been subjected to an official inspection, including the sampling of growing media, and found free of <i>Popillia japonica</i> Newman,</p>

▼ M9

Plants, plant products and other objects	Requirements
	<p>and</p> <p>(iv) the plants:</p> <ul style="list-style-type: none"> — have been handled and packed or transported in ways to prevent infestation from <i>Popillia japonica</i> Newman after leaving the place of production, or — have been moved outside the flight season of <i>Popillia japonica</i> Newman, <p>or</p> <p>(c) have been grown throughout their life in a site of production with physical isolation against the introduction of <i>Popillia japonica</i> Newman and the plants:</p> <ul style="list-style-type: none"> — have been handled and packed or transported in ways to prevent infestation from <i>Popillia japonica</i> Newman after leaving the site of production, or — have been moved outside the flight season of <i>Popillia japonica</i> Newman, <p>or</p> <p>(d) have been grown throughout their life in a site of production:</p> <ul style="list-style-type: none"> (i) which is specifically authorised by the competent authority for the purpose of producing plants free from <i>Popillia japonica</i> Newman, and (ii) where the growing medium has been kept free from <i>Popillia japonica</i> Newman using appropriate mechanical measures or other treatments, and (iii) where the plants have been subjected to appropriate measures to ensure freedom of <i>Popillia japonica</i> Newman, and (iv) prior to movement the plants and the growing medium have been subjected to an official inspection, including sampling of the growing media, and found free from <i>Popillia japonica</i> Newman, and (v) the plants: <ul style="list-style-type: none"> — have been handled and packed or transported in ways to prevent infestation from <i>Popillia japonica</i> Newman after leaving the site of production or — have been moved outside the flight season of <i>Popillia japonica</i> Newman.

▼ **B**

	Plants, plant products and other objects	Requirements
3.	Plants for planting of stolon, or tuber-forming species of <i>Solanum</i> L., or their hybrids, being stored in gene banks or genetic stock collections	<p>Official statement that the plants shall have been held under quarantine conditions and shall have been found free from any Union quarantine pests by laboratory testing.</p> <p>Each organisation or research body holding such material shall inform the competent authority of the material held.</p>

▼ **M9**

4.	Plants for planting of stolon or tuber-forming species of <i>Solanum</i> L., or their hybrids, other than those tubers of <i>Solanum tuberosum</i> L. specified in entries 5, 6, 7, 8, or 9 and other than culture maintenance material being stored in gene banks or genetic stock collections, and other than seeds of <i>Solanum tuberosum</i> L. specified in entry 21	<p>Official statement that the plants shall have been held under quarantine conditions and shall have been found free from any Union quarantine pests by laboratory testing.</p> <p>The laboratory testing shall:</p> <ul style="list-style-type: none"> (a) be supervised by the competent authority concerned and executed by scientifically trained staff of that authority or of any officially approved body; (b) be executed at a site provided with appropriate facilities sufficient to contain Union quarantine pests and maintain the material including indicator plants in such a way as to eliminate any risk of spreading Union quarantine pests; (c) be executed on each unit of the material: <ul style="list-style-type: none"> (i) by visual examination at regular intervals during the full length of at least one vegetative cycle, having regard to the type of material and its stage of development during the testing programme, for symptoms caused by any Union quarantine pests, (ii) by laboratory testing, in the case of all potato material at least for: <ul style="list-style-type: none"> — Andean potato latent virus, — Andean potato mottle virus, — Potato black ringspot virus, — Potato virus T, — Non-EU isolates of potato viruses S, X and Potato leafroll virus, — <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i>, — <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i>; <i>Ralstonia pseudosolanacearum</i> Safni <i>et al.</i>, <i>Ralstonia syzigii</i> subsp. <i>celebensis</i> Safni <i>et al.</i> and <i>Ralstonia syzigii</i> subsp. <i>indonesiensis</i> Safni <i>et al.</i>
----	--	--

▼ M9

	Plants, plant products and other objects	Requirements
		<p>(iii) in the case of seeds of <i>Solanum tuberosum</i> L., other than those specified in point 21, at least for the viruses and viroids listed above, with the exception of Andean potato mottle virus and non-EU isolates of potato viruses S, X and Potato leafroll virus;</p> <p>(d) include appropriate testing on any other symptom observed in the visual examination in order to identify the Union quarantine pests having caused such symptoms.</p>

▼ B

5.	Tubers of <i>Solanum tuberosum</i> L., for planting	Official statement that the provisions of Union law to combat <i>Synchytrium endobioticum</i> (Schilb.) Percival have been complied with.
6.	Tubers of <i>Solanum tuberosum</i> L., for planting	<p>Official statement that:</p> <p>(a) the tubers originate in an area known to be free from <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui et al.,</p> <p>or</p> <p>(b) the provisions of Union law to combat <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui et al. have been complied with.</p>
7.	Tubers of <i>Solanum tuberosum</i> L., for planting	<p>Official statement that the tubers originate:</p> <p>(a) in areas where <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. emend. Safni et al. is known not to occur,</p> <p>or</p> <p>(b) in a place of production found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. emend. Safni et al., or considered to be free thereof, as a consequence of the implementation of an appropriate procedure aiming at eradicating <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. emend. Safni et al.</p>
8.	Tubers of <i>Solanum tuberosum</i> L., for planting	<p>Official statement that the tubers originate:</p> <p>(a) in areas where <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen are known not to occur,</p> <p>or</p> <p>(b) in areas where <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen are known to occur and:</p> <p>(i) the tubers originate in a place of production which has been found free from <i>Meloidogyne chitwoodi</i> Golden et al. and <i>Meloidogyne fallax</i> Karssen based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production,</p>

▼B

	Plants, plant products and other objects	Requirements
		<p>or</p> <p>(ii) the tubers have been randomly sampled after harvest and checked for the presence of symptoms, after having applied an appropriate method to induce symptoms or laboratory tested, as well as inspected visually both externally and by cutting tubers, at appropriate times to detect the presence of those pests and in all cases at the time of closing of the packages, or containers before movement, and found free from symptoms of <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> and <i>Meloidogyne fallax</i> Karssen.</p>
9.	Tubers of <i>Solanum tuberosum</i> L., for planting, other than those to be planted in accordance with point (b) of Article 4(4) of Directive 2007/33/EC	Official statement that the provisions of Union law to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with.
10.	Tubers of <i>Solanum tuberosum</i> L., for planting, other than tubers of those varieties officially accepted in one or more Member States pursuant to Directive 2002/53/EC	<p>Official statement that the tubers:</p> <p>(a) belong to advanced selections, and</p> <p>(b) have been produced within the Union, and</p> <p>(c) have been derived in direct line from material which has been maintained under appropriate conditions and has been subjected within the Union to official quarantine testing and has been found, in these tests, free from Union quarantine pests.</p>
11.	Tubers of <i>Solanum tuberosum</i> L., other than those mentioned in entries 3, 4, 5, 6, 7, 8, 9, or 10	<p>There shall be a registration number on the packaging, or in the case of loose-loaded tubers transported in bulk, on the accompanying documents, demonstrating that the tubers have been grown by an officially registered producer, or originate from officially registered collective storage or dispatching centres located in the area of production, and indicating that:</p> <p>(a) the tubers are free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i></p> <p>and</p> <p>(b) the provisions of Union law to combat <i>Synchytrium endobioticum</i> (Schilb.) Percival,</p> <p>and</p> <p>where appropriate, <i>Clavibacter sepedonicus</i> (Spieckermann and Kottho) Nouioui <i>et al.</i>,</p> <p>and</p> <p><i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with.</p>

▼ B

	Plants, plant products and other objects	Requirements
12.	Plants for planting with roots, of <i>Capsicum</i> spp., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L., other than those to be planted in accordance with point (a) of Article 4(4) of Directive 2007/33/EC	Official statement that the provisions of Union law to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with.
13.	Plants for planting of <i>Capsicum annuum</i> L., <i>Solanum lycopersicum</i> L., <i>Musa</i> L., <i>Nicotiana</i> L., and <i>Solanum melongena</i> L., other than seeds	Official statement that: (a) the plants originate in areas which have been found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> , or (b) no symptoms of <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i> have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.
14.	Plants for planting with roots, grown in the open air, of <i>Allium porrum</i> L., <i>Asparagus officinalis</i> L., <i>Beta vulgaris</i> L., <i>Brassica</i> spp. and <i>Fragaria</i> L. and bulbs, tubers and rhizomes, grown in the open air, of <i>Allium ascalonicum</i> L., <i>Allium cepa</i> L., <i>Dahlia</i> spp., <i>Gladiolus</i> Tourn. ex L., <i>Hyacinthus</i> spp., <i>Iris</i> spp., <i>Lilium</i> spp., <i>Narcissus</i> L. and <i>Tulipa</i> L., other than those plants, bulbs, tubers and rhizomes to be planted in accordance with points (a) or (c) of Article 4(4) of Directive 2007/33/EC	There shall be evidence that the provisions of Union law to combat <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens are complied with.
15.	Plants for planting of <i>Cucurbitaceae</i> and <i>Solanaceae</i> other than seeds, originating from areas: (a) where <i>Bemisia tabaci</i> Genn. or other vectors of Tomato leaf curl New Delhi Virus are not known to occur (b) where <i>Bemisia tabaci</i> Genn. or other vectors of Tomato leaf curl New Delhi Virus are known to occur	Official statement that: (a) the plants originate in an area known to be free from Tomato leaf curl New Delhi Virus, or (b) no symptoms of Tomato leaf curl New Delhi Virus have been observed on the plants during their complete cycle of vegetation. Official statement that: (a) the plants originate in an area known to be free from Tomato leaf curl New Delhi Virus, or (b) no symptoms of Tomato leaf curl New Delhi Virus have been observed on the plants during their complete cycle of vegetation, and (i) their site of production has been found free from <i>Bemisia tabaci</i> Genn. and other vectors of Tomato leaf curl New Delhi Virus on official inspections carried out at appropriate times to detect the pest,

▼ B

	Plants, plant products and other objects	Requirements
		<p>or</p> <p>(ii) the plants have been subjected to an effective treatment ensuring the eradication of <i>Bemisia tabaci</i> Genn and other vectors of Tomato leaf curl New Delhi Virus.</p>
16.	Plants for planting of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth, other than seeds	<p>Official statement that the plants for planting:</p> <p>(a) have been grown throughout their life, or since their introduction into the Union, in an area free from <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) originate in a place of production, including its vicinity of at least 5 km radius, where neither symptoms of <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, nor the presence of the vector, have been observed during official inspections within a period of two years prior to movement, the plants for planting have been visually inspected prior to movement and handled and packaged in ways to prevent infestation after leaving the place of production,</p> <p>or</p> <p>(c) originate in a site of production, with complete physical isolation, and the plants for planting have been visually inspected prior to movement and handled and packaged in ways to prevent infestation after leaving the place of production.</p>
17.	Plants for planting of <i>Platanus</i> L., other than seeds	<p>Official statement that:</p> <p>(a) the plants originate in an area known to be free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr., established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) have been grown in a place of production established as free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr. in accordance with the relevant International Standards for Phytosanitary Measures:</p> <p>(i) which is registered and supervised by the competent authorities,</p> <p>and</p> <p>(ii) which has been subjected annually to official inspections for any symptoms of <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr., including its immediate vicinity, carried out at the most appropriate times of the year to detect the presence of the pest concerned,</p>

▼ B

	Plants, plant products and other objects	Requirements
		<p>and</p> <p>(iii) a representative sample of the plants has been subjected to testing for the presence of <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr., at appropriate times of the year to detect the presence of the pest.</p>
▼ <u>M9</u>	<p>17.1 Plants for planting of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, <i>Diospyros kaki</i> L., <i>Ficus carica</i> L., <i>Hedera helix</i> L., <i>Laurus nobilis</i> L., <i>Magnolia</i> L., <i>Malus</i> Mill., <i>Melia</i> L., <i>Mespilus germanica</i> L., <i>Parthenocissus</i> Planch., <i>Prunus</i> L., <i>Psidium guajava</i> L., <i>Punica granatum</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L., <i>Rosa</i> L., <i>Vitis vinifera</i> L., other than seeds, pollen and plants in tissue culture</p>	<p>Official statement that the plants:</p> <p>(a) originate in an area known to be free from <i>Aleurocanthus spiniferus</i> (Quaintance), established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) have been grown in a place of production established as being free from <i>Aleurocanthus spiniferus</i> (Quaintance) in accordance with the relevant International Standards for Phytosanitary Measures and the plants have been handled and packed in ways to prevent infestation after leaving the place of production,</p> <p>or</p> <p>(c) have been subjected to an effective treatment ensuring the freedom of <i>Aleurocanthus spiniferus</i> (Quaintance) and have been found free thereof prior to movement.</p>
▼ <u>B</u>	<p>18. Plants of <i>Citrus</i> L., <i>Choisya</i> Kunth, <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids and <i>Casimiroa</i> La Llave, <i>Clausena</i> Burm f., <i>Murraya</i> J. Koenig ex L., <i>Vepris</i> Comm., <i>Zanthoxylum</i> L., other than fruits and seeds</p>	<p>Official statement that the plants:</p> <p>(a) originate in an area free from <i>Trioza erythrae</i> Del Guercio, established by the competent authorities in accordance with relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) have been grown in a place of production, which is registered and supervised by the competent authorities in the Member State of origin,</p> <p>and</p> <p>where the plants have been grown during a period of one year, in an insect proof site of production against the introduction of <i>Trioza erythrae</i> Del Guercio,</p> <p>and</p> <p>where, during a period of at least one year prior to the movement, two official inspections were carried out at appropriate times and no signs of <i>Trioza erythrae</i> Del Guercio have been observed in that site,</p> <p>and</p> <p>prior to movement are handled and packaged in ways to prevent infestation after leaving the place of production.</p>

▼ B

	Plants, plant products and other objects	Requirements
▼ M9		
18.1	Plants for planting of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds, pollen and plants in tissue culture	<p>Official statement that the plants:</p> <p>(a) originate in an area known to be free from <i>Toxoptera citricida</i> (Kirkaldy), established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) have been grown in a place of production established as being free from <i>Toxoptera citricida</i> (Kirkaldy) in accordance with the relevant International Standards for Phytosanitary Measures and the plants have been handled and packed in ways to prevent infestation after leaving the place of production.</p>
19.	Plants for planting of <i>Vitis</i> L., other than seeds	<p>Official statement that the plants for planting:</p> <p>(a) originate in an area known to be free from Grapevine flavescence dorée phytoplasma,</p> <p>or</p> <p>(b) originate in a site of production where:</p> <p>(i) no symptoms of Grapevine flavescence dorée phytoplasma on <i>Vitis</i> L. have been observed at the site of production and in a surrounding zone of 20m since the beginning of the last complete cycle of vegetation. In the case of plants used for the propagation of <i>Vitis</i> L., no symptoms of Grapevine flavescence dorée phytoplasma on <i>Vitis</i> spp. have been observed at the site of production and in a surrounding zone of either 20m of a site of production of scions or 40m of a site of production of rootstocks since the beginning of the two last complete cycles of vegetation, and</p> <p>(ii) monitoring of the vectors is conducted, and in areas where the vectors are present appropriate treatments are carried out to control the vectors of Grapevine flavescence dorée phytoplasma, and</p> <p>(iii) abandoned <i>Vitis</i> L. in the surrounding zone of 20m of the the site of production have been rogued out,</p> <p>or</p> <p>(c) have undergone hot water treatment in accordance with international standards.</p>
▼ B		
20.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids	The packaging shall bear an appropriate origin mark.



	Plants, plant products and other objects	Requirements
21.	<p>Seeds of <i>Solanum tuberosum</i> L., other than those specified in entry 3</p>	<p>Official statement that:</p> <p>(a) the seeds derive from plants complying, as applicable, with the requirements set out in points 4, 5, 6, 7, 8 and 9,</p> <p>and that the seeds:</p> <p>(b) originate in areas known to be free from <i>Synchytrium endobioticum</i> (Schilb.) Percival, <i>Clavibacter sepe-donicus</i> (Spieckermann and Kotho) Nouioui <i>et al.</i>, <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> emend. Safni <i>et al.</i>,</p> <p>or</p> <p>comply with all of the following requirements:</p> <p>(i) they have been produced in a site where, since the beginning of the last cycle of vegetation, no symptoms of disease caused by the Union quarantine pests referred to in point (a) have been observed;</p> <p>(ii) they have been produced at a site where all of the following actions have been taken:</p> <ul style="list-style-type: none"> — prevention of contact with and hygiene measures concerning staff and items, such as tools, machinery, vehicles, vessels and packaging material, from other sites producing solanaceous plants to prevent infection are ensured; — only water free from all Union quarantine pests referred to in this point is used.
22.	<p>Wood of <i>Juglans</i> L. and <i>Pterocarya</i> Kunth, other than in the form of:</p> <ul style="list-style-type: none"> — chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment, <p>but including that which has not kept its natural round surface.</p>	<p>Official statement that the wood:</p> <p>(a) originates in an area known to be free from <i>Geosmithia morbida</i> Kolarik, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures;</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the wood. There shall be evidence thereof by a mark 'HT' put on the wood or on any wrapping in accordance with current usage;</p> <p>or</p> <p>(c) has been squared to entirely remove the natural rounded surface.</p>

▼ **B**

	Plants, plant products and other objects	Requirements
23.	Isolated bark and wood of <i>Juglans L.</i> and <i>Pterocarya Kunth</i> , in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or part from these plants.	<p>Official statement that the wood or isolated bark:</p> <p>(a) originates in an area free from <i>Geosmithia morbida</i> Kolarík, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) has undergone an appropriate heat treatment to achieve a minimum temperature of 56 °C for a minimum duration of 40 continuous minutes throughout the entire profile of the bark or the wood. There shall be evidence thereof by a mark 'HT' put on any wrapping in accordance with current usage.</p>
24.	Wood of <i>Platanus L.</i> , including wood which has not kept its natural round surface.	<p>Official statement that:</p> <p>(a) the wood originates in areas known to be free from <i>Ceratocystis platani</i> (J. M. Walter) Engelbr. & T. C. Harr.,</p> <p>or</p> <p>(b) the wood has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule, and indicated by a mark 'kiln-dried', 'KD' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage.</p>
▼ M9	25.	<p>Wood packaging material of wood of <i>Juglans L.</i> and <i>Pterocarya Kunth</i>, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except raw wood of 6 mm thickness or less, processed wood produced by glue, heat and pressure, or a combination thereof, and dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment.</p> <p>The wood packaging material:</p> <p>(a) originates in an area, free from <i>Geosmithia morbida</i> Kolarík, Freeland, Utley & Tisserat and its vector <i>Pityophthorus juglandis</i> Blackman, established by the competent authorities in accordance with the relevant International Standards for Phytosanitary Measures,</p> <p>or</p> <p>(b) is made of debarked wood, as specified in Annex I to FAO International Standard for Phytosanitary Measures No 15 on Regulation of wood packaging material in international trade, and (i) has been subjected to one of the approved treatments as specified in Annex I to that International Standard, and (ii) displays a mark as specified in Annex II to that International Standard, indicating that the wood packaging material has been subjected to an approved phytosanitary treatment in accordance with this standard.</p>
26.	Plants of <i>Chionanthus virginicus L.</i> , <i>Fraxinus L.</i> , <i>Juglans ailantifolia Carr.</i> , <i>Juglans mandshurica Maxim.</i> , <i>Ulmus davidiana Planch.</i> and <i>Pterocarya rhoifolia Siebold & Zucc.</i> , other than fruit and seeds	The plants shall originate in an area which is known to be free from <i>Agrilus planipennis</i> Fairmaire and located at a distance of not less than 100 km to the closest known area, where the presence of <i>Agrilus planipennis</i> Fairmaire has been officially confirmed.

▼ M9

	Plants, plant products and other objects	Requirements
27.	<p>Wood of <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc., originating in an area located at a distance of less than 100 km to the closest known area, where the presence of <i>Agrilus planipennis</i> Fairmaire has been officially confirmed, other than in the form of</p> <ul style="list-style-type: none"> — chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees, — wood packaging material, in the form of packing cases, boxes, crates, drums and similar packings, pallets, box pallets and other load boards, pallet collars, dunnage, whether or not actually in use in the transport of objects of all kinds, except dunnage supporting consignments of wood, which is constructed from wood of the same type and quality as the wood in the consignment and which meets the same Union phytosanitary requirements as the wood in the consignment, <p>but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood</p>	<p>Official statement that:</p> <p>(a) the bark and at least 2,5 cm of the outer sapwood have been removed in a facility authorised and supervised by the national plant protection organisation,</p> <p>or</p> <p>(b) the wood has undergone ionizing irradiation to achieve a minimum absorbed dose of 1 kGy throughout the wood.</p>
28.	<p>Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc.</p>	<p>The wood shall originate in an area which is known to be free from <i>Agrilus planipennis</i> Fairmaire and located at a distance of not less than 100 km to the closest known area, where the presence of <i>Agrilus planipennis</i> Fairmaire has been officially confirmed.</p>
29.	<p>Isolated bark and objects made of bark of <i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc.</p>	<p>The bark shall originate in an area which is known to be free from <i>Agrilus planipennis</i> Fairmaire and located at a distance of not less than 100 km to the closest known area, where the presence of <i>Agrilus planipennis</i> Fairmaire has been officially confirmed.</p>



ANNEX IX

List of plants, plant products and other objects, whose introduction into certain protected zones is prohibited

The protected zones listed in the third column of the following table respectively cover one of the following:

- (a) the whole territory of the Member State listed;
- (b) the territory of the Member State listed with the exceptions specified within brackets;
- (c) only the part of the territory of the Member State which is specified within brackets.

	Plants, plant products and other objects	CN code	Protected zones
1.	Plants and live pollen for pollination other than fruit and seeds, originating in third countries other than Switzerland and other than those recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> by the respective National Plant Protection Organization and being officially notified to the Commission or in which pest free areas have been established in relation to <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> in accordance with the relevant International Standard for Phytosanitary Measures by the respective National Plant Protection Organization and being officially notified to the Commission, and belonging to one of the following species: — <i>Amelanchier</i> Med., — <i>Chaenomeles</i> Lindl., — <i>Crataegus</i> L., — <i>Cydonia</i> Mill., — <i>Eriobotrya</i> Lindl., — <i>Malus</i> Mill., — <i>Mespilus</i> L., — <i>Pyracantha</i> Roem., — <i>Pyrus</i> L. or — <i>Sorbus</i> L.	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1211 90 86 ex 1212 99 95 ex 1404 90 00	(a) Estonia; (b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Comunidad autonoma de Catalunya); and the municipalities of Alborache and Turís in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante (Comunidad Valenciana)); (c) France (Corsica); (d) Ireland (except Galway city); ► M6 (e) Italy (Abruzzo, Apúlia, Basilicata, Calabria, Campania (except the municipalities of Agerola, Gragnano, Lettere, Pimonte and Vico Equense in the province of Naples, Amalfi, Atrani, Conca dei Marini, Corbara, Furore, Maiori, Minori, Positano, Praiano, Ravello, Scala and Tramonti in the province of Salerno), Lazio, Liguria, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Maderno, Desio, Limbiate, Nova Milanese and Varedo in Monza Brianza Province), Marche (except the communes of Colli al Metauro, Fano, Pesaro and San Costanzo in the province of Pesaro e Urbino), Molise, Sardinia, Sicily (except the municipalities of Cesarò in the province of Messina, Maniace, Bronte, Adrano in the province of Catania and Centuripe, Regalbuto and Troina in the province of Enna), Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the province of Padova and the communes of Albaredo d'Adige, Angiari, Arcole, Belfiore, Bevilacqua, Bonavigo, Boschi S. Anna, Bovolone, Buttapietra, Caldiero, Casaleone, Castagnaro, Castel d'Azzano, Cerea, Cologna Veneta, Concarnise, Erbè, Gazzo Veronese, Isola della Scala, Isola Rizza, Legnago, Minerbe, Mozzecane, Nogara, Nogarole Rocca, Oppeano, Palù, Povegliano Veronese, Pressana, Ronco all'Adige, Roverchiara, Roveredo di Guà, San Bonifacio, Sanguinetto, San Pietro di Morubbio, San Giovanni Lupatoto, Salizzole, San Martino Buon

▼ B

	Plants, plant products and other objects	CN code	Protected zones
			<p>Albergo, Sommacampagna, Sorgà, Terrazzo, Trevenzuolo, Valeggio sul Mincio, Veronella, Villa Bartolomea, Villafranca di Verona, Vigasio, Zevio, Zimella in the province of Verona)); ◀</p> <p>(f) Latvia;</p> <p>► M6 (g) Lithuania (except the municipality of Kėdainiai in the region of Kaunas);</p> <p>(h) Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Dol pri Ljubljani, Lendava, Litija, Moravče, Renče-Vogrsko, Velika Polana and Žužemberk, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Črnelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Škrjanče, Trebnja Gorica, Velike Lese, Veliko Črnelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica);</p> <p>(i) Slovakia (except the county of Dunajská Streda, and the townships of Hronovce and Hronské Kľačany in the Levice County, Dvory nad Žitavou in the Nové Zámky County, Málinec in the Poltár County, Valice, Jesenské and Rimavská Sobota in the Rimavská Sobota County, Hrhov in the Rožňava County, Veľké Ripňany in the Topoľčany County, Kazimír, Luhyňa, Malý Horeš, Svätušie and Zatin in the Trebišov County); ◀</p> <p>(j) Finland.</p> <p>► M4 ————— ◀</p>
2.	<p>Plants and live pollen for pollination other than fruit and seeds, originating in third countries other than those recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> by the respective National Plant Protection Organization and being officially notified to the Commission, or in which pest free areas have been established in relation to <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> in accordance with the relevant International Standard for Phytosanitary Measures by the respective National Plant Protection Organization and being officially notified to the Commission, and belonging to one of the following species:</p> <p>(1) <i>Cotoneaster</i> Ehrh. or</p> <p>(2) <i>Photinia davidiana</i> (Dcne.) Cardot.</p>	<p>ex 0602 10 90</p> <p>ex 0602 20 20</p> <p>ex 0602 20 80</p> <p>ex 0602 90 41</p> <p>ex 0602 90 45</p> <p>ex 0602 90 46</p> <p>ex 0602 90 47</p> <p>ex 0602 90 48</p> <p>ex 0602 90 50</p> <p>ex 0602 90 70</p> <p>ex 0602 90 91</p> <p>ex 0602 90 99</p> <p>ex 0603 19 70</p> <p>ex 0604 20 90</p> <p>ex 1211 90 86</p> <p>ex 1212 99 95</p> <p>ex 1404 90 00</p>	<p>(a) Estonia;</p> <p>(b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Comunidad autonoma de Catalunya); and the municipalities of Alborache and Turis in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante (Comunidad Valenciana));</p> <p>(c) France (Corsica);</p> <p>(d) Ireland (except Galway city);</p> <p>► M6 (e) Italy (Abruzzo, Apúlia, Basilicata, Calabria, Campania (except the municipalities of Agerola, Gragnano, Lettere, Pimonte and Vico Equense in the province of Naples, Amalfi, Atrani, Conca dei Marini, Corbara, Furore, Maiori, Minori, Positano, Praiano, Ravello, Scala and Tramonti in the</p>

▼B

	Plants, plant products and other objects	CN code	Protected zones
			<p>province of Salerno), Lazio, Liguria, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Maderno, Desio, Limbiate, Nova Milanese and Varedo in Monza Brianza Province), Marche (except the communes of Colli al Metauro, Fano, Pesaro and San Costanzo in the province of Pesaro e Urbino), Molise, Sardinia, Sicily (except the municipalities of Cesarò in the province of Messina, Maniace, Bronte, Adrano in the province of Catania and Centuripe, Regalbuto and Troina in the province of Enna), Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the province of Padova and the communes of Albaredo d'Adige, Angiari, Arcole, Belfiore, Bevilacqua, Bonavigo, Boschi S. Anna, Bovolone, Buttapietra, Caldiero, Casaleone, Castagnaro, Castel d'Azzano, Cerea, Cologna Veneta, Concamarise, Erbè, Gazzo Veronese, Isola della Scala, Isola Rizza, Legnago, Minerbe, Mozzecane, Nogara, Nogarole Rocca, Oppeano, Palù, Povegliano Veronese, Pressana, Ronco all'Adige, Roverchiara, Roveredo di Guà, San Bonifacio, Sanguinetto, San Pietro di Morubio, San Giovanni Lupatoto, Salizzole, San Martino Buon Albergo, Sommacampagna, Sorgà, Terrazzo, Trevenzuolo, Valeggio sul Mincio, Veronella, Villa Bartolomea, Villafranca di Verona, Vigasio, Zevio, Zimella in the province of Verona)); ◀</p> <p>(f) Latvia;</p> <p>► M6 (g) Lithuania (except the municipality of Kėdainiai in the region of Kaunas);</p> <p>(h) Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Dol pri Ljubljani, Lendava, Litija, Moravče, Renče-Vogrsko, Velika Polana and Žužemberk, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Črnelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Štrjanče, Trebnja Gorica, Velike Lese, Veliko Črnelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica);</p> <p>(i) Slovakia (except the county of Dunajská Streda, and the townships of Hronovce and Hronské Kľačany in the Levice County, Dvory nad Žitavou in the Nové Zámky County, Málinec in the Poltár County, Valice, Jesenské and Rimavská Sobota in the Rimavská Sobota County, Hrhov in the Rožňava County, Veľké Ripňany in the Topoľčany County, Kazimír, Luhyňa, Malý Horeš, Svätuš and Zátin in the Trebišov County); ◀</p> <p>(j) Finland.</p> <p>► M4 ————— ◀</p>

▼B

ANNEX X

List of plants, plant products and other objects, to be introduced into, or moved within protected zones and corresponding special requirements for protected zones

The protected zones listed in the fourth column of the following table respectively cover one of the following:

▼M4

(a) the whole territory of the Member State ⁽¹⁾ listed;

▼B

(b) the territory of the Member State listed with the exceptions specified within brackets;

(c) only the part of the territory of the Member State which is specified within brackets.

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
1.	Used agricultural machinery	ex 8432 10 00 ex 8432 21 00 ex 8432 29 10 ex 8432 29 30 ex 8432 29 50 ex 8432 29 90 ex 8432 31 00 ex 8432 39 11 ex 8432 39 19 ex 8432 39 90 ex 8432 41 00 ex 8432 42 00 ex 8432 80 00 ex 8432 90 00 ex 8433 40 00 ex 8433 51 00 ex 8433 53 10 ex 8433 53 30 ex 8433 53 90 ex 8436 80 10 ex 8701 20 90 ex 8701 91 10 ex 8701 92 10 ex 8701 93 10 ex 8701 94 10 ex 8701 95 10	The machinery has: (a) been cleaned and free from soil and plant debris when brought to places of production, where beets are grown; or (b) come from an area where BNYVV is known not to occur.	(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)
2.	Soil from beet and unsterilized waste from beet (<i>Beta vulgaris</i> L.)	ex 2303 20 10 ex 2303 20 90 ex 2530 90 00	Official statement that soil or waste: (a) has been treated to eliminate contamination with BNYVV, or (b) is intended to be transported for disposal in an officially approved manner, or (c) comes from <i>Beta vulgaris</i> plants grown in an area where BNYVV is known not to occur.	(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)

⁽¹⁾ In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, for the purposes of this Annex, references to Member State include the United Kingdom in respect of Northern Ireland.

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
3.	Beehives – in the period from 15 March to 30 June	0106 41 00 ex 4421 99 99 ex 4602 19 90 ex 4602 90 00	Official statement that the beehives: (a) originate in third countries recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al. in accordance with the procedure laid down in Article 107 of Regulation (EU) 2016/2031, or (b) originate in the Canton of Valais in Switzerland, or (c) originate in a protected zone listed in the right-hand column, or (d) have undergone an appropriate quarantine measure before being moved.	(a) Estonia (b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Comunidad autonoma de Catalunya); and the municipalities of Alborache and Turis in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante (Comunidad Valenciana)) (c) France (Corsica) (d) Ireland (except Galway city) ► M6 (e) Italy (Abruzzo, Apúlia, Basilicata, Calabria, Campania (except the municipalities of Agerola, Gragnano, Lettere, Pimonte and Vico Equense in the province of Naples, Amalfi, Atrani, Conca dei Marini, Corbara, Furore, Maiori, Minori, Positano, Praiano, Ravello, Scala and Tramonti in the province of Salerno), Lazio, Liguria, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Maderno, Desio, Limbiate, Nova Milanese and Varedo in Monza Brianza Province), Marche (except the communes of Colli al Metauro, Fano, Pesaro and San Costanzo in the province of Pesaro e Urbino), Molise, Sardinia, Sicily (except the municipalities of Cesarò in the province of Messina, Maniace, Bronte, Adrano in the province of Catania and Centuripe, Regalbuto and Troina in the province of Enna), Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes Barbona, Boara

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
				<p>Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the province of Padova and the communes of Albaredo d'Adige, Angiari, Arcole, Belfiore, Bevilacqua, Bonavigo, Boschi S. Anna, Bovolone, Buttapietra, Caldiero, Casaleone, Castagnaro, Castel d'Azzano, Cerea, Cologna Veneta, Concamarise, Erbè, Gazzo Veronese, Isola della Scala, Isola Rizza, Legnago, Minerbe, Mozzecane, Nogara, Nogarole Rocca, Oppeano, Palù, Povegliano Veronese, Pressana, Ronco all'Adige, Roverchiara, Roveredo di Guà, San Bonifacio, Sanguinetto, San Pietro di Morubbio, San Giovanni Lupatoto, Salizzole, San Martino Buon Albergo, Sommacampagna, Sorgà, Terrazzo, Trevenzuolo, Valeggio sul Mincio, Veronella, Villa Bartolomea, Villafranca di Verona, Vigasio, Zevio, Zimella in the province of Verona) ◀</p> <p>(f) Latvia</p> <p>► M6 (g) Lithuania (except the municipality of Kėdainiai in the region of Kaunas)</p> <p>(h) Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Dol pri Ljubljani, Lendava, Litija, Moravče, Renče-Vogrsko, Velika Polana and Žužemberk, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Čmelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Škrijanče, Trebnja Gorica, Velike Lese, Veliko Čmelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica)</p> <p>(i) Slovakia (except the county of Dunajská Streda, and the townships of Hronovce and Hronské Kľačany in the Levice County, Dvory nad</p>

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
				<p>Žitavou in the Nové Zámky County, Málíneec in the Poltár County, Valice, Jesenské and Rimavská Sobota in the Rimavská Sobota County, Hrhov in the Rožňava County, Veľké Ripňany in the Topoľčany County, Kazimír, Luhyňa, Malý Horeš, Svätušie and Zatin in the Trebišov County) ◀</p> <p>(j) Finland</p> <p>► <u>M4</u> ————— ◀</p>

▼ M9

3.1	Plants of herbaceous species, intended for planting, other than bulbs, corms, plants of the family Gramineae, rhizomes, seeds and tubers	ex 0602 10 90 0602 90 20 ex 0602 90 30 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0704 10 00 ex 0704 90 10 ex 0704 90 90 ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00 ex 0706 90 10 ex 0709 40 00 ex 0709 99 10 ex 0910 99 31 ex 0910 99 33	<p>Official statement that:</p> <p>(a) the plants originate in an area known to be free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess),</p> <p>or</p> <p>(b) no signs of <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to the movement from this place of production,</p> <p>or</p> <p>(c) immediately prior to the marketing, the plants have been officially inspected and found free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) and have been subjected to an appropriate treatment against <i>Liriomyza bryoniae</i> (Kaltenbach) <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess),</p> <p>or</p>	<p>(a) Ireland</p> <p>(b) United Kingdom (Northern Ireland)</p>
-----	--	--	--	---

▼ M9

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			(d) the plants originate from plant material which is free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess); are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess); and are shipped in transparent containers under sterile conditions.	
▼ <u>B</u>				
4.	Plants of <i>Allium porrum</i> L., <i>Apium</i> L., <i>Beta</i> L., other than those mentioned in point 5 of this Annex and those intended for animal fodder, <i>Brassica napus</i> L., <i>Brassica rapa</i> L., <i>Daucus</i> L., other than plants for planting	ex 0703 90 00 ex 0704 90 90 0706 10 00 ► <u>M9</u> 0706 90 10 ◀ ex 0706 90 90	(a) The consignment or lot does not contain more than 1 % by weight of soil, or (b) official statement that the plants are intended for processing at premises with officially approved waste disposal facilities which ensures that there is no risk of spreading of BNYVV.	(a) France (Brittany) (b) Finland (c) Ireland (d) Portugal (Azores) (e) United Kingdom (Northern Ireland)
5.	Plants of <i>Beta vulgaris</i> L., intended for industrial processing	ex 1212 91 80 ex 1214 90 10	Official statement that the plants: (a) are transported in such a manner as to ensure that there is no risk of spreading BNYVV, and are intended to be delivered to a processing plant with officially approved waste disposal facilities, which ensures that there is no risk of spreading BNYVV, or (b) have been grown in an area where BNYVV is known not to occur.	(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
6.	Tubers of <i>Solanum tuberosum</i> L., for planting	0701 10 00	<p>Official statement that the tubers:</p> <p>(a) were grown in an area where Beet necrotic yellow vein virus ('BNYVV') is known not to occur; or</p> <p>(b) were grown on land, or in growing media consisting of soil that is known to be free from BNYVV, or officially tested by appropriate methods and found free from BNYVV; or</p> <p>(c) have been washed free from soil.</p>	<p>(a) France (Brittany)</p> <p>(b) Finland</p> <p>(c) Ireland</p> <p>(d) Portugal (Azores)</p> <p>(e) United Kingdom (Northern Ireland)</p>
7.	Tubers of <i>Solanum tuberosum</i> L., other than those mentioned in point 6 of this Annex	<p>ex 0701 90 10</p> <p>ex 0701 90 50</p> <p>ex 0701 90 90</p>	<p>(a) The consignment or the lot shall not contain more than 1 % by weight of soil; or</p> <p>(b) official statement that the tubers are intended for processing at premises with officially approved waste disposal facilities which ensures that there is no risk of spreading of BNYVV.</p>	<p>(a) France (Brittany)</p> <p>(b) Finland</p> <p>(c) Ireland</p> <p>(d) Portugal (Azores)</p> <p>(e) United Kingdom (Northern Ireland)</p>
8.	Plants for planting of <i>Beta vulgaris</i> L., other than seeds	<p>ex 0601 10 90</p> <p>ex 0601 20 90</p> <p>ex 0602 90 30</p> <p>ex 0602 90 50</p>	<p>Official statement that the plants:</p> <p>(a) (i) have been officially individually tested and found free from BNYVV; or</p> <p>(ii) have been grown from seeds complying with the requirements under points 33 and 34 of this Annex and</p>	<p>(a) Ireland</p> <p>(b) France (Brittany)</p> <p>(c) Portugal (Azores)</p> <p>(d) Finland</p> <p>(e) United Kingdom (Northern Ireland)</p>

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			<ul style="list-style-type: none"> — grown in areas where BNYVV is known not to occur, or — grown on land, or in growing media, officially tested by appropriate methods and found free from BNYVV, and — sampled, and the sample tested and found free from BNYVV; <p>and</p> <p>(b) the holding of the material of those plants have been notified by the respective organisation or research body.</p>	
9.	Plants and live pollen for pollination of: <i>Amelanchier</i> Med., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Photinia davidiana</i> (Dene.) Cardot, <i>Pyracantha</i> Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L., other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99 ex 0603 19 70 ex 0604 20 90 ex 1211 90 86 ex 1212 99 95 ex 1404 90 00	Where appropriate, official statement that: <ul style="list-style-type: none"> (a) the plants originate in third countries recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al. by the respective National Plant Protection Organisation and officially notified to the Commission; or (b) the plants originate in pest free areas in the Union or third countries which have been established in relation to <i>Erwinia amylovora</i> (Burr.) Winsl. et al. in accordance with the relevant International Standard for Phytosanitary Measures and recognised as such by the respective National Plant Protection Organisation and officially notified to the Commission; or (c) the plants originate in the Canton of Valais in Switzerland; or 	<ul style="list-style-type: none"> (a) Estonia (b) Spain (except the autonomous communities of Andalucía, Aragón, Castilla la Mancha, Castilla y León, Extremadura, the autonomous community of Madrid, Murcia, Navarra and La Rioja, the province of Guipuzcoa (Basque Country), the comarcas of Garrigues, Noguera, Pla d'Urgell, Segrià and Urgell in the province of Lleida (Comunidad autonoma de Catalunya); and the municipalities of Alborache and Turis in the province of Valencia and the Comarcas de L'Alt Vinalopó and El Vinalopó Mitjà in the province of Alicante (Comunidad Valenciana)) (c) France (Corsica) (d) Ireland (except Galway city)

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			<p>(d) the plants have been produced, or, if moved into a 'buffer zone', kept and maintained for a period of at least 7 months, including the period from 1 April to 31 October of the last complete cycle of vegetation, on a field:</p> <p>(i) located at least 1 km inside the border of an officially designated 'buffer zone' of at least 50 km², where host plants are subject to an officially approved and supervised control regime established at the latest before the beginning of the complete cycle of vegetation, preceding the last complete cycle of vegetation, with the object of minimising the risk of <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> being spread from the plants grown there.</p> <p>(ii) which has been officially approved, as well as the 'buffer zone', before the beginning of the complete cycle of vegetation preceding the last complete cycle of vegetation, for the cultivation of plants under the requirements laid down in this point;</p> <p>(iii) which, as well as the surrounding zone of a width of at least 500 m, has been found free from <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> since the beginning of the last complete cycle of vegetation, at official inspection carried out at least:</p>	<p>► M6 (e) Italy (Abruzzo, Apúlia, Basilicata, Calabria, Campania (except the municipalities of Agerola, Gragnano, Lettere, Pimonte and Vico Equense in the province of Naples, Amalfi, Atrani, Conca dei Marini, Corbara, Furore, Maiori, Minori, Positano, Praiano, Ravello, Scala and Tramonti in the province of Salerno), Lazio, Liguria, Lombardy (except the provinces of Milan, Mantua, Sondrio and Varese, and the communes of Bovisio Masciago, Cesano Mademo, Desio, Limbiate, Nova Milanese and Varedo in Monza Brianza Province), Marche (except the communes of Colli al Metauro, Fano, Pesaro and San Costanzo in the province of Pesaro e Urbino), Molise, Sardinia, Sicily (except the municipalities of Cesarò in the province of Messina, Maniace, Bronte, Adrano in the province of Catania and Centuripe, Regalbuto and Troina in the province of Enna), Tuscany, Umbria, Valle d'Aosta, Veneto (except the provinces of Rovigo and Venice, the communes Barbona, Boara Pisani, Castelbaldo, Masi, Piacenza d'Adige, S. Urbano and Vescovana in the province of Padova and the communes of Albaredo d'Adige, Angiari, Arcole, Belfiore, Bevilacqua, Bonavigo, Boschi S. Anna, Bovolone, Buttapietra, Caldiero, Casaleone, Castagnaro, Castel d'Azzano, Cerea, Cologna Veneta, Concamarise, Erbe, Gazzo Veronese, Isola della Scala, Isola Rizza, Legnago, Minerbe, Mozzecane, Nogara, Nogarole Rocca, Oppeano, Palù, Povegliano Veronese, Pressana, Ronco all'Adige, Roverchiara, Roveredo di Guà, San Bonifacio, Sanguinetto, San Pietro di Morubbio, San Giovanni Lupatoto, Salizzole, San Martino Buon Albergo, Sommacampagna, Sorgà, Terrazzo, Trevenzuolo, Valeggio sul Mincio, Veronella, Villa Bartolomea, Villafranca di Verona, Vigasio, Zevio, Zimella in the province of Verona) ◀</p>

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			<p>— twice in the field at the most appropriate time, i.e. once in the period from June to August and once from August to November; and</p> <p>— once in the said surrounding zone at the most appropriate time, i.e. from August to November, and</p> <p>(iv) from which plants were officially tested for latent infections in accordance with an appropriate laboratory method on samples officially drawn at the most appropriate period.</p>	<p>(f) Latvia</p> <p>► M6 (g) Lithuania (except the municipality of Kėdainiai in the region of Kaunas)</p> <p>(h) Slovenia (except the regions of Gorenjska, Koroška, Maribor and Notranjska, and the communes of Dol pri Ljubljani, Lendava, Litija, Moravče, Renče-Vogrsko, Velika Polana and Žužemberk, and the settlements Fužina, Gabrovčec, Glogovica, Gorenja vas, Gradiček, Grintovec, Ivančna Gorica, Krka, Krška vas, Male Lese, Malo Črnelo, Malo Globoko, Marinča vas, Mleščevo, Mrzlo Polje, Muljava, Podbukovje, Potok pri Muljavi, Šentvid pri Stični, Škrjanče, Trebnja Gorica, Velike Lese, Veliko Črnelo, Veliko Globoko, Vir pri Stični, Vrhpolje pri Šentvidu, Zagradec and Znojile pri Krki in the commune Ivančna Gorica)</p> <p>(i) Slovakia (except the county of Dunajská Streda, and the townships of Hronovce and Hronské Kľačany in the Levice County, Dvory nad Žitavou in the Nové Zámky County, Málinec in the Poltár County, Valice, Jesenské and Rimavská Sobota in the Rimavská Sobota County, Hrhov in the Rožňava County, Veľké Ripňany in the Topoľčany County, Kazimír, Luhyňa, Malý Horeš, Svätušie and Zatin in the Trebišov County) ◀</p> <p>(j) Finland</p> <p>► M4 ————— ◀</p>
10.	Plants of <i>Vitis</i> L., other than fruit and seeds	0602 10 10 0602 20 10 ex 0604 20 90 ex 1404 90 00	Official statement that the plants have been subjected to an appropriate treatment to ensure freedom from <i>Viteus vitifoliae</i> (Fitch) (and certified by the respective National Plant Protection Organisation and officially notified to the Commission).	a) Cyprus

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
11.	Plants for planting of <i>Prunus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Official statement that the plants: (a) have been grown throughout their life in places of production in countries where <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> is not known to occur, or (b) have been grown throughout their life in an area free from <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> established by the national plant protection organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) have been derived in direct line from mother plants which have shown no symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> during the last complete cycle of vegetation, and no symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation, or (d) for plants of <i>Prunus laurocerasus</i> L. and <i>Prunus lusitanica</i> L. for which there shall be evidence by their packing or by other means that they are intended for sale to final consumers not involved in professional plant production no symptoms of <i>Xanthomonas arboricola</i> pv. <i>pruni</i> (Smith) Vauterin <i>et al.</i> have been observed on plants at the place of production since the beginning of the last complete growing season.	United Kingdom ► M4 (Northern Ireland) ◀

▼ **B**

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
12.	Unrooted cuttings for planting of <i>Euphorbia pulcherrima</i> Willd.	ex 0602 10 90	<p>Official statement that:</p> <p>(a) the unrooted cuttings originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations),</p> <p>or</p> <p>(b) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed at the place of production, including either on the cuttings or on the plants from which the cuttings are derived and held or produced in this place of production, on official inspections carried out at least each three weeks during the whole production period of these plants on this place of production,</p> <p>or</p> <p>(c) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the cuttings and the plants from which the cuttings are derived and held or produced in this place of production have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement.</p>	<p>(a) Ireland</p> <p>(b) Sweden</p> <p>(c) United Kingdom ▶ M4 (Northern Ireland) ◀</p>

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
13.	Plants for planting of <i>Euphorbia pulcherrima</i> Willd., other than all of the following: — seeds, — unrooted cuttings for planting of <i>Euphorbia pulcherrima</i> Willd.	ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Official statement that: (a) the plants originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations), or (b) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed, including on plants, at the place of production on official inspections carried out at least once each three weeks during the nine weeks prior to marketing, or (c) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the plants held or produced in this place of production have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement, and (d) evidence is available that the plants have been produced from cuttings which:	(a) Ireland (b) Sweden (c) United Kingdom ►M4 (Northern Ireland) ◀

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			<p>(i) originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations),</p> <p>or</p> <p>(ii) have been grown at a place of production where no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed, including on plants, on official inspections carried out at least once each three weeks during the whole production period of these plants,</p> <p>or</p> <p>(iii) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, have been grown on plants held or produced in this place of production having undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be carried out immediately prior to the above movement;</p> <p>or</p>	

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			(e) for those plants for which there shall be evidence by their packing or their flower (or bract) development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, the plants have been officially inspected and found free from <i>Bemisia tabaci</i> Genn. (European populations) prior to their movement.	
14.	Plants for planting of <i>Begonia</i> L., other than seeds, tubers and corms, and plants for planting of <i>Ajuga</i> L., <i>Crossandra</i> Salisb., <i>Dipladenia</i> A.DC., ► <u>M9</u> ——— ◀ <i>Hibiscus</i> L., <i>Mandevilla</i> Lindl. and <i>Nerium oleander</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 91 ex 0602 90 99	Official statement that: (a) the plants originate in an area known to be free from <i>Bemisia tabaci</i> Genn. (European populations), or (b) no signs of <i>Bemisia tabaci</i> Genn. (European populations) have been observed, including on plants, at the place of production on official inspections carried out at least once each three weeks during the nine weeks prior to marketing, or (c) in cases where <i>Bemisia tabaci</i> Genn. (European populations) has been found at the place of production, the plants, held or produced in this place of production, have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (European populations) and subsequently this place of production shall have been found free from <i>Bemisia tabaci</i> Genn. (European populations) as a consequence of the implementation of appropriate procedures aiming at eradicating <i>Bemisia tabaci</i> Genn. (European populations), in both official inspections carried out weekly during the three weeks prior to the movement from this place of production and in monitoring procedures throughout the said period. The last inspection of the above weekly inspections shall be	(a) Ireland (b) Sweden (c) United Kingdom ► <u>M4</u> (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			<p>carried out immediately prior to the above movement;</p> <p>or</p> <p>(d) for those plants for which there shall be evidence by their packing or their flower development or by other means that they are intended for direct sale to final consumers not involved in professional plant production, the plants have been officially inspected and found free from <i>Bemisia tabaci</i> Genn. (European populations) immediately prior to their movement.</p>	
15.	Plants for planting of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. and <i>Pseudotsuga</i> Carr., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Official statement that the plants have been produced in nurseries and that the place of production is free from ► M9 <i>Gremmeniella abietina</i> ◀ (Lag.) Morelet.	(a) Ireland
16.	Plants for planting of <i>Cedrus</i> Trew, <i>Pinus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Official statement that: (a) the plants have been grown throughout their life in places of production in countries where <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller is not known to occur, or (b) the plants have been grown throughout their life in an area free from <i>Thaumetopoea pityocampa</i> Denis & Schiffermüller established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary Measures, or	► M6 (a) Ireland (b) United Kingdom (Northern Ireland) ◀

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			<p>(c) the plants have been produced in nurseries which, including their vicinity, have been found free from <i>Thaumatococcus panyocampa</i> Denis & Schiffermüller on the basis of official inspections and official surveys carried out at appropriate times,</p> <p>or</p> <p>(d) the plants have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumatococcus panyocampa</i> Denis & Schiffermüller and have been inspected at appropriate times and found to be free from <i>Thaumatococcus panyocampa</i> Denis & Schiffermüller.</p>	
17.	Plants for planting of <i>Larix</i> Mill., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Official statement that the plants have been produced in nurseries and that the place of production is free from <i>Cephalcia lariciphila</i> (Klug.).	(a) Ireland (b) ► <u>M4</u> United Kingdom (Northern Ireland) ◀
18.	Plants for planting of <i>Picea</i> A. Dietr., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Official statement that the plants have been produced in nurseries and that the place of production is free from <i>Gilpinia hercyniae</i> (Hartig).	(a) Greece (b) Ireland (c) ► <u>M4</u> United Kingdom (Northern Ireland) ◀
19.	Plants of <i>Eucalyptus</i> l'Herit, other than fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 es 0609 90 91 ex 0602 90 99 ex 0604 20 90 ex 1404 90 00	Official statement that the plants: <p>(a) are free from soil, and have been subjected to a treatment against <i>Gonipterus scutellatus</i> Gyll.;</p> <p>or</p> <p>(b) originate in areas known to be free from <i>Gonipterus scutellatus</i> Gyll.</p>	► <u>M6</u> (a) Greece (b) Portugal (Azores, except the Terceira island) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
20.	Plants for planting of <i>Castanea</i> Mill.	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0802 41 00 ex 0802 42 00 ex 1209 99 10 ex 1209 99 99	Official statement that the plants have been grown throughout their life: (a) in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is known not to occur; or (b) in an area free from <i>Cryphonectria parasitica</i> (Murrill) Barr, established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary measures.	(a) Czech Republic (b) Ireland (c) Sweden (d) United Kingdom ▶ M4 (Northern Ireland) ◀
21.	Plants for planting of <i>Quercus</i> L., other than seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99	Official statement that: (a) the plants have been grown throughout their life in places of production in countries where <i>Cryphonectria parasitica</i> (Murrill) Barr is known not to occur; or (b) the plants have been grown throughout their life in an area free from <i>Cryphonectria parasitica</i> (Murrill) Barr, established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary measures; or (c) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.	(a) Czech Republic (b) Ireland (c) Sweden (d) United Kingdom ▶ M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
22.	Plants for planting of <i>Quercus</i> L., other than <i>Quercus suber</i> L., of a girth of at least 8 cm measured at 1,2 m height from the root collar, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 99	Official statement that: (a) the plants have been grown throughout their life in places of production in countries where <i>Thaumetopoea processionea</i> L. is not known to occur, or (b) the plants have been grown throughout their life in an area free from <i>Thaumetopoea processionea</i> L. established by the National Plant Protection Organisation in accordance with relevant International Standards for Phytosanitary Measures, or (c) the plants have been grown throughout their life in a site with complete physical protection against the introduction of <i>Thaumetopoea processionea</i> L. and have been inspected at appropriate times and found to be free from <i>Thaumetopoea processionea</i> L.	(a) Ireland (b) United Kingdom ► M4 Northern Ireland ◀
23.	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. and <i>Pseudotsuga</i> Carr., over 3 m in height, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 0604 20 20	Official statement that the place of production is free from <i>Dendroctonus micans</i> Kugelán.	(a) Greece (b) Ireland (c) ► M4 United Kingdom (Northern Ireland) ◀
24.	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. and <i>Pinus</i> L., over 3 m in height, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 0604 20 20	Official statement that the place of production is free from <i>Ips duplicatus</i> Sahlberg.	(a) Greece (b) Ireland (c) United Kingdom ► M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
25.	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A., Dietr., <i>Pinus</i> L. and <i>Pseudotsuga</i> Carr., over 3 m in height, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 0604 20 20	Official statement that the place of production is free from <i>Ips typographus</i> Heer.	(a) Ireland (b) United Kingdom ► M4 (Northern Ireland) ◀
26.	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., and <i>Pinus</i> L. over 3 m in height, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 0604 20 20	Official statement that the place of production is free from <i>Ips amitinus</i> Eichhof.	(a) Greece (b) Ireland (c) United Kingdom ► M4 (Northern Ireland) ◀
27.	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr., over 3 m in height, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 0604 20 20	Official statement that the place of production is free from <i>Ips cembrae</i> Heer.	(a) Greece (b) Ireland (c) ► M4 United Kingdom (Northern Ireland) ◀
28.	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. and <i>Pinus</i> L., over 3 m in height, ► M9 — ◀	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 50 0604 20 20	Official statement that the place of production is free from <i>Ips sexdentatus</i> Börner.	(a) Ireland (b) Cyprus (c) ► M4 United Kingdom (Northern Ireland) ◀
29.	Plants of <i>Castanea</i> Mill., other than plants in tissue culture, fruit and seeds	ex 0602 10 90 ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 45 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 70 ex 0602 90 99 ex 0604 20 90 ex 1211 90 86 ex 1404 90 00	Official statement that the plants have been grown throughout their life: (a) in places of production in countries where <i>Dryocosmus kuriphilus</i> Yasumatsu is known not to occur, or (b) in an area free from <i>Dryocosmus kuriphilus</i> Yasumatsu, established by the National Plant Protection Organisation in accordance with the relevant International Standards for Phytosanitary Measures.	(a) Ireland (b) United Kingdom ► M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
30.	Plants for planting of <i>Palmae</i> , having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth, <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart., <i>Washingtonia</i> Raf.	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 99	Official statement that the plants have been grown: (a) throughout their life in places of production in countries where <i>Paysandisia archon</i> (Burmeister) is known not to occur; or (b) throughout their life in an area free from <i>Paysandisia archon</i> (Burmeister), established by the National Plant Protection Organisation in accordance with the relevant International Standards for Phytosanitary Measures, or (c) during a period of at least two years prior to export or movement, in a place of production: (i) which is registered and supervised by the National Plant Protection Organisation of the country of origin, and (ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia archon</i> (Burmeister), and (iii) where, during three official inspections per year carried out at appropriate times, including immediately prior to movement from this place of production, no signs of <i>Paysandisia archon</i> (Burmeister) have been observed.	(a) Ireland (b) Malta (c) United Kingdom ► M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
31.	Plants for planting of <i>Palmae</i> , having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: <i>Areca catechu</i> L., <i>Arenga pinnata</i> (Wurmb) Merr., <i>Bismarckia</i> Hildebr. & H. Wendl., <i>Borassus flabellifer</i> L., <i>Brahea armata</i> S. Watson, <i>Brahea edulis</i> H. Wendl., <i>Butia capitata</i> (Mart.) Becc., <i>Calamus merrillii</i> Becc., <i>Caryota cumingii</i> Lodd. ex Mart., <i>Caryota maxima</i> Blume, <i>Chamaerops humilis</i> L., <i>Cocos nucifera</i> L., <i>Copernicia</i> Mart., <i>Corypha utan</i> Lam., <i>Elaeis guineensis</i> Jacq., <i>Howea forsteriana</i> Becc., <i>Jubea chilensis</i> (Molina) Baill., <i>Livistona australis</i> C. Martius, <i>Livistona decora</i> (W. Bull) Dowe, <i>Livistona rotundifolia</i> (Lam.) Mart., <i>Metroxylon sagu</i> Rottb., <i>Phoenix canariensis</i> Chabaud, <i>Phoenix dactylifera</i> L., <i>Phoenix reclinata</i> Jacq., <i>Phoenix roebelenii</i> O'Brien, <i>Phoenix sylvestris</i> (L.) Roxb., <i>Phoenix theophrasti</i> Greuter, <i>Pritchardia</i> Seem. & H. Wendl., <i>Ravenea rivularis</i> Jum. & H. Perrier, <i>Roystonea regia</i> (Kunth) O. F. Cook, <i>Sabal palmetto</i> (Walter) Lodd. ex Schult. & Schult. f., <i>Syagrus romanzoffiana</i> (Cham.) Glassman, <i>Trachycarpus fortunei</i> (Hook.) H. Wendl. and <i>Washingtonia</i> Raf.	ex 0602 20 20 ex 0602 20 80 ex 0602 90 41 ex 0602 90 46 ex 0602 90 47 ex 0602 90 48 ex 0602 90 50 ex 0602 90 99	Official statement that the plants have been grown: (a) throughout their life in places of production in countries where <i>Rhynchophorus ferrugineus</i> (Olivier) is known not to occur or (b) throughout their life in an area free from <i>Rhynchophorus ferrugineus</i> (Olivier), established by the National Plant Protection Organisation in accordance with the relevant International Standards for Phytosanitary Measures, or (c) during a period of at least two years prior to export or movement, in a place of production: (i) which is registered and supervised by the National Plant Protection Organisation of the country of origin, and (ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Rhynchophorus ferrugineus</i> (Olivier), and (iii) where during three official inspections per year carried out at appropriate times to detect the presence of that pest including immediately prior to movement from this place of production, no signs of <i>Rhynchophorus ferrugineus</i> (Olivier) have been observed.	(a) Ireland (b) Portugal (Azores) (c) United Kingdom ► M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
▼ <u>M9</u>				
31.1	Cut flowers, leafy vegetables of <i>Apium graveolens</i> L. and <i>Ocimum</i> L.	0603 12 00 0603 14 00 ex 0603 19 70 0709 40 00 ex 0709 99 90	Official statement that: (a) the plants originate in an area known to be free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess), or (b) immediately prior to their marketing, the plants have been officially inspected and found free from <i>Liriomyza bryoniae</i> (Kaltenbach), <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess).	(a) Ireland (b) United Kingdom (Northern Ireland)
▼ <u>B</u>				
32.	Seeds of <i>Gossypium</i> spp.	1207 21 00	Official statement that: (a) the seed has been acid-delinted, and (b) no symptoms of <i>Colletotrichum gossypii</i> Southw have been observed at the place of production since the beginning of the last complete cycle of vegetation, and that a representative sample has been tested and has been found free from <i>Glomerella gossypii</i> Edgerton in those tests.	(a) Greece
33.	Seeds and fodder beet seed of the species <i>Beta vulgaris</i> L.	1209 10 00 1209 29 60 ex 1209 29 80 1209 91 30 ex 1209 91 80	Without prejudice to Directive 2002/54/EC, where applicable, official statement that: (a) the seed of the categories 'basic seed' and 'certified seed' satisfies the conditions laid down in Annex I.B.3 to Directive 2002/54/EC; or (b) in the case of 'seed not finally certified', the seed satisfies the conditions laid down in Article 15(2) of Directive 2002/54/EC, and is intended for processing that will satisfy the conditions laid down in part B of Annex I to that Directive and delivered to a processing enterprise with officially approved controlled waste disposal, to prevent the spread of BNYVV; or	(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)

▼B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
			(c) the seed has been produced from a crop grown in an area where BNYVV is known not to occur.	
34.	Vegetable seed of the species <i>Beta vulgaris</i> L.	ex 1209 29 80 1209 91 30 ex 1209 91 80	Without prejudice to Directive 2002/55/EC, where applicable, official statement that: (a) the processed seed contains no more than 0,5 % by weight of inert matter (in the case of pelleted seed this standard shall be met prior to pelleting); or (b) in the case of non-processed seed, the seed is officially packed in such a manner as to ensure that there is no risk of spread of BNYVV, and is intended for processing that will satisfy the conditions laid down in point a) and delivered to a processing enterprise with officially approved controlled waste disposal, to prevent the spread of BNYVV; or (c) the seed has been produced from a crop grown in an area where BNYVV is known not to occur.	(a) Ireland (b) France (Brittany) (c) Portugal (Azores) (d) Finland (e) United Kingdom (Northern Ireland)
▼ <u>M9</u>				
▼ <u>B</u>				
36.	Seeds of <i>Mangifera</i> spp.	ex 1209 99 99	Official statement that the seeds originate in areas known to be free from <i>Sternochetus mangiferae</i> Fabricius.	(a) Spain (Granada and Malaga) (b) Portugal (Alentejo, Algarve and Madeira)
37.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids originating in Bulgaria, Greece, Spain, France, Croatia, Italy, Cyprus, Portugal and Slovenia	ex 0805 10 22 ex 0805 10 24 ex 0805 10 28 ex 0805 10 80 ex 0805 21 10 ex 0805 21 90 ex 0805 22 00 ex 0805 29 00 ex 0805 40 00 ex 0805 50 10 ex 0805 50 90 ex 0805 90 00	(a) The fruits are free from leaves and peduncles; or (b) in the case of fruits with leaves or peduncles, the fruits have been packed in closed containers which have been officially sealed and remained sealed during their transport through a protected zone, recognised for these fruits, and shall bear a distinguishing mark to be reported on the passport.	(a) Malta

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
38.	Fruits of <i>Vitis</i> L.	0806 10 10 0806 10 90	The fruits shall be free from leaves.	(a) Cyprus
39.	► M9 Wood of conifers (Pinopsida) ◀	4401 11 00 4401 21 00 ex 4401 40 10 ex 4401 40 90 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Dendroctonus micans</i> Kugelan; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	(a) Greece (b) Ireland (c) ► M4 United Kingdom (Northern Ireland) ◀
40.	► M9 Wood of conifers (Pinopsida) ◀	4401 11 00 4401 21 00 ex 4401 40 10 ex 4401 40 90 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips duplicatus</i> Sahlbergh; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	(a) Greece (b) Ireland (c) United Kingdom ► M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
41.	►M9 Wood of conifers (Pinopsida) ◀	4401 11 00 4401 21 00 ex 4401 40 10 ex 4401 40 90 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from Ips typographus Heer; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	(a) Ireland (b) United Kingdom ►M4 (Northern Ireland) ◀
42.	►M9 Wood of conifers (Pinopsida) ◀	4401 11 00 4401 21 00 ex 4401 40 10 ex 4401 40 90 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from Ips amitinus Eichhof; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	(a) Greece (b) Ireland (c) United Kingdom ►M4 (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
43.	► M9 Wood of conifers (Pinopsida) ◀	4401 11 00 4401 21 00 ex 4401 40 10 ex 4401 40 90 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips cembrae</i> Heer; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	(a) Greece (b) Ireland (c) ► M4 United Kingdom (Northern Ireland) ◀
44.	► M9 Wood of conifers (Pinopsida) ◀	4401 11 00 4401 21 00 ex 4401 40 10 ex 4401 40 90 ex 4403 11 00 ex 4403 21 10 ex 4403 21 90 ex 4403 22 00 ex 4403 23 10 ex 4403 23 90 ex 4403 24 00 ex 4403 25 10 ex 4403 25 90 ex 4403 26 00 ex 4404 10 00 4406 11 00 4406 91 00 4407 11 10 4407 11 20 4407 11 90 4407 12 10 4407 12 20 4407 12 90 4407 19 10 4407 19 20 4407 19 90 4408 10 15 4408 10 91 4408 10 98 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Ips sexdentatus</i> Börner; or (c) a mark 'Kiln-dried', 'KD' or another internationally recognised mark put on the wood or on its packaging in accordance with current commercial usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.	(a) Cyprus (b) Ireland (c) ► M4 United Kingdom (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
45.	Wood of <i>Castanea</i> Mill.	ex 4401 12 00 ex 4401 22 00 ex 4401 40 10 ex 4401 40 90 ex 4403 12 00 ex 4403 99 00 ex 4404 20 00 ex 4406 12 00 ex 4406 92 00 ex 4407 99 27 ex 4407 99 40 ex 4407 99 90 ex 4408 90 15 ex 4408 90 35 ex 4408 90 85 ex 4408 90 95 ex 4416 00 00 ex 9406 10 00	(a) The wood is bark-free; or (b) official statement that the wood originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr.; or (c) a mark 'Kiln-dried' or 'KD' or another internationally recognised mark put on the wood or on any wrapping in accordance with current usage to prove that it has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule.	(a) Czech Republic (b) Ireland (c) Sweden (d) United Kingdom ▶ <u>M4</u> (Northern Ireland) ◀
46.	▶ <u>M9</u> Isolated bark of conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	Official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Dendroctonus micans</i> Kugelan.	(a) Greece (b) Ireland (c) ▶ <u>M4</u> United Kingdom (Northern Ireland) ◀
47.	▶ <u>M9</u> Isolated bark of conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	Official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips amitinus</i> Eichhof.	(a) Greece (b) Ireland (c) United Kingdom ▶ <u>M4</u> (Northern Ireland) ◀
48.	▶ <u>M9</u> Isolated bark of conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	Official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips cembrae</i> Heer.	(a) Greece (b) Ireland (c) ▶ <u>M4</u> United Kingdom (Northern Ireland) ◀

▼ B

	Plants, plant products and other objects	CN code	Special requirements for protected zones	Protected zones
49.	► M9 Isolated bark of conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	Official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips duplicatus</i> Sahlberg.	(a) Greece (b) Ireland (c) United Kingdom ► M4 (Northern Ireland) ◀
50.	► M9 Isolated bark of conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	Official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips sexdentatus</i> Börner.	(a) Cyprus (b) Ireland (c) ► M4 United Kingdom (Northern Ireland) ◀
51.	► M9 Isolated bark of conifers (Pinopsida) ◀	ex 1404 90 00 ex 4401 40 90	Official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in areas known to be free from <i>Ips typographus</i> Heer.	(a) Ireland (b) United Kingdom ► M4 (Northern Ireland) ◀
52.	Isolated bark of <i>Castanea</i> Mill.	ex 1404 90 00 ex 4401 40 90	Official statement that the isolated bark: (a) originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr.; or (b) has been subjected to an appropriate fumigation or other appropriate treatment against <i>Cryphonectria parasitica</i> (Murrill.) Barr. to a specification approved in accordance with the procedure laid down in Article 107 of Regulation (EU) No 2016/2031. When fumigation is applied, the active ingredient, the minimum bark temperature, the rate (g/m ³) and the exposure time (h) thereof are indicated on the phytosanitary certificate referred to in Article 71 of Regulation (EU) No 2016/2031.	(a) Czech Republic (b) Ireland (c) Sweden (d) United Kingdom ► M4 (Northern Ireland) ◀



ANNEX XI

List of plants, plant products and other objects subject to phytosanitary certificates and those for which such certificates are not required for their introduction into the Union territory

PART A

List of plants, plant products and other objects, as well as the respective third countries of origin or dispatch, for which, pursuant to Article 72(1) of Regulation (EU) 2016/2031 phytosanitary certificates are required for their introduction into the Union territory

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
1. Miscellaneous		
Machinery and vehicles which have been operated for agricultural or forestry purposes	Agricultural, horticultural or forestry machinery for soil preparation or cultivation already having been operated; lawn or sports-ground rollers – already operated: – Ploughs: ex 8432 10 00 – Harrows, scarifiers, cultivators, weeders and hoes: ex 8432 21 00 ex 8432 29 10 ex 8432 29 30 ex 8432 29 50 ex 8432 29 90 – Seeders, planters and transplanters: ex 8432 31 00 ex 8432 39 11 ex 8432 39 19 ex 8432 39 90 – Manure spreaders and fertiliser distributors: ex 8432 41 00 ex 8432 42 00 – Other machinery: ex 8432 80 00 – Parts: ex 8432 90 00	Third countries other than Switzerland.

▼B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Harvesting or threshing machinery, including straw or fodder balers; grass or hay mowers; machines for cleaning, sorting or grading eggs, fruit or other agricultural produce, other than machinery of heading 8437 – already operated:</p> <p>– Straw or fodder balers, including pick-up balers:</p> <p>ex 8433 40 00</p> <p>– – Combine harvesters-threshers:</p> <p>ex 8433 51 00</p> <p>– – Root or tuber harvesting machines:</p> <p>ex 8433 53 10</p> <p>ex 8433 53 30</p> <p>ex 8433 53 90</p> <p>Other agricultural, horticultural, forestry, poultry-keeping or bee-keeping machinery, including germination plant fitted with mechanical or thermal equipment; poultry incubators and brooders – already operated:</p> <p>– – Forestry machinery:</p> <p>ex 8436 80 10</p> <p>Tractors (other than tractors of heading 8709) – already operated:</p> <p>– Road tractors for semi-trailers:</p> <p>ex 8701 20 90</p> <p>– Other than single axle tractors, road tractors or track-laying tractors:</p> <p>– – – Agricultural tractors and forestry tractors, wheeled:</p> <p>ex 8701 91 10</p> <p>ex 8701 92 10</p> <p>ex 8701 93 10</p> <p>ex 8701 94 10</p> <p>ex 8701 95 10</p>	
Growing medium, attached to or associated with plants, intended to sustain the vitality of the plants	N.A. (1)	Third countries other than Switzerland

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
Grain of the genera <i>Triticum</i> L., <i>Secale</i> L. and <i>xTriticosecale</i> Wittm. ex A. Camus	Wheat and meslin, other than seeds for sowing: 1001 19 00 1001 99 00 Rye, other than seed for sowing: 1002 90 00 Triticale, other than seed for sowing: ex 1008 60 00	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and the USA

2. **General categories**

Plants for planting, other than seeds	Bulbs, tubers, tuberous roots, corms, crowns and rhizomes, dormant, in growth or in flower; chicory plants and roots other than roots of heading 1212: 0601 10 10 0601 10 20 0601 10 30 0601 10 40 0601 10 90 0601 20 10 0601 20 30 0601 20 90 Other live plants (including their roots), cuttings and slips; other than mushroom spawn: 0602 10 90 0602 20 20 0602 20 80 0602 30 00 0602 40 00 0602 90 20 0602 90 30 0602 90 41 0602 90 45 0602 90 46 0602 90 47 0602 90 48 0602 90 50 0602 90 70 0602 90 91 0602 90 99	Third countries other than Switzerland
---------------------------------------	---	--

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>► M9 Mosses, fresh: ex 0604 20 19 ◀</p> <p>Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh, for planting: ex 0703 10 11 ex 0703 10 90 ex 0703 20 00</p> <p>Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh, planted in a growing substrate: ex 0704 10 00 ex 0704 90 10 ex 0704 90 90</p> <p>Lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), fresh, planted in a growing substrate: ex 0705 11 00 ex 0705 19 00 ex 0705 21 00 ex 0705 29 00</p> <p>Celery other than celeriac, planted in a growing substrate: ex 0709 40 00</p> <p>Salad vegetables, other than lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), planted in a growing substrate: ex 0709 99 10</p> <p>Other vegetables, planted in a growing substrate: ex 0709 99 90</p> <p>Ginger, saffron, turmeric (curcuma), and other spices, for planting or planted in a growing substrate: ex 0910 11 00 ex 0910 20 10 ex 0910 30 00 ex 0910 99 31 ex 0910 99 33</p>	
Root and tubercle vegetables	Carrots, turnips, salad beetroot, salsify, celeriac, radishes and similar edible roots, fresh or chilled:	Third countries other than Switzerland

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>0706 10 00</p> <p>0706 90 10</p> <p>0706 90 30</p> <p>0706 90 90</p> <p>Other root and tubercle vegetables, fresh or chilled:</p> <p>ex 0709 99 90</p> <p>Manioc, arrowroot, salep, Jerusalem artichokes, sweet potatoes and similar roots and tubers with high starch or inulin content, fresh, chilled, not frozen nor dried, not sliced or in the form of pellets:</p> <p>ex 0714 10 00</p> <p>ex 0714 20 10</p> <p>ex 0714 20 90</p> <p>ex 0714 30 00</p> <p>ex 0714 40 00</p> <p>ex 0714 50 00</p> <p>ex 0714 90 20</p> <p>ex 0714 90 90</p> <p>Ginger, saffron, turmeric (curcuma), and other spices in the form of root or tubercle plant parts, fresh or chilled, other than dried:</p> <p>ex 0910 11 00</p> <p>ex 0910 30 00</p> <p>ex 0910 99 91</p> <p>Sugar beet, not ground, fresh and chilled:</p> <p>ex 1212 91 80</p> <p>Chicory roots, fresh and chilled:</p> <p>ex 1212 94 00</p> <p>Other root and tubercle vegetables, fresh and chilled:</p> <p>ex 1212 99 95</p> <p>Swedes, mangolds, fodder roots, similar forage products, not in the form of pellets, fresh or chilled, other than dried:</p> <p>ex 1214 90 10</p> <p>ex 1214 90 90</p>	

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
▼ <u>M9</u>		

▼ B

3. Parts of plants, other than fruits and seeds, of:

<i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L.	Foliage, branches and other parts of tomato or eggplant plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of tomatoe or eggplant plants, not elsewhere specified or included, fresh: ex 1404 90 00	Third countries other than Switzerland
<i>Zea mays</i> L.	Other vegetables, fresh or chilled: — — — Sweetcorn: ex 0709 99 60 Maize (corn), other: 1005 90 00 Vegetable products of maize (<i>Zea mays</i>), not elsewhere specified or included, fresh: ex 1404 90 00	Third countries other than Switzerland
<i>Convolvulus</i> L., <i>Ipomoea</i> L., <i>Micromeria</i> Benth and <i>Solanaceae</i> Juss.	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 ► <u>M9</u> Other vegetables, fresh or chilled: ex 0709 99 90 ◀ Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00	Americas, Australia, New Zealand,

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
Leafy vegetables of <i>Apium graveolens</i> L., <i>Eryngium</i> L., <i>Limnophila</i> L. and <i>Ocimum</i> L.	<p>Other vegetables, fresh or chilled:</p> <p>0709 40 00</p> <p>ex 0709 99 10</p> <p>ex 0709 99 90</p> <p>Plants and parts of plants ► M9 ◀, of a kind used primarily in perfumery, in pharmacy or for insecticidal, fungicidal or similar purposes, fresh not cut, crushed nor powdered:</p> <p>ex 1211 90 86</p> <p>Vegetable products not elsewhere specified or included, fresh:</p> <p>ex 1404 90 00</p>	Third countries other than Switzerland
Leaves of <i>Manihot esculenta</i> Crantz	<p>Leaves of cassava (<i>Manihot esculenta</i>), fresh or chilled:</p> <p>ex 0709 99 90</p> <p>Vegetable products of cassava (<i>Manihot esculenta</i>), not elsewhere specified or included, fresh:</p> <p>ex 1404 90 00</p>	Third countries other than Switzerland
► M9 Conifers (Pinopsida) ◀	<p>Foliage, branches and other parts of ► M9 Conifers (Pinopsida) ◀ plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:</p> <p>ex 0604 20 20</p> <p>ex 0604 20 40</p>	Third countries other than Switzerland
<i>Castanea</i> Mill., ► M9 <i>Chrysanthemum</i> L., ◀ <i>Dianthus</i> L., <i>Gypsophila</i> L., <i>Pelargonium</i> l'Herit. ex Ait, <i>Phoenix</i> spp., <i>Populus</i> L., <i>Quercus</i> L., <i>Solidago</i> L.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh:</p> <p>0603 12 00</p> <p>0603 14 00</p> <p>ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:</p> <p>ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included, fresh:</p> <p>ex 1404 90 00</p>	Third countries other than Switzerland
<i>Acer saccharum</i> Marsh	<p>Foliage, branches and other parts of plants of sugar maple (<i>Acer saccharum</i>), without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh:</p> <p>ex 0604 20 90</p>	Canada and United States

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch	
	Vegetable products of plants of sugar maple (<i>Acer saccharum</i>), not elsewhere specified or included, fresh: ex 1404 90 00		
<i>Prunus</i> L.	Cut flowers and flower buds of <i>Prunus</i> spp. of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants of <i>Prunus</i> spp., without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants of <i>Prunus</i> spp. not elsewhere specified or included, fresh: ex 1404 90 00	► M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (?) ◀	
<i>Betula</i> L.	Foliage, branches and other parts of plants of birch (<i>Betula</i> spp.), without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products of plants of birch (<i>Betula</i> spp.) not elsewhere specified or included, fresh: ex 1404 90 00	Third countries other than Switzerland	
▼ <u>M9</u>	<i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans</i> L., <i>Pterocarya</i> Kunth and <i>Ulmus davidiana</i> Planch.	Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00	Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States
▼ <u>B</u>	<i>Amyris</i> P. Browne, <i>Casimiroa</i> La Llave, <i>Citropsis</i> Swingle & Kellerman, <i>Eremocitrus</i> Swingle, <i>Esenbeckia</i> Kunth., <i>Glycosmis</i> Corrêa, <i>Merrillia</i> Swingle, <i>Naringi</i> Adans., <i>Tetradium</i> Lour., <i>Toddalia</i> Juss. and <i>Zanthoxylum</i> L.	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90	Third countries other than Switzerland

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00	
<p><i>Acer macrophyllum</i> Pursh, <i>Acer pseudoplatanus</i> L., <i>Adiantum aleuticum</i> (Rupr.) Paris, <i>Adiantum jordanii</i> C. Muell., <i>Aesculus californica</i> (Spach) Nutt., <i>Aesculus hippocastanum</i> L., <i>Arbutus menziesii</i> Pursh., <i>Arbutus unedo</i> L., <i>Arctostaphylos</i> spp. Adans, <i>Calluna vulgaris</i> (L.) Hull, <i>Camellia</i> spp. L., <i>Castanea sativa</i> Mill., <i>Fagus sylvatica</i> L., <i>Frangula californica</i> (Eschsch.) Gray, <i>Frangula purshiana</i> (DC.) Cooper, <i>Fraxinus excelsior</i> L., <i>Griselinia littoralis</i> (Raoul), <i>Hamamelis virginiana</i> L., <i>Heteromeles arbutifolia</i> (Lindley) M. Roemer, <i>Kalmia latifolia</i> L., <i>Laurus nobilis</i> L., <i>Leucothoe</i> spp. D. Don, <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd., <i>Lonicera hispidula</i> (Lindl.) Dougl. ex Torr.&Gray, <i>Magnolia</i> spp. L., <i>Michelia doltsopa</i> Buch.-Ham. ex DC, <i>Nothofagus obliqua</i> (Mirbel) Blume, <i>Osmanthus heterophyllus</i> (G. Don) P. S. Green, <i>Parrotia persica</i> (DC) C.A. Meyer, <i>Photinia x fraseri</i> Dress, <i>Pieris</i> spp. D. Don, <i>Pseudotsuga menziesii</i> (Mirbel) Franco, <i>Quercus</i> spp. L., <i>Rhododendron</i> spp. L., other than <i>Rhododendron simsii</i> Planch., <i>Rosa gymnocarpa</i> Nutt., <i>Salix caprea</i> L., <i>Sequoia sempervirens</i> (Lamb. ex D. Don) Endl., <i>Syringa vulgaris</i> L., <i>Taxus</i> spp. L., <i>Trientalis latifolia</i> (Hook.) Nutt., <i>Vaccinium ovatum</i> Pursh and <i>Viburnum</i> spp. L</p>	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90</p> <p>Vegetable materials of a kind used primarily for plaiting (for example, bamboos, rattans, reeds, rushes, osier, raffia, cleaned, bleached or dyed cereal straw, and lime bark), fresh: ex 1401 90 00</p> <p>Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00</p>	<p>► M9 Canada, United Kingdom ⁽²⁾, United States and Vietnam ◀</p>

4. Parts of plants, other than fruits but including seeds of:

<p><i>Aegle</i> Corrêa, <i>Aeglopsis</i> Swingle, <i>Afraegle</i> Engl., <i>Atalantia</i> Corrêa, <i>Balsamocitrus</i> Stapf, <i>Burkillanthus</i> Swingle, <i>Calodendrum</i> Thunb., <i>Choisya</i> Kunth, <i>Clausena</i> Burm. f., <i>Limonia</i> L., <i>Microcitrus</i> Swingle, <i>Murraya</i> J. Koenig ex L., <i>Pamburus</i> Swingle, <i>Severinia</i> Ten., <i>Swinglea</i> Merr., <i>Triphasia</i> Lour and <i>Vepris</i> Comm.</p>	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90</p> <p>Other vegetables, fresh or chilled: ex 0709 99 90</p> <p>Seeds, fruit and spores, of a kind used for sowing:</p>	<p>Third countries other than Switzerland</p>
--	---	---

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>– Seeds of herbaceous plants cultivated principally for their flowers: ex 1209 30 00</p> <p>– – Vegetable seeds: ex 1209 91 80</p> <p>– – Other: ex 1209 99 91 ex 1209 99 99</p> <p>Plants and parts of plants (including seeds and fruits), of a kind used primarily in perfumery, in pharmacy or for insecticidal, fungicidal or similar purposes, fresh, not cut, crushed or powdered: ex 1211 90 86</p> <p>Vegetable materials of a kind used primarily for plaiting (for example, bamboos, rattans, reeds, rushes, osier, raffia, cleaned, bleached or dyed cereal straw, and lime bark), fresh: ex 1401 90 00</p> <p>Vegetable products not elsewhere specified or included, fresh: ex 1404 90 00</p>	

5. ► **M9** Fruits in the botanical sense, not mashed, of: ◀

<p><i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans., <i>Swinglea</i> Merr. and their hybrids, <i>Momordica</i> L. and <i>Solanaceae</i> Juss.</p>	<p>Tomatoes, fresh or chilled: 0702 00 00</p> <p>Other vegetables, of <i>Solanaceae</i>, fresh or chilled: 0709 30 00 0709 60 10 0709 60 91 0709 60 95 0709 60 99 ex 0709 99 90</p> <p>Citrus fruit, fresh or chilled: 0805 10 22 0805 10 24 0805 10 28 ex 0805 10 80 ex 0805 21 10</p>	<p>Third countries other than Switzerland</p>
---	---	---

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>ex 0805 21 90</p> <p>ex 0805 22 00</p> <p>ex 0805 29 00</p> <p>ex 0805 40 00</p> <p>ex 0805 50 10</p> <p>ex 0805 50 90</p> <p>ex 0805 90 00</p> <p>Other fruit, fresh or chilled:</p> <p>ex 0810 90 75</p>	
<p><i>Actinidia</i> Lindl., <i>Annona</i> L., <i>Carica papaya</i> L., <i>Cydonia</i> Mill., <i>Diospyros</i> L., <i>Fragaria</i> L., <i>Malus</i> L., <i>Mangifera</i> L., <i>Passiflora</i> L., <i>Persea americana</i> Mill., <i>Prunus</i> L., <i>Psidium</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L., <i>Syzygium</i> Gaertn., <i>Vaccinium</i> L., and <i>Vitis</i> L.</p>	<p>Avocados, fresh or chilled:</p> <p>ex 0804 40 00</p> <p>Guavas, mangoes and mangosteens, fresh or chilled:</p> <p>ex 0804 50 00</p> <p>Grapes, fresh or chilled:</p> <p>0806 10 10</p> <p>0806 10 90</p> <p>► M9 Papaws (papayas), fresh or chilled: ◀</p> <p>– Papaws (papayas):</p> <p>0807 20 00</p> <p>Apples, pears and quinces, fresh or chilled:</p> <p>0808 10 10</p> <p>0808 10 80</p> <p>0808 30 10</p> <p>0808 30 90</p> <p>0808 40 00</p> <p>Apricots, cherries, peaches (including nectarines), plums and sloes, fresh or chilled:</p> <p>0809 10 00</p> <p>0809 21 00</p> <p>0809 29 00</p> <p>0809 30 10</p> <p>0809 30 90</p> <p>0809 40 05</p> <p>0809 40 90</p>	<p>Third countries other than Switzerland</p>

▼B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>– Strawberries, fresh or chilled: 0810 10 00</p> <p>– Raspberries, blackberries, mulberries and loganberries, fresh or chilled: 0810 20 10 ex 0810 20 90</p> <p>– Black-, white- or redcurrants and gooseberries, fresh or chilled: 0810 30 10 0810 30 30 0810 30 90</p> <p>– Cranberries, bilberries and other fruit of the genus <i>Vaccinium</i>, fresh or chilled: 0810 40 10 0810 40 30 0810 40 50 0810 40 90</p> <p>– Kiwifruit, fresh or chilled: 0810 50 00</p> <p>– Persimmons, fresh or chilled: 0810 70 00</p> <p>– Other, fresh or chilled: ex 0810 90 20 ex 0810 90 75</p>	
<i>Punica granatum</i> L.	Pomegranate, fresh or chilled: ex 0810 90 75	Countries of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius and Israel

6. **Cut flowers of:**

<i>Orchidaceae</i>	– Orchids, fresh: 0603 13 00	Third countries other than Switzerland
<i>Aster</i> spp., <i>Eryngium</i> L., <i>Hypericum</i> L., <i>Lisianthus</i> L., <i>Rosa</i> L. and <i>Trachelium</i> L.	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: 0603 11 00 ex 0603 19 70	► M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
		District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (?) ◀

7. **Tubers of:**

<i>Solanum tuberosum L.</i>	Potatoes, fresh or chilled, other than seed potatoes: ex 0701 90 10 ex 0701 90 50 ex 0701 90 90	Third countries other than Switzerland
-----------------------------	--	--

8. **Seeds of:**

<i>Brassicaceae,</i> <i>Trifolium spp.</i>	<p data-bbox="531 1106 619 1128"><i>Poaceae,</i></p> <p data-bbox="639 1106 879 1128">Seeds of wheat and meslin: 1001 11 00 1001 91 10 1001 91 20 1001 91 90</p> <p data-bbox="639 1339 746 1361">Seed of rye: 1002 10 00</p> <p data-bbox="639 1451 772 1473">Seed of barley: 1003 10 00</p> <p data-bbox="639 1563 751 1585">Seed of oats: 1004 10 00</p> <p data-bbox="639 1641 826 1664">Seed of maize (corn): 1005 10 13 1005 10 15 1005 10 18 1005 10 90</p> <p data-bbox="639 1877 751 1899">Seed of rice: 1006 10 10</p> <p data-bbox="639 1989 794 2011">Seed of sorghum: 1007 10 10 ▶ <u>M9</u> 1007 10 90 ◀</p>	Argentina, Australia, Bolivia, Brazil, Chile, New Zealand and Uruguay
---	--	---

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Seed of millet: 1008 21 00</p> <p>Canary seed for sowing: ex 1008 30 00</p> <p>Fonio (<i>Digitaria</i> spp.) seed for sowing: ex 1008 40 00</p> <p>Seed of triticale: ex 1008 60 00</p> <p>Seed of other cereals for sowing: ex 1008 90 00</p> <p>Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00</p> <p>Mustard seed, for sowing: 1207 50 10</p> <p>Clover (<i>Trifolium</i> spp.) seeds for sowing: 1209 22 10 1209 22 80</p> <p>Fescue seeds for sowing: 1209 23 11 1209 23 15 1209 23 80</p> <p>Kentucky blue grass (<i>Poa pratensis</i> L.) seed for sowing: 1209 24 00</p> <p>Ryegrass (<i>Lolium multiflorum</i> Lam., <i>Lolium perenne</i> L.) seeds for sowing: 1209 25 10 ► M9 1209 25 90 ◀</p> <p>Timothy grass seed; seeds of the genus <i>Poa</i> (<i>Poa palustris</i> L., <i>Poa trivialis</i> L.); cocksfoot grass (<i>Dactylis glomerata</i> L.) and bent grass (<i>Agrostis</i>) seeds, for sowing: ex 1209 29 45</p>	

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	Seeds of other grasses for sowing: ex 1209 29 80 Seeds of ornamental grasses for sowing: ex 1209 30 00 Other brassicas' (<i>Brassicaceae</i>) seeds for sowing: ex 1209 91 80	
Genera <i>Triticum</i> L., <i>Secale</i> L. and <i>xTriticosecale</i> Wittm. ex A. Camus	Seeds of wheat and meslin: 1001 11 00 1001 91 10 1001 91 20 1001 91 90 Seeds of rye: 1002 10 00 Seeds of triticale: ex 1008 60 00	Afghanistan, India, Iran, Iraq, Mexico, Nepal, Pakistan, South Africa and United States
<i>Citrus</i> L., <i>Fortunella</i> Swingle and <i>Poncirus</i> Raf., and their hybrids, <i>Capsicum</i> spp. L., <i>Helianthus annuus</i> L., <i>Solanum lycopersicum</i> L., <i>Medicago sativa</i> L., <i>Prunus</i> L., <i>Rubus</i> L., <i>Oryza</i> spp. L., <i>Zea mays</i> L., <i>Allium cepa</i> L., <i>Allium porrum</i> L., ► M9 <i>Phaseolus coccineus</i> L. ◄, <i>Phaseolus vulgaris</i> L.	Sweetcorn for sowing: ex 0709 99 60 ► M9 — — — Hybrids of sweetcorn (<i>Zea mays</i> var. <i>saccharata</i>) for sowing: 0712 90 11 ◄ – Beans (<i>Phaseolus</i> spp.) for sowing: 0713 33 10 Almonds, for sowing: ex 0802 11 10 ex 0802 11 90 ex 0802 12 10 ex 0802 12 90 Maize (corn) seeds, for sowing: 1005 10 13 1005 10 15	Third countries other than Switzerland.

▼B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>1005 10 18</p> <p>1005 10 90</p> <p>Rice, for sowing:</p> <p>1006 10 10</p> <p>Sunflower seeds, for sowing:</p> <p>1206 00 10</p> <p>Lucerne (alfalfa) seeds, for sowing:</p> <p>1209 21 00</p> <p>— — — Other vegetable seeds, for sowing:</p> <p>ex 1209 91 80</p> <p>— — Other seeds, for sowing:</p> <p>ex 1209 99 99</p>	
<i>Solanum tuberosum</i> L.	Potato true seeds, for sowing: ex 1209 91 80	All third countries
9. Vegetable seeds of:		All third countries
<i>Pisum sativum</i> L.	Peas (<i>Pisum sativum</i>) seeds, for sowing: 0713 10 10	
<i>Vicia faba</i> L.	Broad beans and horse beans seeds, for sowing: ex 0713 50 00	
10. Seeds of oil and fibre plants of:		All third countries
<i>Brassica napus</i> L.	Rape or colza seeds, for sowing: 1205 10 10 ex 1205 90 00	
<i>Brassica rapa</i> L.,	Seeds of <i>Brassica rapa</i> , for sowing: ex 1209 91 80	
<i>Glycine max</i> (L.) Merrill	Soya bean seeds for sowing: 1201 10 00	
<i>Linum usitatissimum</i> L.	Linseed, for sowing: 1204 00 10	

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Sinapis alba</i> L.	Mustard seeds, for sowing: 1207 50 10	

11. Isolated bark of:

► M9 Conifers (Pinopsida) ◀	<p>Vegetable products of bark, not elsewhere specified or included: ex 1404 90 00</p> <p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: – Wood waste and scrap, not agglomerated: ex 4401 40 90</p>	► M4 Third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (?) ◀
<i>Acer saccharum</i> Marsh, <i>Populus</i> L., and <i>Quercus</i> L. other than <i>Quercus suber</i> L.	<p>Vegetable products of bark, not elsewhere specified or included: ex 1404 90 00</p> <p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: – Wood waste and scrap, not agglomerated: ex 4401 40 90</p>	Third countries other than Switzerland
▼ M9	<p>Vegetable products of bark, not elsewhere specified or included: ex 1404 90 00</p> <p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: — Wood waste and scrap, not agglomerated: ex 4401 40 90</p>	Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Betula</i> L.	Vegetable products of bark of birch (<i>Betula</i> spp.), not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: – Wood waste and scrap, not agglomerated: ex 4401 40 90	Canada and United States
<i>Acer macrophyllum</i> Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehd. and <i>Taxus brevifolia</i> Nutt.	Vegetable products of bark not elsewhere specified or included: ex 1404 90 00 Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: – Wood waste and scrap, not agglomerated: ex 4401 40 90	► <u>M9</u> Canada, United States, Vietnam ◀
12. Wood , where it: (a) is considered a plant product within the meaning of point 2 of Article 2 of Regulation (EU) 2016/2031; and (b) has been obtained in whole or part from one of the order, genera or species as described hereafter, except wood packaging material, and (c) falls under the respective CN code and corresponds to one of the descriptions referred to in the middle column, as laid down in Part II of Annex I to Regulation (EEC) No 2658/87:		

▼ M9

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Quercus</i> L., including wood which has not kept its natural round surface and except wood which meets the description of CN code 4416 00 00 and where there is documented evidence that the wood has been processed or manufactured using a heat treatment to achieve a minimum temperature of 176 °C for 20 minutes</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p style="padding-left: 80px;">ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p style="padding-left: 40px;">ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of oak (<i>Quercus</i> spp.):</p> <p style="padding-left: 40px;">4403 91 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p>	<p>Canada, United States, Vietnam</p>

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated</p> <p>ex 4406 12 00</p> <p>— Other (than not impregnated)</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— Of oak (<i>Quercus</i> spp.):</p> <p>4407 91 15</p> <p>4407 91 31</p> <p>4407 91 39</p> <p>4407 91 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:- Other:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Platanus</i> L., including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p style="padding-left: 80px;">ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p style="padding-left: 40px;">ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p style="padding-left: 40px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p>	<p>Albania, Armenia, Switzerland, Turkey or United States</p>

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated</p> <p>ex 4406 12 00</p> <p>— Other (than not impregnated)</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— — — Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Populus</i> L., including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.):</p> <p style="padding-left: 80px;">ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p style="padding-left: 40px;">ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of poplar and aspen (<i>Populus</i> spp.):</p> <p style="padding-left: 40px;">4403 97 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p>	Americas

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated</p> <p>ex 4406 12 00</p> <p>— Other (than not impregnated)</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— — Of poplar and aspen (<i>Populus</i> spp.):</p> <p>4407 97 10</p> <p>4407 97 91</p> <p>4407 97 99</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— — — Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Acer saccharum</i> Marsh., including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <ul style="list-style-type: none"> — Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: <ul style="list-style-type: none"> -- Non-coniferous: <p style="margin-left: 20px;">ex 4401 12 00</p> — Wood in chips or particles: <ul style="list-style-type: none"> -- Non-coniferous: <ul style="list-style-type: none"> --- Other (than of eucalyptus (<i>Eucalyptus</i> spp.)): <p style="margin-left: 20px;">ex 4401 22 90</p> — Sawdust and wood waste and scrap, not agglomerated: <ul style="list-style-type: none"> --- Sawdust: <p style="margin-left: 20px;">ex 4401 40 10</p> --- Wood waste and scrap (other than sawdust): <p style="margin-left: 20px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <ul style="list-style-type: none"> — Treated with paint, stains, creosote or other preservatives: <ul style="list-style-type: none"> -- Non-coniferous: <p style="margin-left: 20px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <ul style="list-style-type: none"> — Other than treated with paint, stains, creosote or other preservatives: <p style="margin-left: 20px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <ul style="list-style-type: none"> — Non-coniferous: <p style="margin-left: 20px;">ex 4404 20 00</p> 	<p>United States and Canada</p>

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated</p> <p>ex 4406 12 00</p> <p>— Other (than not impregnated)</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— Of maple (<i>Acer</i> spp.):</p> <p>4407 93 10</p> <p>4407 93 91</p> <p>4407 93 99</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other cooperers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
Conifers (Pinopsida), including wood which has not kept its natural round surface	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Coniferous</p> <p style="padding-left: 40px;">4401 11 00</p> <p>— Wood in chips or particles:</p> <p>— — Coniferous</p> <p style="padding-left: 40px;">4401 21 00</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p style="padding-left: 40px;">ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Coniferous:</p> <p style="padding-left: 40px;">4403 11 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Coniferous, other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of pine (<i>Pinus</i> spp.):</p> <p style="padding-left: 40px;">ex 4403 21 10</p> <p style="padding-left: 40px;">ex 4403 21 90</p> <p style="padding-left: 40px;">ex 4403 22 00</p> <p>— — Of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.):</p> <p style="padding-left: 40px;">ex 4403 23 10</p> <p style="padding-left: 40px;">ex 4403 23 90</p> <p style="padding-left: 40px;">ex 4403 24 00</p>	Kazakhstan, Russia and Turkey and other third countries other than: Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, San Marino, Serbia, Switzerland, Ukraine and the United Kingdom (?)

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>-- Other, coniferous:</p> <p>ex 4403 25 10</p> <p>ex 4403 25 90</p> <p>ex 4403 26 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Coniferous:</p> <p>ex 4404 10 00</p> <p>Coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p>4406 11 00</p> <p>— Other (than not impregnated):</p> <p>4406 91 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— Coniferous:</p> <p>-- Of pine (<i>Pinus</i> spp.):</p> <p>4407 11 10</p> <p>4407 11 20</p> <p>4407 11 90</p> <p>-- Of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.):</p> <p>4407 12 10</p> <p>4407 12 20</p> <p>4407 12 90</p> <p>-- Other, coniferous:</p> <p>4407 19 10</p> <p>4407 19 20</p> <p>4407 19 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Coniferous:</p> <p>4408 10 15</p> <p>4408 10 91</p> <p>4408 10 98</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>-- Coniferous, other:</p> <p>ex 4409 10 18</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	
<p><i>Chionanthus virginicus</i> L., <i>Fraxinus</i> L., <i>Juglans</i> L., <i>Pterocarya</i> Kunth and <i>Ulmus davidiana</i> Planch., and including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>-- Non-coniferous:</p> <p>ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>-- Non-coniferous:</p> <p>--- Other (than of eucalyptus (<i>Eucalyptus</i> spp.)) :</p> <p>ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>-- Sawdust:</p> <p>ex 4401 40 10</p> <p>-- Wood waste and scrap (other than sawdust):</p> <p>ex 4401 40 90</p>	<p>Belarus, Canada, China, Japan, Mongolia, North Korea, Russia, South Korea, Taiwan, Ukraine and United States</p>

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p style="padding-left: 40px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p> <p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p style="padding-left: 40px;">ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p style="padding-left: 40px;">ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— — Of ash (<i>Fraxinus</i> spp.):</p> <p style="padding-left: 40px;">4407 95 10</p> <p style="padding-left: 40px;">4407 95 91</p> <p style="padding-left: 40px;">4407 95 99</p> <p>— — Other:</p> <p style="padding-left: 40px;">ex 4407 99 27</p> <p style="padding-left: 40px;">ex 4407 99 40</p> <p style="padding-left: 40px;">ex 4407 99 90</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— — — Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	
<p><i>Betula</i> L., including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p>ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p>— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p>ex 4401 22 90</p>	<p>Canada and United States</p>

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p style="padding-left: 40px;">ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of birch (<i>Betula</i> spp.):</p> <p style="padding-left: 40px;">4403 95 10</p> <p style="padding-left: 40px;">4403 95 90</p> <p style="padding-left: 40px;">4403 96 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p> <p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p style="padding-left: 40px;">ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p style="padding-left: 40px;">ex 4406 92 00</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— — Of birch (<i>Betula</i> spp.):</p> <p style="padding-left: 40px;">4407 96 10</p> <p style="padding-left: 40px;">4407 96 91</p> <p style="padding-left: 40px;">4407 96 99</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p style="padding-left: 40px;">ex 4408 90 15</p> <p style="padding-left: 40px;">ex 4408 90 35</p> <p style="padding-left: 40px;">ex 4408 90 85</p> <p style="padding-left: 40px;">ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— — — Non-coniferous, other:</p> <p style="padding-left: 40px;">ex 4409 29 91</p> <p style="padding-left: 40px;">ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p style="padding-left: 40px;">ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p style="padding-left: 40px;">ex 9406 10 00</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Coton-</i> <i>easter</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Ma-</i> <i>lus</i> Mill., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L., including wood which has not kept its natural round surface, except sawdust or shavings</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p style="padding-left: 40px;">ex 4401 22 90</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p style="padding-left: 40px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p> <p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p style="padding-left: 40px;">ex 4406 12 00</p>	<p>Canada and United States</p>

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Other (than not impregnated):</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— — — Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Prunus</i> L. including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p style="padding-left: 80px;">ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p style="padding-left: 40px;">ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="padding-left: 40px;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p style="padding-left: 40px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p>	<p>Canada, China, Japan, Mongolia, North Korea, South Korea, United States, Vietnam or any third country where <i>Aromia bungii</i> is known to be present</p>

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p style="padding-left: 20px;">ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p style="padding-left: 20px;">ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— Of cherry (<i>Prunus</i> spp.):</p> <p style="padding-left: 20px;">4407 94 10</p> <p style="padding-left: 20px;">4407 94 91</p> <p style="padding-left: 20px;">4407 94 99</p> <p>— Other:</p> <p style="padding-left: 20px;">ex 4407 99 27</p> <p style="padding-left: 20px;">ex 4407 99 40</p> <p style="padding-left: 20px;">ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p style="padding-left: 20px;">ex 4408 90 15</p> <p style="padding-left: 20px;">ex 4408 90 35</p> <p style="padding-left: 20px;">ex 4408 90 85</p> <p style="padding-left: 20px;">ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— — — Non-coniferous, other:</p> <p style="padding-left: 20px;">ex 4409 29 91</p> <p style="padding-left: 20px;">ex 4409 29 99</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	
<p><i>Acer</i> L., <i>Aesculus</i> L., <i>Alnus</i> L., <i>Betula</i> L., <i>Carpinus</i> L., <i>Cercidiphyllum</i> Siebold & Zucc., <i>Corylus</i> L., <i>Fagus</i> L., <i>Fraxinus</i> L., <i>Koelreuteria</i> Laxm., <i>Platanus</i> L., <i>Populus</i> L., <i>Salix</i> L., <i>Tilia</i> L. and <i>Ulmus</i> L., including wood which has not kept its natural round surface</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p>ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p>— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p>ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p>ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p>ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p>ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of beech (<i>Fagus</i> spp.):</p>	<p>Third countries where <i>Anoplophora glabripennis</i> is known to be present</p>

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p style="text-align: center;">4403 93 00</p> <p style="text-align: center;">4403 94 00</p> <p style="text-align: center;">-- Of birch (<i>Betula</i> spp.):</p> <p style="text-align: center;">4403 95 10</p> <p style="text-align: center;">4403 95 90</p> <p style="text-align: center;">4403 96 00</p> <p style="text-align: center;">-- Of poplar and aspen (<i>Populus</i> spp.):</p> <p style="text-align: center;">4403 97 00</p> <p style="text-align: center;">-- Of other:</p> <p style="text-align: center;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p style="text-align: center;">— Non-coniferous:</p> <p style="text-align: center;">ex 4404 20 00</p> <p>Non-coniferous railway or tramway sleepers (cross-ties) of wood:</p> <p style="text-align: center;">— Not impregnated:</p> <p style="text-align: center;">ex 4406 12 00</p> <p style="text-align: center;">— Other (than not impregnated):</p> <p style="text-align: center;">ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p style="text-align: center;">-- Of beech (<i>Fagus</i> spp.):</p> <p style="text-align: center;">4407 92 00</p> <p style="text-align: center;">-- Of maple (<i>Acer</i> spp.):</p> <p style="text-align: center;">4407 93 10</p> <p style="text-align: center;">4407 93 91</p> <p style="text-align: center;">4407 93 99</p> <p style="text-align: center;">-- Of ash (<i>Fraxinus</i> spp.):</p> <p style="text-align: center;">4407 95 10</p> <p style="text-align: center;">4407 95 91</p> <p style="text-align: center;">4407 95 99</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>-- Of birch (<i>Betula</i> spp.):</p> <p>4407 96 10</p> <p>4407 96 91</p> <p>4407 96 99</p> <p>-- Of poplar and aspen (<i>Populus</i> spp.):</p> <p>4407 97 10</p> <p>4407 97 91</p> <p>4407 97 99</p> <p>-- Of other:</p> <p>4407 99 27</p> <p>4407 99 40</p> <p>4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>ex 4408 90 15</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>--- Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	Prefabricated buildings of wood: ex 9406 10 00	
<i>Acer macrophyllum</i> Pursh, <i>Aesculus californica</i> (Spach) Nutt., <i>Lithocarpus densi-</i> <i>florus</i> (Hook. & Arn.) Rehd., <i>Quercus</i> L. and <i>Taxus</i> <i>brevifolia</i> Nutt.	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: — Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms: — Coniferous: ex 4401 11 00 — Non-coniferous: ex 4401 12 00 — Wood in chips or particles: — Coniferous: ex 4401 21 00 — Non-coniferous: — — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.): ex 4401 22 90 — Sawdust and wood waste and scrap, not agglomerated: — Sawdust: ex 4401 40 10 — Wood waste and scrap (other than sawdust): ex 4401 40 90 Wood in the rough, not stripped of bark or sapwood, or roughly squared: — Treated with paint, stains, creosote or other preservatives: — Coniferous: ex 4403 11 00 — Non-coniferous: ex 4403 12 00	Canada, United Kingdom ⁽²⁾ , United States, Vietnam

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Other, coniferous:</p> <p style="padding-left: 40px;">ex 4403 25 10</p> <p style="padding-left: 40px;">ex 4403 25 90</p> <p style="padding-left: 40px;">ex 4403 26 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Other, of non-coniferous:</p> <p style="padding-left: 40px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Coniferous:</p> <p style="padding-left: 40px;">ex 4404 10 00</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p> <p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p>— — Coniferous:</p> <p style="padding-left: 40px;">ex 4406 11 00</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p>— — Coniferous:</p> <p style="padding-left: 40px;">ex 4406 91 00</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4406 92 00</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— Coniferous:</p> <p style="padding-left: 20px;">ex 4407 19 10</p> <p style="padding-left: 20px;">ex 4407 19 20</p> <p style="padding-left: 20px;">ex 4407 19 90</p> <p>— Of maple (<i>Acer</i> spp.):</p> <p style="padding-left: 20px;">4407 93 10</p> <p style="padding-left: 20px;">4407 93 91</p> <p style="padding-left: 20px;">4407 93 99</p> <p>— Of other:</p> <p style="padding-left: 20px;">ex 4407 99 27</p> <p style="padding-left: 20px;">ex 4407 99 40</p> <p style="padding-left: 20px;">ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>— Coniferous:</p> <p style="padding-left: 20px;">ex 4408 10 15</p> <p style="padding-left: 20px;">ex 4408 10 91</p> <p style="padding-left: 20px;">ex 4408 10 98</p> <p>— Other:</p> <p style="padding-left: 20px;">ex 4408 90 15</p> <p style="padding-left: 20px;">ex 4408 90 35</p> <p style="padding-left: 20px;">ex 4408 90 85</p> <p style="padding-left: 20px;">ex 4408 90 95</p>	

▼M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>--- Non-coniferous, other:</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	
<p><i>Artocarpus chaplasha</i> Roxb., <i>Artocarpus heterophyllus</i> Lam., <i>Artocarpus integer</i> (Thunb.) Merr., <i>Alnus formosana</i> Makino, <i>Bombax malabaricum</i> DC., <i>Broussonetia papyrifera</i> (L.) Vent., <i>Broussonetia kazinoki</i> Siebold, <i>Caesalpinia japonica</i> Siebold & Zucc., <i>Cajanus cajan</i> (L.) Huth, <i>Camellia sinensis</i> (L.) Kuntze, <i>Camellia oleifera</i> C.Abel, <i>Castanea</i> Mill., <i>Celtis sinensis</i> Pers., <i>Cercis chinensis</i> Bunge, <i>Chaenomeles sinensis</i> (Thouin) Koehne, <i>Cinnamomum camphora</i> (L.) J.Presl, <i>Citrus</i> L., <i>Cornus kousa</i> Bürger ex Hanse, <i>Crataegus cordata</i> Aiton, <i>Cunninghamia lanceolata</i> (Lamb.) Hook., <i>Dalbergia</i> L.f., <i>Debregeasia edulis</i> (Siebold & Zucc.) Wedd., <i>Debregeasia hypoleuca</i> (Hochst. ex Steud.) Wedd., <i>Diospyros kaki</i> L., <i>Enkianthus perulatus</i> (Miq.) C.K.Schneid., <i>Eriobotrya japonica</i> (Thunb.) Lindl., <i>Fagus crenata</i> Blume, <i>Ficus</i> L., <i>Firmiana simplex</i> (L.) W.Wight, <i>Gleditsia japonica</i> Miq., <i>Hovenia dulcis</i> Thunb., <i>Juglans regia</i> L., <i>Lagerstroemia indica</i> L., <i>Maclura tricuspidata</i> Carrière, <i>Maclurapomifera</i> (Raf.) C.K.Schneid., <i>Malus</i> Mill., <i>Melia azedarach</i> L., <i>Morus</i> L., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platycarya strobilaceae</i></p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>--- Non-coniferous:</p> <p>ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>--- Non-coniferous:</p> <p>---- Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p>ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>--- Sawdust:</p> <p>ex 4401 40 10</p> <p>--- Wood waste and scrap (other than sawdust):</p> <p>ex 4401 40 90</p>	<p>Afghanistan, Bahrain, Bangladesh, Bhutan, Brunei Darussalam, Cambodia, China, India, Indonesia, Iran, Iraq, , Japan,</p> <p>Jordan, Kazakhstan, Kuwait, Kyrgyzstan, Laos, Lebanon, Malaysia, Maldives, Mongolia, Myanmar, Nepal, North Korea, Oman, Pakistan, Philippines, Qatar, Russia (only the following parts: Far Eastern Federal District (Dalnevostochny federalny okrug), Siberian Federal District (Sibirsky federalny okrug), and Ural Federal District (Uralsky federalny okrug)), Saudi Arabia, Singapore, South Korea, Sri Lanka, Syria, Tajikistan, Thailand, Timor-Leste, Turkmenistan, United Arab Emirates, Uzbekistan, Vietnam, and Yemen</p>

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p>Siebold & Zucc., <i>Populus</i> L., <i>Prunus</i> spp, <i>Pterocarya rhoifolia</i> Siebold & Zucc., <i>Pterocarya stenoptera</i> C.DC., <i>Punica granatum</i> L., <i>Pyrus</i> spp., <i>Robinia pseudoacacia</i> L., <i>Salix</i> L., <i>Sapium sebiferum</i> (L.) Roxb., <i>Schima superba</i> Gardner & Champ., <i>Sophora japonica</i> L., <i>Spiraea thunbergii</i> Siebold ex Blume, <i>Trema amboinensis</i> (Willd.) Blume, <i>Trema orientale</i> (L.) Blume, <i>Ulmus</i> L., <i>Vernicia fordii</i> (Hemsl.) Airy Shaw, <i>Villebrunea pedunculata</i> Shirai, <i>Xylosma</i> G.Forst., and <i>Zelkova serrata</i> (Thunb.) Makino</p>	<p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p>ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of beech (<i>Fagus</i> spp.):</p> <p>ex 4403 93 00</p> <p>ex 4403 94 00</p> <p>— — Of poplar and aspen (<i>Populus</i> spp.):</p> <p>ex 4403 97 00</p> <p>— — Other:</p> <p>ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p>ex 4404 20 00</p> <p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p>— — Non-coniferous:</p> <p>ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p>— — Non-coniferous</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Other (than coniferous or tropical wood):</p> <p> -- Of beech (<i>Fagus</i> spp.):</p> <p> ex 4407 92 00</p> <p> -- Of cherry (<i>Prunus</i> spp.):</p> <p> --- Planed; end-jointed, whether or not planed or sanded:</p> <p> ex 4407 94 10</p> <p> --- Other:</p> <p> ex 4407 94 91</p> <p> ex 4407 94 99</p> <p> -- Of poplar and aspen (<i>Populus</i> spp.):</p> <p> --- Planed; end-jointed, whether or not planed or sanded:</p> <p> ex 4407 97 10</p> <p> --- Other:</p> <p> ex 4407 97 91</p> <p> ex 4407 97 99</p> <p> -- Other:</p> <p> --- Planed; end-jointed, whether or not planed or sanded:</p> <p> ex 4407 99 27</p> <p> --- Other:</p> <p> ex 4407 99 40</p> <p> ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>— Other (than coniferous or tropical wood):</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>-- Planed; sanded; end-jointed whether or not planed or sanded:</p> <p>ex 4408 90 15</p> <p>-- Other:</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— Non-coniferous:</p> <p>-- Other (than of bamboo or tropical wood):</p> <p>--- Other (than mouldings for frames for paintings, photographs, mirrors or similar objects):</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	
<p><i>Acer</i> L., <i>Betula</i> L., <i>Elaeagnus</i> L., <i>Fraxinus</i> L., <i>Gleditsia</i> L., <i>Juglans</i> L., <i>Malus</i> Mill., <i>Morus</i> L., <i>Platanus</i> L., <i>Populus</i> L., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Quercus</i> L., <i>Robinia</i> L., <i>Salix</i> L., and <i>Ulmus</i> L., including wood which has not kept its natural round surface, but excluding sawdust and shavings</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>-- Non-coniferous:</p> <p>ex 4401 12 00</p>	<p>Afghanistan, India, Iran, Kyrgyzstan, Pakistan, Tajikistan, Turkmenistan, and Uzbekistan</p>

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p>— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p style="text-align: center;">ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p style="text-align: center;">ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p style="text-align: center;">ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— other than treated with paint, stains, creosote or other preservatives:</p> <p>— — of oak (<i>Quercus</i> spp.):</p> <p style="text-align: center;">4403 91 00</p> <p>— — of birch (<i>Betula</i> spp.):</p> <p style="text-align: center;">4403 95 10</p> <p style="text-align: center;">4403 95 90</p> <p style="text-align: center;">4403 96 00</p> <p>— — of poplar and aspen (<i>Populus</i> spp.):</p> <p style="text-align: center;">4403 97 00</p> <p>— — other (than <i>Quercus</i>, <i>Betula</i>, <i>Populus</i>):</p> <p style="text-align: center;">ex 4403 99 00</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p> <p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p style="padding-left: 40px;">-- Non-coniferous:</p> <p style="padding-left: 80px;">ex 4406 12 00</p> <p style="padding-left: 40px;">-- Other (than not impregnated):</p> <p style="padding-left: 80px;">-- Non-coniferous:</p> <p style="padding-left: 120px;">ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p style="padding-left: 40px;">-- of oak (<i>Quercus</i> spp.):</p> <p style="padding-left: 80px;">4407 91 15</p> <p style="padding-left: 80px;">4407 91 31</p> <p style="padding-left: 80px;">4407 91 39</p> <p style="padding-left: 80px;">4407 91 90</p> <p style="padding-left: 40px;">-- of maple (<i>Acer</i> spp.):</p> <p style="padding-left: 80px;">4407 93 10</p> <p style="padding-left: 80px;">4407 93 91</p> <p style="padding-left: 80px;">4407 93 99</p> <p style="padding-left: 40px;">-- of cherry (<i>Prunus</i> spp.):</p> <p style="padding-left: 80px;">4407 94 10</p> <p style="padding-left: 80px;">4407 94 91</p> <p style="padding-left: 80px;">4407 94 99</p> <p style="padding-left: 40px;">-- of ash (<i>Fraxinus</i> spp.):</p> <p style="padding-left: 80px;">4407 95 10</p> <p style="padding-left: 80px;">4407 95 91</p> <p style="padding-left: 80px;">4407 95 99</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— of birch (<i>Betula</i> spp.):</p> <p>4407 96 10</p> <p>4407 96 91</p> <p>4407 96 99</p> <p>— of poplar and aspen (<i>Populus</i> spp.):</p> <p>4407 97 10</p> <p>4407 97 91</p> <p>4407 97 99</p> <p>— Other:</p> <p>— — Planed; end-jointed, whether or not planed or sanded:</p> <p>ex 4407 99 27</p> <p>— — Other:</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>— Other (than coniferous or of tropical wood)</p> <p>— Planed; sanded; end-jointed, whether or not planed or sanded:</p> <p>ex 4408 90 15</p> <p>— Other:</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Non-coniferous:</p> <p>— — Other (than of bamboo or tropical wood):</p> <p>— — — Other (than mouldings for frames for paintings, photographs, mirrors or similar objects):</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	
<p>Wood of <i>Castanea</i> Mill., <i>Castanopsis</i> (D. Don) Spach and <i>Quercus</i> L.</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p>ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p>— — — Other (than of eucalyptus (<i>Eucalyptus</i> spp.)):</p> <p>ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Sawdust:</p> <p>ex 4401 40 10</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p>ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p>ex 4403 12 00</p>	<p>China, North Korea, Russia, South Korea, Taiwan and Vietnam</p>

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of oak (<i>Quercus</i> spp.):</p> <p style="padding-left: 40px;">4403 91 00</p> <p>— — Other:</p> <p style="padding-left: 40px;">ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p style="padding-left: 40px;">ex 4404 20 00</p> <p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p>— — Non-coniferous:</p> <p style="padding-left: 40px;">ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>— — Of oak (<i>Quercus</i> spp.):</p> <p>— — — Sanded; end-jointed, whether or not planed or sanded:</p> <p style="padding-left: 80px;">4407 91 15</p> <p>— — — Other:</p> <p style="padding-left: 80px;">4407 91 31</p> <p style="padding-left: 80px;">4407 91 39</p> <p style="padding-left: 80px;">4407 91 90</p> <p>— — Other:</p> <p>— — — Planed; end-jointed, whether or not planed or sanded:</p> <p style="padding-left: 80px;">ex 4407 99 27</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>--- Other:</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>— Other (than coniferous or of tropical wood)</p> <p>-- Planed; sanded; end-jointed, whether or not planed or sanded:</p> <p>ex 4408 90 15</p> <p>-- Other:</p> <p>ex 4408 90 35</p> <p>ex 4408 90 85</p> <p>ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— Non-coniferous:</p> <p>-- Other (than of bamboo or tropical wood):</p> <p>--- Other (than mouldings for frames for paintings, photographs, mirrors or similar objects):</p> <p>ex 4409 29 91</p> <p>ex 4409 29 99</p> <p>Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves:</p> <p>ex 4416 00 00</p> <p>Prefabricated buildings of wood:</p> <p>ex 9406 10 00</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p>Wood of <i>Acacia</i> Mill., <i>Acer buergerianum</i> Miq., <i>Acer macrophyllum</i> Pursh, <i>Acer negundo</i> L., <i>Acer palmatum</i> Thunb., <i>Acer paxii</i> Franch., <i>Acer pseudoplatanus</i> L., <i>Aesculus californica</i> (Spach) Nutt., <i>Ailanthus altissima</i> (Mill.) Swingle, <i>Albizia falcata</i> Backer ex Merr., <i>Albizia julibrissin</i> Durazz., <i>Alectryon excelsus</i> Gärtn., <i>Alnus rhombifolia</i> Nutt., <i>Archontophoenix cunninghamiana</i> H. Wendl. & Drude, <i>Artocarpus integer</i> (Thunb.) Merr., <i>Azadirachta indica</i> A. Juss., <i>Baccharis salicina</i> Torr. & A.Gray, <i>Bauhinia variegata</i> L., <i>Brachychiton discolor</i> F.Muell., <i>Brachychiton populneus</i> R.Br., <i>Camellia semiserrata</i> C.W.Chi, <i>Camellia sinensis</i> (L.) Kuntze, <i>Canarium commune</i> L., <i>Castanospermum australe</i> A.Cunningham & C.Fraser, <i>Cercidium floridum</i> Benth. ex A.Gray, <i>Cercidium sonora</i> Rose & I.M.Johnst., <i>Cocculus laurifolius</i> DC., <i>Combretum kraussii</i> Hochst., <i>Cupaniopsis anacardioides</i> (A.Rich.) Radlk., <i>Dombeya cacuminum</i> Hochr., <i>Erythrina corallodendron</i> L., <i>Erythrina coralloides</i> Moc. & Sessé ex DC., <i>Erythrina falcata</i> Benth., <i>Erythrina fusca</i> Lour., <i>Eucalyptus ficifolia</i> F.Müll., <i>Fagus crenata</i> Blume, <i>Ficus</i> L., <i>Gleditsia triacanthos</i> L., <i>Hevea brasiliensis</i> (Willd. ex A.Juss) Muell.Arg., <i>Howea forsteriana</i> (F.Müller) Becc., <i>Ilex cornuta</i> Lindl. & Paxton, <i>Inga vera</i> Willd., <i>Jacaranda mimosifolia</i> D.Don, <i>Koeleruteria bipinnata</i> Franch., <i>Liquidambar styraciflua</i> L., <i>Magnolia grandiflora</i> L., <i>Magnolia virginiana</i> L., <i>Mimosa bracaatinga</i> Hoehne, <i>Morus alba</i> L., <i>Parkinsonia aculeata</i> L., <i>Persea americana</i> Mill., <i>Pithecellobium lobatum</i> Benth., <i>Platanus x hispanica</i> Mill. ex Münchh., <i>Platanus mexicana</i> Torr., <i>Platanus occidentalis</i> L., <i>Platanus orientalis</i> L., <i>Platanus racemosa</i> Nutt., <i>Podalyria calyprata</i> Willd., <i>Populus fremontii</i> S.Watson, <i>Populus nigra</i> L., <i>Populus trichocarpa</i> Torr. & A.Gray ex Hook., <i>Prosopis articulata</i> S.Watson, <i>Protium serratum</i> Engl., <i>Psoralea pinnata</i> L., <i>Pterocarya stenoptera</i> C.DC., <i>Quercus agrifolia</i> Née, <i>Quercus calliprinos</i> Webb., <i>Quercus chrysolepis</i> Liebm., <i>Quercus engelmannii</i> Greene, <i>Quercus ithaburensis</i> Dence, <i>Quercus lobata</i> Née, <i>Quercus palustris</i> Marshall, <i>Quercus robur</i> L., <i>Quercus suber</i> L., <i>Ricinus communis</i> L., <i>Salix alba</i> L., <i>Salix babylonica</i> L., <i>Salix goodingii</i> C.R.Ball, <i>Salix laevigata</i> Bebb, <i>Salix mucronata</i></p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>— Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>— — Non-coniferous:</p> <p>ex 4401 12 00</p> <p>— Wood in chips or particles:</p> <p>— — Non-coniferous:</p> <p>ex 4401 22 10</p> <p>ex 4401 22 90</p> <p>— Sawdust and wood waste and scrap, not agglomerated:</p> <p>— — Wood waste and scrap (other than sawdust):</p> <p>ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>— Treated with paint, stains, creosote or other preservatives:</p> <p>— — Non-coniferous:</p> <p>ex 4403 12 00</p> <p>Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared:</p> <p>— Other than treated with paint, stains, creosote or other preservatives:</p> <p>— — Of oak (<i>Quercus</i> spp.):</p> <p>4403 91 00</p> <p>— — Of beech (<i>Fagus</i> spp.):</p> <p>4403 92 00</p> <p>— — Of poplar and aspen (<i>Populus</i> spp.):</p> <p>4403 97 00</p> <p>— — Of eucalyptus (<i>Eucalyptus</i> spp.):</p> <p>4403 98 00</p>	<p>Third countries</p>

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p>Thnb., <i>Shorea robusta</i> C.F.Gaertn., <i>Spathodea campanulata</i> P.Beauv., <i>Spondias dulcis</i> Parkinson, <i>Tamarix ramosissima</i> Kar. ex Boiss., <i>Virgilia oroboides</i> subsp. <i>ferrugine</i> B.-E.van Wyk, <i>Wisteria floribunda</i> (Willd.) DC. and <i>Xylosma avilae</i> Sleumer</p>	<p>-- Other:</p> <p>ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>— Non-coniferous:</p> <p>ex 4404 20 00</p> <p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>— Not impregnated:</p> <p>-- Non-coniferous:</p> <p>ex 4406 12 00</p> <p>— Other (than not impregnated):</p> <p>-- Non-coniferous:</p> <p>ex 4406 92 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>-- Of oak (<i>Quercus</i> spp.):</p> <p>4407 91 15</p> <p>4407 91 31</p> <p>4407 91 39</p> <p>4407 91 90</p> <p>-- Of beech (<i>Fagus</i> spp.):</p> <p>4407 92 00</p> <p>-- Of maple (<i>Acer</i> spp.):</p> <p>4407 93 10</p> <p>4407 93 91</p> <p>4407 93 99</p> <p>-- Of poplar and aspen (<i>Populus</i> spp.):</p> <p>4407 97 10</p> <p>4407 97 91</p> <p>4407 97 99</p>	

▼ M9

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>— Other:</p> <p>— — Planed; end-jointed, whether or not planed or sanded:</p> <p style="padding-left: 40px;">ex 4407 99 27</p> <p>— — Other:</p> <p style="padding-left: 40px;">ex 4407 99 40</p> <p style="padding-left: 40px;">ex 4407 99 90</p> <p>Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:</p> <p>— Other (than coniferous or of tropical wood)</p> <p>— — Planed; sanded; end-jointed, whether or not planed or sanded:</p> <p style="padding-left: 40px;">ex 4408 90 15</p> <p>— — Other:</p> <p style="padding-left: 40px;">ex 4408 90 35</p> <p style="padding-left: 40px;">ex 4408 90 85</p> <p style="padding-left: 40px;">ex 4408 90 95</p> <p>Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed:</p> <p>— Non-coniferous:</p> <p>— — Other (than of bamboo or tropical wood):</p> <p>— — — Other (than mouldings for frames for paintings, photographs, mirrors or similar objects):</p> <p style="padding-left: 40px;">ex 4409 29 91</p> <p style="padding-left: 40px;">ex 4409 29 99</p>	

▼ **M9**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: ex 4416 00 00 Prefabricated buildings of wood: ex 9406 10 00	

▼ **B**

- (¹) The CN code of an associated plant shall apply.
 (²) In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, for the purposes of this Annex, references to the United Kingdom do not include Northern Ireland.

PART B

▼ **M9**

List of plants, as well as the respective third countries of their origin or dispatch, for which, pursuant to Article 73 of Regulation (EU) 2016/2031, phytosanitary certificates are required for their introduction into the Union territory

▼ **B**

Plants	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
All plants, within the meaning of point 1 of Article 2 of Regulation (EU) 2016/2031, other than those specified in parts A and C of this Annex	Bulbs, tubers, tuberous roots, corms, crowns and rhizomes, dormant, and chicory plants and roots, other than for planting: ex 0601 10 90 ex 0601 20 10 Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ► M9 0603 11 00 ◀ 0603 15 00 0603 19 10 0603 19 20 ex 0603 19 70 ► M9 Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses, not lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ◀ ex 0604 20 90 Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh or chilled, other than for planting:	Third countries other than Switzerland

▼ B

Plants	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>ex 0703 10 19</p> <p>ex 0703 10 90</p> <p>ex 0703 20 00</p> <p>ex 0703 90 00</p> <p>Cabbages, cauliflowers, kohlrabi, kale and similar edible brassicas, fresh or chilled, other than planted in a growing substrate:</p> <p>ex 0704 10 00</p> <p>► <u>M9</u> 0704 20 00 ◀</p> <p>ex 0704 90 10</p> <p>ex 0704 90 90</p> <p>Lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.), fresh or chilled, other than planted in a growing substrate:</p> <p>ex 0705 11 00</p> <p>ex 0705 19 00</p> <p>ex 0705 21 00</p> <p>ex 0705 29 00</p> <p>Cucumbers and gherkins, fresh or chilled:</p> <p>0707 00 05</p> <p>0707 00 90</p> <p>Leguminous vegetables, shelled or unshelled, fresh or chilled:</p> <p>0708 10 00</p> <p>0708 20 00</p> <p>0708 90 00</p> <p>Asparagus, celery other than celeriac, spinach, New Zealand spinach and orache spinach (garden spinach), globe artichokes, olives, pumpkins, squash and gourds (<i>Cucurbita</i> spp.), salad vegetables, (other than lettuce (<i>Lactuca sativa</i>) and chicory (<i>Cichorium</i> spp.)), chard (or white beet) and cardoons, capers, fennel and other vegetables, fresh or chilled, other than planted in a growing substrate:</p> <p>0709 20 00</p> <p>ex 0709 40 00</p> <p>ex 0709 70 00</p> <p>0709 91 00</p> <p>0709 92 10</p> <p>0709 92 90</p> <p>0709 93 10</p>	

▼ B

Plants	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>0709 93 90</p> <p>ex 0709 99 10</p> <p>ex 0709 99 20</p> <p>0709 99 40</p> <p>ex 0709 99 50</p> <p>ex 0709 99 90</p> <p>Dried leguminous vegetables, shelled, not skinned or split, for sowing:</p> <p>ex 0713 20 00</p> <p>ex 0713 31 00</p> <p>ex 0713 32 00</p> <p>ex 0713 34 00</p> <p>ex 0713 35 00</p> <p>ex 0713 39 00</p> <p>ex 0713 40 00</p> <p>ex 0713 60 00</p> <p>ex 0713 90 00</p> <p>► M9 Brazil nuts and cashew nuts, whole, fresh in the green husk, also for sowing: ◀</p> <p>ex 0801 21 00</p> <p>ex 0801 31 00</p> <p>► M9 Other nuts, whole, fresh in the green husk, also for sowing: ◀</p> <p>ex 0802 11 10</p> <p>ex 0802 11 90</p> <p>ex 0802 21 00</p> <p>ex 0802 31 00</p> <p>ex 0802 41 00</p> <p>ex 0802 51 00</p> <p>ex 0802 61 00</p> <p>ex 0802 70 00</p> <p>ex 0802 80 00</p> <p>ex 0802 90 10</p> <p>ex 0802 90 50</p> <p>ex 0802 90 85</p> <p>Figs, fresh or chilled:</p> <p>0804 20 10</p> <p>Melons, fresh or chilled:</p> <p>0807 11 00</p> <p>0807 19 00</p>	

▼ **B**

Plants	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Other fruit, fresh or chilled:</p> <p>ex 0810 20 90</p> <p>ex 0810 90 20</p> <p>ex 0810 90 75</p> <p>Coffee berries (other than beans), fresh, whole in husk, not roasted:</p> <p>ex 0901 11 00</p> <p>Tea leaves, fresh, whole, not cut, not fermented, not flavoured:</p> <p>ex 0902 10 00</p> <p>ex 0902 20 00</p> <p>Thyme and fenugreek seeds for sowing:</p> <p>ex 0910 99 10</p> <p>ex 0910 99 31</p> <p>ex 0910 99 33</p> <p>Bay leaves, fresh:</p> <p>ex 0910 99 50</p> <p>► M9 Seeds of wheat and meslin:</p> <p>1001 11 00</p> <p>1001 91 10</p> <p>1001 91 20</p> <p>1001 91 90</p> <p>Seed of rye:</p> <p>1002 10 00 ◀</p> <p>Barley, seed for sowing:</p> <p>1003 10 00</p> <p>Oats, seed for sowing:</p> <p>1004 10 00</p> <p>Grain sorghum, seed for sowing:</p> <p>1007 10 10</p> <p>1007 10 90</p> <p>Buckwheat, millet and canary seed, other cereals, seed for sowing:</p> <p>ex 1008 10 00</p> <p>1008 21 00</p>	

▼ B

Plants	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>ex 1008 30 00</p> <p>ex 1008 40 00</p> <p>ex 1008 50 00</p> <p>► <u>M9</u> ex 1008 60 00 ◀</p> <p>ex 1008 90 00</p> <p>Groundnuts, fresh, not roasted or otherwise cooked, whole, not shelled, not broken, also seed for sowing:</p> <p>1202 30 00</p> <p>ex 1202 41 00</p> <p>Other oil seeds for sowing and oleaginous fruits, fresh, not broken:</p> <p>ex 1207 10 00</p> <p>1207 21 00</p> <p>ex 1207 30 00</p> <p>1207 40 10</p> <p>ex 1207 60 00</p> <p>ex 1207 70 00</p> <p>1207 91 10</p> <p>1207 99 20</p> <p>Seeds and fruit, of a kind used for sowing:</p> <p>1209 10 00</p> <p>1209 22 10</p> <p>1209 22 80</p> <p>1209 23 11</p> <p>1209 23 15</p> <p>1209 23 80</p> <p>1209 24 00</p> <p>1209 25 10</p> <p>1209 25 90</p> <p>1209 29 45</p> <p>1209 29 50</p> <p>1209 29 60</p> <p>1209 29 80</p> <p>1209 30 00</p> <p>1209 91 30</p> <p>1209 91 80</p> <p>1209 99 10</p> <p>1209 99 91</p> <p>1209 99 99</p> <p>Hop cones, fresh:</p> <p>ex 1210 10 00</p>	

▼B

Plants	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Plants, other than for planting, and parts of plants (including seeds for sowing and fruits), fresh or chilled, not cut nor crushed or powdered:</p> <p>ex 1211 30 00</p> <p>ex 1211 40 00</p> <p>ex 1211 50 00</p> <p>ex 1211 90 30</p> <p>ex 1211 90 86</p> <p>Locust beans for sowing, and sugar cane, fresh or chilled, not ground; fruit stones and kernels for sowing and other fresh vegetable products not elsewhere specified or included:</p> <p>ex 1212 92 00</p> <p>ex 1212 93 00</p> <p>ex 1212 94 00</p> <p>ex 1212 99 41</p> <p>ex 1212 99 95</p> <p>Vegetable materials of a kind used primarily for plaiting, fresh:</p> <p>ex 1401 90 00</p> <p>Vegetable products not elsewhere specified or included, fresh:</p> <p>ex 1404 90 00</p>	

PART C

List of plants, as well as the respective third countries of origin or dispatch, for which a phytosanitary certificate is not required for their introduction into the Union territory

Plants	CN Codes and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
Fruits of <i>Ananas comosus</i> (L.) Merrill	Pineapples, fresh or dried: 0804 30 00	All third countries
Fruits of <i>Cocos nucifera</i> L.	Coconuts, fresh or dried, whether or not shelled or peeled: 0801 12 00 0801 19 00	All third countries
Fruits of <i>Durio zibethinus</i> Murray	Durians: 0810 60 00	All third countries
Fruits of <i>Musa</i> L.	Bananas, including plantains, fresh or dried: 0803 10 10 0803 10 90 0803 90 10 0803 90 90	All third countries
Fruits of <i>Phoenix dactylifera</i> L.	Dates, fresh or dried: 0804 10 00	All third countries



ANNEX XII

List of plants, plant products and other objects for which a phytosanitary certificate is required for their introduction into a protected zone from certain third countries of origin or dispatch

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
1. Plants of		
<i>Beta vulgaris</i> L., intended for industrial processing.	Sugar beet, fresh: ex 1212 91 80 Mangold roots, fresh: ex 1214 90 10	Third countries other than Switzerland.
2. Parts of plants of		
<i>Eucalyptus</i> l'Hérit.	Foliage, branches and other parts of plants of <i>Eucalyptus</i> spp., without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0604 20 90 <i>Eucalyptus</i> spp. seeds: ex 1209 99 10 Plants and parts of plants of <i>Eucalyptus</i> spp.(including seeds and fruits), of a kind used primarily in perfumery, in pharmacy or for insecticidal, fungicidal or similar purposes, fresh, chilled, not frozen nor dried, whether or not cut, but not crushed nor powdered: ex 1211 90 86 Vegetable products of plants of <i>Eucalyptus</i> spp., not elsewhere specified or included: ex 1404 90 00	Third countries other than Switzerland.
3. Parts of plants, other than fruit and seeds, of		
<i>Amelanchier</i> Med.	Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70 Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90 Vegetable products not elsewhere specified or included: ex 1404 90 00	Third countries other than Switzerland.

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Chaenomeles</i> Lindl.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Cotoneaster</i> Ehrh.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Crataegus</i> L.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.

▼ **B**

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Cydonia</i> Mill.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Eriobotrya</i> Lindl.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Malus</i> Mill.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Mespilus</i> L.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Photinia davidiana</i> (Dcne.) Cardot	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Pyracantha</i> Roem.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.

▼B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Pyrus</i> L.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.
<i>Sorbus</i> L.	<p>Cut flowers and flower buds of a kind suitable for bouquets or for ornamental purposes, fresh: ex 0603 19 70</p> <p>Foliage, branches and other parts of plants, without flowers or flower buds, and grasses, mosses and lichens, being goods of a kind suitable for bouquets or for ornamental purposes, fresh, dried, dyed, bleached, impregnated or otherwise prepared: – Fresh: ex 0604 20 90</p> <p>Vegetable products not elsewhere specified or included: ex 1404 90 00</p>	Third countries other than Switzerland.

4. Seeds of

<i>Beta vulgaris</i> L.	<p>Sugar beet seeds, for sowing: 1209 10 00</p> <p>Fodder beet seed (<i>Beta vulgaris</i> var. <i>alba</i>), for sowing: 1209 29 60</p> <p>Other fodder beet seeds (other than <i>Beta vulgaris</i> var. <i>alba</i>), for sowing: ex 1209 29 80</p> <p>Salad beet seed or beetroot seed (<i>Beta vulgaris</i> var. <i>conditiva</i>), for sowing: 1209 91 30</p> <p>Other beet seeds (<i>Beta vulgaris</i>), for sowing: ex 1209 91 80</p>	Third countries other than Switzerland.
-------------------------	--	---

▼B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<i>Castanea Mill.</i>	Chestnut (<i>Castanea</i> spp.) seeds, for sowing: ex 1209 99 10 Chestnuts (<i>Castanea</i> spp.), in shell, for sowing: ex 0802 41 00	Third countries other than Switzerland.
▼M9		
▼B		
<i>Mangifera L.</i>	Mango seeds, for sowing: ex 1209 99 99	Third countries other than Switzerland.

5. Seeds and fruits (bolls) of

<i>Gossypium L.</i>	Cotton seeds, for sowing: 1207 21 00	Third countries other than Switzerland.
<i>unginned cotton</i>	Cotton, not carded or combed, other: 5201 00 90	Third countries other than Switzerland.

6. Wood, where it:

- (a) is considered a plant product within the meaning of point 2 of Article 2 of Regulation (EU) 2016/2031; and
- (b) has been obtained in whole or part from one of the order, genera or species as described hereafter, and
- (c) falls under the respective CN code and corresponds to one of the descriptions referred to in the middle column, as laid down in Part II of Annex I to Regulation (EEC) No 2658/87:

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p>► M9 Conifers (Pinopsida) ◀, excluding wood which is bark-free originating in European third countries</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>– Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>– – Coniferous: ex 4401 11 00</p> <p>– Wood, in chips or particles:</p> <p>– – Coniferous: ex 4401 21 00</p> <p>– Sawdust and wood waste and scrap, not agglomerated:</p> <p>– – Wood waste and scrap (other than sawdust): ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>– Treated with paint, stains, creosote or other preservatives:</p> <p>– – Coniferous: ex 4403 11 00</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>– Coniferous, other than treated with paint, stains, creosote or other preservatives:</p> <p>– – Of pine (<i>Pinus</i> spp.): ex 4403 21 10 ex 4403 21 90 ex 4403 22 00</p> <p>– – Of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.): ex 4403 23 10 ex 4403 23 90 ex 4403 24 00</p> <p>– – Other, coniferous: ex 4403 25 10 ex 4403 25 90 ex 4403 26 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>– Coniferous: ex 4404 10 00</p>	<p>► M4 Albania, Andorra, Armenia, Azerbaijan, Belarus, Bosnia and Herzegovina, Canary Islands, Faeroe Islands, Georgia, Iceland, Liechtenstein, Moldova, Monaco, Montenegro, North Macedonia, Norway, Russia (only the following parts: Central Federal District (Tsentralny federalny okrug), Northwestern Federal District (Severo-Zapadny federalny okrug), Southern Federal District (Yuzhny federalny okrug), North Caucasian Federal District (Severo-Kavkazsky federalny okrug) and Volga Federal District (Privolzhsky federalny okrug)), San Marino, Serbia, Switzerland, Turkey, Ukraine and the United Kingdom (!) ◀</p>

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>– Not impregnated:</p> <p>– – Coniferous:</p> <p>4406 11 00</p> <p>– Other (than not impregnated):</p> <p>– – Coniferous:</p> <p>4406 91 00</p> <p>Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>– Coniferous:</p> <p>– – Of pine (<i>Pinus</i> spp.):</p> <p>ex 4407 11 10</p> <p>ex 4407 11 20</p> <p>ex 4407 11 90</p> <p>– – Of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.):</p> <p>ex 4407 12 10</p> <p>ex 4407 12 20</p> <p>ex 4407 12 90</p> <p>– – Other, coniferous:</p> <p>ex 4407 19 10</p> <p>ex 4407 19 20</p> <p>ex 4407 19 90</p> <p>Packing cases, boxes, crates, drums and similar packings of wood; cable-drums of wood; pallets, box pallets and other load boards, of wood; pallet collars of wood:</p> <p>– Cases, boxes, crates, drums and similar packings; cable-drums:</p> <p>4415 10 10</p> <p>4415 10 90</p> <p>– Pallets, box pallets and other load boards; pallet collars:</p> <p>4415 20 20</p> <p>4415 20 90</p> <p>Prefabricated buildings, of wood:</p> <p>9406 10 00</p>	

▼B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
<p><i>Castanea</i> Mill., excluding wood which is bark-free</p>	<p>Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms:</p> <p>– Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms:</p> <p>– – Non-coniferous:</p> <p>ex 4401 12 00</p> <p>– Wood, in chips or particles:</p> <p>– – Non-coniferous:</p> <p>ex 4401 22 00</p> <p>– Sawdust and wood waste and scrap, not agglomerated:</p> <p>– – Wood waste and scrap (other than sawdust):</p> <p>ex 4401 40 90</p> <p>Wood in the rough, not stripped of bark or sapwood, or roughly squared:</p> <p>– Treated with paint, stains, creosote or other preservatives:</p> <p>– – Non-coniferous</p> <p>ex 4403 12 00</p> <p>Non-coniferous wood (other than tropical wood specified in subheading note 1 to Chapter 44 or other tropical wood, oak (<i>Quercus</i> spp.) or beech (<i>Fagus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives:</p> <p>ex 4403 99 00</p> <p>Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise:</p> <p>– Non-coniferous :</p> <p>ex 4404 20 00</p> <p>Railway or tramway sleepers (cross-ties) of wood:</p> <p>– Not impregnated:</p> <p>– – Non-coniferous:</p> <p>4406 12 00</p> <p>– Other (than not impregnated):</p> <p>– – Non-coniferous:</p> <p>4406 92 00</p>	<p>Third countries other than Switzerland.</p>

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
	<p>Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm:</p> <p>ex 4407 99 27</p> <p>ex 4407 99 40</p> <p>ex 4407 99 90</p> <p>Packing cases, boxes, crates, drums and similar packings of wood; cable-drums of wood; pallets, box pallets and other load boards, of wood; pallet collars of wood:</p> <p>– Cases, boxes, crates, drums and similar packings; cable-drums:</p> <p>4415 10 10</p> <p>4415 10 90</p> <p>– Pallets, box pallets and other load boards; pallet collars:</p> <p>4415 20 20</p> <p>4415 20 90</p> <p>Prefabricated buildings, of wood:</p> <p>9406 10 00</p>	

7. **Bark**

Isolated bark of conifers	<p>Vegetable products of bark, not elsewhere specified or included:</p> <p>ex 1404 90 00</p> <p>Wood waste and scrap, not agglomerated:</p> <p>ex 4401 40 90</p>	Third countries other than Switzerland.
---------------------------	--	---

8. **Other**

Soil from beet and unsterilized waste from beet (<i>Beta vulgaris</i> L.).	<p>Residues of starch manufacture and similar residues, beet-pulp, bagasse and other waste of sugar manufacture, brewing or distilling dregs and waste, whether or not in the form of pellets, other:</p> <p>ex 2303 20 10</p> <p>ex 2303 20 90</p> <p>Mineral substances not elsewhere specified or included, other:</p> <p>ex 2530 90 00</p>	Third countries other than Switzerland.
---	---	---

▼ B

Plants, plant products and other objects	CN code and its respective description under Council Regulation (EEC) No 2658/87	Country of origin or dispatch
Live pollen for pollination of <i>Amelanchier</i> Med., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Photinia davidiana</i> (Dcne.) Cardot, <i>Pyracantha</i> Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L.	Live pollen: ex 1212 99 95	Third countries other than Switzerland.

(¹) In accordance with the Agreement on the withdrawal of the United Kingdom of Great Britain and Northern Ireland from the European Union and the European Atomic Energy Community, and in particular Article 5(4) of the Protocol on Ireland/Northern Ireland in conjunction with Annex 2 to that Protocol, for the purposes of this Annex, references to the United Kingdom do not include Northern Ireland.

▼ B

ANNEX XIII

List of plants, plant products and other objects for which a plant passport is required for movement within the Union territory

1. All plants for planting, other than seeds.
2. Plants, other than fruits and seeds, of *Choisya* Kunth, *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids, *Casimiroa* La Llave, *Clausena* Burm. f., *Murraya* J. Koenig ex L., *Vepris* Comm., *Zanthoxylum* L. and *Vitis* L.
3. Fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf. and their hybrids, with leaves and peduncles.
4. Wood, where it:
 - (a) is considered a plant product within the meaning of point 2 of Article 2 of Regulation (EU) 2016/2031; and
 - (b) has been obtained in whole or part from *Juglans* L., *Platanus* L. and *Pterocarya* L., including wood which has not kept its natural round surface; and
 - (c) falls under the respective CN code and corresponds to one of the following descriptions laid down in Part II of Annex I to Regulation (EEC) No 2658/87:

CN code	Description
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404 20 00	Non-coniferous split poles; piles, pickets and stakes of non-coniferous wood, pointed but not sawn lengthwise
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

▼ M9

- 4.1 Wood of *Chionanthus virginicus* L., *Fraxinus* L., *Juglans ailantifolia* Carr., *Juglans mandshurica* Maxim., *Ulmus davidiana* Planch. and *Pterocarya rhoifolia* Siebold & Zucc., as referred to in point 27 of Annex VIII.

▼ B

5. Seed, where its movement is carried out within the scope of application of Directive 66/402/EEC, and for which specific RNQPs have been listed according to Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:
 - *Oryza sativa* L.

▼B

6. Seed, where its movement is carried out within the scope of application of Directive 2002/55/EC, and for which specific RNQPs have been listed according to Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:

- *Allium cepa* L.,
- *Allium porrum* L.,
- *Capsicum annuum* L.,
- *Phaseolus coccineus* L.,
- *Phaseolus vulgaris* L.,
- *Pisum sativum* L.,
- *Solanum lycopersicum* L.,
- *Vicia faba* L.

7. Seeds of *Solanum tuberosum* L.

8. Seed, where its movement is carried out within the scope of application of Directive 66/401/EC, and for which specific RNQPs have been listed according to Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:

- *Medicago sativa* L.

9. Seed, where its movement is carried out within the scope of application of Directive 2002/57/EC, and for which specific RNQPs have been listed according to Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:

- *Brassica napus* L.,
- *Brassica rapa* L.,
- *Glycine max* (L.) Merrill,
- *Helianthus annuus* L.,
- *Linum usitatissimum* L.,
- *Sinapis alba* L.

▼M9

10. Seed, where its movement is carried out within the scope of application of Directive 98/56/EC, and for which specific RNQPs have been listed in accordance with Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:

- *Allium* L.,
- *Capsicum annuum* L.,
- *Helianthus annuus* L.

11. Seed, where its movement is carried out within the scope of application of Directives 98/56/EC or 2008/90/EC, and for which specific RNQPs have been listed in accordance with Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:

- *Prunus armeniaca* L.,

▼ M9

- *Prunus cerasus* L.,
 - *Prunus domestica* L.,
 - *Prunus dulcis* (Mill.) D. A. Webb,
 - *Prunus persica* (L.) Batsch,
 - *Prunus salicina* Lindley.
12. Seed, where its movement is carried out within the scope of application of Directives 98/56/EC, 1999/105/EC or 2008/90/EC, and for which specific RNQPs have been listed in accordance with Article 37(2) of Regulation (EU) 2016/2031 in Annex IV, of:
- *Prunus avium* L.

▼ B

ANNEX XIV

List of plants, plant products and other objects for which a plant passport with the designation 'PZ' is required for introduction into, and movement within certain protected zones

1. ►**M9** Plants of *Abies* Mill., *Larix* Mill., *Picea* A. Dietr., *Pinus* L. and *Pseudotsuga* Carr., other than seeds. ◀
2. Plants for planting, other than seeds, of *Ajuga* L., *Beta vulgaris* L., *Cedrus* Trew, *Crossandra* Salisb., *Dipladenia* A.DC., *Euphorbia pulcherrima* Willd., ►**M9** ————— ◀ *Hibiscus* L., *Mandevilla* Lindl., *Nerium oleander* L., ►**M9** ————— ◀ *Populus* L., *Prunus* L., *Quercus* spp., other than *Quercus suber*, *Ulmus* L. and plants for planting of *Begonia* L., other than corms, seeds and tubers.

▼ M9

3. Plants, other than fruit and seeds, of *Amelanchier* Med., *Castanea* Mill., *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Eucalyptus* L'Herit., *Malus* Mill., *Mespilus* L., *Photinia davidiana* (Dcne.) Cardot, *Pyracantha* Roem., *Pyrus* L., *Sorbus* L. and *Vitis* L.

▼ B

4. Plants of *Palmae*, intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following taxa: *Areca catechu* L., *Arenga pinnata* (Wurmb) Merr., *Bismarckia* Hildebr. & H. Wendl., *Borassus flabellifer* L., *Brahea* Mart., *Butia* Becc., *Calamus merrillii* Becc., *Caryota cumingii* Lodd. ex Mart., *Caryota maxima* Blume, *Chamaerops* L., *Cocos nucifera* L., *Copernicia* Mart., *Corypha utan* Lam., *Elaeis guineensis* Jacq., *Howea forsteriana* Becc., *Jubaea* Kunth, *Livistona* R. Br., *Metroxylon sagu* Rottb., *Phoenix* L., *Pritchardia* Seem. & H. Wendl., *Ravenea rivularis* Jum. & H. Perrier, *Roystonea regia* (Kunth) O. F. Cook, *Sabal* Adans., *Syagrus* Mart., *Trachycarpus* H. Wendl., *Trithrinax* Mart., *Washingtonia* Raf.
5. Live pollen for pollination of *Amelanchier* Med., *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Photinia davidiana* (Dcne.) Cardot, *Pyracantha* Roem., *Pyrus* L. and *Sorbus* L.
6. Tubers of *Solanum tuberosum* L., intended for planting.
7. Plants of *Beta vulgaris* L., intended for industrial processing.
8. Soil from beet and unsterilized waste from beet (*Beta vulgaris* L.)

▼ M9

9. Seeds of *Beta vulgaris* L., *Castanea* Mill., *Gossypium* L. and *Mangifera* L.

▼ B

10. Fruits (bolls) of *Gossypium* spp. and unginned cotton.
11. Wood, where it:
 - (a) is considered a plant product within the meaning of point 2 of Article 2 of Regulation (EU) 2016/2031; and
 - (b) has been obtained in whole or part from
 - ►**M9** Conifers (Pinopsida) ◀, excluding wood which is bark-free,
 - *Castanea* Mill., excluding wood which is bark-free,
 - *Platanus* L., including wood which has not kept its natural round surface; and
 - (c) falls under the respective CN code and corresponds to one of the following descriptions laid down in Part II of Annex I to Regulation (EEC) No 2658/87:

▼ B

CN code	Description
4401 11 00	Coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 12 00	Non-coniferous fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21 00	Coniferous wood, in chips or particles
4401 22 00	Non-coniferous wood, in chips or particles
4401 40 90	Wood waste and scrap (other than sawdust), not agglomerated
ex 4403 11 00	Coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 12 00	Non-coniferous wood in the rough, treated with paint, stains, creosote or other preservatives, not stripped of bark or sapwood, or roughly squared
ex 4403 21	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 22 00	Coniferous wood of pine (<i>Pinus</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 23	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 24 00	Coniferous wood of fir (<i>Abies</i> spp.) and spruce (<i>Picea</i> spp.) in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 25	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, of which any cross-sectional dimension is 15 cm or more
ex 4403 26 00	Coniferous wood, other than of pine (<i>Pinus</i> spp.), fir (<i>Abies</i> spp.) or spruce (<i>Picea</i> spp.), in the rough, not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives, other than of which any cross-sectional dimension is 15 cm or more
ex 4403 99 00	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), birch (<i>Betula</i> spp.), poplar and aspen (<i>Populus</i> spp.) or eucalyptus (<i>Eucalyptus</i> spp.)), in the rough, whether or not stripped of bark or sapwood, or roughly squared, other than treated with paint, stains, creosote or other preservatives
ex 4404	Split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise
4406	Railway or tramway sleepers (cross-ties) of wood

▼B

CN code	Description
ex 4407	Coniferous wood, sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm
ex 4407 99	Non-coniferous wood (other than tropical wood, oak (<i>Quercus</i> spp.), beech (<i>Fagus</i> spp.), maple (<i>Acer</i> spp.), cherry (<i>Prunus</i> spp.), ash (<i>Fraxinus</i> spp.), birch (<i>Betula</i> spp.) or poplar and aspen (<i>Populus</i> spp.)), sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm

12. Isolated bark of *Castanea* Mill, and ►**M9** conifers (Pinopsida) ◀.