

SPOLEČNÝ KATALOG ODRŮ DRUHŮ ZELENINY

Třetí dodatek k 33. úplnému vydání

(2015/C 144/02)

Obsah

	Strana
Legenda	28
Seznam druhů zeleniny.	28
1. <i>Allium cepa</i> L.	29
1.1 <i>Allium cepa</i> L. Skupina <i>Aggregatum</i> - Šalotka	29
1.2 <i>Allium cepa</i> L. Skupina - Ceba, Cibule	29
2. <i>Allium fistulosum</i> L. Cibule sečka.	29
3. <i>Allium porrum</i> L. Pór	30
4. <i>Allium sativum</i> L. Česnek	30
7. <i>Apium graveolens</i> L. Celer	31
7.1 <i>Apium graveolens</i> L. Celer řapíkatý	31
7.2 <i>Apium graveolens</i> L. Celer bulvový	31
8. <i>Asparagus officinalis</i> L. Chřest	31
9. <i>Beta vulgaris</i> L.	31
9.1 <i>Beta vulgaris</i> L. Řepa salátová včetně Cheltenham beet	31
9.2 <i>Beta vulgaris</i> L. Mangold	31
10. <i>Brassica oleracea</i> L.	32
10.1 <i>Brassica oleracea</i> L. Kadeřávek	32
10.2 <i>Brassica oleracea</i> L. Květák	32
10.3 <i>Brassica oleracea</i> L. Brokolice	34
10.4 <i>Brassica oleracea</i> L. Kapusta růžičková	35
10.5 <i>Brassica oleracea</i> L. Kapusta hlávková	35
10.6 <i>Brassica oleracea</i> L. Zelí hlávkové bílé	35
10.7 <i>Brassica oleracea</i> L. Zelí hlávkové červené	36
10.8 <i>Brassica oleracea</i> L. Kedluben	36
11. <i>Brassica rapa</i> L.	37
11.1 <i>Brassica rapa</i> L. Zelí pekinské	37
11.2 <i>Brassica rapa</i> L. Vodnice	38
12. <i>Capsicum annuum</i> L. Chilli, Paprika	38
13. <i>Cichorium endivia</i> L. Endivie (šterbák)	43
13.1 <i>Cichorium endivia</i> L. Endivie kadeřavá	43
13.2 <i>Cichorium endivia</i> L. Eskariol	43

	Strana
14. <i>Cichorium intybus</i> L. Čekanka salátová	44
14.1 <i>Cichorium intybus</i> L. Čekanka pro puky.	44
14.2 <i>Cichorium intybus</i> L. Čekanka hlávková	44
14.3 <i>Cichorium intybus</i> L. Čekanka průmyslová	44
15. <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai Meloun vodní.	44
16. <i>Cucumis melo</i> L. Meloun cukrový.	45
17. <i>Cucumis sativus</i> L. Okurka	49
17.1 <i>Cucumis sativus</i> L. Okurka salátová.	49
17.2 <i>Cucumis sativus</i> L. Okurka nakládačka	50
18. <i>Cucurbita Maxima</i> Duchesne Tykev velkoplodá	51
19. <i>Cucurbita pepo</i> L. Tykev obecná	51
21. <i>Daucus carota</i> L. Mrkev	53
21.1 <i>Daucus carota</i> L. Mrkev	53
21.2 <i>Daucus carota</i> L. Mrkev krmná	55
22. <i>Foeniculum vulgare</i> Mill. Fenykl	55
23. <i>Lactuca sativa</i> L. Salát	56
24. <i>Solanum lycopersicum</i> L. Rajče	59
25. <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill Petržel.	66
27. <i>Phaseolus vulgaris</i> L. Fazol obecný	66
27.1 <i>Phaseolus vulgaris</i> L. Fazol obecný keříčkový	66
27.2 <i>Phaseolus vulgaris</i> L. Fazol obecný pnoucí	68
28. <i>Pisum sativum</i> L. (partim) Hrách.	68
28.1 <i>Pisum sativum</i> L. (partim) Hrách dřevňový.	68
28.2 <i>Pisum sativum</i> L. (partim) Hrách kulatosemenný	70
28.3 <i>Pisum sativum</i> L. (partim) Hrách cukrový.	70
29. <i>Raphanus sativus</i> L.	70
29.1 <i>Raphanus sativus</i> L. Ředkvička.	70
29.2 <i>Raphanus sativus</i> L. Ředkev.	71
32. <i>Solanum melongena</i> L. Lilek vejcoplodý.	71
33. <i>Spinacia oleracea</i> L. Špenát	72
35. <i>Vicia faba</i> L. (partim) Bob zahradní	72
36. <i>Zea mays</i> L. (partim)	72
36.1 <i>Zea mays</i> L. Kukuřice cukrová	72
36.2 <i>Zea mays</i> L. Kukuřice pukancová	73
37. Jednotlivé druhy a mezidruhovité hybridy používané jako podnože	73
37.1 <i>Cucurbita ficifolia</i> Bouché.	73
37.2 <i>Cucurbita maxima</i> Duch. x <i>C. moschata</i> Duch.	73

	Strana
37.3 <i>Lagenaria siceraria</i> (Mol.) Standl.	73
37.4 <i>Solanum lycopersicum</i> L. x <i>S. habrochaites</i>	73
37.5 <i>Solanum lycopersicum</i> L. x <i>S. pimpinellifolium</i>	74
37.6 <i>Sicyos angulatus</i>	74
37.7 <i>Cucurbita moschata</i>	74
37.8 <i>Solanum torvum</i> Sw.	74
37.9 <i>Solanum hybride</i>	74
37.10 <i>Solanum lycopersicum</i> L. x <i>S. peruvianum</i>	74
37.11 <i>Solanum lycopersicum</i> L.	74
37.12 <i>Solanum aethiopicum</i> L.	74
37.13 <i>Capsicum annuum</i> L.	74
37.14 <i>Citrullus lanatus</i> (Thunb) Matsum. et Nakai	74

LEGENDA

1. Tento třetí dodatek k 33. úplnému vydání Společného katalogu odrůd druhů zeleniny ⁽¹⁾ odráží změny, které bylo nutno zpracovat s ohledem na informace, jež Komise obdržela od členských států.
 2. Tento dodatek dodržuje členění přijaté ve 33. úplném vydání. Proto lze odkazovat k vysvětlivkám z tohoto vydání.
 3. Tento dodatek zahrnuje období do 28. února 2015.
 4. Změny oproti 33. úplnému vydání jsou vyznačeny ve sloupci 4, a to následujícím způsobem:
 - (add.): znamená, že do společného katalogu byla přidána nová položka,
 - (mod.): znamená, že stávající položka byla změněna. Údaje k takové položce v tomto dodatku pak nahrazují údaje z 33. úplného vydání,
 - (del.): znamená, že tato položka a všechny údaje s ní související jsou vymazány ze společného katalogu.
 5. Tento dodatek se týká oznámených odrůd, na něž se vztahují ustanovení čl. 16 odst. 1 směrnice Rady 2002/55/ES ⁽²⁾.
 6. Pokud kód udržovatele nebyl v 33. úplném vydání uveden, jméno udržovatele a jeho adresu lze získat od příslušné instituce, uvedené v seznamu pro daný členský stát nebo zemi ESVO.
-

⁽¹⁾ Úř. věst. C 446, 12.12.2014, s. 1.

⁽²⁾ Úř. věst. L 193, 20.7.2002, s. 33.

1. *Allium cepa* L. -

1	2	3	4
1	<i>Allium cepa</i> L. - Aggregatum group - Shallot		
2	<i>Allium cepa</i> L. - Cepa group - Onion, Echalion		
Albero			(del.)
Aldobo	a NL 79		(mod.)
Arenal	b NL 105		H (mod.)
Asenovgradska 5			(del.)
Assila	b HU 107550		H (add.)
Caramelo	a NL 60		H (add.)
Dacapo	b NL 105, a PL 352		H (mod.)
Dagmar	a CZ 239		(mod.)
Daytona	a NL 30a		H (mod.)
Dorabella	b HU 165367		H (add.)
Dorica	b HU 107550		H (add.)
España			(del.)
Fallera			(del.)
Gualda			(del.)
Gulnar	b PT 462		H (add.)
Himalaya			(del.)
Ispanska 482			(del.)
Liaskovski 58			(del.)
Mundial			f: 30.6.2017
Radar	b NL 8		(mod.)
Ranger	b PT 122		H (add.)
Remény			f: 30.6.2017
Riviera			f: 30.6.2017
Sabroso	b NL 60		H (mod.)
Soprillo	b PT 122		H (add.)
Spirit	a NL 8		H (mod.)
SV4058NU	a NL 77		H (add.) ⁽¹⁾
Sweet Caroline	a NL 60		H (add.)
Vannec	b PT 1301		H (add.)
Zen	b HU 107550		H (add.)

2. *Allium fistulosum* L. - Japanese bunching onion / Welsh onion

1	2	3	4
Emerald Isle			(del.)
SV4522NB	a NL 78		(add.) ⁽¹⁾

3. Allium porrum L. - Leek

1	2	3	4
Autumn Giant 2			= Herfstreuzen 2
Autumn Mammoth 2			(mod.)= Herfstreuzen 2
Blaugrüner Herbst			(mod.)= Blauwgroene Herbst
Blaugrüner Winter			(mod.)= Blauwgroene Winter
Blauwgroene Herbst	b NL x, a PL 761		(mod.)
- Blaugrüner Herbst	a DE x		
Blauwgroene Winter	b NL x, a PL x		(mod.) Bleu d'hiver NL Bluegreen Winter NL Libertas NL
- Blaugrüner Winter	a DE x		
Bleu d'hiver			= Blauwgroene Winter
Bluegreen Winter			= Blauwgroene Winter
Chinook	a NL 26		H (add.)
Franse Zomer 3	b NL x		(mod.) Frühe Sommer 3 NL Gros du Midi 3 NL Gros long d'été 3 NL
Gigante de otoño 2			(mod.)= Herfstreuzen 2
Gigante de Outono 2			(mod.)= Herfstreuzen 2
Golem	a CZ 140		(mod.) ant. Rila
Herbstriesen 2			(mod.)= Herfstreuzen 2
Herfstreuzen 2	b NL x		(mod.) Autumn Giant 2 UK
- Autumn Mammoth 2	b UK 189		
- Gigante de otoño 2	b ES 3051		
- Gigante de Outono 2	b PT 652		
- Herbstriesen 2	a DE x		
Jolant	b NL 8		(mod.)
Libertas			= Blauwgroene Winter
Navajo	a NL 26		H (add.)
SV3192ZE	b NL 77		H (add.)(¹)
SV3274 ZL	b NL 77		H (add.)(¹)

4. Allium sativum L. - Garlic

1	2	3	4
Blanin II	a CZ 562		(add.) V
Bugar	b HU 151355		(add.)
Havel	a CZ 562		(add.) V
Karel IV	a CZ 1145		(add.) V
Liubasha	b EE 105		(add.) V
Novozámocký			f: 30.6.2017
Stepan	a CZ 1145		(add.) V
Tibadur			f: 30.6.2017

7. *Apium graveolens* L. - Celery

1	2	3	4
1 Mhagno	Apium graveolens L. - Celery a IT 1205		H (add.)
2 Albin Ilona Primus	Apium graveolens L. - Celeriac a CZ 140 b NL 8 b HU 171328		(mod.) H (mod.) H (add.)

8. *Asparagus officinalis* L. - Asparagus

1	2	3	4
Atticus	b NL 8		H (add.)
Cygnus	b NL 8		H (add.)
Prius	b NL 8		H (add.)
Sunlim	a NL 6		H (add.)

9. *Beta vulgaris* L. -

1	2	3	4
1 Kamuoliai	Beta vulgaris L. - Beetroot, including Cheltenham beet		f: 30.6.2017
2	Beta vulgaris L. - Spinach beet or Chard		

9. *Beta vulgaris* L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Beta vulgaris L. - Beetroot, including Cheltenham beet		
2 Limago Roscho Salimo	Beta vulgaris L. - Spinach beet or Chard b DE 4676 b DE 4676 b DE 4676		(add.) (add.) (add.)

10. Brassica oleracea L. -

1	2	3	4
1	Brassica oleracea L. - Curly kale		
Kapitan	a CZ 140		H (mod.)
2	Brassica oleracea L. - Cauliflower		
Amistad	a FR S14212		H (mod.)
Ardent	a FR S14212		H (mod.)
Arfak	a NL 78		H (mod.)
Aviron	a FR S14212		H (mod.)
Aviso	a FR S14212, b HR 471		H (mod.)
Balboa	b NL 8		H (mod.)
Baltimore	a FR S14212		H (mod.)
Basileo	a FR S14212		H (mod.)
Beluga			f: 30.6.2016
Brick	a FR S14212		H (mod.)
Brigantine	a FR S14212		H (mod.)
Campos	a NL 8		H (add.)
Capvert	a FR S14212		H (mod.)
Celio	a FR S14212		H (mod.)
Chamonix	a NL 105		H (add.)
Chassiron	a FR S14212		H (mod.)
Clipper	a FR S14212		H (mod.)
Colosseo	a FR S14212		H (mod.)
Delfino	a FR S14212		H (mod.)
Density	a NL 26		H (add.)
Diwan	a FR S14212		H (mod.)
Djeme	a FR S14212		H (mod.)
Emeraude	a FR S14212		H (mod.)
Equinoxe	a FR S14212		H (mod.)
Escale	a FR S14212		H (mod.)
Fairway	a NL 26		H (add.)
Fangio	a FR S14212		H (mod.)
Fargo	b BG 64, a NL 8		H (mod.)
Farras	b NL 78		H (mod.)
Fastnet	a FR S14212		H (mod.)
Fiero	b HU 171328		H (add.)
Fiocco	b HU 165367		H (add.)
Flaminio	a FR S14212		H (mod.)

10. Brassica oleracea L. -

1	2	3	4
Fleet	a FR S14212		H (mod.)
Fremont	b NL 78		H (mod.)
Fulmine	b HU 171328		H (add.)
Galicia			f: 30.6.2016
Galileo	a FR S14212		H (mod.)
Galiote	a FR S14212		H (mod.)
Géant d'automne primus	b FR S14212		(mod.) Primus F
Gipsy			(del.)= Gipsy Moth
Gipsy Moth			f: 30.6.2016
Gitano	a FR S14212		H (mod.)
Gohan	a NL 79		H (add.)
Goodman	b BG 64, a NL 8		(mod.)
Intrepid	a FR S14212		H (mod.)
Isatis	a FR S14212		H (mod.)
Jaffa	a FR S14212		H (mod.)
Janvel	a NL 26		H (add.)
Jubarte	a FR S14212		H (mod.)
Kalahary			(del.)
Kernok			f: 30.6.2016
Lazio	a FR S14212		H (mod.)
Liberty	a FR S14212		H (mod.)
Littoral	a FR S14212		H (mod.)
Magnifico	a FR S14212		H (mod.)
Mascaret	a FR S14212		H (mod.)
Maybach	a FR S14212		H (mod.)
Medusa	a FR S14212		H (mod.)
Meridien	a FR S14212		H (mod.)
Mineapolis			f: 30.6.2017
Moby Dick	a FR S14212		H (mod.)
Naruto	a FR S14212		H (mod.)
Nautilus	a FR S14212, b HR 243		H (mod.)
Navalo	a FR S14212		H (mod.)
Navona	a FR S14212		H (mod.)
Nazario	a FR S14212		H (mod.)
Nemo	a FR S14212		H (mod.)
Nessie	a FR S14212		H (mod.)
Novia	a FR S14212		H (mod.)
Oceano	a FR S14212		H (mod.)

10. Brassica oleracea L. -

1	2	3	4
Octopus	a FR S14212		H (mod.)
Optimist	a FR S14212, b HR 332		H (mod.)
Oslo	b NL 105		H (mod.)
Overlord	a FR S14212		H (mod.)
Palio	a FR S14212		H (mod.)
Plana	b NL 78		H (mod.)
Planita	a CZ 1441, b NL 78		H (mod.)
Pomezio	a FR S14212		H (mod.)
Primus			= Géant d'automne primus
Rafale	a FR S14212		H (mod.)
Raft	a FR S14212		H (mod.)
Redoutable	a FR S14212		H (mod.)
Regata	a FR S14212		H (add.)
Sabord	a FR S14212		H (mod.)
Scudo	a FR S14212		H (mod.)
Scylla	a FR S14212		H (mod.)
Siria	b HR 243		H (mod.)
Sloop	a FR S14212		H (mod.)
Subito	a FR S14212		H (mod.)
Sunset	a FR S14212		H (mod.)
SV5818AC	a NL 77		H (add.)(¹)
Sydney	b NL 105		H (mod.)
Tabiro	a DE 4676		(add.)
Thalassa	a FR S14212		H (mod.)
Titouan			f: 30.6.2016
Trevi	a FR S14212		H (add.)
Trinacria	a FR S14212		H (mod.)
Triomphant	a FR S14212		H (mod.)
Vassalo	b HU 171328		H (add.)
Vidoke			f: 30.6.2016
3	Brassica oleracea L. - Sprouting broccoli / Calabrese		
Alameda	a NL 8		H (add.)
Brontolo	b HU 171328		H (add.)
Corato	a NL 26		H (add.)
Covina	a NL 8		H (add.)
Monflor	a NL 79		H (mod.)
Moycan	b HU 171328		H (add.)

10. Brassica oleracea L. -

1	2	3	4
NIZ 18902			f: 30.6.2017
Orantes	a NL 108		H (add.)
Ronny	b HU 171328		H (add.)
SV1002BL	b NL 77		H (add.) ⁽¹⁾
SV1771BL	a NL 78		H (add.) ⁽¹⁾
4	Brassica oleracea L. - Brussels sprouts		
Casiopea	a CZ 140		(mod.)
Mistletoe	b NL 136		H (add.)
Thor	a NL 8		H (add.)
5	Brassica oleracea L. - Savoy cabbage		
Alaska	b NL 79		H (mod.)
Atlanum	a NL 79		H (add.)
Excelvoy	b NL 105		H (mod.)
Mantide	b HU 171328		H (add.)
Oregon	a NL 8		H (add.)
Sabrosa	b NL 8		H (mod.)
Sencha	b PT 122		H (add.)
Wirosa	a NL 8		H (mod.)
6	Brassica oleracea L. - White cabbage		
Aigul	b HU 193120		H (add.)
Anadol	b HU 193120		H (add.)
Aquarel	b HU 193120		H (add.)
Atria	b NL 78		H (mod.)
Candisa	a HU 101592, b NL 75		H (mod.)
Cecile	a NL 8		H (mod.)
Delphi	b NL 78		H (mod.)
Domarna	a DE 4676		(add.)
Flexima	b NL 108		H (add.)
Galaktion	a CZ 1275		H (add.)
Galaxy	b NL 78		H (mod.)
Guard	a FR S14212		H (mod.)
Histona	a NL 8		H (mod.)
Jaguar	b NL 8		H (mod.)
Kyosse 17			(del.)
Lagrima	b NL 108		H (add.)
Lark	a CZ 1275		H (add.)

10. Brassica oleracea L. -

1	2	3	4
Mikuni	b HU 193098		H (add.)
Nixon	a NL 8		H (add.)
Potomak	a FR S14212, b HR 471		H (mod.)
Pronca	b NL 134a		H (add.)
Rinaldo	b HU 171328		H (add.)
Sarmash	b NL 105		H (add.)
Scirocco	b PT 122		H (add.)
Sir	a FR S14212		H (mod.)
Wind	b NL 78		H (mod.)
Yanisol	b HU 193120		H (add.)
YR Atlas			f: 30.6.2017
Zerlina	b NL 8		H (mod.)
Zoltan	b NL 105		H (add.)
7	Brassica oleracea L. - Red cabbage		
Autoro	b NL 8		H (mod.)
Omero	a NL 8		H (add.)
Pazardjishko podobreno			(del.)
Pedro	a NL 8		H (add.)
Peleg			f: 30.6.2016
Roxy	b ES 3051, b NL 78		H (mod.)
8	Brassica oleracea L. - Kohlrabi		
Korist	b NL 8		H (mod.) Spurt Forcer F1 AT
Spurt Forcer F1			= Korist

10. Brassica oleracea L. - - Conservation varieties

1	2	3	4
1	Brassica oleracea L. - Curly kale		
2	Brassica oleracea L. - Cauliflower		
3	Brassica oleracea L. - Sprouting broccoli / Calabrese		
4	Brassica oleracea L. - Brussels sprouts		

10. Brassica oleracea L. - - Conservation varieties

1	2	3	4
5	Brassica oleracea L. - Savoy cabbage		
6 Hadhazi lapos	Brassica oleracea L. - White cabbage b HU 105424		(add.) Region of origin:Hajdusag, Debrecen, Nyirseg
7	Brassica oleracea L. - Red cabbage		
8	Brassica oleracea L. - Kohlrabi		

10. Brassica oleracea L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Brassica oleracea L. - Curly kale		
2 Extra hâtif d'Angers	Brassica oleracea L. - Cauliflower b FR S14212		(add.)
3	Brassica oleracea L. - Sprouting broccoli / Calabrese		
4	Brassica oleracea L. - Brussels sprouts		
5	Brassica oleracea L. - Savoy cabbage		
6	Brassica oleracea L. - White cabbage		
7 Szentesi voros	Brassica oleracea L. - Red cabbage b HU 150480		(add.)
8	Brassica oleracea L. - Kohlrabi		

11. Brassica rapa L. -

1	2	3	4
1	Brassica rapa L. - Chinese cabbage		

11. Brassica rapa L. -

1	2	3	4
2 Gadol	Brassica rapa L. - Turnip b PT 376		H (add.)

11. Brassica rapa L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Brassica rapa L. - Chinese cabbage		
2 Teltower Kleine	Brassica rapa L. - Turnip b DE 7480		(add.)

12. Capsicum annuum L. - Chili, Pepper

1	2	3	4
Aaron	b HU 152066		H (add.)
Adagio	b NL 60		H (mod.)
Agatha	b HU 152066		H (add.)
Aitana	a FR S14212		H (mod.)
Albah			f: 30.6.2017
Albatrosz			f: 30.6.2018
Alby	a FR S14212		H (mod.)
Amir			(del.)
Amparo	a FR S14212		H (mod.)
Anamex	b PT 462		H (add.)
Anastar TSW	b PT 462		H (add.)
Anthea	a HU 102588		(mod.) ⁽⁴⁾
Apolló	a HU 151508		H (mod.)
Arlequin	a FR S14212, b HR 243		H (mod.)
Asun	a FR S14212		H (mod.)
Atala			f: 30.6.2018
Aurelio	b NL 60		H (mod.)
Balladyna	a PL 92		(add.)
Barocco	a FR S14212		H (mod.)
Belko	b NL 144		H (mod.)
Beniel	a NL 79		H (add.)
Blondy	b HR 99, b NL 79		H (mod.)
Bulgarski ratund			(del.)

12. *Capsicum annuum* L. - Chili, Pepper

1	2	3	4
Buster			f: 30.6.2016
Byal kalinkov			(del.)
Byala shipka			(del.)
Campor	a FR S14212		H (mod.)
Cayennetta	a NL 280		H (add.)(⁴)
Chetoui	a FR S14212		H (mod.)
Chorbadgiiski			(del.)
Classico	a FR S14212		H (mod.)
Cléor	a FR S14212		H (mod.)
Clovis			f: 30.6.2017
Corinto	a FR S14212		H (mod.)
Cosmos	a FR S14212		H (mod.)
Csárdás	a HU 154608		(mod.)
Csípós banán			f: 30.6.2018
Cumbrero			(del.)
Daria			f: 30.6.2017
Demonio			(del.)
Denver	a FR S14212		H (mod.)
Diavolo	a FR S14212		H (mod.)(⁴)
Dolmy	b NL 79		H (mod.)
Dora	b HU 186359		H (mod.)
Dorota	a CZ 256		H (mod.)
Duque	b NL 78		H (mod.)
Édesalma	a HU 151508		(add.)
Efeso	b HU 107550		H (add.)
Elogio	a FR S14212		H (mod.)
Emiro			f: 30.6.2016
Eolo	a FR S14212		H (mod.)
Epimeteo	a FR S14212		H (mod.)
Estrada	b NL 60		H (mod.)
Eszter	a HU 102324		H (mod.)
E20S10880	a NL 26		H (add.)(¹)
E20S4191	b NL 26		H (add.)(¹)
Farnese	a FR S14212		H (mod.)
Favolor	a FR S14212		H (mod.)
Fenice	a FR S14212		H (mod.)
Fenix			(del.)

12. Capsicum annuum L. - Chili, Pepper

1	2	3	4
Feraro	b HU 152066		H (add.)
Filidor	a FR S14212		H (mod.)
Filon	a FR S14212		H (mod.)
Florian	a FR S14212		H (mod.)
Floridor	a FR S14212		H (mod.)
Fogaras	b HU 145866		H (add.)
Fortissio	a FR S14212		H (mod.)
Fulgor	a FR S14212		H (mod.)
Fyorano	a IT 1433		H (mod.)
Gerico	a FR S14212		H (mod.)
Goldenstar	a NL 60		H (add.)
Gonto	a FR S14212		H (mod.)
Gordo	a FR S14212		H (mod.)
Gorogled 6			(del.)
Gotico	a FR S14212		H (mod.)
Habahot	b PT 462		H (add.)
Hamík	a CZ 239		(mod.)
Hargita	b HU 145866		H (add.)
Helia			f. 30.6.2017
Hudson			f. 30.6.2016
Ibleor	a FR S14212		H (mod.)
Idilor			f. 30.6.2016
Impala	a FR S14212		H (mod.) ⁽⁴⁾
Japo	b IT 125		H (add.)
Kappy	b NL 108		H (mod.)
Karamida			f. 30.6.2018
Katarina			f. 31.12.2015
Kolora			f. 30.6.2017
Kozi roga			(del.)
Kurtovszka kapia	a HU x		(mod.)
Kvadry	a CZ 239		H (mod.)
Lizard	a NL 60		H (add.)
Lubica	a CZ 256		H (mod.)
Lungy	a CZ 239		H (mod.)
Madonna	a HU 107208		H (mod.)
Makko	b NL 26		H (add.)
Malvasia			(del.)
Maracana	a NL 26		H (mod.)

12. *Capsicum annuum* L. - Chili, Pepper

1	2	3	4
Marletta	b NL 26		H (add.)
Milka			f: 30.6.2017
Mistralone	a IT 1303		H (add.)
Mujello	a IT 1433		H (mod.)
Murano	a FR S14212		H (mod.)
Navarro			f: 30.6.2016
Nemaris	b NL 26		H (add.)
Niagara	a FR S14212		H (mod.)
Notto	a FR S14212		H (mod.)
Novozámocká	a SK 734		(add.)(⁴)
Nyirpiros			f: 30.6.2017
Octavio			f: 30.6.2016
Odiseo	a FR S14212		H (mod.)
Ontinar			(del.)
Optimist	a NL 108		H (add.)
Orandino	b NL 26		H (add.)
Ori			f: 30.6.2017
Orion EZ			f: 30.6.2017
Palanacka Babura	b HR 136, b HU 186359		H (mod.)
Pálivec	a CZ 239		(mod.)(⁴)
Palombo	a FR S14212		H (mod.)
Pepored	b HU 165367		H (add.)
Professor	a NL 60		H (add.)
Prometeo	a FR S14212		H (mod.)
Raimu	a FR S14212		H (mod.)
Raul	a FR S14212		H (mod.)
Rebela			f: 30.6.2018
Redonna			f: 30.6.2018
Regazo	a FR S14212		H (mod.)
Relys	a FR S14212		H (mod.)
Ricardo	a NL 60		H (add.)
Rodrigo	a FR S14212		H (mod.)
Rubinvörös	a HU 154608		(mod.)
Salomon	a FR S14212		H (mod.)
San Marco	a FR S14212		H (mod.)
Santana TSW	b PT 462		H (add.)
Séréno			f: 30.6.2016

12. *Capsicum annuum* L. - Chili, Pepper

1	2	3	4
Shelby	b HU 172435		H (add.)
Sienor	a FR S14212		H (add.)
Sivriya 600			(del.)
Sofiane	a FR S14212		H (mod.)(⁴)
Solario	a FR S14212		H (mod.)
Solotka	b HU 152066		H (add.)
Sonora Anaheim			(del.)
Spoletta	b HU 172435		H (add.)
Stellor	a FR S14212		H (mod.)
SV9687PH	a NL 78		H (add.)(¹)
Sweet Ball	b HU 154730		H (add.)
Tabor	a NL 26		H (mod.)
Tenerello	b HU 165367		H (add.)
Titus	a NL 78		H (mod.)(⁴)
Top Arnon	b HU 165972		H (add.)
Top Arrodo	b HU 165972		H (add.)
Top Farran	b HU 165972		H (add.)
Tosca	a FR S14212		H (mod.)
Turbán			f: 30.6.2017
Twingo	a FR S14212		H (mod.)
Unijol	b HU 153007		H (add.)
Uspeh	a FR S14212		H (mod.)
Valdor	a FR S14212		H (mod.)
Vazul	b HU 145866		H (add.)
Velence			f: 30.6.2018
Vereda	b NL 60		H (mod.)
Vergal			(del.)
Viura			(del.)
Vivaldi			f: 30.6.2017
Vladana			f: 30.6.2017
Yuval			(del.)
Zorka	a CZ 196		(mod.)
Zupska rana	b HU 186359		H (mod.)

12. *Capsicum annuum* L. - Chili, Pepper - Varieties developed for growing under particular conditions

1	2	3	4
Evita	b HU 150480		(mod.)
Midas	UK		(add.)

13. *Cichorium endivia* L. - Endive

1	2	3	4
1	<i>Cichorium endivia</i> L. - Curled-leaved endive		
Atria	a FR S14212		(mod.)
Beauty	a FR S14212		(mod.)
Benthos	a NL 8		(add.)
Daisy	a FR S14212		(mod.)
Dinas	a IT 66		(add.)
Dorana	a FR S14212		(mod.)
Emily	a FR S14212		(mod.)
Enri	b NL 26		(add.)
Glory	a FR S14212		(mod.)
Imari	a NL 26		(add.)
Inverfine	a NL 26		(add.)
Kentucky	a FR S14212		(mod.)
Magaly	a FR S14212		(mod.)
Melany	a FR S14212		(mod.)
Milady	a FR S14212		(mod.)
Minerva	a FR S14212		(mod.)
Mistral			f: 30.6.2016
Ophely	a FR S14212		(mod.)
Starly	a FR S14212		(mod.)
Wendy	a FR S14212		(mod.)
2	<i>Cichorium endivia</i> L. - Plain-leaved endive		
Alexia	a FR S14212		(mod.)
Batavia améliorée			= Nummer Vijf 2
Batavia maraîchère			= Nummer Vijf 2
Batavian Broad Leaved			= Nummer Vijf 2
Batavian Green			= Nummer Vijf 2
Bubikopf 2			= Nummer Vijf 2
Clarence	a NL 26		(add.)
Conjure	a NL 26		(mod.)
Cornet de la Loire	a FR S14212		(mod.)
Eliance	b NL 26		(add.)
Elora			f: 30.6.2016
Gilda	a FR S14212		(mod.)
Grosse bouclée 2			= Nummer Vijf 2
Jimena	a FR S14212		(mod.)
Kalinka	a FR S14212		(mod.)

13. *Cichorium endivia* L. - Endive

1	2	3	4
Lempika	a FR S14212		(mod.)
Maruchka	a FR S14212		(mod.)
Modelis	b NL 375		(add.)
Natacha	a FR S14212		(mod.)
No 5 2			= Nummer Vijf 2
Nummer Vijf 2	b NL x		(mod.) Batavia améliorée F Batavia maraîchère F Batavian Broad Leaved UK No 5 2 UK Zomerkrop 2 NL
- Batavian Green	b UK 116		
- Bubikopf 2	a DE 2549		
- Grosse bouclée 2	a FR S14212		
Olmos	a NL 8		(add.)
Prada	a FR S14212		(mod.)
Sacha	a FR S14212		(mod.)
Velure	a NL 26		(mod.)
Vodka	a FR S14212		(mod.)
Zomerkrop 2			= Nummer Vijf 2

14. *Cichorium intybus* L. - Chicory

1	2	3	4
1	<i>Cichorium intybus</i> L. - Witloof chicory		
Flash			f: 30.6.2016
Magnum			f: 30.6.2015
Zilia			f: 30.6.2015
2	<i>Cichorium intybus</i> L. - Large-leaved chicory / Italian chicory		
3	<i>Cichorium intybus</i> L. - Industrial chicory		
Koto	b BE 255		(add.)

15. *Citrullus lanatus* (Thunb.) Matsum. et Nakai - Watermelon

1	2	3	4
Atthos	a NL 60		H (add.)
Aypa	a IT 1433		H (mod.)
Bedouin	a NL 8		H (add.)
Blackita	b PT 462		H (add.)
Botticelli	a NL 83		H (add.)
Brasilian Beauty	b PT 462		H (add.)

15. *Citrullus lanatus* (Thunb.) Matsum. et Nakai - Watermelon

1	2	3	4
Candil			(del.)
Catherine			f: 30.6.2016
Catira	a NL 60		H (add.)
Charleston Gray	b FR S14212, b NL x		(mod.)
Cialoma	a IT 1433		H (mod.)
Conguita	a NL 108		H (add.)
Daxi	a IT 1433		H (mod.)
Dollarita	b PT 462		H (add.)
Fabiola	a FR S14212		H (mod.)
Fastan			f: 30.6.2017
Fortuna	b HU 166573, b PT 462		H (mod.)
Galery	b NL 78		H (mod.)
Jasmin	a NL 8		H (add.)
Kodak	b NL 105		H (mod.)
Madison	a FR S14212		H (mod.)
Magenta	b HU 171328		H (add.)
Miracle	a NL 105		H (add.)
Morena	a NL 79		H (add.)
Nelson	a FR S14212		H (mod.)
Origin	a NL 8		H (add.)
Pauline	a FR S14212		H (mod.)
Piccolina	b HU 193285		H (add.)
Prince	a NL 79		H (add.)
Reddly	a NL 60		H (add.)
Saint Tropez	b PT 462		H (add.)
Sandita	a IT 1433		H (mod.)
Sapporita	b PT 462		H (add.)
Splendid	b NL 105		H (mod.)
Stefy	b HU 165367		H (add.)
SV0051WA	a NL 77		H (add.) ⁽¹⁾
Tapas	a IT 1433		(mod.)
Varda	b BG 72, b NL 105		H (mod.)
Vertigo			f: 30.6.2016
Violin	a NL 8		H (add.)
Zerline			f: 30.6.2016

16. *Cucumis melo* L. - Melon

1	2	3	4
Acropol	a NL 108		H (add.)
Adir	a NL 79		H (add.)
Ahlam	a NL 26		H (add.)

16. Cucumis melo L. - Melon

1	2	3	4
Alonso	a FR S14212		H (mod.)
Amal	a FR S14212		H (mod.)
Amigo	a FR S14212		H (mod.)
Anasta	a FR S14212		H (mod.)
Aris	a IT 1433		H (mod.)
Astral			(del.)
Atello			f: 30.6.2016
Atoli			f: 30.6.2016
Aurelio	a FR S14212		H (mod.)
Bacir	a FR S14212		H (mod.)
Balbey			f: 30.6.2016
Bambulè	a IT 1433		H (mod.)
Batista	a FR S14212		H (mod.)
Brisa	a FR S14212		H (mod.)
Calico	a FR S14212		H (mod.)
Calipso	b HR 243		H (mod.)
Canarion			f: 30.6.2016
Cantalupo di Charentais			= Charentais
Capitol	a FR S14212		H (mod.)
Cardillo	a FR S14212		H (mod.)
Carriere	a NL 60		H (add.)
César	a FR S14212		H (mod.)
Cézanne	a FR S14212		H (mod.)
Charentais	b ES 2123, b FR S14212, b NL 108, b UK 154		(mod.) Francesino I
- Cantalupo di Charentais	b IT x		
Cisco	a FR S14212		H (mod.)
Citirex	a FR S14212		H (mod.)
Darius	a FR S14212		H (mod.)
Denny			f: 30.6.2016
Deserten 5			(del.)
Diego	a FR S14212		H (mod.)

16. Cucumis melo L. - Melon

1	2	3	4
Dinero	b NL 79		H (mod.)
Dionysio	a FR S14212		H (mod.)
Don Juan	b NL 79		H (mod.)
DRT 0107			f: 30.6.2016
Edgar	a FR S14212		H (mod.)
Escobar	a FR S14212		H (mod.)
Escrito			f: 30.6.2016
Espartan	a FR S14212		H (mod.)
Esteban	a FR S14212		H (mod.)
Evan	a NL 61		H (add.)
Expo	a FR S14212		H (mod.)
Fantin	a FR S14212		H (mod.)
Felino	a FR S14212		H (mod.)
Francesino			= Charentais
Furat			f: 30.6.2016
Galante			(del.)
Gaspar	a FR S14212		H (mod.)
Gatsby	a NL 60		H (add.)
Gaudio	a FR S14212		H (mod.)
Generis	a FR S14212		H (mod.)
Gualdo	b NL 78		H (mod.)
Helfi			f: 30.6.2016
Hélios	a FR S14212		H (mod.)
Hugo	a FR S14212		H (mod.)
Ideal	b NL 79		H (mod.)
Intenso	a FR S14212		H (mod.)
Janna	a NL 60		H (add.)
Jerac	a FR S14212		H (mod.)
Karman	a FR S14212		H (mod.)
Kioto			f: 30.6.2016
Kiton			f: 30.6.2017
Lambada	a FR S14212		H (mod.)
Lillo	a FR S14212, b HR 471		H (mod.)
Macigno	a FR S14212		H (mod.)
Magiar	a NL 62		H (add.)
Magnus	a FR S14212		H (mod.)
Majorel			f: 30.6.2016
Masada	a FR S14212		H (mod.)

16. Cucumis melo L. - Melon

1	2	3	4
Mastil	a FR S14212		H (mod.)
Medena rosa			(del.)
Montijo	b NL 61		H (mod.)
Monzon	a FR S14212		H (mod.)
Mural	a NL 79		H (add.)
Negev			f: 30.6.2017
Neo	a FR S14212		H (mod.)
Neros	a FR S14212		H (mod.)
Nettuno			f: 30.6.2016
Nexio	a FR S14212		H (mod.)
Nogaro	a FR S14212		H (mod.)
Norte	a FR S14212		H (mod.)
Olmedo	b NL 73		H (mod.)
Orangeone			f: 30.6.2016
Orogal	a NL 61		H (add.)
Palatino	a FR S14212		H (mod.)
Pamir	a FR S14212		H (mod.)
Patchi			f: 30.6.2016
Pietro	a IT 1433		H (mod.)
Plinto	a NL 61		H (add.)
Polis	a FR S14212		H (mod.)
Portomira	a NL 108		H (add.)
Pregiato	a FR S14212		H (mod.)
Raffal			f: 30.6.2016
Roca			(del.)
Rubens	a FR S14212		H (mod.)
Salzillo	a NL 60		H (add.)
Sam	a FR S14212		H (mod.)
Santon	a FR S14212		(mod.)
Saphir	a FR S14212		H (mod.)
Silvio	a FR S14212		H (mod.)
Soberano	a FR S14212		H (mod.)
Sogno	a FR S14212		H (mod.)
Solano	a ES 6202		H (mod.)
Stellio	a FR S14212		H (mod.)
Strato	a FR S14212		H (mod.)
Suazo	a IT 1433		H (mod.)
Sultan	a FR S14212		H (mod.)

16. Cucumis melo L. - Melon

1	2	3	4
SV6203MP	a NL 77		H (add.) ⁽¹⁾
SV9424ML	a NL 77		H (add.) ⁽¹⁾
Talento	a FR S14212		H (mod.)
Timon	a FR S14212		H (mod.)
Tirhum	a NL 61		H (add.)
Tyrsen	a NL 61		H (add.)
Uranos	a FR S14212		H (mod.)
Valderrama	a FR S14212		H (mod.)
Valdez			f: 30.6.2016
Valiente	a FR S14212		H (mod.)
Valverde	a FR S14212		H (mod.)
Verdone	b PT 462		H (add.)
Vidinski koravci			(del.)
Vigo	a FR S14212		H (mod.)
Yalo	a FR S14212		H (mod.)
Yucatan			f: 30.6.2016
Zehir			f: 30.6.2016
Zico	a FR S14212		H (mod.)

17. Cucumis sativus L. - Cucumber/Gherkin

1	2	3	4
1	Cucumis sativus L. - Cucumber		
Bahia	a FR S14212		H (mod.)
Beker	a FR S14212		H (mod.)
Carisma	b NL 60		H (mod.)
Castro	b NL 60		H (mod.)
Ceres	b NL 73		H (mod.)
Cíclope			(del.)
Cohiba	b NL 105		H (mod.)
Columbia	a FR S14212		H (mod.)
Darina	a FR 9670		H (mod.)
DR8986CB	a NL 77		H (add.) ⁽¹⁾
Fivos			f: 30.6.2016

17. Cucumis sativus L. - Cucumber/Gherkin

1	2	3	4
Floriade	b NL 144		H (mod.)
Goya	b NL 105		H (mod.)
Iwa	a CZ 682		(mod.)
Jogger	a CZ 140		H (mod.)
Katy			(del.)
Laredo	b NL 60		H (mod.)
Lassie	a FR S14212		H (mod.)
Lili	a CZ 239		H (mod.)
Matra	a FR S14212		H (mod.)
Mitre	b ES 10		H (add.)
Nature			(del.)
Obelix	a CZ 140		H (mod.)
Obregon	b NL 60		H (mod.)
Paramos	a FR 8768		H (mod.)
Rawa	b NL 78		H (mod.)
Rober	a ES 2027, a FR S14212		H (mod.)
Roccker	a FR S14212		H (mod.)
Sanson			(del.)
SV2528CP	a NL 77		H (add.) ⁽¹⁾
SV8975CB	a NL 77		H (add.) ⁽¹⁾
Terranova	b NL 73		H (mod.)
Top Aris	b HU 165972		H (add.)
Zingaro	a IT 1433		H (mod.)
2	Cucumis sativus L. - Gherkin		
Alpaka	a NL 8		H (add.)
Ansor	a NL 8		H (add.)
Artai			f: 30.6.2017
Brawo	a PL 983		H (add.)
Ceto	b FR S14212		H (mod.)
Faster	a FR S14212		H (mod.)
Gershwin	b NL 108		H (add.)
Karavan	b HU 151508		H (add.)
Menuett			f: 30.6.2017
Orfeus	a CZ 140		H (mod.)
Othello	a CZ x, b NL 79		H (mod.)
Partner	a CZ 140		H (mod.)
Potenziale	b HU 171328		H (add.)

17. *Cucumis sativus* L. - Cucumber/Gherkin

1	2	3	4
Sound	b NL 108		H (add.)
SV1668CT	a NL 77		H (add.)(¹)
SV3817CV	a NL 77		H (add.)(¹)
SV5247CT	a NL 77		H (add.)(¹)
Troliai			f: 30.6.2017
Tumi	a NL 26		H (add.)

17. *Cucumis sativus* L. - Cucumber/Gherkin - Varieties developed for growing under particular conditions

1	2	3	4
1	<i>Cucumis sativus</i> L. - Cucumber		
Lemon	b FR S14212		(add.)
2	<i>Cucumis sativus</i> L. - Gherkin		

18. *Cucurbita Maxima* Duchesne - Gourd

1	2	3	4
Giraumon Turban			f: 30.6.2016
UG 178	b PT 462		H (add.)(¹)

19. *Cucurbita pepo* L. - Marrow or Courgette

1	2	3	4
Adriana	a FR S14212		H (mod.)
Alice	a FR S14212		H (mod.)
Allegria	a FR S14212		H (mod.)
Amanda	a FR S14212		H (mod.)
Antoniette	b PT 476		H (add.)
Apollonia	a NL 26		H (add.)
Astia	a FR S14212		H (mod.)
Baccara	a FR S14212		H (mod.)
Beara			f: 30.6.2016
Calnegre	b ES 10		H (add.)
Capea	a FR S14212		H (mod.)
Cardea	b PT 122		H (add.)
Cora	a FR S14212, b HR 243		H (mod.)
Coucourselle			= Verte non coureuse d'Italie
Croblan	a FR S14212		(mod.)
Easy Pick Gold	a NL 29		H (add.)

19. Cucurbita pepo L. - Marrow or Courgette

1	2	3	4
Epoca			f: 30.6.2016
Espada	a FR S14212		H (mod.)
Eva	a FR S14212		H (mod.)
Falali	a FR S14212		H (mod.)
Fiorella	b PT 462		H (add.)
Giano	a IT 469		H (mod.)
Gomez	a FR S14212		H (mod.)
Gradisca	a IT 1433		H (mod.)
Gregory	a IT 1433		H (mod.)
Greizini			= Greyzini
Grey zucchini			= Verte petite d'Alger
Greyzini	b FR S14212, b IT 469		H (mod.) Grise Tezierprime F Grisette de Provence F N. 84 F Première F Profusion F
- Greizini	b ES 5102		
Grise d'Alger			= Verte petite d'Alger
Grise Tezierprime			= Greyzini
Grisette de Provence			= Greyzini
Jamila	a FR S14212		H (mod.)
Jedida	a FR S14212		H (mod.)
Joanna	a FR S14212		H (mod.)
Kompass	a FR S14212		H (mod.)
Kussot	a IT 1433		H (mod.)
Lanka	a FR S14212		H (mod.)
Lola	a FR S14212		H (mod.)
Lorea	b BG 66, a FR S14212		H (mod.)
Malika	a FR S14212		H (mod.)
Mirza	a FR S14212		H (mod.)
Monica	a FR S14212		H (mod.)
Mostra	a FR S14212		H (mod.)
N. 84			= Greyzini
Ninfa	a FR S14212		H (mod.)
Optima	a FR S14212		H (mod.)
Orelia	a FR S14212		H (mod.)
Pamela	a FR S14212		H (mod.)
Petronio	a IT 1433		H (mod.)
Precioza	a FR S14212		H (mod.)
Première			= Greyzini
Primula	a FR S14212		H (mod.)

19. Cucurbita pepo L. - Marrow or Courgette

1	2	3	4
Profusion			= Greyzini
Renata	a FR S14212		H (mod.)
Robert			f: 30.6.2015
Sandra	a FR S14212		H (mod.)
Sensor			(del.)
Sibilla	a FR S14212		H (mod.)
Sinatra	a FR S14212		H (mod.)
Sintia			f: 30.6.2016
Sofia	a FR S14212, b HR 243		H (mod.)
Sunlight	a FR S14212		H (mod.)
SV9480YG	a NL 78		H (add.) ⁽¹⁾
Tarmino	a FR S14212		H (mod.)
Temprano de Argelia			= Verte petite d'Alger
Tosca	a FR S14212		H (mod.)
Verte prequeño de Argel			= Verte petite d'Alger
Verte des Zenattas			= Verte non coureuse des maraîchers
Verte noire maraîchere			= Verte non coureuse des maraîchers
Verte non coureuse des maraîchers	b FR S14212		(mod.) Verte des Zenattas F Verte noire maraîchere F
Verte non coureuse d'Italie	b FR S14212		(mod.) Coucourzelle F
Verte petite d'Alger	b FR S14212		(mod.) Grey zucchini F Grise d'Alger F Temprano de Argelia E
- Verte prequeño de Argel	b ES 9		
Victoria	a FR S14212		H (mod.)
Yolanda	a FR S14212		H (mod.)
Zara	a FR S14212		H (mod.)
Zelia	a NL 26		H (add.)

19. Cucurbita pepo L. - Marrow or Courgette - Varieties developed for growing under particular conditions

1	2	3	4
Jack Be Little	b FR S14212, b NL 65		(mod.)
Pâtisson orange	b FR S14212		(add.)
Sweet Dumpling	b FR S14212		(mod.)

21. Daucus carota L. - Carrot

1	2	3	4
1	Daucus carota L. - Carrot		
Agatha	a NL 14		H (add.)

21. *Daucus carota* L. - Carrot

1	2	3	4
Autumn King 2			(mod.)= De Colmar à coeur rouge 2
Baladis	a PL 994		H (add.)
Bangor	b NL 8		H (mod.)
Berlicum 2			(mod.)= Berlikumer 2
Berlikumer 2	a CZ 1248, b NL x, a PL x		(mod.) Lunga rossa ottusa 2 I Venus 2 I
- Berlicum 2	b IT x, a HU x		
- Lange rote stumpfe ohne Herz 2	a DE x		
Bersky	b NL 8		H (mod.)
Champion	b NL 79		H (mod.)
Cherifa	a NL 14		H (add.)
Crispycut	a NL 60		H (add.)
De Colmar à coeur rouge 2	b FR x		(mod.) Norfolk Giant 2 UK Rote Riesen 2 NL
- Autumn King 2	b UK x		
- Flakkée 2	a CZ 682, b ES 5027		
- Flakkese 2	b NL x, a PL x		
Diane			f: 30.6.2017
Flakkée 2			(mod.)= De Colmar à coeur rouge 2
Flakkese 2			(mod.)= De Colmar à coeur rouge 2
Gona			f: 30.6.2017
Helena			f: 30.6.2016
Hermes			f: 30.6.2016
Istanbul	a NL 8		H (add.)
Kamaran	b NL 8		H (mod.)
Katop	b NL 38		H (mod.)
Korina	a CZ 140		(mod.)
Lange rote stumpfe ohne Herz 2			(mod.)= Berlikumer 2
Lenka	a CZ 239, a PL 218		(mod.)
Lunga rossa ottusa 2			= Berlikumer 2
Maxima	b NL 38		H (mod.)
Naelly	a NL 14		H (add.)
Nandrin	b NL 8		H (mod.)
Napoli	b BG 64, b NL 8		H (mod.)

21. *Daucus carota* L. - Carrot

1	2	3	4
Narbonne	a NL 8		H (mod.)
Negovia	b NL 8		H (mod.)
Nelson	b NL 8		H (mod.)
Nemesis			f: 30.6.2016
News	b NL 8		H (mod.)
Night Bird	a NL 60		H (add.)
Norfolk Giant 2			= De Colmar à coeur rouge 2
Norway	a NL 8		H (add.)
Olympus	a CZ 140		(mod.)
Perla			f: 30.6.2017
Rokita	a LT 11		H (add.)
Rote Riesen 2			= De Colmar à coeur rouge 2
Šatrija BS			f: 30.6.2017
Saturno	a FR S14212		H (mod.)
Senna			f: 30.6.2017
Skalsa BS			f: 30.6.2017
SV1140DN	a NL 77		H (add.) ⁽¹⁾
Sylva	a CZ 140		(mod.)
Valor			f: 30.6.2016
Vanda	a CZ 239		(mod.)
Venus 2			= Berlikumer 2
Vesta			f: 30.6.2016
2	<i>Daucus carota</i> L. - Fodder carrot		

22. *Foeniculum vulgare* Mill. - Fennel

1	2	3	4
Caronte	b HU 171328		(add.)
Golia	b HU 171328		(add.)
Pegaso	a NL 8		(add.)

22. *Foeniculum vulgare* Mill. - Fennel

1	2	3	4
Váza			f: 30.6.2017
Virgo	a NL 8		(add.)

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Akaba			f: 30.6.2017
Alambra	b NL 78		(mod.)
Almesto			(del.)
Almonte			(del.)
Annabita	a NL 79		(add.)
Antedis	b NL 2a		(add.)
Appia	a FR S14212		(mod.)
Armonica			f: 30.6.2016
Ashantie			f: 30.6.2016
Augusta	a FR S14212		(mod.)
Azzurra	b NL 375		(add.)
Balmoral	a FR S14212		(mod.)
Barbarella	a IT 1433		(mod.)
Beliva			(del.)
Bondena	a NL 79		(add.)
Cadix	a NL 26		(add.)
Camila	a NL 26		(add.)
Cantola	a NL 26		(add.)
Caption	a NL 26		(add.)
Carioca	a FR S14212		(mod.)
Cartagonova	b NL 78		(mod.)
Catone	a IT 1433		(mod.)
Chirivel	b NL 60		(mod.)
Cindarella	a IT 1433		(mod.)
Clarist	a NL 26		(add.)
Crimson	a CZ 140		(mod.)
Dabi	b NL 26		(add.)
Dalmation			f: 30.6.2017
Delsay	b NL 78		(mod.)
Diabless	a FR 8067		(mod.)
Donela	b NL 26		(add.)
Eden	a IT 1339		(add.)
Eleonor			f: 30.6.2016

23. Lactuca sativa L. - Lettuce

1	2	3	4
Elixir	a NL 26		(mod.)
Enola	a NL 26		(add.)
Espirando	b NL 26a		(add.)
Ezatrix	a NL 26		(add.)
Ezberra	a NL 26		(add.)
Ezfilan	a NL 26		(mod.)
Fastra	a NL 26		(add.)
Fausto			f: 30.6.2016
Fernandola	a NL 26		(add.)
Fiamma			(del.)
Finstar	a NL 60		(add.)
Foliata			f: 30.6.2016
Funjazz			f: 30.6.2016
Galiano	a FR S14212		(mod.)
Galidie			f: 30.6.2016
Glendana	a NL 26		(add.)
Globist	a NL 26		(mod.)
Hampole	a NL 26		(mod.)
Heliante			f: 30.6.2016
Ilema	a NL 26		(add.)
Joanice			f: 30.6.2016
Karrera	a NL 26		(add.)
Kiari	a NL 60		(add.)
Kristine	a FR 8332		(mod.)
Lambole	a NL 79		(add.)
Laruna	b NL 26		(add.)
Laviva			f: 30.6.2016
Ludmila	a NL 26		(add.)
Lunos	a NL 79		(add.)
Malis	b NL 2a		(add.)
Markies	b NL 108		(mod.)
Mars	a CZ 239		(mod.)
Martinola	a NL 26		(add.)
Maseta			f: 30.6.2016
Matrioska	b NL 375		(add.)
Melina	b NL 26		(add.)
Menphis			(del.)
Nadya			f: 30.6.2017

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Oakus	b NL 2a		(add.)
Octavia	a IT 1433		(add.)
Ondatra	a NL 108		(add.)
Oscarde			f: 30.6.2016
Paisà	a IT 1433		(mod.)
Palisades	b NL 26		(add.)
Parioli	a IT 1433		(mod.)
Piro	a DE 4676		(add.)
Poneloya	a NL 26		(mod.)
Pontina			f: 30.6.2016
Pullman	b NL 79		(mod.)
Regina Dellorto	a IT 1205		(add.)
Rio Bravo	a NL 79		(add.)
Romantica	a IT 1433		(mod.)
Rosalo	a NL 26		(mod.)
Rosar			f: 30.6.2018
Rossia	a FR S14212		(mod.)
Sagess	a FR 8067		(mod.)
Sandpiper	a NL 26		(add.)
Saturn			f: 30.6.2017
Sementel	b NL 2a		(add.)
Sotalis	a NL 2a		(add.)
Stetson	a NL 108		(add.)
Stretcha	a NL 26		(add.)
SV3413LC	a NL 77		(add.) ⁽¹⁾
SV4896LC	a NL 77		(add.) ⁽¹⁾
SV7212LG	a NL 78		(add.) ⁽¹⁾
Tamarindo	a NL 26		(add.)
Thimble	a NL 60		(add.)
Thongal	a IT 1433		(mod.)
Ticcos			f: 30.6.2016
Trilussa	a IT 1433		(mod.)
Tropicos			f: 30.6.2016
Turandot			(del.)
Tyrkys	a CZ 239		(mod.)
Vaidosa	b NL 26		(add.)
Vardac	a FR S14212		(mod.)
Vytalist	a NL 26		(add.)

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Zetiva			(del.)
Zulu	a DE 4676		(add.)
Zuniva			(del.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Alambra	a FR S14212		H (mod.)
Alcyone	b HU 172435		H (add.)
Alliance			f: 30.6.2016
Amadeo	a FR S14212		H (mod.)
Anastasia	b NL 78		H (mod.)
Antoinette			(del.)
Aphen	a FR S14212		(mod.)
Ardore	b HU 165367		H (add.)
Ariadni	b ES 10		H (add.)
Arvaisa			f: 30.6.2017
Asap	a IT 1433		H (mod.)
Atlantico	b ES 6313		H (add.)
Audacia	a FR S14212		H (mod.)
Augurio	a FR S14212		H (mod.)
Auspicio	a FR S14212		H (mod.)
Aušriai BS			f: 30.6.2017
Avangelina			f: 30.6.2016
Baghera	a FR S14212		H (mod.)
Baglior	b HU 171328		H (add.)
Bali	a FR S14212		H (mod.)
Baptysta	a FR S12821		H (add.)
Barada	a NL 79		H (add.)
Barrio	a IT 1433		H (mod.)
Batory			f: 30.6.2018
Battaglia	a NL 60		H (add.)
Bedous			f: 30.6.2016
Bellmonte	b HU 165367		(add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Bigara	a FR S12821		H (add.)
Boreal			f: 30.6.2016
Brisa			f: 30.6.2017
Burdalo	a NL 60		H (add.)
Byzance	a FR S14212		H (mod.)
Cadilly	b HU 165367		H (add.)
Calliope			f: 30.6.2016
Campana			(del.)
Capirex	a IT 1433		H (mod.)
Caraibo	a FR S14212		(mod.)
Cardyna	a FR S14212		H (mod.)
Cartesio	a FR S14212		H (mod.)
Cecillio	a FR S14212		H (mod.)
Cetia	a FR S14212		H (mod.)
Chapiri			f: 30.6.2016
Chocolitos	b ES 6229		H (add.)
Classifon	a NL 60		H (add.)
Clotilde	b ES 3028, b NL 79		H (mod.)
Colette			f: 30.6.2016
Colibri	a FR S14212, b HR 243		H (mod.)
Collina	b HU 107550		H (add.)
Conquista	a FR S14212		H (mod.)
Corazon	a FR S14212		H (mod.)
Costa Rixa	b NL 99		H (add.)
Creativo	a FR S14212		H (mod.)
Cristal	a FR S14212		H (mod.)
Cyrila			f: 30.6.2016
Danubio	a FR S14212		H (mod.)
Dartagnan	a FR S14212		H (mod.)
Delizia	a FR S14212		H (mod.)
Desiderio	a FR S14212		H (mod.)
Diana	a CZ 239		H (mod.)
Dolcisio	b HU 107550		H (add.)
Don Paco	a IT 1433		H (mod.)
Dorina	b BG 80		H (mod.)
Dres	a FR S14212		H (mod.)
DR7856TH	a NL 77		H (add.) ⁽¹⁾
Dulzura	a FR S14212		H (mod.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Dyno	a FR S14212		H (mod.)
Edda	a FR S12821		H (add.)
Eldiez	b NL 78		H (mod.)
Eliseo	a FR S14212		H (mod.)
Elko	b HR 243		H (mod.)
Esmeralda			f: 30.6.2016
Euromaker	b NL 144		H (mod.)
Exane	a NL 26		H (add.)
Fandango	a FR S14212		H (mod.)
Fantasio	a FR S14212		H (mod.)
Félicia	a FR S14212		H (mod.)
Fenda	a FR S14212		H (mod.)
Fernova	a FR S14212		H (mod.)
Florenzia	a FR S14212		H (mod.)
Foundation	a NL 60		H (add.)
Frisco	a FR S14212		H (mod.)
Galaxy	b HU 107550		H (add.)
Galeon	b NL 78		H (mod.)
Gardel	b BG 24, b NL 78		H (mod.)
Genio	a FR S14212		H (mod.)
Giulietta	a FR S14212		H (mod.)
Gloriette	a FR S8332		H (add.)
Gourmandia	a FR S14212		H (mod.)
Granate	a FR S14212		H (mod.)
Guadivia	b NL 60		H (mod.)
Guirre	a ES 343		H (add.)
Harmony	a FR S14212		H (mod.)
HB101153	b ES 10		H (add.) ⁽¹⁾
Hector	b BG 66, a FR S14212, b HR 243		H (mod.)
Heinz1178	b PT 464		H (add.) ⁽¹⁾
Heinz1281	b PT 464		H (add.) ⁽¹⁾
Heinz1301	b PT 464		H (add.) ⁽¹⁾
Heinz1307	b PT 464		H (add.) ⁽¹⁾
Heinz1308	b PT 464		H (add.) ⁽¹⁾
Heinz1311 VHL	b PT 464		H (add.) ⁽¹⁾
Heinz1423	b PT 464		H (add.) ⁽¹⁾
Heinz2601			f: 1.6.2017
Heinz9663			(del.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Heinz9775			(del.)
Heinz9780			(del.)
Heinz9888			(del.)
Heinz9889			f: 1.6.2017
Hetman			f: 30.6.2018
Hilario	b NL 78		H (mod.)
Hymar	a FR S14212		H (mod.)
Ibix	a NL 79		H (add.)
IB1301	b PT 470		H (add.)(¹)
Ideal			(del.)
Interland	a NL 60		H (add.)
Iriace	a NL 60		H (add.)
Italo	a ES 343		H (add.)
Jadviga			f: 30.6.2016
Jakarta	b NL 60		H (mod.)
Jalari	b HU 107550		H (add.)
Jayran	a FR S14212		H (mod.)
Jazz	b HU 107550		H (add.)
Juanita	b NL 73		H (add.)
Jurgiai			f: 30.6.2017
Jury	b NL 78		H (mod.)
Kartier	a FR S14212, b HR 243		H (mod.)
Katar			(del.)
Kendras	a NL 60		H (add.)
Keplero	b HU 107550		H (add.)
KGM101	b PT 1101		H (add.)(¹)
KGM102	b PT 1101		H (add.)(¹)
KGM134	b PT 1101		H (add.)(¹)
Kilio	a FR S14212, b HR 471		H (mod.)
Korado	a IT 1433		H (mod.)
Ladylee	b ES 6313		H (add.)
Laetitia	a FR S14212		H (mod.)
Laila			f: 30.6.2016
Lamantin	a NL 60		H (add.)
Laukiai BS			f: 30.6.2017
Leonora	a FR S14212		H (mod.)
Licobrix	a IT 1433		H (mod.)
Likobol	b PT 462		H (add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Lince			f: 30.6.2017
Lipso	a FR S14212		H (mod.)
Littano	a FR S14212		H (mod.)
Lorely	a FR S14212, b HR 243		H (mod.)
Loriane	a FR S14212		H (mod.)
Lorin			(del.)
Lycomech	b PT 462		H (add.)
Lycomech 467	b PT 462		H (add.)
Lycostar 190	b PT 462		H (add.)
Malawi	a FR S14212		H (mod.)
Malory	a EL 30		H (mod.)
Managua	a NL 108		H (add.)
Manera			f: 30.6.2017
Marcial			(del.)
Maretta			(del.)
Marros	a IT 1433		H (mod.)
Marzanito	b ES 6229		H (add.)
Maygan			f: 30.6.2016
Meteor			f: 30.6.2016
Minitiger	b ES 6229		H (add.)
Minuetto	b HU 172127		H (add.)
Mirage			(del.)
Mister Red	a IT 1433		H (mod.)
Molier	b ES 10		H (add.)
Montealto	a NL 108		H (add.)
Montfavet 63-5	b FR S14212		H (mod.)
Mountain Fresh Plus	a FR S14212		H (mod.)
Murphy	a NL 79		H (add.)
Must			f: 30.6.2016
Napoline	a FR S14212		H (mod.)
Nesma	a NL 108		H (add.)
Nordica	a NL 26		H (mod.)
Normand			(del.)
NUN 09015	a NL 60		H (add.) ⁽¹⁾
Odin			(del.)
Oppla	b HU 172127		H (add.)
Otilia	a ES 364		H (add.)
Paladium	b ES 10		H (add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Paola	a FR S14212		H (mod.)
Peradur	a NL 665		H (add.)
Pietrarossa	a FR S14212		H (mod.)
Pisa	b NL 60		H (mod.)
Platina			f: 30.6.2018
Poldje			(del.)
Pomcandy	b ES 6229		H (add.)
Pratico	a FR S14212		H (mod.)
Precocix	b NL 79		H (mod.)
Premio	a FR S14212		H (add.)
Pyros	b FR S14212		H (mod.)
Raf	a FR S14212		(mod.)
Rafati	a FR S12821		H (add.)
Rejtan			f: 30.6.2018
Roccia	b HU 171328		H (add.)
Rosemarie	a ES 6313		H (mod.)
Rossano	b HU 107550		H (add.)
Rossodi	b HU 172127		H (add.)
Rustico	b PT 462		H (add.)
Saboia			f: 30.6.2016
Saneh	a FR S8332		H (add.)
Sarnia			f: 30.6.2016
Scudino	b HU 107550		H (add.)
Seny	b NL 78		H (mod.)
Sibarita	b HU 186294		H (add.)
Sidra	b HU 186359		H (mod.)
Signora	b HU 107550		H (add.)
Simson	a FR S14212		H (mod.)
Slapukai BS			f: 30.6.2017
Soltyno	a FR S12821		H (add.)
Sophie	b ES 6313		H (add.)
Stellared			f: 30.6.2016
Sughello	b HU 172127		H (add.)
Sumatra			(del.)
Supersteak	a UK 6344		H (mod.)
Sveikutis BS			f: 30.6.2017
SVH 1	b HU 172127		H (add.) ⁽¹⁾
SV3725TH	a NL 78		H (add.) ⁽¹⁾

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
SV7844TH	a NL 77		H (add.) ⁽¹⁾
SV8105TJ	a NL 77		H (add.) ⁽¹⁾
SV8840TM	a NL 77		H (add.) ⁽¹⁾
Sweetbaby	a FR S14212		(mod.)
Syta	a FR S14212		H (mod.)
Tafna	a FR S14212		H (mod.)
Takumi	a FR S8707		H (add.)
Tamaris	a FR S14212, b HR 243		(mod.)
Tankini	a FR S12821		H (add.)
Teleri	b ES 6313		H (add.)
Tiway			(del.)
TO 1435	a NL 78		H (add.) ⁽¹⁾
Tomaccio	b HU 192903		H (add.)
Tomorito	b ES 6229		H (add.)
Top Adiff	b HU 165972		H (add.)
Top Arija	b HU 165972		H (add.)
Top Assa	b HU 165972		H (add.)
Top Boker	b HU 165972		H (add.)
Top Carmel	b HU 165972		H (add.)
Top Daya	b HU 165972		H (add.)
Top Golan	b HU 165972		H (add.)
Top Lotz	b HU 165972		H (add.)
Top Marzia	b HU 165972		H (add.)
Top Stellina	b HU 165972		H (add.)
Top 48	a FR S14212		H (mod.)
TP 333	b ES 84		H (add.) ⁽¹⁾
Trendy	b HU 107550		H (add.)
Tresor	a FR S14212		H (mod.)
Ursula			f: 30.6.2016
Ussar	a NL 60		H (add.)
Vaquero	a FR S14212		H (mod.)
Virgilio	a FR S14212		H (mod.)
Viscomech	b PT 462		H (add.)
Visconti	a FR S14212		H (mod.)
Voluptuoso	a FR S14212		H (mod.)
Yegros	a NL 79		H (add.)
Yellow Drop	b ES 6229		H (add.)
Zadurella	a FR S8067		H (add.)
Zinnia	b HU 172435		H (add.)

24. Solanum lycopersicum L. - Tomato - Conservation varieties

1	2	3	4
Corazon de Toro	a ES 408		(add.) Region of origin:Granada
Morado	a ES 408		(add.) Region of origin:Granada
Negro de Santiago	a ES 398		(add.) Region of origin:Galicia
Rosa de Barbastro	a ES x		(add.) Region of origin:Aragon

24. Solanum lycopersicum L. - Tomato - Varieties developed for growing under particular conditions

1	2	3	4
Arancino	b DE 9587		(add.)
Gold nugget	b FR S14212		(mod.)
Mauro Rosso	b DE 9587		(add.)

25. Petroselinum crispum (Mill.) Nyman ex A. W. Hill - Parsley

1	2	3	4
Arctica	a NL 8		H (add.)
Efez	a CZ 239		(add.)
Messis	a PL 938		(add.)
Olomoucká dlouhá	a CZ x, a SK 250		(mod.)
- Ołomuńska	a PL 218		
Ołomuńska			(mod.)= Olomoucká dlouhá
Wega	a NL 26		(add.)

27. Phaseolus vulgaris L. - French bean

1	2	3	4
1	Phaseolus vulgaris L. - Dwarf French bean		
Ambition	a NL 79		(add.)
Amethyst	a FR S14212		(mod.)
Argus	a FR S14212		(mod.)
Aspen			f: 30.6.2017
Auberon	a NL 79		(add.)
Azték			f: 30.6.2017
Balsas	b NL 79		(mod.)
Baltimore	b NL 95a		(add.)
Blondor	b HR 579		(mod.)
Bólyi tarka			f: 30.6.2017

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
Bonus	a FR S14212		(mod.)
Boone	a FR S14212		(mod.)
Budai piaci			f: 30.6.2017
Cabri	a FR S14212		(mod.)
Caprika	a FR S14212		(mod.)
Cassidy	a FR S14212		(mod.)
Cherokee Wax	b NL x, b UK x		(mod.)
Cocagne	a FR S14212		(mod.)
Colisée	a FR S14212		(mod.)
Cordon bleu	a FR S14212		(mod.)
Crockett	a FR S14212		(mod.)
Delicy	a FR S14212		(mod.)
Dior	b NL 72		(add.)
Exalto			f: 30.6.2016
Fla deux	a NL 72		(mod.)
Fleuret	a FR S14212		(add.)
Fonix			f: 30.6.2017
Fructidor	a FR S14212		(mod.)
Fruidor	a FR S14212		(mod.)
Furano	a NL 79		(add.)
Galileo	b NL 95a		(add.)
Goldplay	b NL 95a		(add.)
Gregor	a FR S9676		(add.)
Inka			f: 30.6.2017
Junior	a FR S9676		(add.)
Korsyka			f: 30.6.2018
Krakuska	a PL 67		(add.)
Lewis	a FR S14212		(mod.)
Liverte			f: 30.6.2016
Magical	a FR S9676		(add.)
Mascaret	a FR S14212		(add.)
Maxidor	b NL 95, a SK 250		(mod.)
Messi	b NL 95a		(add.)
Momentum	a NL 79		(add.)
Mondigon	a NL 79		(add.)
Moonstone	b NL 95a		(add.)
Morgane	a FR S14212		(mod.)
Navarro	a FR S14212		(mod.)

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
Opportune	a NL 79		(add.)
Pauldor	b NL 95a		(add.)
Pike	a FR S14212		(add.)
Raba			f: 30.6.2018
Red Baron			f: 30.6.2017
Rege			f: 30.6.2017
Rézi	a HU 151508		(add.)
Rudy	a FR S14212		(mod.)
Sahara	a FR S14212		(mod.)
Satelit	a FR S14212		(mod.)
Schubert	a NL 4		(mod.)
Sirály			f: 30.6.2017
Sugár			f: 30.6.2017
Sundance	a FR 8067		(mod.)
Surfer	a FR S8067		(add.)
Sydney	b NL 95a		(add.)
Tahiti	a NL 95a		(add.)
Tik Tak			f: 30.6.2017
Uranus	a NL 4		(mod.)
Voltage	b NL 72		(add.)
Wilna	a NL 31		(add.)
Wyatt	a FR S14212		(add.)
2	Phaseolus vulgaris L. - Climbing French bean		
Diamant			f: 30.6.2016
Haricot maïs	a FR S14212		(mod.)
Ilián			f: 30.6.2017
Malibu	a FR S14212		(mod.)
Mariska			f: 30.6.2017
Monte Bello	a FR S14212		(mod.)
Monte Gusto	a FR S14212		(mod.)
Peregrina			(del.)

28. *Pisum sativum* L. (partim) - Pea

1	2	3	4
1	Pisum sativum L. (partim) - Wrinkled pea		

28. *Pisum sativum* L. (partim) - Pea

1	2	3	4
Acclaim	b HU 165246		(add.)
Alfa			f: 30.6.2017
Bella			f: 30.6.2017
Buddy	a DE 232		(add.)
Cobalt	a FR S14212		(mod.)
Eddy	a DE 232		(add.)
Favorit			f: 30.6.2017
Felix			f: 30.6.2017
Gancho			= Lincoln
Greenfeast			= Lincoln
Jubileum			f: 30.6.2017
Karina	b HU 166562, a NL x		(mod.)
Katie	a DE 232		(add.)
Lincoln	a ES x, b FR x, a HU 166562, b NL x		(mod.) Gancho E Greenfeast NL Prodige F
Louise	a DE 232		(add.)
Mastin	b DK 52, b HU 152000		(mod.)
Merveille de Kelvedon RF	b FR S14212		(mod.)
Nobel			f: 30.6.2017
Onward	a ES x, b FR x, a HU x, b NL x, b UK x		(mod.) Valles E Vorwärts NL
Oskar	a CZ 239		(mod.)
Prodige			= Lincoln
Rhianna	a DE 232		(add.)
SV0935QF	b NL 78		(add.)(¹)
SV0950QG	a NL 77		(add.)(¹)
SV0955QH	b NL 78		(add.)(¹)
SV0956QH	b NL 78		(add.)(¹)
SV0983QC	b NL 78		(add.)(¹)
SV0984QC	a NL 78		(add.)(¹)

28. *Pisum sativum* L. (partim) - Pea

1	2	3	4
SV1022QG	b NL 78		(add.)(¹)
SV1033QF	a NL 77		(add.)(¹)
SV1322QC	a NL 77		(add.)(¹)
Talizmán			f: 30.6.2017
Telefon	a CZ 1187		(mod.)
Tommy			(del.)
Triola			f: 30.6.2017
Ujmajori korai			f: 30.6.2017
Újmajori középkorai			f: 30.6.2017
Valerie	a DE 232		(add.)
Valido	a DE 232		(add.)
Valles			= Onward
Virges	b EE 23		(add.)
Vivado	a NL 79		(add.)
Vorwärts			= Onward
Wolf	a BG 61, a DE x, a HU x		(mod.)
Ziggy	a HU 152000		(mod.)
2	<i>Pisum sativum</i> L. (partim) - Round pea		
Auréole	a FR S14212		(mod.)
Bengali			f: 30.6.2016
Douce Provence	a FR S14212		(add.) Zoete eminent E
- Dulce de Provenza	a ES 31		
Dulce de Provenza			= Douce Provence
Gordius	a FR S14212		(mod.)
Orion	a FR S14212		(mod.)
Proval	a FR S14212		(mod.)
Tézierprime	a FR S14212		(mod.)
Zoete eminent			= Douce Provence
3	<i>Pisum sativum</i> L. (partim) - Sugar pea		

29. *Raphanus sativus* L. -

1	2	3	4
1	<i>Raphanus sativus</i> L. - Radish		
Apache	a FR S14212		H (mod.)
Bamba	a FR S14212		(mod.)

29. *Raphanus sativus* L. -

1	2	3	4
Bela	a CZ 256		(mod.)
Fakir	a FR S14212		(mod.)
Faraon	a CZ 140		(mod.)
Florella	a NL 105		H (mod.)
Java	a FR S14212		(mod.)
Kiva	a FR S14212		(mod.)
Lavergne	a FR S14212		(mod.)
Melito	a NL 105		H (mod.)
Novo			f: 30.6.2016
Polka	a FR S14212		(mod.)
Rond écarlate géant de Wurzburg	b FR S14212		(mod.)
Salsa	a PL 187		H (add.)
Silesia	a CZ x		(mod.)
2	Raphanus sativus L. - Black radish		
Sutong	b NL 78		H (mod.)

29. *Raphanus sativus* L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Raphanus sativus L. - Radish		
Liza	b HU 150480		(mod.)
2	Raphanus sativus L. - Black radish		

32. *Solanum melongena* L. - Aubergine / Egg plant

1	2	3	4
Adele	a NL 108		H (add.)
Adria	a FR S14212		H (mod.)
Amara	b PT 122		H (add.)
Baluroi	b FR S14212		H (mod.)
Bonica	b ES 2082, a FR S14212		H (mod.)
Elettra	b IT 125		H (add.)
Elly	b HU 165367		H (add.)
Formosa	b HU 165367		H (add.)
Galine	a FR S14212, b HR 243		H (mod.)
Gortina	a PL 961		H (add.)
Lydia	a NL 108		H (add.)

32. *Solanum melongena* L. - Aubergine / Egg plant

1	2	3	4
Marfa	a FR S14212		H (mod.)
Minny	b HU 165367		H (add.)
Obama	b HU 167075		H (add.)
Rosheen	a NL 108		H (add.)
UG 7211	b PT 462		H (add.)(¹)

33. *Spinacia oleracea* L. - Spinach

1	2	3	4
Fulla	a PL 938		H (add.)
Magni	a PL 938		H (add.)
Modi	a PL 938		H (add.)
Saga	a PL 938		H (add.)

35. *Vicia faba* L. (partim) - Broad bean

1	2	3	4
Aguadulce	a ES x		(mod.)
D'Aguadulce à très longue cosse			= Aguadulce
Rambos	a PL 187		(add.)

36. *Zea mays* L. (partim) -

1	2	3	4
1	<i>Zea mays</i> L. - Sweet corn		
Bonanza	a FR S14212, b HR 243		H (mod.)
Code 307	a FR S13551		H (add.)
Code 601			f: 30.6.2016
Coho			f: 30.6.2017
Dessert 82	b HU 105688		H (mod.)(¹)
El Toro	b NL 78		H (mod.)
GH 2385			f: 30.6.2017
GSS 9377			f: 30.6.2017
HMX 5371			f: 30.6.2017
Iason	b HU 165367		H (add.)
Imula	a FR S14212		H (mod.)
Katana	a FR S14212		H (add.)
Kinze	a FR S14212		H (add.)
Landmark	a FR S14212		H (mod.)
Max			f: 30.6.2017

36. *Zea mays* L. (partim) -

1	2	3	4
Memphis			f: 30.6.2017
Monarchy			f: 30.6.2017
Overture	b HU 102258		H (add.) ⁽¹⁾
Powerhouse			f: 30.6.2018
Primetime	b NL 79		H (mod.)
Sentinel	a FR S14212		H (mod.)
2	<i>Zea mays</i> L. - Popcorn		
A 4599			f: 30.6.2017
AP2204	b HU 108096		H (add.) ⁽¹⁾
B121H	a FR S13540		H (add.) ⁽¹⁾
B12139	a FR S13540		H (add.) ⁽¹⁾
B12820	a FR S13540		H (add.) ⁽¹⁾
B1417	a FR S13540		H (add.) ⁽¹⁾
P 622			f: 30.6.2017
Pop N Roll	a FR S13540		H (add.)
R 265	a FR S13540		H (add.) ⁽¹⁾
Robust 92204			f: 30.6.2017
Robust 92207			f: 30.6.2017
Robust 97461			f: 30.6.2017
R409	a FR S13540		H (add.) ⁽¹⁾

37. - Species and interspecific crossings for use as rootstocks

1	2	3	4
1	<i>Cucurbita ficifolia</i> Bouché -		
2	<i>Cucurbita maxima</i> Duch. x <i>C. moschata</i> Duch. -		
Centurion	b PT 122		H (add.)
TZ 148	b FR S14212		H (mod.) ⁽¹⁾
3	<i>Lagenaria siceraria</i> (Mol.) Standl. -		
4	<i>Solanum lycopersicum</i> L. x <i>S. habrochaites</i> -		
Actimino	a NL 26		H (add.)
Contra	b PT 122		H (add.)
Dohkko	a NL 79		H (add.)
Fortamino	a NL 26		H (add.)

37. - Species and interspecific crossings for use as rootstocks

1	2	3	4
Fundator	a FR S14212		H (mod.)
Protector	a FR S14212		H (mod.)
5	Solanum lycopersicum L. x S. pimpinellifolium -		
Spirit	b NL 60		H (mod.)
6	Sicyos angulatus -		
7	Cucurbita moschata -		
Atlas	a ES 6290		H (add.)
Barbara	a ES 6290		H (add.)
8	Solanum torvum Sw. -		
STT3	a FR S8067		H (add.)(¹)
Sumarino	a FR S11516		H (add.)
9	Solanum hybride -		
10	Solanum lycopersicum L. x S. peruvianum -		
11	Solanum lycopersicum L. -		
Everest	b PT 122		H (add.)
12	Solanum aethiopicum L. -		
Espinado 399	b PT 462		(add.)
13	Capsicum annuum L. -		
Cosmopolitan	b PT 122		H (add.)
Protector	b PT 462		H (add.)
14	Citrullus lanatus (Thunb.) Matsum. et Nakai -		
Ares	b PT 122		H (add.)