

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

► **B****AGREEMENT****on mutual recognition between the European Community and the United States of America**

(OJ L 31, 4.2.1999, p. 3)

Amended by:

		Official Journal		
		No	page	date
► <u>M1</u>	Decision No 2/2000 of 14 December 2000	L 34	68	3.2.2001
► <u>M2</u>	Decision No 3/2000 of 16 January 2001	L 306	34	23.11.2001
► <u>M3</u>	Decision No 4/2001 of 21 May 2001	L 306	42	23.11.2001
► <u>M4</u>	Decision No 5/2001 of 26 June 2001	L 306	45	23.11.2001
► <u>M5</u>	Decision No 6/2001 of 17 July 2001	L 306	47	23.11.2001
► <u>M6</u>	Decision No 7/2001 of 20 July 2001	L 306	49	23.11.2001
► <u>M7</u>	Decision No 8/2001 of 5 October 2001	L 101	19	17.4.2002
► <u>M8</u>	Decision No 9/2001 of 21 November 2001	L 101	21	17.4.2002
► <u>M9</u>	Decision No 10/2001 of 20 November 2001	L 101	23	17.4.2002
► <u>M10</u>	Decision No 11/2001 of 30 November 2001	L 101	26	17.4.2002
► <u>M11</u>	Decision No 12/2002 of 15 January 2002	L 101	27	17.4.2002
► <u>M12</u>	Decision No 13/2002 of 12 February 2002	L 101	29	17.4.2002
► <u>M13</u>	Decision No 15/2002 of 22 March 2002	L 101	36	17.4.2002
► <u>M14</u>	Decision No 16/2002 of 16 April 2002	L 302	30	6.11.2002
► <u>M15</u>	Decision No 17/2002 of 6 May 2002	L 302	31	6.11.2002
► <u>M16</u>	Decision No 18/2002 of 25 July 2002	L 302	32	6.11.2002
► <u>M17</u>	Decision No 19/2002 of 28 August 2002	L 302	33	6.11.2002
► <u>M18</u>	Decision No 20/2002 of 20 September 2002	L 302	34	6.11.2002
► <u>M19</u>	Decision No 21/2002 of 20 November 2002	L 45	19	19.2.2003
► <u>M20</u>	Decision No 22/2003 of 22 January 2003	L 45	21	19.2.2003
► <u>M21</u>	Decision No 23/2003 of 5 February 2003	L 45	23	19.2.2003
► <u>M22</u>	Decision No 24/2003 of 3 September 2003	L 229	36	13.9.2003
► <u>M23</u>	Decision No 25/2003 of 3 September 2003	L 229	37	13.9.2003
► <u>M24</u>	Decision No 28/2004 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 19 July 2004	L 319	17	20.10.2004
► <u>M25</u>	Decision No 29/2004 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 November 2004	L 371	50	18.12.2004
► <u>M26</u>	Decision No 33/2005 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 16 February 2006	L 65	47	7.3.2006
► <u>M27</u>	Decision No 40/2011 of 14 November 2011	L 313	45	26.11.2011

► <u>M28</u>	Decision No 43/2014 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 15 April 2014	L 212	45	18.7.2014
► <u>M29</u>	Decision No 44/2015 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 15 July 2015	L 208	39	5.8.2015
► <u>M30</u>	Decision No 1/2017 of 1 March 2017	L 58	36	4.3.2017
► <u>M31</u>	Decision No 45/2016 of the Joint Committee established under the Agreement on mutual recognition between the European Community and the United States of America of 1 March 2017	L 72	72	17.3.2017
► <u>M32</u>	Decision No 46/2016 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 1 March 2017	L 72	74	17.3.2017
► <u>M33</u>	Decision No 47/2016 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 1 March 2017	L 72	76	17.3.2017
► <u>M34</u>	Decision No 48/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 27 March 2017	L 99	26	12.4.2017
► <u>M35</u>	Decision No 49/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 27 March 2017	L 99	27	12.4.2017
► <u>M36</u>	Decision No 50/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 27 March 2017	L 99	28	12.4.2017
► <u>M37</u>	Decision No 51/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 4 September 2017	L 238	53	16.9.2017
► <u>M38</u>	Decision No 52/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 24 November 2017	L 328	136	12.12.2017
► <u>M39</u>	Decision No 53/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 24 November 2017	L 328	138	12.12.2017
► <u>M40</u>	Decision No 54/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 24 November 2017	L 328	140	12.12.2017
► <u>M41</u>	Decision No 55/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	13	26.7.2018
► <u>M42</u>	Decision No 56/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	14	26.7.2018
► <u>M43</u>	Decision No 57/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	17	26.7.2018
► <u>M44</u>	Decision No 58/2017 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	19	26.7.2018

► <u>M45</u>	Decision No 59/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	21	26.7.2018
► <u>M46</u>	Decision No 60/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	23	26.7.2018
► <u>M47</u>	Decision No 61/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	25	26.7.2018
► <u>M48</u>	Decision No 62/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 June 2018	L 189	26	26.7.2018
► <u>M49</u>	Decision No 63/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 20 March 2019	L 97	9	8.4.2019
► <u>M50</u>	Decision No 64/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 20 March 2019	L 97	11	8.4.2019
► <u>M51</u>	Decision No 65/2018 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 20 March 2019	L 97	13	8.4.2019
► <u>M52</u>	Decision No 66/2019 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 20 March 2019	L 97	15	8.4.2019
► <u>M53</u>	Decision No 67/2019 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 February 2020	L 46	3	19.2.2020
► <u>M54</u>	Decision No 68/2019 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 February 2020	L 46	5	19.2.2020
► <u>M55</u>	Decision No 69/2019 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 February 2020	L 46	7	19.2.2020
► <u>M56</u>	Decision No 70/2019 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 February 2020	L 46	9	19.2.2020
► <u>M57</u>	Decision No 71/2019 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 5 February 2020	L 46	11	19.2.2020
► <u>M58</u>	Decision No 72/2020 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 8 February 2022	L 69	123	4.3.2022
► <u>M59</u>	Decision No 73/2021 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 8 February 2022	L 69	125	4.3.2022
► <u>M60</u>	Decision No 74/2021 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 8 February 2022	L 69	127	4.3.2022
► <u>M61</u>	Decision No 75/2021 of the Joint Committee established under the Agreement on Mutual Recognition Between the European Community and the United States of America of 8 February 2022	L 69	129	4.3.2022

► <u>M62</u>	Decision No 76/2021 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 8 February 2022	L 69	131	4.3.2022
► <u>M63</u>	Decision No 77/2022 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 8 February 2022	L 69	133	4.3.2022
► <u>M64</u>	Decision No 78/2023 of the Joint Committee established under the Agreement on Mutual Recognition between the European Community and the United States of America of 20 April 2023	L 115	41	3.5.2023
► <u>M65</u>	Decision No 2536/2023 of the Joint Sectoral Committee established under Article 14 of the United States – European Union amended Sectoral Annex for pharmaceutical good manufacturing practices (GMPs) (the ‘Annex’) on including veterinary products within the product coverage of the Annex of 11 May 2023 [2023/1044]	L 140	53	30.5.2023

Corrected by:

- **C1** Corrigendum, OJ L 53, 23.2.2001, p. 32 (2/2000)

▼B

AGREEMENT

**on mutual recognition between the European Community and the
United States of America**

TABLE OF CONTENTS

1. Framework
2. Telecommunication Equipment
3. Electromagnetic Compatibility (EMC)
4. Electrical Safety
5. Recreational Craft
6. Pharmaceutical Good Manufacturing Practices (GMPs)
7. Medical Devices

▼B

The EUROPEAN COMMUNITY, and THE UNITED STATES OF AMERICA, hereinafter referred to as ‘the Parties’,

CONSIDERING the traditional links of friendship that exist between the United States of America (US) and the European Community (EC);

DESIRING to facilitate bilateral trade between them;

RECOGNISING that mutual recognition of conformity assessment activities is an important means of enhancing market access between the Parties;

RECOGNISING that an agreement providing for mutual recognition of conformity assessment activities is of particular interest to small and medium-sized businesses in the US and the EC;

RECOGNISING that any such mutual recognition also requires confidence in the continued reliability of the other Party's conformity assessments;

RECOGNISING the importance of maintaining each Party's high levels of health, safety, environmental and consumer protection;

RECOGNISING that mutual recognition agreements can positively contribute in encouraging greater international harmonisation of standards;

NOTING that this Agreement is not intended to displace private sector bilateral and multilateral arrangements among conformity assessment bodies or to affect regulatory regimes allowing for manufacturers' self-assessments and declarations of conformity;

BEARING IN MIND that the Agreement on Technical Barriers to Trade, an agreement annexed to the Agreement establishing the World Trade Organization (WTO), imposes obligations on the Parties as Contracting Parties to the WTO, and encourages such Contracting Parties to enter into negotiations for the conclusion of agreements for the mutual recognition of results of each other's conformity assessment;

RECOGNISING that any such mutual recognition needs to offer an assurance of conformity with applicable technical regulations or standards equivalent to the assurance offered by the Party's own procedures;

RECOGNISING the need to conclude an Agreement on Mutual Recognition (MRA) in the field of conformity assessment with sectoral annexes; and

BEARING in mind the respective commitments of the Parties under bilateral, regional and multilateral environment, health, safety and consumer protection agreements.

HAVE AGREED AS FOLLOWS:

*Article 1***Definitions**

1. The following terms and definitions shall apply to this Agreement only:

▼ B

- ‘Designating Authority’ means a body with power to designate, monitor, suspend, remove suspension of, or withdraw conformity assessment bodies as specified under this Agreement.

- ‘Designation’ means the identification by a Designating Authority of a conformity assessment body to perform conformity assessment procedures under this Agreement.

- ‘Regulatory Authority’ means a government agency or entity that exercises a legal right to control the use or sale of products within a Party’s jurisdiction and may take enforcement action to ensure that products marketed within its jurisdiction comply with legal requirements.

2. Other terms concerning conformity assessment used in this Agreement shall have the meaning given elsewhere in this Agreement or in the definitions contained in Guide 2 (1996 edition) of the International Organization for Standardisation (ISO) and the International Electrotechnical Commission (IEC). In the event of an inconsistency between ISO/IEC Guide 2 and definitions in this Agreement, the definitions in this Agreement shall prevail.

*Article 2***Purpose of the Agreement**

This Agreement specifies the conditions by which each Party will accept or recognise results of conformity assessment procedures, produced by the other Party’s conformity assessment bodies or authorities, in assessing conformity to the importing Party’s requirements, as specified on a sector-specific basis in the Sectoral Annexes, and to provide for other related cooperative activities. The objective of such mutual recognition is to provide effective market access throughout the territories of the Parties with regard to conformity assessment for all products covered under this Agreement. If any obstacles to such access arise, consultations will promptly be held. In the absence of a satisfactory outcome of such consultations, the Party alleging its market access has been denied, may, within 90 days of such consultation, invoke its right to terminate the Agreement in accordance with Article 21.

*Article 3***General obligations**

1. The United States shall, as specified in the Sectoral Annexes, accept or recognise results of specified procedures, used in assessing conformity to specified legislative, regulatory, and administrative provisions of the United States, produced by the other Party’s conformity assessment bodies and/or authorities.

2. The European Community and its Member States shall, as specified in the Sectoral Annexes, accept or recognise results of specified procedures, used in assessing conformity to specified legislative, regulatory and administrative provisions of the European Community and its

▼B

Member States, produced by the other Party's conformity assessment bodies and/or authorities.

3. Where sectoral transition arrangements have been specified in Sectoral Annexes, the above obligations will apply following the successful completion of those sectoral transition arrangements, with the understanding that the conformity assessment procedures utilised assure conformity to the satisfaction of the receiving Party, with applicable legislative, regulatory and administrative provisions of that Party, equivalent to the assurance offered by the receiving Party's own procedures.

*Article 4***General coverage of the Agreement**

1. This Agreement applies to conformity assessment procedures for products and/or processes and to other related cooperative activities as described in this Agreement.

2. Sectoral Annexes may include:

- (a) a description of the relevant legislative, regulatory and administrative provisions pertaining to the conformity assessment procedures and technical regulations;
- (b) a statement on the product scope and coverage;
- (c) a list of Designating Authorities;
- (d) a list of agreed conformity assessment bodies or authorities or a source from which to obtain a list of such bodies or authorities and a statement of the scope of the conformity assessment procedures for which each has been agreed;
- (e) the procedures and criteria for designating the conformity assessment bodies;
- (f) a description of the mutual recognition obligations;
- (g) a sectoral transition arrangement;
- (h) the identity of a sectoral contact point in each Party's territory; and
- (i) a statement regarding the establishment of a Joint Sectoral Committee.

3. This Agreement shall not be construed to entail mutual acceptance of standards or technical regulation of the Parties and, unless otherwise specified in a Sectoral Annex, shall not entail the mutual recognition of the equivalence of standards or technical regulations.

*Article 5***Transitional arrangements**

The Parties agree to implement the transitional commitments on confidence building as specified in the Sectoral Annexes.

▼B

1. The Parties agree that each sectoral transition arrangement shall specify a time period for completion.
2. The Parties may amend any transition arrangement by mutual agreement.
3. Passage from the transitional phase to the operational phase shall proceed as specified in each Sectoral Annex, unless either Party documents that the conditions provided in such Sectoral Annex for a successful transition are not met.

*Article 6***Designating Authorities**

The Parties shall ensure that the Designating Authorities specified in the Sectoral Annexes have the power and competence in their respective territories to carry out decisions under this Agreement to designate, monitor, suspend, remove suspension of, or withdraw conformity assessment bodies.

*Article 7***Designation and listing procedures**

The following procedures shall apply with regard to the designation of conformity assessment bodies and the inclusion of such bodies in the list of conformity assessment bodies in a Sectoral Annex:

- (a) The Designating Authority identified in a Sectoral Annex shall designate conformity assessment bodies in accordance with the procedures and criteria set forth in that Sectoral Annex;
- (b) A Party proposing to add a conformity assessment body to the list of such bodies in a Sectoral Annex shall forward its proposal of one or more designated conformity assessment bodies in writing to the other Party with a view to a decision by the Joint Committee;
- (c) Within 60 days following receipt of the proposal, the other Party shall indicate its position regarding either its confirmation or its opposition. Upon confirmation, the inclusion in the Sectoral Annex of the proposed conformity assessment body or bodies shall take effect; and
- (d) In the event that the other Party contests on the basis of documented evidence the technical competence or compliance of a proposed conformity assessment body, or indicates in writing that it requires an additional 30 days to more fully verify such evidence, such conformity assessment body shall not be included on the list of conformity assessment bodies in the applicable Sectoral Annex. In this instance, the Joint Committee may decide that the body concerned be verified. After the completion of such verification, the proposal to list the conformity assessment body in the Sectoral Annex may be resubmitted to the other Party.

▼B*Article 8***Suspension of listed conformity assessment bodies**

The following procedures shall apply with regard to the suspension of a conformity assessment body listed in a Sectoral Annex:

- (a) A Party shall notify the other Party of its contestation of the technical competence or compliance of a conformity assessment body listed in a Sectoral Annex and the contesting Party's intent to suspend such conformity assessment body. Such contestation shall be exercised when justified in an objective and reasoned manner in writing to the other Party;
- (b) The conformity assessment body shall be given prompt notice by the other Party and an opportunity to present information in order to refute the contestation or to correct the deficiencies which form the basis of the contestation;
- (c) Any such contestation shall be discussed between the Parties in the relevant Joint Sectoral Committee. If there is no Joint Sectoral Committee, the contesting Party shall refer the matter directly to the Joint Committee. If agreement to suspend is reached by the Joint Sectoral Committee or, if there is no Joint Sectoral Committee, by the Joint Committee, the conformity assessment body shall be suspended;
- (d) Where the Joint Sectoral Committee or Joint Committee decides that verification of technical competence or compliance is required, it shall normally be carried out in a timely manner by the Party in whose territory the body in question is located, but may be carried out jointly by the Parties in justified cases;
- (e) If the matter has not been resolved by the Joint Sectoral Committee within 10 days of the notice of contestation, the matter shall be referred to the Joint Committee for a decision. If there is no Joint Sectoral Committee, the matter shall be referred directly to the Joint Committee. If no decision is reached by the Joint Committee within 10 days of the referral to it, the conformity assessment body shall be suspended upon the request of the contesting Party;
- (f) Upon the suspension of a conformity assessment body listed in a Sectoral Annex, a Party is no longer obligated to accept or recognise the results of conformity assessment procedures performed by that conformity assessment body subsequent to suspension. A Party shall continue to accept the results of conformity assessment procedures performed by that conformity assessment body prior to suspension, unless a Regulatory Authority of the Party decides otherwise based on health, safety or environmental considerations or failure to satisfy other requirements within the scope of the applicable Sectoral Annex; and
- (g) The suspension shall remain in effect until agreement has been reached by the Parties upon the future status of that body.

▼B*Article 9***Withdrawal of listed conformity assessment bodies**

The following procedures shall apply with regard to the withdrawal from a Sectoral Annex of a conformity assessment body:

- (a) A Party proposing to withdraw a conformity assessment body listed in a Sectoral Annex shall forward its proposal in writing to the other Party;
- (b) Such conformity assessment body shall be promptly notified by the other Party and shall be provided a period of at least 30 days from receipt to provide information in order to refute or to correct the deficiencies which form the basis of the proposed withdrawal;
- (c) Within 60 days following receipt of the proposal, the other Party shall indicate its position regarding either its confirmation or its opposition. Upon confirmation, the withdrawal from the list in the Sectoral Annex of the conformity assessment body shall take effect;
- (d) In the event the other Party opposes the proposal to withdraw by supporting the technical competence and compliance of the conformity assessment body, the conformity assessment body shall not at that time be withdrawn from the list of conformity assessment bodies in the applicable Sectoral Annex. In this instance, the Joint Sectoral Committee or the Joint Committee may decide to carry out a joint verification of the body concerned. After the completion of such verification, the proposal for withdrawal of the conformity assessment body may be resubmitted to the other Party; and
- (e) Subsequent to the withdrawal of a conformity assessment body listed in a Sectoral Annex, a Party shall continue to accept the results of conformity assessment procedures performed by that conformity assessment body prior to withdrawal, unless a Regulatory Authority of the Party decides otherwise based on health, safety and environmental considerations or failure to satisfy other requirements within the scope of the applicable Sectoral Annex.

*Article 10***Monitoring of conformity assessment bodies**

The following shall apply with regard to the monitoring of conformity assessment bodies listed in a Sectoral Annex:

- (a) Designating Authorities shall assure that their conformity assessment bodies listed in a Sectoral Annex are capable and remain capable of properly assessing conformity of products or processes, as applicable, and as covered in the applicable Sectoral Annex. In this regard, Designating Authorities shall maintain, or cause to maintain, ongoing surveillance over their conformity assessment bodies by means of regular audit or assessment;
- (b) The Parties undertake to compare methods used to verify that the conformity assessment bodies listed in the Sectoral Annexes comply

▼B

with the relevant requirements of the Sectoral Annexes. Existing systems for the evaluation of conformity assessment bodies may be used as part of such comparison procedures;

- (c) Designating Authorities shall consult as necessary with their counterparts, to ensure the maintenance of confidence in conformity assessment procedures. With the consent of both Parties, this consultation may include joint participation in audits/inspections related to conformity assessment activities or other assessments of conformity assessment bodies listed in a Sectoral Annex; and;
- (d) Designating Authorities shall consult, as necessary, with the relevant Regulatory Authorities of the other Party to ensure that all technical requirements are identified and are satisfactorily addressed.

*Article 11***Conformity assessment bodies**

Each Party recognises that the conformity assessment bodies listed in the Sectoral Annexes fulfil the conditions of eligibility to assess conformity in relation to its requirements as specified in the Sectoral Annexes. The Parties shall specify the scope of the conformity assessment procedures for which such bodies are listed.

*Article 12***Exchange of information**

1. The Parties shall exchange information concerning the implementation of the legislative, regulatory, and administrative provisions identified in the Sectoral Annexes.
2. Each Party shall notify the other Party of legislative, regulatory and administrative changes related to the subject matter of this Agreement at least 60 days before their entry into force. Where considerations of safety, health or environmental protection require more urgent action a Party shall notify the other Party as soon as practicable.
3. Each Party shall promptly notify the other Party of any changes to its Designating Authorities and/or conformity assessment bodies.
4. The Parties shall exchange information concerning the procedures used to ensure that the listed conformity assessment bodies under their responsibility comply with the legislative, regulatory, and administrative provisions outlined in the Sectoral Annexes.
5. Regulatory Authorities identified in the Sectoral Annexes shall consult as necessary with their counterparts, to ensure the maintenance of confidence in conformity assessment procedures and to ensure that all technical requirements are identified and are satisfactorily addressed.

▼B*Article 13***Sectoral contact points**

Each Party shall appoint and confirm in writing contact points to be responsible for activities under each Sectoral Annex.

*Article 14***Joint Committee of the Parties**

1. The Parties hereby establish a Joint Committee consisting of representatives of each Party. The Joint Committee comprised shall be responsible for the effective functioning of the Agreement.
2. The Joint Committee may establish Joint Sectoral Committees comprised of appropriate Regulatory Authorities and others deemed necessary.
3. Each Party shall have one vote in the Joint Committee. The Joint Committee shall make its decisions by unanimous consent. The Joint Committee shall determine its own rules and procedures.
4. The Joint Committee may consider any matter relating to the effective functioning of this Agreement. In particular it shall be responsible for:
 - (a) listing, suspension, withdrawal and verification of conformity assessment bodies in accordance with this Agreement;
 - (b) amending transitional arrangements in Sectoral Annexes;
 - (c) resolving any questions relating to the application of this Agreement and its Sectoral Annexes not otherwise resolved in the respective Joint Sectoral Committees;
 - (d) providing a forum for discussion of issues that may arise concerning the implementation of this Agreement;
 - (e) considering ways to enhance the operation of this Agreement;
 - (f) coordinating the negotiation of additional Sectoral Annexes; and
 - (g) considering whether to amend this Agreement or its Sectoral Annexes in accordance with Article 21.
5. When a Party introduces new or additional conformity assessment procedures affecting a Sectoral Annex, the Parties shall discuss the matter in the Joint Committee with a view to bringing such new or additional procedures within the scope of this Agreement and the relevant Sectoral Annex.

*Article 15***Preservation of regulatory authority**

1. Nothing in this Agreement shall be construed to limit the authority of a Party to determine, through its legislative, regulatory and administrative measures, the level of protection it considers appropriate for

▼B

safety; for protection of human, animal, or plant life or health; for the environment; for consumers; and otherwise with regard to risks within the scope of the applicable Sectoral Annex.

2. Nothing in this Agreement shall be construed to limit the authority of a Regulatory Authority to take all appropriate and immediate measures whenever it ascertains that a product may: (a) compromise the health or safety of persons in its territory; (b) not meet the legislative, regulatory, or administrative provisions within the scope of the applicable Sectoral Annex; or (c) otherwise fail to satisfy a requirement within the scope of the applicable Sectoral Annex. Such measures may include withdrawing the products from the market, prohibiting their placement on the market, restricting their free movement, initiating a product recall, and preventing the recurrence of such problems, including through a prohibition on imports. If the Regulatory Authority takes such action, it shall inform its counterpart authority and the other Party within 15 days of taking such action, providing its reasons.

*Article 16***Suspension of recognition obligations**

Either Party may suspend its obligations under a Sectoral Annex, in whole or in part, if:

- (a) a Party suffers a loss of market access for the Party's products within the scope of the Sectoral Annex as a result of the failure of the other Party to fulfil its obligations under the Agreement;
- (b) the adoption of new or additional conformity assessment requirements as referenced in Article 14(5) results in a loss of market access for the Party's products within the scope of the Sectoral Annex because conformity assessment bodies designated by the Party in order to meet such requirements have not been recognized by the Party implementing the requirements; or
- (c) the other Party fails to maintain legal and regulatory authorities capable of implementing the provisions of this Agreement.

*Article 17***Confidentiality**

1. Each Party agrees to maintain, to the extent required under its laws, the confidentiality of information exchanged under this Agreement.

2. In particular, neither Party shall disclose to the public, nor permit a conformity assessment body to disclose to the public, information exchanged under this Agreement that constitutes trade secrets, confidential commercial or financial information, or information that relates to an ongoing investigation.

3. A Party or a conformity assessment body may, upon exchanging information with the other Party or with a conformity assessment body of the other Party, designate the portions of the information that it considers to be exempt from disclosure.

▼B

4. Each Party shall take all precautions reasonably necessary to protect information exchanged under this Agreement from unauthorised disclosure.

*Article 18***Fees**

Each Party shall endeavour to ensure that fees imposed for services under this Agreement shall be commensurate with the services provided. Each Party shall ensure that, for the sectors and conformity assessment procedures covered under this Agreement, it shall charge no fees with respect to conformity assessment services provided by the other Party.

*Article 19***Agreements with other countries**

Except where there is written agreement between the Parties, obligations contained in mutual recognition agreements concluded by either Party with a party not a signatory to this Agreement (a third party) shall have no force and effect with regard to the other Party in terms of acceptance of the results of conformity assessment procedures in the third party.

*Article 20***Territorial application**

This Agreement shall apply, on the one hand, to the territories in which the Treaty establishing the European Community is applied, and under the conditions laid down in that Treaty and, on the other hand, to the territory of the United States.

*Article 21***Entry into force, amendment and termination**

1. This Agreement including its Sectoral Annexes on Telecommunication Equipment, Electromagnetic Compatibility, Electrical Safety, Recreational Craft, Pharmaceutical Good Manufacturing Practices (GMPs), and Medical Devices shall enter into force on the first day of the second month following the date on which the Parties have exchanged letters confirming the completion of their respective procedures for the entry into force of this Agreement.

2. This Agreement including any Sectoral Annex may, through the Joint Committee, be amended in writing by the Parties. The Parties may add a Sectoral Annex upon the exchange of letters. Such Annex shall enter into force 30 days following the date on which the Parties have exchanged letters confirming the completion of their respective procedures for the entry into force of the Sectoral Annex.

3. Either Party may terminate this Agreement in its entirety or any individual Sectoral Annex thereof by giving the other Party six months notice in writing. In the case of termination of one or more Sectoral Annexes, the Parties will seek to achieve by consensus to amend this

▼B

Agreement, with a view to preserving the remaining Sectoral Annexes, in accordance with the procedures in this Article. Failing such consensus, the Agreement shall terminate at the end of six months from the date of notice.

4. Following termination of the Agreement in its entirety or any individual Sectoral Annex thereof, a Party shall continue to accept the results of conformity assessment procedures performed by conformity assessment bodies under this Agreement prior to termination, unless a Regulatory Authority in the Party decides otherwise based on health, safety and environmental considerations or failure to satisfy other requirements within the scope of the applicable Sectoral Annex.

*Article 22***Final provisions**

1. The Sectoral Annexes referred to in Article 21(1), as well as any New Sectoral Annexes added pursuant to Article 21(2), shall form an integral part of this Agreement.

2. For a given product or sector, the provisions contained in the relevant Sectoral Annexes shall apply in the first place, and the provisions of this text in addition to those provisions. In the case of any inconsistency between the provisions of a Sectoral Annex and this text, the Sectoral Annex shall prevail, to the extent of that inconsistency.

3. This Agreement shall not affect the rights and obligations of the Parties under any other international agreement.

4. In the case of the Sectoral Annex on Medical Devices, the Parties shall review the status of such Annex at the end of three years from entry into force.

This Agreement and the Sectoral Annexes are drawn up in two original in the Danish, Dutch, English, Finnish, French, German, Greek, Italian, Portuguese, Spanish and Swedish languages, each text being equally authentic. In the event of inconsistencies of interpretation, the English text shall be determinative.

▼B

Hecho en Londres, el dieciocho de mayo de mil novecientos noventa y ocho.

Udfærdiget i London den attende maj nitten hundrede og otteoghalvfems.

Geschehen zu London am achtzehnten Mai neunzehnhundertachtundneunzig.

Έγινε στο Λονδίνο, στις δέκα οκτώ Μαΐου χίλια εννιακόσια ενενήντα οκτώ.

Done at London on the eighteenth day of May in the year one thousand nine hundred and ninety-eight.

Fait à Londres, le dix-huit mai mil neuf cent quatre-vingt-dix-huit.

Fatto a Londra, addì diciotto maggio millenovecentonovantotto.

Gedaan te Londen, de achttiende mei negentienhonderd achtennegentig.

Feito em Londres, em dezoito de Maio de mil novecentos e noventa e oito.

Tehty Lontoossa kahdeksantenatoista päivänä toukokuuta vuonna tuhatyhdeksänsataayhdeksänkymmentäkahdeksän.

Som skedde i London den artonde maj nittonhundra nittioåta.

Por la Comunidad Europea

For Det Europæiske Fællesskab

Für die Europäische Gemeinschaft

Για την Ευρωπαϊκή Κοινότητα

For the European Community

Pour la Communauté européenne



Per la Comunità europea

Voor de Europese Gemeenschap

Pela Comunidade Europeia

Euroopan yhteisön puolesta

På Europeiska gemenskapens vägnar

▼B

Por los Estados Unidos de América

For Amerikas Forenede Stater

Für die Vereinigten Staaten von Amerika

Για τις Ηνωμένες Πολιτείες της Αμερικής

For the United States of America

Pour les États-Unis d'Amérique

Per gli Stati Uniti d'America

Voor de Verenigde Staten van Amerika

Pelos Estados Unidos da América

Amerikan yhdysvaltojen puolesta

På Amerikas förenta staternas vägnar

A handwritten signature in black ink, appearing to be 'Chavara', written in a cursive style.



SECTORAL ANNEX FOR TELECOMMUNICATION EQUIPMENT

PREAMBLE

This Annex constitutes a Sectoral Annex to the Agreement on Mutual Recognition of Conformity Assessment between the United States and the European Community.

SECTION I

LEGISLATIVE, REGULATORY AND ADMINISTRATIVE PROVISIONS

EC	USA
<p>Directive 98/13/EC of the European Parliament and of the Council of 12 February 1998 relating to telecommunications terminal equipment and satellite earth station equipment, including the mutual recognition of their conformity, and interpretation thereof;</p> <p>(The Parties recognize that the Handbook on the implementation of Directive 98/13/EC (ADLNB and ACTE approved), provides useful guidelines for the implementation of conformity assessment procedures falling under this Directive.);</p>	<p>Communications Act of 1934, as amended by the Telecommunication Act of 1996, (Title 47 of the United States Code).</p> <p>The US regulatory and administrative provisions in respect of telecommunication equipment, including 47 CFR Part 68, and FCC interpretation thereof;</p> <p>(The Parties recognize that the FCC Form 730 Application Guide provides useful guidelines for the implementation of conformity assessment procedures for telecommunication terminal equipment falling within these regulations.);</p>
<p>Commission Decisions (CTRs) established under Directive 98/13/EC;</p> <p>The EC Member States' legislation and regulations in respect of:</p> <p>(a) non-harmonised analogue connection to the public telecommunications network ⁽¹⁾;</p> <p>(b) non-harmonised radio transmitters for which there is a civilian equipment authorization requirement;</p>	<p>The US regulatory and administrative provisions in respect of all radio transmitters subject to an equipment authorisation requirement. A non-exclusive list of FCC regulations are contained in Section II;</p>
<p>For electrical safety, see Electrical Safety Sectoral Annex to the Agreement;</p>	<p>For electrical safety, see Electrical Safety Sectoral Annex to the Agreement;</p>
<p>For electromagnetic compatibility aspects, see Electromagnetic Compatibility (EMC) Sectoral Annex to the Agreement.</p>	<p>For electromagnetic compatibility aspects, see Electromagnetic Compatibility (EMC) Sectoral Annex to the Agreement.</p>

⁽¹⁾ The EC agrees to seek authority to include non-harmonised digital connections;

▼B*SECTION II***SCOPE AND COVERAGE**

1. This Sectoral Annex shall apply to equipment, interfaces, and services subject to Section I. In general terms the provisions of this Sectoral Annex shall apply to the following types of telecommunication terminal equipment, satellite terminal equipment, radio transmitters, and information technology equipment:

- (a) equipment intended for connection to the public telecommunications network in order to send, process or receive information, whether the equipment is to be connected directly to the 'termination' of the network or to inter-work with such a network, being connected directly or indirectly to the termination point. The system of connection may be wire, radio, optical or other electro-magnetic means;
- (b) equipment capable of being connected to a public telecommunications network even if it is not its intended purpose, including information technology equipment having a communication port; and
- (c) all radio transmitters subject to an equipment authorisation procedure by either Party.

2. The following is a non-exclusive list of the equipment, interfaces, and services included within the scope of this Sectoral Annex:

EC	USA
The following equipment categories are included:	Equipment categories covered under 47 CFR, Part 68, including:
ISDN Basic Rate Access	ISDN Basic Access
ISDN Primary Rate Access	ISDN Primary Rate Access
ISDN Telephony	Digital Service Access:
X21/V.24/V.35 Access	— 2.4 kbps
X25 Access	— 3.2 kbps (2.4 kbps with Secondary Channel)
PSTN Non-Voice	— 4.8 kbps
PSTN Voice Band (Analog)	— 6.4 kbps (4.8 kbps with SC)
ONP Leased Line Terminal types:	— 9.6 kbps
— 64 kbits/sec	— 12.8 kbps (9.6 kbps with SC)
— 2 048 kbit/s unstructured	— 19.2 kbps
— 2 048 kbit/s structured	— 25.0 kbps (19.2 kbps with SC)
— 34 Mbits/s access	— 56.0 kbps
— 140 Mbits/s access	— 64.0 kbps (uses 72 kbps channel)
— 2 wire analogue	— 72.0 kbps (56.0 kbps with SC)
— 4 wire analogue	— 1.544 Mbps
	2-wire analog tie trunks/ops
	4-wire analog tie trunks/ops
	PSTN Voice Band (Analog) Access
	Private Line (Analog) Access

▼B

EC	USA
Radio transmitters subject to an equipment authorisation requirement, including:	Radio transmitters subject to an equipment authorisation requirement, including:
— Short range devices, including low power devices such as cordless telephones/microphones;	Commercial Mobile Radio (Part 20)
— Land mobile, including:	Domestic Public Fixed (Part 21)
— Private Mobile Radio (PMR/PAMR)	Domestic Mobile (Part 22)
— Mobile telecom	Personal Communication Service (Part 24)
— Paging systems	Satellite Communications (Part 25)
— Terrestrial fixed	Broadcast (Part 73)
— Satellite mobile	Auxiliary Broadcast (Part 74)
— Satellite fixed	Cable Television Radio (Part 78)
— Broadcast	Maritime (Part 80)
— Radio determination	GMDSS (Part 80W)
	Private Land Mobile (Part 90)
	Private-Fixed Microwave (Part 94)
	Personal Radio Services (Part 95)
	IVDS (Part 95 F)
	Amateur Radio (Part 97)
	Radio Frequency Devices (Part 15)
	Fixed Microwave Services (Part 101)

Note: A list of acronyms and a glossary is contained in Appendix I to this Sectoral Annex.

SECTION III

CONFORMITY ASSESSMENT PROCEDURES FOR TELECOMMUNICATION EQUIPMENT

1. Description of Mutual Recognition Obligations

In accordance with the provisions of the Agreement, the result of the conformity assessment procedures produced by a Party's conformity assessment bodies listed in Section V shall be recognised by the Regulatory Authorities of the other Party without any further conformity assessment of the products, pursuant to Section I.

2. Conformity Assessment Procedures

Taking into account the legislative, regulatory, and administrative provisions as identified in Section I, each Party recognises that the conformity assessment bodies of the other Party, listed in Section V, are authorised to perform the following procedures with regard to the importing Party's technical requirements for telecommunication terminal, satellite terminal equipment, radio transmitters or information technology equipment:

- (a) testing and issuing of test reports;
- (b) issuing certificates of conformity to the requirements of the laws and regulations applicable in the territories of the Parties for products covered under this Sectoral Annex; and
- (c) performing quality assurance certification pursuant to Directive 98/13/EC.



SECTION IV

**AUTHORITIES RESPONSIBLE FOR DESIGNATING THE
CONFORMITY ASSESSMENT BODIES LISTED IN SECTION V**

EC	USA
— <i>Belgium</i> Institut belge des services postaux et des télécommunications Belgisch instituut voor postdien- sten en telecommunicatie	National Institute of Standards and Technology (NIST) Federal Communications Commission (FCC)
— <i>Denmark</i> Telestyrelsen	
— <i>Germany</i> Bundesministerium für Wirtschaft	
— <i>Greece</i> Υπουργείο Μεταφορών και Επικοινωνιών Ministry of Transport and Communications	
— <i>Spain</i> Ministerio de Fomento	
— <i>France</i> Ministère de l'économie, des finances et de l'industrie	
— <i>Ireland</i> Department of Transport, Energy and Communications	
— <i>Italy</i> Ministero delle Comunicazioni — DGROS e ISETI (Radiotrans- mittitori)	
— <i>Luxembourg</i> Administration des Postes et Télé- communications	
— <i>Netherlands</i> De Minister van Verkeer en Waterstaat	
— <i>Austria</i> Bundesministerium für Wissen- schaft und Verkehr	
— <i>Portugal</i> Instituto das Comunicações de Portugal	
— <i>Finland</i> Liikenneministeriö/Trafikminis- teriet Telehallintokeskus/Teleförvalt- ningscentralen	
— <i>Sweden</i> Under the authority of the Government of Sweden: Styrelsen för ackreditering och teknisk kontroll (SWEDAC)	
— <i>United Kingdom</i> Department of Trade and Industry	

▼ **B**

SECTION V

CONFORMITY ASSESSMENT BODIES

EC access to the US market	US access to the EC market
<p>Conformity assessment bodies located in the EC shall be designated by the Authorities identified in Section IV following the procedures set out in Section VI of this Annex.</p> <p>► M2 TÜV Österreich Deutschstraße, 10 A-1230 Wien Tel. (43-1) 61 09 10 Fax (43-1) 610 91 89</p> <p>Telefication BV — KTL PO Box 60004 6800 JA Arnhem The Netherlands Tel. (31-26) 378 07 80 Fax (31-26) 378 07 89</p> <p>Swedish National Testing and Research Institute (SP) Box 857 S-501 15 Borås Tel. (46-33) 16 50 00 Fax (46-33) 13 55 02</p> <p>► M21 ————— ◀</p> <p>Radio Frequency Investigations Ltd Ewhurst Park Ramsdell Basingstoke Hampshire RG26 5RQ United Kingdom Tel. (44-1256) 85 11 93 Fax (44-1256) 85 11 92</p> <p>TRL Compliance Services Long Green Forthampton Tewkesbury Gloucestershire GL19 4QH United Kingdom Tel. (44-1684) 83 38 18 Fax (44-1684) 83 38 58</p> <p>BABT Product Services Ltd Segensworth Roads Fareham Hampshire PO15 5RH United Kingdom Tel. (44-1932) 25 12 00 Fax (44-1932) 25 12 01 ◀</p>	<p>Conformity assessment bodies located in the US shall be designated by the Authorities identified in Section IV following the procedures set out in Section VI of this Annex.</p> <p>► M2 Communication Certification Laboratory 1940 West Alexander Street Salt Lake City, UT 84119-2039 USA Tel. (1-801) 972 61 46 Fax (1-801) 972 84 32</p> <p>Compliance Certification Services, Inc. 561F Monterey Rd. Morgan Hill, CA, 95037 USA Tel. (1-408) 752 81 66 Fax (1-408) 752 81 68</p> <p>CKC Laboratories, Inc. 5473 A. Clouds Rest Mariposa CA 95338 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>110 Olinda Place Brea, CA 92823 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>1100 Fulton Place Fremont, CA 94539 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>5289 NE Elam Young Pkwy. Suite G900 Hillsboro, OR 97124 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>1853 Los Vibras Rd Hollister, CA 95023 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p>

▼ **B**

EC access to the US market	US access to the EC market
<p>► M9 Phoenix Test-Lab GmbH Königswinkel 10 D-32825 Blomberg Tel. (49-5235) 95 00 24 Fax (49-5235) 95 00 28</p> <p>CETECOM CETECOM ICT Services GmbH Untertürkheimer Str. 6-10 D-66117 Saarbrücken Tel. (49-681) 598 87 23 Fax (49-681) 598 90 75</p> <p>CETECOM GmbH Im Teelbruch 122 D-45219 Essen Tel. (49-2054) 951 99 24 Fax (49-2054) 951 99 02</p> <p>EMCC Dr. Rašek Moggast D-91320 Ebermannstadt Tel. (49-9194) 90 16 Fax (49-9194) 81 25 ◀</p> <p>► M20 BZT-ETS Certification GmbH Storkower Str. 38 c D-15526 Reichenwalde Tel: (49-33631) 88 82 22 Fax: (49-33631) 88 86 80 ◀</p> <p>► M52 LGAI Technological Center, S.A. (APPLUS) Ronda de la Font del Carme, s/n 08193 Bellaterra. BARCELONA SPAIN ◀</p> <p>► M60 KL-Certification GmbH Heinrich-Hertz-Allee 7 66386 St. Ingbert GERMANY ◀</p>	<p>3800 148th Ave., NE Redmond, WA 98052 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>22105 Wilson River Hwy. Tillamook, OR 97141 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>D.L.S. Electronic Systems, Inc. 1250 Peterson Drive Wheeling, IL 600090-6454 USA Tel. (1-847) 537 64 00 Fax (1-847) 537 64 88</p> <p>Elite Electronic Engineering, Inc. 1516 Cente Circle Downers Grove, IL 60515-1082 USA Tel. (1-630) 495 97 70 Fax (1-630) 495 97 85</p> <p>Intertek Testing Services, Inc. 1950 Evergreen Blvd., Suite 100 Duluth, GA 30096 USA Tel. (1-607) 753 67 11 Fax (1-607) 753 66 99</p> <p>70 Codman Hill Road Boxborough, MA 01719 USA Tel. (1-607) 753 67 11 Fax (1-607) 753 66 99</p> <p>7435 4th Street North, Oakdale, MN 55128 USA Tel. (1-607) 753 67 11 Fax (1-607) 753 66 99</p> <p>1365 Adams Ct, Menlo Park, CA 94025 USA Tel. (1-607) 753 67 11 Fax (1-607) 753 66 99</p> <p>MET Laboratories, Inc. 914 W. Patapsco Avenue Baltimore, MD 21230-3432 USA Tel. (1-410) 354 33 00 Fax (1-410) 354 33 13</p>

▼ **B**

EC access to the US market	US access to the EC market
	<p>Northwest EMC, Inc. 22975 Evergreen Blvd., Suite 400 Hillsboro, OR 97124 USA Tel. (1-503) 844 40 66 Fax (1-503) 844 38 26</p> <p>PCTEST Engineering Lab, Inc. 6660 Dobbin Rd. Columbia, MD 21045 USA Tel. (1-410) 290 66 52 Fax (1-410) 290 66 54</p> <p>Underwriters Laboratories, Inc. 1285 Walt Whitman Rd. Melville, NY 11747 USA Tel. (1-847) 272 88 00 Fax (1-847) 272 81 29</p> <p>33 Pfingston Rd. Northbrook, IL 60062 USA Tel. (1-847) 272 88 00 Fax (1-847) 272 81 29</p> <p>2600 N.W. Lake Rd. Camas, WA 98607 USA Tel. (1-847) 272 88 00 Fax (1-847) 272 81 29</p> <p>12 Laboratory Dr. RTP, NC 27709 USA Tel. (1-847) 272 88 00 Fax (1-847) 272 81 29</p> <p>1655 Scott Blvd. Santa Clara, CA 95050 USA Tel. (1-847) 272 88 00 Fax (1-847) 272 81 29 ◀</p> <p>▶ M3 Retlif Testing Laboratories 795 Marconi Avenue Ronkonkoma, New York 11779 USA Tel. (1-631) 737 15 00 Fax (1-631) 737 14 97 ◀</p> <p>▶ M8 ————— ◀</p> <p>▶ M15 TIMCO Engineering, Inc. 849 NW State Road 45 Newberry, Florida 32669 USA Tel. (1-352) 472 55 00 Fax (1-352) 472 20 30 ◀</p>

▼ **B**

EC access to the US market	US access to the EC market
	<p>► <u>M19</u> L.S. Compliance, Inc. W66 N220 Commerce Court Cedarburg, Wisconsin, 53012-2636 USA Tel: (1-262) 375 44 00 Fax: (1-262) 375 42 48 ◀</p> <p>► <u>M23</u> Washington Laboratories, Ltd 7560 Lindbergh Drive Gaithersburg, Maryland 20879 USA Tel. (1-301) 417 02 20 Fax (1-301) 417 90 69 ◀</p> <p>► <u>M48</u> CKC Certification Services, LLC 5046 Sierra Pines Drive Mariposa, California 95338 United States</p> <p>Elite Electronic Engineering, Inc. 1516 Centre Circle Downers Grove, Illinois 60515 United States</p> <p>MET Laboratories, Inc. 914 West Patapsco Avenue Baltimore, Maryland 21230-3432 United States</p> <p>UL Verification Services Inc. 47173 Benicia Street Fremont, California 94538 United States</p> <p>Timco Engineering, Inc. 849 N.W. State Road 45 Newberry, Florida 32669 United States</p> <p>Bay Area Compliance Laboratories, Corp. (BACL) 1274 Anvilwood Avenue Sunnyvale, California 94089 United States</p>

▼ B

EC access to the US market	US access to the EC market
	<p data-bbox="708 311 1040 360">Washington Laboratories, Ltd. (WLL)</p> <p data-bbox="708 385 991 472">7560 Lindbergh Drive Gaithersburg, Maryland 20879 United States</p> <p data-bbox="708 521 807 546">ACB, Inc.</p> <p data-bbox="708 571 1026 658">6731 Whittier Avenue, Suite C110 McLean, Virginia 22101 United States</p> <p data-bbox="708 707 895 732">Curtis-Straus LLC</p> <p data-bbox="708 757 1040 898">Littleton Distribution Centre, One Distribution Centre Circle, Suite #1 Littleton, Massachusetts 01460 United States</p> <p data-bbox="708 947 986 972">Compatible Electronics, Inc.</p> <p data-bbox="708 996 919 1084">114 Olinda Drive Brea, California 92823 United States</p> <p data-bbox="708 1133 1040 1182">National Technical Systems — Silicon Valley</p> <p data-bbox="708 1207 952 1294">41039 Boyce Road Fremont, California 94538 United States</p> <p data-bbox="708 1344 818 1368">Siemic Inc.</p> <p data-bbox="708 1393 959 1480">775 Montague Expressway Milpitas, California 95035 United States</p> <p data-bbox="708 1529 858 1554">MiCOM LABS</p> <p data-bbox="708 1579 975 1666">575 Boulder Court Pleasanton, California 94566 United States ◀</p> <p data-bbox="708 1691 1040 1740">▶ M51 PCTEST Engineering Laboratory, Inc.</p> <p data-bbox="708 1765 963 1852">7185 Oakland Mills Road Columbia, Maryland 21046 United States ◀</p>



SECTION VI

**DESIGNATING, LISTING, SUSPENDING, WITHDRAWING AND
MONITORING CONFORMITY ASSESSMENT BODIES LISTED IN
SECTION V**

EC access to the US market	US access to the EC market
<p>EC Authorities identified in Section IV shall designate conformity assessment bodies located in the EC in accordance with the US legislative, regulatory, and administrative provisions identified in Section I that govern designation of conformity assessment bodies, based on compliance with the appropriate ISO/IEC Guides (e. g. Guide 22, 25, 28, 58, 61, 62, 65, etc.) or the comparable EN-45000 Series Standards.</p>	<p>US Authorities identified in Section IV shall designate conformity assessment bodies located in the US in accordance with the EC legislative, regulatory, and administrative provisions identified in Section I that govern designation of conformity assessment bodies, based on compliance with the appropriate EN-45000 Series Standards or the comparable ISO/IEC Guides (e. g. 22, 25, 28, 58, 61, 62, 65, etc.)</p>
<p>Procedures for designating, listing, suspending, withdrawing, and monitoring a conformity assessment body listed in Section V shall be undertaken pursuant to Articles 7, 8, 9 and 10 of the Agreement.</p>	<p>Procedures for designating, listing, suspending, withdrawing, and monitoring a conformity assessment body listed in Section V shall be undertaken pursuant to Articles 7, 8, 9 and 10 of the Agreement.</p>

SECTION VII

ADDITIONAL PROVISIONS

1. Sub-contracting

1.1. Any sub-contracting by conformity assessment bodies shall be in accordance with the sub-contracting requirements of the other Party. Notwithstanding the use of sub-contracting, the final results of conformity assessment remain the full responsibility of the listed conformity assessment body. In the EC, these requirements are described in Council Decision 93/465/EEC.

1.2. The conformity assessment bodies shall record and retain details of their investigation of the competence and compliance of their subcontractors and maintain a register of all sub-contracting. These details will be available to the other Party on request.

2. Post-market surveillance, border measures and internal movement

2.1. For the purpose of post-market surveillance, the Parties may maintain any existing labelling and numbering requirements. The assignment of the numbers may take place in the territory of the exporting Party. The numbers will be allocated by the importing Party. Numbering and labelling systems shall not introduce additional requirements within the meaning of this Sectoral Annex.

▼B

2.2. Nothing in this Sectoral Annex shall prevent the Parties from removing products from the market that do not in fact conform to the requirements for approval.

2.3. The Parties agree that border inspections and checks of products which have been certified, labelled or marked as conforming with the importing Party's requirements specified in Section I shall be completed as expeditiously as possible. With regard to any inspections related to internal movement within their respective territories, the Parties agree that these shall be completed in no less a favourable manner than for like domestic goods.

3. Joint Sectoral Committee

3.1. A combined Joint Sectoral Committee for this Sectoral Annex and the Electromagnetic Compatibility (EMC) Sectoral Annex is hereby established (the JSC). The JSC shall operate during the transitional period and after completion of the transitional arrangement. The JSC shall meet as appropriate to discuss technical, conformity assessment and technology issues relating to this Sectoral Annex and the EMC Sectoral Annexes. The JSC shall determine its own rules of procedure.

3.2. The JSC consists of representatives of the US and the EC for telecommunications and EMC. JSC representatives may each invite manufacturers and other entities as deemed necessary. The representatives for the US shall have one vote in the JSC. The representatives of the EC shall have one vote in the JSC. Decisions of the JSC shall be made by unanimous consent. In the event of disagreement either the US or EC representative may raise the matter in the Joint Committee.

3.3. The JSC may address any matter related to the effective functioning of this Sectoral Annex, including:

(a) providing a forum for discussion of issues and resolving problems that may arise concerning the implementation of this Sectoral Annex;

(b) developing a mechanism for ensuring consistency of interpretations of legislation, regulations, standards, and conformity assessment procedures;

(c) advising the Parties on matters relating to this Sectoral Annex; and

(d) providing guidance and, if necessary, developing guidelines during the transitional period to facilitate the successful completion of the transitional period.

4. Contact point

Each Party shall establish a contact point to provide answers to all reasonable inquiries from the other Party regarding procedures, regulations, and complaints under this Sectoral Annex.

▼B**5. Regulatory changes and updating the Sectoral Annex**

In the event that there are changes to the legislative, regulatory, and administrative provisions referenced in Section I or the introduction of new legislative, regulatory, and administrative provisions affecting either Party's conformity assessment procedures under the Agreement, such changes shall take effect for the purpose of this Sectoral Annex at the same time they take effect domestically within the territory of each Party. The parties shall update this Sectoral Annex to reflect the changes.

*SECTION VIII***TRANSITIONAL ARRANGEMENT**

1. There shall be a transitional period of 24 months.
2. The purpose of this transitional arrangement is to provide a means whereby the Parties to the Agreement can build confidence in and an understanding of each other's system for designating and listing conformity assessment bodies and in the ability of these bodies to test and certify products. Successful completion of the transitional arrangement should result in the determination that conformity assessment bodies listed in Section V comply with the applicable criteria and are competent to conduct conformity assessment activities on behalf of the other Party. Upon successful completion of the transition period, the results of conformity assessment procedures performed by the exporting Party's conformity assessment bodies listed in Section V of the exporting country shall be accepted by the importing Party.
3. This transitional period shall be used by the Parties:
 - (a) to consider new legislative changes needed to support the objectives of the Agreement;
 - (b) to initiate regulatory changes needed to support the objectives of the Agreement;
 - (c) to exchange information on and develop better understanding of their respective regulatory requirements;
 - (d) to develop mutually agreed mechanisms for exchanging information on changes in technical requirements or methods of designating conformity assessment bodies; and
 - (e) to monitor and evaluate the performance of the listed conformity assessment bodies during the transitional period.
4. Parties may designate, list, suspend and withdraw conformity assessment bodies during the transitional period according to the procedures in Section VI of this Sectoral Annex.

▼B

5. During the transitional period each Party shall accept and evaluate test reports and related documents issued by designated conformity assessment bodies of the other Party. To this end, the Parties shall ensure that:
 - (a) on receipt of tests reports, related documents and a first evaluation of conformity, the dossiers are promptly examined for completeness;
 - (b) the applicant is informed in a precise and complete manner of any deficiency;
 - (c) any request for additional information is limited to omissions, inconsistencies or variances from the technical regulations or standards; and
 - (d) procedures for assessing the conformity for equipment, modified subsequent to a determination of compliance, are limited to procedures necessary to determine continued conformance.
6. Each Party ensures that issuance of approvals, certificates, or advice to the applicant shall be given no later than six weeks from receipt of the test report and evaluation from a designated conformity assessment body in the territory of the other Party.
7. Any proposal made during or at the end of the transitional period to limit the scope of recognition of any designated conformity assessment body or to exclude it from the list of bodies designated under this Sectoral Annex shall be based on objective criteria and documented. Any such body may apply for reconsideration once the necessary corrective action has been taken. To the extent possible, the Parties shall implement such action prior to the expiry of the transitional period.
8. The Parties may jointly sponsor two seminars, one in the US and one in the European Community, concerning the relevant technical and product approval requirements during the first year after this Sectoral Annex enters into force.

▼M1

*Appendix 1***Lists of acronyms and glossary**

ACTE	Approvals Committee for Terminal Equipment
ADLNB	Association of Designated Laboratories and Notified Bodies
CAB	Conformity Assessment Body
CFR	U.S. Code of Federal Regulations, Title 47 CFR
CTR	Common Technical Regulation
EC	European Community
EEC	European Economic Community
EN	Norme Européenne (European Standard)
EU	European Union
FCC	Federal Communications Commission
IEC	International Electrotechnical Commission
ISDN	Integrated Services Digital Network
ISO	International Standards Organization
ITU	International Telecommunications Union
MRA	Mutual Recognition Agreement
MS	Member States (of the European Union)
NB	Notified Bodies
NIST	National Institute of Standards and Technology
OJ	Official Journal (of the European Union)
ONP	Open Network Provision
PSTN	Public Switched Telephone Network
STG	Sectoral Technical Group for Telecommunications
TBR	Technical Basis for Regulation
X21	ITU-T Recommendation X21
X25	ITU-T Recommendation X25



**SECTORAL ANNEX FOR ELECTROMAGNETIC COMPATIBILITY
(EMC)**

PREAMBLE

This Annex constitutes a Sectoral Annex to the Agreement on Mutual Recognition of Conformity Assessment between the United States and the European Community.

SECTION I

LEGISLATIVE, REGULATORY AND ADMINISTRATIVE PROVISIONS

EC	USA
Council Directive 89/336/EEC, as amended by Council Directive 92/31/EEC, and Directive 98/13/EC of the European Parliament and of the Council and interpretation thereof.	Communications Act of 1934, as amended by the Telecommunication Act of 1996, (Title 47 of the United States Code), The US regulatory and administrative provisions in respect of equipment subject to electromagnetic requirements including: — 47 CFR Part 15 — 47 CFR Part 18, and FCC interpretation thereof.
For electrical safety aspects see Electrical Safety Sectoral Annex to the Agreement.	For electrical safety aspects see Electrical Safety Sectoral Annex to the Agreement.
For telecommunication equipment and radio transmitters, see also Telecommunication Equipment Sectoral Annex to the Agreement.	For telecommunication equipment and radio transmitters, see also Telecommunication Equipment Sectoral Annex to the Agreement.

SECTION II

SCOPE AND COVERAGE

US access to the EC market	EC access to the US market
Any product falling under the scope of Council Directive 89/336/EEC.	Any products falling under the scope of 47 CFR Part 15 and 18.

SECTION III

CONFORMITY ASSESSMENT PROCEDURES FOR EQUIPMENT IDENTIFIED IN SECTION II

1. Description of Mutual Recognition Obligations

In accordance with the provisions of the Agreement, the results of the conformity assessment procedures produced by a Party's conformity assessment bodies listed in Section V, shall be recognised by the Regulatory Authorities of the other Party without any further conformity assessment of the products, pursuant to Section I.

▼B**2. Conformity Assessment Procedures**

Taking into account the legislative, regulatory, and administrative provisions as identified in Section I, each Party recognises that the conformity assessment bodies of the other Party, listed in Section V, are authorised to perform the following procedures with regard to the importing Party's technical requirements for equipment identified in Section II:

- (a) testing and issuing of the test reports,
- (b) issuing certificates of conformity to the requirements of the laws and regulations applicable in the territories of the Parties for products covered under this Sectoral Annex.

*SECTION IV***AUTHORITIES RESPONSIBLE FOR DESIGNATING THE CONFORMITY ASSESSMENT BODIES LISTED IN SECTION V**

EC	USA
— <i>Belgium</i> Ministère des Affaires Économiques Ministerie van Economische Zaken	National Institute for Standards and Technology (NIST) Federal Communications Commission (FCC)
— <i>Denmark</i> for telecommunication equipment: Telestyrelsen for other equipment: Danmarks Elektriske Materielkontrol (DEMKO)	Federal Aviation Administration (FAA)
— <i>Germany</i> Bundesministerium für Wirtschaft	
— <i>Greece</i> Υπουργείο Μεταφορών και Επικοινωνιών Ministry of Transport and Communications	
— <i>Spain</i> for telecommunication equipment: Ministerio de Fomento for other equipment: Ministerio de Industria y Energía	
— <i>France</i> Ministère de l'économie, des finances et de l'industrie	
— <i>Ireland</i> Department of Transport, Energy and Communications	
— <i>Italy</i> Ministero dell'Industria, del Commercio e dell'Artigianato	

▼ **B**

EC	USA
<p>— <i>Luxembourg</i> Ministère des Transports</p> <p>— <i>Netherlands</i> De Minister van Verkeer en Waterstaat</p> <p>— <i>Austria</i> for telecommunication equipment: Bundesministerium für Wissenschaft und Verkehr for other equipment: Bundesministerium für wirtschaftliche Angelegenheiten</p> <p>— <i>Portugal</i> Instituto das Comunicações de Portugal</p> <p>— <i>Finland</i> for telecommunication equipment: Liikenneministeriö/Trafikministeriet for other equipment: Kauppa- ja teollisuusministeriö- Handels- och industriministeriet</p> <p>— <i>Sweden</i> Under the authority of the Government of Sweden: Styrelsen för ackreditering och teknisk kontroll (SWEDAC)</p> <p>— <i>United Kingdom</i> Department of Trade and Industry</p>	

SECTION V

CONFORMITY ASSESSMENT BODIES

EC access to the US market	US access to the EC market
<p>Conformity assessment bodies located in the EC shall be designated by the Authorities identified in Section IV following the procedures set out in Section VI of this Annex.</p> <p>► M2 TÜV Österreich Deutschstrasse, 10 A-1230 Wien Tel. (43-1) 61 09 10 Fax (43-1) 610 91 89</p> <p>Radio Frequency Technologies Ltd 40, Marrowbone Lane Dublin 8, Ireland Tel. (353-1) 454 53 23 Fax (353-1) 454 53 24</p>	<p>Conformity assessment bodies located in the US shall be designated by the Authorities identified in Section IV following the procedures set out in Section VI of this Annex.</p> <p>► M2 3M Product Safety EMC Laboratory 410 E. Filmore Avenue St Paul, Minnesota 55144-1000 USA Tel. (1-612) 778 63 36 Fax (1-612) 778 62 52</p> <p>Acme Testing, Inc. PO Box 3, 2002 Valley Highway Acme, Washington 98220-0003 USA Tel. (1-360) 595 27 85 Fax (1-360) 595 27 22</p>



EC access to the US market	US access to the EC market
<p>KEMA Registered Quality BV</p> <p>Postbus 9035 6800 ET Arnhem The Netherlands Tel. (31-26) 356 34 17 Fax (31-26) 351 01 78</p> <p>Philips Consumer Electronics BV</p> <p>PO Box 80002 5600 JB Eindhoven The Netherlands Tel. (31-40) 273 26 39 Fax (31-40) 273 61 77</p> <p>Telefication BV — KTL</p> <p>PO Box 60004 6800 JA Arnhem The Netherlands Tel. (31-26) 378 07 80 Fax (31-26) 378 07 89</p> <p>CEIS</p> <p>Carretera de Villaviciosa de Odón a Móstoles, Km. 1,700 Apartado 233 E-28930 Móstoles — Madrid Tel. (34) 916 16 00 18 Fax (34) 916 16 23 72</p> <p>CETECOM</p> <p>Parque Tecnológico de Andalucía. c/Severo Ochoa s/n E-29590 Campanillas — Málaga Tel. (34) 952 61 91 05 Fax (34) 952 61 91 13</p> <p>INTA</p> <p>Carretera de Ajalvir, Km. 4 E-28850 Torrejón de Ardoz — Madrid Tel. (34) 915 20 21 25 Fax (34) 915 20 20 21</p> <p>LABEIN</p> <p>Cuesta de Olaveaga, 16 E-48013 Bilbao — Vizcaya Tel. (34) 944 89 26 00 Fax (34) 944 89 24 95</p> <p>LCOE</p> <p>c/José Gutiérrez Abascal, 2 E-28006 Madrid Tel. (34) 915 62 51 16 Fax (34) 915 61 88 18</p> <p>LGAI</p> <p>Ctra de acceso a la Facultad de Medicina UAB E-08290 Cerdanyola del Vallès — Barcelona Tel. (34) 936 91 92 11 Fax (34) 936 91 59 11</p>	<p>CKC Laboratories, Inc.</p> <p>5473 A. Clouds Rest Mariposa, California 95338 USA Tel. (1-209) 966 52 40 Fax (1-209) 742 61 33</p> <p>110 Olinda Place Brea, California 92621 USA</p> <p>1100 Fulton Place Fremont, California 92621 USA</p> <p>1653 Los Viboras Road Hollister, California 95023 USA</p> <p>5289 NE Elam Young Parkway Suite G-900 Hillsboro, Oregon 97124 USA</p> <p>22105 Wilson River Highway Tillamook, Oregon 97141 USA</p> <p>14797 NE 95th Street Redmond, Washington 98052 USA</p> <p>Communication Certification Labor- atory</p> <p>1940 West Alexander Street Salt Lake City, Utah 84119-2039 USA Tel. (1-801) 972 61 46 Fax (1-801) 972 84 32</p> <p>Compatible Electronics, Inc.</p> <p>114 Olinda Drive Brea, California 92823 USA</p> <p>2337 Troutdale Drive Agoura, California 91301 USA Tel. (1-714) 579 18 50 Fax (1-714) 579 18 50</p> <p>Curtis-Straus LLC</p> <p>527 Great Road Littleton, Massachusetts 01460 USA Tel. (1-978) 486 88 80 Fax (1-978) 486 88 28</p>

▼ **B**

EC access to the US market	US access to the EC market
<p>Telub AB</p> <p>Box 360 S-831 25 Östersund Tel. (46-63) 15 60 00 Fax (46-63) 15 61 99</p>	<p>DLS Electronic Systems, Inc.</p> <p>1250 Peterson Drive Wheeling, Illinois 60090-6454 USA Tel. (1-847) 537 64 00 Fax (1-847) 537 64 88</p>
<p>Swedish National Testing and Research Institute (SP)</p> <p>Box 857 S-501 15 Borås Tel. (46-33) 16 50 00 Fax (46-33) 13 55 02</p>	<p>Dell Regulatory Test Laboratories</p> <p>One Dell Way, MS 6201 Round Rock, TX 78682 USA Tel. (1-512) 728 73 80 Fax (1-512) 728 56 47</p>
<p>BSI Testing</p> <p>Maylands Avenue Hemel Hempstead Herts HP2 4SQ United Kingdom Tel. (44-1442) 23 04 42 Fax (44-1231) 23 14 42</p>	<p>Elite Electronic Engineering, Inc.</p> <p>1516 Centre Circle Downers Grove, Illinois 60515-1082 USA Tel. (1-630) 495 97 70 Fax (1-630) 495 97 85</p>
<p>► M21 ◀</p>	<p>Elliott Laboratories Inc.</p> <p>684 West Maude Avenue Sunnyvale, California 94086-3518 USA Tel. (1-408) 245 78 00 Fax (1-408) 245 34 99</p>
<p>EMC Projects</p> <p>Holly Grove Farm/Verwood Road/ Ashley Ringwood Hampshire BH24 2DB United Kingdom Tel. (44-1425) 47 99 79 Fax (44-1425) 48 06 37</p>	<p>Instrument Specialties Company, Inc.</p> <p>PO Box 650 Shielding Way Delaware Water Gap, Pennsylvania 18327-0136 USA Tel. (1-570) 424 85 10 Fax (1-570) 421 42 27</p>
<p>Hursley EMC Services Ltd</p> <p>Unit 16/Brickfiel Lane Chandlers Ford Hampshire SO53 4DP United Kingdom Tel. (44-1703) 27 11 11 Fax (44-1703) 27 11 44</p>	<p>Intertek Testing Services</p> <p>24 Groton Avenue Cortland, New York 13045 USA Tel. (1-607) 758 63 36 Fax (1-607) 756 66 99 (Cortland serves as point of contact only)</p>
<p>Radio Frequency Investigations Ltd</p> <p>Ewhurst Park Ramsdell Basingstoke Hampshire RG26 5RQ United Kingdom Tel. (44-1256) 85 11 93 Fax (44-1256) 85 11 92</p>	<p>70 Codman Hill Road Boxborough, Massachusetts 01719 USA</p>
<p>TRL EMC</p> <p>Long Green Forthampton Tewkesbury Gloucestershire GL19 4QH United Kingdom Tel. (44-1684) 83 38 18 Fax (44-1684) 83 38 58</p>	<p>7250 Hudson Boulevard, Suite 100 Oakdale, Minnesota 55128 USA</p> <p>1950 Evergreen Boulevard, Suite 100 Deluth, Georgia 30096 USA</p>

▼ **B**

EC access to the US market	US access to the EC market
<p>TUV Product Service</p> <p>Segensworth Road Titchfield Fareham Hampshire PO15 5RH United Kingdom Tel. (44-1329) 44 33 00 Fax (44-1329) 44 34 22</p> <p>A D Compliance Services Ltd</p> <p>1, Hilton Square Pendlebury Manchester M27 4DB United Kingdom Tel. (44-161) 727 66 19 Fax (44-161) 727 85 67</p> <p>Celestica</p> <p>Westfields House West Avenue Kidsgrove Stoke-on-Trent Staffs.. ST7 1TL United Kingdom Tel. (44-1782) 79 48 48 Fax (44-1782) 78 42 10</p> <p>BABT Product Services Ltd</p> <p>Segensworth Road Fareham Hampshire PO15 5RH United Kingdom Tel. (44-1932) 25 12 00 Fax (44-1932) 25 12 01</p> <p>KTL</p> <p>Saxon Way — Priory Park West Hull Humberside HU13 9PB United Kingdom Tel. (44-1482) 80 18 01 Fax (44-1482) 80 18 06</p> <p>Motor Industry Research Association</p> <p>Watling Street Nuneaton Warwickshire CV 10 0TU United Kingdom Tel. (44-1203) 35 50 00 Fax (44-1203) 35 53 55 ◀</p> <p>▶ M3 Alcatel Espana SA</p> <p>C/Ramírez de Prado 5 E-28045 Madrid Tel. (34) 913 30 44 55 Fax (34) 913 30 56 52</p> <p>EMCEC Oy</p> <p>PO Box 19 FIN-02601 Espoo Tel. (358) 42 45 45 41 Fax (358) 42 45 45 43 22</p>	<p>1365 Adams Court Menlo Park, California 94025 USA</p> <p>L.S. Compliance Inc.</p> <p>W66 N220 Commerce Court Cedarburg, Wisconsin 53012-2636 USA Tel. (1-262) 375 44 00 Fax (1-262) 375 42 48</p> <p>M. Flom Associates, Inc.</p> <p>3356 North San Marcos Place, Suite 107 Chandler, Arizona 85225-7176 USA Tel. (1-480) 926 31 00 Fax (1-480) 926 35 98</p> <p>MET Laboratories, Inc.</p> <p>914 West Patapsco Avenue Baltimore, Maryland 21230-3432 USA Tel. (1-410) 354 33 00 Fax (1-410) 354 33 13</p> <p>Motorola SSG EMC/Tempest Laboratory</p> <p>8201 E. McDowell Road Scottsdale, Arizona 85252 USA Tel. (1-602) 441 31 38 Fax (1-602) 441 36 25</p> <p>National Technical Systems (NTS)</p> <p>533 Main Street Acton, Massachusetts 01720 USA (Acton serves as point of contact only)</p> <p>1146 Massachusetts Avenue Boxborough, Massachusetts 01719 USA</p> <p>1701 East Plano Parkway, Suite 150 Plano, Texas 75074 USA</p> <p>1536 East Valencia Drive Fullerton, California 92831 USA Tel. (1-978) 263 29 33 Fax (1-978) 263 57 34</p> <p>PCTEST Engineering Laboratory, Inc.</p> <p>6066-B Dobbin Road Columbia, Maryland 21045-4708 USA Tel. (1-410) 290 66 52 Fax (1-410) 290 66 54</p>

▼ **B**

EC access to the US market	US access to the EC market
<p>SGS Fimko Ltd</p> <p>PO Box 30 FIN-00211 Helsinki Tel. (358-9) 69 63 61 Fax (358-9) 696 32 61 ◀</p> <p>▶ M4 AEMC Mesure</p> <p>665, rue de la Maison Blanche F-78680 Orgeval Tel. (33) 1 39 75 22 22 Fax (33) 1 39 75 97 46</p> <p>Z.I. Mi-plaine 7, rue Georges Melies F-69680 Chassieu Tel: (33) 4 78 40 66 55 Fax: (33) 4 72 47 00 39</p> <p>Emitech</p> <p>3, rue des Coudriers Z.A. de l'Observatoire F-78180 Montigny-le-Bretonneux</p> <p>Tel. (33) 1 30 57 45 12 Fax (33) 1 30 43 48 00 15, rue de la Claire Z.I. Angers-Beaucouzé</p> <p>F-4970 Beaucouzé 3, rue du Massacan Z.I. Vallée du Salaison F-34740 Vendargues</p> <p>Utac</p> <p>BP 312 Autodrome de Linas-Monthéry F-91311 Monthéry cedex Tel. (33) 1 69 80 17 90 Fax (33) 1 69 80 17 09</p> <p>▶ M8 ————— ◀</p> <p>NCE</p> <p>19, rue François Blumet Z.I. de l'Argentière F-38360 Sassenage Tel. (33) 4 76 27 83 83 Fax (33) 4 76 27 77 00 ◀</p> <p>▶ M6 Compliance Engineering Ireland Ltd</p> <p>Rayston Rathoath Road Ashourne County Meath Ireland Tel. (353-1) 825 67 22 Fax (353-1) 825 67 33</p> <p>SGS United Kingdom</p> <p>International Electrical Approvals South Industrial Estate Bowburn</p>	<p>Quest Engineering Solutions, Inc.</p> <p>7 Sterling Road N. Billerica, Massachusetts 01862 USA Tel. (1-978) 667 70 00 Fax (1-978) 667 33 88</p> <p>Rhein Tech Laboratories, Inc.</p> <p>360 Herndon Parkway, Suite 1400 Herndon, Virginia 20170-4824 USA Tel. (1-703) 689 03 68 Fax (1-703) 689 20 56</p> <p>Underwriters Laboratories</p> <p>333 Pfingsten Road Northbrook, Illinois 60062-2096 USA Tel. (1-847) 272 88 80 x43281 Fax (1-847) 509 63 21</p> <p>2600 NW Lake Road Camas, Washington 98607-8542 USA</p> <p>1285 Walt Whitman Road Melville, New York 11747-3081 USA</p> <p>12 Laboratory Drive Research Triangle Park, North Carolina 27709 USA</p> <p>1655 Scott Boulevard Santa Clara, California 95050 USA</p> <p>Washington Laboratories, Ltd</p> <p>7560 Lindbergh Drive Gaithersburg, Maryland 20879 USA Tel. (1-301) 417 02 20 Fax (1-301) 417 90 69</p> <p>Wyle Laboratories</p> <p>7800 Highway 20 West Huntsville, Alabama 35806 USA Tel. (1-256) 837 44 11 Fax (1-256) 830 21 09 ◀</p> <p>▶ M3 Retlif Testing Laboratories</p> <p>795 Marconi Avenue Ronkonkoma, New York 11779 USA Tel. (1-631) 737 15 00 Fax (1-631) 737 14 97</p>

▼B

EC access to the US market	US access to the EC market
<p>County Durham DH6 5AD United Kingdom Tel. (44-191) 377 20 00 Fax (44-191) 377 20 20</p> <p>York EMC Services Ltd Department of Electronics University of York Heslington York YO1 5DD United Kingdom ◀</p> <p>▶ M7 EMI-EMC Laboratory, Alcatel Italia Via Trento 30 I-20059 Vimercate (MI) Fax (39) 39 686 31 89 ◀</p> <p>▶ M9 ICEM — Laboratoria CEM de la UPV-ETSI Camino de la Vera, s/n E-46022 Valencia Tel. (34) 963 87 73 06 Fax (34) 963 87 73 09</p> <p>Phoenix Test-Lab GmbH Königswinkel 10 D-32825 Blomberg Tel. (49-5235) 95 00 24 Fax (49-5235) 95 00 28</p> <p>CETECOM CETECOM ICT Services GmbH Untertürkheimer Str. 6-10 D-66117 Saarbrücken Tel. (49-681) 598 87 23 Fax (49-681) 598 90 75</p> <p>CETECOM GmbH Im Teelbruch 122 D-45219 Essen Tel. (49-2054) 951 99 24 Fax (49-2054) 951 99 02</p> <p>EMCC Dr. Rašek Moggast D-91320 Ebermannstadt Tel. (49-9194) 90 16 Fax (49-9194) 81 25 ◀</p> <p>▶ M10 TCC Tampere P.O. Box 68 (Sinitaival 5) FIN-33720 Tel. (358) 718 00 80 00 Fax (358) 718 04 68 80 ◀</p> <p>▶ M11 Fujitsu Siemens Computers GmbH Center for Tests and Compliance Bürgermeister Ulrich-Str. 100 D-86199 Augsburg Tel. (49-821) 804 21 60 Fax (49-821) 804 26 75</p>	<p>Analab L.L.C. PO Box 34 Spring Hill Road Sterling, Pennsylvania 18463 USA Tel. (1-570) 689 39 19 Fax (1-570) 689 93 60</p> <p>Integrity, Testing & Design, an Entela Company 37-7 Ayer Road Littleton, Massachusetts 01460 USA Tel. (1-616) 248 96 08 Fax (1-616) 247 75 27</p> <p>Compliance Certification Services, Inc. 561F Monterey Road Morgan Hill, California 95037 USA Tel. (1-408) 463 08 85 Fax (1-408) 463 08 88</p> <p>Northwest EMC, Inc. 22975 NW Evergreen Parkway, Suite 400 Hillsboro, Oregon 97124 USA Tel. (1-503) 844 40 66 Fax (1-503) 844 38 26 ◀</p> <p>▶ M6 TÜV Rheinland of North America, Inc. 12 Commerce Road Newtown, Connecticut 06470-1607 USA Tel: (1-203) 426 08 88 Fax (1-203) 270 88 83 ◀</p> <p>▶ M7 TÜV Product Service, a Division of TÜV America Inc. 1775 Old Highway 8, NW Suite 104 New Brighton, Minnesota 55112-1891 USA Tel. (1-651) 638 02 44 Fax (1-651) 638 02 85</p> <p>5541 Central Avenue Boulder, Colorado 80301-2846 USA</p> <p>10040 Mesa Rim Road San Diego, California 92121-1034 USA ◀</p>

▼ **B**

EC access to the US market	US access to the EC market
<p>Obering. Berg & Lukowiak GmbH Löher Str. 157 D-32609 Hüllhorst Tel. (49-5744) 13 37 Fax (49-5744) 28 90</p> <p>Siemens A&D ATS 6 EMC Center Paul-Gossen-Str. 100 D-91052 Erlangen Tel. (49-9131) 73 14 53 Fax (49-9131) 72 50 07</p> <p>ALCATEL Laboratory Francis Wellesplein 1 B-2018 Antwerpen Tel. (32-3) 240 40 11 Fax (32-3) 240 99 99</p> <p>Laboratoria DE NAYER Jan De Nayerlaan 3 B-2860 Sint-Katelijne-Waver Tel. (32-15) 31 33 22 Fax (32-15) 31 74 53 ◀</p> <p>▶ M13 Samsung Euro QA Lab (SEQAL) Blackbushe Business Park Saxony Way Yateley Hampshire GU46 6GG United Kingdom Tel. (44-1252) 86 38 00 Fax (44-1252) 86 38 14 ◀</p> <p>▶ M17 TILAB, Telecom Italia Lab SpA TILAB-LAP (EMC Center) Via G. Reiss Romoli, 274 I-10148 Torino Tel. (39) 112 28 52 99 Fax (39) 112 28 75 40 ◀</p> <p>▶ M18 TÜV Italia srl Via Bettola, 32 I-20092 Cinisella Balsamo (MI) Tel. (39) 125 52 54 00 Fax (39) 125 52 54 99</p> <p>NEMKO SpA Via Trento e Trieste, 116 I-20046 Biassono (MI) Tel. (39) 392 20 12 01 Fax (39) 392 75 32 40 ◀</p> <p>▶ M19 E.S.M. (Dep Pioneer) Joseph Cardijnstraat 31 B-9420 Erpe-Mere Tel: (32-53) 82 13 12 Fax: (32-53) 82 13 00 ◀</p>	<p>▶ M12 TIMCO Engineering, Inc. 849 NW State Road 45 P.O. Box 370 Newberry, Florida 32669 USA Tel. (1-352) 472 55 00 Fax (1-352) 472 20 30 ◀</p> <p>▶ M16 Compatible Electronics, Inc. Site at: 19121 El Toro Road Silverado/Lake Forest, California 92676 USA Tel. (1-714) 579 05 00 Fax (1-714) 579 18 50</p> <p>Test Site Services, Inc. PO box 766 Marlboro, Massachusetts 01752 USA Tel. (1-508) 481 16 84 Fax (1-508) 481 16 84 ◀</p> <p>▶ M48 CKC Certification Services, LLC 5046 Sierra Pines Drive Mariposa, California 95338 United States</p> <p>Elite Electronic Engineering, Inc. 1516 Centre Circle Downers Grove, Illinois 60515 United States</p> <p>UL Verification Services Inc. 47173 Benicia Street Fremont, California 94538 United States</p> <p>Timco Engineering, Inc. 849 N.W. State Road 45 Newberry, Florida 32669 United States</p> <p>Bay Area Compliance Laboratories, Corp. (BACL) 1274 Anvilwood Avenue Sunnyvale, California 94089 United States</p>

▼ **B**

EC access to the US market	US access to the EC market
<p>► M20 BZT-ETS Certification GmbH</p> <p>Storkower Str. 38 c D-15526 Reichenwalde Tel: (49-33631) 88 82 22 Fax: (49-33631) 88 86 80 ◀</p>	<p>Washington Laboratories, Ltd. (WLL)</p> <p>7560 Lindbergh Drive Gaithersburg, Maryland 20879 United States</p>
<p>► M22 EMCE GmbH</p> <p>Laupheimer Str. 25d D-88483 Burgrieden Tel. (49 7392) 91 13 70 Fax (49 7392) 91 13 72</p>	<p>ACB, Inc.</p> <p>6731 Whittier Avenue, Suite C110 McLean, Virginia 22101 United States</p>
<p>EMV TESTHAUS GmbH</p> <p>Gustav-Hertz-Straße 35 D-94315 Straubing Tel. (49 9421) 92 30 33 Fax (49 9421) 92 30 35 ◀</p>	<p>Curtis-Straus LLC</p> <p>Littleton Distribution Centre, One Distribution Centre Circle, Suite #1 Littleton, Massachusetts 01460 United States</p>
<p>► M24 GYL Technologies</p> <p>Parc d'activités de Lanserre 21, rue de la Fuye F-49610 Juigné-sur-Loire Tel: (33 2) 41 57 57 40 Fax: (33 2) 41 45 25 77 ◀</p>	<p>Compatible Electronics, Inc.</p> <p>114 Olinda Drive Brea, California 92823 United States</p>
<p>► M25 D.A.R.E. Consultancy BV</p> <p>Vijzelmolenlaan 7 3447 GX Woerden Netherlands Tel. (31) 348 430 979 Fax (31) 348 430 645 ◀</p>	<p>Siemic Inc.</p> <p>775 Montague Expressway Milpitas, California 95035 United States</p>
<p>► M26 IMQ — Istituto Italiano del Marchio di Qualità</p> <p>Via Quintiliano, 43 I-20138 MILANO Tel.: +39 02 5073 392 Fax: +39 02 5099 1509 ◀</p>	<p>MiCOM LABS</p> <p>575 Boulder Court Pleasanton, California 94566 United States ◀</p>
<p>► M27 TÜV Rheinland-EPS BV</p> <p>Smidshornerweg 18 9822 ZG Niekerk NETHERLANDS</p>	<p>► M51 PCTEST Engineering Laboratory, Inc.</p> <p>7185 Oakland Mills Road Columbia, Maryland 21046 United States ◀</p>
<p>Bicon Laboratories BV (BICON)</p> <p>Waterdijk 3A, 5705 CW Helmond PO box 118, 5700 AC Helmond NETHERLANDS</p>	
<p>SIQ – Slovenian Institute of Quality and Metrology</p> <p>Tržaška cesta 2 SI-1000 Ljubljana SLOVENIA ◀</p>	

▼ **B**

EC access to the US market	US access to the EC market
<p>▶ M28 ALTER TECHNOLOGY TUV NORD, S.A.U.</p> <p>ATN EC Emilia Santiago & Jorge Berkowitsch C/la Majada, 3 28760 — Tres Cantos (Madrid) SPAIN</p> <p>M. DUDDE HOCHFREQUENZ-TECHNIK</p> <p>Rottland 5a 51429 — Bergisch Gladbach GERMANY ◀</p> <p>▶ M29 INTEL MOBILE COMMUNICATIONS France S.A.S.</p> <p>425 Rue de Goa, Le Cargo Bat. B6 Zone des 3 Moulins Antibes, 06600 FRANCE ◀</p> <p>▶ M31 PRIMA RICERCA & SVILUPPO S.r.l.</p> <p>via Campagna, 92 I-22020 Faloppio (Como) ITALY ◀</p> <p>▶ M32 AT4 wireless S.A.U.</p> <p>Parque Tecnológico de Andalucía C/Severo Ochoa 2 y 6 29590 Málaga SPAIN ◀</p> <p>▶ M33 Intertek Deutschland GmbH.</p> <p>Innovapark 20 87600 Kaufbeuren GERMANY ◀</p> <p>▶ M34 TÜV RHEINLAND ITALIA S.R.L.</p> <p>via E. Mattei, 3 20010 Pogliano Milanese ITALY ◀</p> <p>▶ M35 DELTA Development Technology AB</p> <p>Finnslätten, Elektronikgatan 47 721 35 Västerås SWEDEN ◀</p> <p>▶ M36 7layers GmbH</p> <p>Borsigstrasse 11 40880 Ratingen GERMANY ◀</p> <p>▶ M37 Electromagnetic Testing Services Ltd</p> <p>Pratts Fields, Lubberhedges Lane Stebbing, Dunmow Essex CM6 3BT UNITED KINGDOM ◀</p>	

▼ **B**

EC access to the US market	US access to the EC market
<p>► M38 EMITECH Chassieu</p> <p>7, rue Georges Méliès 69680 Chassieu FRANCE ◀</p> <p>► M39 CMC Centro Misure Compatibilità Srl</p> <p>Via della Fisica, 20 36016 Thiene (VI) ITALY ◀</p> <p>► M40 Emilab Srl</p> <p>Via F. Ili Solari 5/A 33020 Amaro (UD) ITALY ◀</p> <p>► M41 UL International Italia S.r.l.</p> <p>Via delle Industrie, 6 20061 Carugate (MI) ITALY ◀</p> <p>► M42 Element Materials Tech- nology Warwick Ltd</p> <p>Unit 1 Pendle Place Skelmersdale West Lancashire WN8 9PN UNITED KINGDOM</p> <p>Element Materials Technology Warwick Ltd</p> <p>74-78 Condor Close Woolsbridge Industrial Park Three Legged Cross Wimborne Dorset BH21 6SU UNITED KINGDOM</p> <p>York EMC Services Ltd</p> <p>Unit 46 Beeches Industrial Estate Yate South Gloucestershire BS37 5QT UNITED KINGDOM</p> <p>York EMC Services Ltd</p> <p>Unit 1 Grangemouth Technology Park Earls Road Grangemouth FK3 8UZ UNITED KINGDOM</p> <p>York EMC Services Ltd</p> <p>Unit 5 Speedwell Road Castleford Yorkshire WF10 5PY UNITED KINGDOM</p>	

▼ **B**

EC access to the US market	US access to the EC market
<p>TÜV SÜD Product Service</p> <p>Snitterfield Road Bearly Stratford-upon-Avon Warwickshire CV37 0EX UNITED KINGDOM</p> <p>Polycom Inc</p> <p>Singleton Court Business Centre Wonastow Road Industrial Estate (West) Monmouth Monmouthshire NP25 5JA UNITED KINGDOM ◀</p> <p>▶ M43 TecnoLab del Lago Maggiore s.r.l.</p> <p>Via dell'Industria, 20 I-28924 Verbania Fondotoce (VB) ITALY</p> <p>Verkotan Oy</p> <p>Elektroniikkatie 17 90590 Oulu FINLAND</p> <p>EKTOS Testing & Reliability Services A/S (EKTOS TRS A/S)</p> <p>A.C. Meyers Vaenge 15 2450 Copenhagen SV DENMARK ◀</p> <p>▶ M44 IMST GmbH</p> <p>Prüfzentrum Carl-Friedrich-Gauss-Strasse 2-4 47475 Kamp-Lintfort GERMANY</p> <p>Laird Bochum GmbH</p> <p>Meesmanstrasse 103 44807 Bochum GERMANY</p> <p>TÜV SÜD Product Service GmbH</p> <p>Äussere Frühlingsstrasse 45 94315 Straubing GERMANY</p> <p>TÜV Rheinland LGA Products GmbH</p> <p>Tillystrasse 2 90431 Nürnberg GERMANY</p> <p>UL International Germany GmbH</p> <p>Hedelfinger Strasse 61 70327 Stuttgart GERMANY</p>	

▼ **B**

EC access to the US market	US access to the EC market
<p>Nemko GmbH & Co. KG Reetzstrasse 58 76327 Pfinztal GERMANY ◀</p> <p>▶ M45 3C Test Ltd Silverstone Circuit Silverstone NN12 8GX UNITED KINGDOM</p> <p>Nokia Solutions and Networks Oy Kaapelitie 4 90620 Oulu FINLAND ◀</p> <p>▶ M46 dB Technology (Cambridge) Limited Radio Test Site Twentypence Road Cottenham Cambridge CB24 8PS UNITED KINGDOM</p> <p>PRS LAB S.r.l. Via Campagna 92 22020 Faloppio (CO) ITALY ◀</p> <p>▶ M47 Istituto Italiano del Marchio di Qualità SpA (IMQ SpA) Via Quintiliano, 43 20138 Milano ITALY ◀</p> <p>▶ M49 SMEE ZI des Blanchisseries Rue de Taille 38500 Voiron FRANCE ◀</p> <p>▶ M50 PKM electronic GmbH Ohmstraße 1 84160 Frontenhausen GERMANY ◀</p> <p>▶ M53 TÜV Rheinland Sweden AB Mobilvägen 10 223 62 LUND SWEDEN ◀</p> <p>▶ M54 Eleforss Oy Visiokatu 6 FI-33720 TAMPERE FINLAND ◀</p> <p>▶ M55 Seibersdorf Labor GmbH An der B60 2444 Seibersdorf AUSTRIA ◀</p>	

▼ **B**

EC access to the US market	US access to the EC market
<p>► M56 TÜV SÜD Sverige AB</p> <p>— At location Delta Development Technology AB: Finnslatten Elektronikgatan 47 SE-721 36 Vasteras SWEDEN</p> <p>— At location Ericsson Kista: Torshamnsgatan 23 SE-16480 Kista, Stockholm SWEDEN ◀</p> <p>► M57 Bureau Veritas Consumer Products Services Germany GmbH</p> <p>European Compliance Laboratory (ECL) Thurn-und-Taxis-Strasse 18 90411 Nürnberg GERMANY ◀</p> <p>► M58 EKTOS Testing and Reliability Services A/S (IKTOS TRS A/S)</p> <p>Peter Bangs Vej 17 7600 Struer DENMARK ◀</p> <p>► M59 IBL-Lab GmbH</p> <p>Heinrich-Hertz-Allee 7 66386 St. Ingbert GERMANY</p> <p>C.R.E.I. Ven S.c.r.a.l. Centro Ricerca Elettronica Industriale del Veneto</p> <p>Corso Spagna 12, 35127 Padova ITALY ◀</p> <p>► M61 Ademco CZ s.r.o.</p> <p>Turanka 1236/96 Slatina 627 00 Brno CZECH REPUBLIC ◀</p> <p>► M62 TÜV Italia Srl</p> <p>Gruppo TÜV SÜD Via Bradizzo 123/125 10088 Volpiano (TO) ITALY ◀</p> <p>► M63 Kiwa Creiven Srl</p> <p>Corso Spagna 12 35127 Padova ITALY ◀</p> <p>► M64 Eurofins Electric & Electronics Finland Oy (EEEF)</p> <p>Yrttipellontie 6 90230 Oulu FINLAND ◀</p>	



SECTION VI

**DESIGNATING, LISTING, SUSPENDING, WITHDRAWING AND
MONITORING CONFORMITY ASSESSMENT BODIES LISTED IN
SECTION V**

EC access to the US market	US access to the EC market
<p>EC Authorities identified in Section IV shall designate conformity assessment bodies located in the EC in accordance with the US legislative, regulatory, and administrative provisions identified in Section I that govern designation of conformity assessment bodies, based upon compliance with the appropriate ISO/IEC Guides (e.g. Guide 22, 25, 28, 58, 61, 62, 65, etc.) or the comparable EN-45000 Series Standards.</p> <p>Procedures for designating, listing, suspending, withdrawing, and monitoring a conformity assessment body listed in Section V shall be undertaken pursuant to Articles 7, 8, 9, and 10 of the Agreement.</p>	<p>US Authorities identified in Section IV shall designate conformity assessment bodies located in the US in accordance with the EC legislative, regulatory, and administrative provisions identified in Section I that govern designation of conformity assessment bodies, based on compliance with the appropriate EN-45000 Series Standards or the comparable ISO/IEC Guides (e.g. Guide 22, 25, 28, 58, 61, 62, 65, etc.).</p> <p>Procedures for designating, listing, suspending, withdrawing, and monitoring a conformity assessment body listed in Section V shall be undertaken pursuant to Articles 7, 8, 9, and 10 of the Agreement.</p>

SECTION VII

ADDITIONAL PROVISIONS

1. Sub-contracting

- 1.1. Any sub-contracting by conformity assessment bodies shall be in accordance with the sub-contracting requirements of the other Party. Notwithstanding the use of sub-contracting, the final results of conformity assessment remain the full responsibility of the listed conformity assessment body. In the EC, these requirements are described in Council Directive 93/465/EEC.
- 1.2. The conformity assessment bodies shall record and retain details of its investigation of the competence and compliance of its sub-contractors and maintain a register of all sub-contracting. These details will be available to the other Party on request.

2. Post-market surveillance, border measures and internal movement

- 2.1. For the purpose of post-market surveillance, the Parties may maintain any existing labeling and numbering requirements. The assignment of the numbers may take place in the territory of the exporting Party. The numbers will be allocated by the importing Party. Numbering and labeling systems shall not introduce additional requirements within the meaning of this Sectoral Annex.
- 2.2. Nothing in this Sectoral Annex shall prevent the Parties from removing products from the market that do not in fact conform to the requirements for approval.

▼B

- 2.3. The Parties agree that border inspections and checks of products which have been certified, labeled or marked as conformity with the importing Party's requirements specified in Section I shall be completed as expeditiously as possible. With regard to any inspections related to internal movement within their respective territories, the Parties agree that these shall be completed in no less a favorable manner than for like domestic goods.

3. Joint Sectoral Committee

- 3.1. A combined Joint Sectoral Committee for this Sectoral Annex and the Telecommunications Equipment Sectoral Annex is hereby established (the JSC). The JSC shall operate during the transitional period and after completion of the transitional arrangement. The JSC shall meet as appropriate to discuss technical, conformity assessment and technology issues relating to this Sectoral Annex and the Telecommunications Equipment Sectoral Annex. The JSC shall determine its own rules of procedure.

- 3.2. The JSC consists of representatives of the US and the EC for telecommunications and EMC. JSC representatives may each invite manufacturers and other entities as deemed necessary. The representatives for the US shall one vote in the JSC. The representatives of the EC shall have one vote in the JSC. Decisions of the JSC shall be made by unanimous consent. In the event of disagreement either the US or EC representatives may raise the matter in the Joint Committee.

- 3.3. The JSC may address any matter related to the effective functioning of this Sectoral Annex, including:

- (a) providing a forum for discussion of issues and resolving problems that may arise concerning the implementation of this Sectoral Annex;
- (b) developing a mechanism for ensuring consistency of interpretations of legislation, regulations, standards, and conformity assessment procedures;
- (c) advising the Parties on matters relating to this Sectoral Annex;
- (d) providing guidance and, if necessary, developing guidelines during the transitional period to facilitate the successful completion of the transitional period.

4. Contact point

Each Party shall establish a contact point to provide answers to all reasonable inquiries from the other Party regarding procedures, regulations and complaints under this Sectoral Annex.

5. Regulatory changes and updating the Sectoral Annex

In the event that there are changes to the legislative, regulatory and administrative provisions referenced in Section I or the introduction of new legislative, regulatory and administrative provisions affecting either Party's conformity assessment procedures under the Agreement, such changes shall take effect for the purpose of this Sectoral Annex at the same time they take effect domestically within the territory of each Party. The Parties shall update this Sectoral Annex to reflect the changes.

*SECTION VIII***TRANSITIONAL ARRANGEMENT**

1. There shall a transitional period of 24 months.
2. The purpose of this transitional arrangement is to provide a means whereby the Parties to the Agreement can build confidence in and understanding of each others system for designating and listing conformity assessment bodies and in the ability of these bodies to test and certify products. Successful completion of the transition arrangement should result in the determination that conformity assessment bodies listed in Section V comply with the applicable criteria and are competent to conduct conformity assessment activities on behalf of the other Party. Upon completion of the transition period, the results of conformity assessment procedures performed by the exporting Party's conformity assessment bodies listed in Section V shall be accepted by the importing Party.
3. This transitional period shall be used by the Parties:
 - (a) to consider new legislative changes needed to support the objectives of the Agreement;
 - (b) to initiate regulatory changes needed to support the objectives of the Agreement;
 - (c) to exchange information on and develop better understanding of their respective regulatory requirements;
 - (d) to develop mutually agreed mechanisms for exchanging information on changes in technical requirements or methods of designating conformity assessment bodies; and
 - (e) to monitor and evaluate the performance of the listed conformity assessment bodies during the transitional period.
4. Parties may designate, list, suspend and withdraw conformity assessment bodies during the transitional period according to the procedures in Section VI of this Sectoral Annex.
5. During the transitional period each Party shall accept and evaluate test reports and related documents issued by designated conformity assessment bodies of the other Party. To this end, the Parties shall ensure that:
 - (a) on receipt of test reports, related documents and a first evaluation of conformity, the dossiers are promptly examined for completeness;
 - (b) the applicant is informed in a precise and complete manner of any deficiency;
 - (c) any request for additional information is limited to omissions, inconsistencies or variances from the technical regulations or standards;
 - (d) procedures for assessing the conformity for equipment modified subsequent to a determination of compliance, are limited to procedures necessary to determine continued conformance.

▼ B

6. Each Party ensures that issuance of approvals, certificates or advice to the applicant shall be given no later than six weeks from receipt of the test report and evaluation from a designated conformity assessment body in the territory of the other Party.
7. Any proposal made during or at the end of the transitional period to limit the scope of recognition of any designated conformity assessment body or to exclude it from the list of bodies designated under this Sectoral Annex shall be based on objective criteria and documented. Any such body may apply for reconsideration once the necessary corrective action has been taken. To the extent possible, the Parties shall implement such action prior to the expiry of the transitional period.
8. The Parties may jointly sponsor two seminars, one in the US and one in the European Community, concerning the relevant technical and product approval requirements during the first year after this Sectoral Annex enters into force.

▼ M1



SECTORAL ANNEX FOR ELECTRICAL SAFETY

PREAMBLE

This Annex constitutes a Sectoral Annex to the Agreement on Mutual Recognition between the United States and the European Community.

SECTION I

LEGISLATIVE, REGULATORY AND ADMINISTRATIVE PROVISIONS

US access to the EC market	EC access to the US market
<p>Council Directive 73/23/EEC of 19 February 1973 as amended by Directive 98/13/EC of the European Parliament and of the Council.</p>	<p>29 USC 651 et seq. US 29 CFR 1910.7</p> <p>Products that are certified or approved under the Federal Mine Safety and Health Act (30 USC 801 et seq.) or its regulations and used in areas under the authority of the Mine Safety and Health Administration, are not covered under this Annex.</p> <p>Occupational Safety and Health Administration (OSHA) will consider regulatory and legislative changes needed to support the objectives of the MRA.</p>
<p>For medical devices, see the Medical Devices Sectoral Annex to this Agreement.</p>	<p>For medical devices, see the Medical Devices Sectoral Annex to this Agreement.</p>
<p>For electromagnetic compatibility aspects, see the Electromagnetic Compatibility (EMC) Sectoral Annex to this Agreement.</p>	<p>For electromagnetic compatibility aspects, see the Electromagnetic Compatibility (EMC) Sectoral Annex to this Agreement.</p>
<p>For telecommunication equipment, see the Telecommunication Equipment Sectoral Annex to this Agreement.</p>	<p>For telecommunication equipment, see the Telecommunication Equipment Sectoral Annex to this Agreement.</p>

SECTION II

SCOPE AND COVERAGE

US access to the EC market	EC access to the US market
<p>The electrical safety requirements of products falling under the scope of Council Directive 73/23/EEC on the harmonisation of the laws of the Member States relating to electrical equipment designed or use within certain voltage limits.</p>	<p>The electrical safety requirements of products falling under the scope of 29 CFR 1910 subpart S. This includes the electrical safety aspects for workplace safety of medical equipment and telecommunication terminal equipment within the scope of those Sectoral Annexes.</p>

▼B

US access to the EC market	EC access to the US market
	Products that are certified or approved under the Federal Mine Safety and Health Act (30 USC 801 et seq.) or its regulations and used in areas under the authority of the Mine Safety and Health Administration, are not covered under this Annex.

*SECTION III***DESCRIPTION OF MUTUAL RECOGNITION OBLIGATIONS**

In accordance with the provisions of the Agreement, EC conformity assessment bodies listed in Section V of this Annex shall be recognised to test, certify and mark products within the scope of their Nationally Recognised Testing Laboratory (NRTL) recognition for assessing conformity to US requirements.

With regard to US conformity assessment bodies listed in Section V of this Annex, in the event of a challenge within the European Community under Article 8(2) of Council Directive 73/23/EEC of 19 February 1973, test reports issued by such conformity assessment bodies shall be accepted by the European Community Authorities in the same way that reports from European Community notified bodies are accepted. That is, (listed conformity assessment bodies) in the US shall be recognised under Article 11 of Council Directive 73/23/EEC as 'bodies which may make a report in accordance with Article 8.'

*SECTION IV***AUTHORITIES RESPONSIBLE FOR DESIGNATING THE CONFORMITY ASSESSMENT BODIES LISTED IN SECTION V**

EC access to the US market	US access to the EC market
— <i>Belgium</i> Ministère des Affaires Économiques Ministerie van Economische Zaken	National Institute for Standards and Technology (NIST)
— <i>Denmark</i> Bygge- og Boligstyrelsen Danmarks Elektriske Materielkontrol (DEMKO)	
— <i>Germany</i> Bundesministerium für Arbeit und Sozialordnung	
— <i>Greece</i> Υπουργείο Ανάπτυξης Ministry of Development	
— <i>Spain</i> Ministerio de Industria y Energía	

▼B

EC access to the US market	US access to the EC market
— <i>France</i> Ministère de l'économie, des finances et de l'industrie	
— <i>Ireland</i> Department of Enterprise and Employment	
— <i>Italy</i> Ministero dell'Industria, del Commercio e dell'Artigianato	
— <i>Luxembourg</i> Ministère des Transports	
— <i>Netherlands</i> De Minister van Volksgezondheid, Welzijn en Sport	
— <i>Austria</i> Bundesministerium für wirtschaftliche Angelegenheiten	
— <i>Portugal</i> Under the authority of the Government of Portugal: Instituto Português da Qualidade	
— <i>Finland</i> Kauppa- ja teollisuusministerio/ Handels- och industriministeriet	
— <i>Sweden</i> Under the authority of the Government of Sweden: Styrelsen för ackreditering och teknisk kontroll (SWEDAC)	
— <i>United Kingdom</i> Department of Trade and Industry	

SECTION V

CONFORMITY ASSESSMENT BODIES

EC access to the US market	US access to the EC market
The names and scope of responsibilities of Conformity Assessment Bodies located in the EC and listed in accordance with this Sectoral Annex: (to be provided by the EC)	The names and scope of responsibilities of Conformity Assessment Bodies located in the US and listed in accordance with this Sectoral Annex: (to be provided by the U.S.)



SECTION VI

DESIGNATING, LISTING, SUSPENDING AND WITHDRAWING
CONFORMITY ASSESSMENT BODIES

EC access to the US market	US access to the EC market
<p>Conformity assessment bodies from the EC shall be designated by the EC Authorities identified in Section IV and recognised by the Joint Committee, in accordance with the recognition procedures in the Agreement and this Annex.</p>	<p>Conformity assessment bodies from the US shall be designated by the US Authority identified in Section IV and recognised by the Joint Committee, in accordance with the recognition procedures in the Agreement and Council Directive 73/23/EEC.</p>
<p>Conformance with the appropriate ISO/IEC Guides or the corresponding EN-45000 series of standards shall be deemed consistent with US requirements identified in Section I.</p>	<p>Conformance with the appropriate EN-45000 series of standards or the corresponding ISO/IEC Guides shall be deemed consistent with the requirements of Council Directive 73/23/EEC.</p>
<p>For purposes of designation and listing, EC Designating Authorities identified in Section IV shall designate conformity assessment bodies located in the EC by filing a properly prepared proposal for listing, which includes a complete lab assessment under the US OSHA procedures. OSHA shall notify the EC Designating Authority normally within 30 days as to whether the proposal is complete or whether additional information is required.</p>	<p>For purposes of designating and listing, the US Designating Authority identified in Section IV shall designate conformity assessment bodies located in the US by filing a properly prepared proposal for listing with the EC, which includes a complete lab assessment under the following EC or Member State procedures, as appropriate.</p>
<p>OSHA shall rely on the EC Designating Authorities identified in Section IV for conducting on-site reviews at the respective Member States' conformity assessment bodies.</p>	<p>The EC shall notify the US Designating Authority within 30 days as to whether the proposal is complete and shall indicate, where applicable, any additional information that is required.</p>
<p>Upon receipt of a complete proposal, the US exercising its authority under its law shall:</p> <p>(a) prior to the passage from the transitional phase into the operational phase in the Telecommunication Equipment and Electromagnetic Compatibility (EMC) Sectoral Annexes, give notice of its consent or objection to a proposed conformity assessment body to the Joint Committee. The listing of an agreed conformity assessment body in Section V of this Sectoral Annex shall only occur upon such passage from the transitional phase into the operational phase of those Sectoral Annexes;</p>	<p>Upon receipt of a complete proposal, the EC shall give notice of consent or objection to the Joint Committee within 60 days. The Joint Committee shall monitor the recognition of conformity assessment bodies and confirm such a recognition by listing them in Section V of this Sectoral Annex.</p>

▼B

EC access to the US market	US access to the EC market
<p>(b) subsequent to passage from the transitional phase into the operational phase in the Telecommunication Equipment and Electromagnetic Compatibility (EMC) Sectoral Annexes, give notice of its consent or objection to a proposed conformity assessment body to the Joint Committee normally within 120 business days. The listing of an agreed conformity assessment body in Section V of this Sectoral Annex shall occur upon notice of consent to the Joint Committee and the Joint Committee's decision to list such body.</p> <p>These listing procedures shall supersede the procedures in Article 7(c) of the Agreement in its entirety and the time periods set out in Article 7(d) of the Agreement.</p> <p>EC conformity assessment bodies listed in Section V shall have NRTL status in the US.</p> <p>With regard to the suspension of a conformity assessment body listed in this Sectoral Annex, the period specified in Article 8(e) of the Agreement shall begin to run after a Party has notified the Joint Sectoral Committee or the Joint Committee, pursuant to Article 8(c) of the Agreement, that it proposes to revoke the conformity assessment body's recognition in accordance with its procedures under its applicable domestic law.</p> <p>Except as provided for in this Section, procedures for designation, listing, suspension and withdrawal of conformity assessment bodies under this Sectoral Annex shall be carried out in accordance with Articles 7, 8 and 9 of the Agreement.</p>	<p>The US conformity assessment bodies listed in Section V shall have Notified Body status within the EC.</p>

*SECTION VII***JOINT SECTORAL COMMITTEE FOR ELECTRICAL SAFETY**

1. The Joint Sectoral Committee for Electrical Safety (JSC/ES) consists of representatives of the US and the EC. OSHA shall represent the US on this Joint Sectoral Committee. The EC and OSHA may invite the participation of others as deemed necessary. Each Party shall have one vote and decisions shall be made by unanimous consent, unless otherwise specified herein. The Joint Sectoral Committee shall determine its own rules of procedure.

▼B

2. The Joint Committee may address any matter related to the effective functioning of this Sectoral Annex, including:
 - developing improved procedures and criteria for designation in order to facilitate the assessment and preparation of proposals by Designating Authorities, with a view towards expediting the period between designation and listing;
 - providing a forum for discussion of issues that may arise concerning the implementation of this Sectoral Annex;
 - advising the Parties on matters relating to this Sectoral Annex; and
 - enhancing the operation of this Sectoral Annex.



SECTORAL ANNEX FOR RECREATIONAL CRAFT

PREAMBLE

This Annex constitutes a Sectoral Annex to the Agreement on Mutual Recognition between the United States and the European Community.

The purpose of this Sectoral Annex is to establish a framework to accept certificates of conformity issued in the territory of one Party in accordance with the regulatory requirements of the other Party as referenced in this Sectoral Annex.

To facilitate that purpose, a transitional period of 18 months is arranged to build confidence as defined in this Sectoral Annex, Section VI.

SECTION I

LEGISLATIVE, REGULATORY, AND ADMINISTRATIVE REQUIREMENTS

1. For the European Community:

Directive 94/25/EC of the European Parliament and of the Council of 16 June 1994 on the approximation of the laws, regulations, and administrative provisions of the Member States relating to recreational craft.

2. For the US:

46 USC Chapter 43, 33 CFR 81, 84, 159, 179, 181, 183 and 46 CFR 58.

SECTION II

SCOPE AND COVERAGE

1. This Sectoral Annex applies to all recreational craft which in the European Community or the United States are subject to conformity assessment by a conformity assessment body or an approval procedure, as applicable, before being put on the market.

2. The product coverage for each Party shall be determined by the following relevant requirements:

- (a) for the European Community:

Recreational craft as defined in Directive 94/25/EC;

- (b) for the United States:

Any product falling under the scope of 46 USC Chapter 43, 33 CFR 81, 84, 159, 179, 181, 183 and 46 CFR 58.

3. The Parties agree that for mutual recognition to operate under this Sectoral Annex, the following arrangements shall apply:

- (a) for approvals to European Community requirements, conformity assessment bodies designated by the US shall establish compliance as required to be demonstrated by Directive 94/25/EC. This demonstration of compliance shall be recognised in the European Community and products so certified shall have unrestricted access to the EC market for sale as recreational craft, pursuant to Section I;

▼B

- (b) for approvals to United States requirements, conformity assessment bodies designated by the European Community shall establish compliance as required to be demonstrated as set forth in paragraph 2(b) of this Section, and products so certified shall have unrestricted access to the US market for sale as recreational craft, pursuant to Section I.

*SECTION III***AUTHORITIES RESPONSIBLE FOR DESIGNATING THE CONFORMITY ASSESSMENT BODIES**

EC access to the US market	US access to the EC market
— <i>Belgium</i> Ministère des Communications et de l'infrastructure Ministerie van Verkeer en Infrastructuur	National Institute for Standards and Technology (NIST)
— <i>Germany</i> Bundesministerium für Wirtschaft	
— <i>Spain</i> Ministerio de Fomento	
— <i>France</i> Ministère de l'Équipement, des Transports et du Logement	
— <i>Italy</i> Ministero dell'Industria, del Commercio e dell'Artigianato	
— <i>Netherlands</i> De Minister van Verkeer en Waterstaat	
— <i>Finland</i> Merenkulkhallitus/sjöfartsstyrelsen	
— <i>Sweden</i> Under the authority of the Government of Sweden: Styrelsen för ackreditering och teknisk kontroll (SWEDAC)	
— <i>United Kingdom</i> Department of Trade and Industry	

*SECTION IV***DESIGNATING, LISTING, SUSPENDING AND WITHDRAWING CONFORMITY ASSESSMENT BODIES**

- For the purpose of this Sectoral Annex, each Party shall designate competent conformity assessment bodies to carry out conformity assessment and approval to the requirements of the other Party. Such designation shall be carried out according to the procedures set out in Article 7 of the Agreement. A list of conformity assessment bodies together with the products and procedures for which they have been listed, is set out in Section V below.
- Each Party agrees that the listed conformity assessment bodies comply with the requirements for such bodies established by the other Party. These are:

▼B

- (a) for the European Community, bodies which are Notified Bodies in accordance with Directive 94/25/EC, are deemed to be in compliance with US requirements;
- (b) for the US, in accordance with the requirements set out in the regulations listed in Section I, the conformity assessment bodies listed in Section V are designated by NIST using the evaluation procedures contained in the appropriate EN-45000 series of standards or the corresponding ISO/IEC Guides.
3. With regard to the designation, listing, suspension and withdrawal of conformity assessment bodies under this Sectoral Annex, the specific procedures in Articles 7, 8 and 9 of the Agreement shall be followed.

*SECTION V***CONFORMITY ASSESSMENT BODIES**

EC access to the US market	US access to the EC market
<p>The names and scope of responsibilities of Conformity Assessment Bodies located in the EC and listed in accordance with this Sectoral Annex:</p> <p>(to be provided by EC)</p>	<p>The names and scope of responsibilities of Conformity Assessment Bodies located in the US and listed in accordance with this Sectoral Annex:</p> <p>► M6 Underwriters Laboratories Inc. (UL)</p> <p>12 Laboratory Drive Research Triangle Park, North Carolina 27709 USA Tel: (1-847) 272 88 00 ext. 43894 Fax: (1-847) 509 63 21 ◀</p>

*SECTION VI***TRANSITIONAL ARRANGEMENT**

1. There shall be a transitional period of 18 months prior to the operations of this Sectoral Annex.
2. The purpose of the transitional arrangement is to provide a mean whereby the Parties to this Agreement can cooperate to establish a system for designating conformity assessment bodies and can mutually build confidence in the abilities of these bodies. Successful completion of this transitional arrangement is intended to result in a determination that conformity assessment bodies comply with the applicable criteria and to have the equipment approved by the conformity assessment bodies of the exporting country accepted by the approval authority of the importing country.
3. During this transitional period, the parties shall:
 - (a) exchange information on technical data and conformity assessment criteria and procedures, thus developing greater familiarity with their respective regulatory requirements; and
 - (b) carry out or recommend any applicable policy, legislative and regulatory changes necessary for the provisions of this Annex.
4. *Product Scope*

All products covered by Section II of this Annex.

▼ B*5. Cooperation*

During this transitional period, both Parties shall endeavour to sponsor jointly seminars for the purpose of improving the understanding of technical specifications applicable in each Party's jurisdiction.

6. Inspections

Inspections or audits shall be permitted to verify compliance of conformity assessment bodies with their responsibilities under this Agreement. The scope of these inspections or audits shall be agreed upon in advance by both Parties.

*SECTION VII***ADDITIONAL PROVISIONS**

1. In accordance with the relevant provisions of the Agreement, the Parties shall ensure the continued availability of the names of their respective notified bodies or conformity assessment bodies, and shall regularly supply details of certifications issued in order to facilitate post market surveillance.
2. The Parties note that, to the extent that requirements for electrical safety or electromagnetic compatibility may apply to products covered by this Sectoral Annex, the provisions of the Sectoral Annexes on Electrical Safety and Electromagnetic Compatibility apply.

*SECTION VIII***DEFINITIONS**

'Notified Body' means a third party authorised to perform the conformity assessment tasks specified in Directive 94/25/EC, which has been appointed by a Member State from the bodies falling within its jurisdiction. The Notified Body has the necessary qualifications to meet requirements laid down in Directive 94/25/EC and has been notified to the Commission and to the other Member States.

▼ M30**United States — European Union amended sectoral annex for pharmaceutical good manufacturing practices (GMPS)**

PREAMBLE

This Annex constitutes a Sectoral Annex to the Agreement on Mutual Recognition between the United States and the European Union, amending the Sectoral Annex for Pharmaceutical Good Manufacturing Practices done in 1998.

CHAPTER 1

DEFINITIONS, PURPOSE, SCOPE AND PRODUCT COVERAGE*Article 1***Definitions**

For purposes of this Annex:

1. ‘Assessment pursuant to this Annex’ means:

for the European Union (EU), an equivalence assessment; and

for the United States, a capability assessment.

An assessment pursuant to this Annex includes a reassessment.

2. ‘Recognized authority’ means:

for the EU, an equivalent authority; and

for the United States, a capable authority.

3. ‘Capable authority’ means an authority that the Food and Drug Administration (FDA) has determined is capable according to the criteria and procedures specified in Appendix 4 and referred to in the U.S. laws, regulations and administrative provisions listed in Appendix 1. For greater certainty, a finding that a regulatory authority is ‘capable’ does not require that the authority maintain procedures for conducting inspections and overseeing manufacturing facilities that are identical to FDA’s procedures.
4. ‘Equivalent authority’ means an authority in respect of which the EU has made a positive equivalence determination according to the criteria and procedures specified in Appendix 4 and as referred to in the EU laws, regulations and administrative provisions listed in Appendix 1.
5. ‘Equivalence’ means that the regulatory system under which an authority operates is sufficiently comparable to assure that the process of inspection and the ensuing official GMP documents will provide adequate information to determine whether respective statutory and regulatory requirements of the authorities have been fulfilled. For greater certainty, ‘equivalence’ does not require that the respective regulatory systems have identical procedures.
6. ‘Enforcement’ means an action taken by an authority to protect the public from products of suspect quality, safety and efficacy or to assure that products are manufactured in compliance with appropriate laws, regulations, standards and commitments made as part of the approval to market a product.

▼ M30

7. ‘Good Manufacturing Practices’ (GMPs) means systems that assure proper design, monitoring, and control of manufacturing processes and facilities, the adherence to which assures the identity, strength, quality, and purity of pharmaceuticals. GMPs include strong quality management systems, obtaining appropriate quality raw materials (including starting materials) and packaging materials, establishing robust operating procedures, detecting and investigating product quality deviations, and maintaining reliable testing laboratories.
8. ‘Inspection’ means an on-site evaluation of a manufacturing facility to determine whether such manufacturing facility is operating in compliance with Good Manufacturing Practices and/or commitments made as part of the approval to market a product.
9. ‘Inspection Report’ means a report written by an investigator or inspector of an authority listed in Appendix 2 concerning an inspection of a manufacturing facility that the investigator or inspector conducted that describes the purpose and scope of an inspection and includes written observations and findings bearing on the manufacturing facilities conformance to applicable GMP requirements set out in the laws, regulations and administrative procedures listed in Appendix 1 and any commitments made as part of the approval to market a product.
10. ‘Official GMPs document’ means a document issued by an authority listed in Appendix 2 following an inspection of a manufacturing facility. Examples of official GMPs documents include inspection reports, certificates issued by an authority attesting the compliance of a manufacturing facility with GMPs, GMPs non-compliance statement issued by authorities of the EU, and notice of observations, untitled letters, warning letters, and import alerts issued by the FDA.
11. ‘Pharmaceuticals’ includes drugs and medicinal products as defined in the laws and regulations listed in Appendix 1.
12. ‘Post-approval inspections’ means GMP surveillance inspections during the marketing of products.
13. ‘Pre-approval inspections’ means pharmaceutical inspections of manufacturing facilities carried out in the territory of a Party as part of the review of an application before marketing approval is granted.
14. ‘Regulatory System’ means the body of legal requirements for Good Manufacturing Practices, inspections, and enforcements that ensure public health protection and legal authority to assure adherence to these requirements.

*Article 2***Purpose**

This Annex facilitates the exchange of official GMPs documents between the Parties and reliance on the factual findings in such documents. This Annex seeks to facilitate trade and benefit public health by allowing each Party to leverage and to reallocate its inspection resources, including by avoiding duplication of inspections, so as to improve oversight of manufacturing facilities and better address quality risk and prevent adverse health consequences.

▼ M30*Article 3***Scope**

1. The provisions of this Annex apply to pharmaceutical inspections of manufacturing facilities carried out in the territory of a Party during the marketing of products (hereafter referred to as 'post-approval inspections') and, to the extent provided for in Article 11, before products are marketed (hereafter referred to as 'pre-approval inspections'), as well as, to the extent provided for in Article 8(3), to pharmaceutical inspections of manufacturing facilities carried out outside the territory of either Party.
2. Appendix 1 names the laws, regulations and administrative provisions governing these inspections and the GMPs requirements.
3. Appendix 2 lists all the authorities responsible for the oversight of facilities that manufacture products within the product coverage of this Annex.
4. Articles 6, 7, 8, 9, 10 and 11 of the Agreement do not apply to this Annex.

*Article 4***Product coverage**

1. These provisions apply to marketed finished pharmaceuticals for human or animal use, intermediates (for the EU as defined in EU legislation) and in-process materials (for the United States as defined under U.S. law), certain marketed biological products for human use, and active pharmaceutical ingredients, only to the extent they are regulated by the authorities of both Parties as listed in Appendix 2 and subject to Article 20.
2. Human blood, human plasma, human tissues and organs, and veterinary immunologicals are excluded from the scope of this Annex.
3. Appendix 3 contains the list of products covered by this Annex.

CHAPTER 2

DETERMINATION OF RECOGNITION*Article 5***Assessments**

1. Each Party shall conduct assessments of authorities listed in Appendix 2 pursuant to this Annex on the request of the other Party as expeditiously as possible, including for authorities added to Appendix 2 after the effective date of this Annex and as regards products listed in Appendix 3 (including those that are included in the scope of this Annex pursuant to Article 20 after the effective date of this Annex).
2. Each Party shall use the criteria and procedure specified in Appendix 4 to conduct assessments pursuant to this Annex.

▼ M30*Article 6***Participation in and completion of assessments**

Each Party with respect to the authorities listed in Appendix 2 shall participate in the procedure as described in Appendix 4. Each Party shall exercise good faith efforts to complete assessments pursuant to this Annex as expeditiously as possible. To this end:

- (a) The EU shall complete an assessment of the FDA for human pharmaceuticals under this Annex no later than by 1 July 2017.
- (b) The FDA shall complete an assessment under this Annex of each EU Member State authority for human pharmaceuticals listed in Appendix 2 as set out in Appendix 5.

*Article 7***Recognition of authorities**

1. Each Party shall determine whether to recognize an authority according to the criteria specified in Appendix 4. Each Party shall promptly notify the Joint Sectoral Committee of any determination to recognize an authority of the other Party. The Joint Sectoral Committee shall maintain a list of recognized authorities and shall keep the list up-to-date. The list shall be made publicly available by each Party.
2. The assessing Party shall promptly notify the other Party and the relevant authority of any deficiencies identified in the course of the assessment. In the event of a negative determination, the assessing Party shall notify the other Party and the relevant authority of the reasons for the negative determination and provide sufficient detail to allow the authority to understand corrective measures that must be taken to attain a positive determination. A Party may request the other Party to conduct a reassessment of any authority for which the other Party has made a negative determination once the authority has taken necessary corrective measures in accordance with Article 5.
3. An assessing Party shall, upon request of the other Party, promptly discuss with the other Party in the Joint Sectoral Committee the reasons for a negative determination. In case of a negative determination, efforts shall be made by the Joint Sectoral Committee to discuss within 3 months the appropriate timeframe and exact steps to be taken to reassess the relevant authority.

CHAPTER 3

OPERATIONAL ASPECTS*Article 8***Recognition of inspections**

1. A Party shall recognize pharmaceutical inspections and accept official GMPs documents issued by a recognized authority of the other Party for manufacturing facilities located in the territory of the issuing authority, except as provided in paragraph 2.
2. A Party may in specific circumstances opt not to accept an official GMPs document issued by a recognized authority of the other Party for manufacturing facilities located in the territory of the issuing authority. Examples of such circumstances include the indication of material inconsistencies or inadequacies in an inspection report, quality defects identified in the post-market surveillance or other specific evidence of serious concern in relation to product quality or

▼ M30

consumer safety. A Party opting not to accept an official GMPs document issued by a recognized authority of the other Party shall notify the other Party and the relevant authority of the reasons for not accepting the document and may request clarification from that authority. The authority shall endeavour to respond to the request for clarification in a timely manner and shall normally provide the clarification based on input from one or more members of the inspection team.

3. A Party may accept official GMPs documents issued by a recognized authority of the other Party for manufacturing facilities located outside the territory of the issuing authority.

4. Each Party may determine the terms and conditions under which it accepts official GMPs documents issued under paragraph 3.

5. For purposes of this Annex, to accept an official GMPs document means to rely on the factual findings in such document.

*Article 9***Batch testing**

In the EU, as provided in Article 51 paragraph 2 of Directive 2001/83/EC of the European Parliament and of the Council⁽¹⁾ and in Article 55 paragraph 2 of Directive 2001/82/EC of the European Parliament and of the Council⁽²⁾, the qualified person will be relieved of responsibility for carrying out the controls laid down in Article 51 paragraph 1 of Directive 2001/83/EC and in Article 55 paragraph 1 of Directive 2001/82/EC provided that these controls have been carried out in the United States, the product was manufactured in the United States and that each batch/lot is accompanied by a batch certificate (in alignment with the WHO certification scheme on the quality of medicinal products) issued by the manufacturer certifying that the product complies with requirements of the marketing authorization and signed by the person responsible for releasing the batch/lot.

*Article 10***Transmission of official GMPs documents**

If an importing Party requests a recognized authority of the other Party for a post-approval official GMPs document, the recognized authority shall transmit the document to the Party within 30 calendar days of the date of the request. If, based on that document, the importing Party determines that a new inspection of the manufacturing facility is needed, the importing Party shall notify the relevant recognized authority of the other Party and request, in accordance with Article 11, the recognized authority of the other Party to conduct a new inspection.

⁽¹⁾ Directive 2001/83/EC of the European Parliament and of the Council of 6 November 2001 on the Community code relating to medicinal products for human use (OJ L 311, 28.11.2001, p. 67).

⁽²⁾ Directive 2001/82/EC of the European Parliament and of the Council of 6 November 2001 on the Community code relating to veterinary medicinal products (OJ L 311, 28.11.2001, p. 1).

▼ M30*Article 11***Requests for pre-approval and post-approval inspections**

1. A Party or a recognized authority of a Party may request in writing that a recognized authority of the other Party conduct a pre-approval or post-approval inspection of a manufacturing facility. The request shall include the reason for the request and identify the precise issues to be addressed in the inspection and the requested timeline for completing the inspection and transmitting the official GMPs documents.
2. In the EU, requests shall be sent directly to the relevant recognized authority, with a copy to the European Medicines Agency (EMA).
3. Within 15 calendar days of receipt of the request, the recognized authority shall acknowledge receipt and confirm whether it will conduct the inspection in accordance with the requested timelines. Where the authority receiving the request is of the opinion that official GMPs documents relevant to the request are already available or are pending, it should inform the requesting authority accordingly and share these documents upon request.
4. For greater certainty, if the recognized authority indicates that it will not conduct the inspection, the requesting authority has the right to conduct its own inspection of the manufacturing facility and the requested authority has the right to join the inspection.

*Article 12***Maintenance**

Each Party shall maintain ongoing activities to monitor that recognized authorities in its territory maintain the criteria for recognition. For the purpose of such monitoring activities, each Party shall rely on established programmes that include regular audits or assessments of authorities based on the criteria specified in Appendix 4. The frequency and nature of such activities shall be consistent with international best practices. A Party may invite the other Party to participate in these monitoring activities at the other Party's expense. Each Party shall notify the other Party of any significant changes to its monitoring programmes.

*Article 13***Suspension of a recognized authority**

1. Each Party has the right to suspend recognition of a recognized authority of the other Party. This right shall be exercised in an objective and reasoned manner and communicated in writing to the other Party and the recognized authority.
2. A Party suspending recognition of a recognized authority of the other Party shall, upon request of the other Party or the authority whose recognition was suspended, promptly discuss in the Joint Sectoral Committee the suspension, the reason therefore, and corrective actions that would need to be taken for the suspension to be lifted.
3. Upon the suspension of an authority previously listed as a recognized authority, a Party is no longer obligated to accept official GMPs documents of the suspended authority. A Party shall continue to accept official GMPs documents of that authority prior to suspension, unless the Party decides otherwise based on health or safety considerations. The suspension shall remain in effect until the Parties decide to lift the suspension or until a positive determination of recognition has been made in accordance with Article 7 pursuant to a reassessment.

▼ M30

CHAPTER 4

JOINT SECTORAL COMMITTEE*Article 14***Role and composition of the Joint Sectoral Committee**

1. A Joint Sectoral Committee is set up to monitor the activities performed under this Annex.
2. The Committee shall be co-chaired by a representative of the FDA for the United States and a representative of the EU who each shall have one vote in the Joint Sectoral Committee. The Joint Sectoral Committee shall make its decision by unanimous consent. The Joint Sectoral Committee shall determine its own rules and procedures.
3. The Joint Sectoral Committee's functions include in particular:
 - (a) developing and keeping up to date the list of recognized authorities, including any limitation in terms of inspection type or products, and the list of authorities in Appendix 2 and communicating the lists to all authorities listed in Appendix 2 and the Joint Committee,
 - (b) providing a forum to discuss issues relating to this Annex, including relating to disagreements as regards determinations of recognition or suspension and timelines for completing assessments under this Annex of authorities listed in Appendix 2;
 - (c) in accordance with Article 20 and Appendix 3, considering the status, and taking decisions on the inclusion, of the products referred to in Article 20; and
 - (d) adopting, where necessary, appropriate complementary technical and administrative arrangements for the effective implementation of this Annex.
4. The Joint Sectoral Committee shall meet at the request of either Party with respect to issues relating to disagreements as regards to determinations of recognition or suspension and otherwise at such times as the Parties may agree. The Joint Sectoral Committee may meet in person or by other means.

CHAPTER 5

REGULATORY COOPERATION AND INFORMATION EXCHANGE*Article 15***Regulatory cooperation**

The Parties shall inform and consult one another, as permitted by law, on proposals to introduce new controls or to change existing technical regulations or significant changes to pharmaceutical inspection procedures and to provide the opportunity to comment on such proposals.

▼ M30*Article 16***Exchange of information**

The Parties shall establish appropriate arrangements, including access to relevant databases, for the exchange of official GMPs documents and other appropriate information related to the inspection of a manufacturing facility and the exchange of information concerning any confirmed problem reports, corrective actions, recalls, rejected import consignments and other regulatory and enforcement problems for products subject to this Annex.

*Article 17***Alert System**

Each Party shall maintain an Alert System that permits authorities of the other Party when relevant to be made aware proactively and with the appropriate speed in case of quality defect, recalls, counterfeit or falsified products, or potential serious shortages and other problems concerning quality or non-compliance with GMP, which could necessitate additional controls or suspension of the distribution of the affected products.

CHAPTER 6

SAFEGUARD CLAUSE*Article 18***Safeguard clause**

1. Each Party recognizes that the importing country has a right to fulfil its legal responsibilities by taking actions necessary to ensure the protection of human and animal health at the level of protection it deems appropriate. An authority of a Party has the right to conduct its own inspection of a manufacturing facility in the territory of the other Party.
2. An authority of a Party conducting its own inspection of a manufacturing facility in the territory of the other Party should be an exception from the normal practice of a Party as of the date on which the Articles referred to in Article 19(2) become applicable.
3. An authority of a Party, prior to conducting an inspection under paragraph 1, shall notify the other Party in writing and the authority of the other Party has the right to join the inspection conducted by the Party.

CHAPTER 7

FINAL PROVISIONS*Article 19***Entry Into Force**

1. This Annex shall enter into force on the date on which the Parties have completed an Exchange of Letters confirming completion of any respective procedures for the entry into force of this Annex.
2. Notwithstanding paragraph 1, Articles 8, 10, 11 and 12 of this Annex shall not apply until 1 November 2017, except as provided in paragraph 4.

▼ M30

3. Notwithstanding paragraph 1, Article 9 of this Annex shall not apply until the date on which all the EU Member State authorities for human pharmaceuticals listed in Appendix 2 have been recognized by the FDA.

4. If, by 1 November 2017, the FDA has not completed assessments under this Annex of at least eight Member State authorities for human pharmaceuticals listed in Appendix 2, despite having received complete capability assessment packages from those authorities as specified in paragraph II.A.1 of Appendix 4 in accordance with the schedule set out in Appendix 5, application of the Articles referred to in paragraph 2 shall be postponed to the date on which the FDA has completed assessments of at least eight such authorities.

*Article 20***Transitory Provisions**

1. No later than by 15 July 2019, the Joint Sectoral Committee shall consider whether to include veterinary products within the product coverage of this Annex. The Joint Sectoral Committee shall exchange views on the organisation of the assessment of respective authorities by 15 December 2017.

2. No later than 15 July 2022, the Joint Sectoral Committee shall consider whether to include vaccines for human use and plasma derived pharmaceuticals within the product coverage of this Annex. Without prejudice to this consideration, as of the effective date of this Annex, a Party shall notify the relevant authority of the other Party in advance of conducting a post-approval inspection of a manufacturing facility of such products located in the territory of the Party and give the authority the option of joining the inspection. In order to support the inclusion of vaccines for human use and plasma derived pharmaceuticals within the product coverage of this Annex, the Joint Sectoral Committee shall take into account, in particular, the experience gained through such joint inspections.

3. No later than 15 July 2019, the Joint Sectoral Committee shall review experience gained in order to decide whether the provisions on pre-approval inspections provided in Article 11 shall be reviewed.

4. Products referred to in paragraphs 1 and 2 shall be included within the product coverage of this Annex only once the Joint Sectoral Committee so decides pursuant to paragraphs 1 and 2.

5. Where the FDA identifies the need for a post-approval inspection of a manufacturing facility in a territory of a Member State authority of which an assessment under this Annex is pending or that the FDA has otherwise not recognized, the FDA shall notify that authority and the EMA in writing.

(a) No later than 30 calendar days of the date it receives a notification pursuant to paragraph 5, the authority in whose territory the manufacturing facility is located or EMA on behalf of this authority shall inform the FDA whether it has opted to request a recognized authority of the EU to conduct the inspection and, if so, whether such recognized authority of the EU will conduct the inspection by the date specified in the notification. The authority in whose territory the manufacturing facility is located shall be allowed to join the inspection.

▼ M30

- (b) In the case that a recognized authority of the EU will conduct the inspection, the recognized authority or EMA on behalf of this authority shall inform the FDA of the date(s) on which it will conduct the inspection and submit the official GMPs documents relevant to the inspection to the FDA and the authority of the territory in which the inspection has been conducted by the date specified in the notification in accordance with the applicable laws, regulations and administrative provisions listed in Appendix 1. The FDA shall have the option to participate in the inspection.
- (c) In the case that a recognized authority of the EU will not conduct the inspection and the FDA conducts the inspection, the authority of the territory in which the inspection has been conducted has the right to participate in the inspection and the FDA shall submit the official GMPs documents relevant to the inspection to this authority.

*Article 21***Termination**

1. The Annex shall terminate on 15 July 2019 in the event that the FDA, by that date, has not completed an assessment under this Annex of each EU Member State authority for human pharmaceuticals listed in Appendix 2, provided that the FDA has received complete capability assessment packages as specified in paragraph II.A.1 of Appendix 4 from each Member State authority in accordance with the schedule set out in Appendix 5.
2. The date specified in paragraph 1 shall be extended by 90 calendar days for each authority that provides a complete capability assessment package as specified in paragraph II.A.1 of Appendix 4 after the applicable deadline set out in Appendix 5 but before 15 July 2019.
3. The FDA shall, on request, discuss any disagreement raised by the EU regarding an assessment in the Joint Sectoral Committee. If the Joint Sectoral Committee cannot agree on resolution of the disagreement, the EU may notify in writing to the FDA its formal disagreement and the Annex shall terminate three months from the date of such notification or on such other date as the Joint Sectoral Committee may agree.

▼ **M30***Appendix 1***List of Applicable Laws, Regulations and Administrative Provisions**

FOR THE UNITED STATES

Federal Food, Drug, and Cosmetic Act, 21 U.S.C. 301 et seq. Of particular relevance: 21 USC 351(a)(2)(B) (drug adulterated if not manufactured in conformance with current good manufacturing practice); 21 U.S.C. 355(d)(3); 21 U.S.C. 355(j)(4)(A) (approval of human drug contingent on adequacy of methods, facilities, and controls for manufacturing, processing, and packing to preserve the identity, strength, quality, and purity of drug); 21 U.S.C. 360b(c)(2)(A)(i); 360b(d)(1)(C) (approval of animal drug contingent on contingent on adequacy of methods, facilities, and controls for manufacturing, processing, and packing to preserve the identity, strength, quality, and purity of drug); 21 U.S.C. 374 (inspection authority); 21 U.S.C. 384(e) (recognition of foreign government inspections)

Public Health Service Act Section 351, 42 U.S.C. 262. Of particular relevance: 42 U.S.C. 262(a)(2)(C)(i)(II) (licensing of biologic contingent on demonstration that the facility in which it is manufactured, processed, packed, or held meets standards designed to assure that the product continues to be safe, pure, and potent); 42 U.S.C. 262(j) (Federal Food, Drug, and Cosmetic Act applies to biologic products)

21 CFR Part 210 (Current Good Manufacturing Practice in Manufacturing, Processing, Packing or Holding Drugs; General)

21 CFR Part 211 (Current Good Manufacturing Practice for Finished Pharmaceuticals)

21 CFR Part 600, Subpart B (Establishment Standards); Subpart C (Establishment Inspection)

FOR THE EUROPEAN UNION

Directive 2001/83/EC of the European Parliament and of the Council of 6 November 2001 on the Community code relating to medicinal products for human use;

Directive 2001/82/EC of the European Parliament and of the Council of 6 November 2001 on the Community code relating to veterinary medicinal products;

Directive 2001/20/EC of European Parliament and of the Council of 4 April 2001 on the approximation of the laws, regulations and administrative provisions of the Member States relating to the implementation of good clinical practice in the conduct of clinical trials on medicinal products for human use;

Regulation (EU) No 536/2014 of 16 April 2014 on clinical trials on medicinal products for human use, and repealing Directive 2001/20/EC;

▼ **M30**

Regulation (EC) No 726/2004 of the European Parliament and of the Council of 31 March 2004 laying down Community procedures for the authorisation and supervision of medicinal products for human and veterinary use and establishing a European Medicines Agency;

Commission Directive 2003/94/EC of 8 October 2003 laying down the principles and guidelines of good manufacturing practice in respect of medicinal products for human use and investigational medicinal products for human use;

Commission Directive 91/412/EEC of 23 July 1991 laying down the principles and guidelines of good manufacturing practice for veterinary medicinal products;

Commission delegated Regulation (EU) No 1252/2014 of 28 May 2014 of the European Parliament and of the Council with regard to principles and guidelines of good manufacturing practice for active substances for medicinal products for human use;

Current version of the Guide to good manufacturing practices contained in volume IV of Rules governing medicinal products in the European Union and compilation of the community procedures on inspections and exchange of information.

▼ **M65**

Appendix 2

LIST OF AUTHORITIES

UNITED STATES

The Food and Drug Administration

EUROPEAN UNION

Country	For medicinal products for human use	For veterinary medicinal products
Austria	Austrian Agency for Health and Food Safety / <i>Österreichische Agentur für Gesundheit und Ernährungssicherheit GmbH</i>	See responsible authority for medicinal products for human use
Belgium	Federal Agency for Medicines and Health Products – FAMHP / <i>Federaal Agentschap voor Geneesmiddelen en Gezondheidsproducten – FAGG / Agence fédérale des médicaments et des produits de santé – AFMPS</i>	See responsible authority for medicinal products for human use
Bulgaria	Bulgarian Drug Agency / <i>Изпълнителна агенция по лекарствата</i>	Bulgarian Food Safety Agency / <i>Българска агенция по безопасност на храните</i>
Croatia	Agency for Medicinal Products and Medical Devices / <i>Agencija za lijekove i medicinske proizvode (HALMED)</i>	Agency for Medicinal Products and Medical Devices / <i>Agencija za lijekove i medicinske proizvode (HALMED)</i> Ministry of Agriculture, Veterinary and Food Safety Directorate / <i>Ministarstvo poljoprivrede, Uprava za veterinarstvo i sigurnost hrane</i>
Cyprus	Ministry of Health – Pharmaceutical Services / <i>Φαρμακευτικές Υπηρεσίες, Υπουργείο Υγείας</i>	Ministry of Agriculture, Rural Development and Environment – Veterinary Services / <i>Υπουργείο Γεωργίας, Αγροτικής Ανάπτυξης και Περιβάλλοντος – Κτηνιατρικές Υπηρεσίες</i>
Czechia	State Institute for Drug Control / <i>Státní ústav pro kontrolu léčiv (SÚKL)</i>	Institute for State Control of Veterinary Biologicals and Medicines / <i>Ústav pro státní kontrolu veterinárních biopreparátů a léčiv (ÚSKVBL)</i>
Denmark	Danish Medicines Agency / <i>Lægemiddelstyrelsen</i>	See responsible authority for medicinal products for human use
Estonia	State Agency of Medicines / <i>Ravimiamet</i>	See responsible authority for medicinal products for human use
Finland	Finnish Medicines Agency / <i>Lääkealan turvallisuus- ja kehittämiskeskus (FIMEA)</i>	See responsible authority for medicinal products for human use
France	French National Agency for Medicines and Health Products Safety / <i>Agence nationale de sécurité du médicament et des produits de santé (ANSM)</i>	French agency for food, environmental and occupational health safety – French Agency for Veterinary Medicinal Products / <i>Agence Nationale de sécurité sanitaire de l'alimentation, de l'environnement et du travail – Agence Nationale du Médicament Vétérinaire (Anses-ANMV)</i>

▼ M65

Country	For medicinal products for human use	For veterinary medicinal products
Germany	Federal Institute for Drugs and Medical Devices / <i>Bundesinstitut für Arzneimittel und Medizinprodukte (BfArM)</i> Paul-Ehrlich-Institute (PEI), Federal Institute for Vaccines and Biomedicines / <i>Paul-Ehrlich-Institut (PEI) Bundesinstitut für Impfstoffe und biomedizinische Arzneimittel</i> Federal Ministry of Health / <i>Bundesministerium für Gesundheit (BMG)</i> Central Authority of the Länder for Health Protection with regard to Medicinal Products and Medical Devices / <i>Zentralstelle der Länder für Gesundheitsschutz bei Arzneimitteln und Medizinprodukten (ZLG⁽¹⁾)</i>	Federal Office for Consumer Protection and Food Safety / <i>Bundesamt für Verbraucherschutz und Lebensmittelsicherheit (BVL)</i> Federal Ministry of Food and Agriculture / <i>Bundesministerium für Ernährung und Landwirtschaft</i>
Greece	National Organisation for Medicines / <i>Ethnikos Organismos Farmakon (EOF) – (Εθνικός Οργανισμός Φαρμάκων)</i>	See responsible authority for medicinal products for human use
Hungary	National Institute of Pharmacy and Nutrition / <i>Országos Gyógyszerészeti és Élelmezés-egészségügyi Intézet</i>	National Food Chain Safety Office, Directorate of Veterinary Medicinal Products / <i>Nemzeti Élelmiszerlánc-biztonsági Hivatal, Állatgyógyászati Termékek Igazgatósága (ÁTI)</i>
Ireland	Health Products Regulatory Authority (HPRA)	See responsible authority for medicinal products for human use
Italy	Italian Medicines Agency / <i>Agenzia Italiana del Farmaco</i>	Ministry of Health, Direction General for Animal Health and Veterinary Medicinal Products / <i>Ministero della Salute, Direzione Generale della Sanità Animale e dei Farmaci Veterinari</i>
Latvia	State Agency of Medicines / <i>Zāļu valsts aģentūra</i>	Food and Veterinary Service / <i>Pārtikas un veterinārais dienests</i>
Lithuania	State Medicines Control Agency / <i>Valstybinė vaistų kontrolės tarnyba</i>	State Food and Veterinary Service / <i>Valstybinė maisto ir veterinarijos tarnyba</i>
Luxembourg	Ministry of Health, Division of Pharmacy and Medicines / <i>Ministère de la Santé, Division de la Pharmacie et des Médicaments</i>	See responsible authority for medicinal products for human use
Malta	Malta Medicines Authority (MMA)	The Animal Health and Welfare Department (AHWD)
Netherlands	Healthcare and Youth Care Inspectorate, Ministry of Health, Welfare and Sport / <i>Inspectie Gezondheidszorg en Jeugd (IGJ), Ministerie van Volksgezondheid, Welzijn en Sport</i>	Medicines Evaluation Board (MEB) / <i>College ter Beoordeling van Geneesmiddelen (CBG)</i> Veterinary Medicinal Products Unit / <i>Bureau Diergeneesmiddelen</i>
Poland	Chief Pharmaceutical Inspectorate / <i>Główny Inspektorat Farmaceutyczny (GIF)</i>	See responsible authority for medicinal products for human use
Portugal	National Authority of Medicines and Health Products / <i>INFARMED, I.P. Autoridade Nacional do Medicamento e Produtos de Saúde, I.P.</i>	General Directorate of Food and Veterinary / <i>Direção-Geral de Alimentação e Veterinária (DGAV)</i>

▼ **M65**

Country	For medicinal products for human use	For veterinary medicinal products
Romania	National Agency for Medicines and Medical Devices of Romania / <i>Agenția Națională a Medicamentului și a Dispozitivelor Medicale din România</i>	National Sanitary Veterinary and Food Safety Authority / <i>Autoritatea Națională Sanitară Veterinară și pentru Siguranța Alimentelor</i>
Slovakia	State Institute for Drug Control / <i>Štátny ústav pre kontrolu liečiv (ŠÚKL)</i>	Institute for State Control of Veterinary Biologicals and Medicaments / <i>Ústav štátnej kontroly veterinárnych biopreparátov a liečiv (USKVBL)</i>
Slovenia	Agency for Medicinal Products and Medical Devices of the Republic of Slovenia / <i>Javna agencija Republike Slovenije za zdravila in medicinske pripomočke (JAZMP)</i>	See responsible authority for medicinal products for human use
Spain	Spanish Agency of Medicines and Medical Devices / <i>Agencia Española de Medicamentos y Productos Sanitarios</i> ⁽²⁾	See responsible authority for medicinal products for human use
Sweden	Swedish Medical Product Agency / <i>Läkemedelsverket</i>	See responsible authority for medicinal products for human use

⁽¹⁾ For the purpose of this Annex, and without prejudice to the internal division of competence in Germany on matters falling within the scope of this Annex, ZLG shall be understood as coordinating authority for all competent Länder authorities issuing GMP documents and conducting pharmaceutical inspections.

⁽²⁾ For the purpose of this Annex, and without prejudice to the internal division of competence in Spain on matters falling within the scope of this Annex, Agencia Española de Medicamentos y Productos Sanitarios shall be understood as covering all the competent regional authorities issuing GMP documents and conducting pharmaceutical inspections.

▼ **M30***Appendix 3***LIST OF PRODUCTS COVERED BY THE ANNEX**

Recognizing that precise definition of medicinal products and drugs are to be found in the laws, regulations and administrative provisions referred to in Appendix 1, an indicative list of products covered by the Annex is given below. This applies to processing, packaging, testing and sterilizing facilities, including contract facilities performing these functions.

1. Marketed finished pharmaceuticals for human use in various pharmaceutical dosage forms such as tablets, capsules, ointments, and injectables, including:
 - (a) Medical gases;
 - (b) Radiopharmaceuticals or radioactive biological products;
 - (c) Herbal (botanical) products ⁽¹⁾; and
 - (d) Homeopathic products;
2. Marketed biological products:
 - (a) Vaccines for human use ⁽²⁾;
 - (b) Plasma derived pharmaceuticals ⁽²⁾;
 - (c) Therapeutic biotechnology-derived biological products; and
 - (d) Allergenic products.
3. In process materials (for the United States as defined under U.S. law) and intermediates (for the European Union as defined in EU legislation);
4. Active pharmaceutical ingredients or bulk drug substance;
5. Investigational products (clinical trial material) ⁽³⁾; and
6. Veterinary products ⁽²⁾:
 - (a) veterinary pharmaceuticals, including prescription and non-prescription drugs, with the exclusion of veterinary immunologicals;
 - (b) pre-mixes for the preparation of veterinary medicated feeds (EU), Type A medicated articles for the preparation of veterinary medicated feeds (US);

⁽¹⁾ These are included to the extent that they are regulated as drugs by the FDA and medicinal products by the EU.

⁽²⁾ These products are only included within the product coverage of this Annex to the extent the Joint Sectoral Committee decides to include them pursuant to Article 20.

⁽³⁾ The FDA does not routinely conduct GMP inspections for investigational medicinal products. Inspection information on these products will be provided to the extent that they are available and resources allow. These products are only included within the product coverage of this Annex to the extent the Joint Sectoral Committee decides to include them.

▼ M30*Appendix 4***CRITERIA AND PROCEDURE FOR ASSESSMENTS UNDER THIS ANNEX****I. CRITERIA FOR ASSESSMENTS UNDER THIS ANNEX**

Each Party will apply the following criteria to determine whether to recognize an authority listed in Appendix 2:

- (i) The authority has the legal and regulatory authority to conduct inspections against a standard for GMP (as defined in Article 1).
- (ii) The authority manages conflict of interest in an ethical manner.
- (iii) The authority has the ability to evaluate risks and mitigate them.
- (iv) The authority maintains appropriate oversight of manufacturing facilities within its jurisdiction.
- (v) The authority has and uses sufficient resources.
- (vi) The authority employs trained and qualified inspectors with the skills and knowledge to identify manufacturing practices that may lead to patient harm.
- (vii) The authority has the tools necessary to take action to protect the public from harm due to poor quality drugs or medicinal products.

II. PROCEDURES FOR ASSESSMENTS UNDER THIS ANNEX**A. Assessment of EU authorities by FDA**

1. To receive a capability assessment for an authority listed in Appendix 2, each Member State authority shall submit capability assessment packages containing the following materials before the FDA will initiate an assessment:
 - (i) a finalized Joint Audit Programme audit report of an audit, where the FDA has been given three months advance notice to be an observer, that includes the full report of the observed inspection, any associated corrective measures, and all documents cited by the auditors in the report for the indicators as identified by FDA in the Joint Audit Programme audit checklist as essential for the assessment and for any indicators that required the authority to propose a corrective and preventative action;
 - (ii) a completed conflicts of interest questionnaire established by the FDA signed by a principal of the authority;
 - (iii) a total of four inspection reports including the report from the inspections observed during the Joint Audit Program audit;
 - (iv) standard operating procedures or a description on how the authority finalizes inspection reports;

▼ M30

- (v) standard operating procedures related to training and inspector qualification, including training files for all inspectors who conducted the inspections in the reports provided to the FDA (pursuant to subparagraph (iii)); and
 - (vi) its most recent inventory of manufacturing facilities within its territory and under the authority's jurisdiction, including type of manufacturing facility of products falling within the product coverage of this Annex, and upon request, completion of a table provided by the FDA detailing types of manufacturing facilities.
2. During a capability assessment, the FDA may require additional information or further clarification from the Member State authority.
 3. The FDA may waive the requirement to submit certain information listed under II.A.1 and may request alternative information from the Member State authority. The decision to waive any assessment materials will be made by the FDA on a case by case basis.
 4. Upon receipt of all requisite information specified in paragraph II.A from a Member State authority, the FDA intends to submit such information for official translation into English within a reasonable timeframe. The FDA will complete assessments and determine capability of the Member State authority no later than 70 calendar days from the date the FDA receives a translation of all requisite information specified in paragraph II.A for the Member State authority. The FDA will dedicate two capability assessment teams; therefore, the FDA shall conduct assessments of two Member State authorities at any given time.

B. Assessment of FDA by the EU

The EU will carry out its assessment of FDA based on:

- (i) The performance of an audit in line with the elements of the Joint Audit Programme taking into account audits performed in the framework of the Pharmaceutical Inspection Convention/Scheme (PIC/S) and audits performed in the context of Article 111(b)(1) of Directive 2001/83/EC.
- (ii) An assessment of the equivalence of legislative and regulatory GMP requirements.

C. Reassessment of authorities

In the event an assessing Party issues a negative determination or suspension of an authority of the other Party, it may reassess the authority. The scope of the reassessment shall relate to the reasons for the negative determination or suspension.

III. MAINTAINING RECOGNITION

To maintain recognition, it is required that the authority continue to meet the criteria set out in paragraph I.A and remain subject to the monitoring activities described in Article 12 which for Member State authorities the FDA requires monitoring through an audit program that includes an audit (that the FDA has the option to observe) of each recognized Member State authority every five to six years. In case an authority has not been subject to an audit for a period of 6 years, the other Party shall have the right to audit such authority.

▼ **M30***Appendix 5***SCHEDULE FOR INITIAL ASSESSMENT OF MEMBER STATE AUTHORITIES**

1. Member State authorities for human pharmaceuticals listed in Appendix 2 shall submit complete capability assessment packages containing the information specified in paragraph II.A.1 of Appendix 4 according to the following schedule:

- No later than January 1, 2017: capability assessment packages from four Member State authorities
- No later than February 15, 2017: capability assessment packages from three additional Member State authorities
- No later than April 1, 2017: capability assessment packages from two additional Member State authorities.
- No later than May 15, 2017: capability assessment packages from two additional Member State authorities
- No later than September 15, 2017: capability assessment packages from two additional Member State authorities
- No later than December 15, 2017: capability assessment packages from four additional Member State authorities
- No later than March 15, 2018: capability assessment packages from four additional Member State authorities
- No later than June 15, 2018: capability assessment packages from seven additional Member State authorities

2. The FDA shall complete assessments under this Annex of Member State authorities for human pharmaceuticals listed in Appendix 2 as set out in paragraph II.A.4 and according to the following schedule, provided that the FDA receives complete capability assessment packages for such authorities containing the information specified in paragraph II.A.1 of Appendix 4 according to the schedule set out in paragraph 1:

- November 1, 2017: eight assessments
- March 1, 2018: four additional assessments
- June 1, 2018: two additional assessments
- December 1, 2018: six additional assessments
- July 15, 2019: eight additional assessments

3. For each Member State authority:

- (a) The EU shall submit a final audit report to the FDA no later than 60 days before the due date of the capability assessment package for the authority.

▼ **M30**

- (b) The FDA shall provide a finalized capability assessment package checklist to the authority no later than 20 days after the FDA receives the audit report.

- (c) The authority shall submit the capability assessment package to FDA no later than 40 days after the authority receives the capability assessment package checklist.



SECTORAL ANNEX ON MEDICAL DEVICES

PREAMBLE

This Annex constitutes a Sectoral Annex to the Agreement on Mutual Recognition in Regulation to Conformity Assessment between the United States and the European Community.

Carrying out the provisions of this Annex will further public health protection, will be an important means of facilitating commerce in medical devices and will lead to reduced costs for regulators and manufacturers of both Parties.

CHAPTER 1

PURPOSE, SCOPE AND COVERAGE OF THE SECTORAL ANNEX

Article 1

Purpose

1. The purpose of this Annex is to specify the conditions under which a Party will accept the results of quality system-related evaluations and inspections and premarket evaluations of the other Party with regard to medical devices as conducted by listed conformity assessment bodies (CABs) and to provide for other related cooperative activities.
2. This Annex is intended to evolve as programmes and policies of the Parties evolve. The Parties will review this Annex periodically, in order to assess progress and identify potential enhancements to this Annex as Food and Drug Administration (FDA) and EC policies evolve over time.

Article 2

Scope

1. The provisions of this Annex shall apply to the exchange and, where appropriate, endorsement of the following types of reports from CABs assessed to be equivalent:
 - (a) under the US system, surveillance/post-market and initial/pre-approval inspection reports;
 - (b) under the US system, premarket (510(k)) product evaluation reports;
 - (c) under the EC system, quality system evaluation reports; and
 - (d) under the EC system, EC type examination and verification reports.

Appendix 1 names the legislation, regulations, and related procedures under which:

- (a) products are regulated as medical devices by each Party;
- (b) CABs are designated and confirmed; and
- (c) these reports are prepared.

▼B

2. For purposes of this Annex, equivalence means that: CABs in the EC are capable of conducting product and quality systems evaluations against US regulatory requirements in a manner equivalent to those conducted by FDA; and CABs in the US are capable of conducting product and quality systems evaluations against EC regulatory requirements in a manner equivalent to those conducted by EC CABs.

*Article 3***Product Coverage**

There are three components to this agreement each covering a discrete range of products:

1. *Quality System Evaluations* — US-type surveillance/post-market and initial/pre-approval inspection reports and EC-type quality system evaluation reports will be exchanged with regard to all products regulated under both US and EC law as medical devices.
2. *Product Evaluation* — US-type premarket (510(k)) product evaluation reports and EC-type-testing reports will be exchanged only with regard to those products classified under the US system as Class I/Class II — Tier 2 medical devices which are listed in Appendix 2.
3. *Post-Market Vigilance Reports* — Post-market vigilance reports will be exchanged with regard to all products regulated under both US and EC law as medical devices.

Additional products and procedures may be made subject to this Annex by agreement of the Parties.

*Article 4***Regulatory Authorities**

The regulatory authorities shall have the responsibility of implementing the provisions of this Annex, including the designation and monitoring of CABs. Regulatory authorities are specified in Appendix 3. Each Party will promptly notify the other Party in writing of any change in the regulatory authority for a country.

CHAPTER 2

TRANSITION PERIOD*Article 5***Length and purpose of transition period**

► **M14** There shall be a five-year transition period immediately following the date of entry into force of the Agreement. Based on progress made during the transition period, and in particular when the Parties consider that a representative number of conformity assessment bodies are listed in Appendix 5, in accordance with Article 9, the Joint Committee may decide to end the transition period and proceed to the operational period. ◀ During the transition period, the Parties will engage in confidence-building activities for the purpose of obtaining sufficient evidence to make determinations concerning the equivalence of CABs of the other Party with respect to the ability to perform quality system and product evaluations or other reviews resulting in reports to be exchanged under this Annex.

▼B*Article 6***Listing of CABs**

Each Party shall designate CABs to participate in confidence-building activities by transmitting to the other Party a list of CABs which meet the criteria for technical competence and independence, as identified in Appendix 1. The list shall be accompanied by supporting evidence. Designated CABs will be listed in Appendix 4 for participation in the confidence building activities once confirmed by the importing Party. Non-confirmation would have to be justified based on documented evidence.

*Article 7***Confidence Building Activities**

1. At the beginning of the transitional period, the Joint Sectoral Group will establish a joint confidence building programme calculated to provide sufficient evidence of the capabilities of the designated CABs to perform quality system or product evaluations to the specifications of the Parties.
2. The joint confidence building program should include the following actions and activities:
 - (a) seminars designed to inform the Parties and CABs about each Party's regulatory system, procedures, and requirements;
 - (b) workshops designed to provide the Parties with information regarding requirements and procedures for the designation and surveillance of CABs;
 - (c) exchange of information about reports prepared during the transition period;
 - (d) joint training exercises; and
 - (e) observed inspections.
3. During the transition period, any significant problem that is identified with a CAB may be the subject of cooperative activities, as resources allow and as agreed to by the regulatory authorities, aimed at resolving the problem.
4. Both Parties will exercise good faith efforts to complete the confidence building activities as expeditiously as possible to the extent that the resources of the Parties allow.
5. Both the EC and the US will each prepare annual progress reports which will describe the confidence building activities undertaken during each year of the transition period. The form and content of the reports will be determined by the Parties through the Joint Sectoral Committee.

*Article 8***Other transition period activities**

1. During the transition period, the Parties will jointly determine the necessary information which must be present in quality system and product evaluation reports.

▼ B

2. The Parties will jointly develop a notification and alert system to be used in case of defects, recalls, and other problems concerning product quality that could necessitate additional actions (e.g., inspections by the Parties of the importing country) or suspension of the distribution of the product.

CHAPTER 3

END OF TRANSITION PERIOD*Article 9***Equivalence Assessment**

1. ► **M14** Prior to the start of the operational period, the Parties shall proceed to a joint assessment of the equivalence of the CABs that participated in the confidence-building activities. ◀ CABs will be determined to be equivalent provided they have demonstrated proficiency through the submission of a sufficient number of adequate reports. CABs may be determined to be equivalent with regard to the ability to perform any type of quality system or product evaluation covered by this Annex and with regard to any type of product covered by this Annex. The parties shall develop a list contained in Appendix 5 of CABs determined to be equivalent which shall contain a full explanation of the scope of the equivalency determination, including any appropriate limitations, with regard to performing any type of quality system or product evaluation.

2. The Parties shall allow CABs not listed for participation in the MRA, or listed for participation only as to certain types of evaluations, to apply for participation in this MRA once the necessary measures have been taken or sufficient experience has been gained, in accordance with Article 16.

3. Decisions concerning the equivalence of CABs must be agreed to by both Parties.

CHAPTER 4

OPERATIONAL PERIOD*Article 10***Start of the operational period**

1. The operational period will start at the end of the transition period after the Parties have developed the list of CABs found to be equivalent. The provisions of this Chapter will apply only with regard to listed CABs and only to the extent of any specifications and limitations contained on the list with regard to a CAB.

2. The operational period will apply to quality system evaluation reports and product evaluation reports generated by CABs listed in accordance with this Annex for the evaluations performed in the respective territories of the Parties, except if the Parties agree otherwise.

▼B*Article 11***Exchange and endorsement of quality system evaluation reports**

1. Listed EC CABs will provide FDA with reports of quality system evaluations, as follows:
 - (a) for pre-approval quality system evaluations, EC CABs will provide full reports; and
 - (b) for surveillance quality system evaluations, EC CABs will provide abbreviated reports.
2. Listed US CABs will provide to the EC Notified Body of the manufacturer's choice:
 - (a) full reports of initial quality system evaluations;
 - (b) abbreviated reports of quality systems surveillance audits.
3. If the abbreviated reports do not provide sufficient information, the importing Party may request additional clarification from the CAB.
4. Based on the determination of equivalence in light of the experience gained, the quality system evaluation reports prepared by the CABs listed as equivalent will normally be endorsed by the importing Party, except under specific and delineated circumstances. Examples of such circumstances include indications of material inconsistencies or inadequacies in a report, quality defects identified in post-market surveillance or other specific evidence of serious concern in relation to product quality or consumer safety. In such cases, the importing Party may request clarification from the exporting Party which may lead to a request for re-inspection. The Parties will endeavour to respond to requests for clarification in a timely manner. Where divergence is not clarified in this process, the importing Party may carry out the quality system evaluation.

*Article 12***Exchange and endorsement of product evaluation reports**

1. EC CABs listed for this purpose will, subject to the specifications and limitations on the list, provide to the FDA 510(k) premarket notification assessment reports prepared to US medical device requirements.
2. US CABs will, subject to the specifications and limitations on the list, provide to the EC notified body of the manufacturer's choice, type examination and verification reports prepared to EC medical device requirements.
3. Based on the determination of equivalence in light of the experience gained, the product evaluation reports prepared by the CABs listed as equivalent will normally be endorsed by the importing Party, except under specific and delineated circumstances. Examples of such circumstances include indications of material inconsistencies, inadequacies, or incompleteness in a product evaluation report, or other specific evidence of serious concern in relation to product safety, performance, or quality. In such cases, the importing Party may request clarification from the exporting Party which may lead to a request for a re-evaluation. The parties will endeavour to respond to requests for clarification in timely manner. Endorsement remains the responsibility of the importing Party.

▼ B*Article 13***Transmission of quality system evaluation reports**

Quality system evaluation reports covered by Article 11 concerning products covered by this Annex shall be transmitted to the importing Party within 60 calendar days of a request by the importing Party. Should a new inspection be requested the time period shall be extended by an additional 30 calendar days. A Party may request a new inspection, for cause, identified to the other Party. If the exporting Party cannot perform an inspection within a specified period time, the importing Party may perform an inspection on its own.

*Article 14***Transmission of product evaluation reports**

Transmission of product evaluation reports will take place according to the importing Party's specified procedures.

*Article 15***Monitoring continued equivalence**

Monitoring activities will be carried out in accordance with Article 10 of the Agreement.

*Article 16***Listing of Additional CABs**

1. During the operational period, additional CABs will be considered for equivalence using the procedures and criteria described in Articles 6, 7, and 9 of this Annex, taking into account the level of confidence gained in the overall regulatory system of the other Party.
2. Once a designating authority considers that such CABs, having undergone the procedures of Articles 6, 7, and 9 of this Annex, may be determined to be equivalent, it will then designate those bodies on an annual basis. Such procedures satisfy the procedures of Articles 7(a) and (b) of the Agreement.
3. Following such annual designations, the procedures for confirmation of CABs under Articles 7(c) and (d) of the Agreement shall apply.

CHAPTER 5

JOINT SPECIAL COMMITTEE*Article 17***Role and composition of the Joint Sectoral Committee**

1. A Joint Sectoral Management Committee is set up to monitor the activities under both the transitional and operational phases of this Annex.
2. The Committee will be co-chaired by a representative of the FDA for the US and a representative of the EC who will each have one vote. Decisions will be taken by unanimous consent.

▼B

3. The JSC's functions will include:
- (a) making a joint assessment of the equivalent of CABs;
 - (b) developing and maintaining the list of equivalent CABs, including any limitation in terms of their scope of activities and communicating the list of all authorities and the Joint Committee;
 - (c) providing a forum to discuss issues relating to this Annex, including concerns that a CAB may no longer be equivalent and opportunity to review product coverage; and
 - (d) consideration of the issue of suspension.

CHAPTER 6

HARMONISATION AND INFORMATION EXCHANGE*Article 18***Harmonisation**

During both the transitional and operational phases of this Agreement, both Parties intend to continue to participate in the activities of the Global Harmonisation Task Force and utilise the results of those activities to the extent possible. Such participation involves developing and reviewing documents developed by the Global Harmonisation Task Force and jointly determining whether they are applicable to the implementation of this Agreement.

*Article 19***Regulatory cooperation**

The Parties and authorities shall inform one another, as permitted by law, of, and consult one another on, proposals to introduce new controls or to change existing technical regulations or inspection procedures and to provide the opportunity to comment on such proposals.

The Parties shall notify each other in writing of any changes to Appendix 1.

*Article 20***Alert system and exchange of post-market vigilance reports**

1. An alert system will be set up during the transition period and maintained thereafter by which the Parties will notify each other when there is an immediate danger to public health. Elements of such a system will be described in an Appendix to be attached to this Sectoral Annex. As part of that system, each Party shall notify the other Party of any confirmed problem reports, corrective actions, or recalls. These reports are regarded as part of ongoing investigations.

2. Contact points will be agreed between both Parties to permit authorities to be made aware with the appropriate speed in case of quality defect, batch recalls, counterfeiting and other problems concerning quality, which could necessitate additional controls or suspension of the distribution of the product.

▼B*Appendix 1***Relevant legislation, regulations and procedures**

1. For the European Community the following legislation applies to Article 2(1):
 - (a) Council Directive 90/385/EEC of 20 June 1990 on the approximation of the laws of the Member States relating to active implantable medical devices. Conformity assessment procedures.
 - Annex II (with the exception of section 4),
 - Annex IV,
 - Annex V;
 - (b) Council Directive 93/42/EEC of 14 June 1993 concerning medical devices. Conformity assessment procedures.
 - Annex II (with the exception of section 4),
 - Annex III,
 - Annex IV,
 - Annex V,
 - Annex VI.
2. For the United States, the following legislation applies to Article 2(1):
 - (a) The Federal Food, Drug and Cosmetic Act, 21. U.S.C. §§ 321 *et seq.*;
 - (b) The Public Health Service Act, 42 U.S.C. §§ 201 *et seq.*;
 - (c) Regulations of the United States Food and Drug Administration found at 21 C.F.R., in particular, Parts 800 to 1299;
 - (d) Medical Devices; Third-Party Review of Selected Premarket Notifications; Pilot Program, 61 Fed. Reg. 14,789-14,796 (April 3, 1996).

▼B*Appendix 2***Scope of product coverage**

1. Initial Coverage of the Transition Period:

Upon entry into force of this Annex ⁽¹⁾, products qualifying for the transitional arrangements under this Agreement include:

- (a) all Class I products requiring premarket evaluations in the United States — see Table 1;
- (b) those Class II products listed in Table 2.

2. During the transition period:

The Parties will jointly identify additional product groups, including their related accessories, in line with their respective priorities as follows:

- (a) those for which review may be based primarily on written guidance which the Parties will use their best efforts to prepare expeditiously; and
- (b) those for which review may be based primarily on international standards, in order for the Parties to gain the requisite experience.

The corresponding additional product lists will be phased in on an annual basis. The Parties may consult with industry and other interested Parties in determining which products will be added.

3. Commencement of the Operational Period:

- (a) at the commencement of the operational period, product coverage shall extend to all Class I/II products covered during the transition period;
- (b) the FDA will expand the program to categories of Class II devices as is consistent with the results of the pilot, and with the FDA's ability to write guidance documents if the device pilot for the third party review of medical devices is successful. The MRA will cover to the maximum extent feasible all Class II devices listed in Table 3 for which FDA-accredited third-party review is available in the US.

4. Unless explicitly included by joint decision of the Parties, this agreement does not cover any US Class II-tier 3 or any Class III product under either system.

⁽¹⁾ It is understood that the date of entry into force will not occur prior to 1 June 1998, unless the Parties decide otherwise.

▼B

TABLE 1

Class I products requiring premarket evaluations in the United States, included in scope of product coverage at beginning of transition period

Section No	Regulation Name Product Code — Device Name
------------	---

ANESTHESIOLOGY PANEL (868)

868.1910	Esophageal stethoscope BZW — Stethoscope, esophageal
868.5620	Breathing mouthpiece BYP — Mouthpiece, breathing
868.5640	Medicinal nonventilatory nebulizer (atomizer) CCQ — Nebulizer, medicinal, non-ventilatory (atomizer)
868.5675	Rebreathing device BYW — Device, rebreathing
868.5700	Nonpowered oxygen tent FOG — Hood, oxygen, infant BYL — Tent, oxygen
868.6810	Tracheobronchial suction catheter BSY — Catheters, suction, tracheobronchial

CARDIOVASCULAR PANEL

(None)

DENTAL PANEL (872)

872.3400	Karaya and sodium borate with or without acacia denture adhesive KOM — Adhesive, denture, acacia and karaya with sodium borate
872.3700	Dental mercury (USP) ELY — Mercury
872.4200	Dental handpieces and accessories EBW — Controller, foot, handpiece and cord EFB — Handpiece, air-powered, dental EFA — Handpiece, belt and/or gear driven, dental EGS — Handpiece, contra- and right-angle attachment, dental EKX — Handpiece, direct drive, ac-powered EKY — Handpiece, water-powered
872.6640	Dental operative unit EIA — Unit, operative dental

▼B

Section No	Regulation Name Product Code — Device Name
------------	---

EAR, NOSE, AND THROAT PANEL (874)

874.1070	Short increment sensitivity index (SISI) adapter ETR — Adapter, short increment sensitivity index (SISI)
874.1500	Gustometer ETM — Gustometer
874.1800	Air or water caloric stimulator KHH — Stimulator, caloric-air ETP — Stimulator, caloric-water
874.1925	Toynbee diagnostic tube ETK — Tube, toynbee diagnostic
874.3300	Hearing aid LRB — Face plate hearing-aid ESD — Hearing-aid, air-conduction
874.4100	Epistaxis balloon EMX — Balloon, epistaxis
874.5300	ENT — Examination and treatment unit ETF — Unit, examining/treatment, ent
874.5550	Powered nasal irrigator KMA — Irrigator, powered nasal
874.5840	Anti-stammering device KTH — Device, anti-stammering

GASTROENTEROLOGY — UROLOGY PANEL (876)

876.5160	Urological clamps for males FHA — Clamp, penile
876.5210	Enema kit FCE — Kit, enema, (for cleaning purpose)
876.5250	Urine collector and accessories FAQ — Bag, urine collection, leg, for external use

GENERAL HOSPITAL PANEL (880)

880.5270	Neonatal eye pad FOK — Pad, neonatal eye
880.5420	Pressure infuser for I.V. bag KZD — Infusor, pressure, for I.V. bags
880.5680	Pediatric position holder FRP — Holder, infant position

▼ B

Section No	Regulation Name Product Code — Device Name
880.6250	Patient examination glove LZB — Finger cot FMC — Glove, patient examination LYY — Glove, patient examination, latex LZA — Glove, patient examination, poly LZC — Glove, patient examination, speciality LYZ — Glove, patient examination, vinyl
880.6375	Patient lubricant KMJ — Lubricant, patient
880.6760	Protective restraint BRT — Restraint, patient, conductive FMQ — Restraint, protective

NEUROLOGY PANEL (882)

882.1030	Ataxiagraph GWW — Ataxiagraph
882.1420	Electroencephalogram (EEG) signal spectrum analyser GWS — Analyser, spectrum, electroencephalogram signal
882.4060	Ventricular cannula HCD — Cannula, ventricular
882.4545	Shunt system implantation instrument GYK — Instrument, shunt system implantation
882.4650	Neurosurgical suture needle HAS — Needle, neurosurgical suture
882.4750	Skull punch GXJ — Punch, skull

OBSTETRICS AND GYNECOLOGY PANEL

(None)

OPHTHALMOLOGY PANEL (886)

886.1780	Retinoscope HKM — Retinoscope, battery-powered
886.1940	Tonometer sterilizer HKZ — sterilizer, tonometer
886.4070	Powered corneal burr HQS — Burr, corneal, ac-powered HOG — Burr, corneal, battery-powered HRG — Engine, trephine, accessories, ac-powered HFR — Engine, trephine, accessories, battery-powered HLD — Engine, trephine, accessories, gas-powered

▼B

Section No	Regulation Name Product Code — Device Name
886.4300	Keratone HNO — Keratone, ac-powered HMY — Keratone, battery-powered
886.5850	Sunglasses (non-prescription) HQY — Sunglasses (non-prescription including photosensitive)
ORTHOPEDIC PANEL (888)	
888.1500	Ac-powered goniometer KQX — Goniometer, ac-powered
888.4150	Callipers for clinical use KTZ — Calliper
PHYSICAL MEDICINE PANEL (890)	
890.3850	Mechanical wheelchair LBE — Stroller, adaptive IOR — Wheelchair, mechanical
890.5180	Manual patient rotation bed INY — Bed, patient rotation, manual
890.5710	Hot or cold disposable pack IMD — Pack, hot or cold, disposable
RADIOLOGY PANEL (892)	
892.1100	Scintillation gamma camera IYX — Camera, scintillation (gamma)
892.1110	Positron camera IZC — Camera, positron
892.1300	Nuclear rectilinear scanner IYW — Scanner, rectilinear, nuclear
892.1320	Nuclear uptake probe IZD — Probe, uptake, nuclear
892.1330	Nuclear whole body scanner JAM — Scanner, whole body, nuclear
892.1410	Nuclear electrocardiograph synchroniser IVY — Synchroniser, electrocardiograph, nuclear
892.1890	Radiographic-film illuminator IXC — Illuminatore radiographic-film JAG — Illuminatore radiographic-film, explosion- proof
892.1910	Radiographic grid IXJ — Grid, radiographic

▼ B

Section No	Regulation Name Product Code — Device Name
892.1960	Radiographic intensifying screen WAM — Screen, intensifying, radiographic
892.1970	Radiographic ECG/respirator synchroniser IXO — Synchroniser, ECG/respirator, radiographic
892.5650	Manual radionuclide applicator system IWG — System, applicator, radionuclide, manual

GENERAL AND PLASTIC SURGERY PANEL (878)

878.4200	Introduction/drainage catheter and accessories KGZ — Accessories, catheter GCE — Adaptor, catheter FGY — Cannula, injection GBA — Catheter, balloon type GBZ — Catheter, cholangiography GBQ — Catheter, continuous irrigation GBY — Catheter, eustachian, general & plastic surgery JCY — Catheter, infusion GBX — Catheter, irrigation GBP — Catheter, multiple lumen GBO — Catheter, nephrostomy, general & plastic surgery GBN — Catheter, pediatric, general & plastic surgery GBW — Catheter, peritoneal GBS — Catheter, ventricular, general & plastic surgery GCD — Connector, catheter GCC — Dilator, catheter GCB — Needle, catheter
878.4320	Removable skin clip FZQ — Clip, removable (skin)
878.4460	Surgeon's gloves KGO — Surgeon's gloves
878.4680	Nonpowered, single patient, portable suction apparatus GCY — Apparatus, suction, single patient use, portable, nonpowered
878.4760	Removable skin staple GDT — Staple, removable (skin)

▼B

Section No	Regulation Name Product Code — Device Name
878.4820	Ac-powered, battery-powered, and pneumatically powered surgical instrument motor GFG — Bit, surgical GFA — Blade, saw, general and plastic surgery DWH — Blade, saw, surgical, cardiovascular BRZ — Board, arm (with cover) GFE — Brush, dermabrasion GFF — Bur, surgical, general and plastic surgery KDG — Chisel (osteotome) GFD — Dermatome GFC — Driver, surgical, pin GFB — Head, surgical, hammer GEY — Motor, surgical instrument, ac-powered GET — Motor, surgical instrument, pneumatic powered DWI — Saw, electrically powered KFK — Saw, pneumatically powered HAB — Saw, powered, and accessories
878.4960	Air or ac-powered operating table and air or ac-powered operating chair and accessories GBB — Chair, surgical, ac-powered FQO — Tabel, operating-room, ac-powered GDC — Tabel, operating-room, electrical FWW — Tabel, operating-room, pneumatic JEA — Tabel, surgical with orthopedic accessories, ac-powered
880.5090	Liquid bandage KMF — Bandage, liquid

▼B

TABLE 2

Class II medical devices included in scope of product coverage at beginning of transition period

(US to develop guidance documents identifying US requirements and EC to identify standards needed to meet EC requirements)

RA	892.1000	Magnetic resonance diagnostic device MOS — Coil, magnetic resonance, specialty LNH — System, nuclear magnetic resonance imaging LNI — System, nuclear magnetic resonance spectroscopic
----	----------	---

DIAGNOSTIC ULTRASOUND

RA	892.1540	Nonfetal ultrasonic monitor JAF — Monitor, ultrasonic, nonfetal
RA	892.1550	Ultrasonic pulsed doppler imaging system IYN — System, imaging, pulsed doppler, ultrasonic
RA	892.1560	Ultrasonic pulsed echo imaging system IYO — System, imaging, pulsed echo, ultrasonic
RA	892.1570	Diagnostic ultrasonic transducer ITX — Transducer, ultrasonic, diagnostic

DIAGNOSTIC X — RAY IMAGING DEVICES

(except mammographic x-ray systems)

RA	892.1600	Angiographic x-ray system IZI — System, x-ray, angiographic
RA	892.1650	Image-intensified fluoroscopic x-ray system MQB — Solid state x-ray imager (flat panel/digital imager) JAA — System, x-ray, fluoroscopic, image-intensified
RA	892.1680	Stationary x-ray system KPR — System, x-ray, stationary
RA	892.1720	Mobile x-ray system IZL — System, x-ray, mobile
RA	892.1740	Tomographic x-ray system IZF — System, x-ray, tomographic
RA	892.1750	Computed tomography x-ray system JAK — System, x-ray, tomography, computed

▼B

ECG-RELATED DEVICES

CV	870.2340	Electrocardiograph DPS — Electrocardiograph MLC — Monitor, st segment
CV	870.2350	Electrocardiograph lead switching adaptor DRW — Adaptor, lead switching, electrocardiograph
CV	870.2360	Electrocardiograph electrode DRX — Electrode, electrocardiograph
CV	870.2370	Electrocardiograph surface electrode tester KRC — Tester, electrode, surface, electrocardiographic
NE	882.1400	Electroencephalograph GWQ — Electroencephalograph
HO	880.5725	Infusion pump (external only) MRZ — Accessories, pump, infusion FRN — Pump, infusion LZF — Pump, infusion, analytical sampling MEB — Pump, infusion, elastomeric LZH — Pump, infusion, enteral MHD — Pump, infusion, gallstone dissolution LZG — Pump, infusion, insulin MEA — Pump, infusion, pca

OPHTHALMIC INSTRUMENTS

OP	886.1570	Ophthalmoscope HLI — Ophthalmoscope, ac-powered HLJ — Ophthalmoscope, battery-powered
OP	886.1780	Retinoscope HKL — Retinoscope, ac-powered
OP	886.1850	Ac-powered slit-lamp biomicroscope HJO — Biomicroscope, slit-lamp, ac-powered
OP	886.4150	Vitreous aspiration and cutting instrument MMC — Dilator, expansive iris (accessory) HQE — Instrument, vitreous aspiration and cutting, ac-powered HKP — Instrument, vitreous aspiration and cutting, battery-powered MLZ — Vitrectomy, instrument cutter

▼ B

OP	886.4670	Phacofragmentation system HQC — Unit, phacofragmentation
SU	878.4580	Surgical lamp HBI — Illuminator, fiberoptic, surgical field FTF — Illuminator, non-remote FTG — Illuminator, remote HJE — Lamp, fluorescent, ac-powered FQP — Lamp, operating-room FTD — Lamp, surgical GBC — Lamp, surgical, incandescent FTA — Light, surgical, accessories FSZ — Light, surgical, carrier FSY — Light, surgical, ceiling mounted FSX — Light, surgical, connector FSW — Light, surgical, endoscopic FST — Light, surgical, fiberoptic FSS — Light, surgical, floor standing FSQ — Light, surgical, instrument
NE	882.5890	Transcutaneous electrical nerve stimulator for pain relief GZJ — Stimulator, nerve, transcutaneous, for pain relief

NON-INVASIVE BLOOD PRESSURE MEASUREMENT DEVICES

CV	870.1120	Blood pressure cuff DXQ — Cuff, blood-pressure
CV	870.1130	Non-invasive blood pressure measurement system (except non-oscillometric) DXN — System, measurement, blood-pressure, non-invasive
HO	880.6880	Steam steriliser (greater than 2 cubic feet) FLE — Steriliser, steam

CLINICAL THERMOMETERS

HO	880.2910	Clinical electronic thermometer (except tympanic or pacifier) FLL — Thermometer, electronic, clinical
AN	868.5630	Nebuliser CAF — Nebuliser (direct patient interface)
AN	868.5925	Powered Emergency ventilator

▼B**HYPODERMIC NEEDLES AND SYRINGES**

(except anti-stick and self-destruct)

HO	880.5570	Hypodermic single lumen needle MMK — Container, sharpes FMI — Needle, hypodermic, single lumen MHC — Port, intraosseous, implanted
HO	880.5860	Piston syringe FMF — Syringe, piston
OR	888.3020	Intramedullary fixation rod HSB — Rod, fixation, intramedullary and accessories

EXTERNAL FIXATORS

(except devices with no external components)

OR	888.3030	Single/multiple component metallic bone fixation appliances and accessories KTT — Appliance, fixation, nail/blade/plate combination, multiple component
OR	888.3040	Smooth or threaded metallic bone fixation fastener HTY — Pin, fixation, smooth JDW — Pin, fixation, threaded

SELECTED DENTAL MATERIALS

DE	872.3060	Gold based alloys and precious metal alloys for clinical use EJT — Alloy, gold based, for clinical use EJS — Alloy, precious metal, for clinical use
DE	872.3200	Resin tooth bonding agent KLE — Agent, tooth bonding, resin
DE	872.3275	Dental cement EMA — Cement, dental EMB — Zinc oxide eugenol
DE	872.3660	Impression material ELW — Material, impression
DE	872.3690	Tooth shade resin material EBF — Material, tooth shade, resin
DE	872.3710	Base metal alloy EJH — Metal, base

LATEX CONDOMS

OB	884.5300	Condom HIS — Condom
----	----------	------------------------

▼B

TABLE 3

Medical devices for possible inclusion in scope of product coverage during operational period

Product Family	Section No	Device Name	Tier
ANAESTHESIOLOGY PANEL			
Anesthesia Devices	868.5160	Gas machine for anesthesia or analgesia	2
	868.5270	Breathing system heater	2
	868.5440	Portable oxygen generator	2
	868.5450	Respiratory gas humidifier	2
	868.5630	Nebuliser	2
	868.5710	Electrically powered oxygen tent	2
	868.5880	Anesthetic vaporiser	2
Gas Analyzer	868.1040	Powered Algesimeter	2
	868.1075	Argon gas analyser	2
	868.1400	Carbon dioxide gas analyser	2
	868.1430	Carbon monoxide gas analyser	2
	868.1500	Enflurane gas analyser	2
	868.1620	Halothane gas analyser	2
	868.1640	Helium gas analyser	2
	868.1670	Neon gas analyser	2
	868.1690	Nitrogen gas analyser	2
	868.1700	Nitrous oxide gas analyser	2
	868.1720	Oxygen gas analyser	2
868.1730	Oxygen uptake computer	2	
Peripheral Nerve Stimulators	868.2775	Electrical peripheral nerve stimulator	2
Respiratory Monitoring	868.1750	Pressure plethysmograph	2
	868.1760	Volume plethysmograph	2
	868.1780	Inspiratory airway pressure meter	2
	868.1800	Rhinoanemometer	2
	868.1840	Diagnostic spirometer	2
	868.1850	Monitoring spirometer	2
	868.1860	Peak-flow meter for spirometry	2

▼B

Product Family	Section No	Device Name	Tier
	868.1880	Pulmonary-function data calculator	2
	868.1890	Predictive pulmonary-function value calculator	2
	868.1900	Diagnostic pulmonary-function interpretation calculator	2
	868.2025	Ultrasonic air embolism monitor	2
	868.2375	Breathing frequency monitor (except apnea detectors)	2
	868.2480	Cutaneous carbon dioxide (PcCO ₂) monitor	2
	868.2500	Cutaneous oxygen monitor (for an infant not under gas anesthesia)	2
	868.2550	Pneumotachometer	2
	868.2600	Airway pressure monitor	2
	868.5665	Powered percussor	2
	868.5690	Incentive spirometer	2
Ventilator	868.5905	Noncontinuous ventilator (IPPB)	2
	868.5925	Powered emergency ventilator	2
	868.5935	External negative pressure ventilator	2
	868.5895	Continuous ventilator	2
	868.5955	Intermittent mandatory ventilation attachment	2
	868.6250	Portable air compressor	2

CARDIOVASCULAR PANEL

Cardiovascular Diagnostic	870.1425	Programmable diagnostic computer	2
	870.1450	Densitometer	2
	870.2310	Apex cardiograph (vibrocardiograph)	2
	870.2320	Ballistocardiograph	2
	870.2340	Electrocardiograph	2
	870.2350	Electrocardiograph lead switching adaptor	1
	870.2360	Electrocardiograph electrode	2
	870.2370	Electrocardiograph surface electrode tester	2
	870.2400	Vectorcardiograph	1
	870.2450	Medical cathode-ray tube display	1

▼B

Product Family	Section No	Device Name	Tier
	870.2675	Oscillometer	2
	870.2840	Apex cardiographic transducer	2
	870.2860	Heart sound transducer	2
Cardiovascular Monitoring		Valve, pressure relief, cardiopulmonary bypass	
	870.1100	Blood pressure alarm	2
	870.1110	Blood pressure computer	2
	870.1120	Blood pressure cuff	2
	870.1130	Non-invasive blood pressure measurement system	2
	870.1140	Venous blood pressure manometer	2
	870.1220	Electrode recording catheter or electrode recording probe	2
	870.1270	Intracavitary phonocatheter system	2
	870.1875	Stethoscope (electronic)	2
	870.2050	Biopotential amplifier and signal conditioner	2
	870.2060	Transducer signal amplifier and conditioner	2
	870.2100	Cardiovascular blood flow-meter	2
	870.2120	Extravascular blood flow probe	2
	870.2300	Cardiac monitor (including) cardiometer and rate alarm)	2
	870.2700	Oximeter	2
	870.2710	Ear oximeter	2
	870.2750	Impedance phlebograph	2
	870.2770	Impedance plethysmograph	2
	870.2780	Hydraulic, pneumatic, or photoelectric plethysmographs	2
	870.2850	Extravascular blood pressure transducer	2
	870.2870	Catheter tip pressure transducer	2
	870.2880	Ultrasonic transducer	2
	870.2890	Vessel occlusion transducer	2
	870.2900	Patient transducer and electrode cable (including connector)	2
	870.2910	Radiofrequency physiological signal transmitter and receiver	2

▼B

Product Family	Section No	Device Name	Tier
	870.2920	Telephone electrocardiograph transmitter and receiver	2
	870.4205	Cardiopulmonary bypass bubble detector	2
	870.4220	Cardiopulmonary bypass heart-lung machine console	2
	870.4240	Cardiovascular bypass heat exchanger	2
	870.4250	Cardiopulmonary bypass temperature controller	2
	870.4300	Cardiopulmonary bypass gas control unit	2
	870.4310	Cardiopulmonary bypass coronary pressure gauge	2
	870.4330	Cardiopulmonary bypass on-line blood gas monitor	2
	870.4340	Cardiopulmonary bypass level sensing monitor and/or control	2
	870.4370	Roller-type cardiopulmonary bypass blood pump	2
	870.4380	Cardiopulmonary bypass pump speed control	2
	870.4410	Cardiopulmonary bypass in-line blood gas sensor	2
Cardiovascular Therapeutic	870.5050	Patient care suction apparatus	2
	870.5900	Thermal regulation system	2
Defibrillator	870.5300	DC-defibrillator (including paddles)	2
	870.5325	Defibrillator tester	2
Echocardiograph	870.2330	Echocardiograph	2
Pacemaker and Accessories	870.1750	External programmable pacemaker pulse generator	2
	870.3630	Pacemaker generator function analyser	2
	870.3640	Indirect pacemaker generator function analyser	2
	870.3720	Pacemaker electrode function tester	2
Miscellaneous	870.1800	Withdrawal-infusion pump	2
	870.2800	Medical magnetic tape recorder	2
	None	Batteries, rechargeable, Class II devices	2

DENTAL PANEL

Dental Equipment	872.1720	Pulp tester	2
	872.1740	Caries detection device	2

▼ **B**

Product Family	Section No	Device Name	Tier
	872.4120	Bone cutting instrument and accessories	2
	872.4465	Gas-powered jet injector	2
	872.4475	Spring-powered jet injector	2
	872.4600	Intraoral ligature and wire lock	2
	872.4840	Rotary scaler	2
	872.4850	Ultrasonic scaler	2
	872.4920	Dental electrosurgical unit and accessories	2
	872.6070	Ultraviolet activator for polymerisation	2
	872.6350	Ultraviolet detector	2
Dental Material	872.3050	Amalgam alloy	2
	872.3060	Gold-based alloys and precious metal alloys for clinical use	2
	872.3200	Resin tooth bonding agent	2
	872.3250	Calcium hydroxide cavity liner	2
	872.3260	Cavity varnish	2
	872.3275	Dental cement (other than zinc oxide-eugenol)	2
	872.3300	Hydrophilic resin coating for dentures	2
	872.3310	Coating material for resin fillings	2
	872.3590	Preformed plastic denture tooth	2
	872.3660	Impression material	2
	872.3690	Tooth shade resin material	2
	872.3710	Base metal alloy	2
	872.3750	Bracket adhesive resin and tooth conditioner	2
	872.3760	Denture relining, repairing, or rebasing resin	2
	872.3765	Pit and fissure sealant and conditioner	2
	872.3770	Temporary crown and bridge resin	2
	872.3820	Root canal filling resin (other than chloroform use)	2
	872.3920	Porcelain tooth	2
Dental x-ray	872.1800	Extraoral source x-ray system	2
	872.1810	Intraoral source x-ray system	2
Dental Implants	872.4880	Intraosseous fixation screw or wires	2

▼**B**

Product Family	Section No	Device Name	Tier
	872.3890	Endodontic stabilising splint	2
Orthodontic	872.5470	Orthodontic plastic bracket	2

EAR/NOSE/THROAT PANEL

Diagnostic Equipment	874.1050	Audiometer	2
	874.1090	Auditory impedance tester	2
	874.1120	Electronic noise generator for audiometric testing	2
	874.1325	Electroglottograph	2
	874.1820	Surgical nerve stimulator/locator	2
Hearing Aids	874.3300	Hearing aid (for bone-conduction)	2
	874.3310	Hearing aid calibrator and analysis system	2
	874.3320	Group hearing aid or group auditory trainer	2
	874.3330	Master hearing aid	2
Surgical Equipment	874.4250	Ear, nose, and throat electric or pneumatic surgical drill	1
	874.4490	Argon laser for otology, rhinology, and laryngology	2
	874.4500	ENT microsurgical carbon dioxide laser	2

GASTROENTEROLOGY/UROLOGY PANEL

Endoscope (including angioscopes, laparoscopes, ophtalmic endoscopes)	876.1500	Endoscope and accessories	2
	876.4300	Endoscopic electrosurgical unit and accessories	2
Gastroenterology	876.1725	Gastrointestinal motility monitoring system	1
Hemodialysis	876.5600	Sorbent regenerated dialysate delivery system for hemodialysis	2
	876.5630	Peritoneal dialysis system and accessories	2
	876.5665	Water purification system for hemodialysis	2
	876.5820	Hemodialysis system for accessories	2
	876.5830	Hemodialyser with disposable insert (kiil-type)	2
Lithotripter	876.4500	Mechanical lithotripter	2
Urology Equipment	876.1620	Urodynamics measurement system	2
	876.5320	Nonimplanted electrical continence device	2

▼ **B**

Product Family	Section No	Device Name	Tier
	876.5880	Isolated kidney perfusion and transport system and accessories	2

GENERAL HOSPITAL PANEL

Infusion Pumps and Systems	880.2420	Electronic monitor for gravity flow infusion systems	2
	880.2460	Electrically powered spinal fluid pressure monitor	2
	880.5430	Nonelectrically powered fluid injector	2
	880.5725	Infusion pump	2
Neonatal Incubators	880.5400	Neonatal incubator	2
	880.5410	Neonatal transport incubator	2
	880.5700	Neonatal phototherapy unit	2
Piston Syringes	880.5570	Hypodermic single lumen needle	1
	880.5860	Piston syringe (except anti-stick)	1
	880.6920	Syringe needle introducer	2
Miscellaneous	880.2910	Clinical electronic thermometer	2
	880.2920	Clinical mercury thermometer	2
	880.5100	AC-powered adjustable hospital bed	1
	880.5500	AC-powered patient lift	2
	880.6880	Steam Steriliser (greater than 2 cubic feet)	2

NEUROLOGY PANEL

	882.1020	Rigidity analyser	2
	882.1610	Alpha monitor	2
Neuro-Diagnostic	882.1320	Cutaneous electrode	2
	882.1340	Nasopharyngeal electrode	2
	882.1350	Needle electrode	2
	882.1400	Electroencephalograph	2
	882.1460	Nystagmograph	2
	882.1480	Neurological endoscope	2
	882.1540	Galvanic skin response measurement device	2
	882.1550	Nerve conduction velocity measurement device	2
	882.1560	Skin potential measurement device	2
	882.1570	Powered direct-contact temperature measurement device	2

▼B

Product Family	Section No	Device Name	Tier
	882.1620	Intracranial pressure monitoring device	2
	882.1835	Physiological signal amplifier	2
	882.1845	Physiological signal conditioner	2
	882.1855	Electroencephalogram (EEG) telemetry system	2
	882.5050	Biofeedback device	2
Echoencephalography	882.1240	Echoencephalograph	2
RPG	882.4400	Radiofrequency lesion generator	2
Neuro Surgery	none	Electrode, spinal epidural	2
	882.4305	Powered compound cranial drills, burrs, trephines and their accessories	2
	882.4310	Powered simple cranial drills, burrs, trephines and accessories	2
	882.4360	Electric cranial drill motor	2
	882.4370	Pneumatic cranial drill motor	2
	882.4560	Sterotaxic instrument	2
	882.4725	Radiofrequency lesion probe	2
	882.4845	Powered rongeur	2
	882.5500	Lesion temperature monitor	2
Stimulators	882.1870	Evoked response electrical stimulator	2
	882.1880	Evoked response mechanical stimulator	2
	882.1890	Evoked response photic stimulator	2
	882.1900	Evoked response auditory stimulator	2
	882.1950	Tremor transducer	2
	882.5890	Transcutaneous electrical nerve stimulator for pain relief	2

OBSTETRICS/GYNAECOLOGY PANEL

Fetal Monitoring	884.1660	Transcervical endoscope (amnioscope) and accessories	2
	884.1690	Hysteroscope and accessories (for performance standards)	2
	884.2225	Obstetric-gynecologic ultrasonic imager	2
	884.2600	Fetal cardiac monitor	2
	884.2640	Fetal phonocardiographic monitor and accessories	2

▼ **B**

Product Family	Section No	Device Name	Tier
	884.2660	Fetal ultrasonic monitor and accessories	2
	884.2675	Fetal scalp circular (spiral) electrode and applicator	1
	884.2700	Intrauterine pressure monitor and accessories	2
	884.2720	External uterine contraction monitor and accessories	2
	884.2740	Perinatal monitoring system and accessories	2
	884.2960	Obstetric ultrasonic transducer and accessories	2
Gynecological Surgery Equipment	884.1720	Gynecologic laparoscope and accessories	2
	884.4160	Unipolar endoscopic coagulator-cutter and accessories	2
	884.4550	Gynecologic surgical laser	2
	884.4120	Gynecologic electrocautery and accessories	2
	884.5300	Condom	2
Ophthalm. Implants	886.3320	Eye sphere implant	2
Contact Lens	886.1385	Polymethylmethacrylate (PMMA) diagnostic contact lens	2
	886.5916	Rigid gas permeable contact lens (daily wear only)	2
Diagnostic Equipment	886.1120	Ophthalmic camera	1
	886.1220	Corneal electrode	1
	886.1250	Euthyscope (AC-powered)	1
	886.1360	Visual field laser instrument	1
	886.1510	Eye movement monitor	1
	886.1570	Ophthalmoscope	1
	886.1630	AC-powered photostimulator	1
	886.1640	Ophthalmic preamplifier	1
	886.1670	Ophthalmic isotope uptake probe	2
	886.1780	Retinoscope (AC-powered device)	1
	886.1850	AC-powered slitlamp biomicroscope	1
	886.1930	Tonometer and accessories	2
	886.1945	Transilluminator (AC-powered device)	1
886.3130	Ophthalmic conformer	2	

▼ **B**

Product Family	Section No	Device Name	Tier
(Diagnostic/ Surgery Equip- ment)	886.4670	Phacofragmentation System	2
Ophthalm. Implants	886.3340	Extraocular orbital implant	2
	886.3800	Scleral shell	2
Surgical Equipment	886.5725	Infusion pump (performance standards)	2
	886.3100	Ophthalmic tantalum clip	2
	886.3300	Absorbable implant (scleral buckling method)	2
	886.4100	Radiofrequency electro-surgical cautery apparatus	2
	886.4115	Thermal cautery unit	2
	886.4150	Vitreous aspiration and cutting instrument	2
	886.4170	Cryophthalmic unit	2
	886.4250	Ophthalmic electrolysis unit (AC-powered device)	1
	886.4335	Operating headlamp (AC-powered device)	1
	886.4390	Ophthalmic laser	2
	886.4392	Nd:YAG laser for posterior capsulotomy	2
	886.4400	Electronic metal locator	1
	886.4440	AC-powered magnet	1
	886.4610	Ocular pressure applicator	2
	886.4690	Ophthalmic photocoagulator	2
	886.4790	Ophthalmic sponge	2
886.5100	Ophthalmic beta radiation source	2	
	none	Ophthalmoscopes, replacement batteries, hand-held	1

ORTHOPEDIC PANEL

Implants	888.3010	Bone fixation cerclage	2
	888.3020	Intramedullary fixation rod	2
	888.3030	Single/multiple component metallic bone fixation appliance and accessories	2
	888.3040	Smooth or threaded metallic bone fixation	2
	888.3050	Spinal interlaminar fixation orthosis	2
	888.3060	Spinal intervertebral body fixation orthosis	2

▼ **B**

Product Family	Section No	Device Name	Tier
Surgical Equipment	888.1240	AC-powered dynamometer	2
	888.4580	Sonic surgical instrument and accessories/attachments	2
	none	Accessories, fixation, spinal interlaminar	2
	none	Accessories, fixation, spinal intervertebral body	2
	none	Monitor, pressure, intracompartmental	1
	none	Orthosis, fixation, spinal intervertebral fusion	2
	none	Orthosis, spinal pedicle fixation	
	none	System, cement removal extraction	1

PHYSICAL MEDICINE PANEL

Diagnostic Equipment or (Therapy)	890.1225	Chronaximeter	2
	890.1375	Diagnostic electromyograph	2
	890.1385	Diagnostic electromyograph needle electrode	2
	890.1450	Powered reflex hammer	2
	890.1850	Diagnostic muscle stimulator	2
	890.5850	Powered muscle stimulator	2
Therapeutic Equipment	890.5100	Immersion hydrobath	2
	890.5110	Paraffin bath	2
	890.5500	Infrared lamp	2
	890.5720	Water circulating hot or cold pack	2
	890.5740	Powered heating pad	2

RADIOLOGY PANEL

MRI	892.1000	Magnetic resonance diagnostic device	2
Ultrasound Diagnostic	884.2660	Fetal ultrasonic monitor and accessories	2
	892.1540	Nonfetal ultrasonic monitor	
	892.1560	Ultrasonic pulsed echo imaging system	2
	892.1570	Diagnostic ultrasonic transducer	2
	892.1550	Ultrasonic pulsed doppler imaging system	
Angiographic	892.1600	Angiographic x-ray system	2

▼**B**

Product Family	Section No	Device Name	Tier
Diagnostic X-Ray	892.1610	Diagnostic x-ray beam-limiting device	2
	892.1620	Cine or spot fluorographic x-ray Camera	2
	892.1630	Electrostatic x-ray imaging system	2
	892.1650	Image-intensified fluoroscopic x-ray system	2
	892.1670	Spot film device	2
	892.1680	Stationary x-ray system	2
	892.1710	Mammographic x-ray system	2
	892.1720	Mobile x-ray system	2
	892.1740	Tomographic x-ray system	1
	892.1820	Pneumoencephalographic chair	2
	892.1850	Radiographic film cassette	1
	892.1860	Radiographic film/cassette changer	1
	892.1870	Radiographic film/cassette changer programmer	2
	892.1900	Automatic radiographic film processor	2
892.1980	Radiologic table	1	
CT Scanner	892.1750	Computed tomography x-ray system	2
Radiation Therapy	892.5050	Medical charged-particle radiation therapy system	2
	892.5300	Medical neutron radiation therapy system	2
	892.5700	Remote controlled radionuclide-applicator system	2
	892.5710	Radiation therapy beam-shaping block	2
	892.5730	Radionuclide brachytherapy source	2
	892.5750	Radionuclide radiation therapy system	2
	892.5770	Powered radiation therapy patient support assembly	2
	892.5840	Radiation therapy stimulation system	2
892.5930	Therapeutic x-ray tube housing assembly	1	
Nuclear Medicine	892.1170	Bone densitometer	2
	892.1200	Emission computed tomography system	2
	892.1310	Nuclear tomography system	1
	892.1390	Radionuclide rebreathing system	2

▼B

Product Family	Section No	Device Name	Tier
GENERAL/PLASTIC SURGERY PANEL			
Surgical Lamps	878.4630	Ultraviolet lamp for dermatologic disorders	2
	890.5500	Infrared lamp	2
	878.4580	Surgical lamp	2
Electrosurgical Cutting Equipment	878.4810	Laser surgical instrument for use in general and plastic surgery and in dermatology	2
	878.4400	Electrosurgical cutting and coagulation device and accessories	2
Miscellaneous	878.4780	Powered suction pump	2



Appendix 3

Authorities responsible for designating conformity assessment bodies

EC access to the US market	US access to the EC market
<ul style="list-style-type: none"> — <i>Belgium</i> Ministère de la Santé publique, de l'Environnement et de l'Intégration sociale Ministerie van Volksgezondheid, Leefmilieu en Sociale Inetgratie — <i>Denmark</i> Sundhedsministeriet — <i>Germany</i> Bundesministerium für Gesundheit — <i>Greece</i> Υπουργείο Υγείας Ministry of Health — <i>Spain</i> Ministerio de Sanidad y Consumo — <i>France</i> Ministère de l'emploi et de la solidarité Ministère de l'économie, des finances et de l'industrie — <i>Ireland</i> Department of Health — <i>Italy</i> Ministero della Sanità — <i>Luxembourg</i> Ministère de la Santé — <i>Netherlands</i> Staat der Nederlanden — <i>Austria</i> Bundesministerium für Arbeit, Gesundheit und Soziales — <i>Portugal</i> Ministerio da Saude — <i>Finland</i> Sosiaali- ja terveysministeriö/ Social-och hälsovårdsministeriet — <i>Sweden</i> Under the authority of the Government of Sweden: Styrelsen för ackreditering och teknisk kontroll (SWEDAC) — <i>United Kingdom</i> Department of Health 	<ul style="list-style-type: none"> Food and Drug Administration (FDA)

▼B*Appendix 4***Conformity assessment bodies**

EC access to the US market	US access to the EC market
Conformity assessment bodies located in the EC shall be designated by the Authorities identified in Appendix 3. (to be provided by the EC)	Conformity assessment bodies located in the US shall be designated by the Authorities identified in Appendix 3. (to be provided by the US)

▼B

JOINT DECLARATION

**to the Agreement on Mutual Recognition between the European
Community and the United States of America**

The Parties agree that, although in this exceptional case the Agreement on Mutual Recognition between the United States of America and the European Community is being signed while the consistency of the various linguistic versions of the Agreement is being verified, notification of the completion of their respective procedures for the entry into force of the Agreement, as referred to in Article 21(1) of the Agreement, will be made only after the Parties have completed the verification of the texts signed today and, through agreement between the Parties, any discrepancies have been brought into conformity with the English text.

Done at London on the eighteenth day of May in the year one thousand nine hundred and ninety-eight.

*For the European
Community*

*For the United States of
America*

