

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

**► B REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL**

**of 16 December 2008**

**on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006**

(Text with EEA relevance)

(OJ L 353, 31.12.2008, p. 1)

Amended by:

|              |   | Official Journal |      |           |
|--------------|---|------------------|------|-----------|
|              |   | No               | page | date      |
| ► <u>M1</u>  | Commission Regulation (EC) No 790/2009 of 10 August 2009        | L 235            | 1    | 5.9.2009  |
| ► <u>M2</u>  | Commission Regulation (EU) No 286/2011 of 10 March 2011         | L 83             | 1    | 30.3.2011 |
| ► <u>M3</u>  | Commission Regulation (EU) No 618/2012 of 10 July 2012          | L 179            | 3    | 11.7.2012 |
| ► <u>M4</u>  | Commission Regulation (EU) No 487/2013 of 8 May 2013            | L 149            | 1    | 1.6.2013  |
| ► <u>M5</u>  | Council Regulation (EU) No 517/2013 of 13 May 2013              | L 158            | 1    | 10.6.2013 |
| ► <u>M6</u>  | Commission Regulation (EU) No 758/2013 of 7 August 2013         | L 216            | 1    | 10.8.2013 |
| ► <u>M7</u>  | Commission Regulation (EU) No 944/2013 of 2 October 2013        | L 261            | 5    | 3.10.2013 |
| ► <u>M8</u>  | Commission Regulation (EU) No 605/2014 of 5 June 2014           | L 167            | 36   | 6.6.2014  |
| ► <u>M9</u>  | amended by Commission Regulation (EU) 2015/491 of 23 March 2015 | L 78             | 12   | 24.3.2015 |
| ► <u>M10</u> | Commission Regulation (EU) No 1297/2014 of 5 December 2014      | L 350            | 1    | 6.12.2014 |
| ► <u>M11</u> | Commission Regulation (EU) 2015/1221 of 24 July 2015            | L 197            | 10   | 25.7.2015 |
| ► <u>M12</u> | Commission Regulation (EU) 2016/918 of 19 May 2016              | L 156            | 1    | 14.6.2016 |
| ► <u>M13</u> | Commission Regulation (EU) 2016/1179 of 19 July 2016            | L 195            | 11   | 20.7.2016 |
| ► <u>M14</u> | Commission Regulation (EU) 2017/776 of 4 May 2017               | L 116            | 1    | 5.5.2017  |

Corrected by:

- C1 Corrigendum, OJ L 16, 20.1.2011, p. 1 (1272/2008)
- C2 Corrigendum, OJ L 138, 26.5.2011, p. 66 (286/2011)
- C3 Corrigendum, OJ L 349, 21.12.2016, p. 1 (1272/2008)



**REGULATION (EC) No 1272/2008 OF THE EUROPEAN  
PARLIAMENT AND OF THE COUNCIL**

**of 16 December 2008**

**on classification, labelling and packaging of substances and  
mixtures, amending and repealing Directives 67/548/EEC and  
1999/45/EC, and amending Regulation (EC) No 1907/2006**

(Text with EEA relevance)

TITLE I

GENERAL ISSUES

*Article 1*

**Purpose and scope**

1. The purpose of this Regulation is to ensure a high level of protection of human health and the environment as well as the free movement of substances, mixtures and articles as referred to in Article 4(8) by:

- (a) harmonising the criteria for classification of substances and mixtures, and the rules on labelling and packaging for hazardous substances and mixtures;
- (b) providing an obligation for:
  - (i) manufacturers, importers and downstream users to classify substances and mixtures placed on the market;
  - (ii) suppliers to label and package substances and mixtures placed on the market;
  - (iii) manufacturers, producers of articles and importers to classify those substances not placed on the market that are subject to registration or notification under Regulation (EC) No 1907/2006;
- (c) providing an obligation for manufacturers and importers of substances to notify the Agency of such classifications and label elements if these have not been submitted to the Agency as part of a registration under Regulation (EC) No 1907/2006;
- (d) establishing a list of substances with their harmonised classifications and labelling elements at Community level in Part 3 of Annex VI;
- (e) establishing a classification and labelling inventory of substances, which is made up of all notifications, submissions and harmonised classifications and labelling elements referred to in points (c) and (d).

2. This Regulation shall not apply to the following:

- (a) radioactive substances and mixtures within the scope of Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the danger arising from ionising radiation<sup>(1)</sup>;
- (b) substances and mixtures which are subject to customs supervision, provided that they do not undergo any treatment or processing, and which are in temporary storage, or in a free zone or free warehouse with a view to re-exportation, or in transit;

<sup>(1)</sup> OJ L 159, 29.6.1996, p. 1.

**▼B**

- (c) non-isolated intermediates;
  - (d) substances and mixtures for scientific research and development, which are not placed on the market, provided they are used under controlled conditions in accordance with Community workplace and environmental legislation.
3. Waste as defined in Directive 2006/12/EC of the European Parliament and of the Council of 5 April 2006 on waste <sup>(1)</sup> is not a substance, mixture or article within the meaning of Article 2 of this Regulation.
4. Member States may allow for exemptions from this Regulation in specific cases for certain substances or mixtures, where necessary in the interests of defence.
5. This Regulation shall not apply to substances and mixtures in the following forms, which are in the finished state, intended for the final user:
- (a) medicinal products as defined in Directive 2001/83/EC;
  - (b) veterinary medicinal products as defined in Directive 2001/82/EC;
  - (c) cosmetic products as defined in Directive 76/768/EEC;
  - (d) medical devices as defined in Directives 90/385/EEC and 93/42/EEC, which are invasive or used in direct physical contact with the human body, and in Directive 98/79/EC;
  - (e) food or feeding stuffs as defined in Regulation (EC) No 178/2002 including when they are used:
    - (i) as a food additive in foodstuffs within the scope of Directive 89/107/EEC;
    - (ii) as a flavouring in foodstuffs within the scope of Directive 88/388/EEC and Decision 1999/217/EC;
    - (iii) as an additive in feeding stuffs within the scope of Regulation (EC) No 1831/2003;
    - (iv) in animal nutrition within the scope of Directive 82/471/EEC.
6. Save where Article 33 applies this Regulation shall not apply to the transport of dangerous goods by air, sea, road, rail or inland waterways.

*Article 2***Definitions**

For the purpose of this Regulation, the following definitions shall apply:

1. ‘hazard class’ means the nature of the physical, health or environmental hazard;
2. ‘hazard category’ means the division of criteria within each hazard class, specifying hazard severity;
3. ‘hazard pictogram’ means a graphical composition that includes a symbol plus other graphic elements, such as a border, background pattern or colour that is intended to convey specific information on the hazard concerned;

<sup>(1)</sup> OJ L 114, 27.4.2006, p. 9.

**▼B**

4. 'signal word' means a word that indicates the relative level of severity of hazards to alert the reader to a potential hazard; the following two levels are distinguished:
  - (a) 'Danger' means a signal word indicating the more severe hazard categories;
  - (b) 'Warning' means a signal word indicating the less severe hazard categories;
5. 'hazard statement' means a phrase assigned to a hazard class and category that describes the nature of the hazards of a hazardous substance or mixture, including, where appropriate, the degree of hazard;
6. 'precautionary statement' means a phrase that describes recommended measure(s) to minimise or prevent adverse effects resulting from exposure to a hazardous substance or mixture due to its use or disposal;
7. 'substance' means a chemical element and its compounds in the natural state or obtained by any manufacturing process, including any additive necessary to preserve its stability and any impurity deriving from the process used, but excluding any solvent which may be separated without affecting the stability of the substance or changing its composition;
8. 'mixture' means a mixture or solution composed of two or more substances;
9. 'article' means an object which during production is given a special shape, surface or design which determines its function to a greater degree than does its chemical composition;
10. 'producer of an article' means any natural or legal person who makes or assembles an article within the Community;
11. 'polymer' means a substance consisting of molecules characterised by the sequence of one or more types of monomer units. Such molecules must be distributed over a range of molecular weights wherein differences in the molecular weight are primarily attributable to differences in the number of monomer units. A polymer comprises the following:
  - (a) a simple weight majority of molecules containing at least three monomer units which are covalently bound to at least one other monomer unit or other reactant;
  - (b) less than a simple weight majority of molecules of the same molecular weight.

In the context of this definition a 'monomer unit' means the reacted form of a monomer substance in a polymer;

12. 'monomer' means a substance which is capable of forming covalent bonds with a sequence of additional like or unlike molecules under the conditions of the relevant polymer-forming reaction used for the particular process;
13. 'registrant' means the manufacturer or the importer of a substance or the producer or importer of an article submitting a registration for a substance under Regulation (EC) No 1907/2006;
14. 'manufacturing' means production or extraction of substances in the natural state;

**▼B**

15. 'manufacturer' means any natural or legal person established within the Community who manufactures a substance within the Community;
16. 'import' means the physical introduction into the customs territory of the Community;
17. 'importer' means any natural or legal person established within the Community who is responsible for import;
18. 'placing on the market' means supplying or making available, whether in return for payment or free of charge, to a third party. Import shall be deemed to be placing on the market;
19. 'downstream user' means any natural or legal person established within the Community, other than the manufacturer or the importer, who uses a substance, either on its own or in a mixture, in the course of his industrial or professional activities. A distributor or a consumer is not a downstream user. A re-importer exempted pursuant to Article 2(7)(c) of Regulation (EC) No 1907/2006 shall be regarded as a downstream user;
20. 'distributor' means any natural or legal person established within the Community, including a retailer, who only stores and places on the market a substance, on its own or in a mixture, for third parties;
21. 'intermediate' means a substance that is manufactured for and consumed in or used for chemical processing in order to be transformed into another substance (hereinafter referred to as 'synthesis');
22. 'non-isolated intermediate' means an intermediate that during synthesis is not intentionally removed (except for sampling) from the equipment in which the synthesis takes place. Such equipment includes the reaction vessel, its ancillary equipment, and any equipment through which the substance(s) pass(es) during a continuous flow or batch process as well as the pipework for transfer from one vessel to another for the purpose of the next reaction step, but it excludes tanks or other vessels in which the substance(s) are stored after the manufacture;
23. 'the Agency' means the European Chemicals Agency established by Regulation (EC) No 1907/2006;
24. 'competent authority' means the authority or authorities or bodies established by the Member States to carry out the obligations arising from this Regulation;
25. 'use' means any processing, formulation, consumption, storage, keeping, treatment, filling into containers, transfer from one container to another, mixing, production of an article or any other utilisation;
26. 'supplier' means any manufacturer, importer, downstream user or distributor placing on the market a substance, on its own or in a mixture, or a mixture;
27. 'alloy' means a metallic material, homogeneous on a macroscopic scale, consisting of two or more elements so combined that they cannot be readily separated by mechanical means; alloys are considered to be mixtures for the purposes of this Regulation;
28. 'UN RTDG' means the United Nations Recommendations on the Transport of Dangerous Goods;

**▼B**

29. 'notifier' means the manufacturer or the importer, or group of manufacturers or importers notifying to the Agency;
30. 'scientific research and development' means any scientific experimentation, analysis or chemical research carried out under controlled conditions;
31. 'cut-off value' means a threshold of any classified impurity, additive or individual constituent in a substance or in a mixture, above which threshold these shall be taken into account for determining if the substance or the mixture, respectively, shall be classified;
32. 'concentration limit' means a threshold of any classified impurity, additive or individual constituent in a substance or in a mixture that may trigger classification of the substance or the mixture, respectively;
33. 'differentiation' means distinction within hazard classes depending on the route of exposure or the nature of the effects;
34. 'M-factor' means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present;
35. 'package' means the complete product of the packing operation, consisting of the packaging and its contents;
36. 'packaging' means one or more receptacles and any other components or materials necessary for the receptacles to perform their containment and other safety functions;
37. 'intermediate packaging' means packaging placed between inner packaging, or articles, and outer packaging.

*Article 3***Hazardous substances and mixtures and specification of hazard classes**

A substance or a mixture fulfilling the criteria relating to physical hazards, health hazards or environmental hazards, laid down in Parts 2 to 5 of Annex I is hazardous and shall be classified in relation to the respective hazard classes provided for in that Annex.

Where, in Annex I, hazard classes are differentiated on the basis of the route of exposure or the nature of the effects, the substance or mixture shall be classified in accordance with such differentiation.

*Article 4***General obligations to classify, label and package**

1. Manufacturers, importers and downstream users shall classify substances or mixtures in accordance with Title II before placing them on the market.

**▼B**

2. Without prejudice to the requirements of paragraph 1, manufacturers, producers of articles and importers shall classify those substances not placed on the market in accordance with Title II where:

(a) Articles 6, 7(1) or (5), 17 or 18 of Regulation (EC) No 1907/2006 provide for registration of a substance;

(b) Articles 7(2) or 9 of Regulation (EC) No 1907/2006 provide for notification.

3. If a substance is subject to harmonised classification and labelling in accordance with Title V through an entry in Part 3 of Annex VI, that substance shall be classified in accordance with that entry, and a classification of that substance in accordance with Title II shall not be performed for the hazard classes or differentiations covered by that entry.

However, where the substance also falls within one or more hazard classes or differentiations not covered by an entry in Part 3 of Annex VI, classification under Title II shall be carried out for those hazard classes or differentiations.

4. Where a substance or mixture is classified as hazardous, suppliers shall ensure that the substance or mixture is labelled and packaged in accordance with Titles III and IV, before placing it on the market.

5. In fulfilling their responsibilities under paragraph 4, distributors may use the classification for a substance or mixture derived in accordance with Title II by an actor in the supply chain.

6. In fulfilling their responsibilities under paragraphs 1 and 4, downstream users may use the classification of a substance or mixture derived in accordance with Title II by an actor in the supply chain, provided that they do not change the composition of the substance or mixture.

7. A mixture referred to in Part 2 of Annex II that contains any substance classified as hazardous shall not be placed on the market, unless it is labelled in accordance with Title III.

8. For the purposes of this Regulation, the articles referred to in section 2.1 of Annex I shall be classified, labelled and packaged in accordance with the rules for substances and mixtures before being placed on the market.

9. Suppliers in a supply chain shall cooperate to meet the requirements for classification, labelling and packaging in this Regulation.

10. Substances and mixtures shall not be placed on the market unless they comply with this Regulation.



TITLE II  
HAZARD CLASSIFICATION

CHAPTER 1

*Identification and examination of information*

*Article 5*

**Identification and examination of available information on substances**

1. Manufacturers, importers and downstream users of a substance shall identify the relevant available information for the purposes of determining whether the substance entails a physical, health or environmental hazard as set out in Annex I, and, in particular, the following:

- (a) data generated in accordance with any of the methods referred to in Article 8(3);
- (b) epidemiological data and experience on the effects on humans, such as occupational data and data from accident databases;
- (c) any other information generated in accordance with section 1 of Annex XI to Regulation (EC) No 1907/2006;
- (d) any new scientific information;
- (e) any other information generated under internationally recognised chemical programmes.

The information shall relate to the forms or physical states in which the substance is placed on the market and in which it can reasonably be expected to be used.

2. Manufacturers, importers and downstream users shall examine the information referred to in paragraph 1 to ascertain whether it is adequate, reliable and scientifically valid for the purpose of the evaluation pursuant to Chapter 2 of this Title.

*Article 6*

**Identification and examination of available information on mixtures**

1. Manufacturers, importers and downstream users of a mixture shall identify the relevant available information on the mixture itself or the substances contained in it for the purposes of determining whether the mixture entails a physical, health or environmental hazard as set out in Annex I, and, in particular, the following:

- (a) data generated in accordance with any of the methods referred to in Article 8(3) on the mixture itself or the substances contained in it;
- (b) epidemiological data and experience on the effects on humans for the mixture itself or the substances contained in it, such as occupational data or data from accident databases;
- (c) any other information generated in accordance with section 1 of Annex XI to Regulation (EC) No 1907/2006 for the mixture itself or the substances contained in it;



**▼B**

- (d) any other information generated under internationally recognised chemical programmes for the mixture itself or the substances contained in it.

The information shall relate to the forms or physical states in which the mixture is placed on the market and, when relevant, in which it can reasonably be expected to be used.

2. Subject to paragraphs 3 and 4, where the information referred to in paragraph 1 is available for the mixture itself, and the manufacturer, importer or downstream user has ascertained that information to be adequate and reliable and where applicable, scientifically valid, that manufacturer, importer or downstream user shall use that information for the purposes of the evaluation pursuant to Chapter 2 of this Title.

3. For the evaluation of mixtures pursuant to Chapter 2 of this Title in relation to the ‘germ cell mutagenicity’, ‘carcinogenicity’ and ‘reproductive toxicity’ hazard classes referred to in sections 3.5.3.1, 3.6.3.1 and 3.7.3.1 of Annex I, the manufacturer, importer or downstream user shall only use the relevant available information referred to in paragraph 1 for the substances in the mixture.

Further, in cases where the available test data on the mixture itself demonstrate germ cell mutagenic, carcinogenic or toxic to reproduction effects which have not been identified from the information on the individual substances, those data shall also be taken into account.

4. For the evaluation of mixtures pursuant to Chapter 2 of this Title in relation to the ‘biodegradation and bioaccumulation’ properties within the ‘hazardous to the aquatic environment’ hazard class referred to in sections 4.1.2.8 and 4.1.2.9 of Annex I, the manufacturer, importer or downstream user shall only use the relevant available information referred to in paragraph 1 for the substances in the mixture.

5. Where no or inadequate test data on the mixture itself of the kind referred to in paragraph 1 are available, the manufacturer, importer or downstream user shall use other available information on individual substances and similar tested mixtures which may also be considered relevant for the purposes of determining whether the mixture is hazardous, provided that that manufacturer, importer or downstream user has ascertained that information to be adequate and reliable for the purpose of the evaluation pursuant to Article 9(4).

*Article 7***Animal and human testing**

1. Where new tests are carried out for the purposes of this Regulation, tests on animals within the meaning of Directive 86/609/EEC shall be undertaken only where no other alternatives, which provide adequate reliability and quality of data, are possible.

2. Tests on non-human primates shall be prohibited for the purposes of this Regulation.

3. Tests on humans shall not be performed for the purposes of this Regulation. Data obtained from other sources, such as clinical studies, can however be used for the purposes of this Regulation.



#### *Article 8*

##### **Generating new information for substances and mixtures**

1. For the purposes of determining whether a substance or a mixture entails a health or environmental hazard as set out in Annex I to this Regulation, the manufacturer, importer or downstream user may, provided that he has exhausted all other means of generating information including by applying the rules provided for in section 1 of Annex XI to Regulation (EC) No 1907/2006, perform new tests.
2. For the purposes of determining whether a substance or a mixture entails any of the physical hazards referred to in Part 2 of Annex I, the manufacturer, importer or downstream user shall perform the tests required in that Part, unless there is adequate and reliable information already available.
3. The tests referred to in paragraph 1 shall be conducted in accordance with one of the following methods:
  - (a) the test methods referred to in Article 13(3) of Regulation (EC) No 1907/2006;
  - or
  - (b) sound scientific principles that are internationally recognised or methods validated according to international procedures.
4. Where the manufacturer, importer or downstream user carries out new ecotoxicological or toxicological tests and analyses, these shall be carried out in compliance with Article 13(4) of Regulation (EC) No 1907/2006.
5. Where new tests for physical hazards are carried out for the purposes of this Regulation, they shall be carried out, at the latest from 1 January 2014, in compliance with a relevant recognised quality system or by laboratories complying with a relevant recognised standard.
6. Tests that are carried out for the purposes of this Regulation shall be carried out on the substance or on the mixture in the form(s) or physical state(s) in which the substance or mixture is placed on the market and in which it can reasonably be expected to be used.

#### *CHAPTER 2*

##### ***Evaluation of hazard information and decision on classification***

#### *Article 9*

##### **Evaluation of hazard information for substances and mixtures**

1. Manufacturers, importers and downstream users of a substance or a mixture shall evaluate the information identified in accordance with Chapter 1 of this Title by applying to it the criteria for classification for each hazard class or differentiation in Parts 2 to 5 of Annex I, so as to ascertain the hazards associated with the substance or mixture.
2. In evaluating available test data for a substance or a mixture which have been obtained from test methods other than those referred to in Article 8(3), manufacturers, importers and downstream users shall compare the test methods employed with those indicated in that Article in order to determine whether the use of those test methods affects the evaluation referred to in paragraph 1 of this Article.

**▼B**

3. Where the criteria cannot be applied directly to available identified information, manufacturers, importers and downstream users shall carry out an evaluation by applying a weight of evidence determination using expert judgement in accordance with section 1.1.1 of Annex I to this Regulation, weighing all available information having a bearing on the determination of the hazards of the substance or the mixture, and in accordance with section 1.2 of Annex XI to Regulation (EC) No 1907/2006.

4. Where only the information referred to in Article 6(5) is available, manufacturers, importers and downstream users shall apply the bridging principles referred to in section 1.1.3 and in each section of Parts 3 and 4 of Annex I for the purposes of the evaluation.

However, where that information permits the application neither of the bridging principles nor the principles for using expert judgement and weight of evidence determination as described in Part 1 of Annex I, manufacturers, importers and downstream users shall evaluate the information by applying the other method or methods described in each section of Parts 3 and 4 of Annex I.

5. When evaluating the available information for the purposes of classification, the manufacturers, importers and downstream users shall consider the forms or physical states in which the substance or mixture is placed on the market and in which it can reasonably be expected to be used.

*Article 10***Concentration limits and M-factors for classification of substances and mixtures**

1. Specific concentration limits and generic concentration limits are limits assigned to a substance indicating a threshold at or above which the presence of that substance in another substance or in a mixture as an identified impurity, additive or individual constituent leads to the classification of the substance or mixture as hazardous.

Specific concentration limits shall be set by the manufacturer, importer or downstream user where adequate and reliable scientific information shows that the hazard of a substance is evident when the substance is present at a level below the concentrations set for any hazard class in Part 2 of Annex I or below the generic concentration limits set for any hazard class in Parts 3, 4 and 5 of Annex I.

In exceptional circumstances specific concentration limits may be set by the manufacturer, importer or downstream user where he has adequate, reliable and conclusive scientific information that a hazard of a substance classified as hazardous is not evident at a level above the concentrations set for the relevant hazard class in Part 2 of Annex I or above the generic concentration limits set for the relevant hazard class in Parts 3, 4 and 5 of that Annex.

2. M-factors for substances classified as hazardous to the aquatic environment, acute category 1 or chronic category 1, shall be established by manufacturers, importers and downstream users.

**▼B**

3. Notwithstanding paragraph 1, specific concentration limits shall not be set for harmonised hazard classes or differentiations for substances included in Part 3 of Annex VI.

4. Notwithstanding paragraph 2, M-factors shall not be set for harmonised hazard classes or differentiations for substances included in Part 3 of Annex VI for which an M-factor is given in that Part.

However, where an M-factor is not given in Part 3 of Annex VI for substances classified as hazardous to the aquatic environment, acute category 1 or chronic category 1, an M-factor based on available data for the substance shall be set by the manufacturer, importer or downstream user. When a mixture including the substance is classified by the manufacturer, importer or downstream user using the summation method, this M-factor shall be used.

5. In setting the specific concentration limit or M-factor manufacturers, importers and downstream users shall take into account any specific concentration limits or M-factors for that substance which have been included in the classification and labelling inventory.

6. Specific concentration limits set in accordance with paragraph 1 shall take precedence over the concentrations in the relevant sections of Part 2 of Annex I or the generic concentration limits for classification in the relevant sections of Parts 3, 4 and 5 of Annex I.

7. The Agency shall provide further guidance for the application of paragraphs 1 and 2.

*Article 11***Cut-off values**

1. Where a substance contains another substance, itself classified as hazardous, whether in the form of an identified impurity, additive or individual constituent, this shall be taken into account for the purposes of classification, if the concentration of the identified impurity, additive or individual constituent is equal to, or greater than, the applicable cut-off value in accordance with paragraph 3.

2. Where a mixture contains a substance classified as hazardous, whether as a component or in the form of an identified impurity or additive, this information shall be taken into account for the purposes of classification, if the concentration of that substance is equal to or greater than its cut-off value in accordance with paragraph 3.

3. The cut-off value referred to in paragraphs 1 and 2 shall be determined as set out in section 1.1.2.2 of Annex I.

*Article 12***Specific cases requiring further evaluation**

Where, as a result of the evaluation carried out pursuant to Article 9, the following properties or effects are identified, manufacturers, importers and downstream users shall take them into account for the purposes of classification:

**▼B**

- (a) adequate and reliable information demonstrates that in practice the physical hazards of a substance or a mixture differ from those shown by tests;
- (b) conclusive scientific experimental data show that the substance or mixture is not biologically available and those data have been ascertained to be adequate and reliable;
- (c) adequate and reliable scientific information demonstrates the potential occurrence of synergistic or antagonistic effects among the substances in a mixture for which the evaluation was decided on the basis of the information for the substances in the mixture.

*Article 13***Decision to classify substances and mixtures**

If the evaluation undertaken pursuant to Article 9 and Article 12 shows that the hazards associated with the substance or mixture meet the criteria for classification in one or more hazard classes or differentiations in Parts 2 to 5 of Annex I, manufacturers, importers and downstream users shall classify the substance or mixture in relation to the relevant hazard class or classes or differentiations by assigning the following:

- (a) one or more hazard categories for each relevant hazard class or differentiation;
- (b) subject to Article 21, one or more hazard statements corresponding to each hazard category assigned in accordance with (a).

*Article 14***Specific rules for the classification of mixtures**

1. The classification of a mixture shall not be affected where the evaluation of the information indicates any of the following:

- (a) that the substances in the mixture react slowly with atmospheric gases, in particular oxygen, carbon dioxide, water vapour, to form different substances at low concentration;
- (b) that the substances in the mixture react very slowly with other substances in the mixture to form different substances at low concentration;
- (c) that the substances in the mixture may self-polymerise to form oligomers or polymers, at low concentration.

2. A mixture need not be classified for explosive, oxidising, or flammable properties as referred to in Part 2 of Annex I provided that any of the following requirements are met:

- (a) none of the substances in the mixture possesses any of those properties and, on the basis of the information available to the supplier, the mixture is unlikely to present hazards of this kind;
- (b) in the event of a change in the composition of a mixture, scientific evidence indicates that an evaluation of the information on the mixture will not lead to a change in classification.

**▼M4****▼B***Article 15***Review of classification for substances and mixtures**

1. Manufacturers, importers and downstream users shall take all reasonable steps available to them to make themselves aware of new scientific or technical information that may affect the classification of the substances or mixtures they place on the market. When a manufacturer, importer or downstream user becomes aware of such information which he considers to be adequate and reliable, that manufacturer, importer or downstream user shall without undue delay carry out a new evaluation in accordance with this Chapter.
2. Where the manufacturer, importer or downstream user introduces a change to a mixture that has been classified as hazardous, that manufacturer, importer or downstream user shall carry out a new evaluation in accordance with this Chapter where the change is either of the following:
  - (a) a change in the composition of the initial concentration of one or more of the hazardous constituents in concentrations at or above the limits in Table 1.2 of Part 1 of Annex I;
  - (b) a change in the composition involving the substitution or addition of one or more constituents in concentrations at or above the cut-off value referred to in Article 11(3).
3. A new evaluation in accordance with paragraphs 1 and 2 shall not be required if there is valid scientific justification that this will not result in a change of classification.
4. Manufacturers, importers and downstream users shall adapt the classification of the substance or the mixture in accordance with the results of the new evaluation except where there are harmonised hazard classes or differentiations for substances included in Part 3 of Annex VI.
5. For paragraphs 1 to 4 of this Article, when the substance or mixture concerned is within the scope of Directive 91/414/EEC or Directive 98/8/EC, the requirements of those Directives shall also apply.

*Article 16***Classification of substances included in the classification and labelling inventory**

1. Manufacturers and importers may classify a substance differently from the classification already included in the classification and labelling inventory, provided they submit the reasons for the classification to the Agency together with the notification in accordance with Article 40.
2. Paragraph 1 shall not apply if the classification included in the classification and labelling inventory is a harmonised classification included in Part 3 of Annex VI.

**▼B**

## TITLE III

**HAZARD COMMUNICATION IN THE FORM OF LABELLING**

## CHAPTER 1

*Content of the label**Article 17***General rules**

1. A substance or mixture classified as hazardous and contained in packaging shall bear a label including the following elements:

- (a) the name, address and telephone number of the supplier(s);
- (b) the nominal quantity of the substance or mixture in the package made available to the general public, unless this quantity is specified elsewhere on the package;
- (c) product identifiers as specified in Article 18;
- (d) where applicable, hazard pictograms in accordance with Article 19;
- (e) where applicable, signal words in accordance with Article 20;
- (f) where applicable, hazard statements in accordance with Article 21;
- (g) where applicable, the appropriate precautionary statements in accordance with Article 22;
- (h) where applicable, a section for supplemental information in accordance with Article 25.

2. The label shall be written in the official language(s) of the Member State(s) where the substance or mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Suppliers may use more languages on their labels than those required by the Member States, provided that the same details appear in all languages used.

*Article 18***Product identifiers**

1. The label shall include details permitting the identification of the substance or mixture (hereinafter referred to as 'product identifiers').

The term used for identification of the substance or mixture shall be the same as that used in the safety data sheet drawn up in accordance with Article 31 of Regulation (EC) No 1907/2006 (hereinafter referred to as 'safety data sheet'), without prejudice to Article 17(2) of this Regulation.

2. The product identifier for a substance shall consist of at least the following:

- (a) if the substance is included in Part 3 of Annex VI, a name and an identification number as given therein;

**▼B**

- (b) if the substance is not included in Part 3 of Annex VI, but appears in the classification and labelling inventory, a name and an identification number as given therein;
- (c) if the substance is not included in Part 3 of Annex VI nor in the classification and labelling inventory, the number provided by the CAS (hereinafter referred to as ‘the CAS number’), together with the name set out in the nomenclature provided by the IUPAC (hereinafter referred to as ‘the IUPAC Nomenclature’), or the CAS number together with another international chemical name(s); or
- (d) if the CAS number is not available, the name set out in the IUPAC Nomenclature or another international chemical name(s).

Where the name in the IUPAC nomenclature exceeds 100 characters, one of the other names (usual name, trade name, abbreviation) referred to in section 2.1.2 of Annex VI to Regulation (EC) No 1907/2006 may be used provided that the notification in accordance with Article 40 includes both the name set out in the IUPAC Nomenclature and the other name used.

3. The product identifier for a mixture shall consist of both of the following:

- (a) the trade name or the designation of the mixture;
- (b) the identity of all substances in the mixture that contribute to the classification of the mixture as regards acute toxicity, skin corrosion or serious eye damage, germ cell mutagenicity, carcinogenicity, reproductive toxicity, respiratory or skin sensitisation, specific target organ toxicity (STOT) or aspiration hazard.

Where, in the case referred to in (b), that requirement leads to the provision of multiple chemical names, a maximum of four chemical names shall suffice, unless more than four names are needed to reflect the nature and the severity of the hazards.

The chemical names selected shall identify the substances primarily responsible for the major health hazards which have given rise to the classification and the choice of the corresponding hazard statements.

*Article 19***Hazard pictograms**

1. The label shall include the relevant hazard pictogram(s), intended to convey specific information on the hazard concerned.
2. Subject to Article 33, hazard pictograms shall fulfil the requirements laid down in section 1.2.1 of Annex I and in Annex V.
3. The hazard pictogram relevant for each specific classification is set out in the tables indicating the label elements required for each hazard class in Annex I.



**▼B***Article 20***Signal words**

1. The label shall include the relevant signal word in accordance with the classification of the hazardous substance or mixture.
2. The signal word relevant for each specific classification is set out in the tables indicating the label elements required for each hazard class in Parts 2 to 5 of Annex I.
3. Where the signal word 'Danger' is used on the label, the signal word 'Warning' shall not appear on the label.

*Article 21***Hazard statements**

1. The label shall include the relevant hazard statements in accordance with the classification of the hazardous substance or mixture.
2. The hazard statements relevant for each classification are set out in the tables indicating the label elements required for each hazard class in Parts 2 to 5 of Annex I.
3. Where a substance is included in Part 3 of Annex VI, the hazard statement relevant for each specific classification covered by the entry in that Part shall be used on the label, together with the hazard statements referred to in paragraph 2 for any other classification not covered by that entry.
4. The hazard statements shall be worded in accordance with Annex III.

*Article 22***Precautionary statements**

1. The label shall include the relevant precautionary statements.
2. The precautionary statements shall be selected from those set out in the tables in Parts 2 to 5 of Annex I indicating the label elements for each hazard class.
3. The precautionary statements shall be selected in accordance with the criteria laid down in Part 1 of Annex IV taking into account the hazard statements and the intended or identified use or uses of the substance or the mixture.
4. The precautionary statements shall be worded in accordance with Part 2 of Annex IV.

*Article 23***Derogations from labelling requirements for special cases**

The specific provisions on labelling laid down in section 1.3 of Annex I shall apply in respect of the following:

- (a) transportable gas cylinders;
- (b) gas containers intended for propane, butane or liquefied petroleum gas;

**▼B**

- (c) aerosols and containers fitted with a sealed spray attachment and containing substances or mixtures classified as presenting an aspiration hazard;
- (d) metals in massive form, alloys, mixtures containing polymers, mixtures containing elastomers;
- (e) explosives, as referred to in section 2.1 of Annex I, placed on the market with a view to obtaining an explosive or pyrotechnic effect;

**▼M12**

- (f) substances or mixtures classified as corrosive to metals but not classified as skin corrosion or as serious eye damage (Category 1).

**▼B***Article 24***Request for use of an alternative chemical name**

1. The manufacturer, importer or downstream user of a substance in a mixture may submit a request to the Agency to use an alternative chemical name which refers to that substance in a mixture either by means of a name that identifies the most important functional chemical groups or by means of an alternative designation, where the substance meets the criteria set out in Part 1 of Annex I and where he can demonstrate that disclosure on the label or in the safety data sheet of the chemical identity of that substance puts the confidential nature of his business, in particular his intellectual property rights, at risk.

2. Any request referred to in paragraph 1 of this Article shall be made in the format referred to in Article 111 of Regulation (EC) No 1907/2006 and shall be accompanied by a fee.

The level of the fees shall be determined by the Commission in accordance with the regulatory procedure referred to in Article 54(2) of this Regulation.

A reduced fee shall be set for SMEs.

3. The Agency may require further information from the manufacturer, importer or downstream user making the request if such information is necessary to take a decision. If the Agency raises no objection within six weeks of the request or the receipt of further required information, the use of the requested name shall be deemed to be allowed.

4. If the Agency does not accept the request, the practical arrangements referred to in Article 118(3) of Regulation (EC) No 1907/2006 shall apply.

5. The Agency shall inform competent authorities of the outcome of the request in accordance with paragraph 3 or 4 and provide them with the information submitted by the manufacturer, importer or downstream user.

6. Where new information shows that an alternative chemical name used does not provide sufficient information for necessary health and safety precautions to be taken at the workplace and to ensure that risks from handling the mixture can be controlled, the Agency shall review its decision on the use of that alternative chemical name. The Agency may withdraw its decision or amend it by a decision specifying which alternative chemical name is allowed to be used. If the Agency withdraws or amends its decision, the practical arrangements referred to in Article 118(3) of Regulation (EC) No 1907/2006 shall apply.

**▼B**

7. Where the use of an alternative chemical name has been allowed, but the classification of the substance in a mixture for which the alternative name is used no longer meets the criteria set out in section 1.4.1 of Annex I, the supplier of that substance in a mixture shall use the product identifier for the substance in accordance with Article 18 on the label and in the safety data sheet, and not the alternative chemical name.

8. For substances, whether on their own or in a mixture, where a justification in accordance with Article 10(a)(xi) of Regulation (EC) No 1907/2006 regarding information referred to in Article 119(2)(f) or (g) of that Regulation has been accepted as valid by the Agency, the manufacturer, importer or downstream user may use on the label and in the safety data sheet a name that will be made publicly available over the Internet. For those substances in a mixture for which Article 119(2)(f) or (g) of that Regulation no longer applies, the manufacturer, importer or downstream user may submit a request to the Agency to use an alternative chemical name as provided for in paragraph 1 of this Article.

9. Where the supplier of a mixture, before 1 June 2015, has demonstrated under Article 15 of Directive 1999/45/EC that the disclosure of the chemical identity of a substance in a mixture puts the confidential nature of his business at risk, he can continue to use the agreed alternative name for the purposes of this Regulation.

*Article 25***Supplemental information on the label**

1. Statements shall be included in the section for supplemental information on the label where a substance or mixture classified as hazardous has the physical properties or health properties referred to in sections 1.1 and 1.2 of Annex II.

The statements shall be worded in accordance with sections 1.1 and 1.2 of Annex II and Part 2 of Annex III.

Where a substance is included in Part 3 of Annex VI, any supplemental hazard statements given therein for the substance shall be included in the supplemental information on the label.

2. A statement shall be included in the section for supplemental information on the label where a substance or mixture classified as hazardous falls within the scope of Directive 91/414/EEC.

The statement shall be worded in accordance with Part 4 of Annex II and Part 3 of Annex III to this Regulation.

3. The supplier may include supplemental information in the section for supplemental information on the label other than that referred to in paragraphs 1 and 2, provided that that information does not make it more difficult to identify the label elements referred to in Article 17(1) (a) to (g) and that it provides further details and does not contradict or cast doubt on the validity of the information specified by those elements.

4. Statements such as ‘non-toxic’, ‘non-harmful’, ‘non-polluting’, ‘ecological’ or any other statements indicating that the substance or mixture is not hazardous or any other statements that are inconsistent with the classification of that substance or mixture shall not appear on the label or packaging of any substance or mixture.

**▼ M2****▼ B**

6. Where a mixture contains any substance classified as hazardous, it shall be labelled in accordance with Part 2 of Annex II.

The statements shall be worded in accordance with Part 3 of Annex III and shall be placed in the supplemental information section of the label.

The label shall also include the product identifier referred to in Article 18 and the name, address and telephone number of the supplier of the mixture.

*Article 26***Principles of precedence for hazard pictograms**

1. Where the classification of a substance or mixture would result in more than one hazard pictogram on the label, the following rules of precedence shall apply to reduce the number of hazard pictograms required:

- (a) if the hazard pictogram 'GHS01' applies, the use of the hazard pictograms 'GHS02' and 'GHS03' shall be optional, except in cases where more than one of these hazard pictograms are compulsory;
- (b) if the hazard pictogram 'GHS06' applies, the hazard pictogram 'GHS07' shall not appear;
- (c) if the hazard pictogram 'GHS05' applies, the hazard pictogram 'GHS07' shall not appear for skin or eye irritation;
- (d) if the hazard pictogram 'GHS08' applies for respiratory sensitisation, the hazard pictogram 'GHS07' shall not appear for skin sensitisation or for skin and eye irritation;

**▼ M2**

- (e) if the hazard pictogram 'GHS02' or 'GHS06' applies, the use of the hazard pictogram 'GHS04' shall be optional.

**▼ B**

2. Where the classification of a substance or mixture would result in more than one hazard pictogram for the same hazard class the label shall include the hazard pictogram corresponding to the most severe hazard category for each hazard class concerned.

For substances that are included in Part 3 of Annex VI and also subject to classification pursuant to Title II, the label shall include the hazard pictogram corresponding to the most severe hazard category for each relevant hazard class.

*Article 27***Principles of precedence for hazard statements**

If a substance or mixture is classified within several hazard classes or differentiations of a hazard class, all hazard statements resulting from the classification shall appear on the label, unless there is evident duplication or redundancy.



#### *Article 28*

##### **Principles of precedence for precautionary statements**

1. Where the selection of the precautionary statements results in certain precautionary statements being clearly redundant or unnecessary given the specific substance, mixture or packaging, such statements shall be omitted from the label.

2. Where the substance or mixture is supplied to the general public, one precautionary statement addressing the disposal of that substance or mixture as well as the disposal of packaging shall appear on the label, unless not required under Article 22.

In all other cases, a precautionary statement addressing disposal shall not be required, where it is clear that the disposal of the substance or mixture or the packaging does not present a hazard to human health or the environment.

3. Not more than six precautionary statements shall appear on the label, unless necessary to reflect the nature and the severity of the hazards.

#### *Article 29*

##### **Exemptions from labelling and packaging requirements**

1. Where the packaging of a substance or a mixture is either in such a shape or form or is so small that it is impossible to meet the requirements of Article 31 for a label in the languages of the Member State in which the substance or mixture is placed on the market, the label elements in accordance with the first subparagraph of Article 17(2) shall be provided in accordance with section 1.5.1 of Annex I.

2. If the full label information cannot be provided in the way specified in paragraph 1 the label information may be reduced in accordance with section 1.5.2 of Annex I.

3. When a hazardous substance or mixture referred to in Part 5 of Annex II is supplied to the general public without packaging it shall be accompanied by a copy of the label elements in accordance with Article 17.

4. For certain mixtures classified as hazardous to the environment, exemptions to certain provisions on environmental labelling or specific provisions in relation to environmental labelling may be determined in accordance with the procedure referred to in Article 53, where it can be demonstrated that there would be a reduction in the environmental impact. Such exemptions or specific provisions are defined in Part 2 of Annex II.

5. The Commission may request the Agency to prepare and submit to it further draft exemptions from labelling and packaging requirements.

#### *Article 30*

##### **Updating information on labels**

1. The supplier shall ensure that the label is updated, without undue delay, following any change to the classification and labelling of that substance or mixture, where the new hazard is more severe or where new supplemental labelling elements are required under Article 25, taking into account the nature of the change as regards the protection of human health and the environment. Suppliers shall cooperate in accordance with Article 4(9) to complete the changes to the labelling without undue delay.

**▼B**

2. Where labelling changes are required other than those referred to in paragraph 1, the supplier shall ensure that the label is updated within 18 months.
3. The supplier of a substance or a mixture within the scope of Directives 91/414/EEC or 98/8/EC shall update the label in accordance with those Directives.

*CHAPTER 2**Application of labels**Article 31***General rules for the application of labels**

1. Labels shall be firmly affixed to one or more surfaces of the packaging immediately containing the substance or mixture and shall be readable horizontally when the package is set down normally.
2. The colour and presentation of any label shall be such that the hazard pictogram stands out clearly.
3. The label elements referred to in Article 17(1) shall be clearly and indelibly marked. They shall stand out clearly from the background and be of such size and spacing as to be easily read.
4. The shape, colour and the size of a hazard pictogram as well as the dimensions of the label shall be as set out in section 1.2.1 of Annex I.
5. A label shall not be required when the label elements referred to in Article 17(1) are shown clearly on the packaging itself. In such cases, the requirements of this Chapter applicable to a label shall be applied to the information shown on the packaging.

*Article 32***Location of information on the label**

1. The hazard pictograms, signal word, hazard statements and precautionary statements shall be located together on the label.
2. The supplier may decide the order of the hazard statements on the label. However, subject to paragraph 4, all hazard statements shall be grouped on the label by language.  
  
The supplier may decide the order of the precautionary statements on the label. However, subject to paragraph 4, all precautionary statements shall be grouped on the label by language.
3. Groups of hazard statements and groups of precautionary statements referred to in paragraph 2 shall be located together on the label by language.
4. The supplemental information shall be placed in the supplemental information section referred to in Article 25, and shall be located with the other label elements specified in Article 17(1)(a) to (g).
5. In addition to its use in hazard pictograms, colour may be used on other areas of the label to implement special labelling requirements.

**▼B**

6. Label elements resulting from the requirements provided for in other Community acts shall be placed in the section for supplemental information on the label referred to in Article 25.

*Article 33***Specific rules for labelling of outer packaging, inner packaging and single packaging**

1. Where a package consists of an outer and an inner packaging, together with any intermediate packaging, and the outer packaging meets labelling provisions in accordance with the rules on the transport of dangerous goods, the inner and any intermediate packaging shall be labelled in accordance with this Regulation. The outer packaging may also be labelled in accordance with this Regulation. Where the hazard pictogram(s) required by this Regulation relate to the same hazard as in the rules for the transport of dangerous goods, the hazard pictogram(s) required by this Regulation need not appear on the outer packaging.

2. Where the outer packaging of a package is not required to meet labelling provisions in accordance with rules on the transport of dangerous goods, both the outer and any inner packaging, including any intermediate packaging, shall be labelled in accordance with this Regulation. However, if the outer packaging permits the inner or intermediate packaging labelling to be clearly seen, the outer packaging need not be labelled.

3. Single packages that meet the labelling provisions in accordance with the rules on the transport of dangerous goods shall be labelled both in accordance with this Regulation and the rules on the transport of dangerous goods. Where the hazard pictogram(s) required by this Regulation relate to the same hazard as in rules on the transport of dangerous goods, the hazard pictogram(s) required by this Regulation need not appear.

*Article 34***Report on communication on safe use of chemicals**

1. By 20 January 2012, the Agency shall carry out a study on the communication of information to the general public on the safe use of substances and mixtures and the potential need for additional information on labels. This study shall be carried out in consultation with competent authorities and stakeholders and drawing as appropriate on relevant best practice.

2. Without prejudice to the labelling rules provided for in this Title, the Commission shall, on the basis of the study referred to in paragraph 1, submit a report to the European Parliament and the Council and, if justified, present a legislative proposal to amend this Regulation.

**▼B**TITLE IV  
PACKAGING*Article 35***Packaging**

1. Packaging containing hazardous substances or mixtures shall satisfy the following requirements:

- (a) the packaging shall be designed and constructed so that its contents cannot escape, except in cases where other more specific safety devices are prescribed;
- (b) the materials constituting the packaging and fastenings shall not be susceptible to damage by the contents, or liable to form hazardous compounds with the contents;
- (c) the packaging and fastenings shall be strong and solid throughout to ensure that they will not loosen and will safely meet the normal stresses and strains of handling;
- (d) packaging fitted with replaceable fastening devices shall be designed so that it can be refastened repeatedly without the contents escaping.

2. Packaging containing a hazardous substance or a mixture supplied to the general public shall not have either a shape or design likely to attract or arouse the active curiosity of children or to mislead consumers, or have a similar presentation or a design used for foodstuff or animal feeding stuff or medicinal or cosmetic products, which would mislead consumers.

Where the packaging contains a substance or mixture which meets the requirements in section 3.1.1 of Annex II it shall have a child-resistant fastening in accordance with sections 3.1.2, 3.1.3 and 3.1.4.2 of Annex II.

Where the packaging contains a substance or mixture which meets the requirements in section 3.2.1 of Annex II it shall bear a tactile warning of danger in accordance with section 3.2.2 of Annex II.

**▼M10**

Where a liquid consumer laundry detergent, as defined in Article 2(1a) of Regulation (EC) No 648/2004 of the European Parliament and of the Council <sup>(1)</sup>, is contained in a soluble packaging for single use, the additional requirements of section 3.3 of Annex II shall apply.

**▼B**

3. The packaging of substances and mixtures shall be deemed to satisfy the requirements of paragraph 1(a), (b) and (c) if it complies with the requirements of the rules on the transport of dangerous goods by air, sea, road, rail or inland waterways.

<sup>(1)</sup> Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (OJ L 104, 8.4.2004, p. 1).





## TITLE V

**HARMONISATION OF CLASSIFICATION AND LABELLING OF  
SUBSTANCES AND THE CLASSIFICATION AND LABELLING  
INVENTORY**

## CHAPTER 1

*Establishing harmonised classification and labelling of substances*

## Article 36

**Harmonisation of classification and labelling of substances**

1. A substance that fulfils the criteria set out in Annex I for the following shall normally be subject to harmonised classification and labelling in accordance with Article 37:

- (a) respiratory sensitisation, category 1 (Annex I, section 3.4);
- (b) germ cell mutagenicity, category 1A, 1B or 2 (Annex I, section 3.5);
- (c) carcinogenicity, category 1A, 1B or 2 (Annex I, section 3.6);
- (d) reproductive toxicity, category 1A, 1B or 2 (Annex I, section 3.7).

2. A substance that is an active substance in the meaning of Directive 91/414/EEC or Directive 98/8/EC shall normally be subject to harmonised classification and labelling. For such substances, the procedures set out in Article 37, paragraphs 1, 4, 5 and 6 shall apply.

3. Where a substance fulfils the criteria for other hazard classes or differentiations than those referred to in paragraph 1 and does not fall under paragraph 2, a harmonised classification and labelling in accordance with Article 37 may also be added to Annex VI on a case-by-case basis, if justification is provided demonstrating the need for such action at Community level.

## Article 37

**Procedure for harmonisation of classification and labelling of  
substances**

1. A competent authority may submit to the Agency a proposal for harmonised classification and labelling of substances and, where appropriate, specific concentration limits or M-factors, or a proposal for a revision thereof.

The proposal shall follow the format set out in Part 2 of Annex VI and contain the relevant information provided for in Part 1 of Annex VI.

2. A manufacturer, importer or downstream user of a substance may submit to the Agency a proposal for harmonised classification and labelling of that substance and, where appropriate, specific concentration limits or M-factors, provided that there is no entry in Part 3 of Annex VI for such a substance in relation to the hazard class or differentiation covered by that proposal.

The proposal shall be drawn up in accordance with the relevant Parts of sections 1, 2 and 3 of Annex I to Regulation (EC) No 1907/2006 and it shall follow the format set out in Part B of the Chemical Safety Report of section 7 of that Annex. It shall contain the relevant information provided for in Part 1 of Annex VI to this Regulation. Article 111 of Regulation (EC) No 1907/2006 shall apply.

**▼B**

3. Where the proposal of the manufacturer, importer or downstream user concerns the harmonised classification and labelling of a substance in accordance with Article 36(3), it shall be accompanied by the fee determined by the Commission in accordance with the regulatory procedure referred to in Article 54(2).

4. The Committee for Risk Assessment of the Agency set up pursuant to Article 76(1)(c) of Regulation (EC) No 1907/2006 shall adopt an opinion on any proposal submitted pursuant to paragraphs 1 or 2 within 18 months of receipt of the proposal, giving the parties concerned the opportunity to comment. The Agency shall forward this opinion and any comments to the Commission.

5. Where the Commission finds that the harmonisation of the classification and labelling of the substance concerned is appropriate, it shall, without undue delay, submit a draft decision concerning the inclusion of that substance together with the relevant classification and labelling elements in Table 3.1 of Part 3 of Annex VI and, where appropriate, the specific concentration limits or M-factors.

A corresponding entry shall be included in Table 3.2 of Part 3 of Annex VI subject to the same conditions, until 31 May 2015.

That measure, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 54(3). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 54(4).

6. Manufacturers, importers and downstream users who have new information which may lead to a change of the harmonised classification and labelling elements of a substance in Part 3 of Annex VI shall submit a proposal in accordance with the second subparagraph of paragraph 2 to the competent authority in one of the Member States in which the substance is placed on the market.

*Article 38***Content of opinions and decisions for harmonised classification and labelling in Part 3 of Annex VI; accessibility of information**

1. Any opinion referred to in Article 37(4) and any decision according to Article 37(5) shall at least specify for each substance:

- (a) the identity of the substance as specified in sections 2.1 to 2.3.4 of Annex VI to Regulation (EC) No 1907/2006;
- (b) the classification of the substance referred to in Article 36, including a statement of reasons;
- (c) the specific concentration limits or M-factors, where applicable;
- (d) the label elements specified in points (d), (e) and (f) of Article 17(1) for the substance, together with any supplemental hazard statements for the substance, determined in accordance with Article 25(1);

**▼B**

(e) any other parameter enabling an assessment to be made of the health or environmental hazard of mixtures containing the hazardous substance in question or of substances containing such hazardous substances as identified impurities, additives and constituents, if relevant.

2. When making publicly available an opinion or a decision as referred to in Article 37(4) and (5) of this Regulation, Article 118(2) and Article 119 of Regulation (EC) No 1907/2006 shall apply.

*CHAPTER 2**Classification and labelling inventory**Article 39***Scope**

This Chapter shall apply to:

- (a) substances subject to registration in accordance with Regulation (EC) No 1907/2006;
- (b) substances within the scope of Article 1 which meet the criteria for classification as hazardous and are placed on the market either on their own or in a mixture above the concentration limits specified in this Regulation or Directive 1999/45/EC, where relevant, which results in the classification of the mixture as hazardous.

*Article 40***Obligation to notify the Agency**

1. Any manufacturer or importer, or group of manufacturers or importers (hereinafter referred to as 'the notifier(s)'), who places on the market a substance referred to in Article 39, shall notify to the Agency the following information in order for it to be included in the inventory referred to in Article 42:

- (a) the identity of the notifier(s) responsible for placing the substance or substances on the market as specified in section 1 of Annex VI to Regulation (EC) No 1907/2006;
- (b) the identity of the substance or substances as specified in section 2.1 to 2.3.4 to Annex VI to Regulation (EC) No 1907/2006;
- (c) the classification of the substance or substances in accordance with Article 13;
- (d) where a substance has been classified in some but not all hazard classes or differentiations, an indication of whether this is due to lack of data, inconclusive data, or data which are conclusive although insufficient for classification;
- (e) specific concentration limits or M-factors, where applicable, in accordance with Article 10 of this Regulation together with a justification using the relevant Parts of sections 1, 2 and 3 of Annex I to Regulation (EC) No 1907/2006;
- (f) the label elements specified in points (d), (e) and (f) of Article 17(1) for the substance or substances together with any supplemental hazard statements for the substance, determined in accordance with Article 25(1).

**▼B**

The information referred to in (a) to (f) shall not be notified, if it has been submitted to the Agency as part of a registration pursuant to Regulation (EC) No 1907/2006, or if it has already been notified by that notifier.

The notifier shall submit this information in the format specified pursuant to Article 111 of Regulation (EC) No 1907/2006.

2. The information listed in paragraph 1 shall be updated and notified to the Agency by the notifier(s) concerned when, pursuant to the review in Article 15(1), a decision to change the classification and labelling of the substance has been taken.

3. Substances placed on the market on or after 1 December 2010 shall be notified in accordance with paragraph 1 within one month after their placing on the market.

However, substances placed on the market before 1 December 2010 may be notified in accordance with paragraph 1 before that date.

*Article 41***Agreed entries**

Where the notification in Article 40(1) results in different entries on the inventory referred to in Article 42 for the same substance, the notifiers and registrants shall make every effort to come to an agreed entry to be included in the inventory. The notifiers shall inform the Agency accordingly.

*Article 42***The classification and labelling inventory**

1. The Agency shall establish and maintain a classification and labelling inventory in the form of a database.

The information notified pursuant to Article 40(1) shall be included in the inventory, as well as information submitted as part of registrations under Regulation (EC) No 1907/2006.

Information in the inventory which corresponds to the information referred to in Article 119(1) of Regulation (EC) No 1907/2006 shall be publicly accessible. The Agency shall grant access to the other information on each substance in the inventory to the notifiers and registrants who have submitted information on that substance in accordance with Article 29(1) of Regulation (EC) No 1907/2006. It shall grant access to such information to other parties subject to Article 118 of that Regulation.

2. The Agency shall update the inventory when it receives updated information in accordance with Article 40(2) or Article 41.

3. In addition to the information referred to in paragraph 1, the Agency shall, where applicable, include the following information in each entry:

- (a) whether, in respect of the entry, there is harmonised classification and labelling at Community level by inclusion in Part 3 of Annex VI;
- (b) whether, in respect of the entry, it is a joint entry between registrants of the same substance as referred to in Article 11(1) of Regulation (EC) No 1907/2006;

**▼B**

- (c) whether it is an agreed entry of two or more notifiers or registrants in accordance with Article 41;
- (d) whether the entry differs from another entry on the inventory for the same substance.

The information referred to in (a) shall be updated where a decision is taken in accordance with Article 37(5).

## TITLE VI

## COMPETENT AUTHORITIES AND ENFORCEMENT

*Article 43***Appointment of competent authorities and enforcement authorities and cooperation between authorities**

Member States shall appoint the competent authority or competent authorities responsible for proposals for harmonised classification and labelling and the authorities responsible for the enforcement of the obligations set out in this Regulation.

The competent authorities and the authorities responsible for enforcement shall cooperate with each other in the performance of their tasks under this Regulation and shall give the corresponding authorities of other Member States all necessary and useful support to this end.

*Article 44***Helpdesk**

Member States shall establish national helpdesks to provide advice to manufacturers, importers, distributors, downstream users and any other interested parties on their respective responsibilities and obligations under this Regulation.

*Article 45***Appointment of bodies responsible for receiving information relating to emergency health response**

1. Member States shall appoint a body or bodies responsible for receiving information relevant, in particular, for formulating preventative and curative measures, in particular in the event of emergency health response, from importers and downstream users placing mixtures on the market. This information shall include the chemical composition of mixtures placed on the market and classified as hazardous on the basis of their health or physical effects, including the chemical identity of substances in mixtures for which a request for use of an alternative chemical name has been accepted by the Agency, in accordance with Article 24.

2. The appointed bodies shall provide all requisite guarantees for maintaining the confidentiality of the information received. Such information may only be used:

- (a) to meet medical demand by formulating preventative and curative measures, in particular in the event of an emergency;

and

**▼B**

- (b) where requested by the Member State, to undertake statistical analysis to identify where improved risk management measures may be needed.

The information shall not be used for other purposes.

3. The appointed bodies shall have at their disposal all the information required from the importers and downstream users responsible for marketing to carry out the tasks for which they are responsible.

4. By 20 January 2012 the Commission shall carry out a review to assess the possibility of harmonising the information referred to in paragraph 1, including establishing a format for the submission of information by importers and downstream users to appointed bodies. On the basis of this review, and following consultation with relevant stakeholders such as the European Association of Poison Centres and Clinical Toxicologists (EAPCCT), the Commission may adopt a Regulation adding an Annex to this Regulation.

Those measures, designed to amend non-essential elements of this Regulation, by supplementing it, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 54(3).

*Article 46***Enforcement and reporting**

1. Member States shall take all necessary measures, including maintaining a system of official controls, to ensure that substances and mixtures are not placed on the market, unless they have been classified, labelled, notified and packaged in accordance with this Regulation.

2. Member States shall submit a report to the Agency every five years by 1 July on the results of the official controls, and other enforcement measures taken. The first report shall be submitted by 20 January 2012. The Agency shall make those reports available to the Commission, which shall take them into account for its report under Article 117 of Regulation (EC) No 1907/2006.

3. The Forum referred to in Article 76(1)(f) of Regulation (EC) No 1907/2006 shall undertake the tasks specified in Article 77(4)(a) to (g) of Regulation (EC) No 1907/2006 concerning enforcement of this Regulation.

*Article 47***Penalties for non-compliance**

Member States shall introduce penalties for non-compliance with this Regulation and shall take all measures necessary to ensure that this Regulation is applied. The penalties must be effective, proportionate and dissuasive. Member States shall notify the Commission of the provisions for penalties by 20 June 2010 and shall notify it without delay of any subsequent amendment affecting them.



## TITLE VII

## COMMON AND FINAL PROVISIONS

*Article 48***Advertisement**

1. Any advertisement for a substance classified as hazardous shall mention the hazard classes or hazard categories concerned.

2. Any advertisement for a mixture classified as hazardous or covered by Article 25(6) which allows a member of the general public to conclude a contract for purchase without first having sight of the label shall mention the type or types of hazard indicated on the label.

The first subparagraph shall be without prejudice to Directive 97/7/EC of the European Parliament and of the Council of 20 May 1997 on the protection of consumers in respect of distance contracts <sup>(1)</sup>.

*Article 49***Obligation to maintain information and requests for information**

1. The supplier shall assemble and keep available all the information used by that supplier for the purposes of classification and labelling under this Regulation for a period of at least 10 years after the substance or the mixture was last supplied by that supplier.

The supplier shall keep this information together with the information required in Article 36 of Regulation (EC) No 1907/2006.

2. In the event of a supplier ceasing activity, or transferring part or all of his operations to a third party, the party responsible for liquidating the supplier's undertaking or assuming responsibility for the placing on the market of the substance or mixture concerned shall be bound by the obligation in paragraph 1 in place of the supplier.

3. The competent authority or the enforcement authorities of a Member State in which a supplier is established or the Agency may require the supplier to submit to it any information referred to in the first subparagraph of paragraph 1.

However, where that information is available to the Agency as part of a registration pursuant to Regulation (EC) No 1907/2006 or a notification pursuant to Article 40 of this Regulation, the Agency shall use that information and the authority shall address itself to the Agency.

*Article 50***Tasks of the Agency**

1. The Agency shall provide the Member States and the institutions of the Community with the best possible scientific and technical advice on questions relating to chemicals which fall within its remit and which are referred to it in accordance with this Regulation.

<sup>(1)</sup> OJ L 144, 4.6.1997, p. 19.

**▼B**

2. The Secretariat of the Agency shall:
  - (a) provide industry with technical and scientific guidance and tools where appropriate on how to comply with the obligations laid down by this Regulation;
  - (b) provide competent authorities with technical and scientific guidance on the operation of this Regulation and provide support to the helpdesks established by Member States under Article 44.

*Article 51***Free movement clause**

On grounds relating to the classification, labelling or packaging of substances and mixtures within the meaning of this Regulation, Member States shall not prohibit, restrict or impede the placing on the market of substances or mixtures which comply with this Regulation and, where appropriate, with Community acts adopted in implementation of this Regulation.

*Article 52***Safeguard clause**

1. Where a Member State has justifiable grounds for believing that a substance or a mixture, although satisfying the requirements of this Regulation, constitutes a serious risk to human health or the environment due to reasons of classification, labelling or packaging, it may take appropriate provisional measures. The Member State shall immediately inform the Commission, the Agency and the other Member States thereof, giving the reasons for its decision.
2. Within 60 days of receipt of the information from the Member State, the Commission shall in accordance with the regulatory procedure referred to in Article 54(2) either authorise the provisional measure for a time period defined in the decision or require the Member State to revoke the provisional measure.
3. In the case of an authorisation of a provisional measure related to classification or labelling of a substance as referred to in paragraph 2, the competent authority of the Member State concerned shall in accordance with the procedure laid down in Article 37 submit a proposal to the Agency for harmonised classification and labelling, within three months of the date of the Commission decision.

*Article 53***Adaptations to technical and scientific progress**

1. The Commission may adjust and adapt Articles 6(5), 11(3), 12, 14, 18(3)(b), 23, 25 to 29 and 35(2) second and third subparagraph and Annexes I to VII to technical and scientific progress, including taking due account of the further development of the GHS, in particular any UN amendments relating to the use of information on similar mixtures, and considering the developments in internationally recognised chemical programmes and of the data from accident databases. Those measures, designed to amend non-essential elements of this Regulation, shall be adopted in accordance with the regulatory procedure with scrutiny referred to in Article 54(3). On imperative grounds of urgency, the Commission may have recourse to the urgency procedure referred to in Article 54(4).



**▼B**

2. Member States and the Commission shall, in the manner appropriate to their role in the relevant UN fora, promote the harmonisation of the criteria for classification and labelling of persistent, bioaccumulative and toxic (PBT) and very persistent and very bioaccumulative (vPvB) substances at the level of the UN.

*Article 54***Committee procedure**

1. The Commission shall be assisted by the Committee instituted by Article 133 of Regulation (EC) No 1907/2006.

2. Where reference is made to this paragraph, Articles 5 and 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

The period laid down in Article 5 (6) of Decision 1999/468/EC shall be set at three months.

3. Where reference is made to this paragraph, Article 5a(1) to (4) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

4. Where reference is made to this paragraph, Article 5a(1), (2), (4) and (6) and Article 7 of Decision 1999/468/EC shall apply, having regard to the provisions of Article 8 thereof.

*Article 55***Amendments to Directive 67/548/EEC**

Directive 67/548/EEC shall be amended as follows:

1. in Article 1(2), the second subparagraph shall be deleted;

2. Article 4 shall be amended as follows:

(a) paragraph 3 shall be replaced by the following:

‘3. Where an entry containing the harmonised classification and labelling for a particular substance has been included in Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (\*), the substance shall be classified in accordance with that entry and paragraphs 1 and 2 shall not apply to the danger categories covered by that entry.

(\*) OJ L 353, 31.12.2008, p. 1’;

(b) paragraph 4 shall be deleted;

3. Article 5 shall be amended as follows:

(a) paragraph 1, second subparagraph shall be deleted;

(b) paragraph 2 shall be replaced by the following:

‘2. The measures in the first subparagraph of paragraph 1 shall apply until the substance is listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008 for the danger categories covered by that entry or until a decision not to list it has been taken in accordance with the procedure laid down in Article 37 of Regulation (EC) No 1272/2008.’;

**▼B**

4. Article 6 shall be replaced by the following:

*‘Article 6***Obligation to carry out investigations**

Manufacturers, distributors and importers of substances which appear in the EINECS but for which no entry has been included in Part 3 of Annex VI to Regulation (EC) No 1272/2008 shall carry out an investigation to make themselves aware of the relevant and accessible data which exist concerning the properties of such substances. On the basis of this information, they shall package and provisionally label dangerous substances according to the rules laid down in Articles 22 to 25 of this Directive and the criteria in Annex VI to this Directive.’;

5. Article 22(3) and (4) shall be deleted;
6. Article 23(2) shall be amended as follows:
- (a) in point (a), the words ‘Annex I’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
  - (b) in point (c), the words ‘Annex I’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
  - (c) in point (d), the words ‘Annex I’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
  - (d) in point (e), the words ‘Annex I’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
  - (e) in point (f), the words ‘Annex I’ shall be replaced by ‘Part 3 of Annex VI of Regulation (EC) No 1272/2008’;
7. Article 24(4) second subparagraph shall be deleted;
8. Article 28 shall be deleted;
9. Article 31(2) and (3) shall be deleted;
10. the following Article shall be inserted after Article 32:

*‘Article 32a***Transitional provision regarding labelling and packaging of substances**

Articles 22 to 25 shall not apply to substances from 1 December 2010.’;

11. Annex I shall be deleted.

*Article 56***Amendments to Directive 1999/45/EC**

Directive 1999/45/EC shall be amended as follows:

1. in Article 3(2), first indent, the words ‘Annex I to Directive 67/548/EEC’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (\*)’.

(\*) OJ L 353, 31.12.2008, p. 1’;

**▼B**

2. the words ‘Annex I to Directive 67/548/EEC’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’ in:
- (a) Article 3(3);
  - (b) Article 10(2), points 2.3.1, 2.3.2, 2.3.3 and 2.4 first indent;
  - (c) Annex II, points (a) and (b) and the last paragraph of the Introduction;
  - (d) Annex II, Part A,
    - point 1.1.1 (a) and (b),
    - point 1.2 (a) and (b),
    - point 2.1.1 (a) and (b),
    - point 2.2 (a) and (b),
    - point 2.3 (a) and (b),
    - point 3.1.1 (a) and (b),
    - point 3.3 (a) and (b),
    - point 3.4 (a) and (b),
    - point 4.1.1 (a) and (b),
    - point 4.2.1 (a) and (b),
    - point 5.1.1 (a) and (b),
    - point 5.2.1 (a) and (b),
    - point 5.3.1 (a) and (b),
    - point 5.4.1 (a) and (b),
    - point 6.1 (a) and (b),
    - point 6.2 (a) and (b),
    - point 7.1 (a) and (b),
    - point 7.2 (a) and (b),
    - point 8.1 (a) and (b),
    - point 8.2 (a) and (b),
    - point 9.1 (a) and (b),
    - point 9.2 (a) and (b),
    - point 9.3 (a) and (b),
    - point 9.4 (a) and (b);
  - (e) Annex II, the introductory paragraph of Part B;
  - (f) Annex III, point (a) and (b) of the Introduction;
  - (g) Annex III, Part A, section (a) Aquatic environment
    - point 1.1 (a) and (b),
    - point 2.1 (a) and (b),
    - point 3.1 (a) and (b),
    - point 4.1 (a) and (b),
    - point 5.1 (a) and (b),
    - point 6.1 (a) and (b),

**▼B**

- (h) Annex III, Part A, section (b) Non-aquatic environment point 1.1 (a) and (b);
  - (i) Annex V, section A points 3 and 4;
  - (j) Annex V, section B point 9;
  - (k) Annex VI, Part A, the third column of the table under point 2;
  - (l) Annex VI Part B point 1, first paragraph, and the first column of the table under point 3;
  - (m) Annex VIII, Appendix 1, second column of the table;
  - (n) Annex VIII, Appendix 2, second column of the table;
3. in Annex VI, Part B, point 1, paragraph 3 first indent and paragraph 5, the words ‘Annex I’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
4. in Annex VI, Part B, point 4.2, final paragraph, the words ‘Annex I to Directive 67/548/EEC (19th adaptation)’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’.

*Article 57***Amendments to Regulation (EC) No 1907/2006 from the entry into force of this Regulation**

Regulation (EC) No 1907/2006 shall be amended as from the entry into force of this Regulation as follows:

1. Article 14(2) shall be amended as follows:
- (a) point (b) shall be replaced by the following:
    - ‘(b) the specific concentration limits that have been set in Part 3 of Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (\*);
    - (ba) for substances classified as hazardous to the aquatic environment, if a multiplying factor (hereinafter referred to as “M-factor”) has been set in Part 3 of Annex VI to Regulation (EC) No 1272/2008, the cut-off value in Table 1.1 of Annex I to that Regulation adjusted using the calculation set out in section 4.1 of Annex I to that Regulation;
- 
- (\*) OJ L 353, 31.12.2008, p. 1’;
- (b) point (e) shall be replaced by the following:
    - ‘(e) the specific concentration limits given in an agreed entry in the classification and labelling inventory referred to in Article 42 of Regulation (EC) No 1272/2008;
    - (ea) for substances classified as hazardous to the aquatic environment, if an M-factor has been set in an agreed entry in the classification and labelling inventory referred to in Article 42 of Regulation (EC) No 1272/2008, the cut-off value in Table 1.1 of Annex I to that Regulation adjusted using the calculation set out in section 4.1 of Annex I to that Regulation;’;

**▼B**

2. Article 31 shall be amended as follows:
  - (a) paragraph 8 shall be replaced by the following:

‘8. A safety data sheet shall be provided free of charge on paper or electronically no later than the date on which the substance or mixture is first supplied.’;
  - (b) the following paragraph shall be added:

‘10. Where substances are classified in accordance with Regulation (EC) No 1272/2008 during the period from its entry into force until 1 December 2010, that classification may be added in the safety data sheet together with the classification in accordance with Directive 67/548/EEC.

From 1 December 2010 until 1 June 2015, the safety data sheets for substances shall contain the classification according to both Directive 67/548/EEC and Regulation (EC) No 1272/2008.

Where mixtures are classified in accordance with Regulation (EC) No 1272/2008 during the period from its entry into force until 1 June 2015, that classification may be added in the safety data sheet, together with the classification in accordance with Directive 1999/45/EC. However, until 1 June 2015, where substances or mixtures are both classified and labelled in accordance with Regulation (EC) No 1272/2008 that classification shall be provided in the safety data sheet, together with the classification in accordance with Directives 67/548/EEC and 1999/45/EC respectively, for the substance, the mixture and its constituents.’;
3. Article 56(6)(b) shall be replaced by the following:

‘(b) for all other substances, below the lowest of the concentration limits specified in Directive 1999/45/EC or in Part 3 of Annex VI to Regulation (EC) No 1272/2008 which result in the classification of the mixture as dangerous.’;
4. Article 59(2) and 3 shall be amended as follows:
  - (a) in paragraph 2, the second sentence shall be replaced by the following:

‘The dossier may be limited, if appropriate, to a reference to an entry in Part 3 of Annex VI to Regulation (EC) No 1272/2008.’;
  - (b) in paragraph 3, the second sentence shall be replaced by the following:

‘The dossier may be limited, if appropriate, to a reference to an entry in Part 3 of Annex VI to Regulation (EC) No 1272/2008.’;
5. in Article 76(1)(c), the words ‘Title XI’ shall be replaced by ‘Title V of Regulation (EC) No 1272/2008’;
6. Article 77 shall be amended as follows:
  - (a) in paragraph 2, the first sentence of point (e) shall be replaced by the following:

‘(e) establishing and maintaining database(s) with information on all registered substances, the classification and labelling inventory and the harmonised classification and labelling list established in accordance with Regulation (EC) No 1272/2008.’;

**▼B**

- (b) in paragraph 3, point (a), the words ‘Titles VI to XI’ shall be replaced by ‘Titles VI to X’;
7. Title XI shall be deleted;
8. Annex XV, sections I and II shall be amended as follows:
- (a) section I shall be amended as follows:
- (i) the first indent shall be deleted;
- (ii) the second indent shall be replaced by the following:
- ‘— the identification of CMRs, PBTs, vPvBs, or a substance of equivalent concern in accordance with Article 59,’;
- (b) in section II, point 1 shall be deleted;
9. the table in Annex XVII shall be amended as follows:
- (a) the column ‘Designation of the substance, of the groups of substances or of the preparation’, shall be amended as follows:
- (i) entries 28, 29 and 30 shall be replaced by the following:
- ‘28. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as carcinogen category 1A or 1B (Table 3.1) or carcinogen category 1 or 2 (Table 3.2) and listed as follows:
- Carcinogen category 1A (Table 3.1)/carcinogen category 1 (Table 3.2) listed in Appendix 1
- Carcinogen category 1B (Table 3.1)/carcinogen category 2 (Table 3.2) listed in Appendix 2
29. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as germ cell mutagen category 1A or 1B (Table 3.1) or mutagen category 1 or 2 (Table 3.2) and listed as follows:
- Mutagen category 1A (Table 3.1)/mutagen category 1 (Table 3.2) listed in Appendix 3
- Mutagen category 1B (Table 3.1)/mutagen category 2 (Table 3.2) listed in Appendix 4
30. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed as follows:
- Reproductive toxicant category 1A adverse effects on sexual function and fertility or on development (Table 3.1) or reproductive toxicant category 1 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 5

**▼B**

— Reproductive toxicant category 1B adverse effects on sexual function and fertility or on development (Table 3.1) or reproductive toxicant category 2 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 6’;

(b) in the column ‘Conditions of restriction’, in entry 28, the first indent of point 1 shall be replaced by the following:

‘— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or’;

10. Appendices 1 to 6 to Annex XVII shall be amended as follows:

(a) the Foreword shall be amended as follows:

- (i) in the section entitled ‘Substances’, the words ‘Annex I to Directive 67/548/EEC’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
- (ii) in the section entitled ‘Index number’, the words ‘Annex I to Directive 67/548/EEC’ shall be replaced by ‘Part 3 of Annex VI to Regulation (EC) No 1272/2008’;
- (iii) in the section entitled ‘Notes’, the words ‘the foreword of Annex I to Directive 67/548/EEC’ shall be replaced by ‘Part 1 of Annex VI to Regulation (EC) No 1272/2008’;
- (iv) Note A shall be replaced by the following:

‘Note A:

Without prejudice to Article 17(2) of Regulation (EC) No 1272/2008, the name of the substance must appear on the label in the form of one of the designations given in Part 3 of Annex VI to that Regulation.

In that Part, use is sometimes made of a general description such as “... compounds” or “... salts”. In this case, the supplier who places such a substance on the market is required to state on the label the correct name, due account being taken of Section 1.1.1.4 of Annex VI to Regulation (EC) No 1272/2008.

In accordance with Regulation (EC) No 1272/2008, where a substance is included in Part 3 of Annex VI to that Regulation, the labelling elements relevant for each specific classification covered by the entry in that Part shall be included in the label, together with the applicable label elements for any other classification not covered by that entry, and any other applicable label elements in accordance with Article 17 of that Regulation.

For substances belonging to one particular group of substances included in Part 3 of Annex VI to Regulation (EC) No 1272/2008, the labelling elements relevant for each specific classification covered by the entry in that Part shall be included in the label, together with the applicable label elements for any other classification not covered by that entry, and any other applicable label elements in accordance with Article 17 of that Regulation.

**▼B**

For substances belonging to more than one group of substances included in Part 3 of Annex VI to Regulation (EC) No 1272/2008, the labelling elements relevant for each specific classification covered by both entries in that Part shall be included in the label, together with the applicable label elements for any other classification not covered by that entry, and any other applicable label elements in accordance with Article 17 of that Regulation. In cases where two different classifications are given in the two entries for the same hazard class or differentiation, the classification reflecting the more severe classification shall be used.’;

- (v) Note D shall be replaced by the following:

‘Note D:

Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words “non-stabilised”.’;

- (vi) Note E shall be deleted;

- (vii) Note H shall be replaced by the following:

‘Note H:

The classification and label shown for this substance applies to the hazard or hazards indicated by the hazard statement or hazard statements in combination with the hazard classification shown. The requirements of Article 4 of Regulation (EC) No 1272/2008 on suppliers of this substance apply to all other hazard classes, differentiations and categories.

The final label shall follow the requirements of section 1.2 of Annex I to Regulation (EC) No 1272/2008.’;

- (viii) Note K shall be replaced by the following:

‘Note K:

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3-butadiene (Einecs No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-P210-P403) should apply. This note applies only to certain complex oil-derived substances in Part 3 of Annex VI to Regulation (EC) No 1272/2008.’;

- (ix) Note S shall be replaced by the following:

‘Note S:

This substance may not require a label according to Article 17 of Regulation (EC) No 1272/2008 (see section 1.3 of Annex I to that Regulation).’;



**▼B**

- (b) in Appendix 1, the title shall be replaced by the following:  
‘Point 28 — Carcinogens: category 1A (Table 3.1)/category 1 (Table 3.2)’;
- (c) Appendix 2 shall be amended as follows:  
(i) the title shall be replaced by ‘Point 28 — Carcinogens: category 1B (Table 3.1)/ category 2 (Table 3.2)’;  
(ii) in the entries index Nos 024-017-00-8, 611-024-001, 611-029-00-9, 611-030-00-4 and 650-017-00-8, the words ‘Annex I to Directive 67/548/EEC’ shall be replaced by ‘Annex VI to Regulation (EC) No 1272/2008.’;
- (d) in Appendix 3, the title shall be replaced by the following:  
‘Point 29 — Mutagens: category 1A (Table 3.1)/category 1 (Table 3.2)’;
- (e) in Appendix 4, the title shall be replaced by the following:  
‘Point 29 — Mutagens: category 1B (Table 3.1)/category 2 (Table 3.2)’;
- (f) in Appendix 5, the title shall be replaced by the following:  
‘Point 30 — Reproductive toxicants: category 1A (Table 3.1)/category 1 (Table 3.2)’;
- (g) in Appendix 6, the title shall be replaced by the following:  
‘Point 30 — Reproductive toxicants: category 1B (Table 3.1)/category 2 (Table 3.2)’;
11. the word ‘preparation’ or ‘preparations’ within the meaning of Article 3 (2) of Regulation (EC) 1907/2006 shall be replaced by ‘mixture’ or ‘mixtures’ respectively throughout the text.

*Article 58***Amendments to Regulation (EC) No 1907/2006 from 1 December 2010**

Regulation (EC) No 1907/2006 shall be amended from 1 December 2010 as follows:

1. in Article 14(4), the introductory sentence shall be replaced by the following:  
‘4. If, as a result of carrying out steps (a) to (d) of paragraph 3, the registrant concludes that the substance fulfils the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:
- (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;
- (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;
- (c) hazard class 4.1;
- (d) hazard class 5.1,
- or is assessed to be a PBT or vPvB, the chemical safety assessment shall include the following additional steps:’;

**▼B**

## 2. Article 31 shall be amended as follows

## (a) paragraph 1(a) shall be replaced by the following:

‘(a) where a substance meets the criteria for classification as hazardous in accordance with Regulation (EC) No 1272/2008 or a mixture meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC; or’;

## (b) paragraph 4 shall be replaced by the following:

‘4. The safety data sheet need not be supplied where substances that are hazardous in accordance with Regulation (EC) No 1272/2008 or mixtures that are dangerous in accordance with Directive 1999/45/EC, offered or sold to the general public, are provided with sufficient information to enable users to take the necessary measures as regards the protection of human health, safety and the environment, unless requested by a downstream user or distributor.’;

## 3. Article 40(1) shall be replaced by the following:

‘1. The Agency shall examine any testing proposal set out in a registration or a downstream user report for provision of the information specified in Annexes IX and X for a substance. Priority shall be given to registrations of substances which have or may have PBT, vPvB, sensitising and/or carcinogenic, mutagenic or toxic for reproduction (CMR) properties, or substances above 100 tonnes per year with uses resulting in wide-spread and diffuse exposure, provided they fulfil the criteria for any of the following hazard classes or categories set out in Annex I of Regulation (EC) No 1272/2008:

(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;

(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;

(c) hazard class 4.1;

(d) hazard class 5.1.’;

## 4. Article 57(a), (b) and (c) shall be replaced by the following:

‘(a) substances meeting the criteria for classification in the hazard class carcinogenicity category 1A or 1B in accordance with section 3.6 of Annex I to Regulation (EC) No 1272/2008;

(b) substances meeting the criteria for classification in the hazard class germ cell mutagenicity category 1A or 1B in accordance with section 3.5 of Annex I to Regulation (EC) No 1272/2008;

(c) substances meeting the criteria for classification in the hazard class reproductive toxicity category 1A or 1B, adverse effects on sexual function and fertility or on development in accordance with section 3.7 of Annex I to Regulation(EC) No 1272/2008;’;

**▼B**

5. in Article 65 the words ‘Directive 67/548/EEC’ shall be replaced by ‘Directive 67/548/EEC and Regulation (EC) No 1272/2008’;
6. Article 68(2) shall be replaced by the following:

‘2. For a substance on its own, in a mixture or in an article which meets the criteria for classification in the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B, and could be used by consumers and for which restrictions to consumer use are proposed by the Commission, Annex XVII shall be amended in accordance with the procedure referred to in Article 133(4). Articles 69 to 73 shall not apply.’;
7. Article 119 shall be amended as follows:
  - (a) in paragraph 1, point (a) shall be replaced by the following:

‘(a) without prejudice to paragraph 2(f) and (g) of this Article, the name in the IUPAC nomenclature for substances fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:

    - hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;
    - hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;
    - hazard class 4.1;
    - hazard class 5.1.’;
  - (b) paragraph 2 shall be amended as follows:
    - (i) point (f) shall be replaced by the following:

‘(f) subject to Article 24 of Regulation (EC) No 1272/2008, the name in the IUPAC nomenclature for non-phase-in substances referred to in paragraph 1(a) of this Article for a period of six years;’
    - (ii) in point (g), the introductory phrase shall be replaced by the following:

‘(g) subject to Article 24 of Regulation (EC) No 1272/2008, the name in the IUPAC nomenclature for substances referred to in paragraph 1(a) of this Article that are only used as one or more of the following:’;
8. in Article 138(1), the second sentence of the introductory phrase shall be replaced by the following:

‘However, for substances meeting the criteria for classification in the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity, category 1A or 1B, in accordance with Regulation (EC) No 1272/2008, the review shall be carried out by 1 June 2014.’;
9. Annex III shall be amended as follows:
  - (a) point (a) shall be replaced by the following:

‘(a) substances for which it is predicted (i.e. by the application of (Q)SARs or other evidence) that they are likely to meet the criteria for category 1A or 1B classification in the hazard classes carcinogenicity, germ cell mutagenicity or reproductive toxicity or the criteria in Annex XIII;’;

**▼B**

(b) in point (b), point (ii) shall be replaced by the following:

‘(ii) for which it is predicted (i.e. by application of (Q)SARs or other evidence) that they are likely to meet the classification criteria for any health or environmental hazard classes or differentiations under Regulation (EC) No 1272/2008.’;

10. in Annex V, point 8, the words ‘Directive 67/548/EEC’ shall be replaced by ‘Regulation (EC) No 1272/2008’;

11. in Annex VI, sections 4.1, 4.2 and 4.3 shall be replaced by the following:

‘4.1 The hazard classification of the substance(s), resulting from the application of Title I and II of Regulation (EC) No 1272/2008 for all hazard classes and categories in that Regulation,

In addition, for each entry, the reasons why no classification is given for a hazard class or differentiation of a hazard class should be provided (i.e. if data are lacking, inconclusive, or conclusive but not sufficient for classification),

4.2 The resulting hazard label for the substance(s), resulting from the application of Title III of Regulation (EC) No 1272/2008,

4.3 Specific concentration limits, where applicable, resulting from the application of Article 10 of Regulation (EC) No 1272/2008 and Articles 4 to 7 of Directive 1999/45/EC.’;

12. Annex VIII shall be amended as follows:

(a) in column 2, the second indent of point 8.4.2 shall be replaced by the following:

‘— the substance is known to be carcinogenic category 1A or 1B or germ cell mutagenic category 1A, 1B or 2.’;

(b) in column 2, the second and third paragraphs of point 8.7.1 shall be replaced by the following:

‘If a substance is known to have an adverse effect on fertility, meeting the criteria for classification as toxic for reproduction category 1A or 1B: May damage fertility (H360F), and the available data are adequate to support a robust risk assessment, then no further testing for fertility will be necessary. However, testing for developmental toxicity must be considered.

If a substance is known to cause developmental toxicity, meeting the criteria for classification as toxic for reproduction category 1A or 1B: May damage the unborn child (H360D), and the available data are adequate to support a robust risk assessment, then no further testing for developmental toxicity will be necessary. However, testing for effects on fertility must be considered.’;

**▼B**

13. in Annex IX, column 2, point 8.7, the second and third paragraphs shall be replaced by the following:

‘If a substance is known to have an adverse effect on fertility, meeting the criteria for classification as toxic for reproduction category 1A or 1B: May damage fertility (H360F), and the available data are adequate to support a robust risk assessment, then no further testing for fertility will be necessary. However, testing for developmental toxicity must be considered.

If a substance is known to cause developmental toxicity, meeting the criteria for classification as toxic for reproduction category 1A or 1B: May damage the unborn child (H360D), and the available data are adequate to support a robust risk assessment, then no further testing for developmental toxicity will be necessary. However, testing for effects on fertility must be considered.’;

14. Annex X shall be amended as follows:

- (a) in column 2, point 8.7, the second and third paragraphs shall be replaced by the following:

‘If a substance is known to have an adverse effect on fertility, meeting the criteria for classification as toxic for reproduction category 1A or 1B: May damage fertility (H360F), and the available data are adequate to support a robust risk assessment, then no further testing for fertility will be necessary. However, testing for developmental toxicity must be considered.

If a substance is known to cause developmental toxicity, meeting the criteria for classification as toxic for reproduction category 1A or 1B: May damage the unborn child (H360D), and the available data are adequate to support a robust risk assessment, then no further testing for developmental toxicity will be necessary. However, testing for effects on fertility must be considered.’

- (b) in column 2, point 8.9.1, the second indent of the first paragraph shall be replaced by the following:

‘— the substance is classified as germ cell mutagen category 2 or there is evidence from the repeated dose study(ies) that the substance is able to induce hyperplasia and/or pre-neoplastic lesions.’

- (c) in column 2, the second paragraph of point 8.9.1 shall be replaced by the following:

‘If the substance is classified as germ cell mutagen category 1A or 1B, the default presumption would be that a genotoxic mechanism for carcinogenicity is likely. In these cases, a carcinogenicity test will normally not be required.’;

**▼B**

15. in Annex XIII, the second and third indents of point 1.3 shall be replaced by the following:

- ‘— the substance is classified as carcinogenic (category 1A or 1B), germ cell mutagenic (category 1A or 1B), or toxic for reproduction (category 1A, 1B or 2), or
- there is other evidence of chronic toxicity, as identified by the classifications STOT (repeated exposure), category 1 (oral, dermal, inhalation of gases/vapours, inhalation of dust/mist/fume) or category 2 (oral, dermal, inhalation of gases/vapours, inhalation of dust/mist/fume) according to Regulation (EC) No 1272/2008’;

16. in the table in Annex XVII, the column ‘Designation of the substance, of the groups of substances or of the mixture’ shall be amended as follows:

(a) entry 3 shall be replaced by the following:

‘3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:

- (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;
- (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;
- (c) hazard class 4.1;
- (d) hazard class 5.1.’;

(b) entry 40 shall be replaced by the following:

‘40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.’.

*Article 59*

**Amendments to Regulation (EC) No 1907/2006 from 1 June 2015**

Regulation (EC) No 1907/2006 shall be amended from 1 June 2015 as follows:

1. Article 14(2) shall be replaced by the following:

‘2. A chemical safety assessment in accordance with paragraph 1 need not be performed for a substance which is present in a mixture if the concentration of the substance in the mixture is less than

- (a) the cut-off value referred to in Article 11, paragraph 3 of Regulation (EC) No 1272/2008;
- (b) 0,1 % weight by weight (w/w), if the substance meets the criteria in Annex XIII to this Regulation.’;

**▼B**

2. Article 31 shall be amended as follows:

(a) in paragraph 1, point (a) shall be replaced by the following:

‘(a) where a substance or mixture meets the criteria for classification as hazardous in accordance with Regulation (EC) No 1272/2008; or’;

(b) paragraph 3 shall be replaced by the following:

‘3. The supplier shall provide the recipient at his request with a safety data sheet compiled in accordance with Annex II, where a mixture does not meet the criteria for classification as hazardous in accordance with Titles I and II of Regulation (EC) No 1272/2008, but contains:

(a) in an individual concentration of  $\geq 1$  % by weight for non-gaseous mixtures and  $\geq 0,2$  % by volume for gaseous mixtures at least one substance posing human health or environmental hazards; or

(b) in an individual concentration of  $\geq 0,1$  % by weight for non-gaseous mixtures at least one substance that is carcinogenic category 2 or toxic to reproduction category 1A, 1B and 2, skin sensitiser category 1, respiratory sensitiser category 1, or has effects on or via lactation or is persistent, bioaccumulative and toxic (PBT) in accordance with the criteria set out in Annex XIII or very persistent and very bioaccumulative (vPvB) in accordance with the criteria set out in Annex XIII or has been included for reasons other than those referred to in point (a) in the list established in accordance with Article 59(1); or

(c) a substance for which there are Community workplace exposure limits’;

(c) paragraph 4 shall be replaced by the following:

‘4. The safety data sheet need not be supplied where hazardous substances or mixtures offered or sold to the general public are provided with sufficient information to enable users to take the necessary measures as regards the protection of human health, safety and the environment, unless requested by a downstream user or distributor.’;

3. Article 56(6)(b) shall be replaced by the following:

‘(b) for all other substances, below the values specified in Article 11(3) of Regulation (EC) No 1272/2008 which result in the classification of the mixture as hazardous.’;

4. in Article 65 the words ‘and Directive 1999/45/EC’ shall be deleted;

5. Annex II shall be amended as follows:

(a) point 1.1 shall be replaced by:

‘1.1. Identification of the substance or mixture

The term used for identification of a substance shall be identical to that provided on the label in accordance with Article 18(2) of Regulation (EC) No 1272/2008.

The term used for identification of a mixture shall be identical to that provided on the label in accordance with Article 18(3)(a) of Regulation (EC) No 1272/2008.’;

**▼B**

(b) footnote 1 to point 3.3(a), first indent, shall be deleted;

(c) point 3.6 shall be replaced by:

‘3.6. Where, in accordance with Article 24 of Regulation (EC) No 1272/2008, the Agency has agreed that the chemical identity of a substance may be kept confidential on the label and in the safety data sheet, their chemical nature shall be described under heading 3 in order to ensure safe handling.

The name used on the safety data sheet (including for the purposes of paragraphs 1.1, 3.2, 3.3 and 3.5) shall be the same as that used on the label, agreed in accordance with the procedure set out in Article 24 of Regulation (EC) No 1272/2008.’;

6. in Annex VI section 4.3 shall be replaced by the following:

‘4.3 Specific concentration limits, where applicable, resulting from the application of Article 10 of Regulation (EC) No 1272/2008.’;

7. Annex XVII shall be amended as follows:

(a) in the column ‘Designation of the substance, of the groups of substances or of the mixture’ of the table in entry 3, the words ‘which are regarded as dangerous in accordance with Directive 1999/45/EC or are’ shall be deleted;

(b) in the column ‘Conditions of restriction’ of the table, entry 28 shall be amended as follows:

(i) the second indent of point 1 shall be replaced by the following:

‘— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.’;

(ii) point 2 (d) shall be replaced by the following:

‘(d) artists’ paints covered by Regulation (EC) No 1272/2008.’.

#### *Article 60*

#### **Repeal**

Directive 67/548/EEC and Directive 1999/45/EC shall be repealed with effect from 1 June 2015.

#### *Article 61*

#### **Transitional provisions**

1. Until 1 December 2010, substances shall be classified, labelled and packaged in accordance with Directive 67/548/EEC.

Until 1 June 2015, mixtures shall be classified, labelled and packaged in accordance with Directive 1999/45/EC.

2. By way of derogation from the second subparagraph of Article 62 of this Regulation and in addition to the requirements of paragraph 1 of this Article, substances and mixtures may, before 1 December 2010 and 1 June 2015 respectively, be classified, labelled and packaged in accordance with this Regulation. In that case, the provisions on labelling and packaging in Directives 67/548/EEC and 1999/45/EC shall not apply.



**▼B**

3. From 1 December 2010 until 1 June 2015, substances shall be classified in accordance with both Directive 67/548/EEC and this Regulation. They shall be labelled and packaged in accordance with this Regulation.

4. By way of derogation from the second subparagraph of Article 62 of this Regulation, substances classified, labelled and packaged in accordance with Directive 67/548/EEC and already placed on the market before 1 December 2010, are not required to be relabelled and repackaged in accordance with this Regulation until 1 December 2012.

By way of derogation from the second subparagraph of Article 62 of this Regulation, mixtures classified, labelled and packaged in accordance with Directive 1999/45/EC and already placed on the market before 1 June 2015 are not required to be relabelled and repackaged in accordance with this Regulation until 1 June 2017.

5. Where a substance or mixture has been classified in accordance with Directive 67/548/EEC or 1999/45/EC before 1 December 2010 or 1 June 2015 respectively, manufacturers, importers and downstream users may amend the classification of the substance or mixture using the conversion table in Annex VII to this Regulation.

6. Until 1 December 2011 a Member State may maintain any existing and more stringent classification and labelling of substances entered into Part 3 of Annex VI to this Regulation, provided that these classifications and labelling elements have been notified to the Commission in accordance with the safeguard clause in Directive 67/548/EEC before 20 January 2009 and that the Member State submits a proposal for harmonised classification and labelling containing these classifications and labelling elements to the Agency in accordance with Article 37(1) of this Regulation by 1 June 2009.

It is a precondition that a decision on the proposed classification and labelling by the Commission in accordance with the safeguard clause of Directive 67/548/EEC has not yet been taken before 20 January 2009.

If the proposed harmonised classification and labelling submitted under the first subparagraph is not included or is included in an amended form in Part 3 of Annex VI in accordance with Article 37(5), the exemption in the first subparagraph of this paragraph is no longer valid.

*Article 62***Entry into force**

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

Titles II, III and IV shall apply in respect of substances from 1 December 2010 and in respect of mixtures from 1 June 2015.

This Regulation shall be binding in its entirety and directly applicable in all Member States.



## ANNEX I

## CLASSIFICATION AND LABELLING REQUIREMENTS FOR HAZARDOUS SUBSTANCES AND MIXTURES

This annex sets out the criteria for classification in hazard classes and in their differentiations and sets out additional provisions on how the criteria may be met.

### 1. PART 1: GENERAL PRINCIPLES FOR CLASSIFICATION AND LABELLING

#### 1.0. Definitions

Gas means a substance which:

- (i) at 50 °C has a vapour pressure greater than 300 kPa (absolute); or
- (ii) is completely gaseous at 20 °C at a standard pressure of 101,3 kPa;

Liquid means a substance or mixture which:

- (i) at 50 °C has a vapour pressure of not more than 300 kPa (3 bar);
- (ii) is not completely gaseous at 20 °C and at a standard pressure of 101,3 kPa; and
- (iii) which has a melting point or initial melting point of 20 °C or less at a standard pressure of 101,3 kPa;

Solid means a substance or mixture which does not meet the definitions of liquid or gas.

#### 1.1. Classification of substances and mixtures

##### 1.1.0. *Cooperation to meet the requirements in this Regulation*

Suppliers in a supply chain shall cooperate to meet the requirements for classification, labelling and packaging set out in this Regulation.

Suppliers in an industry sector may cooperate to manage the transitional arrangements in Article 61 for substances and mixtures placed on the market.

Suppliers in an industry sector may cooperate through formation of a network or by other means to share data and expertise when classifying substances and mixtures in accordance with Title II of this Regulation. In these circumstances suppliers in an industry sector shall document fully the basis on which classification decisions are made and shall make available to the competent authorities and, on request, to the relevant enforcement authorities the documentation, together with the data and information on which classifications are based. However, where suppliers in an industry sector cooperate in this way, each supplier shall remain fully responsible for the classification, labelling and packaging of substances and mixtures he places on the market, and for meeting any other requirements of this Regulation.

The network may also be used to exchange information and best practices with a view to simplifying fulfilment of the notification obligations.

##### 1.1.1. *The role and application of expert judgement and weight of evidence determination*

- 1.1.1.1. Where the criteria cannot be applied directly to available identified information, or where only the information referred to in Article 6(5) is available, the weight of evidence determination using expert judgment shall be applied in accordance with Article 9(3) or 9(4) respectively.

**▼B**

- 1.1.1.2. The approach to classifying mixtures may include the application of expert judgement in a number of areas in order to ensure existing information can be used for as many mixtures as possible in order to provide protection for human health and the environment. Expert judgement may also be required in interpreting data for hazard classification of substances, especially where weight of evidence determinations are needed.
- 1.1.1.3. A weight of evidence determination means that all available information bearing on the determination of hazard is considered together, such as the results of suitable in vitro tests, relevant animal data, information from the application of the category approach (grouping, read-across), (Q)SAR results, human experience such as occupational data and data from accident databases, epidemiological and clinical studies and well-documented case reports and observations. The quality and consistency of the data shall be given appropriate weight. Information on substances or mixtures related to the substance or mixture being classified shall be considered as appropriate, as well as site of action and mechanism or mode of action study results. Both positive and negative results shall be assembled together in a single weight of evidence determination.
- 1.1.1.4. For the purpose of classification for health hazards (Part 3) established hazardous effects seen in appropriate animal studies or from human experience that are consistent with the criteria for classification shall normally justify classification. Where evidence is available from both humans and animals and there is a conflict between the findings, the quality and reliability of the evidence from both sources shall be evaluated in order to resolve the question of classification. Generally, adequate, reliable and representative data on humans (including epidemiological studies, scientifically valid case studies as specified in this Annex or statistically backed experience) shall have precedence over other data. However, even well-designed and conducted epidemiological studies may lack a sufficient number of subjects to detect relatively rare but still significant effects, to assess potentially confounding factors. Therefore, positive results from well-conducted animal studies are not necessarily negated by the lack of positive human experience but require an assessment of the robustness, quality and statistical power of both the human and animal data.
- 1.1.1.5. For the purpose of classification for health hazards (Part 3) route of exposure, mechanistic information and metabolism studies are pertinent to determining the relevance of an effect in humans. When such information, as far as there is reassurance about the robustness and quality of the data, raises doubt about relevance in humans, a lower classification may be warranted. When there is scientific evidence that the mechanism or mode of action is not relevant to humans, the substance or mixture should not be classified.
- 1.1.2. ***Specific concentration limits, M-factors and generic cut-off values***
- 1.1.2.1. Specific concentration limits or M-factors shall be applied in accordance with Article 10.
- 1.1.2.2. ***Cut-off values***
- 1.1.2.2.1. Cut-off values indicate when the presence of a substance needs to be taken into account for the purposes of classification of a substance or a mixture containing that hazardous substance, whether as an identified impurity, additive, or individual constituent (see Article 11).

**▼B**

1.1.2.2.2. The cut-off values referred to in Article 11 shall be the following:

- (a) For health and environmental hazards in Parts 3, 4 and 5 of this Annex:
- (i) for substances where a specific concentration limit is set for the relevant hazard class or differentiation either in Part 3 of Annex VI or in the classification and labelling inventory referred to in Article 42, and where the hazard class or differentiation is mentioned in Table 1.1, the lower of the specific concentration limit and the relevant generic cut-off value in Table 1.1; or
  - (ii) for substances where a specific concentration limit is set for the relevant hazard class or differentiation either in Part 3 of Annex VI or in the classification and labelling inventory referred to in Article 42, and where the hazard class or differentiation is not mentioned in Table 1.1, the specific concentration limit set either in Part 3 of Annex VI or in the classification and labelling inventory; or
  - (iii) for substances where no specific concentration limit is set for the relevant hazard class or differentiation either in Part 3 of Annex VI or in the classification and labelling inventory referred to in Article 42, and where the hazard class or differentiation is mentioned in Table 1.1, the relevant generic cut-off value set out in that table; or
  - (iv) for substances where no specific concentration limit is set for the relevant hazard class or differentiation either in Part 3 of Annex VI or in the classification and labelling inventory referred to in Article 42, and where the hazard class or differentiation is not mentioned in Table 1.1, the generic concentration limit for classification in the relevant sections of Parts 3, 4 and 5 of this Annex.
- (b) For aquatic environmental hazards in section 4.1 of this Annex:
- (i) for substances where an M-factor has been set for the relevant hazard category either in Part 3 of Annex VI, or in the classification and labelling inventory referred to in Article 42, the generic cut-off value in Table 1.1 adjusted using the calculation set out in section 4.1 of this Annex; or
  - (ii) for substances where no M-factor is set for the relevant hazard category either in Part 3 of Annex VI or in the classification and labelling inventory referred to in Article 42, the relevant generic cut-off value set out in Table 1.1.

*Table 1.1*

**Generic cut-off values**

| Hazard class                          | Generic cut-off values to be taken into account |
|---------------------------------------|---|
| Acute Toxicity:                       |   |
| — Category 1-3                        | 0,1 %   |
| — Category 4                          | 1 %   |
| Skin corrosion/Irritation             | 1 % <sup>(1)</sup>                              |
| Serious damage to eyes/eye irritation | 1 % <sup>(2)</sup>                              |

**▼ B**

| Hazard class                     | Generic cut-off values to be taken into account |
|----------------------------------|---|
| Hazardous to Aquatic Environment |   |
| — Acute Category 1               | 0,1 % <sup>(3)</sup>                            |
| — Chronic Category 1             | 0,1 % <sup>(3)</sup>                            |
| — Chronic Category 2-4           | 1 %   |

<sup>(1)</sup> Or < 1 % where relevant, see 3.2.3.3.1.

<sup>(2)</sup> Or < 1 % where relevant, see 3.3.3.3.1.

<sup>(3)</sup> Or < 0,1 % where relevant, see 4.1.3.1.

**▼ M2**

*Note:*

Generic cut-off values are in weight percentages except for gaseous mixtures for those hazard classes where the generic cut-off values may be best described in volume percentages.

**▼ B**

1.1.3. ***Bridging principles for the classification of mixtures where test data are not available for the complete mixture***

Where the mixture itself has not been tested to determine its hazardous properties, but there are sufficient data on similar tested mixtures and individual hazardous ingredient substances to adequately characterise the hazards of the mixture, these data shall be used in accordance with the following bridging rules referred to in Article 9(4) for each individual hazard class in Part 3 and Part 4 of this Annex, subject to any specific provisions for mixtures in each hazard class.

1.1.3.1. *Dilution*

► **M2** If a tested mixture ◀ is diluted with a substance (diluent) which has an equivalent or lower hazard category classification than the least hazardous original ingredient substance and which is not expected to affect the hazard classification of other ingredient substances, then one of the following shall be applied:

- the new mixture shall be classified as equivalent to the original mixture;
- the method explained in each section of Part 3 and in Part 4 for classification of mixtures when data are available for all components or only some components of the mixture;
- in the case of acute toxicity, the method for classification of mixtures based on ingredients of the mixture (additivity formula).

**▼ M2**

1.1.3.2. *Batching*

The hazard category of a tested production batch of a mixture can be assumed to be substantially equivalent to that of another untested production batch of the same commercial product, when produced by or under the control of the same supplier, unless there is reason to believe there is significant variation such that the hazard classification of the untested batch has changed. If the latter occurs, a new evaluation is necessary.

**▼ M2**1.1.3.3. *Concentration of highly hazardous mixtures*

In the case of the classification of mixtures covered by sections 3.1, 3.2, 3.3, 3.8, 3.9, 3.10 and 4.1, if a tested mixture is classified in the highest hazard category or sub-category, and the concentration of the components of the tested mixture that are in that category or sub-category is increased, the resulting untested mixture shall be classified in that category or sub-category without additional testing.

**▼ M12**1.1.3.4. *Interpolation within one hazard category***▼ M2**

In the case of the classification of mixtures covered by sections 3.1, 3.2, 3.3, 3.8, 3.9, 3.10 and 4.1, for three mixtures (A, B and C) with identical components, where mixtures A and B have been tested and are in the same hazard category, and where untested mixture C has the same hazardous components as mixture A and B but has concentrations of those hazardous components intermediate to the concentrations in mixtures A and B, then mixture C is assumed to be in the same hazard category as A and B.

**▼ B**1.1.3.5. *Substantially similar mixtures*

Given the following:

- (a) two mixtures each containing two ingredients:
  - (i) A + B
  - (ii) C + B;
- (b) the concentration of ingredient B is essentially the same in both mixtures;
- (c) the concentration of ingredient A in mixture (i) equals that of ingredient C in mixture (ii);
- (d) hazard data for A and C are available and substantially equivalent, i.e. they are in the same hazard category and are not expected to affect the hazard classification of B.

**▼ M2**

If mixture (i) or (ii) is already classified based on test data, then the other mixture shall be assigned the same hazard category.

**▼ B**1.1.3.6. *Review of classification where the composition of a mixture has changed*

The following variations in initial concentration are defined for the application of Article 15(2)(a):

Table 1.2

**Bridging Principle for changes in the composition of a mixture**

| Initial concentration range of the constituent | Permitted variation in initial concentration of the constituent |
|--|---|
| $\leq 2,5 \%$                                  | $\pm 30 \%$   |
| $2,5 < C \leq 10 \%$                           | $\pm 20 \%$   |
| $10 < C \leq 25 \%$                            | $\pm 10 \%$   |
| $25 < C \leq 100 \%$                           | $\pm 5 \%$  |

**▼B**1.1.3.7. *Aerosols*

In the case of the classification of mixtures covered by sections 3.1, 3.2, 3.3, 3.4, 3.8 and 3.9, an aerosol form of a mixture shall be classified in the same hazard category as the non-aerosolised form of the mixture, provided that the added propellant does not affect the hazardous properties of the mixture upon spraying and scientific evidence is available demonstrating that the aerosolised form is not more hazardous than the nonaerosolised form.

**▼M2**1.2. **Labelling**1.2.1. **General rules for the application of labels required by Article 31**

1.2.1.1. Hazard pictograms shall be in the shape of a square set at a point.

1.2.1.2. Hazard pictograms as laid down in Annex V shall have a black symbol on a white background with a red frame sufficiently wide to be clearly visible.

1.2.1.3. Each hazard pictogram shall cover at least one fifteenth of the minimum surface area of the label dedicated to the information required by Article 17. The minimum area of each hazard pictogram shall not be less than 1 cm<sup>2</sup>.

1.2.1.4. The dimensions of the label and of each pictogram shall be as follows:

*Table 1.3*

**Minimum dimensions of labels and pictograms**

| Capacity of the package                              | Dimensions of the label (in millimetres) for the information required by Article 17 | Dimensions of each pictogram (in millimetres)             |
|--|---|---|
| Not exceeding 3 litres:                              | If possible, at least 52 × 74   | Not smaller than 10 × 10<br>If possible, at least 16 × 16 |
| Greater than 3 litres but not exceeding 50 litres:   | At least 74 × 105   | At least 23 × 23  |
| Greater than 50 litres but not exceeding 500 litres: | At least 105 × 148  | At least 32 × 32  |
| Greater than 500 litres:                             | At least 148 × 210  | At least 46 × 46  |

**▼B**1.3. **Derogations from labelling requirements for special cases**

In accordance with Article 23 the following derogations shall apply:

1.3.1. **Transportable gas cylinders**

For transportable gas cylinders, one of the following shall be permitted to be used for gas cylinders with a water capacity of less than or equal to 150 litres:

- (a) A format and dimensions following the prescriptions of the current edition of Standard ISO 7225 relating to 'Gas cylinders — Precautionary labels'. In this case, the label can bear the generic name or industrial or commercial name of the substance or mixture provided that the hazardous substances in a mixture are shown on the body of the gas cylinder in a clear and indelible way.

**▼ B**

(b) The information specified in Article 17 provided on a durable information disc or label held captive on the cylinder.

1.3.2. ***Gas containers intended for propane, butane or liquefied petroleum gas (LPG)***

1.3.2.1. If propane, butane and liquefied petroleum gas or a mixture containing these substances classified in accordance with the criteria of this Annex, is placed on the market in closed refillable cylinders or in non-refillable cartridges within the scope of EN 417 as fuel gases which are only released for combustion (current edition of EN 417, relating to ‘Non-refillable metallic gas cartridges for liquefied petroleum gases, with or without a valve, for use with portable appliances; construction, inspection, testing and marking’), these cylinders or cartridges shall only be labelled with the appropriate pictogram and the hazard and precautionary statements concerning flammability.

1.3.2.2. No information concerning the effects on human health and the environment is required on the label. Instead the supplier shall provide the information concerning effects on human health and the environment to downstream users or distributors by means of the safety data sheet (SDS).

1.3.2.3. For consumers, sufficient information shall be transmitted to enable them to take all necessary measures for health and safety.

1.3.3. ***Aerosols and containers fitted with a sealed spray attachment and containing substances or mixtures classified as presenting an aspiration hazard***

With regard to the application of section 3.10.4, substances or mixtures classified in accordance with the criteria of sections 3.10.2 and 3.10.3 need not be labelled for this hazard when placed on the market in aerosol containers or in containers fitted with a sealed spray attachment.

1.3.4. ***Metals in massive form, alloys, mixtures containing polymers, mixtures containing elastomers***

1.3.4.1. Metals in massive form, alloys, mixtures containing polymers and mixtures containing elastomers do not require a label according to this Annex, if they do not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment in the form in which they are placed on the market, although classified as hazardous in accordance with the criteria of this Annex.

1.3.4.2. Instead, the supplier shall provide the information to downstream users or distributors by means of the SDS.

1.3.5. ***Explosives placed on the market with a view to obtaining an explosive or pyrotechnic effect***

Explosives, as referred to in section 2.1, placed on the market with a view to obtaining an explosive or pyrotechnic effect shall be labelled and packaged in accordance with the requirements for explosives only.

**▼ M12**

1.3.6. ***Substances or mixtures classified as corrosive to metals but not classified as skin corrosion or as serious eye damage (Category 1)***

Substances or mixtures classified as corrosive to metals but not classified as skin corrosion or as serious eye damage (Category 1) which are in the finished state and packaged for consumer use do not require on the label the hazard pictogram GHS05.



**▼B**

- 1.4. **Request for use of an alternative chemical name**
- 1.4.1. *Requests for use of an alternative chemical name under Article 24 may be granted only where*
- (I) the substance has not been assigned a Community workplace exposure limit; and
  - (II) the manufacturer, importer or downstream user can demonstrate that the use of the alternative chemical name meets the need to provide enough information for necessary health and safety precautions to be taken in the workplace and the need to ensure that risks from handling the mixture can be controlled; and
  - (III) the substance is classified exclusively as one or more of the following hazard categories:
    - (a) any of the hazard categories referred to in Part 2 of this Annex;
    - (b) Acute toxicity, Category 4;
    - (c) Skin corrosion/irritation, Category 2;
    - (d) Serious eye damage/eye irritation, Category 2;
    - (e) Specific target organ toxicity — Single exposure, Category 2 or 3;
    - (f) Specific target organ toxicity — Repeated exposure, Category 2;
    - (g) Hazardous to the aquatic environment — Chronic, Category 3 or 4.
- 1.4.2. *The choice of the chemical name(s) for mixtures intended for the fragrance or perfume industry*
- In the case of substances occurring in nature, a chemical name or chemical names of the type ‘essential oil of ...’ or ‘extract of ...’ may be used instead of the chemical names of the components of that essential oil or extract as referred to in Article 18(3)(b).
- 1.5. **Exemptions from labelling and packaging requirements**
- 1.5.1. *Exemptions from Article 31 [(Article 29(1))]*
- 1.5.1.1. Where Article 29(1) applies, the label elements mentioned in Article 17 may be provided in one of the following ways:
- (a) in fold-out labels; or
  - (b) on tie-on tags; or
  - (c) on an outer packaging.
- 1.5.1.2. The label on any inner packaging shall contain at least hazard pictograms, the product identifier referred to in Article 18 and name and telephone number of the supplier of the substance or mixture.
- 1.5.2. *Exemptions from Article 17 [(Article 29(2))]*
- 1.5.2.1. *Labelling of packages where the contents do not exceed 125 ml*
- 1.5.2.1.1. The hazard statements and the precautionary statements linked to the hazard categories listed below may be omitted from the label elements required by Article 17 where:
- (a) the contents of the package do not exceed 125 ml; and
  - (b) the substance or mixture is classified in one or more of the following hazard categories:
    - 1) Oxidising gases of category 1;
    - 2) Gases under pressure;

**▼B**

- 3) Flammable liquids of category 2 or 3;
- 4) Flammable solids of category 1 or 2;
- 5) Self-reactive substances or mixtures Types C to F;
- 6) Self-heating substances or mixtures of category 2;
- 7) Substances and mixtures which, in contact with water, emit flammable gases of categories 1, 2 or 3;
- 8) Oxidising liquids of category 2 or 3;
- 9) Oxidising solids of category 2 or 3;
- 10) Organic peroxides Types C to F;
- 11) Acute toxicity of category 4, if the substances or mixtures are not supplied to the general public;
- 12) Skin irritation of category 2;
- 13) Eye irritation of category 2;
- 14) Specific target organ toxicity — single exposure of category 2 or 3, if the substance or mixture is not supplied to the general public;
- 15) Specific target organ toxicity — repeated exposure of category 2, if the substance or mixture is not supplied to the general public;
- 16) Hazardous to the aquatic environment — Acute of category 1;
- 17) Hazardous to the aquatic environment — Chronic of category 1 or 2.

The exemptions for labelling of small packages of aerosols as flammable laid down in Directive 75/324/EEC shall apply to aerosol dispensers.

1.5.2.1.2. The precautionary statements linked to the hazard categories listed below may be omitted from the label elements required by Article 17 where:

- (a) the contents of the package do not exceed 125 ml; and
- (b) the substance or mixture is classified in one or more of the following hazard categories:
  - 1) Flammable gases of category 2;
  - 2) Reproductive toxicity: effects on or via lactation;
  - 3) Hazardous to the aquatic environment — Chronic of category 3 or 4.

1.5.2.1.3. ►**M2** The pictogram, the signal word, the hazard statement, and the precautionary statement linked to the hazard categories listed below may be omitted from the label elements required by Article 17 where: ◀

- (a) the contents of the package do not exceed 125 ml; and
- (b) the substance or mixture is classified in one or more of the following hazard categories:
  - 1) Corrosive to metals.

1.5.2.2. *Labelling of soluble packaging for single use*

The label elements required by Article 17 may be omitted from soluble packaging intended for single use where:

- (a) The content of each soluble packaging does not exceed a volume of 25 ml;

**▼M2**

- (b) The classification of the contents of the soluble packaging is exclusively one or more of the hazard categories in 1.5.2.1.1 (b), 1.5.2.1.2 (b) or 1.5.2.1.3 (b); and

**▼B**

- (c) The soluble packaging is contained within outer packaging that fully meets the requirements of Article 17.

- 1.5.2.3. Section 1.5.2.2 shall not apply to substances or mixtures within the scope of Directives 91/414/EEC or 98/8/EC.

**▼M4**

- 1.5.2.4. *Labelling of inner packaging where the contents do not exceed 10 ml*

- 1.5.2.4.1. The label elements required by Article 17 may be omitted from the inner packaging where:

- (a) the contents of the inner packaging do not exceed 10 ml;
- (b) the substance or mixture is placed on the market for supply to a distributor or downstream user for scientific research and development or quality control analysis; and
- (c) the inner packaging is contained within outer packaging that meets the requirements of Article 17.

- 1.5.2.4.2. Notwithstanding sections 1.5.1.2 and 1.5.2.4.1, the label on the inner packaging shall contain the product identifier and, where appropriate, the hazard pictograms “GHS01”, “GHS05”, “GHS06” and/or “GHS08”. Where more than two pictograms are assigned, “GHS06” and “GHS08” may take precedence over “GHS01” and “GHS05”.

- 1.5.2.5. Section 1.5.2.4 shall not apply to substances or mixtures within the scope of Regulation (EC) No 1107/2009 or (EU) No 528/2012.

**▼B**

2. PART 2: PHYSICAL HAZARDS

2.1. **Explosives**

2.1.1. **Definitions**

2.1.1.1. The class of explosives comprises

- (a) explosive substances and mixtures;
- (b) explosive articles, except devices containing explosive substances or mixtures in such quantity or of such a character that their inadvertent or accidental ignition or initiation shall not cause any effect external to the device either by projection, fire, smoke, heat or loud noise; and
- (c) substances, mixtures and articles not mentioned in points (a) and (b) which are manufactured with a view to producing a practical, explosive or pyrotechnic effect.

- 2.1.1.2. For the purposes of this Regulation the following definitions shall apply:

An explosive substance or mixture is a solid or liquid substance or mixture of substances which is in itself capable by chemical reaction of producing gas at such a temperature and pressure and at such a speed as to cause damage to the surroundings. Pyrotechnic substances are included even when they do not evolve gases.

**▼ B**

A pyrotechnic substance or mixture is a substance or mixture of substances designed to produce an effect by heat, light, sound, gas or smoke or a combination of these as the result of non-detonative self-sustaining exothermic chemical reactions.

An unstable explosive is an explosive substance or mixture which is thermally unstable and/or too sensitive for normal handling, transport and use.

An explosive article is an article containing one or more explosive substances or mixtures.

A pyrotechnic article is an article containing one or more pyrotechnic substances or mixtures.

An intentional explosive is a substance, mixture or article which is manufactured with a view to producing a practical, explosive or pyrotechnic effect.

2.1.2. **Classification criteria**

2.1.2.1. Substances, mixtures and articles of this class are classified as an unstable explosive on the basis of the flowchart in Figure 2.1.2. ► **M4** The test methods are described in Part I of the UN RTDG, Manual of Tests and Criteria. ◀

2.1.2.2. Substances, mixtures and articles of this class, which are not classified as an unstable explosive, shall be assigned to one of the following six divisions depending on the type of hazard they present:

(a) Division 1.1 Substances, mixtures and articles which have a mass explosion hazard (a mass explosion is one which affects almost the entire quantity present virtually instantaneously);

(b) Division 1.2 Substances, mixtures and articles which have a projection hazard but not a mass explosion hazard;

(c) Division 1.3 Substances, mixtures and articles which have a fire hazard and either a minor blast hazard or a minor projection hazard or both, but not a mass explosion hazard:

(i) combustion of which gives rise to considerable radiant heat;  
or

(ii) which burn one after another, producing minor blast or projection effects or both;

(d) Division 1.4 Substances, mixtures and articles which present no significant hazard:

— substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are

**▼B**

largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package;

(e) Division 1.5 Very insensitive substances or mixtures which have a mass explosion hazard:

— substances and mixtures which have a mass explosion hazard but are so insensitive that there is very little probability of initiation or of transition from burning to detonation under normal conditions;

(f) Division 1.6 Extremely insensitive articles which do not have a mass explosion hazard:

— articles which contain only extremely insensitive ►**M4** ————— ◀ substances or mixtures and which demonstrate a negligible probability of accidental initiation or propagation.

2.1.2.3. Explosives, which are not classified as an unstable explosive, shall be classified in one of the six divisions referred to in paragraph 2.1.2.2 of this Annex based on Test Series 2 to 8 in Part I of the ►**M4** UN RTDG ◀, Manual of Tests and Criteria according to the results of the tests laid down in Table 2.1.1:

Table 2.1.1

**Criteria for explosives**

| Category  | Criteria  |
|---|---|
| Unstable explosives or explosives of Divisions 1.1 to 1.6 | <p>For explosives of Divisions 1.1 to 1.6, the following are the core set of tests that need to be performed:</p> <p>Explosibility: according to UN Test Series 2 (section 12 of the ►<b>M4</b> UN RTDG ◀, Manual of Tests and Criteria). Intentional explosives <sup>(1)</sup> shall not be subject to UN Test Series 2.</p> <p>Sensitiveness: according to UN Test Series 3 (section 13 of the ►<b>M4</b> UN RTDG ◀, Manual of Tests and Criteria).</p> <p>Thermal stability: according to UN Test 3(c) (sub-section 13.6.1 of the ►<b>M4</b> UN RTDG ◀, Manual of Tests and Criteria). Further tests are necessary to allocate the correct Division.</p> |

<sup>(1)</sup> This comprises substances, mixtures and articles which are manufactured with a view to producing a practical, explosive or pyrotechnic effect.

2.1.2.4. If explosives are unpackaged or repacked in packaging other than the original or similar packaging, they shall be retested.






**▼M12**

2.1.3. **Hazard Communication**

Label elements shall be used for substances, mixtures or articles meeting the criteria for classification in this hazard class in accordance with Table 2.1.2.

Table 2.1.2

Label elements for explosives

| Classification                     | Unstable Explosive  | Division 1.1  | Division 1.2   | Division 1.3  | Division 1.4  | Division 1.5                                 | Division 1.6               |
|------------------------------------|---|---|--|---|---|--|----------------------------|
| GHS Pictograms                     |  |  |  |  |  |  |                            |
| Signal Word                        | Danger  | Danger  | Danger   | Danger  | Warning   | Danger                                       | No signal word             |
| Hazard Statement                   | H200: Unstable Explosive  | H201: Explosive; mass explosion hazard  | H202: Explosive; severe projection hazard  | H203: Explosive; fire, blast or projection hazard                                   | H204: Fire or projection hazard   | H205: May mass explode in fire               | No hazard statement        |
| Precautionary Statement Prevention | P201<br>P250<br>P280  | P210<br>P230<br>P234<br>P240<br>P250<br>P280                                      | P210<br>P230<br>P234<br>P240<br>P250<br>P280                                       | P210<br>P230<br>P234<br>P240<br>P250<br>P280  | P210<br>P234<br>P240<br>P250<br>P280  | P210<br>P230<br>P234<br>P240<br>P250<br>P280 | No precautionary statement |
| Precautionary Statement Response   | P370 + P372 + P380 + P373   | P370 + P372 + P380 + P373   | P370 + P372 + P380 + P373  | P370 + P372 + P380 + P373   | P370 + P372 + P380 + P373<br>P370 + P380 + P375                                     | P370 + P372 + P380 + P373                    | No precautionary statement |
| Precautionary Statement Storage    | P401  | P401  | P401   | P401  | P401  | P401   | No precautionary statement |
| Precautionary Statement Disposal   | P501  | P501  | P501   | P501  | P501  | P501   | No precautionary statement |

▼ **M12**

*NOTE 1:* Unpackaged explosives or explosives repackaged in packaging other than the original or similar packaging shall include all of the following label elements:

- (a) the pictogram: exploding bomb;
- (b) the signal word ‘Danger’; and
- (c) the hazard statement: ‘Explosive; mass explosion hazard’

unless the hazard is shown to correspond to one of the hazard categories in Table 2.1.2, in which case the corresponding symbol, the signal word and/or the hazard statement shall be assigned.

*NOTE 2:* Substances and mixtures, as supplied, with a positive result in Test Series 2 in Part I, Section 12, of the UN RTDG, Manual of Tests and Criteria, which are exempted from classification as explosives (based on a negative result in Test Series 6 in Part I, Section 16 of the UN RTDG, Manual of Tests and Criteria) still have explosive properties. The user shall be informed of these intrinsic explosive properties because they have to be considered for handling — especially if the substance or mixture is removed from its packaging or is repackaged — and for storage. For this reason, the explosive properties of the substance or mixture shall be communicated in Section 2 (Hazards identification) and Section 9 (Physical and chemical properties) of the Safety Data Sheet and other sections of the Safety Data Sheet, as appropriate.

**▼ B**2.1.4. *Additional Classification Considerations*

- 2.1.4.1. The classification of substances, mixtures and articles in the explosives hazard class and further allocation to a division is a very complex, three step procedure. Reference to Part I of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria is necessary.

The first step is to ascertain whether the substance or mixture has explosive effects (Test Series 1). The second step is the acceptance procedure (Test Series 2 to 4) and the third step is the assignment to a hazard division (Test Series 5 to 7). The assessment whether a candidate for ‘ammonium nitrate emulsion or suspension or gel, intermediate for blasting explosives (ANE)’ is insensitive enough for inclusion as an oxidising liquid (section 2.13) or an oxidising solid (section 2.14) is answered by Test Series 8 tests.

Explosive substances and mixtures wetted with water or alcohols, or diluted with other substances to suppress their explosive properties, may be treated differently in terms of classification and other hazard classes may apply, according to their physical properties (see also Annex II section 1.1.).

Certain physical hazards (due to explosive properties) are altered by dilution, as is the case for desensitised explosives, by inclusion in a mixture or article, packaging or other factors.


The classification procedure is set out in the following decision logic (see Figures 2.1.1 to 2.1.4).



▼ B

Figure 2.1.1

Overall scheme of the procedure for classifying a substance, mixture or article in the class of explosives (Class 1 for transport)



►<sup>(1)</sup>(\*) See ►<sup>(2)</sup> UN RTDG ◀, Model Regulations, 16th rev. ed, sub-section 2.1.2. ◀


►<sup>(1)</sup> M2

►<sup>(2)</sup> M4

▼B

Figure 2.1.2

Procedure for provisional acceptance of a substance, mixture or article in the class of explosives (Class 1 for transport)




(\*) For classification purposes, start with Test Series 2.

▼ M12

Figure 2.1.3


## Procedure for assignment to a division in the class of explosives (Class 1 for transport)



▼ M2

Figure 2.1.4

## Procedure for the classification of ammonium nitrate emulsion, suspension or gel (ANE)



**▼ B**2.1.4.2. *Screening procedure*

Explosive properties are associated with the presence of certain chemical groups in a molecule which can react to produce very rapid increases in temperature or pressure. The screening procedure is aimed at identifying the presence of such reactive groups and the potential for rapid energy release. If the screening procedure identifies the substance or mixture to be a potential explosive, the acceptance procedure (see section 10.3 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria) has to be performed.

**▼ M2**

*Note:*


Neither a series 1 type (a) propagation of detonation test nor a series 2 type (a) test of sensitivity to detonative shock is required if the exothermic decomposition energy of organic materials is less than 800 J/g. For organic substances and mixtures of organic substances with a decomposition energy of 800 J/g or more, tests 1 (a) and 2 (a) need not be performed if the outcome of the ballistic mortar Mk.IIIId test (F.1), or the ballistic mortar test (F.2) or the BAM Trauzl test (F.3) with initiation by a standard No 8 detonator (see Appendix 1 to the UN RTDG, Manual of Tests and Criteria) is 'no'. In this case, the results of test 1 (a) and 2 (a) are deemed to be '-'.

**▼ B**

2.1.4.3. A substance or mixture shall not be classified as explosive if:

- (a) There are no chemical groups associated with explosive properties present in the molecule. Examples of groups which may indicate explosive properties are given in Table A6.1 in Appendix 6 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria; or
- (b) The substance contains chemical groups associated with explosive properties which include oxygen and the calculated oxygen balance is less than - 200;

The oxygen balance is calculated for the chemical reaction:



Using the formula:

$$\text{Oxygen balance} = -1\,600 [2x + (y/2) - z] / \text{molecular weight};$$

- (c) When the organic substance or a homogenous mixture of organic substances contains chemical groups associated with explosive properties but the exothermic decomposition energy is less than 500 J/g and the onset of exothermic decomposition is below 500 °C. The exothermic decomposition energy can be determined using a suitable calorimetric technique; or
- (d) For mixtures of inorganic oxidising substances with organic material(s), the concentration of the inorganic oxidising substance is:
  - less than 15 % by mass, if the oxidising substance is assigned to Categories 1 or 2;
  - less than 30 % by mass, if the oxidising substance is assigned to Category 3.

**▼B**

- 2.1.4.4. In the case of mixtures containing any known explosives, the acceptance procedure has to be performed.

**▼M4**

- 2.2. **Flammable gases (including chemically unstable gases)**
- 2.2.1. **Definitions**
- 2.2.1.1. Flammable gas means a gas or gas mixture having a flammable range with air at 20 °C and a standard pressure of 101,3 kPa.
- 2.2.1.2. A chemically unstable gas means a flammable gas that is able to react explosively even in the absence of air or oxygen.
- 2.2.2. **Classification criteria**
- 2.2.2.1. A flammable gas shall be classified in this class in accordance with Table 2.2.1:

Table 2.2.1

**Criteria for flammable gases**

| Category | Criteria   |
|----------|--|
| 1        | Gases, which at 20 °C and a standard pressure of 101,3 kPa:<br>(a) are ignitable when in a mixture of 13 % or less by volume in air; or<br>(b) have a flammable range with air of at least 12 percentage points regardless of the lower flammable limit. |
| 2        | Gases, other than those of Category 1, which, at 20 °C and a standard pressure of 101,3 kPa, have a flammable range while mixed in air.  |

*Note:*

Aerosols shall not be classified as flammable gases; see section 2.3.

- 2.2.2.2. A flammable gas that is also chemically unstable shall additionally be classified in one of the two categories for chemically unstable gases using the methods described in Part III of the UN RTDG, Manual of Tests and Criteria according to the following table:

Table 2.2.2

**Criteria for chemically unstable gases**

| Category | Criteria   |
|----------|--|
| A        | Flammable gases which are chemically unstable at 20 °C and a standard pressure of 101,3 kPa                                |
| B        | Flammable gases which are chemically unstable at a temperature greater than 20 °C and/or a pressure greater than 101,3 kPa |


- 2.2.3. **Hazard Communication**

Label elements shall be used for substances and mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.2.3.

▼ **M12**

Table 2.2.3

**Label elements for flammable gases (including chemically unstable gases)**


| Classification                     | Flammable gas   |                     | Chemically unstable gas  |  |
|------------------------------------|---|---------------------|--|--|
|                                    | Category 1  | Category 2          | Category A   | Category B   |
| GHS Pictogram                      |  | No pictogram        | No additional pictogram  | No additional pictogram  |
| Signal Word                        | Danger  | Warning             | No additional signal word  | No additional signal word  |
| Hazard Statement                   | H220: Extremely flammable gas   | H221: Flammable gas | <i>Additional hazard statement</i><br>H230: May react explosively even in the absence of air | <i>Additional hazard statement</i><br>H231: May react explosively even in the absence of air at elevated pressure and/or temperature |
| Precautionary Statement Prevention | P210  | P210                | P202   | P202   |
| Precautionary Statement Response   | P377<br>P381  | P377<br>P381        |  |  |
| Precautionary Statement Storage    | P403  | P403                |  |  |
| Precautionary Statement Disposal   |   |                     |  |  |

▼ **M4**

The classification procedure is set out in the following decision logic (see Figures 2.2.1 to 2.2.2).

▼ **M4**


Figure 2.2.1  
Flammable gases





▼ **M4**

Figure 2.2.2  
Chemically unstable gases

2.2.4. *Additional Classification Considerations*

2.2.4.1. Flammability shall be determined by tests or, for mixtures where there are sufficient data available, by calculation in accordance with the methods adopted by ISO (see ISO 10156 as amended, Gases and gas mixtures — Determination of fire potential and oxidising ability for the selection of cylinder valve outlet). Where insufficient data are available to use these methods, test method EN 1839 as amended (Determination of explosion limits of gases and vapours) may be used.

2.2.4.2. Chemical instability shall be determined in accordance with the method described in Part III of the UN RTDG, Manual of Tests and Criteria. If the calculations in accordance with ISO 10156 as amended show that a gas mixture is not flammable it is not necessary to carry out the tests for determining chemical instability for classification purposes.

**▼ M4**2.3. **Aerosols**2.3.1. **Definitions**

Aerosols, this means aerosol dispensers, are any non-refillable receptacles made of metal, glass or plastics and containing a gas compressed, liquefied or dissolved under pressure, with or without a liquid, paste or powder, and fitted with a release device allowing the contents to be ejected as solid or liquid particles in suspension in a gas, as a foam, paste or powder or in a liquid state or in a gaseous state.

2.3.2. **Classification criteria****▼ M12**

2.3.2.1. Aerosols shall be classified in one of the three categories of this hazard class, depending on their flammable properties and their heat of combustion. They shall be considered for classification in Category 1 or 2 if they contain more than 1 % components (by mass) which are classified as flammable according to the following criteria set out in this Part:

— Flammable gases (see Section 2.2);

— Liquids with a flash point  $\leq 93$  °C, which includes Flammable Liquids according to Section 2.6;

— Flammable solids (see Section 2.7);

or if their heat of combustion is at least 20 kJ/g.

*NOTE 1:* Flammable components do not cover pyrophoric, self-heating or water-reactive substances and mixtures because such components are never used as aerosol contents.

*NOTE 2:* Aerosols do not fall additionally within the scope of Sections 2.2 (flammable gases), 2.5 (gases under pressure), 2.6 (flammable liquids) and 2.7 (flammable solids). Depending on their contents, aerosols may however fall within the scope of other hazard classes, including their labelling elements.

**▼ M4**


2.3.2.2. An aerosol shall be classified in one of the three categories for this Class on the basis of its components, of its chemical heat of combustion and, if applicable, of the results of the foam test (for foam aerosols) and of the ignition distance test and enclosed space test (for spray aerosols) in accordance with Figures 2.3.1(a) to 2.3.1(c) of this Annex and subsections 31.4, 31.5 and 31.6 of Part III of the UN RTDG, Manual of Tests and Criteria. Aerosols which do not meet the criteria for inclusion in Category 1 or Category 2 shall be classified in Category 3.

*Note:*

Aerosols containing more than 1 % flammable components or with a heat of combustion of at least 20 kJ/g, which are not submitted to the flammability classification procedures in this section shall be classified as aerosols, Category 1.

▼ **M12**


Figure 2.3.1 (a)

**For aerosols**

▼ M4


Figure 2.3.1 (b)

## Spray aerosols



▼ **M4**



Figure 2.3.1 (c)

**Foam aerosols**2.3.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.3.1.

Table 2.3.1

▼ **M12****Label elements for aerosols**▼ **M4**

| Classification   | Category 1  | Category 2   | Category 3                                       |
|------------------|---|--|--|
| GHS Pictograms   |    |  | No pictogram                                     |
| Signal Word      | Danger  | Warning  | Warning  |
| Hazard Statement | H222: Extremely flammable aerosol<br>H229: Pressurised container: May burst if heated | H223: Flammable aerosol<br>H229: Pressurised container: May burst if heated          | H229: Pressurised container: May burst if heated |

▼ **M4**

| Classification                     | Category 1           | Category 2           | Category 3   |
|------------------------------------|----------------------|----------------------|--------------|
| Precautionary Statement Prevention | P210<br>P211<br>P251 | P210<br>P211<br>P251 | P210<br>P251 |
| Precautionary Statement Response   |                      |                      |              |
| Precautionary Statement Storage    | P410 + P412          | P410 + P412          | P410 + P412  |
| Precautionary Statement Disposal   |                      |                      |              |

2.3.4. **Additional Classification Considerations**

2.3.4.1. The chemical heat of combustion ( $\Delta H_c$ ), in kilojoules per gram (kJ/g), is the product of the theoretical heat of combustion ( $\Delta H_{\text{comb}}$ ), and a combustion efficiency, usually less than 1,0 (a typical combustion efficiency is 0,95 or 95 %).

For a composite aerosol formulation, the chemical heat of combustion is the summation of the weighted heats of combustion for the individual components, as follows:

$$\Delta H_{c(\text{product})} = \sum_i^n [w_i \% \times \Delta H_{c(i)}]$$

where:

$\Delta H_c$  = chemical heat of combustion (kJ/g);

$w_i$  % = mass fraction of component i in the product;

$\Delta H_{c(i)}$  = specific heat of combustion (kJ/g) of component i in the product.

The chemical heats of combustion can be found in the literature, calculated or determined by tests (see ASTM D 240 as amended — Standard Test Methods for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter, EN/ISO 13943 as amended, 86.1 to 86.3 — Fire safety — Vocabulary, and NFPA 30B as amended — Code for the Manufacture and Storage of Aerosol Products).

▼ **B**2.4. **Oxidising gases**2.4.1. **Definitions**

Oxidising gas means any gas or gas mixture which may, generally by providing oxygen, cause or contribute to the combustion of other material more than air does.

2.4.2. **Classification criteria**

2.4.2.1. An oxidising gas shall be classified in a single category for this class in accordance with Table 2.4.1.:

Table 2.4.1

**Criteria for oxidising gases**

| Category | Criteria  |
|----------|---|
| 1        | Any gas which may, generally by providing oxygen, cause or contribute to the combustion of other material more than air does. |

**▼ M4**

*Note:*


‘Gases which cause or contribute to the combustion of other material more than air does’ means pure gases or gas mixtures with an oxidising power greater than 23,5 % as determined by a method specified in ISO 10156 as amended.

**▼ B**2.4.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.4.2.

Table 2.4.2

Label elements for oxidising gases

| Classification                     | Category 1  |
|------------------------------------|---|
| GHS Pictogram                      |  |
| Signal Word                        | Danger  |
| Hazard Statement                   | H270: May cause or intensify fire; oxidiser                                       |
| Precautionary Statement Prevention | P220<br>P244  |
| Precautionary Statement Response   | P370 + P376   |
| Precautionary Statement Storage    | P403  |
| Precautionary Statement Disposal   |   |

**▼ M4**2.4.4. **Additional Classification Considerations**

To classify an oxidising gas, tests or calculation methods as described in ISO 10156 as amended, “Gases and gas mixtures — Determination of fire potential and oxidising ability for the selection of cylinder valve outlet” shall be performed.

**▼ B**2.5. **Gases under pressure**2.5.1. **Definition**

- 2.5.1.1. **► M4** Gases under pressure are gases which are contained in a receptacle at a pressure of 200 kPa (gauge) or more at 20 °C, or which are liquefied or liquefied and refrigerated. ◀

They comprise compressed gases, liquefied gases, dissolved gases and refrigerated liquefied gases.

- 2.5.1.2. The critical temperature is the temperature above which a pure gas cannot be liquefied, regardless of the degree of compression.

**▼ M4**2.5.2. **Classification criteria**

- 2.5.2.1. Gases under pressure shall be classified, according to their physical state when packaged, in one of four groups in accordance with Table 2.5.1:

Table 2.5.1

**Criteria for gases under pressure**

| Group                      | Criteria  |
|----------------------------|---|
| Compressed gas             | A gas which when packaged under pressure is entirely gaseous at $-50\text{ }^{\circ}\text{C}$ ; including all gases with a critical temperature $\leq -50\text{ }^{\circ}\text{C}$ .  |
| Liquefied gas              | A gas which, when packaged under pressure, is partially liquid at temperatures above $-50\text{ }^{\circ}\text{C}$ . A distinction is made between:<br>(i) high pressure liquefied gas: a gas with a critical temperature between $-50\text{ }^{\circ}\text{C}$ and $+65\text{ }^{\circ}\text{C}$ ; and<br>(ii) low pressure liquefied gas: a gas with a critical temperature above $+65\text{ }^{\circ}\text{C}$ . |
| Refrigerated liquefied gas | A gas which when packaged is made partially liquid because of its low temperature.  |
| Dissolved gas              | A gas which when packaged under pressure is dissolved in a liquid phase solvent.  |

*Note:*

Aerosols shall not be classified as gases under pressure. See section 2.3.





**▼ B**2.5.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.5.2.

**▼ M12**

Table 2.5.2

**Label elements for gases under pressure**

| Classification                     | Compressed gas  | Liquefied gas   | Refrigerated liquefied gas   | Dissolved gas   |
|------------------------------------|---|---|--|---|
| GHS Pictograms                     |  |  |  |  |
| Signal Word                        | Warning   | Warning   | Warning  | Warning   |
| Hazard Statement                   | H280: Contains gas under pressure; may explode if heated                            | H280: Contains gas under pressure; may explode if heated                            | H281: Contains refrigerated gas; may cause cryogenic burns or injury                 | H280: Contains gas under pressure; may explode if heated                              |
| Precautionary Statement Prevention |   |   | P282   |   |



▼ **M12**

| Classification                   | Compressed gas | Liquefied gas | Refrigerated liquefied gas | Dissolved gas |
|----------------------------------|----------------|---------------|----------------------------|---------------|
| Precautionary Statement Response |                |               | P336 + P315                |               |
| Precautionary Statement Storage  | P410 + P403    | P410 + P403   | P403                       | P410 + P403   |
| Precautionary Statement Disposal |                |               |                            |               |

▼ **M2**

*Note:*

Pictogram GHS04 is not required for gases under pressure where pictogram GHS02 or pictogram GHS06 appears.

▼ **B**2.5.4. **Additional Classification Considerations**

For this group of gases, the following information is required to be known:

- the vapour pressure at 50 °C;
- the physical state at 20 °C at standard ambient pressure;
- the critical temperature.

▼ **M4**

Data can be found in the literature, calculated or determined by testing. Most pure gases are already classified in the UN RTDG, Model Regulations.

▼ **B**2.6. **Flammable liquids**2.6.1. **Definition**

Flammable liquid means a liquid having a flash point of not more than 60 °C.

2.6.2. **Classification criteria**

- 2.6.2.1. A flammable liquid shall be classified in one of the three categories for this class in accordance with Table 2.6.1:

*Table 2.6.1*

**Criteria for flammable liquids**

| Category | Criteria  |
|----------|---|
| 1        | Flash point < 23 °C and initial boiling point ≤ 35 °C |
| 2        | Flash point < 23 °C and initial boiling point > 35 °C |
| 3        | Flash point ≥ 23 °C and ≤ 60 °C <sup>(1)</sup>        |

<sup>(1)</sup> For the purpose of this Regulation gas oils, diesel and light heating oils having a flash point between ≥ 55 °C and ≤ 75 °C may be regarded as Category 3.

▼ **M2**

*Note:*




Aerosols shall not be classified as flammable liquids; see section 2.3.

**▼B****2.6.3. Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.6.2.

Table 2.6.2

**Label elements for flammable liquids**

| Classification                     | Category 1  | Category 2  | Category 3  |
|------------------------------------|---|---|---|
| GHS Pictograms                     |  |  |  |
| Signal Word                        | Danger  | Danger  | Warning   |
| Hazard Statement                   | H224: Extremely flammable liquid and vapour                                       | H225: Highly flammable liquid and vapour  | H226: Flammable liquid and vapour   |
| Precautionary Statement Prevention | P210<br>P233<br>P240<br>P241<br>P242<br>P243<br>P280                              | P210<br>P233<br>P240<br>P241<br>P242<br>P243<br>P280                              | P210<br>P233<br>P240<br>P241<br>P242<br>P243<br>P280                                |
| Precautionary Statement Response   | P303 + P361 + P353<br>P370 + P378   | P303 + P361 + P353<br>P370 + P378   | P303 + P361 + P353<br>P370 + P378   |
| Precautionary Statement Storage    | P403 + P235   | P403 + P235   | P403 + P235   |
| Precautionary Statement Disposal   | P501  | P501  | P501  |

**2.6.4. Additional Classification Considerations**

2.6.4.1. For the classification of flammable liquids data on flash point and initial boiling point are needed. Data can be determined by testing, found in literature or calculated. If data are not available, the flash point and the initial boiling point shall be determined through testing. For flash point determination a closed-cup method shall be used.

2.6.4.2. ► **M2** In the case of mixtures <sup>(1)</sup> containing known flammable liquids in defined concentrations, although they may contain non-volatile components e.g. polymers, additives, the flash point need not be determined experimentally if the calculated flash point of the mixture, using the method given in 2.6.4.3, is at least 5 °C <sup>(2)</sup> greater than the relevant classification criterion (23 °C and 60 °C, respectively) and provided that: ◀

<sup>(1)</sup> To date, the calculation method has been validated for mixtures containing up to 6 volatile components. These components may be flammable liquids like hydrocarbons, ethers, alcohols, esters (except acrylates), and water. It is however not yet validated for mixtures containing halogenated sulphurous, and/or phosphoric compounds as well as reactive acrylates.

<sup>(2)</sup> If the calculated flash point is less than 5 °C greater than the relevant classification criterion, the calculation method may not be used and the flash point should be determined experimentally.

**▼B**

- (a) the composition of the mixture is accurately known (if the material has a specified range of composition, the composition with the lowest calculated flash point shall be selected for assessment);
- (b) the lower explosion limit of each component is known (an appropriate correlation has to be applied when these data are extrapolated to other temperatures than test conditions) as well as a method for calculating the lower explosion limit ► **M2** of the mixture ◀;
- (c) the temperature dependence of the saturated vapour pressure and of the activity coefficient is known for each component as present in the mixture;
- (d) the liquid phase is homogeneous.

2.6.4.3. One suitable method is described in Gmehling and Rasmussen (Ind. Eng. Fundament, 21, 186, (1982)). For a mixture containing non-volatile components the flash point is calculated from the volatile components. It is considered that a non-volatile component only slightly decreases the partial pressure of the solvents and the calculated flash point is only slightly below the measured value.

2.6.4.4. Possible test methods for determining the flash point of flammable liquids are listed in Table 2.6.3.

Table 2.6.3

**Methods for determining the flash point of flammable liquids**

|  |   |
|--|---|
| European standards:                            | EN ISO 1516 as amended<br>Determination of flash/no flash — Closed cup equilibrium method                               |
|  | EN ISO 1523 as amended<br>Determination of flash point — Closed cup equilibrium method                                  |
|  | EN ISO 2719 as amended<br>Determination of flash point — Pensky-Martens closed cup method                               |
|  | EN ISO 3679 as amended<br>Determination of flash point — Rapid equilibrium closed cup method                            |
|  | EN ISO 3680 as amended<br>Determination of flash/no flash — Rapid equilibrium closed cup method                         |
|  | EN ISO 13736 as amended<br>Petroleum products and other liquids — Determination of flash point — Abel closed cup method |
| National standards:                            |   |
| Association française de normalisation, AFNOR: | NF M07-036 as amended<br>Détermination du point d'éclair — Vase clos Abel-Pensky<br>(identical to DIN 51755)            |

▼ M2

|                                |   |
|--------------------------------|---|
|                                |   |
|                                |   |
| Deutsches Institut für Normung | DIN 51755 (flash points below 65 °C) as amended Prüfung von Mineralölen und anderen brennbaren Flüssigkeiten; Bestimmung des Flammpunktes im geschlossenen Tiegel, nach Abel-Pensky (identical to NF M07-036) |

▼ M2

2.6.4.5 Liquids with a flash point of more than 35 °C and not more than 60 °C need not be classified in Category 3 if negative results have been obtained in the sustained combustibility test L.2, Part III, section 32 of the UN RTDG, Manual of Tests and Criteria.

2.6.4.6 Possible test methods for determining the initial boiling point of flammable liquids are listed in Table 2.6.4.

Table 2.6.4

**Methods for determining the initial boiling point of flammable liquids**

|  |   |
|--|---|
| European standards:                        | EN ISO 3405 as amended<br>Petroleum products — Determination of distillation characteristics at atmospheric pressure          |
|  | EN ISO 3924 as amended<br>Petroleum products — Determination of boiling range distribution — Gas chromatography method        |
|  | EN ISO 4626 as amended<br>Volatile organic liquids — Determination of boiling range of organic solvents used as raw materials |
| Regulation (EC) No 440/2008 <sup>(1)</sup> | Method A.2 as described in Part A of the Annex to Regulation (EC) No 440/2008   |

<sup>(1)</sup> OJ L 142, 31.5.2008, p. 1.

▼ B

2.7. **Flammable solids**

2.7.1. **Definition**

2.7.1.1. A flammable solid means a solid which is readily combustible, or may cause or contribute to fire through friction.

Readily combustible solids are powdered, granular, or pasty substances or mixtures which are dangerous if they can be easily ignited by brief contact with an ignition source, such as a burning match, and if the flame spreads rapidly.

2.7.2. **Classification criteria**

2.7.2.1. Powdered, granular or pasty substances or mixtures (except powders of metals or metal alloys — see 2.7.2.2) shall be classified as readily combustible solids when the time of burning of one or

**▼B**

more of the test runs, performed in accordance with the test method described in Part III, sub-section 33.2.1, of the ►M4 UN RTDG ◄, Manual of Tests and Criteria, is less than 45 seconds or the rate of burning is more than 2,2 mm/s.

- 2.7.2.2. Powders of metals or metal alloys shall be classified as flammable solids when they can be ignited and the reaction spreads over the whole length of the sample in 10 minutes or less.
- 2.7.2.3. A flammable solid shall be classified in one of the two categories for this class using Method N.1 as described in 33.2.1 of the ►M4 UN RTDG ◄, Manual of Tests and Criteria in accordance with Table 2.7.1:

Table 2.7.1

**Criteria for flammable solids**

| Category | Criteria  |
|----------|---|
| 1        | Burning rate test<br>Substances and mixtures other than metal powders:<br>(a) wetted zone does not stop fire and<br>(b) burning time < 45 seconds or burning rate > 2,2 mm/s<br>Metal powders<br>burning time ≤ 5 minutes                                     |
| 2        | Burning rate test<br>Substances and mixtures other than metal powders:<br>(a) wetted zone stops the fire for at least 4 minutes and<br>(b) burning time < 45 seconds or burning rate > 2,2 mm/s<br>Metal powders<br>burning time > 5 minutes and ≤ 10 minutes |

**▼M2***Note 1:*

The test shall be performed on the substance or mixture in its physical form as presented. If, for example, for the purposes of supply or transport, the same chemical is to be presented in a physical form different from that which was tested and which is considered likely to materially alter its performance in a classification test, the substance shall also be tested in the new form.

*Note 2:*

Aerosols shall not be classified as flammable solids; see section 2.3.



**▼B**2.7.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.7.2.



Table 2.7.2

## Label elements for flammable solids

| Classification                     | Category 1  | Category 2  |
|------------------------------------|---|---|
| GHS Pictograms                     |  |  |
| Signal Word                        | Danger  | Warning   |
| Hazard Statement                   | H228: Flammable Solid   | H228: Flammable Solid   |
| Precautionary Statement Prevention | P210<br>P240<br>P241<br>P280  | P210<br>P240<br>P241<br>P280  |
| Precautionary Statement Response   | P370 + P378   | P370 + P378   |
| Precautionary Statement Storage    |   |   |
| Precautionary Statement Disposal   |   |   |

## 2.8. Self-reactive substances and mixtures

2.8.1. *Definition*

2.8.1.1. Self-reactive substances or mixtures are thermally unstable liquid or solid substances or mixtures liable to undergo a strongly exothermic decomposition even without participation of oxygen (air). This definition excludes substances and mixtures classified according to this Part as explosives, organic peroxides or as oxidising.

2.8.1.2. A self-reactive substance or mixture is regarded as possessing explosive properties when in laboratory testing the formulation is liable to detonate, to deflagrate rapidly or to show a violent effect when heated under confinement.

2.8.2. *Classification criteria*

2.8.2.1. Any self-reactive substance or mixture shall be considered for classification in this class as a self-reactive substance or mixture unless:

- (a) they are explosives, according to the criteria given in 2.1;
- (b) they are oxidising liquids or solids, according to the criteria given in 2.13 or 2.14, except that mixtures of oxidising substances, which contain 5 % or more of combustible organic substances shall be classified as self-reactive substances according to the procedure defined in 2.8.2.2;
- (c) they are organic peroxides, according to the criteria given in 2.15;
- (d) their heat of decomposition is less than 300 J/g; or

**▼B**

- (e) their self-accelerating decomposition temperature (SADT) is greater than 75 °C for a 50 kg package <sup>(1)</sup>.

2.8.2.2. Mixtures of oxidising substances, meeting the criteria for classification as oxidising substances, which contain 5 % or more of combustible organic substances and which do not meet the criteria mentioned in (a), (c), (d) or (e) in 2.8.2.1, shall be subjected to the self-reactive substances classification procedure;

Such a mixture showing the properties of a self-reactive substance type B to F (see 2.8.2.3) shall be classified as a self-reactive substance.

Where the test is conducted in the package form and the packaging is changed, a further test shall be conducted where it is considered that the change in packaging will affect the outcome of the test.

2.8.2.3. Self-reactive substances and mixtures shall be classified in one of the seven categories of 'types A to G' for this class, according to the following principles:

- (a) any self-reactive substance or mixture which can detonate or deflagrate rapidly, as packaged, shall be defined as self-reactive substance TYPE A;

- (b) any self-reactive substance or mixture possessing explosive properties and which, as packaged, neither detonates nor deflagrates rapidly, but is liable to undergo a thermal explosion in that package shall be defined as self-reactive substance TYPE B;

- (c) any self-reactive substance or mixture possessing explosive properties when the substance or mixture as packaged cannot detonate or deflagrate rapidly or undergo a thermal explosion shall be defined as self-reactive substance TYPE C;

- (d) any self-reactive substance or mixture which in laboratory testing:

- (i) detonates partially, does not deflagrate rapidly and shows no violent effect when heated under confinement; or

- (ii) does not detonate at all, deflagrates slowly and shows no violent effect when heated under confinement; or

- (iii) does not detonate or deflagrate at all and shows a medium effect when heated under confinement;

shall be defined as self-reactive substance TYPE D;

- (e) any self-reactive substance or mixture which, in laboratory testing, neither detonates nor deflagrates at all and shows low or no effect when heated under confinement shall be defined as self-reactive substance TYPE E;

- (f) any self-reactive substance or mixture which, in laboratory testing, neither detonates in the cavitated state nor deflagrates at all and shows only a low or no effect when heated under confinement as well as low or no explosive power shall be defined as self-reactive substance TYPE F;

<sup>(1)</sup> ► **M4** See UN RTDG, Manual of Tests and Criteria, subsections 28.1, 28.2, 28.3 and Table 28.3. ◀

**▼B**

- (g) any self-reactive substance or mixture which, in laboratory testing, neither detonates in the cavitated state nor deflagrates at all and shows no effect when heated under confinement nor any explosive power, provided that it is thermally stable (SADT is 60 °C to 75 °C for a 50 kg package), and, for liquid mixtures, a diluent having a boiling point not less than 150 °C is used for desensitisation shall be defined as self-reactive substance TYPE G. If the mixture is not thermally stable or a diluent having a boiling point less than 150 °C is used for desensitisation, the mixture shall be defined as self-reactive substance TYPE F.

Where the test is conducted in the package form and the packaging is changed, a further test shall be conducted where it is considered that the change in packaging will affect the outcome of the test.

2.8.2.4. *Criteria for temperature control*

Self-reactive substances need to be subjected to temperature control if their SADT is less than or equal to 55 °C. Test methods for determining the SADT as well as the derivation of control and emergency temperatures are given in, Part II, section 28 of the ►M4 UN RTDG ◄, Manual of Tests and Criteria. The test selected shall be conducted in a manner which is representative, both in size and material, of the package.





2.8.3. *Hazard Communication*

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.8.1.

**▼M12**

Table 2.8.1

Label elements for self-reactive substances and mixtures

| Classification                     | Type A  | Type B  | Type C & D   | Type E & F  | Type G (1)  |
|------------------------------------|---|---|--|---|---|
| GHS Pictograms                     |  |  |  |  | There are no label elements allocated to this hazard category |
| Signal Word                        | Danger  | Danger  | Danger   | Warning   |   |
| Hazard Statement                   | H240: Heating may cause an explosion  | H241: Heating may cause a fire or explosion   | H242: Heating may cause a fire   | H242: Heating may cause a fire  |   |
| Precautionary Statement Prevention | P210<br>P234<br>P235<br>P240<br>P280  | P210<br>P234<br>P235<br>P240<br>P280  | P210<br>P234<br>P235<br>P240<br>P280   | P210<br>P234<br>P235<br>P240<br>P280  |   |



▼ **M12**

| Classification                   | Type A                    | Type B                                     | Type C & D           | Type E & F           | Type G <sup>(1)</sup> |
|----------------------------------|---------------------------|--|----------------------|----------------------|-----------------------|
| Precautionary Statement Response | P370 + P372 + P380 + P373 | P370 + P380 + P375 [+ P378] <sup>(2)</sup> | P370 + P378          | P370 + P378          |                       |
| Precautionary Statement Storage  | P403<br>P411<br>P420      | P403<br>P411<br>P420                       | P403<br>P411<br>P420 | P403<br>P411<br>P420 |                       |
| Precautionary Statement Disposal | P501                      | P501                                       | P501                 | P501                 |                       |

(1) Type G has no hazard communication elements assigned but should be considered for properties belonging to other hazard classes.

(2) See the introduction to Annex IV for details on the use of square brackets.

▼ **B**

Type G has no hazard communication elements assigned but shall be considered for properties belonging to other hazard classes.

2.8.4. *Additional Classification Considerations*

2.8.4.1. The properties of self-reactive substances or mixtures which are decisive for their classification shall be determined experimentally. The classification of a self reactive substance or mixture shall be performed in accordance with test series A to H as described in Part II of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria. The procedure for classification is described in Figure 2.8.1.

2.8.4.2. The classification procedures for self-reactive substances and mixtures need not be applied if:

- (a) There are no chemical groups present in the molecule associated with explosive or self reactive properties. Examples of such groups are given in Tables A6.1 and A6.2 in Appendix 6 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria; or
- (b) For a single organic substance or a homogeneous mixture of organic substances, the estimated SADT for a 50 kg package is greater than 75 °C or the exothermic decomposition energy is less than 300J/g. The onset temperature and decomposition energy can be estimated using a suitable calorimetric technique (see Part II, sub-section 20.3.3.3 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria).



**▼ B**2.9. **Pyrophoric liquids**2.9.1. **Definition**

Pyrophoric liquid means a liquid substance or mixture which, even in small quantities, is liable to ignite within five minutes after coming into contact with air.

2.9.2. **Classification criteria**

- 2.9.2.1. A pyrophoric liquid shall be classified in a single category for this class using test N.3 in Part III, sub-section 33.3.1.5 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria according to Table 2.9.1:

Table 2.9.1

**Criteria for pyrophoric liquids**

| Category | Criteria   |
|----------|--|
| 1        | The liquid ignites within 5 min when added to an inert carrier and exposed to air, or it ignites or chars a filter paper on contact with air within 5 min. |


2.9.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.9.2.

**▼ M12**

Table 2.9.2

**Label elements for pyrophoric liquids**

| Classification                     | Category 1  |
|------------------------------------|---|
| GHS Pictogram                      |  |
| Signal Word                        | Danger  |
| Hazard Statement                   | H250: Catches fire spontaneously if exposed to air                                  |
| Precautionary Statement Prevention | P210<br>P222<br>P231 + P232<br>P233<br>P280   |
| Precautionary Statement Response   | P302 + P334<br>P370 + P378  |
| Precautionary Statement Storage    |   |
| Precautionary Statement Disposal   |   |

**▼ B**2.9.4. **Additional Classification Considerations**

- 2.9.4.1. The classification procedure for pyrophoric liquids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).

**▼ B**2.10. **Pyrophoric solids**2.10.1. **Definition**

Pyrophoric solid means a solid substance or mixture which, even in small quantities, is liable to ignite within five minutes after coming into contact with air.

2.10.2. **Classification criteria**

- 2.10.2.1. A pyrophoric solid shall be classified in a single category for this class using test N.2 in Part III, sub-section 33.3.1.4 of the ►M4 UN RTDG ◄, Manual of Tests and Criteria in accordance with Table 2.10.1:

Table 2.10.1

**Criteria for pyrophoric solids**

| Category | Criteria  |
|----------|---|
| 1        | The solid ignites within 5 minutes of coming into contact with air. |

*Note*

The test shall be performed on the substance or mixture in its physical form as presented. If, for example, for the purposes of supply or transport, the same chemical is to be presented in a physical form different from that which was tested and which is considered likely to materially alter its performance in a classification test, the substance shall also be tested in the new form.


2.10.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.10.2.

**▼ M12**

Table 2.10.2

**Label elements for pyrophoric solids**

| Classification                     | Category 1  |
|------------------------------------|---|
| GHS Pictogram                      |  |
| Signal Word                        | Danger  |
| Hazard Statement                   | H250: Catches fire spontaneously if exposed to air                                  |
| Precautionary Statement Prevention | P210<br>P222<br>P231 + P232<br>P233<br>P280   |
| Precautionary Statement Response   | P302 + P335 + P334<br>P370 + P378   |
| Precautionary Statement Storage    |   |
| Precautionary Statement Disposal   |   |

**▼ B**2.10.4. *Additional Classification Considerations*

- 2.10.4.1. The classification procedure for pyrophoric solids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).

2.11. **Self-heating substances and mixtures**2.11.1. *Definition*

- 2.11.1.1. A self-heating substance or mixture is a liquid or solid substance or mixture, other than a pyrophoric liquid or solid, which, by reaction with air and without energy supply, is liable to self-heat; this substance or mixture differs from a pyrophoric liquid or solid in that it will ignite only when in large amounts (kilograms) and after long periods of time (hours or days).

**▼ M2**

- 2.11.1.2. Self-heating of a substance or a mixture is a process where the gradual reaction of that substance or mixture with oxygen (in the air) generates heat. If the rate of heat production exceeds the rate of heat loss, then the temperature of the substance or mixture will rise which, after an induction time, may lead to self-ignition and combustion.

**▼ B**2.11.2. *Classification criteria*

- 2.11.2.1. A substance or mixture shall be classified as a self-heating substance or mixture of this class, if in the tests performed in accordance with the test method given in the ► **M4** UN RTDG ◀, Manual of Tests and Criteria, Part III, sub-section 33.3.1.6:

- (a) a positive result is obtained using a 25 mm cube sample at 140 °C;
- (b) a positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 100 mm cube sample at 120 °C and the substance or mixture is to be packed in packages with a volume of more than 3 m<sup>3</sup>;
- (c) a positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 100 mm cube sample at 100 °C and the substance or mixture is to be packed in packages with a volume of more than 450 litres;
- (d) a positive result is obtained in a test using a 100 mm sample cube at 140 °C and a positive result is obtained in a test using a 100 mm cube sample at 100 °C.

- 2.11.2.2. A self-heating substance or mixture shall be classified in one of the two categories for this class if, in a test performed in accordance with test method N.4 in Part III, sub-section 33.3.1.6 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria, the result meets the criteria according to Table 2.11.1:

▼ **B**

Table 2.11.1

**Criteria for self-heating substances and mixtures**

| Category | Criteria  |
|----------|---|
| 1        | A positive result is obtained in a test using a 25 mm sample cube at 140 °C   |
| 2        | (a) a positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 25 mm cube sample at 140 °C and the substance or mixture is to be packed in packages with a volume of more than 3 m <sup>3</sup> ; or<br>(b) a positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 25 mm cube sample at 140 °C, a positive result is obtained in a test using a 100 mm cube sample at 120 °C and the substance or mixture is to be packed in packages with a volume of more than 450 litres; or<br>(c) a positive result is obtained in a test using a 100 mm sample cube at 140 °C and a negative result is obtained in a test using a 25 mm cube sample at 140 °C and a positive result is obtained in a test using a 100 mm cube sample at 100 °C. |

## Note

The test shall be performed on the substance or mixture in its physical form as presented. If, for example, for the purposes of supply or transport, the same chemical is to be presented in a physical form different from that which was tested and which is considered likely to materially alter its performance in a classification test, the substance shall also be tested in the new form.

2.11.2.3. Substances and mixtures with a temperature of spontaneous combustion higher than 50 °C for a volume of 27 m<sup>3</sup> shall not be classified as a self-heating substance or mixture.

2.11.2.4. Substances and mixtures with a spontaneous ignition temperature higher than 50 °C for a volume of 450 litres shall not be assigned to Category 1 of this class.



2.11.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.11.2.

▼ **M12**

Table 2.11.2

**Label elements for self-heating substances and mixtures**

| Classification   | Category 1  | Category 2   |
|------------------|---|--|
| GHS Pictograms   |  |  |
| Signal Word      | Danger  | Warning  |
| Hazard Statement | H251: Self-heating; may catch fire  | H252: Self-heating in large quantities; may catch fire                               |

**▼ M12**

| Classification                     | Category 1           | Category 2           |
|------------------------------------|----------------------|----------------------|
| Precautionary Statement Prevention | P235<br>P280         | P235<br>P280         |
| Precautionary Statement Response   |                      |                      |
| Precautionary Statement Storage    | P407<br>P413<br>P420 | P407<br>P413<br>P420 |
| Precautionary Statement Disposal   |                      |                      |


**▼ B**

- 2.11.4. *Additional Classification Considerations*
- 2.11.4.1. For detailed schemes for the decision logic for classification and the tests to be carried out for ascertaining the different categories, see Figure 2.11.1.
- 2.11.4.2. The classification procedure for self-heating substances or mixtures need not be applied if the results of a screening test can be adequately correlated with the classification test and an appropriate safety margin is applied. Examples of screening tests are:
- (a) The Grewer Oven test (VDI guideline 2263, Part 1, 1990, Test methods for the Determination of the Safety Characteristics of Dusts) with an onset temperature 80 K above the reference temperature for a volume of 1 l;
  - (b) The Bulk Powder Screening Test (Gibson, N. Harper, D.J. Rogers, R. Evaluation of the fire and explosion risks in drying powders, Plant Operations Progress, 4 (3), 181-189, 1985) with an onset temperature 60 K above the reference temperature for a volume of 1 l.

▼B

Figure 2.11.1.

## Self-heating substances and mixtures





**▼ B****2.12. Substances and mixtures which in contact with water emit flammable gases****2.12.1. Definition**

Substances or mixtures which, in contact with water, emit flammable gases means solid or liquid substances or mixtures which, by interaction with water, are liable to become spontaneously flammable or to give off flammable gases in dangerous quantities.

**2.12.2. Classification criteria**

2.12.2.1. A substance or mixture which, in contact with water, emits flammable gases shall be classified in one of the three categories for this class, using test N.5 in Part III, sub-section 33.4.1.4 of the ►M4 UN RTDG ◀, Manual of Tests and Criteria, in accordance with Table 2.12.1:

Table 2.12.1

**Criteria for substances or mixtures which in contact with water emit flammable gases**

| Category | Criteria   |
|----------|--|
| 1        | Any substance or mixture which reacts vigorously with water at ambient temperatures and demonstrates generally a tendency for the gas produced to ignite spontaneously, or which reacts readily with water at ambient temperatures such that the rate of evolution of flammable gas is equal to or greater than 10 litres per kilogram of substance over any one minute. |
| 2        | Any substance or mixture which reacts readily with water at ambient temperatures such that the maximum rate of evolution of flammable gas is equal to or greater than 20 litres per kilogram of substance per hour, and which does not meet the criteria for Category 1.   |
| 3        | Any substance or mixture which reacts slowly with water at ambient temperatures such that the maximum rate of evolution of flammable gas is equal to or greater than 1 litre per kilogram of substance per hour, and which does not meet the criteria for Categories 1 and 2.  |

*Note:*

The test shall be performed on the substance or mixture in its physical form as presented. If, for example, for the purposes of supply or transport, the same chemical is to be presented in a physical form different from that which was tested and which is considered likely to materially alter its performance in a classification test, the substance must also be tested in the new form.

2.12.2.2. A substance or mixture shall be classified as a substance or mixture which in contact with water emits flammable gases if spontaneous ignition takes place in any step of the test procedure.




**2.12.3. Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.12.2.

▼ **M12**

Table 2.12.2

**Label elements for substances and mixtures which in contact with water emit flammable gases**

| Classification                     | Category 1  | Category 2  | Category 3   |
|------------------------------------|---|---|--|
| GHS Pictograms                     |    |  |  |
| Signal Word                        | Danger  | Danger  | Warning  |
| Hazard Statement                   | H260: In contact with water releases flammable gases which may ignite spontaneously | H261: In contact with water releases flammable gases                              | H261: In contact with water releases flammable gases                               |
| Precautionary Statement Prevention | P223<br>P231 + P232<br>P280   | P223<br>P231 + P232<br>P280   | P231 + P232<br>P280  |
| Precautionary Statement Response   | P302 + P335 + P334<br>P370 + P378   | P302 + P335 + P334<br>P370 + P378   | P370 + P378  |
| Precautionary Statement Storage    | P402 + P404   | P402 + P404   | P402 + P404  |
| Precautionary Statement Disposal   | P501  | P501  | P501   |

▼ **B**2.12.4. **Additional Classification Considerations**

2.12.4.1. The classification procedure for this class need not be applied if:

- (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or
- (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or
- (c) the substance or mixture is known to be soluble in water to form a stable mixture.

2.13. **Oxidising liquids**2.13.1. **Definition**

Oxidising liquid means a liquid substance or mixture which, while in itself not necessarily combustible, may, generally by yielding oxygen, cause, or contribute to, the combustion of other material.

2.13.2. **Classification criteria**

2.13.2.1. An oxidising liquid shall be classified in one of the three categories for this class using test O.2 in Part III, sub-section 34.4.2 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria in accordance with Table 2.13.1:

**▼ B**

Table 2.13.1

**Criteria for oxidising liquids**

| Category | Criteria  |
|----------|---|
| 1        | Any substance or mixture which, in the 1:1 mixture, by mass, of substance (or mixture) and cellulose tested, spontaneously ignites; or the mean pressure rise time of a 1:1 mixture, by mass, of substance (or mixture) and cellulose is less than that of a 1:1 mixture, by mass, of 50 % perchloric acid and cellulose.         |
| 2        | Any substance or mixture which, in the 1:1 mixture, by mass, of substance (or mixture) and cellulose tested, exhibits a mean pressure rise time less than or equal to the mean pressure rise time of a 1:1 mixture, by mass, of 40 % aqueous sodium chlorate solution and cellulose; and the criteria for Category 1 are not met. |
| 3        | Any substance or mixture which, in the 1:1 mixture, by mass, of substance (or mixture) and cellulose tested, exhibits a mean pressure rise time less than or equal to the mean pressure rise time of a 1:1 mixture, by mass, of 65 % aqueous nitric acid and cellulose; and the criteria for Category 1 and 2 are not met.        |

2.13.3.




**Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.13.2.

**▼ M12**

Table 2.13.2

**Label elements for oxidising liquids**

| Classification                     | Category 1  | Category 2  | Category 3   |
|------------------------------------|---|---|--|
| GHS Pictograms                     |  |  |  |
| Signal Word                        | Danger  | Danger  | Warning  |
| Hazard Statement                   | H271: May cause fire or explosion; strong oxidiser                                  | H272: May intensify fire; oxidiser  | H272: May intensify fire; oxidiser   |
| Precautionary Statement Prevention | P210<br>P220<br>P280<br>P283  | P210<br>P220<br>P280  | P210<br>P220<br>P280   |
| Precautionary Statement Response   | P306 + P360<br>P371 + P380<br>+ P375<br>P370 + P378                                 | P370 + P378   | P370 + P378  |

▼ **M12**

| Classification                   | Category 1 | Category 2 | Category 3 |
|----------------------------------|------------|------------|------------|
| Precautionary Statement Storage  | P420       |            |            |
| Precautionary Statement Disposal | P501       | P501       | P501       |

▼ **B**

- 2.13.4. **Additional Classification Considerations**
- 2.13.4.1. For organic substances or mixtures the classification procedure for this class shall not apply if:
- the substance or mixture does not contain oxygen, fluorine or chlorine; or
  - the substance or mixture contains oxygen, fluorine or chlorine and these elements are chemically bonded only to carbon or hydrogen.
- 2.13.4.2. For inorganic substances or mixtures the classification procedure for this class shall not apply if they do not contain oxygen or halogen atoms.
- 2.13.4.3. In the event of divergence between test results and known experience in the handling and use of substances or mixtures which shows them to be oxidising, judgments based on known experience shall take precedence over test results.
- 2.13.4.4. In cases where substances or mixtures generate a pressure rise (too high or too low), caused by chemical reactions not characterising the oxidising properties of the substance or mixture, the test described in Part III, sub-section 34.4.2 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria shall be repeated with an inert substance, e.g. diatomite (kieselguhr), in place of the cellulose in order to clarify the nature of the reaction and to check for a false positive result.
- 2.14. **Oxidising solids**
- 2.14.1. **Definition**
- Oxidising solid means a solid substance or mixture which, while in itself is not necessarily combustible, may, generally by yielding oxygen, cause, or contribute to, the combustion of other material.
- 2.14.2. **Classification criteria**
- 2.14.2.1. ► **M12** An oxidising solid shall be classified in one of the three categories for this class using test O.1 in Part III, sub-section 34.4.1 or test O.3 in Part III, sub-section 34.4.3 of the UN RTDG, Manual of Tests and Criteria in accordance with Table 2.14.1: ◀

▼ **M12**

Table 2.14.1

**Criteria for oxidising solids**

| Category | Criteria using test O.1  | Criteria using test O.3  |
|----------|--|--|
| 1        | Any substance or mixture which, in the 4:1 or 1:1 sample-to-cellulose ratio (by mass) tested, exhibits a mean burning time less than the mean burning time of a 3:2 mixture, | Any substance or mixture which, in the 4:1 or 1:1 sample-to-cellulose ratio (by mass) tested, exhibits a mean burning rate greater than the mean burning rate of a 3:1 |

▼ **M12**

| Category | Criteria using test O.1   | Criteria using test O.3   |
|----------|---|---|
|          | (by mass), of potassium bromate and cellulose.  | mixture (by mass) of calcium peroxide and cellulose.  |
| 2        | Any substance or mixture which, in the 4:1 or 1:1 sample-to-cellulose ratio (by mass) tested, exhibits a mean burning time equal to or less than the mean burning time of a 2:3 mixture (by mass) of potassium bromate and cellulose and the criteria for Category 1 are not met.         | Any substance or mixture which, in the 4:1 or 1:1 sample-to-cellulose ratio (by mass) tested, exhibits a mean burning rate equal to or greater than the mean burning rate of a 1:1 mixture (by mass) of calcium peroxide and cellulose and the criteria for Category 1 are not met.         |
| 3        | Any substance or mixture which, in the 4:1 or 1:1 sample-to-cellulose ratio (by mass) tested, exhibits a mean burning time equal to or less than the mean burning time of a 3:7 mixture (by mass) of potassium bromate and cellulose and the criteria for Categories 1 and 2 are not met. | Any substance or mixture which, in the 4:1 or 1:1 sample-to-cellulose ratio (by mass) tested, exhibits a mean burning rate equal to or greater than the mean burning rate of a 1:2 mixture (by mass) of calcium peroxide and cellulose and the criteria for Categories 1 and 2 are not met. |

▼ **B***Note 1*

Some oxidising solids also present explosion hazards under certain conditions (when stored in large quantities). Some types of ammonium nitrate may give rise to an explosion hazard under extreme conditions and the 'Resistance to detonation test' ► **M12** (IMSBC Code (International Maritime Solid Bulk Cargoes Code, IMO), Appendix 2, Section 5) ◀ can be used to assess this hazard. Appropriate information shall be made in the SDS.

*Note 2*

The test shall be performed on the substance or mixture in its physical form as presented. If, for example, for the purposes of supply or transport, the same chemical is to be presented in a physical form different from that which was tested and which is considered likely to materially alter its performance in a classification test, the substance shall also be tested in the new form.

2.14.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.14.2.

▼ **M12**

Table 2.14.2

**Label elements for oxidising solids**

|                                    | Category 1   | Category 2                         | Category 3                         |
|------------------------------------|--|------------------------------------|------------------------------------|
| GHS Pictograms                     |  |                                    |                                    |
| Signal Word                        | Danger   | Danger                             | Warning                            |
| Hazard Statement                   | H271: May cause fire or explosion; strong oxidiser | H272: May intensify fire; oxidiser | H272: May intensify fire; oxidiser |
| Precautionary Statement Prevention | P210<br>P220<br>P280<br>P283                       | P210<br>P220<br>P280               | P210<br>P220<br>P280               |
| Precautionary Statement Response   | P306 + P360<br>P371 + P380 + P375<br>P370 + P378   | P370 + P378                        | P370 + P378                        |
| Precautionary Statement Storage    | P420   |                                    |                                    |
| Precautionary Statement Disposal   | P501   | P501                               | P501                               |

▼ **B**

- 2.14.4. **Additional Classification Considerations**
- 2.14.4.1. For organic substances or mixtures the classification procedure for this class shall not apply if:
- the substance or mixture does not contain oxygen, fluorine or chlorine; or
  - the substance or mixture contains oxygen, fluorine or chlorine and these elements are chemically bonded only to carbon or hydrogen.
- 2.14.4.2. For inorganic substances or mixtures the classification procedure for this class shall not apply if they do not contain oxygen or halogen atoms.
- 2.14.4.3. In the event of divergence between test results and known experience in the handling and use of substances or mixtures which shows them to be oxidising, judgments based on known experience shall take precedence over test results.
- 2.15. **Organic peroxides**
- 2.15.1. **Definition**
- 2.15.1.1. Organic peroxides means liquid or solid organic substances which contain the bivalent -O-O- structure and may be considered derivatives of hydrogen peroxide, where one or both of the hydrogen atoms have been replaced by organic radicals. The term organic

**▼B**

peroxide includes organic peroxide mixtures (formulations) containing at least one organic peroxide. Organic peroxides are thermally unstable substances or mixtures, which can undergo exothermic self-accelerating decomposition. In addition, they can have one or more of the following properties:

- (i) be liable to explosive decomposition;
- (ii) burn rapidly;
- (iii) be sensitive to impact or friction;
- (iv) react dangerously with other substances.

2.15.1.2. An organic peroxide is regarded as possessing explosive properties when in laboratory testing the mixture (formulation) is liable to detonate, to deflagrate rapidly or to show a violent effect when heated under confinement.

2.15.2. **Classification criteria**

2.15.2.1. Any organic peroxide shall be considered for classification in this class, unless it contains:

- (a) not more than 1,0 % available oxygen from the organic peroxides when containing not more than 1,0 % hydrogen peroxide; or
- (b) not more than 0,5 % available oxygen from the organic peroxides when containing more than 1,0 % but not more than 7,0 % hydrogen peroxide.

*Note*

The available oxygen content ( %) of an organic peroxide mixture is given by the formula:

$$16 \times \sum_i^n \left( \frac{n_i \times c_i}{m_i} \right)$$

where:

$n_i$  = number of peroxygen groups per molecule of organic peroxide  $i$ ;

$c_i$  = concentration (mass %) of organic peroxide  $i$ ;

$m_i$  = molecular mass of organic peroxide  $i$ .

2.15.2.2. Organic peroxides shall be classified in one of the seven categories of 'Types A to G' for this class, according to the following principles:

- (a) any organic peroxide which, as packaged, can detonate or deflagrate rapidly shall be defined as organic peroxide TYPE A;
- (b) any organic peroxide possessing explosive properties and which, as packaged, neither detonates nor deflagrates rapidly, but is liable to undergo a thermal explosion in that package shall be defined as organic peroxide TYPE B;

**▼B**

- (c) any organic peroxide possessing explosive properties when the substance or mixture as packaged cannot detonate or deflagrate rapidly or undergo a thermal explosion shall be defined as organic peroxide TYPE C;
- (d) any organic peroxide which in laboratory testing:
- (i) detonates partially, does not deflagrate rapidly and shows no violent effect when heated under confinement; or
  - (ii) does not detonate at all, deflagrates slowly and shows no violent effect when heated under confinement; or
  - (iii) does not detonate or deflagrate at all and shows a medium effect when heated under confinement;
- shall be defined as organic peroxide TYPE D;
- (e) any organic peroxide which, in laboratory testing, neither detonates nor deflagrates at all and shows low or no effect when heated under confinement shall be defined as organic peroxide TYPE E;
- (f) any organic peroxide which, in laboratory testing, neither detonates in the cavitated state nor deflagrates at all and shows only a low or no effect when heated under confinement as well as low or no explosive power shall be defined as organic peroxide TYPE F;
- (g) any organic peroxide which, in laboratory testing, neither detonates in the cavitated state nor deflagrates at all and shows no effect when heated under confinement nor any explosive power, provided that it is thermally stable, i.e. the SADT is 60 °C or higher for a 50 kg package <sup>(1)</sup>, and, for liquid mixtures, a diluent having a boiling point of not less than 150 °C is used for desensitisation, shall be defined as organic peroxide TYPE G. If the organic peroxide is not thermally stable or a diluent having a boiling point less than 150 °C is used for desensitisation, the organic peroxide shall be defined as organic peroxide TYPE F.

Where the test is conducted in the package form and the packaging is changed, a further test shall be conducted where it is considered that the change in packaging will affect the outcome of the test.

#### 2.15.2.3. *Criteria for temperature control*

The following organic peroxides need to be subjected to temperature control:

- (a) Organic peroxide types B and C with an SADT  $\leq$  50 °C;
- (b) Organic peroxide type D showing a medium effect when heated under confinement <sup>(2)</sup> with an SADT  $\leq$  50 °C or showing a low or no effect when heated under confinement with an SADT  $\leq$  45 °C; and
- (c) Organic peroxide types E and F with an SADT  $\leq$  45 °C.

<sup>(1)</sup> ►M4 See UN RTDG, Manual of Tests and Criteria, subsections 28.1, 28.2, 28.3 and Table 28.3. ◀

<sup>(2)</sup> ►M4 As determined by test series E as prescribed in UN RTDG, Manual of Tests and Criteria, Part II. ◀



**▼B**

Test methods for determining the SADT as well as the derivation of control and emergency temperatures are given in the ►M4 UN RTDG ◄, Manual of Tests and Criteria, Part II, section 28. The test selected shall be conducted in a manner which is representative, both in size and material, of the package.





2.15.3. **Hazard Communication**

Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.15.1.

**▼M12**

Table 2.15.1

Label elements for organic peroxides

| Classification                     | Type A   | Type B   | Type C & D  | Type E & F   | Type G  |
|------------------------------------|--|--|---|--|---|
| GHS Pictograms                     |  |  |  |  | There are no label elements allocated to this hazard category |
| Signal Word                        | Danger   | Danger   | Danger  | Warning  |   |
| Hazard Statement                   | H240: Heating may cause an explosion   | H241: Heating may cause a fire or explosion  | H242: Heating may cause a fire  | H242: Heating may cause a fire   |   |
| Precautionary Statement Prevention | P210<br>P234<br>P235<br>P240<br>P280   | P210<br>P234<br>P235<br>P240<br>P280   | P210<br>P234<br>P235<br>P240<br>P280  | P210<br>P234<br>P235<br>P240<br>P280   |   |
| Precautionary Statement Response   | P370 + P372 + P380 + P373  | P370 + P380 + P375[+ P378] (1)   | P370 + P378   | P370 + P378  |   |
| Precautionary Statement Storage    | P403<br>P410<br>P411<br>P420   | P403<br>P410<br>P411<br>P420   | P403<br>P410<br>P411<br>P420  | P403<br>P410<br>P411<br>P420   |   |
| Precautionary Statement Disposal   | P501   | P501   | P501  | P501   |   |

(1) See the introduction to Annex IV for details on the use of square brackets.

**▼B**

Type G has no hazard communication elements assigned but shall be considered for properties belonging to other hazard classes.

2.15.4. **Additional Classification Considerations**

2.15.4.1. Organic peroxides are classified by definition based on their chemical structure and on the available oxygen and hydrogen peroxide contents of the mixture (see 2.15.2.1). The properties of

**▼B**


organic peroxides which are necessary for their classification shall be determined experimentally. The classification of organic peroxides shall be performed in accordance with test series A to H as described in Part II of the ►**M4** UN RTDG ◀, Manual of Tests and Criteria. The procedure for classification is described in Figure 2.15.1.

- 2.15.4.2. Mixtures of already classified organic peroxides may be classified as the same type of organic peroxide as that of the most dangerous component. However, as two stable components can form a thermally less stable mixture, the SADT of the mixture shall be determined.

Note: The sum of the individual parts can be more hazardous than the individual components.

▼ M12

Figure 2.15.1  
Organic Peroxides



**▼ B**2.16. **Corrosive to metals**2.16.1. **Definition**

A substance or a mixture that is corrosive to metals means a substance or a mixture which by chemical action will materially damage, or even destroy, metals.

2.16.2. **Classification criteria**

2.16.2.1. A substance or a mixture which is corrosive to metals is classified in a single category for this class, using the test in Part III, sub-section 37.4 of the ► **M4** UN RTDG ◀, Manual of Tests and Criteria, in accordance with Table 2.16.1:

Table 2.16.1

**Criteria for substances and mixtures corrosive to metals**

| Category | Criteria  |
|----------|---|
| 1        | Corrosion rate on either steel or aluminium surfaces exceeding 6,25 mm per year at a test temperature of 55 °C when tested on both materials. |

*Note*


Where an initial test on either steel or aluminium indicates the substance or mixture being tested is corrosive the follow up test on the other metal is not required.

2.16.3. **Hazard Communication**

Label elements shall be used for substances and mixtures meeting the criteria for classification in this hazard class in accordance with Table 2.16.2.

Table 2.16.2

**Label elements for substances and mixtures corrosive to metals**

| Classification                     | Category 1  |
|------------------------------------|---|
| GHS Pictogram                      |  |
| Signal Word                        | Warning   |
| Hazard Statement                   | H290: May be corrosive to metals  |
| Precautionary Statement Prevention | P234  |
| Precautionary Statement Response   | P390  |
| Precautionary Statement Storage    | P406  |
| Precautionary Statement Disposal   |   |

**▼ M4***Note:*

Where a substance or mixture is classified as corrosive to metals but not corrosive to skin and/or eyes, the labelling provisions set out in section 1.3.6 shall be used.

**▼B**

- 2.16.4. *Additional Classification Considerations*
- 2.16.4.1. The corrosion rate can be measured according to the test method of Part III sub-section 37.4 of the ►**M4** UN RTDG ◀, Manual of Tests and Criteria. The specimen to be used for the test shall be made of the following materials:
- (a) for the purposes of testing steel, steel types
    - S235JR+CR (1.0037 resp.St 37-2),
    - S275J2G3+CR (1.0144 resp.St 44-3), ISO 3574 as amended, Unified Numbering System (UNS) G 10200, or SAE 1020;
  - (b) for the purposes of testing aluminium: non-clad types 7075-T6 or AZ5GU-T6.

**▼ B**

## 3. PART 3: HEALTH HAZARDS

## 3.1. Acute toxicity

## 3.1.1. Definitions

3.1.1.1. Acute toxicity means those adverse effects occurring following oral or dermal administration of a single dose of a substance or a mixture, or multiple doses given within 24 hours, or an inhalation exposure of 4 hours.

3.1.1.2. The hazard class Acute Toxicity is differentiated into:

— Acute oral toxicity;

— Acute dermal toxicity;

— Acute inhalation toxicity.

## 3.1.2. Criteria for classification of substances as acutely toxic

**▼ M2**

3.1.2.1. ► **M12** Substances can be allocated to one of four hazard categories based on acute toxicity by the oral, dermal or inhalation route according to the numeric criteria shown in Table 3.1.1. ◀ Acute toxicity values are expressed as (approximate) LD<sub>50</sub> (oral, dermal) or LC<sub>50</sub> (inhalation) values or as acute toxicity estimates (ATE). Explanatory notes are shown following Table 3.1.1.

Table 3.1.1

Acute toxicity hazard categories and acute toxicity estimates (ATE) defining the respective categories

| Exposure route  | Category 1 | Category 2       | Category 3        | Category 4           |
|---|------------|------------------|-------------------|----------------------|
| Oral (mg/kg bodyweight)<br>See: Note (a)<br>Note (b)                  | ATE ≤ 5    | 5 < ATE ≤ 50     | 50 < ATE ≤ 300    | 300 < ATE ≤ 2 000    |
| Dermal (mg/kg bodyweight)<br>See: Note (a)<br>Note (b)                | ATE ≤ 50   | 50 < ATE ≤ 200   | 200 < ATE ≤ 1 000 | 1 000 < ATE ≤ 2 000  |
| Gases (ppmV <sup>(1)</sup> )<br>see: Note (a)<br>Note (b)<br>Note (c) | ATE ≤ 100  | 100 < ATE ≤ 500  | 500 < ATE ≤ 2 500 | 2 500 < ATE ≤ 20 000 |
| Vapours (mg/l)<br>see: Note (a)<br>Note (b)<br>Note (c)<br>Note (d)   | ATE ≤ 0,5  | 0,5 < ATE ≤ 2,0  | 2,0 < ATE ≤ 10,0  | 10,0 < ATE ≤ 20,0    |
| Dusts and mists (mg/l)<br>see: Note (a)<br>Note (b)<br>Note (c)       | ATE ≤ 0,05 | 0,05 < ATE ≤ 0,5 | 0,5 < ATE ≤ 1,0   | 1,0 < ATE ≤ 5,0      |

<sup>(1)</sup> Gas concentrations are expressed in parts per million per volume (ppmV).

**▼ M2**

*Notes to Table 3.1.1:*

- (a) The acute toxicity estimate (ATE) for the classification of a substance is derived using the LD<sub>50</sub>/LC<sub>50</sub> where available.
- (b) The acute toxicity estimate (ATE) for the classification of a substance in a mixture is derived using:
  - the LD<sub>50</sub>/LC<sub>50</sub> where available,
  - the appropriate conversion value from Table 3.1.2 that relates to the results of a range test, or
  - the appropriate conversion value from Table 3.1.2 that relates to a classification category.

**▼ M4**

- (c) The ranges of the acute toxicity estimates (ATE) for inhalation toxicity used in the Table are based on 4-hour testing exposures. Conversion of existing inhalation toxicity data which have been generated using a 1-hour exposure can be carried out by dividing by a factor of 2 for gases and vapours and 4 for dusts and mists.

**▼ M2**

- (d) For some substances the test atmosphere will not just be a vapour but will consist of a mixture of liquid and vapour phases. For other substances the test atmosphere may consist of a vapour which is near the gaseous phase. In these latter cases, classification shall be based on ppmV as follows: Category 1 (100 ppmV), Category 2 (500 ppmV), Category 3 (2 500 ppmV), Category 4 (20 000 ppmV).

The terms 'dust', 'mist' and 'vapour' are defined as follows:

- dust: solid particles of a substance or mixture suspended in a gas (usually air),
- mist: liquid droplets of a substance or mixture suspended in a gas (usually air),
- vapour: the gaseous form of a substance or mixture released from its liquid or solid state.

Dust is generally formed by mechanical processes. Mist is generally formed by condensation of supersaturated vapours or by physical shearing of liquids. Dusts and mists generally have sizes ranging from less than 1 to about 100 µm.

**▼ B**

- 3.1.2.2. *Specific considerations for classification of substances as acutely toxic*
- 3.1.2.2.1. The preferred test species for evaluation of acute toxicity by the oral and inhalation routes is the rat, while the rat or rabbit are preferred for evaluation of acute dermal toxicity. When experimental data for acute toxicity are available in several animal species, scientific judgement shall be used in selecting the most appropriate LD<sub>50</sub> value from among valid, well-performed tests.
- 3.1.2.3. *Specific considerations for classification of substances as acutely toxic by the inhalation route*
- 3.1.2.3.1. Units for inhalation toxicity are a function of the form of the inhaled material. Values for dusts and mists are expressed in mg/l. Values for gases are expressed in ppmV. Acknowledging the difficulties in testing vapours, some of which consist of mixtures of liquid and vapour phases, the table provides values in units of mg/l. However, for those vapours which are near the gaseous phase, classification shall be based on ppmV.

**▼B**

3.1.2.3.2. ► **M12** Of particular importance in classifying for inhalation toxicity is the use of well articulated values in the highest hazard categories for dusts and mists. ◀ Inhaled particles between 1 and 4 microns mean mass aerodynamic diameter (MMAD) will deposit in all regions of the rat respiratory tract. This particle size range corresponds to a maximum dose of about 2 mg/l. In order to achieve applicability of animal experiments to human exposure, dusts and mists would ideally be tested in this range in rats.

3.1.2.3.3. In addition to classification for inhalation toxicity, if data are available that indicates that the mechanism of toxicity was corrosivity, the substance or mixture shall also be labelled as 'corrosive to the respiratory tract' (see note 1 in 3.1.4.1). Corrosion of the respiratory tract is defined by destruction of the respiratory tract tissue after a single, limited period of exposure analogous to skin corrosion; this includes destruction of the mucosa. The corrosivity evaluation can be based on expert judgment using such evidence as: human and animal experience, existing (in vitro) data, pH values, information from similar substances or any other pertinent data.

3.1.3. *Criteria for classification of mixtures as acutely toxic*

3.1.3.1. The criteria for classification of substances for acute toxicity as outlined in section 3.1.2 are based on lethal dose data (tested or derived). For mixtures, it is necessary to obtain or derive information that allows the criteria to be applied to the mixture for the purpose of classification. The approach to classification for acute toxicity is tiered, and is dependent upon the amount of information available for the mixture itself and for its ingredients. The flow chart of Figure 3.1.1 outlines the process to be followed.

**▼M2**

3.1.3.2. For acute toxicity each route of exposure shall be considered for the classification of mixtures, but only one route of exposure is needed as long as this route is followed (estimated or tested) for all components and there is no relevant evidence to suggest acute toxicity by multiple routes. When there is relevant evidence of toxicity by multiple routes of exposure, classification is to be conducted for all appropriate routes of exposure. All available information shall be considered. The pictogram and signal word used shall reflect the most severe hazard category and all relevant hazard statements shall be used.

**▼B**

3.1.3.3. In order to make use of all available data for purposes of classifying the hazards of the mixtures, certain assumptions have been made and are applied where appropriate in the tiered approach:

(a) the 'relevant ingredients' of a mixture are those which are present in concentrations of 1 % (w/w for solids, liquids, dusts, mists and vapours and v/v for gases) or greater, unless there is a reason to suspect that an ingredient present at a concentration of less than 1 % is still relevant for classifying the mixture for acute toxicity (see Table 1.1).

(b) where a classified mixture is used as an ingredient of another mixture, the actual or derived acute toxicity estimate (ATE) for that mixture may be used, when calculating the classification of the new mixture using the formulas in section 3.1.3.6.1 and paragraph 3.1.3.6.2.3.



▼ M2


(c) If the converted acute toxicity point estimates for all components of a mixture are within the same category, then the mixture should be classified in that category.

(d) When only range data (or acute toxicity hazard category information) are available for components in a mixture, they may be converted to point estimates in accordance with Table 3.1.2 when calculating the classification of the new mixture using the formulas in sections 3.1.3.6.1 and 3.1.3.6.2.3.

▼ B

Figure 3.1.1

## Tiered approach to classification of mixtures for acute toxicity



3.1.3.4. *Classification of mixtures where acute toxicity data are available for the complete mixture*

3.1.3.4.1. Where the mixture itself has been tested to determine its acute toxicity, it shall be classified according to the same criteria as those used for substances, presented in Table 3.1.1. If test data for the mixture are not available, the procedures presented under sections 3.1.3.5 and 3.1.3.6 shall be followed.

3.1.3.5. *Classification of mixtures where acute toxicity data are available for the complete mixture: bridging principles*

3.1.3.5.1. Where the mixture itself has not been tested to determine its acute toxicity, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the bridging rules set out in section 1.1.3.

▼ M2

3.1.3.5.2. If a tested mixture is diluted with a diluent that has an equivalent or lower toxicity classification than the least toxic original components, and which is not expected to affect the toxicity of other components, then the new diluted mixture may be classified as equivalent to the original tested mixture. Alternatively, the formula explained in section 3.1.3.6.1 can be applied.

**▼ B**3.1.3.6. *Classification of mixtures based on ingredients of the mixture (Additivity formula)*

## 3.1.3.6.1. Data available for all ingredients

In order to ensure that classification of the mixture is accurate, and that the calculation need only be performed once for all systems, sectors, and categories, the acute toxicity estimate (ATE) of ingredients shall be considered as follows:

- (a) ► **M12** include ingredients with a known acute toxicity, which fall into any of the acute hazard categories shown in Table 3.1.1; ◀
- (b) ignore ingredients that are presumed not acutely toxic (e.g., water, sugar);

**▼ M2**

- (c) ignore components if the data available are from a limit dose test (at the upper threshold for Category 4 for the appropriate route of exposure as provided in Table 3.1.1) and do not show acute toxicity.

Components that fall within the scope of this section are considered to be components with a known acute toxicity estimate (ATE). See note (b) to Table 3.1.1 and section 3.1.3.3 for appropriate application of available data to the equation below, and section 3.1.3.6.2.3.

**▼ B**

The ATE of the mixture is determined by calculation from the ATE values for all relevant ingredients according to the following formula for Oral, Dermal or Inhalation Toxicity:

$$\frac{100}{ATE_{\text{mix}}} = \sum_n \frac{C_i}{ATE_i}$$

where:

$C_i$  = concentration of ingredient i ( % w/w or % v/v)

$i$  = the individual ingredient from 1 to n

$n$  = the number of ingredients

$ATE_i$  = Acute Toxicity Estimate of ingredient i.

3.1.3.6.2. *Classification of mixtures when data are not available for all components*

- 3.1.3.6.2.1. Where an ATE is not available for an individual ingredient of the mixture, but available information, such as that listed below, can provide a derived conversion value such as those laid out in Table 3.1.2, the formula in section 3.1.3.6.1 shall be applied.

This includes evaluation of:

- (a) extrapolation between oral, dermal and inhalation acute toxicity estimates <sup>(1)</sup>. Such an evaluation could require appropriate pharmacodynamic and pharmacokinetic data;
- (b) evidence from human exposure that indicates toxic effects but does not provide lethal dose data;
- (c) evidence from any other toxicity tests/assays available on the substance that indicates toxic acute effects but does not necessarily provide lethal dose data; or

<sup>(1)</sup> ► **M2** When mixtures contain components that do not have acute toxicity data for each route of exposure, acute toxicity estimates may be extrapolated from the available data and applied to the appropriate routes (see section 3.1.3.2). However, specific legislation may require testing for a specific route. In those cases, classification shall be performed for that route based upon the legal requirements. ◀

**▼ B**

(d) data from closely analogous substances using structure/activity relationships.

This approach generally requires substantial supplemental technical information, and a highly trained and experienced expert (expert judgement, see section 1.1.1), to reliably estimate acute toxicity. If such information is not available, proceed to paragraph 3.1.3.6.2.3.

**▼ M4**

3.1.3.6.2.2. In the event that a component without any useable information for classification is used in a mixture at a concentration  $\geq 1\%$ , it is concluded that the mixture cannot be attributed a definitive acute toxicity estimate. In this situation the mixture shall be classified based on the known components only, with the additional statement on the label and in the SDS that 'x per cent of the mixture consists of component(s) of unknown acute toxicity', taking into account the provisions set out in section 3.1.4.2.

3.1.3.6.2.3. If the total concentration of the relevant ingredient(s) with unknown acute toxicity is  $\leq 10\%$  then the formula presented in section 3.1.3.6.1 shall be used. If the total concentration of the relevant ingredient(s) with unknown toxicity is  $> 10\%$ , the formula presented in section 3.1.3.6.1 shall be corrected to adjust for the percentage of the unknown ingredient(s) as follows:

$$\frac{100 - (\sum C \text{ unknown if } > 10\%)}{ATE_{\text{mix}}} = \sum_n \frac{C_i}{ATE_i}$$

**▼ B**

Table 3.1.2

**▼ M2**

**Conversion from experimentally obtained acute toxicity range values (or acute toxicity hazard categories) to acute toxicity point estimates for use in the formulas for the classification of mixtures**

**▼ B**

| Exposure routes               | Classification Category or experimentally obtained acute toxicity range estimate | Converted acute toxicity point estimate (see Note 1) |
|-------------------------------|--|--|
| Oral<br>(mg/kg body-weight)   | 0 < Category 1 $\leq$ 5  | 0,5  |
|                               | 5 < Category 2 $\leq$ 50   | 5  |
|                               | 50 < Category 3 $\leq$ 300   | 100  |
|                               | 300 < Category 4 $\leq$ 2 000  | 500  |
| Dermal<br>(mg/kg body-weight) | 0 < Category 1 $\leq$ 50   | 5  |
|                               | 50 < Category 2 $\leq$ 200   | 50   |
|                               | 200 < Category 3 $\leq$ 1 000  | 300  |
|                               | 1 000 < Category 4 $\leq$ 2 000  | 1 100  |
| Gases<br>(ppmV)               | 0 < Category 1 $\leq$ 100  | 10   |
|                               | 100 < Category 2 $\leq$ 500  | 100  |
|                               | 500 < Category 3 $\leq$ 2 500  | 700  |
|                               | 2 500 < Category 4 $\leq$ 20 000   | 4 500  |
| Vapours<br>(mg/l)             | 0 < Category 1 $\leq$ 0,5  | 0,05   |
|                               | 0,5 < Category 2 $\leq$ 2,0  | 0,5  |
|                               | 2,0 < Category 3 $\leq$ 10,0   | 3  |
|                               | 10,0 < Category 4 $\leq$ 20,0  | 11   |

**▼B**

| Exposure routes  | Classification Category or experimentally obtained acute toxicity range estimate   | Converted acute toxicity point estimate (see Note 1) |
|------------------|--|--|
| Dust/mist (mg/l) | $0 < \text{Category 1} \leq 0,05$<br>$0,05 < \text{Category 2} \leq 0,5$<br>$0,5 < \text{Category 3} \leq 1,0$<br>$1,0 < \text{Category 4} \leq 5,0$ | 0,005<br>0,05<br>0,5<br>1,5                          |

*Note 1*

These values are designed to be used in the calculation of the ATE for classification of a mixture based on its components and do not represent test results.





3.1.4. **Hazard Communication**

- 3.1.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 3.1.3. ► **M2** Without prejudice to Article 27, combined hazard statements may be used in accordance with Annex III. ◀

**▼M4**

Table 3.1.3

Acute toxicity label elements

| Classification                               | Category 1  | Category 2  | Category 3  | Category 4  |
|--|---|---|---|---|
| GHS Pictograms                               |  |  |  |  |
| Signal Word                                  | Danger  | Danger  | Danger  | Warning   |
| Hazard Statement:<br>— Oral                  | H300: Fatal if swallowed  | H300: Fatal if swallowed  | H301: Toxic if swallowed  | H302: Harmful if swallowed  |
| — Dermal                                     | H310: Fatal in contact with skin  | H310: Fatal in contact with skin  | H311: Toxic in contact with skin  | H312: Harmful in contact with skin  |
| — Inhalation (see Note 1)                    | H330: Fatal if inhaled  | H330: Fatal if inhaled  | H331: Toxic if inhaled  | H332: Harmful if inhaled  |
| Precautionary Statement<br>Prevention (oral) | P264<br>P270  | P264<br>P270  | P264<br>P270  | P264<br>P270  |
| Precautionary Statement<br>Response (oral)   | P301 + P310<br>P321<br>P330   | P301 + P310<br>P321<br>P330   | P301 + P310<br>P321<br>P330   | P301 + P312<br>P330   |
| Precautionary Statement<br>Storage (oral)    | P405  | P405  | P405  |   |

▼ **M4**

| Classification                                  | Category 1                                 | Category 2                                 | Category 3                                 | Category 4                                 |
|---|--|--|--|--|
| Precautionary Statement Disposal (oral)         | P501                                       | P501                                       | P501                                       | P501                                       |
| Precautionary Statement Prevention (dermal)     | P262<br>P264<br>P270<br>P280               | P262<br>P264<br>P270<br>P280               | P280                                       | P280                                       |
| Precautionary Statement Response (dermal)       | P302 + P352<br>P310<br>P321<br>P361 + P364 | P302 + P352<br>P310<br>P321<br>P361 + P364 | P302 + P352<br>P312<br>P321<br>P361 + P364 | P302 + P352<br>P312<br>P321<br>P362 + P364 |
| Precautionary Statement Storage (dermal)        | P405                                       | P405                                       | P405                                       |  |
| Precautionary Statement Disposal (dermal)       | P501                                       | P501                                       | P501                                       | P501                                       |
| Precautionary Statement Prevention (inhalation) | P260<br>P271<br>P284                       | P260<br>P271<br>P284                       | P261<br>P271                               | P261<br>P271                               |
| Precautionary Statement Response (inhalation)   | P304 + P340<br>P310<br>P320                | P304 + P340<br>P310<br>P320                | P304 + P340<br>P311<br>P321                | P304 + P340<br>P312                        |
| Precautionary Statement Storage (inhalation)    | P403 + P233<br>P405                        | P403 + P233<br>P405                        | P403 + P233<br>P405                        |  |
| Precautionary Statement Disposal (inhalation)   | P501                                       | P501                                       | P501                                       |  |

▼ **B***Note 1*

In addition to classification for inhalation toxicity, if data are available that indicates that the mechanism of toxicity is corrosivity, the substance or mixture shall also be labelled as EUH071: 'corrosive to the respiratory tract' — see advice at 3.1.2.3.3. In addition to an appropriate acute toxicity pictogram, a corrosivity pictogram (used for skin and eye corrosivity) may be added together with the statement 'corrosive to the respiratory tract'.

*Note 2*

In the event that an ingredient without any useable information at all is used in a mixture at a concentration of 1 % or greater, the mixture shall be labelled with the additional statement that 'x percent of the mixture consists of ingredient(s) of unknown toxicity' — see advice at 3.1.3.6.2.2.

▼ **M4**

## 3.1.4.2.

The acute toxicity hazard statements differentiate the hazard based on the route of exposure. Communication of acute toxicity classification should also reflect this differentiation. If a substance or mixture is classified for more than one route of exposure then all relevant classifications should be communicated on the safety data sheet as specified in Annex II to Regulation (EC) No 1907/2006 and the relevant hazard communication elements included on the label as prescribed in section 3.1.3.2. If the statement 'x % of the mixture

**▼ M4**

consists of ingredient(s) of unknown acute toxicity' is communicated, as prescribed in section 3.1.3.6.2.2, then, in the information provided in the safety data sheet, it can also be differentiated based on the route of exposure. For example, 'x % of the mixture consists of ingredient(s) of unknown acute oral toxicity' and 'x % of the mixture consists of ingredient(s) of unknown acute dermal toxicity'.

**▼ M12****3.2. Skin corrosion/irritation****3.2.1. Definitions and general considerations**

3.2.1.1. Skin corrosion means the production of irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following the application of a test substance for up to 4 hours. Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars. Histopathology shall be considered to evaluate questionable lesions.

Skin irritation means the production of reversible damage to the skin following the application of a test substance for up to 4 hours.

3.2.1.2. In a tiered approach, emphasis shall be placed upon existing human data, followed by existing animal data, followed by *in vitro* data and then other sources of information. Classification results directly when the data satisfy the criteria. In some cases, classification of a substance or a mixture is made on the basis of the weight of evidence within a tier. In a total weight of evidence approach all available information bearing on the determination of skin corrosion/irritation is considered together, including the results of appropriate validated *in vitro* tests, relevant animal data, and human data such as epidemiological and clinical studies and well-documented case reports and observations (see Annex I, Part 1, Sections 1.1.1.3, 1.1.1.4 and 1.1.1.5).

**3.2.2. Classification criteria for substances**

Substances shall be allocated to one of the following two categories within this hazard class:

**(a) Category 1 (skin corrosion)**

This category is further subdivided in three sub-categories (1A, 1B, 1C). Corrosive substances shall be classified in Category 1 where data is not sufficient for sub-categorisation. When data are sufficient, substances shall be classified in one of the three sub-categories 1A, 1B, or 1C (see Table 3.2.1.)

**(b) Category 2 (skin irritation) (see Table 3.2.2).****3.2.2.1. Classification based on standard animal test data****3.2.2.1.1. Skin corrosion**

3.2.2.1.1.1. A substance is corrosive to skin when it produces destruction of skin tissue, namely, visible necrosis through the epidermis and into the dermis in at least one tested animal after exposure for up to 4 hours.

3.2.2.1.1.2. Corrosive substances shall be classified in Category 1 where data is not sufficient for sub-categorisation.

▼ **M12**

- 3.2.2.1.1.3. When data are sufficient substances shall be classified in one of the three sub-categories 1A, 1B, or 1C in accordance with the criteria in Table 3.2.1.
- 3.2.2.1.1.4. Three sub-categories are provided within the corrosion category: sub-category 1A — where corrosive responses are noted following up to 3 minutes exposure and up to 1 hour observation; sub-category 1B — where corrosive responses are described following exposure greater than 3 minutes and up to 1 hour and observations up to 14 days; and sub-category 1C — where corrosive responses occur after exposures greater than 1 hour and up to 4 hours and observations up to 14 days.

Table 3.2.1

**Skin corrosion category and sub-categories**

| Category                  | Criteria  |
|---------------------------|---|
| Category 1 <sup>(1)</sup> | Destruction of skin tissue, namely, visible necrosis through the epidermis and into the dermis, in at least one tested animal after exposure $\leq$ 4 h |
| Sub-Category 1A           | Corrosive responses in at least one animal following exposure $\leq$ 3 min during an observation period $\leq$ 1 h                                      |
| Sub-Category 1B           | Corrosive responses in at least one animal following exposure $>$ 3 min and $\leq$ 1 h and observations $\leq$ 14 days                                  |
| Sub-Category 1C           | Corrosive responses in at least one animal after exposures $>$ 1 h and $\leq$ 4 h and observations $\leq$ 14 days                                       |

<sup>(1)</sup> See the conditions for the use of Category 1 in paragraph (a) of Section 3.2.2.

- 3.2.2.1.1.5. The use of human data is discussed in Sections 3.2.1.2 and 3.2.2.2 and also in Sections 1.1.1.3, 1.1.1.4 and 1.1.1.5.
- 3.2.2.1.2. **Skin irritation**
- 3.2.2.1.2.1. A substance is irritant to skin when it produces reversible damage to the skin following its application for up to 4 hours. The major criterion for the irritation category is that at least 2 of 3 tested animals have a mean score of  $\geq$  2,3 and  $\leq$  4,0.
- 3.2.2.1.2.2. A single irritation category (Category 2) is presented in Table 3.2.2, using the results of animal testing.
- 3.2.2.1.2.3. Reversibility of skin lesions is also considered in evaluating irritant responses. When inflammation persists to the end of the observation period in 2 or more test animals, taking into consideration alopecia (limited area), hyperkeratosis, hyperplasia and scaling, then a material shall be considered to be an irritant.
- 3.2.2.1.2.4. Animal irritant responses within a test can be variable, as they are with corrosion. A separate irritant criterion accommodates cases where there is a significant irritant response but less than the mean score criterion for a positive test. For example, a test material might be designated as an irritant if at least 1 of 3 tested animals shows a very elevated mean score throughout the study, including lesions persisting at the end of an observation period of normally 14 days. Other responses could also fulfil this criterion. However, it should be ascertained that the responses are the result of chemical exposure.

▼ **M12**

Table 3.2.2

**Skin irritation category** <sup>(a)</sup>

| Category                   | Criteria   |
|----------------------------|--|
| Irritation<br>(Category 2) | <p>(1) Mean score of <math>\geq 2,3</math> and <math>\leq 4,0</math> for erythema/eschar or for oedema in at least 2 of 3 tested animals from gradings at 24, 48 and 72 hours after patch removal or, if reactions are delayed, from grades on 3 consecutive days after the onset of skin reactions; or</p> <p>(2) Inflammation that persists to the end of the observation period normally 14 days in at least 2 animals, particularly taking into account alopecia (limited area), hyperkeratosis, hyperplasia, and scaling reactions; or</p> <p>(3) In some cases where there is pronounced variability of response among animals, with very definite positive effects related to chemical exposure in a single animal but less than the criteria above .</p> |

<sup>(a)</sup> Grading criteria are understood as described in Regulation (EC) No 440/2008.

3.2.2.1.2.5. The use of human data is discussed in Sections 3.2.1.2 and 3.2.2.2 and also in Sections 1.1.1.3, 1.1.1.4 and 1.1.1.5.

3.2.2.2. *Classification in a tiered approach*

3.2.2.2.1. A tiered approach to the evaluation of initial information shall be considered, where applicable, recognising that not all elements may be relevant.

3.2.2.2.2. Existing human and animal data including information from single or repeated exposure shall be the first line of evaluation, as they give information directly relevant to effects on the skin.

3.2.2.2.3. Acute dermal toxicity data may be used for classification. If a substance is highly toxic by the dermal route, a skin corrosion/irritation study is not practicable since the amount of test substance to be applied considerably exceeds the toxic dose and, consequently, results in the death of the animals. When observations are made of skin corrosion/irritation in acute toxicity studies and are observed up through the limit dose, these data may be used for classification, provided that the dilutions used and species tested are equivalent. Solid substances (powders) may become corrosive or irritant when moistened or in contact with moist skin or mucous membranes.

3.2.2.2.4. In vitro alternatives that have been validated and accepted shall be used to make classification decisions.

3.2.2.2.5. Likewise, pH extremes like  $\leq 2$  and  $\geq 11,5$  may indicate the potential to cause skin effects, especially when associated with significant acid/alkaline reserve (buffering capacity). Generally, such substances are expected to produce significant effects on the skin. In the absence of any other information, a substance is considered as corrosive to skin (Skin Corrosion Category 1) if it has a pH  $\leq 2$  or a pH  $\geq 11,5$ . However, if consideration of acid/alkaline reserve suggests the substance may not be corrosive despite the low or high pH value, this needs to be confirmed by other data, preferably by data from an appropriate validated in vitro test.



▼ **M12**

3.2.2.2.6. In some cases, sufficient information may be available from structurally related substances to make classification decisions.

3.2.2.2.7. The tiered approach provides guidance on how to organize existing information on a substance and to make a weight of evidence decision about hazard assessment and hazard classification.

Although information might be gained from the evaluation of single parameters within a tier (see Section 3.2.2.2.1.), consideration shall be given to the totality of existing information and making an overall weight of evidence determination. This is especially true when there is conflict in information available on some parameters.

### 3.2.3. *Classification criteria for mixtures*

#### 3.2.3.1. *Classification of mixtures when data are available for the complete mixture*

3.2.3.1.1. The mixture shall be classified using the criteria for substances, taking into account the tiered approach to evaluate data for this hazard class.

3.2.3.1.2. When considering testing of the mixture, classifiers are encouraged to use a tiered weight of evidence approach as included in the criteria for classification of substances for skin corrosion and irritation (Sections 3.2.1.2 and 3.2.2.2), to help ensure an accurate classification as well as to avoid unnecessary animal testing. In the absence of any other information, a mixture is considered corrosive to skin (Skin Corrosion Category 1) if it has a  $\text{pH} \leq 2$  or a  $\text{pH} \geq 11,5$ . However, if consideration of acid/alkaline reserve suggests the mixture may not be corrosive despite the low or high pH value, this needs to be confirmed by other data, preferably by data from an appropriate validated in vitro test.

#### 3.2.3.2. *Classification of mixtures when data are not available for the complete mixture: bridging principles*

3.2.3.2.1. Where the mixture itself has not been tested to determine its skin corrosion/irritation potential, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the bridging rules set out in Section 1.1.3.

#### 3.2.3.3. *Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture*

3.2.3.3.1. In order to make use of all available data for purposes of classifying the skin corrosion/irritation hazards of mixtures, the following assumption has been made and is applied where appropriate in the tiered approach:

The ‘relevant ingredients’ of a mixture are those which are present in concentrations  $\geq 1\%$  (w/w for solids, liquids, dusts, mists and vapours and v/v for gases), unless there is a presumption (e.g., in the case of skin corrosive ingredients) that an ingredient present at a concentration  $< 1\%$  can still be relevant for classifying the mixture for skin corrosion/irritation.

3.2.3.3.2. In general, the approach to classification of mixtures as corrosive or irritant to skin when data are available on the ingredients, but not on the mixture as a whole, is based on the theory of additivity, such

**▼ M12**

that each skin corrosive or skin irritant ingredient contributes to the overall skin corrosive or skin irritant properties of the mixture in proportion to its potency and concentration. A weighting factor of 10 is used for skin corrosive ingredients when they are present at a concentration below the generic concentration limit for classification with Category 1, but are at a concentration that will contribute to the classification of the mixture as skin irritant. The mixture is classified as corrosive or irritant to skin when the sum of the concentrations of such ingredients exceeds a concentration limit.

- 3.2.3.3.3. Table 3.2.3 provides the generic concentration limits to be used to determine if the mixture is considered to be corrosive or irritant to the skin.
- 3.2.3.3.4.1. Particular care must be taken when classifying certain types of mixtures containing substances such as acids and bases, inorganic salts, aldehydes, phenols, and surfactants. The approach explained in Sections 3.2.3.3.1 and 3.2.3.3.2 may not be applicable given that many such substances are corrosive or irritant to the skin at concentrations < 1 %.
- 3.2.3.3.4.2. For mixtures containing strong acids or bases the pH shall be used as a classification criterion (see Section 3.2.3.1.2) since pH is a better indicator of skin corrosion than the concentration limits in Table 3.2.3.
- 3.2.3.3.4.3. A mixture containing ingredients that are corrosive or irritant to the skin and that cannot be classified on the basis of the additivity approach (Table 3.2.3), due to chemical characteristics that make this approach unworkable, shall be classified as Skin Corrosion Category 1 if it contains  $\geq 1\%$  of an ingredient classified as Skin Corrosion or as Skin Irritation (Category 2) when it contains  $\geq 3\%$  of an skin irritant ingredient. Classification of mixtures with ingredients for which the approach in Table 3.2.3 does not apply is summarised in Table 3.2.4.
- 3.2.3.3.5. On occasion, reliable data may show that the skin corrosion/irritation hazard of an ingredient will not be evident when present at a level at or above the generic concentration limits mentioned in Tables 3.2.3 and 3.2.4 in Section 3.2.3.3.6. In these cases the mixture shall be classified according to that data (see also Articles 10 and 11). On other occasions, when it is expected that the skin corrosion/irritation hazard of an ingredient is not evident when present at a level at or above the generic concentration limits mentioned in Tables 3.2.3 and 3.2.4, testing of the mixture shall be considered. In those cases the tiered weight of evidence approach shall be applied, as described in Section 3.2.2.2.
- 3.2.3.3.6. If there are data showing that (an) ingredient(s) is/are corrosive or irritant to skin at a concentration of < 1 % (skin corrosive) or < 3 % (skin irritant), the mixture shall be classified accordingly.

▼ **M12**

Table 3.2.3

**Generic concentration limits of ingredients classified as skin corrosion (Category 1, 1A, 1B or 1C)/skin irritation (Category 2) that trigger classification of the mixture as skin corrosion/skin irritation where the additivity approach applies**

| Sum of ingredients classified as:  | Concentration triggering classification of a mixture as: |                        |
|--|--|------------------------|
|  | Skin corrosion   | Skin irritation        |
|  | Category 1 (see note below)                              | Category 2             |
| Skin corrosion Sub-Category 1A, 1B, 1C or Category 1                                     | $\geq 5\%$   | $\geq 1\%$ but $< 5\%$ |
| Skin irritation Category 2   |  | $\geq 10\%$            |
| (10 × Skin corrosion Sub-Category 1A, 1B, 1C or Category 1) + Skin irritation Category 2 |  | $\geq 10\%$            |

*Note:*

The sum of all ingredients of a mixture classified as Skin Corrosion Sub-Category 1A, 1B, or 1C respectively, shall each be  $\geq 5\%$  in order to classify the mixture as either Skin Corrosion Sub-Category 1A, 1B or 1C. If the sum of the ingredients classified as Skin Corrosion Sub-Category 1A is  $< 5\%$  but the sum of ingredients classified as Skin Corrosion Sub-Category 1A + 1B is  $\geq 5\%$ , the mixture shall be classified as Skin Corrosion Sub-Category 1B. Similarly, if the sum of ingredients classified as Skin Corrosion Sub-Category 1A + 1B ingredients is  $< 5\%$  but the sum of ingredients classified as Sub-Category 1A + 1B + 1C is  $\geq 5\%$  the mixture shall be classified as Skin Corrosion Sub-Category 1C. Where at least one relevant ingredient in a mixture is classified as Category 1 without sub-categorisation, the mixture shall be classified as Category 1 without sub-categorisation if the sum of all ingredients corrosive to skin is  $\geq 5\%$ .

Table 3.2.4

**Generic concentration limits of ingredients that trigger classification of the mixture as skin corrosion/skin irritation, where the additivity approach does not apply**



| Ingredient:  | Concentration: | Mixture classified as:     |
|--|----------------|----------------------------|
| Acid with $\text{pH} \leq 2$   | $\geq 1\%$     | Skin corrosion Category 1  |
| Base with $\text{pH} \geq 11,5$  | $\geq 1\%$     | Skin corrosion Category 1  |
| Other skin corrosive (Sub-Categories 1A, 1B, 1C or Category 1) ingredients | $\geq 1\%$     | Skin corrosion Category 1  |
| Other skin irritant (Category 2) ingredients, including acids and bases    | $\geq 3\%$     | Skin irritation Category 2 |

▼ **M12**3.2.4. **Hazard Communication**

- 3.2.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 3.2.5.

Table 3.2.5

**Label elements for skin corrosion/irritation**

| Classification                     | Sub-Categories 1A/1B/1C and Category 1  | Category 2   |
|------------------------------------|---|--|
| GHS Pictograms                     |                      |  |
| Signal Word                        | Danger  | Warning  |
| Hazard Statement                   | H314: Causes severe skin burns and eye damage   | H315: Causes skin irritation   |
| Precautionary Statement Prevention | P260<br>P264<br>P280  | P264<br>P280   |
| Precautionary Statement Response   | P301 + P330 + P331<br>P303 + P361 + P353<br>P363<br>P304 + P340<br>P310<br>P321<br>P305 + P351 + P338 | P302 + P352<br>P321<br>P332 + P313<br>P362 + P364                                  |
| Precautionary Statement Storage    | P405  |  |
| Precautionary Statement Disposal   | P501  |  |

3.3. **Serious eye damage/eye irritation**3.3.1. **Definitions and general considerations**

- 3.3.1.1. Serious eye damage means the production of tissue damage in the eye, or serious physical decay of vision, following application of a test substance to the anterior surface of the eye, which is not fully reversible within 21 days of application.

Eye irritation means the production of changes in the eye following the application of test substance to the anterior surface of the eye, which are fully reversible within 21 days of application.

- 3.3.1.2. In a tiered approach, emphasis shall be placed upon existing human data, followed by existing animal data, followed by in vitro data, and then other sources of information. Classification results directly when the data satisfy the criteria. In other cases, classification of a substance or a mixture is made on the basis of the weight of evidence within a tier. In a total weight of evidence approach all available information bearing on the determination of serious eye damage/eye irritation is considered together, including the results of appropriate validated in vitro tests, relevant animal data, and human

▼ **M12**

data such as epidemiological and clinical studies and well-documented case reports and observations (see Annex I, Part 1, Section 1.1.1.3).

3.3.2. **Classification criteria for substances**

Substances are allocated to one of the categories within this hazard class, Category 1 (serious eye damage) or Category 2 (eye irritation), as follows:

## (a) Category 1 (serious eye damage):

substances that have the potential to seriously damage the eyes (see Table 3.3.1).

## (b) Category 2 (eye irritation):

substances that have the potential to induce reversible eye irritation (see Table 3.3.2).

3.3.2.1. **Classification based on standard animal test data**3.3.2.1.1. **Serious eye damage (Category 1)**

3.3.2.1.1.1. A single hazard category (Category 1) is adopted for substances that have the potential to seriously damage the eyes. This hazard category includes as criteria the observations listed in Table 3.3.1. These observations include animals with grade 4 cornea lesions and other severe reactions (e.g. destruction of cornea) observed at any time during the test, as well as persistent corneal opacity, discoloration of the cornea by a dye substance, adhesion, pannus, and interference with the function of the iris or other effects that impair sight. In this context, persistent lesions are considered those which are not fully reversible within an observation period of normally 21 days. Hazard classification as Category 1 also contains substances fulfilling the criteria of corneal opacity  $\geq 3$  or iritis  $> 1,5$  observed in at least 2 of 3 tested animals, because severe lesions like these usually do not reverse within a 21-day observation period.

3.3.2.1.1.2. The use of human data is discussed in Section 3.3.2.2 and also in Sections 1.1.1.3, 1.1.1.4 and 1.1.1.5.

Table 3.3.1

**Serious eye damage<sup>(a)</sup>**

| Category          | Criteria  |
|-------------------|---|
| <b>Category 1</b> | <p>A substance that produces:</p> <p>(a) in at least one animal effects on the cornea, iris or conjunctiva that are not expected to reverse or have not fully reversed within an observation period of normally 21 days; and/or</p> <p>(b) in at least 2 of 3 tested animals, a positive response of:</p> <p>(i) corneal opacity <math>\geq 3</math>; and/or</p> <p>(ii) iritis <math>&gt; 1,5</math>;</p> <p>calculated as the mean scores following grading at 24, 48 and 72 hours after instillation of the test material.</p> |

<sup>(a)</sup> Grading criteria are understood as described in Regulation (EC) No 440/2008.

3.3.2.1.2. **Eye irritation (Category 2)**

3.3.2.1.2.1. Substances that have the potential to induce reversible eye irritation shall be classified in Category 2 (eye irritation).

▼ **M12**

- 3.3.2.1.2.2. For those substances where there is pronounced variability among animal responses, this information shall be taken into account in determining the classification.
- 3.3.2.1.2.3. The use of human data is addressed in Sections 3.3.2.2, and also in Sections 1.1.1.3, 1.1.1.4 and 1.1.1.5.

Table 3.3.2

**Eye irritation** <sup>(a)</sup>

| Category          | Criteria  |
|-------------------|---|
| <b>Category 2</b> | Substances that produce in at least 2 of 3 tested animals a positive response of:<br>(a) corneal opacity $\geq 1$ ; and/or<br>(b) iritis $\geq 1$ ; and/or<br>(c) conjunctival redness $\geq 2$ ; and/or<br>(d) conjunctival oedema (chemosis) $\geq 2$<br>calculated as the mean scores following grading at 24, 48 and 72 hours after instillation of the test material, and which fully reverses within an observation period of normally 21 days. |

<sup>(a)</sup> Grading criteria are understood as described in Regulation (EC) No 440/2008.

- 3.3.2.2. *Classification in a tiered approach*
- 3.3.2.2.1. A tiered approach to the evaluation of initial information shall be considered where applicable, recognizing that not all elements may be relevant.
- 3.3.2.2.2. Existing human and animal data shall be the first line of evaluation as they give information directly relevant to effects on the eye. Possible skin corrosion has to be evaluated prior to consideration of any testing for serious eye damage/eye irritation in order to avoid testing for local effects on eyes with skin corrosive substances. Skin corrosive substances shall be considered as leading to serious eye damage (Category 1) as well, while skin irritant substances may be considered as leading to eye irritation (Category 2).
- 3.3.2.2.3. In vitro alternatives that have been validated and accepted shall be used to make classification decisions.
- 3.3.2.2.4. Likewise, pH extremes like  $\leq 2$  and  $\geq 11,5$ , may indicate serious eye damage, especially when associated with significant acid/alkaline reserve (buffering capacity). Generally such substances are expected to produce significant effects on the eyes. In the absence of any other information, a substance is considered to cause serious eye damage (Category 1) if it has a pH  $\leq 2$  or  $\geq 11,5$ . However, if consideration of acid/alkaline reserve suggests the substance may not cause serious eye damage despite the low or high pH value, this needs to be confirmed by other data, preferably by data from an appropriate validated in vitro test.
- 3.3.2.2.5. In some cases sufficient information may be available from structurally related substances to make classification decisions.
- 3.3.2.2.6. The tiered approach provides guidance on how to organize existing information and to make a weight-of-evidence decision about hazard assessment and hazard classification. Animal testing with corrosive substances shall be avoided whenever possible. Although information might be gained from the evaluation of single parameters within a tier (see 3.3.2.1.1) consideration shall

▼ **M12**

be given to the totality of existing information and making an overall weight of evidence determination. This is especially true when there is conflict in information available on some parameters.

3.3.3. *Classification criteria for mixtures*3.3.3.1. *Classification of mixtures when data are available for the complete mixture*

3.3.3.1.1. The mixture shall be classified using the criteria for substances, and taking into account the tiered approach to evaluate data for this hazard class.

3.3.3.1.2. When considering testing of the mixture classifiers are encouraged to use a tiered weight of evidence approach as included in the criteria for classification of substances for skin corrosion and serious eye damage/eye irritation to help ensure an accurate classification, as well as to avoid unnecessary animal testing. In the absence of any other information, a mixture is considered to cause serious eye damage (Category 1) if it has a pH  $\leq 2$  or  $\geq 11,5$ . However, if consideration of acid/alkali reserve suggests the mixture may not cause serious eye damage despite the low or high pH value, this needs to be confirmed by other data, preferably data from an appropriate validated in vitro test.

3.3.3.2. *Classification of mixtures when data are not available for the complete mixture: bridging principles*

3.3.3.2.1. Where the mixture itself has not been tested to determine its skin corrosivity or potential to cause serious eye damage/eye irritation, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the bridging rules set out in Section 1.1.3.

3.3.3.3. *Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture*

3.3.3.3.1. In order to make use of all available data for purposes of classifying the serious eye damage/eye irritation properties of the mixtures, the following assumption has been made and is applied where appropriate in the tiered approach:

The ‘relevant ingredients’ of a mixture are those which are present in concentrations  $\geq 1\%$  (w/w for solids, liquids, dusts, mists and vapours and v/v for gases), unless there is a presumption (e.g. in the case of skin corrosive ingredients) that an ingredient present at a concentration  $< 1\%$  can still be relevant for classifying the mixture for serious eye damage/eye irritation.

3.3.3.3.2. In general, the approach to classification of mixtures as seriously damaging to the eye/eye irritant when data are available on the ingredients, but not on the mixture as a whole, is based on the theory of additivity, such that each skin corrosive or serious eye damaging/eye irritant ingredient contributes to the overall serious eye damage/eye irritation properties of the mixture in proportion to

**▼ M12**

its potency and concentration. A weighting factor of 10 is used for skin corrosive and serious eye damaging ingredients when they are present at a concentration below the generic concentration limit for classification with Category 1, but are at a concentration that will contribute to the classification of the mixture as eye irritant. The mixture is classified as seriously damaging to the eye or eye irritant when the sum of the concentrations of such ingredients exceeds a concentration limit.

- 3.3.3.3.3. Table 3.3.3 provides the generic concentration limits to be used to determine if the mixture shall be classified as seriously damaging to the eye or as eye irritant.
- 3.3.3.3.4.1. Particular care must be taken when classifying certain types of mixtures containing substances such as acids and bases, inorganic salts, aldehydes, phenols, and surfactants. The approach explained in Sections 3.3.3.3.1 and 3.3.3.3.2 might not work given that many such substances are seriously damaging to the eye/eye irritant at concentrations < 1 %.
- 3.3.3.3.4.2. For mixtures containing strong acids or bases the pH shall be used as classification criterion (see Section 3.3.3.1.2) since pH will be a better indicator of serious eye damage (subject to consideration of acid/alkali reserve) than the generic concentration limits in Table 3.3.3.
- 3.3.3.3.4.3. A mixture containing skin corrosive or serious eye damaging/eye irritating ingredients that cannot be classified based on the additivity approach (Table 3.3.3) due to chemical characteristics that make this approach unworkable, shall be classified as Serious Eye Damage (Category 1) if it contains  $\geq 1$  % of a skin corrosive or serious eye damaging ingredient and as Eye Irritation (Category 2) when it contains  $\geq 3$  % of an eye irritant ingredient. Classification of mixtures with ingredients for which the approach in Table 3.3.3 does not apply is summarised in Table 3.3.4.
- 3.3.3.3.5. On occasion, reliable data may show that the effects of serious eye damage/eye irritation of an ingredient will not be evident when present at a level at or above the generic concentration limits mentioned in Tables 3.3.3 and 3.3.4 in Section 3.3.3.3.6. In these cases the mixture shall be classified according to those data (see also Articles 10 and 11). On other occasions, when it is expected that the skin corrosion/irritation hazards or the effects of serious eye damage/eye irritation of an ingredient will not be evident when present at a level at or above the generic concentration limits mentioned in Tables 3.3.3 and 3.3.4, testing of the mixture shall be considered. In those cases, the tiered weight of evidence approach shall be applied.
- 3.3.3.3.6. If there are data showing that (an) ingredient(s) may be corrosive to the skin or seriously damaging to the eye/eye irritating at a concentration of < 1 % (corrosive to the skin or seriously damaging to the eye) or < 3 % (eye irritant), the mixture shall be classified accordingly.



▼ **M12**

Table 3.3.3

**Generic concentration limits of ingredients classified as skin corrosion (Category 1, 1A, 1B or 1C) and/or serious eye damage (Category 1) or eye irritation (Category 2) that trigger classification of the mixture as serious eye damage/eye irritation where the additivity approach applies**

| Sum of ingredients classified as:  | Concentration triggering classification of a mixture as: |                 |
|--|--|-----------------|
|  | Serious eye damage                                       | Eye irritation  |
|  | Category 1   | Category 2      |
| Skin corrosion Sub-Category 1A, 1B, 1C or Category 1 + Serious eye damage (Category 1) <sup>(a)</sup>                                      | ≥ 3 %  | ≥ 1 % but < 3 % |
| Eye irritation (Category 2)  |  | ≥ 10 %          |
| 10 × (Skin corrosion Sub-Category 1A, 1B, 1C or Skin corrosion Category 1 + Serious eye damage (Category 1)) + Eye irritation (Category 2) |  | ≥ 10 %          |

<sup>(a)</sup> If an ingredient is classified as both Skin Corrosion Sub-Category 1A, 1B, 1C or Category 1 and Serious Eye Damage (Category 1), its concentration is considered only once in the calculation.

Table 3.3.4

**Generic concentration limits of ingredients that trigger classification of the mixture as serious eye damage (Category 1) or eye irritation (Category 2), where the additivity approach does not apply**

| Ingredient   | Concentration | Mixture classified as:          |
|--|---------------|---------------------------------|
| Acid with pH ≤ 2   | ≥ 1 %         | Serious eye damage (Category 1) |
| Base with pH ≥ 11,5  | ≥ 1 %         | Serious eye damage (Category 1) |
| Other ingredient classified as skin corrosion (Sub-Category 1A, 1B, 1C or Category 1) or serious eye damage (Category 1) | ≥ 1 %         | Serious eye damage (Category 1) |

▼ **M12**



| Ingredient   | Concentration | Mixture classified as:      |
|--|---------------|-----------------------------|
| Other ingredient classified as eye irritation (Category 2) | ≥ 3 %         | Eye irritation (Category 2) |

3.3.4. **Hazard Communication**

3.3.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 3.3.5.

Table 3.3.5

**Label elements for serious eye damage/eye irritation <sup>(a)</sup>**

| Classification                     | Category 1   | Category 2  |
|------------------------------------|--|---|
| GHS Pictograms                     |  |  |
| Signal Word                        | Danger   | Warning   |
| Hazard Statement                   | H318: Causes serious eye damage  | H319: Causes serious eye irritation   |
| Precautionary Statement Prevention | P280   | P264<br>P280  |
| Precautionary Statement Response   | P305 + P351 + P338<br>P310   | P305 + P351 + P338<br>P337 + P313   |
| Precautionary Statement Storage    |  |   |
| Precautionary Statement Disposal   |  |   |

<sup>(a)</sup> Where a chemical is classified as skin corrosion Sub-Category 1A, 1B, 1C or Category 1, labelling for serious eye damage/eye irritation can be omitted as this information is already included in the hazard statement for skin corrosion Category 1 (H314).

▼ **B**3.4. **Respiratory or skin sensitisation**3.4.1. **Definitions and general considerations**

3.4.1.1. Respiratory sensitizer means a substance that will lead to hypersensitivity of the airways following inhalation of the substance.

3.4.1.2. Skin sensitizer means a substance that will lead to an allergic response following skin contact.

3.4.1.3. For the purpose of section 3.4, sensitisation includes two phases: the first phase is induction of specialised immunological memory in an individual by exposure to an allergen. The second phase is elicitation, i.e. production of a cell-mediated or antibody-mediated allergic response by exposure of a sensitised individual to an allergen.

**▼ B**

- 3.4.1.4. For respiratory sensitisation, the pattern of induction followed by elicitation phases is shared in common with skin sensitisation. For skin sensitisation, an induction phase is required in which the immune system learns to react; clinical symptoms can then arise when subsequent exposure is sufficient to elicit a visible skin reaction (elicitation phase). As a consequence, predictive tests usually follow this pattern in which there is an induction phase, the response to which is measured by a standardised elicitation phase, typically involving a patch test. The local lymph node assay is the exception, directly measuring the induction response. Evidence of skin sensitisation in humans normally is assessed by a diagnostic patch test.
- 3.4.1.5. Usually, for both skin and respiratory sensitisation, lower levels are necessary for elicitation than are required for induction. Provisions for alerting sensitised individuals to the presence of a particular sensitiser in a mixture can be found ► **M2** in Annex II, section 2.8. ◀.
- 3.4.1.6. The hazard class Respiratory or Skin Sensitisation is differentiated into:
- Respiratory Sensitisation ► **M2** and ◀;
  - Skin Sensitisation.

**▼ M2**

- 3.4.2. **Classification criteria for substances**
- 3.4.2.1. *Respiratory sensitisers*
- 3.4.2.1.1. **Hazard categories**
- 3.4.2.1.1.1. Respiratory sensitisers shall be classified in Category 1 where data are not sufficient for sub-categorisation.
- 3.4.2.1.1.2. Where data are sufficient a refined evaluation according to 3.4.2.1.1.3 shall allow the allocation of respiratory sensitisers into sub-category 1A, strong sensitisers, or sub-category 1B for other respiratory sensitisers.
- 3.4.2.1.1.3. Effects seen in either humans or animals will normally justify classification in a weight of evidence approach for respiratory sensitisers. Substances may be allocated to one of the two sub-categories 1A or 1B using a weight of evidence approach in accordance with the criteria given in Table 3.4.1 and on the basis of reliable and good quality evidence from human cases or epidemiological studies and/or observations from appropriate studies in experimental animals.
- 3.4.2.1.1.4. Substances shall be classified as respiratory sensitisers in accordance with the criteria in Table 3.4.1:

Table 3.4.1

**Hazard category and sub-categories for respiratory sensitisers**

| Category   | Criteria   |
|------------|--|
| Category 1 | Substances shall be classified as respiratory sensitisers (Category 1) where data are not sufficient for sub-categorisation in accordance with the following criteria: |

▼ M2

| Category         | Criteria  |
|------------------|---|
|                  | (a) if there is evidence in humans that the substance can lead to specific respiratory hypersensitivity; and/or<br>(b) if there are positive results from an appropriate animal test.   |
| Sub-category 1A: | Substances showing a high frequency of occurrence in humans; or a probability of occurrence of a high sensitisation rate in humans based on animal or other tests <sup>(1)</sup> . Severity of reaction may also be considered.                       |
| Sub-category 1B: | Substances showing a low to moderate frequency of occurrence in humans; or a probability of occurrence of a low to moderate sensitisation rate in humans based on animal or other tests <sup>(1)</sup> . Severity of reaction may also be considered. |

<sup>(1)</sup> At present, recognised and validated animal models for the testing of respiratory hypersensitivity are not available. Under certain circumstances, data from animal studies may provide valuable information in a weight of evidence assessment.

## 3.4.2.1.2. Human evidence

3.4.2.1.2.1. Evidence that a substance can lead to specific respiratory hypersensitivity will normally be based on human experience. In this context, hypersensitivity is normally seen as asthma, but other hypersensitivity reactions such as rhinitis/conjunctivitis and alveolitis are also considered. The condition will have the clinical character of an allergic reaction. However, immunological mechanisms do not have to be demonstrated.

3.4.2.1.2.2. When considering the human evidence, it is necessary for a decision on classification to take into account, in addition to the evidence from the cases:

- (a) the size of the population exposed;
- (b) the extent of exposure.

The use of human data is discussed in sections 1.1.1.3, 1.1.1.4 and 1.1.1.5.

3.4.2.1.2.3. The evidence referred to above could be:

- (a) clinical history and data from appropriate lung function tests related to exposure to the substance, confirmed by other supportive evidence which may include:
  - (i) in vivo immunological test (e.g. skin prick test);
  - (ii) in vitro immunological test (e.g. serological analysis);
  - (iii) studies that indicate other specific hypersensitivity reactions where immunological mechanisms of action have not been proven, e.g. repeated low-level irritation, pharmacologically mediated effects;

▼ **M2**

- (iv) a chemical structure related to substances known to cause respiratory hypersensitivity;
  - (b) data from one or more positive bronchial challenge tests with the substance conducted according to accepted guidelines for the determination of a specific hypersensitivity reaction.
- 3.4.2.1.2.4. Clinical history shall include both medical and occupational history to determine a relationship between exposure to a specific substance and development of respiratory hypersensitivity. Relevant information includes aggravating factors both in the home and workplace, the onset and progress of the disease, family history and medical history of the patient in question. The medical history shall also include a note of other allergic or airway disorders from childhood, and smoking history.
- 3.4.2.1.2.5. The results of positive bronchial challenge tests are considered to provide sufficient evidence for classification on their own. It is however recognised that in practice many of the examinations listed above will already have been carried out.
- 3.4.2.1.3. *Animal studies*
- 3.4.2.1.3.1. Data from appropriate animal studies<sup>(1)</sup> which may be indicative of the potential of a substance to cause sensitisation by inhalation in humans<sup>(2)</sup> may include:
- (a) measurements of Immunoglobulin E (IgE) and other specific immunological parameters in mice;
  - (b) specific pulmonary responses in guinea pigs.
- 3.4.2.2. *Skin sensitisers*
- 3.4.2.2.1. *Hazard categories*
- 3.4.2.2.1.1. Skin sensitisers shall be classified in Category 1 where data are not sufficient for sub-categorisation.
- 3.4.2.2.1.2. Where data are sufficient a refined evaluation according to section 3.4.2.2.1.3 allows the allocation of skin sensitisers into sub-category 1A, strong sensitisers, or sub-category 1B for other skin sensitisers.
- 3.4.2.2.1.3. Effects seen in either humans or animals will normally justify classification in a weight of evidence approach for skin sensitisers as described in section 3.4.2.2.2. Substances may be allocated to one of the two sub-categories 1A or 1B using a weight of evidence approach in accordance with the criteria given in Table 3.4.2 and on the basis of reliable and good quality evidence from human cases or epidemiological studies and/or observations from appropriate studies in experimental animals according to the guidance values provided in sections 3.4.2.2.2.1 and 3.4.2.2.3.2 for sub-category 1A and in sections 3.4.2.2.2.2 and 3.4.2.2.3.3 for sub-category 1B.
- 3.4.2.2.1.4. Substances shall be classified as skin sensitisers in accordance with the criteria in Table 3.4.2:

<sup>(1)</sup> At present, recognised and validated animal models for the testing of respiratory hypersensitivity are not available. Under certain circumstances, data from animal studies may provide valuable information in a weight of evidence assessment.

<sup>(2)</sup> The mechanisms by which substances induce symptoms of asthma are not yet fully known. For preventative measures, these substances are considered respiratory sensitisers. However, if on the basis of the evidence, it can be demonstrated that these substances induce symptoms of asthma by irritation only in people with bronchial hyper reactivity, they should not be considered as respiratory sensitisers.

▼ **M2**

Table 3.4.2

| Hazard category and sub-categories for skin sensitisers |  |
|---|--|
| Category  | Criteria   |
| Category 1  | Substances shall be classified as skin sensitisers (Category 1) where data are not sufficient for sub-categorisation in accordance with the following criteria:<br>(a) if there is evidence in humans that the substance can lead to sensitisation by skin contact in a substantial number of persons; or<br>(b) if there are positive results from an appropriate animal test (see specific criteria in section 3.4.2.2.4.1). |
| Sub-category 1A:  | Substances showing a high frequency of occurrence in humans and/or a high potency in animals can be presumed to have the potential to produce significant sensitisation in humans. Severity of reaction may also be considered.  |
| Sub-category 1B:  | Substances showing a low to moderate frequency of occurrence in humans and/or a low to moderate potency in animals can be presumed to have the potential to produce sensitisation in humans. Severity of reaction may also be considered.  |

## 3.4.2.2.2. Human evidence

## 3.4.2.2.2.1. Human evidence for sub-category 1A can include:

- (a) positive responses at  $\leq 500 \mu\text{g}/\text{cm}^2$  (HRIPT, HMT — induction threshold);
- (b) diagnostic patch test data where there is a relatively high and substantial incidence of reactions in a defined population in relation to relatively low exposure;
- (c) other epidemiological evidence where there is a relatively high and substantial incidence of allergic contact dermatitis in relation to relatively low exposure.

## 3.4.2.2.2.2. Human evidence for sub-category 1B can include:

- (a) positive responses at  $> 500 \mu\text{g}/\text{cm}^2$  (HRIPT, HMT — induction threshold);
- (b) diagnostic patch test data where there is a relatively low but substantial incidence of reactions in a defined population in relation to relatively high exposure;
- (c) other epidemiological evidence where there is a relatively low but substantial incidence of allergic contact dermatitis in relation to relatively high exposure.

The use of human data is discussed in sections 1.1.1.3, 1.1.1.4 and 1.1.1.5.

▼ **M2**

## 3.4.2.2.3. Animal studies

3.4.2.2.3.1. For Category 1, when an adjuvant type test method for skin sensitisation is used, a response of at least 30 % of the animals is considered as positive. For a non-adjuvant Guinea pig test method a response of at least 15 % of the animals is considered positive. For Category 1, a stimulation index of three or more is considered a positive response in the local lymph node assay. Test methods for skin sensitisation are described in the OECD Guideline 406 (the Guinea Pig Maximisation test and the Buehler guinea pig test) and Guideline 429 (Local Lymph Node Assay). Other methods may be used provided that they are well-validated and scientific justification is given. For example, the mouse ear swelling test (MEST) could be a reliable screening test to detect moderate to strong sensitisers, and could be used as a first stage in the assessment of skin sensitisation potential.

3.4.2.2.3.2. Animal test results for sub-category 1A can include data with values indicated in Table 3.4.3

Table 3.4.3

**Animal test results for sub-category 1A**

| Assay                        | Criteria   |
|------------------------------|--|
| Local lymph node assay       | EC3 value $\leq$ 2 %   |
| Guinea pig maximisation test | $\geq$ 30 % responding at $\leq$ 0,1 % intradermal induction dose or<br>$\geq$ 60 % responding at $>$ 0,1 % to $\leq$ 1 % intradermal induction dose |
| Buehler assay                | $\geq$ 15 % responding at $\leq$ 0,2 % topical induction dose or<br>$\geq$ 60 % responding at $>$ 0,2 % to $\leq$ 20 % topical induction dose        |

3.4.2.2.3.3. Animal test results for sub-category 1B can include data with values indicated in Table 3.4.4 below:

Table 3.4.4

**Animal test results for sub-category 1B**

| Assay                        | Criteria  |
|------------------------------|---|
| Local lymph node assay       | EC3 value $>$ 2 %   |
| Guinea pig maximisation test | $\geq$ 30 % to $<$ 60 % responding at $>$ 0,1 % to $\leq$ 1 % intradermal induction dose or<br>$\geq$ 30 % responding at $>$ 1 % intradermal induction dose |
| Buehler assay                | $\geq$ 15 % to $<$ 60 % responding at $>$ 0,2 % to $\leq$ 20 % topical induction dose or<br>$\geq$ 15 % responding at $>$ 20 % topical induction dose       |

**▼ M2**

## 3.4.2.2.4. Specific considerations

3.4.2.2.4.1. For classification of a substance, evidence should include any or all of the following using a weight of evidence approach:

- (a) positive data from patch testing, normally obtained in more than one dermatology clinic;
- (b) epidemiological studies showing allergic contact dermatitis caused by the substance. Situations in which a high proportion of those exposed exhibit characteristic symptoms are to be looked at with special concern, even if the number of cases is small;
- (c) positive data from appropriate animal studies;
- (d) positive data from experimental studies in man (see section 1.3.2.4.7);
- (e) well documented episodes of allergic contact dermatitis, normally obtained in more than one dermatology clinic;
- (f) severity of reaction may also be considered.

3.4.2.2.4.2. Evidence from animal studies is usually much more reliable than evidence from human exposure. However, in cases where evidence is available from both sources, and there is conflict between the results, the quality and reliability of the evidence from both sources must be assessed in order to resolve the question of classification on a case-by-case basis. Normally, human data are not generated in controlled experiments with volunteers for the purpose of hazard classification but rather as part of risk assessment to confirm lack of effects seen in animal tests. Consequently, positive human data on skin sensitisation are usually derived from case-control or other, less defined studies. Evaluation of human data must therefore be carried out with caution as the frequency of cases reflect, in addition to the inherent properties of the substances, factors such as the exposure situation, bioavailability, individual predisposition and preventive measures taken. Negative human data should not normally be used to negate positive results from animal studies. For both animal and human data, consideration should be given to the impact of vehicle.

3.4.2.2.4.3. If none of the abovementioned conditions are met, the substance need not be classified as a skin sensitiser. However, a combination of two or more indicators of skin sensitisation as listed below may alter the decision. This shall be considered on a case-by-case basis.

- (a) Isolated episodes of allergic contact dermatitis;
- (b) epidemiological studies of limited power, e.g. where chance, bias or confounders have not been ruled out fully with reasonable confidence;
- (c) data from animal tests, performed according to existing guidelines, which do not meet the criteria for a positive result described in section 3.4.2.2.3, but which are sufficiently close to the limit to be considered significant;



**▼ M2**

(d) positive data from non-standard methods;

(e) positive results from close structural analogues.

## 3.4.2.2.4.4. Immunological contact urticaria

Substances meeting the criteria for classification as respiratory sensitisers may in addition cause immunological contact urticaria. Consideration should be given to classifying these substances also as skin sensitisers. Substances which cause immunological contact urticaria without meeting the criteria for respiratory sensitisers should also be considered for classification as skin sensitisers.

There is no recognised animal model available to identify substances which cause immunological contact urticaria. Therefore, classification will normally be based on human evidence which will be similar to that for skin sensitisation.

**▼ B**3.4.3. *Classification criteria for mixtures*3.4.3.1. *Classification of mixtures when data are available for the complete mixture*

3.4.3.1.1. When reliable and good quality evidence from human experience or appropriate studies in experimental animals, as described in the criteria for substances, is available for the mixture, then the mixture can be classified by weight of evidence evaluation of these data. Care shall be exercised in evaluating data on mixtures, that the dose used does not render the results inconclusive.

3.4.3.2. *Classification of mixtures when data are not available for the complete mixture: bridging principles*

3.4.3.2.1. Where the mixture itself has not been tested to determine its sensitising properties, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the bridging rules set out in section 1.1.3.

3.4.3.3. *Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture*

3.4.3.3.1. The mixture shall be classified as a respiratory or skin sensitiser when at least one ingredient has been classified as a respiratory or skin sensitiser and is present at or above the appropriate generic concentration limit as shown in ► **M2** Table 3.4.5 ◀ for solid/liquid and gas respectively.

3.4.3.3.2. Some substances that are classified as sensitisers may elicit a response, when present in a mixture in quantities below the concentrations established in ► **M2** Table 3.4.5 ◀, in individuals who are already sensitised to the substance or mixture (see Note 1 to ► **M2** Table 3.4.6 ◀).

▼ **M2**

Table 3.4.5

**Generic concentration limits of components of a mixture classified as either respiratory sensitisers or skin sensitisers that trigger classification of the mixture**

| Component classified as:               | Generic concentration limits triggering classification of a mixture as: |         |                            |
|--|---|---------|----------------------------|
|  | Respiratory sensitiser Category 1                                       |         | Skin sensitiser Category 1 |
|  | Solid/liquid  | Gas     | All physical states        |
| Respiratory sensitiser Category 1      | ≥ 1,0 %   | ≥ 0,2 % |                            |
| Respiratory sensitiser Sub-category 1A | ≥ 0,1 %   | ≥ 0,1 % |                            |
| Respiratory sensitiser Sub-category 1B | ≥ 1,0 %   | ≥ 0,2 % |                            |
| Skin sensitiser Category 1             |   |         | ≥ 1,0 %                    |
| Skin sensitiser Sub-category 1A        |   |         | ≥ 0,1 %                    |
| Skin sensitiser Sub-category 1B        |   |         | ≥ 1,0 %                    |

Table 3.4.6

**Concentration limits for elicitation of components of a mixture**

| Component classified as:               | Concentration limits for elicitation |                   |                            |
|--|--------------------------------------|-------------------|----------------------------|
|  | Respiratory sensitiser Category 1    |                   | Skin sensitiser Category 1 |
|  | Solid/liquid                         | Gas               | All physical states        |
| Respiratory sensitiser Category 1      | ≥ 0,1 % (Note 1)                     | ≥ 0,1 % (Note 1)  |                            |
| Respiratory sensitiser Sub-category 1A | ≥ 0,01 % (Note 1)                    | ≥ 0,01 % (Note 1) |                            |
| Respiratory sensitiser Sub-category 1B | ≥ 0,1 % (Note 1)                     | ≥ 0,1 % (Note 1)  |                            |
| Skin sensitiser Category 1             |                                      |                   | ≥ 0,1 % (Note 1)           |
| Skin sensitiser Sub-category 1A        |                                      |                   | ≥ 0,01 % (Note 1)          |
| Skin sensitiser Sub-category 1B        |                                      |                   | ≥ 0,1 % (Note 1)           |

**▼ M4**

*Note 1:*

This concentration limit for elicitation is used for the application of the special labelling requirements of section 2.8 of Annex II to protect already sensitised individuals. A SDS is required for the mixture containing a component at or above this concentration. For sensitising substances with specific concentration limit lower than 0,1 %, the concentration limit for elicitation should be set at one tenth of the specific concentration limit.



**▼ B**3.4.4. **Hazard communication****▼ M2**

3.4.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 3.4.7.

**▼ M4**

Table 3.4.7

**Respiratory or skin sensitisation label elements**

| Classification                     | Respiratory sensitisation   | Skin sensitisation  |
|------------------------------------|---|---|
|                                    | Category 1 and subcategories 1A and 1B  | Category 1 and subcategories 1A and 1B  |
| GHS Pictograms                     |  |  |
| Signal Word                        | Danger  | Warning   |
| Hazard Statement                   | H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled     | H317: May cause an allergic skin reaction   |
| Precautionary Statement Prevention | P261<br>P284  | P261<br>P272<br>P280  |
| Precautionary Statement Response   | P304 + P340<br>P342 + P311  | P302 + P352<br>P333 + P313<br>P321<br>P362 + P364                                     |
| Precautionary Statement Storage    |   |   |
| Precautionary Statement Disposal   | P501  | P501  |

**▼ B**3.5. **Germ cell mutagenicity**3.5.1. **Definitions and general considerations**

3.5.1.1. A mutation means a permanent change in the amount or structure of the genetic material in a cell. The term 'mutation' applies both to heritable genetic changes that may be manifested at the phenotypic level and to the underlying DNA modifications when known (including specific base pair changes and chromosomal translocations). The term 'mutagenic' and 'mutagen' will be used for agents giving rise to an increased occurrence of mutations in populations of cells and/or organisms.

**▼B**

- 3.5.1.2. The more general terms ‘genotoxic’ and ‘genotoxicity’ apply to agents or processes which alter the structure, information content, or segregation of DNA, including those which cause DNA damage by interfering with normal replication processes, or which in a non-physiological manner (temporarily) alter its replication. Genotoxicity test results are usually taken as indicators for mutagenic effects.
- 3.5.2. **Classification criteria for substances**
- 3.5.2.1. This hazard class is primarily concerned with substances that may cause mutations in the germ cells of humans that can be transmitted to the progeny. However, the results from mutagenicity or genotoxicity tests in vitro and in mammalian somatic and germ cells in vivo are also considered in classifying substances and mixtures within this hazard class.
- 3.5.2.2. For the purpose of classification for germ cell mutagenicity, substances are allocated to one of two categories as shown in Table 3.5.1.

Table 3.5.1

**Hazard categories for germ cell mutagens**

| Categories   | Criteria   |
|--------------|--|
| CATEGORY 1:  | Substances known to induce heritable mutations or to be regarded as if they induce heritable mutations in the germ cells of humans.<br><br>Substances known to induce heritable mutations in the germ cells of humans.   |
| Category 1A: | The classification in Category 1A is based on positive evidence from human epidemiological studies.<br><br>Substances to be regarded as if they induce heritable mutations in the germ cells of humans.  |
| Category 1B: | The classification in Category 1B is based on: <ul style="list-style-type: none"> <li>— positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals; or</li> <li>— positive result(s) from in vivo somatic cell mutagenicity tests in mammals, in combination with some evidence that the substance has potential to cause mutations to germ cells. It is possible to derive this supporting evidence from mutagenicity/genotoxicity tests in germ cells in vivo, or by demonstrating the ability of the substance or its metabolite(s) to interact with the genetic material of germ cells; or</li> <li>— positive results from tests showing mutagenic effects in the germ cells of humans, without demonstration of transmission to progeny; for example, an increase in the frequency of aneuploidy in sperm cells of exposed people.</li> </ul> |
| CATEGORY 2:  | Substances which cause concern for humans owing to the possibility that they may induce heritable mutations in the germ cells of humans<br><br>The classification in Category 2 is based on: <ul style="list-style-type: none"> <li>— positive evidence obtained from experiments in mammals and/or in some cases from in vitro experiments, obtained from: <ul style="list-style-type: none"> <li>— somatic cell mutagenicity tests in vivo, in mammals; or</li> <li>— other in vivo somatic cell genotoxicity tests which are supported by positive results from in vitro mutagenicity assays.</li> </ul> </li> </ul> <p>Note: Substances which are positive in in vitro mammalian mutagenicity assays, and which also show chemical structure activity relationship to known germ cell mutagens, shall be considered for classification as Category 2 mutagens.</p>     |

**▼B**

- 3.5.2.3. *Specific considerations for classification of substances as germ cell mutagens*
- 3.5.2.3.1. To arrive at a classification, test results are considered from experiments determining mutagenic and/or genotoxic effects in germ and/or somatic cells of exposed animals. Mutagenic and/or genotoxic effects determined in in vitro tests shall also be considered.
- 3.5.2.3.2. The system is hazard based, classifying substances on the basis of their intrinsic ability to induce mutations in germ cells. The scheme is, therefore, not meant for the (quantitative) risk assessment of substances.
- 3.5.2.3.3. Classification for heritable effects in human germ cells is made on the basis of well conducted, sufficiently validated tests, preferably as described in Regulation (EC) No 440/2008 adopted in accordance with Article 13(3) of Regulation (EC) No 1907/2006 ('Test Method Regulation') such as those listed in the following paragraphs. Evaluation of the test results shall be done using expert judgement and all the available evidence shall be weighed in arriving at a classification.
- 3.5.2.3.4. In vivo heritable germ cell mutagenicity tests, such as:
- rodent dominant lethal mutation test;
  - mouse heritable translocation assay.
- 3.5.2.3.5. In vivo somatic cell mutagenicity tests, such as:
- mammalian bone marrow chromosome aberration test;

**▼M12****▼B**

- mammalian erythrocyte micronucleus test.
- 3.5.2.3.6. Mutagenicity/genotoxicity tests in germ cells, such as:
- (a) mutagenicity tests:
- mammalian spermatogonial chromosome aberration test;
  - spermatid micronucleus assay;
- (b) Genotoxicity tests:
- sister chromatid exchange analysis in spermatogonia;
  - unscheduled DNA synthesis test (UDS) in testicular cells.
- 3.5.2.3.7. Genotoxicity tests in somatic cells such as:
- liver Unscheduled synthesis test (UDS) in vivo;
  - mammalian bone marrow Sister Chromatid Exchanges (SCE);
- 3.5.2.3.8. In vitro mutagenicity tests such as:
- in vitro mammalian chromosome aberration test;
  - in vitro mammalian cell gene mutation test;
  - bacterial reverse mutation tests.
- 3.5.2.3.9. The classification of individual substances shall be based on the total weight of evidence available, using expert judgement (See 1.1.1). In those instances where a single well-conducted test is used for classification, it shall provide clear and unambiguously positive results. If new, well validated, tests arise these may also be used in the total weight of evidence to be considered. The relevance of the route of exposure used in the study of the substance compared to the route of human exposure shall also be taken into account.

**▼B**

- 3.5.3. **Classification criteria for mixtures**
- 3.5.3.1. *Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture*
- 3.5.3.1.1. The mixture shall be classified as a mutagen when at least one ingredient has been classified as a Category 1A, Category 1B or Category 2 mutagen and is present at or above the appropriate generic concentration limit as shown in Table 3.5.2 for Category 1A, Category 1B and Category 2 respectively.

**▼M4**

Table 3.5.2

**Generic concentration limits of ingredients of a mixture classified as germ cell mutagens that trigger classification of the mixture**

| Ingredient classified as: | Concentration limits triggering classification of a mixture as: |             |                    |
|---------------------------|---|-------------|--------------------|
|                           | Category 1 mutagen  |             | Category 2 mutagen |
|                           | Category 1A   | Category 1B |                    |
| Category 1A mutagen       | ≥ 0,1 %   | —           | —                  |
| Category 1B mutagen       | —   | ≥ 0,1 %     | —                  |
| Category 2 mutagen        | —   | —           | ≥ 1,0 %            |

**▼B***Note*



The concentration limits in the table above apply to solids and liquids (w/w units) as well as gases (v/v units).

- 3.5.3.2. *Classification of mixtures when data are available for the complete mixture*
- 3.5.3.2.1. Classification of mixtures will be based on the available test data for the individual ingredients of the mixture using concentration limits for the ingredients classified as germ cell mutagens. On a case-by-case basis, test data on mixtures may be used for classification when demonstrating effects that have not been established from the evaluation based on the individual ingredients. In such cases, the test results for the mixture as a whole must be shown to be conclusive taking into account dose and other factors such as duration, observations, sensitivity and statistical analysis of germ cell mutagenicity test systems. Adequate documentation supporting the classification shall be retained and made available for review upon request.
- 3.5.3.3. *Classification of mixtures when data are not available for the complete mixture: bridging principles*
- 3.5.3.3.1. Where the mixture itself has not been tested to determine its germ cell mutagenicity hazard, but there are sufficient data on the individual ingredients and similar tested mixtures (subject to paragraph 3.5.3.2.1), to adequately characterise the hazards of the mixture, these data shall be used in accordance with the applicable bridging rules set out in section 1.1.3.
- 3.5.4. **Hazard communication**
- 3.5.4.1. Label elements shall be used in accordance with Table 3.5.3, for substances or mixtures meeting the criteria for classification in this hazard class.

▼ M4

Table 3.5.3

## Label elements of germ cell mutagenicity

| Classification                     | Category 1<br>(Category 1A, 1B)  | Category 2  |
|------------------------------------|--|---|
| GHS Pictograms                     |   |   |
| Signal Word                        | Danger   | Warning   |
| Hazard Statement                   | H340: May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H341: Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| Precautionary Statement Prevention | P201<br>P202<br>P280   | P201<br>P202<br>P280  |
| Precautionary Statement Response   | P308 + P313  | P308 + P313   |
| Precautionary Statement Storage    | P405   | P405  |
| Precautionary Statement Disposal   | P501   | P501  |

▼ B3.5.5. *Additional classification considerations*

It is increasingly accepted that the process of chemical-induced tumorigenesis in humans and animals involves genetic changes for example in proto-oncogenes and/or tumour suppresser genes of somatic cells. Therefore, the demonstration of mutagenic properties of substances in somatic and/or germ cells of mammals in vivo may have implications for the potential classification of these substances as carcinogens (see also Carcinogenicity, section 3.6, paragraph 3.6.2.2.6).

3.6. **Carcinogenicity**3.6.1. *Definition*

3.6.1.1. Carcinogen means a substance or a mixture of substances which induce cancer or increase its incidence. Substances which have induced benign and malignant tumours in well performed experimental studies on animals are considered also to be presumed or suspected human carcinogens unless there is strong evidence that the mechanism of tumour formation is not relevant for humans.

3.6.2. *Classification criteria for substances*

3.6.2.1. For the purpose of classification for carcinogenicity, substances are allocated to one of two categories based on strength of evidence and additional considerations (weight of evidence). In certain instances, route-specific classification may be warranted, if it can be conclusively proved that no other route of exposure exhibits the hazard.



Table 3.6.1

**Hazard categories for carcinogens**

| Categories   | Criteria  |
|--------------|---|
| CATEGORY 1:  | <p>Known or presumed human carcinogens</p> <p>A substance is classified in Category 1 for carcinogenicity on the basis of epidemiological and/or animal data. A substance may be further distinguished as:</p>  |
| Category 1A: | <p>Category 1A, known to have carcinogenic potential for humans, classification is largely based on human evidence, or</p>  |
| Category 1B: | <p>Category 1B, presumed to have carcinogenic potential for humans, classification is largely based on animal evidence.</p>   |
|              | <p>The classification in Category 1A and 1B is based on strength of evidence together with additional considerations (see section 3.6.2.2). Such evidence may be derived from:</p> <ul style="list-style-type: none"> <li>— human studies that establish a causal relationship between human exposure to a substance and the development of cancer (known human carcinogen); or</li> <li>— animal experiments for which there is sufficient<sup>(1)</sup> evidence to demonstrate animal carcinogenicity (presumed human carcinogen).</li> </ul> <p>In addition, on a case-by-case basis, scientific judgement may warrant a decision of presumed human carcinogenicity derived from studies showing limited evidence of carcinogenicity in humans together with limited evidence of carcinogenicity in experimental animals.</p> |
| CATEGORY 2:  | <p>Suspected human carcinogens</p> <p>The placing of a substance in Category 2 is done on the basis of evidence obtained from human and/or animal studies, but which is not sufficiently convincing to place the substance in Category 1A or 1B, based on strength of evidence together with additional considerations (see section 3.6.2.2). Such evidence may be derived either from limited<sup>(1)</sup> evidence of carcinogenicity in human studies or from limited evidence of carcinogenicity in animal studies.</p>  |

<sup>(1)</sup> Note: See 3.6.2.2.4.

3.6.2.2. *Specific considerations for classification of substances as carcinogens*

3.6.2.2.1. Classification as a carcinogen is made on the basis of evidence from reliable and acceptable studies and is intended to be used for substances which have an intrinsic property to cause cancer. The evaluations shall be based on all existing data, peer-reviewed published studies and additional acceptable data.



**▼B**

3.6.2.2.2. Classification of a substance as a carcinogen is a process that involves two interrelated determinations: evaluations of strength of evidence and consideration of all other relevant information to place substances with human cancer potential into hazard categories.

3.6.2.2.3. Strength of evidence involves the enumeration of tumours in human and animal studies and determination of their level of statistical significance. Sufficient human evidence demonstrates causality between human exposure and the development of cancer, whereas sufficient evidence in animals shows a causal relationship between the substance and an increased incidence of tumours. Limited evidence in humans is demonstrated by a positive association between exposure and cancer, but a causal relationship cannot be stated. Limited evidence in animals is provided when data suggest a carcinogenic effect, but are less than sufficient. The terms 'sufficient' and 'limited' have been used here as they have been defined by the International Agency for Research on Cancer (IARC) and read as follows:

(a) Carcinogenicity in humans

The evidence relevant to carcinogenicity from studies in humans is classified into one of the following categories:

- sufficient evidence of carcinogenicity: a causal relationship has been established between exposure to the agent and human cancer. That is, a positive relationship has been observed between the exposure and cancer in studies in which chance, bias and confounding could be ruled out with reasonable confidence;
- limited evidence of carcinogenicity: a positive association has been observed between exposure to the agent and cancer for which a causal interpretation is considered to be credible, but chance, bias or confounding could not be ruled out with reasonable confidence.

(b) Carcinogenicity in experimental animals

Carcinogenicity in experimental animals can be evaluated using conventional bioassays, bioassays that employ genetically modified animals, and other in-vivo bioassays that focus on one or more of the critical stages of carcinogenesis. In the absence of data from conventional long-term bioassays or from assays with neoplasia as the end-point, consistently positive results in several models that address several stages in the multistage process of carcinogenesis should be considered in evaluating the degree of evidence of carcinogenicity in experimental animals. The evidence relevant to carcinogenicity in experimental animals is classified into one of the following categories:

- sufficient evidence of carcinogenicity: a causal relationship has been established between the agent and an increased incidence of malignant neoplasms or of an appropriate combination of benign and malignant neoplasms in (a) two or more species of animals or (b) two or more independent studies in one species carried out at different times or in different laboratories or under different protocols. An increased incidence of tumours in both sexes of a single

**▼B**

species in a well-conducted study, ideally conducted under Good Laboratory Practices, can also provide sufficient evidence. A single study in one species and sex might be considered to provide sufficient evidence of carcinogenicity when malignant neoplasms occur to an unusual degree with regard to incidence, site, type of tumour or age at onset, or when there are strong findings of tumours at multiple sites;

- limited evidence of carcinogenicity: the data suggest a carcinogenic effect but are limited for making a definitive evaluation because, e.g. (a) the evidence of carcinogenicity is restricted to a single experiment; (b) there are unresolved questions regarding the adequacy of the design, conduct or interpretation of the studies; (c) the agent increases the incidence only of benign neoplasms or lesions of uncertain neoplastic potential; or (d) the evidence of carcinogenicity is restricted to studies that demonstrate only promoting activity in a narrow range of tissues or organs.

3.6.2.2.4. Additional considerations (as part of the weight of evidence approach (see 1.1.1)). Beyond the determination of the strength of evidence for carcinogenicity, a number of other factors need to be considered that influence the overall likelihood that a substance poses a carcinogenic hazard in humans. The full list of factors that influence this determination would be very lengthy, but some of the more important ones are considered here.

3.6.2.2.5. The factors can be viewed as either increasing or decreasing the level of concern for human carcinogenicity. The relative emphasis accorded to each factor depends upon the amount and coherence of evidence bearing on each. Generally there is a requirement for more complete information to decrease than to increase the level of concern. Additional considerations should be used in evaluating the tumour findings and the other factors in a case-by-case manner.

3.6.2.2.6. Some important factors which may be taken into consideration, when assessing the overall level of concern are:

- (a) tumour type and background incidence;
- (b) multi-site responses;
- (c) progression of lesions to malignancy;
- (d) reduced tumour latency;
- (e) whether responses are in single or both sexes;
- (f) whether responses are in a single species or several species;
- (g) structural similarity to a substance(s) for which there is good evidence of carcinogenicity;
- (h) routes of exposure;
- (i) comparison of absorption, distribution, metabolism and excretion between test animals and humans;
- (j) the possibility of a confounding effect of excessive toxicity at test doses;
- (k) mode of action and its relevance for humans, such as cytotoxicity with growth stimulation, mitogenesis, immunosuppression, mutagenicity.

Mutagenicity: it is recognised that genetic events are central in the overall process of cancer development. Therefore evidence of mutagenic activity *in vivo* may indicate that a substance has a potential for carcinogenic effects.

**▼ B**

- 3.6.2.2.7. A substance that has not been tested for carcinogenicity may in certain instances be classified in Category 1A, Category 1B or Category 2 based on tumour data from a structural analogue together with substantial support from consideration of other important factors such as formation of common significant metabolites, e.g. for benzidine congener dyes.
- 3.6.2.2.8. The classification shall take into consideration whether or not the substance is absorbed by a given route(s); or whether there are only local tumours at the site of administration for the tested route(s), and adequate testing by other major route(s) show lack of carcinogenicity.
- 3.6.2.2.9. It is important that whatever is known of the physico-chemical, toxicokinetic and toxicodynamic properties of the substances, as well as any available relevant information on chemical analogues, i.e. structure activity relationship, is taken into consideration when undertaking classification.
- 3.6.3. **Classification criteria for mixtures**
- 3.6.3.1. *Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture*
- 3.6.3.1.1. The mixture will be classified as a carcinogen when at least one ingredient has been classified as a Category 1A, Category 1B or Category 2 carcinogen and is present at or above the appropriate generic concentration limit as shown in Table 3.6.2 for Category 1A, Category 1B and Category 2 respectively.

**▼ M4**

Table 3.6.2

**Generic concentration limits of ingredients of a mixture classified as carcinogen that trigger classification of the mixture**

| Ingredient classified as: | Generic concentration limits triggering classification of a mixture as: |             |                       |
|---------------------------|---|-------------|-----------------------|
|                           | Category 1 carcinogen   |             | Category 2 carcinogen |
|                           | Category 1A   | Category 1B |                       |
| Category 1A carcinogen    | ≥ 0,1 %   | —           | —                     |
| Category 1B carcinogen    | —   | ≥ 0,1 %     | —                     |
| Category 2 carcinogen     | —   | —           | ≥ 1,0 % [Note 1]      |

**▼ B***Note*

The concentration limits in the table above apply to solids and liquids (w/w units) as well as gases (v/v units).

*Note 1*

If a Category 2 carcinogen is present in the mixture as an ingredient at a concentration ≥ 0,1 % a SDS shall be available for the mixture upon request.

- 3.6.3.2. *Classification of mixtures when data are available for the complete mixture*
- 3.6.3.2.1. Classification of mixtures will be based on the available test data for the individual ingredients of the mixture using concentration limits for the ingredients classified as carcinogens. On a case-by-case basis, test data on mixtures may be used for classification when demonstrating effects that have not been established from the evaluation based on the individual ingredients. In such cases, the test results for the mixture as a whole must be shown to be conclusive taking into account dose and other factors such as duration, observations, sensitivity and statistical analysis of carcinogenicity test systems. Adequate documentation supporting the classification shall be retained and made available for review upon request.

**▼B**

3.6.3.3. *Classification of mixtures when data are not available for the complete mixture: bridging principles*

3.6.3.3.1. Where the mixture itself has not been tested to determine its carcinogenic hazard, but there are sufficient data on the individual ingredients and similar tested mixtures (subject to paragraph 3.6.3.2.1) to adequately characterise the hazards of the mixture, these data shall be used in accordance with the applicable bridging rules set out in section 1.1.3.



3.6.4. ***Hazard Communication***

3.6.4.1. Label elements shall be used in accordance with Table 3.6.3, for substances or mixtures meeting the criteria for classification in this hazard class.

**▼M4**

Table 3.6.3

**Label elements for carcinogenicity**

| Classification                     | Category 1<br>(Category 1A, 1B)   | Category 2   |
|------------------------------------|---|--|
| GHS Pictograms                     |    |    |
| Signal Word                        | Danger  | Warning  |
| Hazard Statement                   | H350: May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H351: Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| Precautionary Statement Prevention | P201<br>P202<br>P280  | P201<br>P202<br>P280   |
| Precautionary Statement Response   | P308 + P313   | P308 + P313  |
| Precautionary Statement Storage    | P405  | P405   |
| Precautionary Statement Disposal   | P501  | P501   |

**▼B**

3.7. **Reproductive toxicity**

3.7.1. ***Definitions and general considerations***

3.7.1.1. Reproductive toxicity includes adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring. The definitions presented below are adapted from those agreed as working definitions in IPCS/EHC Document No 225, Principles for Evaluating Health Risks to Reproduction Associated with Exposure to Chemicals. For classification purposes, the known induction of genetically based heritable

**▼B**

effects in the offspring is addressed in Germ Cell Mutagenicity (section 3.5), since in the present classification system it is considered more appropriate to address such effects under the separate hazard class of germ cell mutagenicity.

In this classification system, reproductive toxicity is subdivided under two main headings:

(a) adverse effects on sexual function and fertility;

(b) adverse effects on development of the offspring.

Some reproductive toxic effects cannot be clearly assigned to either impairment of sexual function and fertility or to developmental toxicity. Nonetheless, substances with these effects, or mixtures containing them, shall be classified as reproductive toxicants.

3.7.1.2. For the purpose of classification the hazard class Reproductive Toxicity is differentiated into:

— adverse effects

— on sexual function and fertility, or

— on development;

— effects on or via lactation.

3.7.1.3. *Adverse effects on sexual function and fertility*

Any effect of substances that has the potential to interfere with sexual function and fertility. This includes, but is not limited to, alterations to the female and male reproductive system, adverse effects on onset of puberty, gamete production and transport, reproductive cycle normality, sexual behaviour, fertility, parturition, pregnancy outcomes, premature reproductive senescence, or modifications in other functions that are dependent on the integrity of the reproductive systems.

3.7.1.4. *Adverse effects on development of the offspring*

Developmental toxicity includes, in its widest sense, any effect which interferes with normal development of the conceptus, either before or after birth, and resulting from exposure of either parent prior to conception, or exposure of the developing offspring during prenatal development, or postnatally, to the time of sexual maturation. However, it is considered that classification under the heading of developmental toxicity is primarily intended to provide a hazard warning for pregnant women, and for men and women of reproductive capacity. Therefore, for pragmatic purposes of classification, developmental toxicity essentially means adverse effects induced during pregnancy, or as a result of parental exposure. These effects can be manifested at any point in the life span of the organism. The major manifestations of developmental toxicity include (1) death of the developing organism, (2) structural abnormality, (3) altered growth, and (4) functional deficiency.

3.7.1.5. Adverse effects on or via lactation are also included in reproductive toxicity, but for classification purposes, such effects are treated separately (see Table 3.7.1 (b)). This is because it is desirable to be able to classify substances specifically for an adverse effect on lactation so that a specific hazard warning about this effect can be provided for lactating mothers.

**▼B**3.7.2. *Classification criteria for substances*3.7.2.1. *Hazard categories*

- 3.7.2.1.1. For the purpose of classification for reproductive toxicity, substances are allocated to one of two categories. Within each category, effects on sexual function and fertility, and on development, are considered separately. In addition, effects on lactation are allocated to a separate hazard category.

Table 3.7.1(a)

**Hazard categories for reproductive toxicants**

| Categories  | Criteria  |
|-------------|---|
| CATEGORY 1  | Known or presumed human reproductive toxicant<br>Substances are classified in Category 1 for reproductive toxicity when they are known to have produced an adverse effect on sexual function and fertility, or on development in humans or when there is evidence from animal studies, possibly supplemented with other information, to provide a strong presumption that the substance has the capacity to interfere with reproduction in humans. The classification of a substance is further distinguished on the basis of whether the evidence for classification is primarily from human data (Category 1A) or from animal data (Category 1B). |
| Category 1A | Known human reproductive toxicant<br>The classification of a substance in Category 1A is largely based on evidence from humans.   |
| Category 1B | Presumed human reproductive toxicant<br>The classification of a substance in Category 1B is largely based on data from animal studies. Such data shall provide clear evidence of an adverse effect on sexual function and fertility or on development in the absence of other toxic effects, or if occurring together with other toxic effects the adverse effect on reproduction is considered not to be a secondary non-specific consequence of other toxic effects. However, when there is mechanistic information that raises doubt about the relevance of the effect for humans, classification in Category 2 may be more appropriate.         |
| CATEGORY 2  | Suspected human reproductive toxicant<br>Substances are classified in Category 2 for reproductive toxicity when there is some evidence from humans or experimental animals, possibly supplemented with other information, of an adverse effect on sexual function and fertility, or on development, and where the evidence is not sufficiently convincing to place the substance in Category 1. If deficiencies in the study make the quality of evidence less convincing, Category 2 could be the more appropriate classification.   |

**▼B**

| Categories | Criteria   |
|------------|--|
|            | Such effects shall have been observed in the absence of other toxic effects, or if occurring together with other toxic effects the adverse effect on reproduction is considered not to be a secondary non-specific consequence of the other toxic effects. |

*Table 3.7.1(b)***Hazard category for lactation effects**

## EFFECTS ON OR VIA LACTATION

Effects on or via lactation are allocated to a separate single category. It is recognised that for many substances there is no information on the potential to cause adverse effects on the offspring via lactation. However, substances which are absorbed by women and have been shown to interfere with lactation, or which may be present (including metabolites) in breast milk in amounts sufficient to cause concern for the health of a breastfed child, shall be classified and labelled to indicate this property hazardous to breastfed babies. This classification can be assigned on the:

- (a) human evidence indicating a hazard to babies during the lactation period; and/or
- (b) results of one or two generation studies in animals which provide clear evidence of adverse effect in the offspring due to transfer in the milk or adverse effect on the quality of the milk; and/or
- (c) absorption, metabolism, distribution and excretion studies that indicate the likelihood that the substance is present in potentially toxic levels in breast milk.

3.7.2.2. *Basis of classification*

- 3.7.2.2.1. Classification is made on the basis of the appropriate criteria, outlined above, and an assessment of the total weight of evidence (see 1.1.1). Classification as a reproductive toxicant is intended to be used for substances which have an intrinsic, specific property to produce an adverse effect on reproduction and substances shall not be so classified if such an effect is produced solely as a non-specific secondary consequence of other toxic effects.

The classification of a substance is derived from the hazard categories in the following order of precedence: Category 1A, Category 1B, Category 2 and the additional Category for effects on or via lactation. If a substance meets the criteria for classification into both of the main categories (for example Category 1B for effects on sexual function and fertility and also Category 2 for development) then both hazard differentiations shall be communicated by the respective hazard statements. Classification in the additional category for effects on or via lactation will be considered irrespective of a classification into Category 1A, Category 1B or Category 2.

- 3.7.2.2.2. In the evaluation of toxic effects on the developing offspring, it is important to consider the possible influence of maternal toxicity (see section 3.7.2.4).

- 3.7.2.2.3. For human evidence to provide the primary basis for a Category 1A classification there must be reliable evidence of an adverse effect on reproduction in humans. Evidence used for classification shall ideally be from well conducted epidemiological studies which include the use of appropriate controls, balanced assessment, and

**▼B**

due consideration of bias or confounding factors. Less rigorous data from studies in humans shall be supplemented with adequate data from studies in experimental animals and classification in Category 1B shall be considered.

3.7.2.3. *Weight of evidence*

3.7.2.3.1. Classification as a reproductive toxicant is made on the basis of an assessment of the total weight of evidence, see section 1.1.1. This means that all available information that bears on the determination of reproductive toxicity is considered together, such as epidemiological studies and case reports in humans and specific reproduction studies along with sub-chronic, chronic and special study results in animals that provide relevant information regarding toxicity to reproductive and related endocrine organs. Evaluation of substances chemically related to the substance under study may also be included, particularly when information on the substance is scarce. The weight given to the available evidence will be influenced by factors such as the quality of the studies, consistency of results, nature and severity of effects, the presence of maternal toxicity in experimental animal studies, level of statistical significance for inter-group differences, number of endpoints affected, relevance of route of administration to humans and freedom from bias. Both positive and negative results are assembled together into a weight of evidence determination. A single, positive study performed according to good scientific principles and with statistically or biologically significant positive results may justify classification (see also 3.7.2.2.3).

3.7.2.3.2. Toxicokinetic studies in animals and humans, site of action and mechanism or mode of action study results may provide relevant information which reduces or increases concerns about the hazard to human health. If it is conclusively demonstrated that the clearly identified mechanism or mode of action has no relevance for humans or when the toxicokinetic differences are so marked that it is certain that the hazardous property will not be expressed in humans then a substance which produces an adverse effect on reproduction in experimental animals should not be classified.

3.7.2.3.3. If, in some reproductive toxicity studies in experimental animals the only effects recorded are considered to be of low or minimal toxicological significance, classification may not necessarily be the outcome. These effects include small changes in semen parameters or in the incidence of spontaneous defects in the foetus, small changes in the proportions of common foetal variants such as are observed in skeletal examinations, or in foetal weights, or small differences in postnatal developmental assessments.

3.7.2.3.4. Data from animal studies ideally shall provide clear evidence of specific reproductive toxicity in the absence of other systemic toxic effects. However, if developmental toxicity occurs together with other toxic effects in the dam, the potential influence of the generalised adverse effects shall be assessed to the extent possible. The preferred approach is to consider adverse effects in the embryo/foetus first, and then evaluate maternal toxicity, along with any other factors which are likely to have influenced these effects, as part of the weight of evidence. In general, developmental effects that are observed at maternally toxic doses shall not be automatically discounted. Discounting developmental effects that are observed at maternally toxic doses can only be done on a case-by-case basis when a causal relationship is established or refuted.



**▼ B**

3.7.2.3.5. If appropriate information is available it is important to try to determine whether developmental toxicity is due to a specific maternally mediated mechanism or to a non-specific secondary mechanism, like maternal stress and the disruption of homeostasis. Generally, the presence of maternal toxicity shall not be used to negate findings of embryo/foetal effects, unless it can be clearly demonstrated that the effects are secondary non-specific effects. This is especially the case when the effects in the offspring are significant, e.g. irreversible effects such as structural malformations. In some situations it can be assumed that reproductive toxicity is due to a secondary consequence of maternal toxicity and discount the effects, if the substance is so toxic that dams fail to thrive and there is severe inanition, they are incapable of nursing pups; or they are prostrate or dying.

3.7.2.4. *Maternal toxicity*

3.7.2.4.1. Development of the offspring throughout gestation and during the early postnatal stages can be influenced by toxic effects in the mother either through non-specific mechanisms related to stress and the disruption of maternal homeostasis, or by specific maternally-mediated mechanisms. In the interpretation of the developmental outcome to decide classification for developmental effects it is important to consider the possible influence of maternal toxicity. This is a complex issue because of uncertainties surrounding the relationship between maternal toxicity and developmental outcome. Expert judgement and a weight of evidence approach, using all available studies, shall be used to determine the degree of influence that shall be attributed to maternal toxicity when interpreting the criteria for classification for developmental effects. The adverse effects in the embryo/foetus shall be first considered, and then maternal toxicity, along with any other factors which are likely to have influenced these effects, as weight of evidence, to help reach a conclusion about classification.

3.7.2.4.2. Based on pragmatic observation, maternal toxicity may, depending on severity, influence development via non-specific secondary mechanisms, producing effects such as depressed foetal weight, retarded ossification, and possibly resorptions and certain malformations in some strains of certain species. However, the limited number of studies which have investigated the relationship between developmental effects and general maternal toxicity have failed to demonstrate a consistent, reproducible relationship across species. Developmental effects which occur even in the presence of maternal toxicity are considered to be evidence of developmental toxicity, unless it can be unequivocally demonstrated on a case-by-case basis that the developmental effects are secondary to maternal toxicity. Moreover, classification shall be considered where there is a significant toxic effect in the offspring, e.g. irreversible effects such as structural malformations, embryo/foetal lethality, significant post-natal functional deficiencies.

3.7.2.4.3. Classification shall not automatically be discounted for substances that produce developmental toxicity only in association with maternal toxicity, even if a specific maternally-mediated mechanism has been demonstrated. In such a case, classification in Category 2 may be considered more appropriate than Category 1. However, when a substance is so toxic that maternal death or severe inanition results, or the dams are prostrate and incapable of nursing the pups, it is reasonable to assume that developmental

**▼B**

toxicity is produced solely as a secondary consequence of maternal toxicity and discount the developmental effects. Classification is not necessarily the outcome in the case of minor developmental changes, when there is only a small reduction in foetal/pup body weight or retardation of ossification when seen in association with maternal toxicity.

- 3.7.2.4.4. Some of the end points used to assess maternal effects are provided below. Data on these end points, if available, need to be evaluated in light of their statistical or biological significance and dose response relationship.

Maternal mortality:

an increased incidence of mortality among the treated dams over the controls shall be considered evidence of maternal toxicity if the increase occurs in a dose-related manner and can be attributed to the systemic toxicity of the test material. Maternal mortality greater than 10 % is considered excessive and the data for that dose level shall not normally be considered for further evaluation.

Mating index

(no. animals with seminal plugs or sperm/no. mated × 100)<sup>(1)</sup>

Fertility index

(no. animals with implants/no. of matings × 100)

Gestation length

(if allowed to deliver)

Body weight and body weight change:

Consideration of the maternal body weight change and/or adjusted (corrected) maternal body weight shall be included in the evaluation of maternal toxicity whenever such data are available. The calculation of an adjusted (corrected) mean maternal body weight change, which is the difference between the initial and terminal body weight minus the gravid uterine weight (or alternatively, the sum of the weights of the foetuses), may indicate whether the effect is maternal or intrauterine. In rabbits, the body weight gain may not be useful indicators of maternal toxicity because of normal fluctuations in body weight during pregnancy.

Food and water consumption (if relevant):

The observation of a significant decrease in the average food or water consumption in treated dams compared to the control group is useful in evaluating maternal toxicity, particularly when the test material is administered in the diet or drinking water. Changes in food or water consumption need to be evaluated in conjunction with maternal body weights when determining if the effects noted are reflective of maternal toxicity or more simply, unpalatability of the test material in feed or water.

Clinical evaluations (including clinical signs, markers, haematology and clinical chemistry studies):

The observation of increased incidence of significant clinical signs of toxicity in treated dams relative to the control group is useful in evaluating maternal toxicity. If this is to be used as the basis for the

<sup>(1)</sup> It is recognised that the Mating index and the Fertility index can also be affected by the male.

**▼B**

assessment of maternal toxicity, the types, incidence, degree and duration of clinical signs shall be reported in the study. Clinical signs of maternal intoxication include: coma, prostration, hyperactivity, loss of righting reflex, ataxia, or laboured breathing.

Post-mortem data:

Increased incidence and/or severity of post-mortem findings may be indicative of maternal toxicity. This can include gross or microscopic pathological findings or organ weight data, including absolute organ weight, organ-to-body weight ratio, or organ-to-brain weight ratio. When supported by findings of adverse histopathological effects in the affected organ(s), the observation of a significant change in the average weight of suspected target organ(s) of treated dams, compared to those in the control group, may be considered evidence of maternal toxicity.

3.7.2.5. *Animal and experimental data*

3.7.2.5.1. A number of internationally accepted test methods are available; these include methods for developmental toxicity testing (e.g. OECD Test Guideline 414), and methods for one or two-generation toxicity testing (e.g. OECD Test Guidelines 415, 416).

3.7.2.5.2. Results obtained from Screening Tests (e.g. OECD Guidelines 421 — Reproduction/Developmental Toxicity Screening Test, and 422 — Combined Repeated Dose Toxicity Study with Reproduction/Development Toxicity Screening Test) can also be used to justify classification, although it is recognised that the quality of this evidence is less reliable than that obtained through full studies.

3.7.2.5.3. Adverse effects or changes, seen in short- or long-term repeated dose toxicity studies, which are judged likely to impair reproductive function and which occur in the absence of significant generalised toxicity, may be used as a basis for classification, e.g. histopathological changes in the gonads.

3.7.2.5.4. Evidence from in vitro assays, or non-mammalian tests, and from analogous substances using structure-activity relationship (SAR), can contribute to the procedure for classification. In all cases of this nature, expert judgement must be used to assess the adequacy of the data. Inadequate data shall not be used as a primary support for classification.

3.7.2.5.5. It is preferable that animal studies are conducted using appropriate routes of administration which relate to the potential route of human exposure. However, in practice, reproductive toxicity studies are commonly conducted using the oral route, and such studies will normally be suitable for evaluating the hazardous properties of the substance with respect to reproductive toxicity. However, if it can be conclusively demonstrated that the clearly identified mechanism or mode of action has no relevance for humans or when the toxicokinetic differences are so marked that it is certain that the hazardous property will not be expressed in humans then a substance which produces an adverse effect on reproduction in experimental animals shall not be classified.

**▼B**

- 3.7.2.5.6. Studies involving routes of administration such as intravenous or intraperitoneal injection, which result in exposure of the reproductive organs to unrealistically high levels of the test substance, or elicit local damage to the reproductive organs, including irritation, must be interpreted with extreme caution and on their own are not normally the basis for classification.
- 3.7.2.5.7. There is general agreement about the concept of a limit dose, above which the production of an adverse effect is considered to be outside the criteria which lead to classification, but not regarding the inclusion within the criteria of a specific dose as a limit dose. However, some guidelines for test methods, specify a limit dose, others qualify the limit dose with a statement that higher doses may be necessary if anticipated human exposure is sufficiently high that an adequate margin of exposure is not achieved. Also, due to species differences in toxicokinetics, establishing a specific limit dose may not be adequate for situations where humans are more sensitive than the animal model.
- 3.7.2.5.8. In principle, adverse effects on reproduction seen only at very high dose levels in animal studies (for example doses that induce prostration, severe inappetence, excessive mortality) would not normally lead to classification, unless other information is available, e.g. toxicokinetics information indicating that humans may be more susceptible than animals, to suggest that classification is appropriate. Please also refer to the section on maternal toxicity (3.7.2.4) for further guidance in this area.
- 3.7.2.5.9. However, specification of the actual 'limit dose' will depend upon the test method that has been employed to provide the test results, e.g. in the OECD Test Guideline for repeated dose toxicity studies by the oral route, an upper dose of 1 000 mg/kg has been recommended as a limit dose, unless expected human response indicates the need for a higher dose level.
- 3.7.3. **Classification criteria for mixtures**
- 3.7.3.1. *Classification of mixtures when data are available for all ingredients or only for some ingredients of the mixture*
- 3.7.3.1.1. The mixture shall be classified as a reproductive toxicant when at least one ingredient has been classified as a Category 1A, Category 1B or Category 2 reproductive toxicant and is present at or above the appropriate generic concentration limit as shown in Table 3.7.2 for Category 1A, Category 1B and Category 2 respectively.
- 3.7.3.1.2. The mixture shall be classified for effects on or via lactation when at least one ingredient has been classified for effects on or via lactation and is present at or above the appropriate generic concentration limit as shown in Table 3.7.2 for the additional category for effects on or via lactation.

**▼M4**

Table 3.7.2

**Generic concentration limits of ingredients of a mixture classified as reproduction toxicants or for effects on or via lactation that trigger classification of the mixture**

| Ingredient classified as:         | Generic concentration limits triggering classification of a mixture as: |                     |                                  |   |
|-----------------------------------|---|---------------------|----------------------------------|---|
|                                   | Category 1 reproductive toxicant  |                     | Category 2 reproductive toxicant | Additional category for effects on or via lactation |
|                                   | Category 1A   | Category 1B         |                                  |   |
| Category 1A reproductive toxicant | ≥ 0,3 %<br>[Note 1]   |                     |                                  |   |
| Category 1B reproductive toxicant |   | ≥ 0,3 %<br>[Note 1] |                                  |   |

▼ **M4**

| Ingredient classified as:                           | Generic concentration limits triggering classification of a mixture as: |             |                                  |   |
|---|---|-------------|----------------------------------|---|
|   | Category 1 reproductive toxicant  |             | Category 2 reproductive toxicant | Additional category for effects on or via lactation |
|   | Category 1A   | Category 1B |                                  |   |
| Category 2 reproductive toxicant                    |   |             | ≥ 3,0 %<br>[Note 1]              |   |
| Additional category for effects on or via lactation |   |             |                                  | ≥ 0,3 %<br>[Note 1]                                 |

*Note:*

The concentration limits in Table 3.7.2 apply to solids and liquids (w/w units) as well as gases (v/v units).

*Note 1:*

If a Category 1 or Category 2 reproductive toxicant or a substance classified for effects on or via lactation is present in the mixture as an ingredient at a concentration at or above 0,1 %, a SDS shall be available for the mixture upon request.

▼ **B**

3.7.3.2. *Classification of mixtures when data are available for the complete mixture*

3.7.3.2.1. Classification of mixtures will be based on the available test data for the individual ingredients of the mixture using concentration limits for the ingredients of the mixture. On a case-by-case basis, test data on mixtures may be used for classification when demonstrating effects that have not been established from the evaluation based on the individual components. In such cases, the test results for the mixture as a whole must be shown to be conclusive taking into account dose and other factors such as duration, observations, sensitivity and statistical analysis of reproduction test systems. Adequate documentation supporting the classification shall be retained and made available for review upon request.

3.7.3.3. *Classification of mixtures when data are not available for the complete mixture: bridging principles*

3.7.3.3.1. Subject to paragraph 3.7.3.2.1, where the mixture itself has not been tested to determine its reproductive toxicity, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the applicable bridging rules set out in section 1.1.3.



3.7.4. **Hazard Communication**

3.7.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 3.7.3

▼ **M4**

Table 3.7.3

**Label elements for reproductive toxicity**

| Classification | Category 1<br>(Category 1A, 1B)   | Category 2  | Additional category for effects on or via lactation |
|----------------|---|---|---|
| GHS Pictograms |  |  | No pictogram  |

▼ **M4**

| Classification                     | Category 1<br>(Category 1A, 1B)   | Category 2  | Additional category<br>for effects on or via<br>lactation |
|------------------------------------|---|---|---|
| Signal Word                        | Danger  | Warning   | No signal word  |
| Hazard Statement                   | H360: May damage fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H361: Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H362: May cause harm to breast-fed children.              |
| Precautionary Statement Prevention | P201<br>P202<br>P280  | P201<br>P202<br>P280  | P201<br>P260<br>P263<br>P264<br>P270                      |
| Precautionary Statement Response   | P308 + P313   | P308 + P313   | P308 + P313   |
| Precautionary Statement Storage    | P405  | P405  |   |
| Precautionary Statement Disposal   | P501  | P501  |   |

▼ **B**3.8. **Specific target organ toxicity — single exposure**3.8.1. **Definitions and general considerations**

3.8.1.1. Specific target organ toxicity (single exposure) is defined as specific, non lethal target organ toxicity arising from a single exposure to a substance or mixture. All significant health effects that can impair function, both reversible and irreversible, immediate and/or delayed and not specifically addressed in sections 3.1 to 3.7 and 3.10 are included (see also 3.8.1.6).

3.8.1.2. Classification identifies the substance or mixture as being a specific target organ toxicant and, as such, it may present a potential for adverse health effects in people who are exposed to it.

3.8.1.3. These adverse health effects produced by a single exposure include consistent and identifiable toxic effects in humans, or, in experimental animals, toxicologically significant changes which have affected the function or morphology of a tissue/organ, or have produced serious changes to the biochemistry or haematology of the organism, and these changes are relevant for human health.

**▼B**

- 3.8.1.4. Assessment shall take into consideration not only significant changes in a single organ or biological system but also generalised changes of a less severe nature involving several organs.
- 3.8.1.5. Specific target organ toxicity can occur by any route that is relevant for humans, i.e. principally oral, dermal or inhalation.
- 3.8.1.6. Specific target organ toxicity following a repeated exposure is classified as described in Specific target organ toxicity — Repeated exposure (section 3.9) and is therefore excluded from section 3.8. Other specific toxic effects, listed below, are assessed separately and consequently are not included here:
- (a) Acute toxicity (section 3.1);
  - (b) Skin corrosion/irritation (section 3.2);
  - (c) Serious eye damage/eye irritation (section 3.3);
  - (d) Respiratory or skin sensitisation (section 3.4);
  - (e) Germ cell mutagenicity (section 3.5);
  - (f) Carcinogenicity (section 3.6);
  - (g) Reproductive toxicity (section 3.7); and
  - (h) Aspiration toxicity (section 3.10).
- 3.8.1.7. The hazard class Specific Target Organ Toxicity — Single Exposure is differentiated into:
- Specific target organ toxicity — single exposure, Category 1 and 2;
  - Specific target organ toxicity — single exposure, Category 3.
- See Table 3.8.1.

*Table 3.8.1***Categories for specific target organ toxicity-single exposure**

| Categories | Criteria  |
|------------|---|
| Category 1 | <p>Substances that have produced significant toxicity in humans or that, on the basis of evidence from studies in experimental animals, can be presumed to have the potential to produce significant toxicity in humans following single exposure</p> <p>Substances are classified in Category 1 for specific target organ toxicity (single exposure) on the basis of:</p> <ul style="list-style-type: none"> <li>(a) reliable and good quality evidence from human cases or epidemiological studies; or</li> <li>(b) observations from appropriate studies in experimental animals in which significant and/or severe toxic effects of relevance to human health were produced at generally low exposure concentrations. Guidance dose/concentration values are provided below (see 3.8.2.1.9) to be used as part of weight-of-evidence evaluation.</li> </ul> |

▼ **B**

| Categories | Criteria  |
|------------|---|
| Category 2 | <p>Substances that, on the basis of evidence from studies in experimental animals can be presumed to have the potential to be harmful to human health following single exposure</p> <p>Substances are classified in Category 2 for specific target organ toxicity (single exposure) on the basis of observations from appropriate studies in experimental animals in which significant toxic effects, of relevance to human health, were produced at generally moderate exposure concentrations. Guidance dose/concentration values are provided below (see 3.8.2.1.9) in order to help in classification.</p> <p>In exceptional cases, human evidence can also be used to place a substance in Category 2 (see 3.8.2.1.6).</p> |
| Category 3 | <p>Transient target organ effects</p> <p>This category only includes narcotic effects and respiratory tract irritation. These are target organ effects for which a substance does not meet the criteria to be classified in Categories 1 or 2 indicated above. These are effects which adversely alter human function for a short duration after exposure and from which humans may recover in a reasonable period without leaving significant alteration of structure or function. Substances are classified specifically for these effects as laid down in 3.8.2.2.</p>   |

*Note:* Attempts shall be made to determine the primary target organ of toxicity and to classify for that purpose, such as hepatotoxicants, neurotoxicants. The data shall be carefully evaluated and, where possible, secondary effects should not be included (e.g. a hepatotoxicant can produce secondary effects in the nervous or gastro-intestinal systems).

### 3.8.2. *Classification criteria for substances*

#### 3.8.2.1. *Substances of Category 1 and Category 2*

3.8.2.1.1. Substances are classified for immediate or delayed effects separately, by the use of expert judgement (see 1.1.1) on the basis of the weight of all evidence available, including the use of recommended guidance values (see 3.8.2.1.9). Substances are then placed in Category 1 or 2, depending upon the nature and severity of the effect(s) observed (Table 3.8.1).

3.8.2.1.2. The relevant route or routes of exposure by which the classified substance produces damage shall be identified (see 3.8.1.5).

3.8.2.1.3. Classification is determined by expert judgement (see section 1.1.1), on the basis of the weight of all evidence available including the guidance presented below.

3.8.2.1.4. Weight of evidence of all data (see section 1.1.1), including human incidents, epidemiology, and studies conducted in experimental animals, is used to substantiate specific target organ toxic effects that merit classification.

3.8.2.1.5. The information required to evaluate specific target organ toxicity comes either from single exposure in humans, such as: exposure at home, in the workplace or environmentally, or from studies conducted in experimental animals. The standard animal studies in rats or mice that provide this information are acute toxicity



**▼B**

studies which can include clinical observations and detailed macroscopic and microscopic examination to enable the toxic effects on target tissues/organs to be identified. Results of acute toxicity studies conducted in other species may also provide relevant information.

3.8.2.1.6. In exceptional cases, based on expert judgement, it is appropriate to place certain substances with human evidence of target organ toxicity in Category 2:

(a) when the weight of human evidence is not sufficiently convincing to warrant Category 1 classification, and/or

(b) based on the nature and severity of effects.

Dose/concentration levels in humans shall not be considered in the classification and any available evidence from animal studies shall be consistent with the Category 2 classification. In other words, if there are also animal data available on the substance that warrant Category 1 classification, the substance shall be classified as Category 1.

3.8.2.1.7. Effects considered to support classification for Category 1 and 2

3.8.2.1.7.1. Classification is supported by evidence associating single exposure to the substance with a consistent and identifiable toxic effect.

3.8.2.1.7.2. Evidence from human experience/incidents is usually restricted to reports of adverse health consequence, often with uncertainty about exposure conditions, and may not provide the scientific detail that can be obtained from well-conducted studies in experimental animals.

3.8.2.1.7.3. Evidence from appropriate studies in experimental animals can furnish much more detail, in the form of clinical observations, and macroscopic and microscopic pathological examination, and this can often reveal hazards that may not be life-threatening but could indicate functional impairment. Consequently all available evidence, and relevance to human health, must be taken into consideration in the classification process, including but not limited to the following effects in humans and/or animals:

(a) morbidity resulting from single exposure;

(b) significant functional changes, more than transient in nature, in the respiratory system, central or peripheral nervous systems, other organs or other organ systems, including signs of central nervous system depression and effects on special senses (such as sight, hearing and sense of smell);

(c) any consistent and significant adverse change in clinical biochemistry, haematology, or urinalysis parameters;

(d) significant organ damage noted at necropsy and/or subsequently seen or confirmed at microscopic examination;

(e) multi-focal or diffuse necrosis, fibrosis or granuloma formation in vital organs with regenerative capacity;

(f) morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction;

**▼B**

- (g) evidence of appreciable cell death (including cell degeneration and reduced cell number) in vital organs incapable of regeneration.

3.8.2.1.8. Effects considered not to support classification for Category 1 and 2

It is recognised that effects may be seen that does not justify classification. Such effects in humans and/or animals include, but are not limited to:

- (a) clinical observations or small changes in bodyweight gain, food consumption or water intake that may have some toxicological importance but that do not, by themselves, indicate 'significant' toxicity;
- (b) small changes in clinical biochemistry, haematology or urinalysis parameters and/or transient effects, when such changes or effects are of doubtful or minimal toxicological importance;
- (c) changes in organ weights with no evidence of organ dysfunction;
- (d) adaptive responses that are not considered toxicologically relevant;
- (e) substance-induced species-specific mechanisms of toxicity, i.e. demonstrated with reasonable certainty to be not relevant for human health, shall not justify classification.

3.8.2.1.9. Guidance values to assist with classification based on the results obtained from studies conducted in experimental animals for Category 1 and 2

3.8.2.1.9.1. In order to help reach a decision about whether a substance shall be classified or not, and to what degree it shall be classified (Category 1 or Category 2), dose/concentration 'guidance values' are provided for consideration of the dose/concentration which has been shown to produce significant health effects. The principal argument for proposing such guidance values is that all substances are potentially toxic and there has to be a reasonable dose/concentration above which a degree of toxic effect is acknowledged.

3.8.2.1.9.2. Thus, in animal studies, when significant toxic effects are observed that indicate classification, consideration of the dose/concentration at which these effects were seen, in relation to the suggested guidance values, provides useful information to help assess the need to classify (since the toxic effects are a consequence of the hazardous property(ies) and also the dose/concentration).

3.8.2.1.9.3. The guidance value (C) ranges for single-dose exposure which has produced a significant non-lethal toxic effect are those applicable to acute toxicity testing, as indicated in Table 3.8.2.



Table 3.8.2

Guidance value ranges for single-dose exposures <sup>a</sup>

|                                 |                   |                 | Guidance value ranges for: |   |
|---------------------------------|-------------------|-----------------|----------------------------|---|
| Route of exposure               | Units             | Category 1      | Category 2                 | Category 3                                |
| Oral (rat)                      | mg/kg body weight | $C \leq 300$    | $2\,000 \geq C > 300$      | Guidance values do not apply <sup>b</sup> |
| Dermal (rat or rabbit)          | mg/kg body weight | $C \leq 1\,000$ | $2\,000 \geq C > 1\,000$   |   |
| Inhalation (rat) gas            | ppmV/4h           | $C \leq 2\,500$ | $20\,000 \geq C > 2\,500$  |   |
| Inhalation (rat) vapour         | mg/l/4h           | $C \leq 10$     | $20 \geq C > 10$           |   |
| Inhalation (rat) dust/mist/fume | mg/l/4h           | $C \leq 1,0$    | $5,0 \geq C > 1,0$         |   |

*Note*

(a) The guidance values and ranges mentioned in Table 3.8.2 are intended only for guidance purposes, i.e. to be used as part of the weight of evidence approach, and to assist with decision about classification. They are not intended as strict demarcation values.

(b) Guidance values are not provided for Category 3 substances since this classification is primarily based on human data. Animal data, if available, shall be included in the weight of evidence evaluation.

## 3.8.2.1.10. Other considerations

3.8.2.1.10.1. When a substance is characterised only by use of animal data (typical of new substances, but also true for many existing substances), the classification process includes reference to dose/concentration guidance values as one of the elements that contribute to the weight of evidence approach.

3.8.2.1.10.2. When well-substantiated human data are available showing a specific target organ toxic effect that can be reliably attributed to single exposure to a substance, the substance shall normally be classified. Positive human data, regardless of probable dose, predominates over animal data. Thus, if a substance is unclassified because specific target organ toxicity observed was considered not relevant or significant to humans, if subsequent human incident data become available showing a specific target organ toxic effect, the substance shall be classified.

3.8.2.1.10.3. A substance that has not been tested for specific target organ toxicity may, where appropriate, be classified on the basis of data from a validated structure activity relationship and expert judgement-based extrapolation from a structural analogue that has previously been classified together with substantial support from consideration of other important factors such as formation of common significant metabolites.

**▼B**

3.8.2.1.10.4. Saturated vapour concentration shall be considered, where appropriate, as an additional element to provide for specific health and safety protection

3.8.2.2. *Substances of Category 3: Transient target organ effects*

3.8.2.2.1. Criteria for respiratory tract irritation

The criteria for classifying substances as Category 3 for respiratory tract irritation are:

- (a) respiratory irritant effects (characterised by localised redness, oedema, pruritis and/or pain) that impair function with symptoms such as cough, pain, choking, and breathing difficulties are included. This evaluation will be based primarily on human data;
- (b) subjective human observations could be supported by objective measurements of clear respiratory tract irritation (RTI) (such as electrophysiological responses, biomarkers of inflammation in nasal or bronchoalveolar lavage fluids);
- (c) the symptoms observed in humans shall also be typical of those that would be produced in the exposed population rather than being an isolated idiosyncratic reaction or response triggered only in individuals with hypersensitive airways. Ambiguous reports simply of 'irritation' shall be excluded as this term is commonly used to describe a wide range of sensations including those such as smell, unpleasant taste, a tickling sensation, and dryness, which are outside the scope of classification for respiratory irritation;
- (d) there are currently no validated animal tests that deal specifically with RTI, however, useful information may be obtained from the single and repeated inhalation toxicity tests. For example, animal studies may provide useful information in terms of clinical signs of toxicity (dyspnoea, rhinitis etc) and histopathology (e.g. hyperemia, edema, minimal inflammation, thickened mucous layer) which are reversible and may be reflective of the characteristic clinical symptoms described above. Such animal studies can be used as part of weight of evidence evaluation;
- (e) this special classification would occur only when more severe organ effects including in the respiratory system are not observed.

3.8.2.2.2. Criteria for narcotic effects

The criteria for classifying substances as Category 3 for narcotic effects are:

- (a) central nervous system depression including narcotic effects in humans such as drowsiness, narcosis, reduced alertness, loss of reflexes, lack of coordination, and vertigo are included. These effects can also be manifested as severe headache or nausea, and can lead to reduced judgment, dizziness, irritability, fatigue, impaired memory function, deficits in perception and coordination, reaction time, or sleepiness;
- (b) narcotic effects observed in animal studies may include lethargy, lack of coordination, loss of righting reflex, and ataxia. If these effects are not transient in nature, then they shall be considered to support classification for Category 1 or 2 specific target organ toxicity single exposure.

**▼B**

- 3.8.3. **Classification criteria for mixtures**
- 3.8.3.1. Mixtures are classified using the same criteria as for substances, or alternatively as described below. As with substances, mixtures shall be classified for specific target organ toxicity following single exposure.
- 3.8.3.2. *Classification of mixtures when data are available for the complete mixture*
- 3.8.3.2.1. When reliable and good quality evidence from human experience or appropriate studies in experimental animals, as described in the criteria for substances, is available for the mixture, then the mixture shall be classified by weight of evidence evaluation of these data (see 1.1.1.4). Care shall be exercised in evaluating data on mixtures, that the dose, duration, observation or analysis, do not render the results inconclusive.
- 3.8.3.3. *Classification of mixtures when data are not available for the complete mixture: bridging principles*
- 3.8.3.3.1. Where the mixture itself has not been tested to determine its specific target organ toxicity, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the bridging principles set out in section 1.1.3.
- 3.8.3.4. *Classification of mixtures when data are available for all components or only for some components of the mixture*
- 3.8.3.4.1. Where there is no reliable evidence or test data for the specific mixture itself, and the bridging principles cannot be used to enable classification, then classification of the mixture is based on the classification of the ingredient substances. In this case, the mixture shall be classified as a specific target organ toxicant (specific organ specified), following single exposure, when at least one ingredient has been classified as a Category 1 or Category 2 specific target organ toxicant and is present at or above the appropriate generic concentration limit as mentioned in Table 3.8.3 for Category 1 and 2 respectively.
- 3.8.3.4.2. These generic concentration limits and consequent classifications shall be applied appropriately to single-dose specific target organ toxicants.
- 3.8.3.4.3. Mixtures shall be classified for either or both single- and repeated-dose toxicity independently.

Table 3.8.3

**Generic concentration limits of ingredients of a mixture classified as a specific target organ toxicant that trigger classification of the mixture as Category 1 or 2**

| Ingredient classified as:                       | Generic concentration limits triggering classification of the mixture as: |                                 |
|---|---|---------------------------------|
|   | Category 1  | Category 2                      |
| Category 1<br>Specific Target Organ<br>Toxicant | Concentration<br>≥ 10 %   | 1,0 % ≤ concentration < 10 %    |
| Category 2<br>Specific Target Organ<br>Toxicant |   | Concentration ≥ 10 % [(Note 1)] |

**▼ B***Note 1*

If a Category 2 specific target organ toxicant is present in the mixture as an ingredient at a concentration  $\geq 1,0$  % a SDS shall be available for the mixture upon request.

3.8.3.4.4. Care shall be exercised when toxicants affecting more than one organ system are combined that the potentiation or synergistic interactions are considered, because certain substances can cause target organ toxicity at  $< 1$  % concentration when other ingredients in the mixture are known to potentiate its toxic effect.

3.8.3.4.5. Care shall be exercised when extrapolating toxicity of a mixture that contains Category 3 ingredient(s). A generic concentration limit of 20 % is appropriate; however, it shall be recognised that this concentration limit may be higher or lower depending on the Category 3 ingredient(s) and that some effects such as respiratory tract irritation may not occur below a certain concentration while other effects such as narcotic effects may occur below this 20 % value. Expert judgement shall be exercised. ► **M2** Respiratory tract irritation and narcotic effects are to be evaluated separately in accordance with the criteria given in section 3.8.2.2. When conducting classifications for these hazards, the contribution of each component should be considered additive, unless there is evidence that the effects are not additive. ◀




3.8.4. ***Hazard Communication***

3.8.4.1 Label elements shall be used in accordance with Table 3.8.4., for substances or mixtures meeting the criteria for classification in this hazard class.

**▼ M4**

Table 3.8.4

**Label elements for specific target organ toxicity after single exposure**

| Classification   | Category 1  | Category 2   | Category 3  |
|------------------|---|--|---|
| GHS Pictograms   |    |   |  |
| Signal Word      | Danger  | Warning  | Warning   |
| Hazard Statement | H370: Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H371: May cause damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H335: May cause respiratory irritation; or<br>H336: May cause drowsiness or dizziness |

▼ **M4**

| Classification                     | Category 1           | Category 2           | Category 3          |
|------------------------------------|----------------------|----------------------|---------------------|
| Precautionary Statement Prevention | P260<br>P264<br>P270 | P260<br>P264<br>P270 | P261<br>P271        |
| Precautionary Statement Response   | P308 + P311<br>P321  | P308 + P311          | P304 + P340<br>P312 |
| Precautionary Statement Storage    | P405                 | P405                 | P403 + P233<br>P405 |
| Precautionary Statement Disposal   | P501                 | P501                 | P501                |

▼ **B**3.9. **Specific target organ toxicity — repeated exposure**3.9.1. **Definitions and general considerations**

3.9.1.1. Target organ toxicity (repeated exposure) means specific, target organ toxicity arising from a repeated exposure to a substance or mixture. All significant health effects that can impair function, both reversible and irreversible, immediate and/or delayed are included. However, other specific toxic effects that are specifically addressed in sections 3.1 to 3.8 and 3.10 are not included here.

3.9.1.2. Classification for target organ toxicity (repeated exposure) identifies the substance ► **M2** or mixture ◀ as being a specific target organ toxicant and, as such, it may present a potential for adverse health effects in people who are exposed to it.

3.9.1.3. These adverse health effects include consistent and identifiable toxic effects in humans, or, in experimental animals, toxicologically significant changes which have affected the function or morphology of a tissue/organ, or have produced serious changes to the biochemistry or haematology of the organism and these changes are relevant for human health.

3.9.1.4. Assessment shall take into consideration not only significant changes in a single organ or biological system but also generalised changes of a less severe nature involving several organs.

3.9.1.5. Specific target organ toxicity can occur by any route that is relevant for humans, i.e. principally oral, dermal or inhalation.

3.9.1.6. Non-lethal toxic effects observed after a single-event exposure are classified as described in Specific target organ toxicity — Single exposure (section 3.8) and are therefore excluded from section 3.9.

3.9.2. **Classification criteria for substances**

3.9.2.1. Substances are classified as specific target organ toxicants following repeated exposure by the use of expert judgement (see 1.1.1), on the basis of the weight of all evidence available, including the use of recommended guidance values which take into account the duration of exposure and the dose/concentration which produced the effect(s), (see 3.9.2.9), and are placed in one of two categories, depending upon the nature and severity of the effect(s) observed (Table 3.9.1).



Table 3.9.1

## Categories for specific target organ toxicity-repeated exposure

| Categories | Criteria   |
|------------|--|
| Category 1 | <p>Substances that have produced significant toxicity in humans or that, on the basis of evidence from studies in experimental animals, can be presumed to have the potential to produce significant toxicity in humans following repeated exposure.</p> <p>Substances are classified in Category 1 for target organ toxicity (repeat exposure) on the basis of:</p> <ul style="list-style-type: none"> <li>— reliable and good quality evidence from human cases or epidemiological studies; or</li> <li>— observations from appropriate studies in experimental animals in which significant and/or severe toxic effects, of relevance to human health, were produced at generally low exposure concentrations. Guidance dose/concentration values are provided below (see 3.9.2.9), to be used as part of a weight-of-evidence evaluation.</li> </ul> |
| Category 2 | <p>Substances that, on the basis of evidence from studies in experimental animals can be presumed to have the potential to be harmful to human health following repeated exposure.</p> <p>Substances are classified in category 2 for target organ toxicity (repeat exposure) on the basis of observations from appropriate studies in experimental animals in which significant toxic effects, of relevance to human health, were produced at generally moderate exposure concentrations. Guidance dose/concentration values are provided below (see 3.9.2.9) in order to help in classification.</p> <p>In exceptional cases human evidence can also be used to place a substance in Category 2 (see 3.9.2.6).</p>   |

*Note*

Attempts shall be made to determine the primary target organ of toxicity and classify for that purpose, such as hepatotoxicants, neurotoxicants. One shall carefully evaluate the data and, where possible, not include secondary effects (a hepatotoxicant can produce secondary effects in the nervous or gastro-intestinal systems).

- 3.9.2.2. The relevant route or routes of exposure by which the classified substance produces damage shall be identified.
- 3.9.2.3. Classification is determined by expert judgement (see section 1.1.1), on the basis of the weight of all evidence available including the guidance presented below.
- 3.9.2.4. Weight of evidence of all data (see section 1.1.1), including human incidents, epidemiology, and studies conducted in experimental animals, is used to substantiate specific target organ toxic effects that merit classification. This taps the considerable body of



**▼B**

industrial toxicology data collected over the years. Evaluation shall be based on all existing data, including peer-reviewed published studies and additional acceptable data.

3.9.2.5. The information required to evaluate specific target organ toxicity comes either from repeated exposure in humans, such as exposure at home, in the workplace or environmentally, or from studies conducted in experimental animals. The standard animal studies in rats or mice that provide this information are 28 day, 90 day or lifetime studies (up to 2 years) that include haematological, clinicochemical and detailed macroscopic and microscopic examination to enable the toxic effects on target tissues/organs to be identified. Data from repeat dose studies performed in other species shall also be used, if available. Other long-term exposure studies, such as on carcinogenicity, neurotoxicity or reproductive toxicity, may also provide evidence of specific target organ toxicity that could be used in the assessment of classification.

3.9.2.6. In exceptional cases, based on expert judgement, it is appropriate to place certain substances with human evidence of specific target organ toxicity in Category 2:

(a) when the weight of human evidence is not sufficiently convincing to warrant Category 1 classification; and/or

(b) based on the nature and severity of effects.

Dose/concentration levels in humans shall not be considered in the classification and any available evidence from animal studies shall be consistent with the Category 2 classification. In other words, if there are also animal data available on the substance that warrant Category 1 classification, the substance shall be classified as Category 1.

3.9.2.7. *Effects considered to support classification for specific target organ toxicity following repeated exposure*

3.9.2.7.1. Reliable evidence associating repeated exposure to the substance with a consistent and identifiable toxic effect demonstrates support for the classification.

3.9.2.7.2. Evidence from human experience/incidents is usually restricted to reports of adverse health consequence, often with uncertainty about exposure conditions, and may not provide the scientific detail that can be obtained from well-conducted studies in experimental animals.

3.9.2.7.3. Evidence from appropriate studies in experimental animals can furnish much more detail, in the form of clinical observations, haematology, clinical chemistry, and macroscopic and microscopic pathological examination, and this can often reveal hazards that may not be life-threatening but could indicate functional impairment. Consequently all available evidence, and relevance to human health, shall be taken into consideration in the classification process, including but not limited to the following toxic effects in humans and/or animals:

(a) morbidity or death resulting from repeated or long-term exposure. Morbidity or death may result from repeated exposure, even to relatively low doses/concentrations, due to bioaccumulation of the substance or its metabolites, and/or due to the overwhelming of the de-toxification process by repeated exposure to the substance or its metabolites;

(b) significant functional changes in the central or peripheral nervous systems or other organ systems, including signs of central nervous system depression and effects on special senses (e.g. sight, hearing and sense of smell);

**▼B**

- (c) any consistent and significant adverse change in clinical biochemistry, haematology, or urinalysis parameters;
- (d) significant organ damage noted at necropsy and/or subsequently seen or confirmed at microscopic examination;
- (e) multi-focal or diffuse necrosis, fibrosis or granuloma formation in vital organs with regenerative capacity;
- (f) morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction (e.g., severe fatty change in the liver);
- (g) evidence of appreciable cell death (including cell degeneration and reduced cell number) in vital organs incapable of regeneration.

3.9.2.8. *Effects considered not to support classification for specific target organ toxicity following repeated exposure*

3.9.2.8.1. It is recognised that effects may be seen in humans and/or animals that do not justify classification. Such effects include, but are not limited to:

- (a) clinical observations or small changes in bodyweight gain, food consumption or water intake that have toxicological importance but that do not, by themselves, indicate ‘significant’ toxicity;
- (b) small changes in clinical biochemistry, haematology or urinalysis parameters and/or transient effects, when such changes or effects are of doubtful or minimal toxicological importance;
- (c) changes in organ weights with no evidence of organ dysfunction;
- (d) adaptive responses that are not considered toxicologically relevant;
- (e) substance-induced species-specific mechanisms of toxicity, i.e. demonstrated with reasonable certainty to be not relevant for human health, shall not justify classification.

3.9.2.9. *Guidance values to assist with classification based on the results obtained from studies conducted in experimental animals*

3.9.2.9.1. In studies conducted in experimental animals, reliance on observation of effects alone, without reference to the duration of experimental exposure and dose/concentration, omits a fundamental concept of toxicology, i.e. all substances are potentially toxic, and what determines the toxicity is a function of the dose/concentration and the duration of exposure. In most studies conducted in experimental animals the test guidelines use an upper limit dose value.

3.9.2.9.2. In order to help reach a decision about whether a substance shall be classified or not, and to what degree it shall be classified (Category 1 or Category 2), dose/concentration ‘guidance values’ are provided for consideration of the dose/concentration which has been shown to produce significant health effects. The principal argument for proposing such guidance values is that all substances are potentially toxic and there has to be a reasonable dose/concentration above

**▼B**

which a degree of toxic effect is acknowledged. Also, repeated-dose studies conducted in experimental animals are designed to produce toxicity at the highest dose used in order to optimise the test objective and so most studies will reveal some toxic effect at least at this highest dose. What is therefore to be decided is not only what effects have been produced, but also at what dose/concentration they were produced and how relevant is that for humans.

- 3.9.2.9.3. Thus, in animal studies, when significant toxic effects are observed that indicate classification, consideration of the duration of experimental exposure and the dose/concentration at which these effects were seen, in relation to the suggested guidance values, can provide useful information to help assess the need to classify (since the toxic effects are a consequence of the hazardous property(ies) and also the duration of exposure and the dose/concentration).
- 3.9.2.9.4. The decision to classify at all can be influenced by reference to the dose/concentration guidance values at or below which a significant toxic effect has been observed.
- 3.9.2.9.5. The guidance values refer to effects seen in a standard 90-day toxicity study conducted in rats. They can be used as a basis to extrapolate equivalent guidance values for toxicity studies of greater or lesser duration, using dose/exposure time extrapolation similar to Haber's rule for inhalation, which states essentially that the effective dose is directly proportional to the exposure concentration and the duration of exposure. The assessment shall be done on a case-by-case basis; for a 28-day study the guidance values below is increased by a factor of three.
- 3.9.2.9.6. Thus classification in Category 1 is applicable, when significant toxic effects observed in a 90-day repeated-dose study conducted in experimental animals are seen to occur at or below the guidance values (C) as indicated in Table 3.9.2:

*Table 3.9.2*

**Guidance values to assist in Category 1 classification**

| Route of exposure               | Units                 | Guidance values (dose/concentration) |
|---------------------------------|-----------------------|--------------------------------------|
| Oral (rat)                      | mg/kg body weight/day | $C \leq 10$                          |
| Dermal (rat or rabbit)          | mg/kg body weight/day | $C \leq 20$                          |
| Inhalation (rat)gas             | ppmV/6h/day           | $C \leq 50$                          |
| Inhalation (rat)vapour          | mg/litre/6h/day       | $C \leq 0,2$                         |
| Inhalation (rat) dust/mist/fume | mg/litre/6h/day       | $C \leq 0,02$                        |

- 3.9.2.9.7. Classification in Category 2 is applicable, when significant toxic effects observed in a 90-day repeated-dose study conducted in experimental animals are seen to occur within the guidance value ranges as indicated in Table 3.9.3:

**▼B**

Table 3.9.3

**Guidance values to assist in Category 2 classification**

| Route of Exposure                   | Units                 | Guidance Value Ranges:<br>(dose/concentration) |
|-------------------------------------|-----------------------|--|
| Oral (rat)                          | mg/kg body weight/day | $10 < C \leq 100$                              |
| Dermal (rat or rabbit)              | mg/kg body weight/day | $20 < C \leq 200$                              |
| Inhalation (rat) gas                | ppmV/6h/day           | $50 < C \leq 250$                              |
| Inhalation (rat)vapour              | mg/litre/6h/day       | $0,2 < C \leq 1,0$                             |
| Inhalation (rat) dust/<br>mist/fume | mg/litre/6h/day       | $0,02 < C \leq 0,2$                            |

3.9.2.9.8. The guidance values and ranges mentioned in paragraphs 3.9.2.9.6 and 3.9.2.9.7 are intended only for guidance purposes, i.e. to be used as part of the weight of evidence approach, and to assist with decisions about classification. They are not intended as strict demarcation values.

**▼M4**

3.9.2.9.9. Thus it is feasible that a specific profile of toxicity occurs in repeat-dose animal studies at a dose/concentration below the guidance value, such as  $< 100$  mg/kg bw/day by the oral route, however the nature of the effect, such as nephrotoxicity seen only in male rats of a particular strain known to be susceptible to this effect may result in the decision not to classify. Conversely, a specific profile of toxicity may be seen in animal studies occurring at or above a guidance value, such as  $\geq 100$  mg/kg bw/day by the oral route, and in addition there is supplementary information from other sources, such as other long-term administration studies, or human case experience, which supports a conclusion that, in view of the weight of evidence, classification is the prudent action to take.

**▼B**

3.9.2.10. *Other considerations*

3.9.2.10.1. When a substance is characterised only by use of animal data (typical of new substances, but also true for many existing substances), the classification process includes reference to dose/concentration guidance values as one of the elements that contribute to the weight of evidence approach.

3.9.2.10.2. When well-substantiated human data are available showing a specific target organ toxic effect that can be reliably attributed to repeated or prolonged exposure to a substance, the substance shall normally be classified. Positive human data, regardless of probable dose, predominates over animal data. Thus, if a substance is unclassified because no specific target organ toxicity was seen at or below the dose/concentration guidance value for animal testing, if subsequent human incident data become available showing a specific target organ toxic effect, the substance shall be classified.

**▼B**

- 3.9.2.10.3. A substance that has not been tested for specific target organ toxicity may, where appropriate, be classified on the basis of data from a validated structure activity relationship and expert judgement-based extrapolation from a structural analogue that has previously been classified together with substantial support from consideration of other important factors such as formation of common significant metabolites.
- 3.9.2.10.4. Saturated vapour concentration shall be considered, where appropriate, as an additional element to provide for specific health and safety protection
- 3.9.3. ***Classification criteria for mixtures***
- 3.9.3.1. Mixtures are classified using the same criteria as for substances, or alternatively as described below. As with substances, mixtures shall be classified for specific target organ toxicity following repeated exposure.
- 3.9.3.2. ***Classification of mixtures when data are available for the complete mixture***
- 3.9.3.2.1. When reliable and good quality evidence from human experience or appropriate studies in experimental animals, as described in the criteria for substances, is available for the mixture (see 1.1.1.4), then the mixture shall be classified by weight of evidence evaluation of these data. Care shall be exercised in evaluating data on mixtures, that the dose, duration, observation or analysis, do not render the results inconclusive.
- 3.9.3.3. ***Classification of mixtures when data are not available for the complete mixture: bridging principles***
- 3.9.3.3.1. Where the mixture itself has not been tested to determine its specific target organ toxicity, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazards of the mixture, these data shall be used in accordance with the bridging principles set out in section 1.1.3.
- 3.9.3.4. ***Classification of mixtures when data are available for all components or only for some components of the mixture***
- 3.9.3.4.1. Where there is no reliable evidence or test data for the specific mixture itself, and the bridging principles cannot be used to enable classification, then classification of the mixture is based on the classification of the ingredient substances. In this case, the mixture shall be classified as a specific target organ toxicant (specific organ specified), following single exposure, repeat exposure, or both when at least one ingredient has been classified as a Category 1 or Category 2 specific target organ toxicant and is present at or above the appropriate generic concentration limit as laid out in Table 3.9.4 for Category 1 and 2 respectively.

Table 3.9.4

**Generic concentration limits of ingredients of a mixture classified as a specific target organ toxicant that trigger classification of the mixture**

| Ingredient classified as:                 | Generic concentration limits triggering classification of the mixture as: |                                      |
|---|---|--------------------------------------|
|   | Category 1  | Category 2                           |
| Category 1 Specific Target Organ Toxicant | Concentration $\geq$ 10 %   | 1,0 % $\leq$ concentration < 10 %    |
| Category 2 Specific Target Organ Toxicant |   | Concentration $\geq$ 10 % [(Note 1)] |



**▼B***Note 1*

If a Category 2 specific target organ toxicant is present in the mixture as an ingredient at a concentration  $\geq 1,0$  % a SDS shall be available for the mixture upon request.

- 3.9.3.4.2. These generic concentration limits and consequent classifications apply to repeated-dose target organ toxicants.
- 3.9.3.4.3. Mixtures shall be classified for either or both single- and repeated-dose toxicity independently.
- 3.9.3.4.4. Care shall be exercised when toxicants affecting more than one organ system are combined that the potentiation or synergistic interactions are considered, because certain substances can cause target organ toxicity at  $< 1$  % concentration when other ingredients in the mixture are known to potentiate its toxic effect.
- 3.9.4. **Hazard Communication**
- 3.9.4.1. Label elements shall be used in accordance with Table 3.9.5 for substances or mixtures meeting the criteria for classification in this hazard class.

Table 3.9.5

**Label elements for specific target organ toxicity after repeated exposure**

| Classification                     | Category 1  | Category 2   |
|------------------------------------|---|--|
| GHS Pictograms                     |    |   |
| Signal word                        | Danger  | Warning  |
| Hazard Statement                   | H372: Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) | H373: May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) |
| Precautionary Statement Prevention | P260<br>P264<br>P270  | P260   |
| Precautionary Statement Response   | P314  | P314   |
| Precautionary Statement Storage    |   |  |
| Precautionary Statement Disposal   | P501  | P501   |

**▼ B**3.10. **Aspiration hazard**3.10.1. *Definitions and general considerations*

3.10.1.1. These criteria provide a means of classifying substances or mixtures that may pose an aspiration toxicity hazard to humans.

3.10.1.2. ‘Aspiration’ means the entry of a liquid or solid substance or mixture directly through the oral or nasal cavity, or indirectly from vomiting, into the trachea and lower respiratory system.

3.10.1.3. Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

3.10.1.4. Aspiration is initiated at the moment of inspiration, in the time required to take one breath, as the causative material lodges at the crossroad of the upper respiratory and digestive tracts in the laryngopharyngeal region.

3.10.1.5. Aspiration of a substance or mixture can occur as it is vomited following ingestion. This has consequences for labelling, particularly where, due to acute toxicity, a recommendation may be considered to induce vomiting after ingestion. However, if the substance/mixture also presents an aspiration toxicity hazard, the recommendation to induce vomiting shall be modified.

3.10.1.6. *Specific considerations*

3.10.1.6.1. A review of the medical literature on chemical aspiration revealed that some hydrocarbons (petroleum distillates) and certain chlorinated hydrocarbons have been shown to pose an aspiration hazard in humans.

3.10.1.6.2. The classification criteria refer to kinematic viscosity. The following provides the conversion between dynamic and kinematic viscosity:

$$\frac{\text{Dynamic viscosity (mPa s)}}{\text{Density (g/cm}^3\text{)}} = \text{Kinematic viscosity (mm}^2\text{/s)}$$

**▼ M2**

3.10.1.6.2a Although the definition of aspiration in section 3.10.1.2 includes the entry of solids into the respiratory system, classification according to point (b) in Table 3.10.1 for Category 1 is intended to apply to liquid substances and mixtures only.

**▼ B**3.10.1.6.3. **Classification of aerosol/mist products**

Aerosol and mist forms of a substance or a mixture (product) are usually dispensed in containers such as self-pressurised containers, trigger and pump sprayers. The key to classifying these products is whether a pool of product is formed in the mouth, which then may be aspirated. If the mist or aerosol from a pressurised container is fine, a pool may not be formed. On the other hand, if a pressurised container dispenses product in a stream, a pool may be formed that may then be aspirated. Usually, the mist produced by trigger and pump sprayers is coarse and therefore, a pool may be formed that then may be aspirated. When the pump mechanism may be removed, and the contents are available to be swallowed then the classification of the substance or mixture shall be considered.

**▼B**3.10.2. **Classification criteria for substances**

Table 3.10.1

**Hazard category for aspiration toxicity**

| Category   | Criteria   |
|------------|--|
| Category 1 | <p>Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity hazard</p> <p>A substance is classified in Category 1:</p> <p>(a) based on reliable and good quality human evidence</p> <p>or</p> <p>(b) if it is a hydrocarbon and has a kinematic viscosity of 20,5 mm<sup>2</sup>/s or less, measured at 40 °C.</p> |

*Note:*

Substances in Category 1 include but are not limited to certain hydrocarbons, turpentine and pine oil.

3.10.3. **Classification criteria for mixtures**3.10.3.1. *Classification when data are available for the complete mixture*

A mixture is classified in Category 1 based on reliable and good quality human evidence.

3.10.3.2. *Classification when data are not available for the complete mixture: bridging principles*

3.10.3.2.1. Where the mixture itself has not been tested to determine its aspiration toxicity, but there are sufficient data on the individual ingredients and similar tested mixtures to adequately characterise the hazard of the mixture, these data shall be used in accordance with the bridging principles set out in section 1.1.3. However, in the case of application of the dilution bridging principle, the concentration of aspiration toxicant(s) shall be 10 % or more.

3.10.3.3. *Classification when data are available for all components or only some components of the mixture*3.10.3.3.1. **Category 1**

3.10.3.3.1.1. A mixture which contains a total of 10 % or more of a substance or substances classified in Category 1, and has a kinematic viscosity of 20,5 mm<sup>2</sup> /s or less, measured at 40 °C, shall be classified in Category 1.

3.10.3.3.1.2. In the case of a mixture which separates into two or more distinct layers, one of which contains 10 % or more of a substance or substances classified in Category 1 and has a kinematic viscosity of 20,5 mm<sup>2</sup> /s or less, measured at 40 °C, then the entire mixture is classified in Category 1.

3.10.4. **Hazard Communication**


3.10.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 3.10.2.



**▼B**

Table 3.10.2

**Aspiration toxicity label elements**

| Classification                     | Category 1  |
|------------------------------------|---|
| GHS Pictogram                      |  |
| Signal Word                        | Danger  |
| Hazard Statement                   | H304: May be fatal if swallowed and enters airways                                |
| Precautionary Statement Prevention |   |
| Precautionary Statement Response   | P301 + P310<br>P331   |
| Precautionary Statement Storage    | P405  |
| Precautionary Statement Disposal   | P501  |

**▼M2**

## 4. PART 4: ENVIRONMENTAL HAZARDS

4.1. **Hazardous to the aquatic environment**4.1.1. **Definitions and general considerations**4.1.1.1. *Definitions*

- (a) ‘acute aquatic toxicity’ means the intrinsic property of a substance to be injurious to an aquatic organism in a short-term aquatic exposure to that substance.
- (b) ‘►**M12** short-term (acute) hazard ◀’ means for classification purposes the hazard of a substance or mixture caused by its acute toxicity to an organism during short-term aquatic exposure to that substance or mixture.
- (c) ‘availability of a substance’ means the extent to which this substance becomes a soluble or disaggregate species. For metal availability, the extent to which the metal ion portion of a metal ( $M^{\circ}$ ) compound can disaggregate from the rest of the compound (molecule).
- (d) ‘bioavailability’ or ‘biological availability’ means the extent to which a substance is taken up by an organism, and distributed to an area within the organism. It is dependent upon physico-chemical properties of the substance, anatomy and physiology of the organism, pharmacokinetics, and route of exposure. Availability is not a prerequisite for bioavailability.
- (e) ‘bioaccumulation’ means the net result of uptake, transformation and elimination of a substance in an organism due to all routes of exposure (i.e. air, water, sediment/soil and food).
- (f) ‘bioconcentration’ means the net result of uptake, transformation and elimination of a substance in an organism due to waterborne exposure.
- (g) ‘chronic aquatic toxicity’ means the intrinsic property of a substance to cause adverse effects to aquatic organisms during aquatic exposures which are determined in relation to the life-cycle of the organism.
- (h) ‘degradation’ means the decomposition of organic molecules to smaller molecules and eventually to carbon dioxide, water and salts.
- (i) ‘ $EC_x$ ’ means the effect concentration associated with x% response.
- (j) ‘►**M12** long-term (chronic) hazard ◀’ means for classification purposes the hazard of a substance or mixture caused by its chronic toxicity following long-term exposure in the aquatic environment.
- (k) ‘no observed effect concentration (NOEC)’ means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect. The NOEC has no statistically significant adverse effect compared to the control.

▼ **M2**

- 4.1.1.2. *Basic elements*
- 4.1.1.2.0. ► **M12** Hazardous to the aquatic environment is differentiated into:
- short-term (acute) aquatic hazard
  - long-term (chronic) aquatic hazard. ◀
- 4.1.1.2.1. The basic elements used for classification for aquatic environmental hazards are:
- acute aquatic toxicity,
  - chronic aquatic toxicity,
  - potential for or actual bioaccumulation, and
  - degradation (biotic or abiotic) for organic chemicals.
- 4.1.1.2.2. Preferably data shall be derived using the standardised test methods referred to in Article 8(3). In practice data from other standardised test methods such as national methods shall also be used where they are considered as equivalent. Where valid data are available from non-standard testing and from non-testing methods, these shall be considered in classification provided they fulfil the requirements specified in section 1 of Annex XI to Regulation (EC) No 1907/2006. In general, both freshwater and marine species toxicity data are considered suitable for use in classification provided the test methods used are equivalent. Where such data are not available classification shall be based on the best available data. See also Part 1 of Annex I to Regulation (EC) No 1272/2008.
- 4.1.1.3. *Other considerations*
- 4.1.1.3.1. Classification of substances and mixtures for environmental hazards requires the identification of the hazards they present to the aquatic environment. ► **M12** The aquatic environment is considered in terms of the aquatic organisms that live in the water, and the aquatic ecosystem of which they are part. The basis, therefore, of the identification of short-term (acute) and long-term (chronic) hazards is the aquatic toxicity of the substance or mixture, although this shall be modified by taking account of further information on the degradation and bioaccumulation behaviour, if appropriate. ◀
- 4.1.1.3.2. While the classification system applies to all substances and mixtures, it is recognised that for special cases (e.g. metals) the European Chemicals Agency has issued guidance.
- 4.1.2. *Classification criteria for substances*
- 4.1.2.1. ► **M12** The system for classification recognises that the intrinsic hazard to aquatic organisms is represented by both the acute and chronic toxicity of a substance. For the long-term (chronic) hazard, separate hazard categories are defined representing a gradation in the level of hazard identified. ◀ The lowest of the available toxicity values between and within the different trophic levels (fish, crustacean, algae/aquatic plants) shall normally be used to define the appropriate hazard category(ies). There are circumstances, however, when a weight of evidence approach is appropriate.

▼ **M12**


4.1.2.2. ► **M12** The core classification system for substances consists of one short-term (acute) hazard classification category and three long-term (chronic) hazard classification categories. The short-term (acute) and long-term (chronic) classification categories are applied independently. ◀

4.1.2.3. ► **M12** The criteria for classification of a substance in Acute 1 are defined on the basis of acute aquatic toxicity data only (EC50 or LC 50). The criteria for classification of a substance into Chronic 1 to 3 follow a tiered approach where the first step is to see if available information on chronic toxicity merits long-term (chronic) hazard classification. In absence of adequate chronic toxicity data, the subsequent step is to combine two types of information, i.e. acute aquatic toxicity data and environmental fate data (degradability and bioaccumulation data) (see Figure 4.1.1). ◀

Figure 4.1.1

▼ **M12**

## Categories for substances long-term (chronic) hazardous to the aquatic environment

▼ **M12**

4.1.2.4. ► **M12** The system also introduces a ‘safety net’ classification (referred to as Chronic 4) for use when the data available do not allow classification under the formal criteria for Acute 1 or Chronic 1 to 3 but there are nevertheless some grounds for concern (see example Table 4.1.0). ◀

▼ **M2**

- 4.1.2.5. Substances with acute toxicities below 1 mg/l or chronic toxicities below 0,1 mg/l (if non-rapidly degradable) and 0,01 mg/l (if rapidly degradable) contribute as components of a mixture to the toxicity of the mixture even at a low concentration and shall normally be given increased weight in applying the summation of classification approach (see note 1 of Table 4.1.0 and section 4.1.3.5.5).
- 4.1.2.6. The criteria for classifying and categorising substances as 'hazardous to the aquatic environment' are summarised in Table 4.1.0.

▼ **M12**

Table 4.1.0

**Classification categories for substances hazardous to the aquatic environment**

|   |                    |          |
|---|--------------------|----------|
| (a) Short-term (acute) aquatic hazard   |                    |          |
| <b>Category Acute 1:</b>  |                    | (Note 1) |
| 96 hr LC <sub>50</sub> (for fish)   | ≤ 1 mg/l and/or    |          |
| 48 hr EC <sub>50</sub> (for crustacea)  | ≤ 1 mg/l and/or    |          |
| 72 or 96 hr ErC <sub>50</sub> (for algae or other aquatic plants)   | ≤ 1 mg/l.          | (Note 2) |
| (b) Long-term (chronic) aquatic hazard  |                    |          |
| (i) Non-rapidly degradable substances (Note 3) for which there are adequate chronic toxicity data available |                    |          |
| <b>Category Chronic 1:</b>  |                    | (Note 1) |
| Chronic NOEC or EC <sub>x</sub> (for fish)  | ≤ 0,1 mg/l and/or  |          |
| Chronic NOEC or EC <sub>x</sub> (for crustacea)   | ≤ 0,1 mg/l and/or  |          |
| Chronic NOEC or EC <sub>x</sub> (for algae or other aquatic plants)   | ≤ 0,1 mg/l.        |          |
| <b>Category Chronic 2:</b>  |                    |          |
| Chronic NOEC or EC <sub>x</sub> (for fish)  | ≤ 1 mg/l and/or    |          |
| Chronic NOEC or EC <sub>x</sub> (for crustacea)   | ≤ 1 mg/l and/or    |          |
| Chronic NOEC or EC <sub>x</sub> (for algae or other aquatic plants)   | ≤ 1 mg/l.          |          |
| (ii) Rapidly degradable substances (Note 3) for which there are adequate chronic toxicity data available    |                    |          |
| <b>Category Chronic 1:</b>  |                    | (Note 1) |
| Chronic NOEC or EC <sub>x</sub> (for fish)  | ≤ 0,01 mg/l and/or |          |

▼ **M12**

|  |                         |          |
|--|-------------------------|----------|
| Chronic NOEC or EC <sub>x</sub><br>(for crustacea)   | ≤ 0,01 mg/l and/or      |          |
| Chronic NOEC or EC <sub>x</sub><br>(for algae or other aquatic plants)                     | ≤ 0,01 mg/l.            |          |
| <b><u>Category Chronic 2:</u></b>  |                         |          |
| Chronic NOEC or EC <sub>x</sub><br>(for fish)  | ≤ 0,1 mg/l and/or       |          |
| Chronic NOEC or EC <sub>x</sub><br>(for crustacea)   | ≤ 0,1 mg/l and/or       |          |
| Chronic NOEC or EC <sub>x</sub><br>(for algae or other aquatic plants)                     | ≤ 0,1 mg/l.             |          |
| <b><u>Category Chronic 3:</u></b>  |                         |          |
| Chronic NOEC or EC <sub>x</sub><br>(for fish)  | ≤ 1 mg/l and/or         |          |
| Chronic NOEC or EC <sub>x</sub><br>(for crustacea)   | ≤ 1 mg/l and/or         |          |
| Chronic NOEC or EC <sub>x</sub><br>(for algae or other aquatic plants)                     | ≤ 1 mg/l.               |          |
| (iii) Substances for which adequate chronic toxicity data are not available                |                         |          |
| <b><u>Category Chronic 1:</u></b>  | (Note 1)                |          |
| 96 hr LC <sub>50</sub> (for fish)  | ≤ 1 mg/l and/or         |          |
| 48 hr EC <sub>50</sub> (for crustacea)   | ≤ 1 mg/l and/or         |          |
| 72 or 96 hr ErC <sub>50</sub> (for algae or other aquatic plants)                          | ≤ 1 mg/l.               | (Note 2) |
| and the substance is not rapidly degradable and/or the experimentally determined BCF ≥ 500 |                         |          |
| (or, if absent, the log K <sub>ow</sub> ≥ 4).  | (Note 3).               |          |
| <b><u>Category Chronic 2:</u></b>  |                         |          |
| 96 hr LC <sub>50</sub> (for fish)  | > 1 to ≤ 10 mg/l and/or |          |
| 48 hr EC <sub>50</sub> (for crustacea)   | > 1 to ≤ 10 mg/l and/or |          |
| 72 or 96 hr ErC <sub>50</sub> (for algae or other aquatic plants)                          | > 1 to ≤ 10 mg/l.       | (Note 2) |
| and the substance is not rapidly degradable and/or the experimentally determined BCF ≥ 500 |                         |          |
| (or, if absent, the log K <sub>ow</sub> ≥ 4).  | (Note 3).               |          |

▼ **M12**

|   |                              |
|---|------------------------------|
| <b><u>Category Chronic 3:</u></b>   |                              |
| 96 hr LC <sub>50</sub> (for fish)   | > 10 to ≤ 100 mg/l and/or    |
| 48 hr EC <sub>50</sub> (for crustacea)  | > 10 to ≤ 100 mg/l and/or    |
| 72 or 96 hr ErC <sub>50</sub> (for algae or other aquatic plants)   | > 10 to ≤ 100 mg/l. (Note 2) |
| and the substance is not rapidly degradable and/or the experimentally determined BCF ≥ 500  |                              |
| (or, if absent, the log K <sub>ow</sub> ≥ 4).   | (Note 3).                    |
| ‘Safety net’ classification   |                              |
| <b><u>Category Chronic 4</u></b>  |                              |
| Cases when data do not allow classification under the above criteria but there are nevertheless some grounds for concern. This includes, for example, poorly soluble substances for which no acute toxicity is recorded at levels up to the water solubility (note 4), and which are not rapidly degradable in accordance with Section 4.1.2.9.5 and have an experimentally determined BCF ≥ 500 (or, if absent, a log K <sub>ow</sub> ≥ 4), indicating a potential to bioaccumulate, which will be classified in this category unless other scientific evidence exists showing classification to be unnecessary. Such evidence includes chronic toxicity NOECs > water solubility or > 1 mg/l, or other evidence of rapid degradation in the environment than the ones provided by any of the methods listed in Section 4.1.2.9.5. |                              |

▼ **M2***Note 1:*

When classifying substances as Acute Category 1 and/or Chronic Category 1 it is necessary at the same time to indicate the appropriate M-factor(s) (see Table 4.1.3).

*Note 2:*

Classification shall be based on the ErC<sub>50</sub> [= EC<sub>50</sub> (growth rate)]. In circumstances where the basis of the EC<sub>50</sub> is not specified or no ErC<sub>50</sub> is recorded, classification shall be based on the lowest EC<sub>50</sub> available.

*Note 3:*

When no useful data on degradability are available, either experimentally determined or estimated data, the substance should be regarded as not rapidly degradable.

*Note 4:*

‘No acute toxicity’ is taken to mean that the L(E)C<sub>50</sub>(s) is/are above the water solubility. Also for poorly soluble substances, (water solubility < 1 mg/l), where there is evidence that the acute test does not provide a true measure of the intrinsic toxicity.

4.1.2.7. *Aquatic toxicity*

4.1.2.7.1. Acute aquatic toxicity is normally determined using a fish 96-hour LC<sub>50</sub>, a crustacea species 48-hour EC<sub>50</sub> and/or an algal species 72- or 96-hour EC<sub>50</sub>. These species cover a range of trophic levels and taxa and are considered as surrogate for all aquatic organisms.

▼ M2

Data on other species (e.g. *Lemna* spp.) shall also be considered if the test methodology is suitable. The aquatic plant growth inhibition tests are normally considered as chronic tests but the EC<sub>50</sub>s are treated as acute values for classification purposes (see note 2).

4.1.2.7.2. For determining chronic aquatic toxicity for classification purposes data generated according to the standardised test methods referred to in Article 8(3) shall be accepted, as well as results obtained from other validated and internationally accepted test methods. The NOECs or other equivalent EC<sub>x</sub> (e.g. EC<sub>10</sub>) shall be used.

4.1.2.8. *Bioaccumulation*

4.1.2.8.1. Bioaccumulation of substances within aquatic organisms can give rise to toxic effects over longer time scales even when actual water concentrations are low. For organic substances the potential for bioaccumulation shall normally be determined by using the octanol/water partition coefficient, usually reported as a log K<sub>ow</sub>. The relationship between the log K<sub>ow</sub> of an organic substance and its bioconcentration as measured by the bioconcentration factor (BCF) in fish has considerable scientific literature support. Using a cut-off value of log K<sub>ow</sub> ≥ 4 is intended to identify only those substances with a real potential to bioconcentrate. While this represents a potential to bioaccumulate, an experimentally determined BCF provides a better measure and shall be used in preference if available. A BCF in fish of ≥ 500 is indicative of the potential to bioconcentrate for classification purposes. Some relationships can be observed between chronic toxicity and bioaccumulation potential, as toxicity is related to the body burden.

4.1.2.9. *Rapid degradability of organic substances*

4.1.2.9.1. Substances that rapidly degrade can be quickly removed from the environment. While effects of such substances can occur, particularly in the event of a spillage or accident, they are localised and of short duration. In the absence of rapid degradation in the environment a substance in the water has the potential to exert toxicity over a wide temporal and spatial scale.

4.1.2.9.2. One way of demonstrating rapid degradation utilises the biodegradation screening tests designed to determine whether an organic substance is 'readily biodegradable'. Where such data are not available, a BOD(5 days)/COD ratio ≥ 0,5 is considered as indicative of rapid degradation. Thus, a substance which passes this screening test is considered likely to biodegrade 'rapidly' in the aquatic environment, and is thus unlikely to be persistent. However, a fail in the screening test does not necessarily mean that the substance will not degrade rapidly in the environment. Other evidence of rapid degradation in the environment may therefore also be considered and are of particular importance where the substances are inhibitory to microbial activity at the concentration levels used in standard testing. Thus, a further classification criterion is included which allows the use of data to show that the substance did actually degrade biotically or abiotically in the aquatic environment by > 70 % in 28 days. Thus, if degradation is demonstrated under environmentally realistic conditions, then the criterion of 'rapid degradability' is met.

4.1.2.9.3. Many degradation data are available in the form of degradation half-lives and these can be used in defining rapid degradation provided that ultimate biodegradation of the substance, i.e. full mineralisation, is achieved. Primary biodegradation does not normally suffice in the assessment of rapid degradability unless it can be demonstrated that the degradation products do not fulfil the criteria for classification as hazardous to the aquatic environment.



▼ **M2**

4.1.2.9.4. The criteria used reflect the fact that environmental degradation may be biotic or abiotic. Hydrolysis can be considered if the hydrolysis products do not fulfil the criteria for classification as hazardous to the aquatic environment.

4.1.2.9.5. Substances are considered rapidly degradable in the environment if one of the following criteria holds true:

(a) if, in 28-day ready biodegradation studies, at least the following levels of degradation are achieved:

(i) tests based on dissolved organic carbon: 70 %;

(ii) tests based on oxygen depletion or carbon dioxide generation: 60 % of theoretical maximum.

These levels of biodegradation must be achieved within 10 days of the start of degradation which point is taken as the time when 10 % of the substance has been degraded, unless the substance is identified as an UVCB or as a complex, multi-constituent substance with structurally similar constituents. In this case, and where there is sufficient justification, the 10-day window condition may be waived and the pass level applied at 28 days; or

(b) if, in those cases where only BOD and COD data are available, when the ratio of BOD<sub>5</sub>/COD is  $\geq 0,5$ ; or

(c) if other convincing scientific evidence is available to demonstrate that the substance can be degraded (biotically and/or abiotically) in the aquatic environment to a level > 70 % within a 28-day period.

4.1.2.10. *Inorganic compounds and metals*

4.1.2.10.1. For inorganic compounds and metals, the concept of degradability as applied to organic compounds has limited or no meaning. Rather, such substances may be transformed by normal environmental processes to either increase or decrease the bioavailability of the toxic species. Equally the use of bioaccumulation data shall be treated with care <sup>(1)</sup>.

4.1.2.10.2. Poorly soluble inorganic compounds and metals may be acutely or chronically toxic in the aquatic environment depending on the intrinsic toxicity of the bioavailable inorganic species and the rate and amount of this species which enter solution. All evidence must be weighed in a classification decision. This would be especially true for metals showing borderline results in the Transformation/Dissolution Protocol.

4.1.3. *Classification criteria for mixtures*

4.1.3.1. The classification system for mixtures covers all classification categories which are used for substances, i.e. categories Acute 1 and Chronic 1 to 4. In order to make use of all available data for purposes of classifying the aquatic environmental hazards of the mixture, the following is applied where appropriate:

The 'relevant components' of a mixture are those which are classified 'Acute 1' or 'Chronic 1' and present in a concentration of 0,1 % (w/w) or greater, and those which are classified 'Chronic 2', 'Chronic 3' or 'Chronic 4' and present in a concentration of 1 % (w/w) or greater, unless there is a presumption (such as in the case

<sup>(1)</sup> Specific guidance has been issued by the European Chemicals Agency on how these data for such substances may be used in meeting the requirements of the classification criteria.

▼ **M2**

of highly toxic components (see section 4.1.3.5.5.5)) that a component present in a lower concentration can still be relevant for classifying the mixture for aquatic environmental hazards. Generally, for substances classified as 'Acute 1' or 'Chronic 1' the concentration to be taken into account is (0,1/M) %. (For explanation M-factor see section 4.1.3.5.5.5.)

4.1.3.2. The approach for classification of aquatic environmental hazards is tiered, and is dependent upon the type of information available for the mixture itself and for its components. Figure 4.1.2 outlines the process to be followed.


Elements of the tiered approach include:

- classification based on tested mixtures,
- classification based on bridging principles,
- the use of 'summation of classified components' and/or an 'additivity formula'.

▼ **M12**

Figure 4.1.2

**Tiered approach to classification of mixtures for short-term (acute) and long-term (chronic) aquatic environmental hazards**

▼ **M2**

4.1.3.3. *Classification of mixtures when toxicity data are available for the complete mixture*

4.1.3.3.1. When the mixture as a whole has been tested to determine its aquatic toxicity, this information can be used for classifying the mixture according to the criteria that have been agreed for substances. The classification is normally based on the data for fish, crustacea and algae/plants (see sections 4.1.2.7.1 and 4.1.2.7.2). When adequate acute or chronic toxicity data for the mixture as a whole are lacking, 'bridging principles' or 'summation method' should be applied (see sections 4.1.3.4 and 4.1.3.5).

**▼ M2**

4.1.3.3.2. ► **M12** The long-term (chronic) hazard classification of mixtures requires additional information on degradability and in certain cases bioaccumulation. ◀ Degradability and bioaccumulation tests for mixtures are not used as they are usually difficult to interpret, and such tests may be meaningful only for single substances.

4.1.3.3.3. Classification for category Acute 1

(a) When there are adequate acute toxicity test data ( $LC_{50}$  or  $EC_{50}$ ) available for the mixture as a whole showing  $L(E)C_{50} \leq 1$  mg/l:

Classify mixture as Acute 1 in accordance with point (a) of Table 4.1.0.

(b) When there are acute toxicity test data ( $LC_{50}(s)$  or  $EC_{50}(s)$ ) available for the mixture as a whole showing  $L(E)C_{50}(s) > 1$  mg/l for normally all trophic levels:

**▼ M12**

No need to classify for short-term (acute) hazard.

**▼ M2**

4.1.3.3.4. Classification for categories Chronic 1, 2 and 3

(a) When there are adequate chronic toxicity data ( $EC_x$  or NOEC) available for the mixture as a whole showing  $EC_x$  or NOEC of the tested mixture  $\leq 1$  mg/l:

(i) Classify the mixture as Chronic 1, 2 or 3 in accordance with point (b)(ii) of Table 4.1.0 as rapidly degradable if the available information allows the conclusion that all relevant components of the mixture are rapidly degradable;

(ii) Classify the mixture as Chronic 1 or 2 in all other cases in accordance with point (b)(i) of Table 4.1.0 as non-rapidly degradable;

(b) When there are adequate chronic toxicity data ( $EC_x$  or NOEC) available for the mixture as a whole showing  $EC_x(s)$  or NOEC(s) of the tested mixture  $> 1$  mg/l for normally all trophic levels:

**▼ M12**

No need to classify for long-term (chronic) hazard in categories Chronic 1, 2 or 3.

**▼ M2**

4.1.3.3.5. Classification for category Chronic 4

If there are nevertheless reasons for concern:

Classify the mixture as Chronic 4 (safety net classification) in accordance with Table 4.1.0.

4.1.3.4. *Classification of mixtures when toxicity data are not available for the complete mixture: bridging principles*

4.1.3.4.1. Where the mixture itself has not been tested to determine its aquatic environmental hazard, but there are sufficient data on the individual components and similar tested mixtures to adequately characterise the hazards of the mixture, this data shall be used in accordance with the bridging rules set out in section 1.1.3. However, in relation to application of the bridging rule for dilution, sections 4.1.3.4.2 and 4.1.3.4.3 shall be used.

4.1.3.4.2. Dilution: if a mixture is formed by diluting another tested mixture or a substance classified for its aquatic environmental hazard with a diluent which has an equivalent or lower aquatic hazard classification than the least toxic original component and which is not

**▼ M2**

expected to affect the aquatic hazards of other components, then the resulting mixture may be classified as equivalent to the original tested mixture or substance. Alternatively, the method explained in section 4.1.3.5 may be applied.

**▼ M4**

- 4.1.3.4.3. If a mixture is formed by diluting another tested mixture or substance with water or other totally non-toxic material, the toxicity of the mixture can be calculated from the original mixture or substance.

**▼ M2**

- 4.1.3.5. *Classification of mixtures when toxicity data are available for some or all components of the mixture*

- 4.1.3.5.1. The classification of a mixture is based on summation of the concentration of its classified components. The percentage of components classified as 'Acute' or 'Chronic' is fed straight in to the summation method. Details of the summation method are described in section 4.1.3.5.5.

- 4.1.3.5.2. Mixtures can be made of a combination of both components that are classified (as Acute 1 and/or Chronic 1, 2, 3, 4) and others for which adequate toxicity test data is available. When adequate toxicity data are available for more than one component in the mixture, the combined toxicity of those components is calculated using the following additivity formulas (a) or (b), depending on the nature of the toxicity data:

(a) Based on acute aquatic toxicity:

$$\frac{\sum C_i}{L(E)C_{50m}} = \sum_n \frac{C_i}{L(E)C_{50i}}$$

where:

- $C_i$  = concentration of component i (weight percentage);  
 $L(E)C_{50i}$  = (mg/l)  $LC_{50}$  or  $EC_{50}$  for component i;  
 $\eta$  = number of components, and i is running from 1 to n;  
 $L(E)C_{50m}$  =  $L(E) C_{50}$  of the part of the mixture with test data.

**▼ M12**

The calculated toxicity may be used to assign that portion of the mixture a short-term (acute) hazard category which is then subsequently used in applying the summation method;

**▼ M2**

(b) Based on chronic aquatic toxicity:

$$\frac{\sum C_i + \sum C_j}{EqNOECm} = \sum_n \frac{C_i}{NOEC_i} + \sum_n \frac{C_j}{0,1 \times NOEC_j}$$

where:

- $C_i$  = concentration of component i (weight percentage) covering the rapidly degradable components;  
 $C_j$  = concentration of component j (weight percentage) covering the non-rapidly degradable components;  
 $NOEC_i$  = NOEC (or other recognised measures for chronic toxicity) for component i covering the rapidly degradable components, in mg/l;  
 $NOEC_j$  = NOEC (or other recognised measures for chronic toxicity) for component j covering the non-rapidly degradable components, in mg/l;  
 $n$  = number of components, and i and j are running from 1 to n;  
 $EqNOECm$  = Equivalent NOEC of the part of the mixture with test data.

▼ M2

The equivalent toxicity thus reflects the fact that non-rapidly degrading substances are classified one hazard category level more 'severe' than rapidly degrading substances.

▼ M12

The calculated equivalent toxicity may be used to assign that portion of the mixture a long-term (chronic) hazard category, in accordance with the criteria for rapidly degradable substances (point (b)(ii) of Table 4.1.0), which is then subsequently used in applying the summation method.

▼ M2

- 4.1.3.5.3. When applying the additivity formula for part of the mixture, it is preferable to calculate the toxicity of this part of the mixture using for each substance toxicity values that relate to the same taxonomic group (i.e. fish, crustacean, algae or equivalent) and then to use the highest toxicity (lowest value) obtained (i.e. use the most sensitive of the three taxonomic groups). However, when toxicity data for each component are not available in the same taxonomic group, the toxicity value of each component is selected in the same manner that toxicity values are selected for the classification of substances, i.e. the higher toxicity (from the most sensitive test organism) is used. The calculated acute and chronic toxicity is then used to assess whether this part of the mixture shall be classified as Acute 1 and/or Chronic 1, 2 or 3 using the same criteria described for substances.
- 4.1.3.5.4. If a mixture is classified in more than one way, the method yielding the more conservative result shall be used.
- 4.1.3.5.5. Summation method
- 4.1.3.5.5.1. *Rationale*
- 4.1.3.5.5.1.1. In case of the substance classification categories Chronic 1 to Chronic 3, the underlying toxicity criteria differ by a factor of 10 in moving from one category to another. Substances with a classification in a high toxicity band therefore contribute to the classification of a mixture in a lower band. The calculation of these classification categories therefore needs to consider the contribution of any substance classified as Chronic 1, 2 or 3.
- 4.1.3.5.5.1.2. When a mixture contains components classified as Acute 1 or Chronic 1, attention must be paid to the fact that such components, when their acute toxicity is below 1 mg/l and/or chronic toxicity is below 0,1 mg/l (if non rapidly degradable) and 0,01 mg/l (if rapidly degradable) contribute to the toxicity of the mixture even at a low concentration. Active ingredients in pesticides often possess such high aquatic toxicity but also some other substances like organometallic compounds. Under these circumstances the application of the normal generic concentration limits leads to an 'under-classification' of the mixture. Therefore, multiplying factors shall be applied to account for highly toxic components, as described in section 4.1.3.5.5.5.
- 4.1.3.5.5.2. *Classification procedure*
- 4.1.3.5.5.2.1. In general a more severe classification for mixtures overrides a less severe classification, e.g. a classification with Chronic 1 overrides a classification with Chronic 2. As a consequence, in this example, the classification procedure is already completed if the result of the classification is Chronic 1. A more severe classification than Chronic 1 is not possible. Therefore it is not necessary to undergo the further classification procedure.

**▼ M2**4.1.3.5.5.3. *Classification for category Acute 1*

4.1.3.5.5.3.1. First all components classified as Acute 1 are considered. If the sum of the concentrations (in %) of these components multiplied by their corresponding M-factors is greater than 25 % the whole mixture is classified as Acute 1.

4.1.3.5.5.3.2. ► **M12** The classification of mixtures for short-term (acute) hazards based on this summation of classified components is summarised in Table 4.1.1. ◀

Table 4.1.1

**▼ M12****Classification of a mixture for short-term (acute) hazards based on summation of classified components****▼ M2**

| Sum of components classified as:  | Mixture is classified as: |
|-----------------------------------|---------------------------|
| Acute 1 × M <sup>(a)</sup> ≥ 25 % | Acute 1                   |

<sup>(a)</sup> For explanation of the M-factor, see 4.1.3.5.5.5.

4.1.3.5.5.4. *Classification for the categories Chronic 1, 2, 3 and 4*

4.1.3.5.5.4.1. First all components classified as Chronic 1 are considered. If the sum of the concentrations (in %) of these components multiplied by their corresponding M-factors is equal to or greater than 25 %, the mixture is classified as Chronic 1. If the result of the calculation is a classification of the mixture as Chronic 1, the classification procedure is completed.

4.1.3.5.5.4.2. In cases where the mixture is not classified as Chronic 1, classification of the mixture as Chronic 2 is considered. A mixture is classified as Chronic 2 if 10 times the sum of the concentrations (in %) of all components classified as Chronic 1 multiplied by their corresponding M-factors plus the sum of the concentrations (in %) of all components classified as Chronic 2 is equal to or greater than 25 %. If the result of the calculation is classification of the mixture as Chronic 2, the classification process is completed.

4.1.3.5.5.4.3. In cases where the mixture is not classified either as Chronic 1 or Chronic 2, classification of the mixture as Chronic 3 is considered. A mixture is classified as Chronic 3 if 100 times the sum of the concentrations (in %) of all components classified as Chronic 1 multiplied by their corresponding M-factors plus 10 times the sum of the concentrations (in %) of all components classified with Chronic 2 plus the sum of the concentrations (in %) of all components classified as Chronic 3 is ≥ 25 %.

4.1.3.5.5.4.4. If the mixture is still not classified in Chronic 1, 2 or 3, classification of the mixture as Chronic 4 shall be considered. A mixture is classified as Chronic 4 if the sum of the concentrations (in %) of components classified as Chronic 1, 2, 3 and 4 is equal to or greater than 25 %.

▼ M2

4.1.3.5.5.4.5. ► **M12** The classification of mixtures for long-term (chronic) hazards, based on this summation of the concentrations of classified components, is summarised in Table 4.1.2. ◀

Table 4.1.2

▼ M12

**Classification of a mixture for long-term (chronic) hazards, based on summation of the concentration of classified components**

▼ M2

| Sum of components classified as:                            | Mixture is classified as: |
|---|---------------------------|
| Chronic 1 × M <sup>(a)</sup> ≥ 25 %                         | Chronic 1                 |
| (M × 10 × Chronic 1) + Chronic 2 ≥ 25 %                     | Chronic 2                 |
| (M × 100 × Chronic 1) + (10 × Chronic 2) + Chronic 3 ≥ 25 % | Chronic 3                 |
| Chronic 1 + Chronic 2 + Chronic 3 + Chronic 4 ≥ 25 %        | Chronic 4                 |

<sup>(a)</sup> For explanation of the M-factor, see 4.1.3.5.5.5.

4.1.3.5.5.5. *Mixtures with highly toxic components*

4.1.3.5.5.5.1. Acute 1 and Chronic 1 components with toxicities below 1 mg/l and/or chronic toxicities below 0,1 mg/l (if non-rapidly degradable) and 0,01 mg/l (if rapidly degradable) contribute to the toxicity of the mixture even at a low concentration and shall normally be given increased weight in applying the summation of classification approach. When a mixture contains components classified as Acute or Chronic 1, one of the following shall be applied:

— the tiered approach described in sections 4.1.3.5.5.3 and 4.1.3.5.5.4 using a weighted sum by multiplying the concentrations of Acute 1 and Chronic 1 components by a factor, instead of merely adding up the percentages. This means that the concentration of 'Acute 1' in the left column of Table 4.1.1 and the concentration of 'Chronic 1' in the left column of Table 4.1.2 are multiplied by the appropriate multiplying factor. The multiplying factors to be applied to these components are defined using the toxicity value, as summarised in Table 4.1.3. Therefore, in order to classify a mixture containing Acute/Chronic 1 components, the classifier needs to be informed of the value of the M-factor in order to apply the summation method,

— the additivity formula (see section 4.1.3.5.2) provided that toxicity data are available for all highly toxic components in the mixture and there is convincing evidence that all other components, including those for which specific acute and/or chronic toxicity data are not available, are of low or no toxicity and do not significantly contribute to the environmental hazard of the mixture.

▼ **M4**

Table 4.1.3

**Multiplying factors for highly toxic components of mixtures**

| Acute toxicity   | M factor | Chronic toxicity                  | M factor                      |                              |
|--|----------|-----------------------------------|-------------------------------|------------------------------|
| L(E)C <sub>50</sub> value (mg/l)   |          | NOEC value (mg/l)                 | NRD <sup>(a)</sup> components | RD <sup>(b)</sup> components |
| 0,1 < L(E)C <sub>50</sub> ≤ 1  | 1        | 0,01 < NOEC ≤ 0,1                 | 1                             | —                            |
| 0,01 < L(E)C <sub>50</sub> ≤ 0,1   | 10       | 0,001 < NOEC ≤ 0,01               | 10                            | 1                            |
| 0,001 < L(E)C <sub>50</sub> ≤ 0,01   | 100      | 0,0001 < NOEC ≤ 0,001             | 100                           | 10                           |
| 0,0001 < L(E)C <sub>50</sub> ≤ 0,001   | 1 000    | 0,00001 < NOEC ≤ 0,0001           | 1 000                         | 100                          |
| 0,00001 < L(E)C <sub>50</sub> ≤ 0,0001                                       | 10 000   | 0,000001 < NOEC ≤ 0,00001         | 10 000                        | 1 000                        |
| (continue in factor 10 intervals)  |          | (continue in factor 10 intervals) |                               |                              |
| <sup>(a)</sup> Non-rapidly degradable.<br><sup>(b)</sup> Rapidly degradable. |          |                                   |                               |                              |

▼ **M2**

4.1.3.6. *Classification of mixtures with components without any useable information*

4.1.3.6.1. ► **M12** In the event that no useable information on short-term (acute) and/or long-term (chronic) aquatic hazard is available for one or more relevant components, it is concluded that the mixture cannot be attributed to one or more definitive hazard category(ies). ◀ In this situation the mixture shall be classified based on the known components only, with the additional statement on the label and in the SDS that: 'Contains x % of components with unknown hazards to the aquatic environment'.


4.1.4. **Hazard communication**

4.1.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 4.1.4.

▼ **M12**



Table 4.1.4

**Label elements for hazardous to the aquatic environment**

| SHORT-TERM (ACUTE) AQUATIC HAZARD  |   |
|------------------------------------|---|
|                                    | Acute 1   |
| GHS Pictogram                      |  |
| Signal Word                        | Warning   |
| Hazard Statement                   | H400: Very toxic to aquatic life  |
| Precautionary Statement Prevention | P273  |
| Precautionary Statement Response   | P391  |



▼ **M12**

| SHORT-TERM (ACUTE) AQUATIC HAZARD  |   |   |   |  |
|------------------------------------|---|---|---|--|
|                                    | Acute 1   |   |   |  |
| Precautionary Statement Storage    |   |   |   |  |
| Precautionary Statement Disposal   | P501  |   |   |  |
| LONG-TERM (CHRONIC) AQUATIC HAZARD |   |   |   |  |
|                                    | Chronic 1   | Chronic 2   | Chronic 3   | Chronic 4  |
| GHS Pictograms                     |  |  | No pictogram is used                                    | No pictogram is used   |
| Signal Word                        | Warning   | No signal word is used  | No signal word is used                                  | No signal word is used                                       |
| Hazard Statement                   | H410: Very toxic to aquatic life with long lasting effects                        | H411: Toxic to aquatic life with long lasting effects                             | H412: Harmful to aquatic life with long lasting effects | H413: May cause long lasting harmful effects to aquatic life |
| Precautionary Statement Prevention | P273  | P273  | P273  | P273   |
| Precautionary Statement Response   | P391  | P391  |   |  |
| Precautionary Statement Storage    |   |   |   |  |
| Precautionary Statement Disposal   | P501  | P501  | P501  | P501   |

▼ **M2**

## 5. PART 5: ADDITIONAL HAZARDS

5.1. **Hazardous to the ozone layer**5.1.1. *Definitions and general considerations*

- 5.1.1.1. Ozone depleting potential (ODP) is an integrative quantity, distinct for each halocarbon source species, that represents the extent of ozone depletion in the stratosphere expected from the halocarbon on a mass-for-mass basis relative to CFC-11. The formal definition of ODP is the ratio of integrated perturbations to total ozone, for a differential mass emission of a particular compound relative to an equal emission of CFC-11.

Substance hazardous to the ozone layer means a substance which, on the basis of the available evidence concerning its properties and its predicted or observed environmental fate and behaviour may present a danger to the structure and/or the functioning of the stratospheric ozone layer. This includes substances which are listed in Annex I to Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer <sup>(1)</sup>.

5.1.2. *Classification criteria for substances*

- 5.1.2.1. A substance shall be classified as hazardous to the ozone layer (Category 1) if the available evidence concerning its properties and its predicted or observed environmental fate and behaviour indicate that it may present a danger to the structure and/or the functioning of the stratospheric ozone layer.

5.1.3. *Classification criteria for mixtures*

- 5.1.3.1. Mixtures shall be classified as hazardous to the ozone layer (Category 1) on the basis of the individual concentration of the substance(s) contained therein that are also classified as hazardous to the ozone layer (Category 1), in accordance with Table 5.1.

Table 5.1

**Generic concentration limits for substances (in a mixture), classified as hazardous to the ozone layer (Category 1), that trigger classification of the mixture as hazardous to the ozone layer (Category 1)**


| Classification of the substance           | Classification of the mixture |
|---|-------------------------------|
| Hazardous to the ozone layer (Category 1) | $C \geq 0,1 \%$               |

5.1.4. *Hazard communication*

- 5.1.4.1. Label elements shall be used for substances or mixtures meeting the criteria for classification in this hazard class in accordance with Table 5.2.

Table 5.2

**Label elements for hazardous to the ozone layer**

|                  |   |
|------------------|---|
| Symbol/pictogram |  |
| Signal word      | Warning   |

<sup>(1)</sup> OJ L 286, 31.10.2009, p. 1.

**▼ M2**

|                          |   |
|--------------------------|---|
| Hazard statement         | H420: Harms public health and the environment by destroying ozone in the upper atmosphere |
| Precautionary statements | P502  |

**▼B***ANNEX II***SPECIAL RULES FOR LABELLING AND PACKAGING OF CERTAIN SUBSTANCES AND MIXTURES**

This Annex consists of 5 parts:

- Part 1 contains special rules for the labelling of certain classified substances and mixtures.
- Part 2 sets out rules for additional hazard statements to be included on the label of certain mixtures.
- Part 3 sets out special rules for packaging.
- Part 4 sets out a special rule for the labelling of plant protection products.
- Part 5 sets up a list of hazardous substances and mixtures to which Article 29(3) applies.

1. **PART 1: SUPPLEMENTAL HAZARD INFORMATION**

The statements set out in sections 1.1 and 1.2 shall be assigned in accordance with Article 25(1) to substances and mixtures classified for physical, health or environmental hazards.

1.1. **Physical properties**

1.1.1. ***EUH001 — ‘Explosive when dry’***

For explosive substances and mixtures as referred to in section 2.1 of Annex I, placed on the market wetted with water or alcohols or diluted with other substances to suppress their explosive properties.

**▼M4****▼B**

1.1.3. ***EUH014 — ‘Reacts violently with water’***

For substances and mixtures which react violently with water, such as acetyl chloride, alkali metals, titanium tetrachloride.

1.1.4. ***EUH018 — ‘In use, may form flammable/explosive vapour-air mixture’***

For substances and mixtures not classified as flammable themselves, which may form flammable/explosive vapour-air mixtures. For substances this might be the case for halogenated hydrocarbons and for mixtures this might be the case due to a volatile flammable component or due to the loss of a volatile non-flammable component.

1.1.5. ***EUH019 — ‘May form explosive peroxides’***

For substances and mixtures which may form explosive peroxides during storage, such as diethyl ether, 1,4-dioxane.

1.1.6. ***EUH044 — ‘Risk of explosion if heated under confinement’***

For substances and mixtures not in themselves classified as explosive in accordance with section 2.1 of Annex I, but which may nevertheless display explosive properties in practice if heated under sufficient confinement. In particular, substances which decompose explosively if heated in a steel drum do not show this effect if heated in less-strong containers.

1.2. **Health properties**

1.2.1. ***EUH029 — ‘Contact with water liberates toxic gas’***

For substances and mixtures which in contact with water or damp air, evolve gases classified for acute toxicity in category 1, 2 or 3 in potentially dangerous amounts, such as aluminium phosphide, phosphorus pentasulphide.

**▼B****1.2.2. EUH031 — ‘Contact with acids liberates toxic gas’**

For substances and mixtures which react with acids to evolve gases classified for acute toxicity in category 3 in dangerous amounts, such as sodium hypochlorite, barium polysulphide.

**1.2.3. EUH032 — ‘Contact with acids liberates very toxic gas’**

For substances and mixtures which react with acids to evolve gases classified for acute toxicity in category 1 or 2 in dangerous amounts, such as salts of hydrogen cyanide, sodium azide.

**1.2.4. EUH066 — ‘Repeated exposure may cause skin dryness or cracking’**

For substances and mixtures which may cause concern as a result of skin dryness, flaking or cracking but which do not meet the criteria for skin irritancy in section 3.2 of Annex I, based on either:

- practical observations; or
- relevant evidence concerning their predicted effects on the skin.

**1.2.5. EUH070 — ‘Toxic by eye contact’**

For substances or mixtures where an eye irritation test has resulted in overt signs of systemic toxicity or mortality among the animals tested, which is likely to be attributed to absorption of the substance or mixture through the mucous membranes of the eye. The statement shall also be applied if there is evidence in humans for systemic toxicity after eye contact.

The statement shall also be applied where a substance or a mixture contains another substance labelled for this effect, if the concentration of this substance is equal to, or greater than 0,1 %, unless otherwise specified in part 3 of Annex VI.

**1.2.6. EUH071 — ‘Corrosive to the respiratory tract’**

For substances and mixtures in addition to classification for inhalation toxicity, if data are available that indicate that the mechanism of toxicity is corrosivity, in accordance with section 3.1.2.3.3 and Note 1 of Table 3.1.3 in Annex I.

For substances and mixtures in addition to classification for skin corrosivity, if no acute inhalation test data are available and which may be inhaled.

**2. PART 2: SPECIAL RULES FOR SUPPLEMENTAL LABEL ELEMENTS FOR CERTAIN MIXTURES**

The statements set out in sections 2.1 to 2.10 shall be assigned to mixtures in accordance with Article 25(6).

**2.1. Mixtures containing lead**

The label on the packaging of paints and varnishes containing lead in quantities exceeding 0,15 % (expressed as weight of metal) of the total weight of the mixture, as determined in accordance with ISO standard 6503, shall bear the following statement:

EUH201 — ‘Contains lead. Should not be used on surfaces liable to be chewed or sucked by children’

In the case of packages the contents of which are less than 125 ml, the statement may be as follows:

EUH201A — ‘Warning! Contains lead’

**2.2. Mixtures containing cyanoacrylates**

The label on the immediate packaging of adhesives based on cyanoacrylate shall bear the following statement:

**▼B**

EUH202 — ‘Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children’

Appropriate advice on safety shall accompany the package.

2.3. **Cements and cement mixtures**

Unless cements or cement mixtures are already classified and labelled as a sensitiser with the hazard statement H317, ‘May cause an allergic skin reaction’, the label on the packaging of cements and cement mixtures that contain, when they are hydrated, more than 0,0002 % soluble chromium (VI) of the total dry weight of the cement shall bear the statement:

EUH203 — ‘Contains chromium (VI). May produce an allergic reaction’

If reducing agents are used, then the packaging of cement or cement-containing mixtures shall include information on the packing date, the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below 0,0002 %.

2.4. **Mixtures containing isocyanates**

Unless already identified on the label of the packaging, mixtures containing isocyanates (as monomers, oligomers, prepolymers, etc., or as mixtures thereof) shall bear the following statement:

EUH204 — ‘Contains isocyanates. May produce an allergic reaction.’

2.5. **Mixtures containing epoxy constituents with an average molecular weight  $\leq 700$**

Unless already identified on the label of the packaging, mixtures containing epoxy constituents with an average molecular weight  $\leq 700$  shall bear the following statement:

EUH205 — ‘Contains epoxy constituents. May produce an allergic reaction.’

2.6. **Mixtures sold to the general public which contain active chlorine**

The label on the packaging of mixtures containing more than 1 % of active chlorine shall bear the following statement:

EUH206 — ‘Warning! Do not use together with other products. May release dangerous gases (chlorine)’

2.7. **Mixtures containing cadmium (alloys) and intended to be used for brazing or soldering**

The label on the packaging of the above mentioned mixtures shall bear the following statement:

EUH207 — ‘Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions’

**▼M2**

2.8. **Mixtures containing at least one sensitising substance**

The label on the packaging of mixtures not classified as sensitising but containing at least one substance classified as sensitising and present in a concentration equal to or greater than that specified in Table 3.4.6 of Annex I shall bear the statement:

EUH208 — ‘Contains (name of sensitising substance). May produce an allergic reaction’.

Mixtures classified as sensitising containing other substance(s) classified as sensitising (in addition to the one that leads to the classification of the mixture) and present in a concentration equal to or greater than that specified in Table 3.4.6 of Annex I shall bear the name(s) of that/those substance(s) on the label.

**▼ M12**

Where a mixture is labelled in accordance with Section 2.4 or 2.5, the statement EUH208 may be omitted from the label for the substance concerned.

**▼ B****2.9. Liquid mixtures containing halogenated hydrocarbons**

For liquid mixtures which show no flashpoint or a flashpoint higher than 60 °C but not more than 93 °C and contain a halogenated hydrocarbon and more than 5 % highly flammable or flammable substances, the label on the packaging shall bear one of the following statements, depending on whether the substances referred to above are highly flammable or flammable:

EUH209 — ‘Can become highly flammable in use’ or

EUH209A — ‘Can become flammable in use’

**2.10. Mixtures not intended for the general public**

For mixtures not classified as hazardous but which contain:

**▼ M2**

—  $\geq 0,1$  % of a substance classified as skin sensitiser category 1, 1B, respiratory sensitiser category 1, 1B, or carcinogenic category 2, or

—  $\geq 0,01$  % of a substance classified as skin sensitiser category 1A, respiratory sensitiser category 1A, or

—  $\geq$  one tenth of the specific concentration limit for a substance classified as skin sensitiser or respiratory sensitiser with specific concentration limit lower than 0,1 %, or

**▼ B**

—  $\geq 0,1$  % of a substance classified as toxic to reproduction categories 1A, 1B or 2, or with effects on or via lactation; or

— at least one substance in an individual concentration of  $\geq 1$  % by weight for non-gaseous mixtures and  $\geq 0,2$  % by volume for gaseous mixtures either:

— classified with other health or environmental hazards; or

— for which there are Community workplace exposure limits

the label on the packaging shall bear the statement:

EUH210 — ‘Safety data sheet available on request’.

**2.11 Aerosols**

Note that aerosols are also subject to the labelling provisions in accordance with points 2.2 and 2.3 in the Annex to Directive 75/324/EEC.

**3. PART 3: SPECIAL RULES ON PACKAGING****3.1. Provisions relating to child-resistant fastenings****3.1.1. Packaging to be fitted with child-resistant fastenings**

**3.1.1.1.** Packaging of whatever capacity containing a substance or mixture supplied to the general public and classified for acute toxicity, categories 1 to 3, STOT — single exposure category 1, STOT — repeated exposure category 1, or skin corrosion category 1 shall be fitted with child-resistant fastenings.

**3.1.1.2.** Packaging of whatever capacity containing a substance or mixture supplied to the general public presenting an aspiration hazard and classified according to sections 3.10.2 and 3.10.3 of Annex I and labelled according to section 3.10.4.1 of Annex I, with the exception of substances and mixtures placed on the market in the form of aerosols or in a container fitted with a sealed spray attachment, shall be fitted with child-resistant fastenings.

**▼ B**

- 3.1.1.3 Where a substance or mixture has at least one of the substances mentioned below present in a concentration equal to or greater than the maximum individual concentrations specified, which are supplied to the general public, the packaging of whatever capacity shall be fitted with child-resistant fastenings.

| No | Identification of the substance |                 |           | Concentration limit |
|----|---------------------------------|-----------------|-----------|---------------------|
|    | CAS No                          | Name            | EC No     |                     |
| 1  | 67-56-1                         | methanol        | 200-659-6 | ≥ 3 %               |
| 2  | 75-09-2                         | dichloromethane | 200-838-9 | ≥ 1 %               |

3.1.2 **Reclosable packages**

Child-resistant fastenings used on reclosable packages shall comply with EN ISO standard 8317 as amended relating to ‘Child-resistant packages — Requirements and methods of testing for reclosable packages’ adopted by the European Committee for standardisation (CEN) and the International Standard Organisation (ISO).

3.1.3 **Non-reclosable packages**

Child-resistant fastenings used on non-reclosable packages shall comply with CEN standard EN 862 as amended relating to ‘Packaging — Child-resistant packaging — Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products’ adopted by the European Committee for Standardisation (CEN).

3.1.4 **Notes**

- 3.1.4.1 Evidence of conformity with the above standards may be certified only by laboratories which conform with Standard EN ISO/IEC 17025 as amended.

3.1.4.2 *Specific cases*

If it seems obvious that packaging is sufficiently safe for children because they cannot get access to the contents without the help of a tool, the test referred to in section 3.1.2 or 3.1.3 does not need to be performed.

In all other cases and when there are sufficient grounds for doubting the security of the closure for a child, the national authority may ask the person responsible for putting the product on the market to give it a certificate from a certifying laboratory, referred to in section 3.1.4.1, stating that either:

- the type of closure is such that it is not necessary to perform the test referred to in section 3.1.2 or 3.1.3; or
- the closure has been tested and has been found to conform with the standards referred to above.

**▼ M4**

3.2 **Tactile Warnings**

3.2.1 **Packaging to be fitted with a tactile warning**

- 3.2.1.1 Where substances or mixtures are supplied to the general public and classified for acute toxicity, skin corrosion, germ cell mutagenicity category 2, carcinogenicity category 2, reproductive toxicity category 2, respiratory sensitisation, STOT categories 1 or 2, aspiration hazard, flammable gases, flammable liquids categories 1 or 2, or flammable solids, the packaging of whatever capacity, shall be fitted with a tactile warning of danger.



**▼ M4**

3.2.1.2. Section 3.2.1.1 does not apply to transportable gas receptacles. Aerosols and containers fitted with a sealed spray attachment and containing substances or mixtures classified as presenting an aspiration hazard need not be fitted with a tactile warning unless they are classified for one or more of the other hazards in section 3.2.1.1.

3.2.2. **Provisions relating to tactile warning**

The technical specifications for tactile warning devices shall conform to EN ISO standard 11683 as amended 'Packaging — Tactile warnings of danger — Requirements'.

**▼ M10**

3.3 **Liquid consumer laundry detergents in soluble packaging for single use**

Where a liquid consumer laundry detergent in dosages for single use is contained in a soluble packaging, the following additional provisions shall apply:

3.3.1. Liquid consumer laundry detergents contained in soluble packaging for single use shall be contained in an outer packaging. The outer packaging shall fulfil the requirements of section 3.3.2 and the soluble packaging shall fulfil the requirements of section 3.3.3.

3.3.2. The outer packaging shall:

- (i) be opaque or obscure so that it impedes the visibility of the product or individual doses;
- (ii) without prejudice to Article 32(3), bear the precautionary statement P102 'Keep out of reach of children' at a visible place and in a format that attracts attention;
- (iii) be an easily reclosable, self-standing container;
- (iv) without prejudice to the requirements of section 3.1, be fitted with a closure that:
  - (a) impedes the ability of young children to open the packaging by requiring coordinated action of both hands with a strength that makes it difficult for young children to open it;
  - (b) maintains its functionality under conditions of repeated opening and closing for the entire life span of the outer packaging.

3.3.3. The soluble packaging shall:

- (i) contain an aversive agent in a concentration which is safe, and which elicits oral repulsive behaviour within a maximum time of 6 seconds, in case of accidental oral exposure;
- (ii) retain its liquid content for at least 30 seconds when the soluble packaging is placed in water at 20 °C;
- (iii) resist mechanical compressive strength of at least 300 N under standard test conditions.

**▼ B**

4. **PART 4: SPECIAL RULE FOR LABELLING OF PLANT PROTECTION PRODUCTS**

Without prejudice to the information required in accordance with Article 16 of Directive 91/414/EEC and Annex V of that Directive, the labelling for plant protection products subject to Directive 91/414/EEC shall also include the following wording:

EUH401 — 'To avoid risks to human health and the environment, comply with the instructions for use'

5. **PART 5: LIST OF HAZARDOUS SUBSTANCES AND MIXTURES TO WHICH ARTICLE 29(3) APPLIES**

— Ready mixed cement and concrete in the wet state.

**▼ B***ANNEX III***LIST OF HAZARD STATEMENTS, SUPPLEMENTAL HAZARD INFORMATION AND SUPPLEMENTAL LABEL ELEMENTS****1. Part 1: hazard statements****▼ M2**

The hazard statements shall be applied in accordance with Parts 2, 3, 4 and 5 of Annex I.

In selecting the hazard statements in accordance with Articles 21 and 27, suppliers may use the combined hazard statements provided for in this Annex.

In accordance with Article 27 the following principles of precedence for hazard statements may apply to labelling:

- (a) if the hazard statement H410 'Very toxic to aquatic life with long lasting effects' is assigned, the statement H400 'Very toxic to aquatic life' may be omitted;

**▼ M12**

- (b) if the statement H314 'Causes severe skin burns and eye damage' is assigned, the statement H318 'Causes serious eye damage' may be omitted.

**▼ M2**

In order to indicate the route of administration or exposure the combined hazard statements in Table 1.2 may be used.

**▼ B***Table 1.1***Hazard statements for physical hazards**

| H200<br>► M2 ◀ | Language | 2.1 — Explosives, Unstable explosives |
|----------------|----------|---------------------------------------|
|                | BG       | Нестабилен експлозив.                 |
|                | ES       | Explosivo inestable.                  |
|                | CS       | Nestabilní výbušnina.                 |
|                | DA       | Ustabilt eksplosiv.                   |
|                | DE       | Instabil, explosiv.                   |
|                | ET       | Ebapüsiv lõhkeaine.                   |
|                | EL       | Ασταθή εκρηκτικά.                     |
|                | EN       | Unstable explosives.                  |
|                | FR       | Explosif instable.                    |
|                | GA       | Pléascáin éagobhsaí.                  |
|                | HR       | Nestabilni eksplozivi.                |
|                | IT       | Esplosivo instabile.                  |
|                | LV       | Nestabili sprādzienbīstami materiāli. |
|                | LT       | Nestabilios sprogios medžiagos.       |
|                | HU       | Instabil robbanóanyagok.              |
|                | MT       | Splussivi instabbli.                  |
|                | NL       | Instabiele ontplofbare stof.          |

**▼ M5****▼ B**

▼ B

| H200<br>► M2 — ◀ | Language | 2.1 — Explosives, Unstable explosives |
|------------------|----------|---------------------------------------|
|                  | PL       | Materiały wybuchowe niestabilne.      |
|                  | PT       | Explosivo instável.                   |
|                  | RO       | Exploziv instabil.                    |
|                  | SK       | Nestabilné výbušniny.                 |
|                  | SL       | Nestabilni eksplozivi.                |
|                  | FI       | Epästabiili räjähd.                   |
|                  | SV       | Instabilt explosivt.                  |

▼ M2

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

▼ B

| H201 | Language | 2.1 — Explosives, Division 1.1           |
|------|----------|--|
|      | BG       | Експлозив; опасност от масова експлозия. |
|      | ES       | Explosivo; peligro de explosión en masa. |
|      | CS       | Výbušnina; nebezpečí masivního výbuchu.  |
|      | DA       | Eksplisiv, masseeksplosionsfare.         |
|      | DE       | Explosiv, Gefahr der Massenexplosion.    |
|      | ET       | Plahvatusohtlik; massiplahvatusoht.      |
|      | EL       | Εκρηκτικό· κίνδυνος μαζικής έκρηξης.     |
|      | EN       | Explosive; mass explosion hazard.        |
|      | FR       | Explosif; danger d'explosion en masse.   |
|      | GA       | Pléascach; guais mhórphléasctha.         |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Eksplzivno; opasnost od eksplozije ogromnih razmjera. |
|--|----|---|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Esplosivo; pericolo di esplosione di massa.          |
|  | LV | Sprādzienbīstams; masveida sprādzienbīstamība.       |
|  | LT | Sprogios medžiagos, kelia masinio sproginimo pavojų. |
|  | HU | Robbanóanyag; teljes tömeg felrobbanásának veszélye. |
|  | MT | Splussiv; periklu li jisplodu kollha f'daqqa.        |
|  | NL | Ontploffbare stof; gevaar voor massa-explosie.       |
|  | PL | Materiał wybuchowy; zagrożenie wybuchem masowym.     |
|  | PT | Explosivo; perigo de explosão em massa.              |
|  | RO | Exploziv; pericol de explozie în masă.               |
|  | SK | Výbušnina, nebezpečenstvo rozsiahleho výbuchu.       |
|  | SL | Eksplzivno; nevarnost eksplozije v masi.             |

▼ **B**

| H201 | Language | 2.1 — Explosives, Division 1.1     |
|------|----------|------------------------------------|
|      | FI       | Räjähde; massaräjähdysvaara.       |
|      | SV       | Explosivt. Fara för massexplosion. |

| H202 | Language | 2.1 — Explosives, Division 1.2                                 |
|------|----------|--|
|      | BG       | Експлозив; сериозна опасност от разпръскване.                  |
|      | ES       | Explosivo; grave peligro de proyección.                        |
|      | CS       | Výbušnina; vážné nebezpečí zasažení částicemi.                 |
|      | DA       | Eksplisiv, alvorlig fare for udslyngning af fragmenter.        |
|      | DE       | Explosiv; große Gefahr durch Splitter, Spreng- und Wurfstücke. |
|      | ET       | Plahvatusohtlik; suur laialipaiskumisoht.                      |
|      | EL       | Εκρηκτικό· σοβαρός κίνδυνος εκτόξευσης.                        |
|      | EN       | Explosive, severe projection hazard.                           |
|      | FR       | Explosif; danger sérieux de projection.                        |
|      | GA       | Pléascach, guais throm teilgin.                                |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Eksplzivno; velika opasnost od rasprskavanja. |
|--|----|---|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Esplosivo; grave pericolo di proiezione.                |
|  | LV | Sprādzienbīstams; augsta izmetes bīstamība.             |
|  | LT | Sprogios medžiagos, kelia didelį išsvaidymo pavojų.     |
|  | HU | Robbanóanyag; kivetés súlyos veszélye.                  |
|  | MT | Splussiv, periklu serju ta' projezzjoni.                |
|  | NL | Ontploffbare stof, ernstig gevaar voor scherfwerking.   |
|  | PL | Materiał wybuchowy, poważne zagrożenie rozrzutem.       |
|  | PT | Explosivo, perigo grave de projecção.                   |
|  | RO | Exploziv; pericol grav de proiectare.                   |
|  | SK | Výbušnina, závažné nebezpečnostvo rozletenia úlomkov.   |
|  | SL | Eksplzivno, velika nevarnost za nastanek drobcev.       |
|  | FI | Räjähde; vakava sirpalevaara.                           |
|  | SV | Explosivt. Allvarlig fara för splitter och kaststycken. |

| H203 | Language | 2.1 — Explosives, Division 1.3                                     |
|------|----------|--|
|      | BG       | Експлозив; опасност от пожар, взрив или разпръскване.              |
|      | ES       | Explosivo; peligro de incendio, de onda expansiva o de proyección. |
|      | CS       | Výbušnina; nebezpečí požáru, tlakové vlny nebo zasažení částicemi. |

▼ **B**

| H203 | Language | 2.1 — Explosives, Division 1.3   |
|------|----------|--|
|      | DA       | Eksplisiv, fare for brand, eksplosion eller udslyngning af fragmenter.         |
|      | DE       | Explosiv; Gefahr durch Feuer, Luftdruck oder Splitter, Spreng- und Wurfstücke. |
|      | ET       | Plahvatusohtlik; süttimis-, plahvatus- või laiali-paiskumisoht.                |
|      | EL       | Εκρηκτικό· κίνδυνος πυρκαγιάς, ανατίναξης ή εκτόξευσης.                        |
|      | EN       | Explosive; fire, blast or projection hazard.                                   |
|      | FR       | Explosif; danger d'incendie, d'effet de souffle ou de projection.              |
|      | GA       | Pléascach; guais dóiteáin, phléasctha nó teilgin.                              |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Eksplzivno; opasnost od vatre, udarnog vala ili rasprskavanja. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Esplosivo; pericolo di incendio, di spostamento d'aria o di proiezione.  |
|  | LV | Sprādzienbīstams; uguns, triecienviļņa vai izmetes bīstamība.            |
|  | LT | Sprogios medžiagos, kelia gaisro, sprogimo arba išsvaidymo pavojų.       |
|  | HU | Robbanóanyag; tűz, robbanás vagy kivetés veszélye.                       |
|  | MT | Splussiv; periklu ta' nar, blast jew projezzjoni.                        |
|  | NL | Ontploffbare stof; gevaar voor brand, luchtdrukwerking of scherfwerking. |
|  | PL | Materiał wybuchowy; zagrożenie pożarem, wybuchem lub rozrzutem.          |
|  | PT | Explosivo; perigo de incêndio, sopro ou projecções.                      |
|  | RO | Exploziv; pericol de incendiu, detonare sau proiectare.                  |
|  | SK | Výbušnina, nebezpečenstvo požiaru, výbuchu alebo rozletenia úlomkov.     |
|  | SL | Eksplzivno; nevarnost za nastanek požara, udarnega vala ali drobcev.     |
|  | FI | Räjähde; palo-, räjähdys- tai sirpalevaara.                              |
|  | SV | Explosivt. Fara för brand, tryckvåg eller splitter och kaststycken.      |

| H204 | Language | 2.1 — Explosives, Division 1.4                            |
|------|----------|---|
|      | BG       | Опасност от пожар или разпръскване.                       |
|      | ES       | Peligro de incendio o de proyección.                      |
|      | CS       | Nebezpečí požáru nebo zasažení částicemi.                 |
|      | DA       | Fare for brand eller udslyngning af fragmenter.           |
|      | DE       | Gefahr durch Feuer oder Splitter, Spreng- und Wurfstücke. |

**▼ B**

| H204 | Language | 2.1 — Explosives, Division 1.4      |
|------|----------|-------------------------------------|
|      | ET       | Süttimis- või laialipaiskumisoht.   |
|      | EL       | Κίνδυνος πυρκαγιάς ή εκτόξευσης.    |
|      | EN       | Fire or projection hazard.          |
|      | FR       | Danger d'incendie ou de projection. |
|      | GA       | Guais dóiteáin nó teilgin.          |

**▼ M5**

|  |    |                                      |
|--|----|--------------------------------------|
|  | HR | Opasnost od vatre ili rasprskavanja. |
|--|----|--------------------------------------|

**▼ B**

|  |    |  |
|--|----|--|
|  | IT | Pericolo di incendio o di proiezione.          |
|  | LV | Uguns vai izmetes bīstamība.                   |
|  | LT | Gaisro arba išsvaidymo pavojus.                |
|  | HU | Tűz vagy kivetés veszélye.                     |
|  | MT | Periklu ta' nar jew ta' projezzjoni.           |
|  | NL | Gevaar voor brand of scherfwerking.            |
|  | PL | Zagrożenie pożarem lub rozrzutem.              |
|  | PT | Perigo de incêndio ou projecção.               |
|  | RO | Pericol de incendiu sau de proiectare.         |
|  | SK | Nebezpečnosť požiaru alebo rozletenia úlomkov. |
|  | SL | Nevarnost za nastanek požara ali drobcev.      |
|  | FI | Palo- tai sirpalevaara.                        |
|  | SV | Fara för brand eller splitter och kaststycken. |

| H205 | Language | 2.1 — Explosives, Division 1.5                    |
|------|----------|---|
|      | BG       | Може да предизвика масова експлозия при пожар.    |
|      | ES       | Peligro de explosión en masa en caso de incendio. |
|      | CS       | Při požáru může způsobit masivní výbuch.          |
|      | DA       | Fare for masseekspllosion ved brand.              |
|      | DE       | Gefahr der Massenexplosion bei Feuer.             |
|      | ET       | Süttimise korral massiplahvatusoht.               |
|      | EL       | Κίνδυνος μαζικής έκρηξης σε περίπτωση πυρκαγιάς.  |
|      | EN       | May mass explode in fire.                         |
|      | FR       | Danger d'explosion en masse en cas d'incendie.    |
|      | GA       | D'fhéadfadh sé go mbeadh mórphléascadh i dtine.   |

**▼ M5**

|  |    |   |
|--|----|---|
|  | HR | U vatri može izazvati eksploziju ogromnih razmjera. |
|--|----|---|

**▼ B**

|  |    |   |
|--|----|---|
|  | IT | Pericolo di esplosione di massa in caso d'incendio. |
|--|----|---|

▼B

| H205 | Language | 2.1 — Explosives, Division 1.5                   |
|------|----------|--|
|      | LV       | Ugunī var masveidā eksplodēt.                    |
|      | LT       | Per gaisrą gali sukelti masinį sproginą.         |
|      | HU       | Tűz hatására a teljes tömeg felrobbanhat.        |
|      | MT       | Jista' jispodi f'daqqa fin-nar.                  |
|      | NL       | Gevaar voor massa-explosie bij brand.            |
|      | PL       | Może wybuchać masowo w przypadku pożaru.         |
|      | PT       | Perigo de explosão em massa em caso de incêndio. |
|      | RO       | Pericol de explozie în masă în caz de incendiu.  |
|      | SK       | Nebezpečenstvo rozsiahleho výbuchu pri požiari.  |
|      | SL       | Pri požaru lahko eksplodira v masi.              |
|      | FI       | Koko massa voi räjähtää tulessa.                 |
|      | SV       | Fara för massexplosion vid brand.                |

| H220 | Language | 2.2 — Flammable gases, Hazard Category 1 |
|------|----------|--|
|      | BG       | Изключително запалим газ.                |
|      | ES       | Gas extremadamente inflamable.           |
|      | CS       | Extrémně hořlavý plyn.                   |
|      | DA       | Yderst brandfarlig gas.                  |
|      | DE       | Extrem entzündbares Gas.                 |
|      | ET       | Eriti tuleohtlik gaas.                   |
|      | EL       | Εξαιρετικά εύφλεκτο αέριο.               |
|      | EN       | Extremely flammable gas.                 |
|      | FR       | Gaz extrêmement inflammable.             |
|      | GA       | Gás fíor-inadhainte.                     |

▼M5

|  |    |                           |
|--|----|---------------------------|
|  | HR | Vrlo lako zapaljivi plin. |
|--|----|---------------------------|

▼B

|  |    |                                 |
|--|----|---------------------------------|
|  | IT | Gas altamente infiammabile.     |
|  | LV | Īpaši viegli uzliesmojoša gāze. |
|  | LT | Ypač degios dujos.              |
|  | HU | Rendkívül tűzveszélyes gáz.     |
|  | MT | Gass li jaqbad malajr hafna.    |
|  | NL | Zeer licht ontvlambaar gas.     |
|  | PL | Skrajnie łatwopalny gaz.        |
|  | PT | Gás extremamente inflamável.    |
|  | RO | Gaz extrem de inflamabil.       |
|  | SK | Mimoriadne horľavý plyn.        |
|  | SL | Zelo lahko vnetljiv plin.       |

**▼B**

| H220 | Language | 2.2 — Flammable gases, Hazard Category 1 |
|------|----------|--|
|      | FI       | Erittäin helposti syttyvä kaasu.         |
|      | SV       | Extremt brandfarlig gas.                 |

| H221 | Language | 2.2 — Flammable gases, Hazard Category 2 |
|------|----------|--|
|      | BG       | Запалим газ.                             |
|      | ES       | Gas inflamable.                          |
|      | CS       | Hořlavý plyn.                            |
|      | DA       | Brandfarlig gas.                         |
|      | DE       | Entzündbares Gas.                        |
|      | ET       | Tuleohtlik gaas.                         |
|      | EL       | Εύφλεκτο αέριο.                          |
|      | EN       | Flammable gas.                           |
|      | FR       | Gaz inflammable.                         |
|      | GA       | Gás inadhainte.                          |

**▼M5**

|  |    |                 |
|--|----|-----------------|
|  | HR | Zapaljivi plin. |
|--|----|-----------------|

**▼B**

|  |    |                    |
|--|----|--------------------|
|  | IT | Gas infiammabile.  |
|  | LV | Uzliesmojoša gāze. |
|  | LT | Degios dujos.      |
|  | HU | Tűzveszélyes gáz.  |
|  | MT | Gass li jaqbad.    |
|  | NL | Ontvlambaar gas.   |
|  | PL | Gaz łatwopalny.    |
|  | PT | Gás inflamável.    |
|  | RO | Gaz inflamabil.    |
|  | SK | Hořlavý plyn.      |
|  | SL | Vnetljiv plin.     |
|  | FI | Syttyvä kaasu.     |
|  | SV | Brandfarlig gas.   |

**▼M4**

| H222 | Language | 2.3 — Aerosols, Hazard Category 1 |
|------|----------|-----------------------------------|
|------|----------|-----------------------------------|

**▼B**

|  |    |                                    |
|--|----|------------------------------------|
|  | BG | Изключително запалим аерозол.      |
|  | ES | Aerosol extremadamente inflamable. |
|  | CS | Extrémně hořlavý aerosol.          |
|  | DA | Yderst brandfarlig aerosol.        |
|  | DE | Extrem entzündbares Aerosol.       |
|  | ET | Eriti tuleohtlik aerosool.         |
|  | EL | Εξαιρετικά εύφλεκτο αερόλυμα.      |
|  | EN | Extremely flammable aerosol.       |



▼ M4

| H222 | Language | 2.3 — Aerosols, Hazard Category 1 |
|------|----------|-----------------------------------|
|------|----------|-----------------------------------|

▼ B

|  |    |                                  |
|--|----|----------------------------------|
|  | FR | Aérosol extrêmement inflammable. |
|  | GA | Aerasól fíor-inadhainte.         |

▼ M5

|  |    |                              |
|--|----|------------------------------|
|  | HR | Vrlo lako zapaljivi aerosol. |
|--|----|------------------------------|

▼ B

|  |    |                                     |
|--|----|-------------------------------------|
|  | IT | Aerosol altamente infiammabile.     |
|  | LV | Īpaši viegli uzliesmojošs aerosols. |
|  | LT | Ypač degus aerolis.                 |
|  | HU | Rendkívül tűzveszélyes aeroszol.    |
|  | MT | Aerosol li jaqbad malajr hafna.     |
|  | NL | Zeer licht ontvlambare aerosol.     |
|  | PL | Skrajnie łatwopalny aerosol.        |
|  | PT | Aerossol extremamente inflamável.   |
|  | RO | Aerosol extrem de inflamabil.       |
|  | SK | Mimoriadne horľavý aerosól.         |
|  | SL | Zelo lahko vnetljiv aerosol.        |
|  | FI | Erittäin helposti syttyvä aerosoli. |
|  | SV | Extremt brandfarlig aerosol.        |

▼ M4

| H223 | Language | 2.3 — Aerosols, Hazard Category 2 |
|------|----------|-----------------------------------|
|------|----------|-----------------------------------|

|  |    |                       |
|--|----|-----------------------|
|  | BG | Запалим аерозол.      |
|  | ES | Aerosol inflamable.   |
|  | CS | Hořlavý aerosol.      |
|  | DA | Brandfarlig aerosol.  |
|  | DE | Entzündbares Aerosol. |
|  | ET | Tuleohtlik aerosool.  |
|  | EL | Εύφλεκτο αερόλυμα.    |
|  | EN | Flammable aerosol.    |
|  | FR | Aérosol inflammable.  |
|  | GA | Aerasól inadhaite.    |

▼ M5

|  |    |                    |
|--|----|--------------------|
|  | HR | Zapaljivi aerosol. |
|--|----|--------------------|

▼ M4

|  |    |                        |
|--|----|------------------------|
|  | IT | Aerosol infiammabile.  |
|  | LV | Uzliesmojošs aerosols. |
|  | LT | Degus aerolis.         |
|  | HU | Tűzveszélyes aeroszol. |
|  | MT | Aerosol li jaqbad.     |
|  | NL | Ontvlambaar aerosol.   |
|  | PL | Łatwopalny aerosol.    |
|  | PT | Aerossol inflamável.   |
|  | RO | Aerosol inflamabil.    |
|  | SK | Horľavý aerosól.       |
|  | SL | Vnetljiv aerosol.      |
|  | FI | Syttyvä aerosoli.      |
|  | SV | Brandfarlig aerosol.   |

▼ **B**

| H224 | Language | 2.6 — Flammable liquids, Hazard Category 1        |
|------|----------|---|
|      | BG       | Изключително запалими течност и пари.             |
|      | ES       | Líquido y vapores extremadamente inflamables.     |
|      | CS       | Extrémně hořlavá kapalina a páry.                 |
|      | DA       | Yderst brandfarlig væske og damp.                 |
|      | DE       | Flüssigkeit und Dampf extrem entzündbar.          |
|      | ET       | Eriti tuleohtlik vedelik ja aur.                  |
|      | EL       | Υγρό και ατμοί εξαιρετικά εύφλεκτα.               |
|      | EN       | Extremely flammable liquid and vapour.            |
|      | FR       | Liquide et vapeurs extrêmement inflammables.      |
|      | GA       | Leacht fíor-inadhainte agus gal fhíor-inadhainte. |

▼ **M5**

|  |    |                                      |
|--|----|--------------------------------------|
|  | HR | Vrlo lako zapaljiva tekućina i para. |
|--|----|--------------------------------------|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Liquido e vapori altamente infiammabili.      |
|  | LV | Īpaši viegli uzliesmojošs šķidrums un tvaiki. |
|  | LT | Ypač degūs skystis ir garai.                  |
|  | HU | Rendkívül tűzveszélyes folyadék és gőz.       |
|  | MT | Likwidu u fwar li jaqbdu malajr hafna.        |
|  | NL | Zeer licht ontvlambare vloeistof en damp.     |
|  | PL | Skrajnie łatwopalna ciecz i pary.             |
|  | PT | Líquido e vapor extremamente inflamáveis.     |
|  | RO | Lichid și vapori extrem de inflamabili.       |
|  | SK | Mimoriadne horľavá kvapalina a pary.          |
|  | SL | Zelo lahko vnetljiva tekočina in hlapi.       |
|  | FI | Erittäin helposti syttyvä neste ja höyry.     |
|  | SV | Extremt brandfarlig vätska och ånga.          |

| H225 | Language | 2.6 — Flammable liquids, Hazard Category 2 |
|------|----------|--|
|      | BG       | Силно запалими течност и пари.             |
|      | ES       | Líquido y vapores muy inflamables.         |
|      | CS       | Vysoce hořlavá kapalina a páry.            |
|      | DA       | Meget brandfarlig væske og damp.           |
|      | DE       | Flüssigkeit und Dampf leicht entzündbar.   |
|      | ET       | Väga tuleohtlik vedelik ja aur.            |
|      | EL       | Υγρό και ατμοί πολύ εύφλεκτα.              |
|      | EN       | Highly flammable liquid and vapour.        |
|      | FR       | Liquide et vapeurs très inflammables.      |

▼ **B**

| H225 | Language | 2.6 — Flammable liquids, Hazard Category 2   |
|------|----------|--|
|      | GA       | Leacht an-inadhainte agus gal an-inadhainte. |

▼ **M5**

|  |    |                                 |
|--|----|---------------------------------|
|  | HR | Lako zapaljiva tekućina i para. |
|--|----|---------------------------------|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Liquido e vapori facilmente infiammabili. |
|  | LV | Viegli uzliesmojošs šķidrums un tvaiki.   |
|  | LT | Labai degūs skystis ir garai.             |
|  | HU | Fokozottan tűzveszélyes folyadék és gőz.  |
|  | MT | Likwidu u fwar li jaqbdu malajr hafna.    |
|  | NL | Licht ontvlambare vloeistof en damp.      |
|  | PL | Wysoce łatwopalna ciecz i pary.           |
|  | PT | Líquido e vapor facilmente inflamáveis.   |
|  | RO | Lichid și vapori foarte inflamabili.      |
|  | SK | Veľmi horľavá kvapalina a pary.           |
|  | SL | Lahko vnetljiva tekočina in hlapi.        |
|  | FI | Helposti syttyvä neste ja höyry.          |
|  | SV | Mycket brandfarlig vätska och ånga.       |

| H226 | Language | 2.6 — Flammable liquids, Hazard Category 3 |
|------|----------|--|
|      | BG       | Запалими течност и пари.                   |
|      | ES       | Líquidos y vapores inflamables.            |
|      | CS       | Hořlavá kapalina a páry.                   |
|      | DA       | Brandfarlig væske og damp.                 |
|      | DE       | Flüssigkeit und Dampf entzündbar.          |
|      | ET       | Tuleohtlik vedelik ja aur.                 |
|      | EL       | Υγρό και ατμοί εύφλεκτα.                   |
|      | EN       | Flammable liquid and vapour.               |
|      | FR       | Liquide et vapeurs inflammables.           |
|      | GA       | Leacht inadhainte agus gal inadhainte.     |

▼ **M5**

|  |    |                            |
|--|----|----------------------------|
|  | HR | Zapaljiva tekućina i para. |
|--|----|----------------------------|

▼ **B**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Liquido e vapori infiammabili.   |
|  | LV | Uzliesmojošs šķidrums un tvaiki. |
|  | LT | Degūs skystis ir garai.          |
|  | HU | Tűzveszélyes folyadék és gőz.    |
|  | MT | Likwidu u fwar li jaqbdu.        |
|  | NL | Ontvlambare vloeistof en damp.   |
|  | PL | Łatwopalna ciecz i pary.         |
|  | PT | Líquido e vapor inflamáveis.     |

▼ **B**

| H226 | Language | 2.6 — Flammable liquids, Hazard Category 3 |
|------|----------|--|
|      | RO       | Lichid și vapori inflamabili.              |
|      | SK       | Horľavá kvapalina a pary.                  |
|      | SL       | Vnetljiva tekočina in hlapi.               |
|      | FI       | Syttyvä neste ja höyry.                    |
|      | SV       | Brandfarlig vätska och ånga.               |

| H228 | Language | 2.7 — Flammable solids, Hazard Category 1, 2 |
|------|----------|--|
|      | BG       | Запалимо твърдо вещество.                    |
|      | ES       | Sólido inflamable.                           |
|      | CS       | Horľavá tuhá látka.                          |
|      | DA       | Brandfarligt fast stof.                      |
|      | DE       | Entzündbarer Feststoff.                      |
|      | ET       | Tuleohtlik tahke aine.                       |
|      | EL       | Εύφλεκτο στερεό.                             |
|      | EN       | Flammable solid.                             |
|      | FR       | Matière solide inflammable.                  |
|      | GA       | Solad inadhainte.                            |

▼ **M5**

|  |    |                    |
|--|----|--------------------|
|  | HR | Zapaljiva krutina. |
|--|----|--------------------|

▼ **B**

|  |    |                              |
|--|----|------------------------------|
|  | IT | Solido infiammabile.         |
|  | LV | Uzliesmojoša cieta viela.    |
|  | LT | Degi kietoji medžiaga.       |
|  | HU | Tűzveszélyes szilárd anyag.  |
|  | MT | Solidu li jaqbad.            |
|  | NL | Ontvlambare vaste stof.      |
|  | PL | Substancja stała łatwopalna. |
|  | PT | Sólido inflamável.           |
|  | RO | Solid inflamabil.            |
|  | SK | Horľavá tuhá látka.          |
|  | SL | Vnetljiva trdna snov.        |
|  | FI | Syttyvä kiinteä aine.        |
|  | SV | Brandfarligt fast ämne.      |

▼ **M4**

| H229 | Language | 2.3 — Aerosols, Hazard Category 1, 2, 3                 |
|------|----------|---|
|      | BG       | Съд под налягане: може да експлодира при нагрыване.     |
|      | ES       | Recipiente a presión: Puede reventar si se calienta.    |
|      | CS       | Nádoba je pod tlakem: při zahřívání se může roztrhnout. |

▼ **M4**

| H229 | Language | 2.3 —Aerosols, Hazard Category 1, 2, 3                           |
|------|----------|--|
|      | DA       | Beholder under tryk. Kan sprænges ved opvarmning.                |
|      | DE       | Behälter steht unter Druck: Kann bei Erwärmung bersten.          |
|      | ET       | Mahuti on rõhu all: kuumenemisel võib lõhkeda.                   |
|      | EL       | Δοχείο υπό πίεση. Κατά τη θέρμανση μπορεί να διαρραγεί.          |
|      | EN       | Pressurised container: May burst if heated.                      |
|      | FR       | Réceptif sous pression: peut éclater sous l'effet de la chaleur. |
|      | GA       | Coimeádán brúcháirithe: D'fhéadfadh sé pléascadh, má théitear é. |

▼ **M8**

|  |    |   |
|--|----|---|
|  | HR | Spremnik pod tlakom: može se rasprsnuti ako se grije. |
|--|----|---|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | Contenitore pressurizzato: può esplodere se riscaldato.        |
|  | LV | Tvertne zem spiediena: karstumā var eksplodēt.                 |
|  | LT | Slėginė talpykla. Kaitinama gali sprogti.                      |
|  | HU | Az edényben túlnyomás uralkodik: hő hatására megrepedhet.      |
|  | MT | Kontenitur taht pressjoni. Jista jinfaqa meta jissahhan.       |
|  | NL | Houder onder druk: kan open barsten bij verhitting.            |
|  | PL | Pojemnik pod ciśnieniem: Ogrzanie grozi wybuchem.              |
|  | PT | Recipiente sob pressão: risco de explosão sob a ação do calor. |
|  | RO | Recipient sub presiune: Poate exploda dacă este încălzit.      |
|  | SK | Nádoba je pod tlakom: Pri zahriatí sa môže roztrhnúť.          |
|  | SL | Posoda je pod tlakom: lahko eksplodira pri segrevanju.         |
|  | FI | Painesäiliö: Voi revetä kuumentettaessa.                       |
|  | SV | Tryckbehållare: Kan sprängas vid uppvärmning.                  |

| H230 | Language | 2.2 —Flammable gases (including chemically unstable gases), Hazard Category A |
|------|----------|---|
|      | BG       | Може да реагира експлозивно дори при отсъствие на въздух.                     |
|      | ES       | Puede explotar incluso en ausencia de aire.                                   |
|      | CS       | Může reagovat výbušně i bez přítomnosti vzduchu.                              |
|      | DA       | Kan reagere eksplosivt selv i fravær af luft.                                 |
|      | DE       | Kann auch in Abwesenheit von Luft explosionsartig reagieren.                  |
|      | ET       | Võib reageerida plahvatuslikult isegi õhuga kokku puutumata.                  |

▼ **M4**

| H230 | Language | 2.2 —Flammable gases (including chemically unstable gases), Hazard Category A |
|------|----------|---|
|      | EL       | Δύναται να εκραγεί ακόμη και απουσία αέρος.                                   |
|      | EN       | May react explosively even in the absence of air.                             |
|      | FR       | Peut exploser même en l'absence d'air.  |
|      | GA       | D'fhéadfadh sé imoibriú go pléascach fiú mura bhfuil aer ann.                 |

▼ **M8**

|  |    |   |
|--|----|---|
|  | HR | Može eksplozivno reagirati i bez prisustva zraka. |
|--|----|---|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | Può esplodere anche in assenza di aria.                 |
|  | LV | Var eksplodēt pat bezgaisa vidē.                        |
|  | LT | Gali sprogti net ir nesant oro.                         |
|  | HU | Még levegő hiányában is robbanásszerű reakcióba léphet. |
|  | MT | Jista jisplođi anke fin-nuqqas ta' l-arja.              |
|  | NL | Kan explosief reageren zelfs in afwezigheid van lucht.  |
|  | PL | Może reagować wybuchowo nawet bez dostępu powietrza.    |
|  | PT | Pode reagir explosivamente mesmo na ausência de ar.     |
|  | RO | Pericol de explozie, chiar si in absenta aerului.       |
|  | SK | Môže reagovať výbušne aj bez prítomnosti vzduchu.       |
|  | SL | Lahko reagira eksplozivno tudi v odsotnosti zraka.      |
|  | FI | Voi reagoida räjähtäen jopa ilmattomassa tilassa.       |
|  | SV | Kan reagera explosivt även i frånvaro av luft.          |

| H231 | Language | 2.2 —Flammable gases (including chemically unstable gases), Hazard Category B                                |
|------|----------|--|
|      | BG       | Може да реагира експлозивно дори при отсъствие на въздух при повишено налягане и/или температура.            |
|      | ES       | Puede explotar incluso en ausencia de aire, a presión y/o temperatura elevadas.                              |
|      | CS       | Při zvýšeném tlaku a/nebo teplotě může reagovat výbušně i bez přítomnosti vzduchu.                           |
|      | DA       | Kan reagere eksplosivt selv i fravær af luft ved forhøjet tryk og/eller temperatur.                          |
|      | DE       | Kann auch in Abwesenheit von Luft bei erhöhtem Druck und/oder erhöhter Temperatur explosionsartig reagieren. |
|      | ET       | Võib reageerida plahvatuslikult isegi õhuga kokku puutumata kõrgenenud rõhul ja/või temperatuuril.           |
|      | EL       | Δύναται να εκραγεί σε υψηλή θερμοκρασία και/ή πίεση ακόμη και απουσία αέρος.                                 |
|      | EN       | May react explosively even in the absence of air at elevated pressure and/or temperature.                    |

▼ **M4**

|      |          |  |
|------|----------|--|
| H231 | Language | 2.2 — Flammable gases (including chemically unstable gases), Hazard Category B                           |
|      | FR       | Peut exploser même en l'absence d'air à une pression et/ou température élevée(s).                        |
|      | GA       | D'fhéadfadh sé imoibriú go pléascach fiú mura bhfuil aer ann ag brú ardaithe agus/nó ag teocht ardaithe. |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | Može eksplozivno reagirati i bez prisustva zraka na povišenom tlaku i/ili temperaturi. |
|--|----|--|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | Può esplodere anche in assenza di aria a pressione e/o temperatura elevata.                       |
|  | LV | Var eksplodēt pat bezgaisa vidē, paaugstinoties spiedienam un/vai temperatūrai.                   |
|  | LT | Gali sprogti net ir nesant oro, esant didesniam slėgiui ir (arba) temperatūrai.                   |
|  | HU | Magas nyomáson és/vagy hőmérsékleten még levegő hiányában is robbanásszerű reakcióba léphet.      |
|  | MT | Jista jispłodi anke fin-nuqqas ta' l-arja fi pressjoni għolja u/jew f'temperatura għolja.         |
|  | NL | Kan explosief reageren zelfs in afwezigheid van lucht bij verhoogde druk en/of temperatuur.       |
|  | PL | Może reagować wybuchowo nawet bez dostępu powietrza pod zwiększonym ciśnieniem i/lub po ogrzaniu. |
|  | PT | Pode reagir explosivamente mesmo na ausência de ar a alta pressão e/ou temperatura.               |
|  | RO | Pericol de explozie, chiar și în absența aerului la presiune și/sau temperatură ridicată.         |
|  | SK | Môže reagovať výbušne aj bez prítomnosti vzduchu pri zvýšenom tlaku a/alebo teplote.              |
|  | SL | Lahko reagira eksplozivno tudi v odsotnosti zraka pri povišanem tlaku in/ali temperature.         |
|  | FI | Voi reagoida räjähtäen jopa ilmattomassa tilassa kohonneessa paineessa ja/tai lämpötilassa.       |
|  | SV | Kan reagera explosivt även i frånvaro av luft vid förhöjt tryck och/eller temperatur.             |

▼ **B**

|      |          |  |
|------|----------|--|
| H240 | Language | 2.8 — Self-Reactive Substances and Mixtures, Type A<br>2.1.5 — Organic Peroxides, Type A |
|      | BG       | Може да предизвика експлозия при нагряване.  |
|      | ES       | Peligro de explosión en caso de calentamiento.   |
|      | CS       | Zahřívání může způsobit výbuch.  |
|      | DA       | Ekspløsningsfare ved opvarmning.   |
|      | DE       | Erwärmung kann Explosion verursachen.  |
|      | ET       | Kuumenemisel võib plahvatada.  |
|      | EL       | Η θέρμανση μπορεί να προκαλέσει έκρηξη.  |

▼ **B**

| H240 | Language | 2.8 — Self-Reactive Substances and Mixtures, Type A<br>2.1.5 — Organic Peroxides, Type A |
|------|----------|--|
|      | EN       | Heating may cause an explosion.  |
|      | FR       | Peut exploser sous l'effet de la chaleur.  |
|      | GA       | D'fhéadfadh téamh a bheith ina chúis le pléascadh.                                       |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Zagrijavanje može uzrokovati eksploziju. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Rischio di esplosione per riscaldamento. |
|  | LV | Sakaršana var izraisīt eksploziju.       |
|  | LT | Kaitinant gali sprogti.                  |
|  | HU | Hő hatására robbanhat.                   |
|  | MT | It-tishin jista' jikkawża splużjoni.     |
|  | NL | Ontploffingsgevaar bij verwarming.       |
|  | PL | Ogrzanie grozi wybuchem.                 |
|  | PT | Risco de explosão sob a acção do calor.  |
|  | RO | Pericol de explozie în caz de încălzire. |
|  | SK | Zahrievanie môže spôsobiť výbuch.        |
|  | SL | Segrevanje lahko povzroči eksplozijo.    |
|  | FI | Räjähdyksvaarallinen kuumenttaessa.      |
|  | SV | Explosivt vid uppvärmning.               |

| H241 | Language | 2.8 — Self-Reactive Substances and Mixtures, Type B<br>2.1.5 — Organic Peroxides, Type B |
|------|----------|--|
|      | BG       | Може да предизвика пожар или експлозия при нагряване.                                    |
|      | ES       | Peligro de incendio o explosión en caso de calentamiento.                                |
|      | CS       | Zahřívání může způsobit požár nebo výbuch.   |
|      | DA       | Brand- eller eksplosionsfare ved opvarmning.   |
|      | DE       | Erwärmung kann Brand oder Explosion verursachen.   |
|      | ET       | Kuumenemisel võib süttida või plahvatada.  |
|      | EL       | Η θέρμανση μπορεί να προκαλέσει πυρκαγιά ή έκρηξη.                                       |



▼ **B**

| H241 | Language | 2.8 — Self-Reactive Substances and Mixtures, Type B<br>2.1.5 — Organic Peroxides, Type B |
|------|----------|--|
|      | EN       | Heating may cause a fire or explosion.   |
|      | FR       | Peut s'enflammer ou exploser sous l'effet de la chaleur.                                 |
|      | GA       | D'fhéadfadh téamh a bheith ina chúis le dóiteán nó le pléascadh.                         |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Zagrijavanje može uzrokovati požar ili eksploziju. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Rischio d'incendio o di esplosione per riscaldamento.    |
|  | LV | Sakaršana var izraisīt degšanu vai eksploziju.           |
|  | LT | Kaitinant gali sukelti gaisrą arba sprogti.              |
|  | HU | Hő hatására meggyulladhat vagy robbanhat.                |
|  | MT | It-tiġhin jista' jikkawża nar jew splużjoni.             |
|  | NL | Brand- of ontploffingsgevaar bij verwarming.             |
|  | PL | Ogrzanie może spowodować pożar lub wybuch.               |
|  | PT | Risco de explosão ou de incêndio sob a acção do calor.   |
|  | RO | Pericol de incendiu sau de explozie în caz de încălzire. |
|  | SK | Zahrievanie môže spôsobiť požiar alebo výbuch.           |
|  | SL | Segrevanje lahko povzroči požar ali eksplozijo.          |
|  | FI | Räjähdys- tai palovaarallinen kuumenttaessa.             |
|  | SV | Brandfarligt eller explosivt vid uppvärmning.            |

| H242 | Language | 2.8 — Self-Reactive Substances and Mixtures, Types C, D, E, F<br>2.1.5 — Organic Peroxides, Types C, D, E, F |
|------|----------|--|
|      | BG       | Може да предизвика пожар при нагряване.  |
|      | ES       | Peligro de incendio en caso de calentamiento.  |
|      | CS       | Zahřívání může způsobit požár.   |
|      | DA       | Brandfare ved opvarmning.  |
|      | DE       | Erwärmung kann Brand verursachen.  |
|      | ET       | Kuumenemisel võib süttida.   |
|      | EL       | Η θέρμανση μπορεί να προκαλέσει πυρκαγιά.  |
|      | EN       | Heating may cause a fire.  |
|      | FR       | Peut s'enflammer sous l'effet de la chaleur.   |
|      | GA       | D'fhéadfadh téamh a bheith ina chúis le dóiteán.   |
|      | HR       | Zagrijavanje može uzrokovati požar.  |
|      | IT       | Rischio d'incendio per riscaldamento.  |

▼ **M5**▼ **B**

▼ **B**

|      |          |  |
|------|----------|--|
| H242 | Language | 2.8 — Self-Reactive Substances and Mixtures, Types C, D, E, F<br>2.1.5 — Organic Peroxides, Types C, D, E, F |
|      | LV       | Sakaršana var izraisīt degšanu.  |
|      | LT       | Kaitinant gali sukelti gaisrą.   |
|      | HU       | Hő hatására meggyulladhat.   |
|      | MT       | It-tishin jista' jikkawza nar.   |
|      | NL       | Brandgevaar bij verwarming.  |
|      | PL       | Ogrzanie może spowodować pożar.  |
|      | PT       | Risco de incêndio sob a acção do calor.  |
|      | RO       | Pericol de incendiu în caz de încălzire.   |
|      | SK       | Zahrievanie môže spôsobiť požiar.  |
|      | SL       | Segrevanje lahko povzroči požar.   |
|      | FI       | Palovaarallinen kuumennettaessa.   |
|      | SV       | Brandfarligt vid uppvärmning.  |
| H250 | Language | 2.9 — Pyrophoric Liquids, Hazard Category 1<br>2.10 — Pyrophoric Solids, Hazard Category 1                   |
|      | BG       | Самозапалва се при контакт с въздух.   |
|      | ES       | Se inflama espontáneamente en contacto con el aire.  |
|      | CS       | Při styku se vzduchem se samovolně vznítí.   |
|      | DA       | Selvantænder ved kontakt med luft.   |
|      | DE       | Entzündet sich in Berührung mit Luft von selbst.   |
|      | ET       | Kokkupuutel õhuga süttib iseenesest.   |
|      | EL       | Αυτοαναφλέγεται εάν εκτεθεί στον αέρα.   |
|      | EN       | Catches fire spontaneously if exposed to air.  |
|      | FR       | S'enflamme spontanément au contact de l'air.   |
|      | GA       | Téann trí thine go spontáineach má nochtar don aer.  |
|      | HR       | Samozapaljivo u dodiru sa zrakom.  |
|      | IT       | Spontaneamente infiammabile all'aria.  |
|      | LV       | Spontāni aizdegas saskarē ar gaisu.  |
|      | LT       | Veikiami oro savaime užsidega.   |
|      | HU       | Levegővel érintkezve önmagától meggyullad.   |
|      | MT       | Jieħu n-nar spontanjament jekk ikun espost għall-arja.   |
|      | NL       | Vat spontaan vlam bij blootstelling aan lucht.   |
|      | PL       | Zapala się samorzutnie w przypadku wystawienia na działanie powietrza.                                       |

▼ **M5**▼ **B**

**▼B**

| H250 | Language | 2.9 — Pyrophoric Liquids, Hazard Category 1<br>2.10 — Pyrophoric Solids, Hazard Category 1 |
|------|----------|--|
|      | PT       | Risco de inflamação espontânea em contacto com o ar.                                       |
|      | RO       | Se aprinde spontan, în contact cu aerul.   |
|      | SK       | Pri kontakte so vzduchuom sa spontánne vznieti.  |
|      | SL       | Samodejno se vžge na zraku.  |
|      | FI       | Syttyy itsestään palamaan joutuessaan kosketuksiin ilman kanssa.                           |
|      | SV       | Spontanantänder vid kontakt med luft.  |

| H251 | Language | 2.11 — Self-Heating Substances and Mixtures, Hazard Category 1 |
|------|----------|--|
|      | BG       | Самонагриващо се: може да се запали.                           |
|      | ES       | Se calienta espontáneamente; puede inflamarse.                 |
|      | CS       | Samovolně se zahřívá: může se vznítit.                         |
|      | DA       | Selvopvarmende, kan selvantænde.                               |
|      | DE       | Selbsterhitzungsfähig; kann in Brand geraten.                  |
|      | ET       | Isekuumenev, võib süttida.                                     |
|      | EL       | Αυτοθερμαίνεται: μπορεί να αναφλεγεί.                          |
|      | EN       | Self-heating: may catch fire.                                  |
|      | FR       | Matière auto-échauffante; peut s'enflammer.                    |
|      | GA       | Féintéamh: d'fhéadfadh sé dul trí thine.                       |

**▼M5**

|  |    |                                     |
|--|----|-------------------------------------|
|  | HR | Samozagrijavanje; može se zapaliti. |
|--|----|-------------------------------------|

**▼B**

|  |    |   |
|--|----|---|
|  | IT | Autoriscaldante; può infiammarsi.                     |
|  | LV | Pašsasilstošs; var aizdegties.                        |
|  | LT | Savaime kaistančios, gali užsidegti.                  |
|  | HU | Önmelegedő: meggyulladhat.                            |
|  | MT | Jishon wahdu: jista' jiehu n-nar.                     |
|  | NL | Vatbaar voor zelfverhitting: kan vlam vatten.         |
|  | PL | Substancja samonagrzewająca się: może się zapalić.    |
|  | PT | Susceptível de auto-aquecimento: risco de inflamação. |
|  | RO | Se autoîncălzește, pericol de aprindere.              |
|  | SK | Samovoľne sa zahrieva; môže sa vznietiť.              |
|  | SL | Samosegrevanje: lahko povzroči požar.                 |
|  | FI | Itsestään kuumeneva; voi syttyä palamaan.             |
|  | SV | Självpuffettande. Kan börja brinna.                   |

▼ B

| H252 | Language | 2.11 — Self-Heating Substances and Mixtures, Hazard Category 2       |
|------|----------|--|
|      | BG       | Самонагрѳващо се в големи количества; може да се запали.             |
|      | ES       | Se calienta espontáneamente en grandes cantidades; puede inflamarse. |
|      | CS       | Ve velkém množství se samovolně zahřívá; může se vznítit.            |
|      | DA       | Selvopvarmende i store mængder, kan selvantænde.                     |
|      | DE       | In großen Mengen selbsterhitzungsfähig; kann in Brand geraten.       |
|      | ET       | Suurtes kogustes isekuumenev, võib süttida.                          |
|      | EL       | Σε μεγάλες ποσότητες αυτοθερμαίνεται: μπορεί να αναφλεγεί.           |
|      | EN       | Self-heating in large quantities; may catch fire.                    |
|      | FR       | Matière auto-échauffante en grandes quantités; peut s'enflammer.     |
|      | GA       | Féintéamh ina mhórchainníochtaí; d'fhéadfadh sé dul trí thine.       |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Samozagrijavanje u velikim količinama; može se zapaliti. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Autoriscaldante in grandi quantità; può infiammarsi.                         |
|  | LV | Lielos apjomos pašsasilstošs; var aizdegties.                                |
|  | LT | Laikant dideliais kiekiais savaimė kaista, gali užsidegti.                   |
|  | HU | Nagy mennyiségben önmelegedő; meggyulladhat.                                 |
|  | MT | Jiżhon wahdu f'kwantitajiet kbar; jista' jiehu nnar.                         |
|  | NL | In grote hoeveelheden vatbaar voor zelfverhitting; kan vlam vatten.          |
|  | PL | Substancja samonagrzewająca się w dużych ilościach; może się zapalić.        |
|  | PT | Susceptível de auto-aquecimento em grandes quantidades: risco de inflamação. |
|  | RO | ► <b>C3</b> Se autoîncălzeşte în cantităţi mari; pericol de aprindere. ◀     |
|  | SK | Vo veľkých množstvách sa samovoľne zahrieva; môže sa vznietiť.               |
|  | SL | Samosegrevanje v velikih količinah; lahko povzroči požar.                    |
|  | FI | Suurina määrinä itsestään kuumeneva; voi syttyä palamaan.                    |
|  | SV | Självupphettande i stora mängder. Kan börja brinna.                          |

▼ **B**

|      |          |  |
|------|----------|--|
| H260 | Language | 2.12 — Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1 |
|      | BG       | При контакт с вода отделя запалими газове, които могат да се samozапалят.                            |
|      | ES       | En contacto con el agua desprende gases inflamables que pueden inflamarse espontáneamente.           |
|      | CS       | Při styku s vodou uvolňuje hořlavé plyny, které se mohou samovolně vznítit.                          |
|      | DA       | Ved kontakt med vand udvikles brandfarlige gasser, som kan selvantænde.                              |
|      | DE       | In Berührung mit Wasser entstehen entzündbare Gase, die sich spontan entzünden können.               |
|      | ET       | Kokkupuutel veega eraldab tuleohtlikke gaase, mis võivad iseenesest süttida.                         |
|      | EL       | Σε επαφή με το νερό ελευθερώνει εύφλεκτα αέρια τα οποία μπορούν να αυτοαναφλεγούν.                   |
|      | EN       | In contact with water releases flammable gases which may ignite spontaneously.                       |
|      | FR       | Dégage au contact de l'eau des gaz inflammables qui peuvent s'enflammer spontanément.                |
|      | GA       | I dteagmháil le huisce scaoiltear gáis inadhainte a d'fhéadfadh uathadhaint.                         |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | U dodiru s vodom oslobađa zapaljive plinove koji se mogu spontano zapaliti. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | A contatto con l'acqua libera gas infiammabili che possono infiammarsi spontaneamente. |
|  | LV | Nonākot saskarē ar ūdeni, izdala uzliesmojošas gāzes, kas var spontāni aizdegties.     |
|  | LT | Kontaktuodami su vandeniu išskiria degias dujas, kurios gali savaime užsidegti.        |
|  | HU | Vízzel érintkezve öngyulladásra hajlamos tűzveszélyes gázokat bocsát ki.               |
|  | MT | Meta jmiss ma' l-ilma jerhi gassijiet li jaqbd u li jistgħu jiehdu n-nar spontanament. |
|  | NL | In contact met water komen ontvlambare gassen vrij die spontaan kunnen ontbranden.     |
|  | PL | W kontakcie z wodą uwalniają łatwopalne gazy, które mogą ulegać samozapaleniu.         |
|  | PT | Em contacto com a água liberta gases que se podem inflamar espontaneamente.            |
|  | RO | În contact cu apa degajă gaze inflamabile care se pot aprinde spontan.                 |
|  | SK | Pri kontakte s vodou uvolňuje horľavé plyny, ktoré sa môžu spontánne zapáliť.          |
|  | SL | V stiku z vodo se sproščajo vnetljivi plini, ki se lahko samodejno vžgejo.             |
|  | FI | Kehittää itsestään syttyviä kaasuja veden kanssa.                                      |
|  | SV | Vid kontakt med vatten utvecklas brandfarliga gaser som kan självantända.              |

▼ B

|      |          |  |
|------|----------|--|
| H261 | Language | 2.12 — Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2 |
|      | BG       | При контакт с вода отделя запалими газове.   |
|      | ES       | En contacto con el agua desprende gases inflamables.   |
|      | CS       | Při styku s vodou uvolňuje hořlavé plyny.  |
|      | DA       | Ved kontakt med vand udvikles brandfarlige gasser.   |
|      | DE       | In Berührung mit Wasser entstehen entzündbare Gase.  |
|      | ET       | Kokkupuutel veega eraldab tuleohtlikke gaase.  |
|      | EL       | Σε επαφή με το νερό ελευθερώνει εύφλεκτα αέρια.  |
|      | EN       | In contact with water releases flammable gases.  |
|      | FR       | Dégage au contact de l'eau des gaz inflammables.   |
|      | GA       | I dteagmháil le huisce scaoiltear gáis inadhainte.   |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | U dodiru s vodom oslobađa zapaljive plinove. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | A contatto con l'acqua libera gas infiammabili.      |
|  | LV | Nonākot saskarē ar ūdeni, izdala uzliesmojošu gāzi.  |
|  | LT | Kontaktuodami su vandeniu išskiria degias dujas      |
|  | HU | Vízzel érintkezve tűzveszélyes gázokat bocsát ki.    |
|  | MT | Meta jmiss ma' l-ilma jerhi gassijiet li jaqbd.      |
|  | NL | In contact met water komen ontvlambare gassen vrij.  |
|  | PL | W kontakcie z wodą uwalnia łatwopalne gazy.          |
|  | PT | Em contacto com a água liberta gases inflamáveis.    |
|  | RO | În contact cu apa degajă gaze inflamabile.           |
|  | SK | Pri kontakte s vodou uvolňuje horľavé plyny.         |
|  | SL | V stiku z vodo se sproščajo vnetljivi plini.         |
|  | FI | Kehittää syttyviä kaasuja veden kanssa.              |
|  | SV | Vid kontakt med vatten utvecklas brandfarliga gaser. |

|      |          |   |
|------|----------|---|
| H270 | Language | 2.4 — Oxidising Gases, Hazard Category 1          |
|      | BG       | Може да предизвика или усили пожар; окислител.    |
|      | ES       | Puede provocar o agravar un incendio; comburente. |
|      | CS       | Může způsobit nebo zesílit požár; oxidant.        |

▼B

| H270 | Language | 2.4 — Oxidising Gases, Hazard Category 1                              |
|------|----------|---|
|      | DA       | Kan forårsage eller forstærke brand, brandnærende.                    |
|      | DE       | Kann Brand verursachen oder verstärken; Oxidationsmittel.             |
|      | ET       | Võib põhjustada süttimise või soodustada põlemist; oksüdeerija.       |
|      | EL       | Μπορεί να προκαλέσει ή να αναζωπυρώσει πυρκαγιά: οξειδωτικό.          |
|      | EN       | May cause or intensify fire; oxidiser.                                |
|      | FR       | Peut provoquer ou aggraver un incendie; comburant.                    |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le tine nó cur le tine; ocsaídeoir. |

▼M5

|  |    |   |
|--|----|---|
|  | HR | Može uzrokovati ili pojačati požar; oksidans. |
|--|----|---|

▼B

|  |    |   |
|--|----|---|
|  | IT | Può provocare o aggravare un incendio; comburente.                |
|  | LV | Var izraisīt vai pastiprināt degšanu, oksidētājs.                 |
|  | LT | Gali sukelti arba padidinti gaisrą, oksidatorius.                 |
|  | HU | Tűzet okozhat vagy fokozhatja a tűz intenzitását, oxidáló hatású. |
|  | MT | Jista' jikkawża jew iżid in-nar; oxidant.                         |
|  | NL | Kan brand veroorzaken of bevorderen; oxiderend.                   |
|  | PL | Może spowodować lub intensyfikować pożar; utleniacz.              |
|  | PT | Pode provocar ou agravar incêndios; comburente.                   |
|  | RO | Poate provoca sau agrava un incendiu; oxidant.                    |
|  | SK | Môže spôsobiť alebo prispieť k rozvoju požiaru; oxidačné činidlo. |
|  | SL | Lahko povzroči ali okrepi požar; oksidativna snov.                |
|  | FI | Aiheuttaa tulipalon vaaran tai edistää tulipaloa; hapettava.      |
|  | SV | Kan orsaka eller intensifiera brand. Oxiderande.                  |

| H271 | Language | 2.13 — Oxidising Liquids, Hazard Category 1<br>2.14 — Oxidising Solids, Hazard Category 1 |
|------|----------|---|
|      | BG       | Може да предизвика пожар или експлозия; силен окислител.                                  |
|      | ES       | Puede provocar un incendio o una explosión; muy comburente.                               |
|      | CS       | Může způsobit požár nebo výbuch; silný oxidant.   |

▼ **B**

|      |          |   |
|------|----------|---|
| H271 | Language | 2.13 — Oxidising Liquids, Hazard Category 1<br>2.14 — Oxidising Solids, Hazard Category 1 |
|      | DA       | Kan forårsage brand eller eksplosion, stærkt brandnærende.                                |
|      | DE       | Kann Brand oder Explosion verursachen; starkes Oxidationsmittel.                          |
|      | ET       | Võib põhjustada süttimise või plahvatuse; tugev oksüdeerija.                              |
|      | EL       | Μπορεί να προκαλέσει πυρκαγιά ή έκρηξη· ισχυρό οξειδωτικό.                                |
|      | EN       | May cause fire or explosion; strong oxidiser.   |
|      | FR       | Peut provoquer un incendie ou une explosion; comburant puissant.                          |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le tine nó le pléascadh; an-ocsaídeoir.                 |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Može uzrokovati požar ili eksploziju; jaki oksidans. |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Può provocare un incendio o un'esplosione; molto comburente.    |
|  | LV | Var izraisīt degšanu vai eksploziju, oksidētājs.                |
|  | LT | Gali sukelti gaisrą arba sproginimą, stiprus oksidatorius.      |
|  | HU | Tűzet vagy robbanást okozhat; erősen oxidáló hatású.            |
|  | MT | Jista' jikkawża nar jew splużjoni; oxidant qawwi.               |
|  | NL | Kan brand of ontploffingen veroorzaken; sterk oxiderend.        |
|  | PL | Może spowodować pożar lub wybuch; silny utleniacz.              |
|  | PT | Risco de incêndio ou de explosão; muito comburente.             |
|  | RO | Poate provoca un incendiu sau o explozie; oxidant puternic.     |
|  | SK | Môže spôsobiť požiar alebo výbuch; silné oxidačné činidlo.      |
|  | SL | Lahko povzroči požar ali eksplozijo; močna oksidativna snov.    |
|  | FI | Aiheuttaa tulipalo- tai räjähdysvaaran; voimakkaasti hapettava. |
|  | SV | Kan orsaka brand eller explosion. Starkt oxiderande.            |

|      |          |   |
|------|----------|---|
| H272 | Language | 2.13 — Oxidising Liquids, Hazard Category 2, 3<br>2.14 — Oxidising Solids, Hazard Category 2, 3 |
|      | BG       | Може да усили пожара; окислител.  |
|      | ES       | Puede agravar un incendio; comburente.  |



▼ B

|      |          |   |
|------|----------|---|
| H272 | Language | 2.13 — Oxidising Liquids, Hazard Category 2, 3<br>2.14 — Oxidising Solids, Hazard Category 2, 3 |
|      | CS       | Může zesílit požár; oxidant.  |
|      | DA       | Kan forstærke brand, brandnærende.  |
|      | DE       | Kann Brand verstärken; Oxidationsmittel.  |
|      | ET       | Võib soodustada põlemist; oksüdeerija.  |
|      | EL       | Μπορεί να αναζωπυρώσει την πυρκαγιά· οξειδωτικό.  |
|      | EN       | May intensify fire; oxidiser.   |
|      | FR       | Peut aggraver un incendie; comburant.   |
|      | GA       | D'fhéadfadh sé cur le tine; ocsaídeoir.   |

▼ M5

|  |    |                                |
|--|----|--------------------------------|
|  | HR | Može pojačati požar; oksidans. |
|--|----|--------------------------------|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Può aggravare un incendio; comburente.             |
|  | LV | Var pastiprināt degšanu; oksidētājs.               |
|  | LT | Gali padidinti gaisrą, oksidatorius.               |
|  | HU | Fokozhatja a tűz intenzitását; oxidáló hatású.     |
|  | MT | Jista' jżid in-nar; ossidant.                      |
|  | NL | Kan brand bevorderen; oxiderend.                   |
|  | PL | Może intensyfikować pożar; utleniacz.              |
|  | PT | Pode agravar incêndios; comburente.                |
|  | RO | Poate agrava un incendiu; oxidant.                 |
|  | SK | Môže prispieť k rozvoju požiaru; oxidačné činidlo. |
|  | SL | Lahko okrepi požar; oksidativna snov.              |
|  | FI | Voi edistää tulipaloa; hapettava.                  |
|  | SV | Kan intensifiera brand. Oxiderande.                |

|      |          |   |
|------|----------|---|
| H280 | Language | 2.5 — Gases under pressure:<br>Compressed gas<br>Liquefied gas<br>Dissolved gas |
|      | BG       | Съдържа газ под налягане; може да експлодира при нагряване.                     |
|      | ES       | Contiene gas a presión; peligro de explosión en caso de calentamiento.          |
|      | CS       | Obsahuje plyn pod tlakem; při zahřívání může vybuchnout.                        |
|      | DA       | Indeholder gas under tryk, kan eksplodere ved opvarmning.                       |
|      | DE       | Enthält Gas unter Druck; kann bei Erwärmung explodieren.                        |
|      | ET       | Sisaldab rõhu all olevat gaasi, kuumenemisel võib plahvatada.                   |

▼ B

| H280 | Language | 2.5 — Gases under pressure:<br>Compressed gas<br>Liquefied gas<br>Dissolved gas |
|------|----------|---|
|      | EL       | Περιέχει αέριο υπό πίεση· εάν θερμανθεί, μπορεί να εκραγεί.                     |
|      | EN       | Contains gas under pressure; may explode if heated.                             |
|      | FR       | Contient un gaz sous pression; peut exploser sous l'effet de la chaleur.        |
|      | GA       | Gás istigh ann, faoi bhrú; d'fhéadfadh sé pléascadh, má théitear.               |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Sadrži stlačeni plin; zagrijavanje može uzrokovati eksploziju. |
|--|----|--|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Contiene gas sotto pressione; può esplodere se riscaldato.            |
|  | LV | Satur gāzi zem spiediena; karstumā var eksplodēt.                     |
|  | LT | Turi slėgio veikiamų dujų, kaitinant gali sprogti.                    |
|  | HU | Nyomás alatt lévő gázt tartalmaz; hő hatására robbanhat.              |
|  | MT | Fih gass taħt pressjoni; jista' jisplodi jekk jissahhan.              |
|  | NL | Bevat gas onder druk; kan ontploffen bij verwarming.                  |
|  | PL | Zawiera gaz pod ciśnieniem; ogrzanie grozi wybuchem.                  |
|  | PT | Contém gás sob pressão; risco de explosão sob a acção do calor.       |
|  | RO | Conține un gaz sub presiune; pericol de explozie în caz de încălzire. |
|  | SK | Obsahuje plyn pod tlakom, pri zahriatí môže vybuchnúť.                |
|  | SL | Vsebuje plin pod tlakom; segrevanje lahko povzroči eksplozijo.        |
|  | FI | Sisältää paineen allaista kaasua; voi räjähtää kuumennettaessa.       |
|  | SV | Innehåller gas under tryck. Kan explodera vid uppvärmning.            |

| H281 | Language | 2.5 — Gases under pressure: Refrigerated liquefied gas                                    |
|------|----------|---|
|      | BG       | Съдържа охладен газ; може да причини криогенни изгаряния или наранявания.                 |
|      | ES       | ► <u>C3</u> Contiene gas refrigerado; ◀ puede provocar quemaduras o lesiones criogénicas. |
|      | CS       | Obsahuje zchlazený plyn; může způsobit omrzliny nebo poškození chladem.                   |
|      | DA       | Indeholder nedkølet gas, kan forårsage kuldeskader.                                       |

▼ **B**

|      |          |   |
|------|----------|---|
| H281 | Language | 2.5 — Gases under pressure: Refrigerated liquefied gas  |
|      | DE       | ► <b>C3</b> Enthält tiefgekühltes Gas; kann Kälteverbrennungen oder -verletzungen verursachen. ◀                |
|      | ET       | Sisaldab külmutatud gaasi; võib põhjustada külmapõletusi või -kahjustusi.                                       |
|      | EL       | Περιέχει αέριο υπό ψύξη· μπορεί να προκαλέσει εγκαύματα ψύχους ή τραυματισμούς.                                 |
|      | EN       | Contains refrigerated gas; may cause cryogenic burns or injury.   |
|      | FR       | Contient un gaz réfrigéré; peut causer des brûlures ou blessures cryogéniques.                                  |
|      | GA       | Gás cuisnithe istigh ann; d'fhéadfadh sé a bheith ina chúis le dóna crióigineacha nó le díobháil chrióigineach. |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Sadrži pothladeni, ukapljeni plin; može uzrokovati kriogene opekline ili ozljede. |
|--|----|---|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Contiene gas refrigerato; può provocare ustioni o lesioni criogeniche.        |
|  | LV | Satur atdzesētu gāzi; var radīt kriogēnus apdegumus vai ievainojumus.         |
|  | LT | Turi atšaldytų dujų, gali sukelti kriogeninius nušalimus arba pažeidimus.     |
|  | HU | Mélyhűtött gázt tartalmaz; fagyarást vagy sérülést okozhat.                   |
|  | MT | Fih gass imkessah; jista' jikkawza hruq jew dannu minn temperaturi baxxi.     |
|  | NL | Bevat sterk gekoeld gas; kan cryogene brandwonden of letsel veroorzaken.      |
|  | PL | Zawiera schłodzony gaz; może spowodować oparzenia kriogeniczne lub obrażenia. |
|  | PT | Contém gás refrigerado; pode provocar queimaduras ou lesões criogénicas.      |
|  | RO | Conține un gaz răcit; poate cauza arsuri sau leziuni criogenice.              |
|  | SK | Obsahuje schladený plyn; môže spôsobiť kryogénne popáleniny alebo poranenia.  |
|  | SL | Vsebuje ohlajen utekočinjen plin; lahko povzroči ozeblino ali poškodbe.       |
|  | FI | Sisältää jäähdytettyä kaasua; voi aiheuttaa jääty-misvamman.                  |
|  | SV | Innehåller kyld gas. Kan orsaka svåra köldskador.                             |

|      |          |   |
|------|----------|---|
| H290 | Language | 2.16 — Corrosive to metals, Hazard Category 1 |
|      | BG       | Може да бъде корозивно за металите.           |
|      | ES       | Puede ser corrosivo para los metales.         |
|      | CS       | Může být korozivní pro kovy.                  |
|      | DA       | Kan ætse metaller.                            |
|      | DE       | Kann gegenüber Metallen korrosiv sein.        |
|      | ET       | Võib söövitada metalle.                       |

▼ **B**

|      |          |  |
|------|----------|--|
| H290 | Language | 2.16 — Corrosive to metals, Hazard Category 1    |
|      | EL       | Μπορεί να διαβρώσει μέταλλα.                     |
|      | EN       | May be corrosive to metals.                      |
|      | FR       | Peut être corrosif pour les métaux.              |
|      | GA       | D'fhéadfadh sé a bheith creimneach do mhio-tail. |

▼ **M5**

|  |    |                         |
|--|----|-------------------------|
|  | HR | Može nagrizzati metale. |
|--|----|-------------------------|

▼ **B**

|  |    |                                     |
|--|----|-------------------------------------|
|  | IT | Può essere corrosivo per i metalli. |
|  | LV | Var kodīgi iedarboties uz metāliem. |
|  | LT | Gali ėsdinti metalus.               |
|  | HU | Fémekre korrozív hatású lehet.      |
|  | MT | Jista' jkun korroziv għall-metalli. |
|  | NL | Kan bijtend zijn voor metalen.      |
|  | PL | Może powodować korozję metali.      |
|  | PT | Pode ser corrosivo para os metais.  |
|  | RO | Poate fi corosiv pentru metale.     |
|  | SK | Môže byť korozívna pre kovy.        |
|  | SL | Lahko je jedko za kovine.           |
|  | FI | Voi syövyttää metalleja.            |
|  | SV | Kan vara korrosivt för metaller.    |

Table 1.2

**Hazard statements for health hazards**

|      |          |   |
|------|----------|---|
| H300 | Language | 3.1 — Acute toxicity (oral), Hazard Category 1, 2 |
|      | BG       | Смъртоносен при поглъщане.                        |
|      | ES       | Mortal en caso de ingestión.                      |
|      | CS       | Při požití může způsobit smrt.                    |
|      | DA       | Livsfarlig ved indtagelse.                        |
|      | DE       | Lebensgefahr bei Verschlucken.                    |
|      | ET       | Allaneelamisel surmav.                            |
|      | EL       | Θανατηφόρο σε περίπτωση κατάποσης.                |
|      | EN       | Fatal if swallowed.                               |
|      | FR       | Mortel en cas d'ingestion.                        |
|      | GA       | Marfach má shlogtar.                              |

▼ **M5**

|  |    |                            |
|--|----|----------------------------|
|  | HR | Smrtonosno ako se proguta. |
|--|----|----------------------------|

▼ **B**

|  |    |                        |
|--|----|------------------------|
|  | IT | Letale se ingerito.    |
|  | LV | Norijot iestājas nāve. |
|  | LT | Mirtina prarijus.      |

**▼B**

| H300 | Language | 3.1 — Acute toxicity (oral), Hazard Category 1, 2 |
|------|----------|---|
|      | HU       | Lenyelve halálos.                                 |
|      | MT       | Fatali jekk jinbela'.                             |
|      | NL       | Dodelijk bij inslikken.                           |
|      | PL       | Połknięcie grozi śmiercią.                        |
|      | PT       | Mortal por ingestão.                              |
|      | RO       | Mortal în caz de înghițire.                       |
|      | SK       | Smrteľný po požití.                               |
|      | SL       | Smrtno pri zaužitju.                              |
|      | FI       | Tappavaa nieltynä.                                |
|      | SV       | Dödligt vid förtäring.                            |

| H301 | Language | 3.1 — Acute toxicity (oral), Hazard Category 3 |
|------|----------|--|
|      | BG       | Токсичен при поглъщане.                        |
|      | ES       | Tóxico en caso de ingestión.                   |
|      | CS       | Toxický při požití.                            |
|      | DA       | Giftig ved indtagelse.                         |
|      | DE       | Giftig bei Verschlucken.                       |
|      | ET       | Allaneelamisel mürgine.                        |
|      | EL       | Τοξικό σε περίπτωση κατάποσης.                 |
|      | EN       | Toxic if swallowed.                            |
|      | FR       | Toxique en cas d'ingestion.                    |
|      | GA       | Tocsaineach má shlogtar.                       |

**▼M5**

|  |    |                         |
|--|----|-------------------------|
|  | HR | Otrovno ako se proguta. |
|--|----|-------------------------|

**▼B**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Tossico se ingerito.             |
|  | LV | Toksisks, ja norij.              |
|  | LT | Toksiška prarijus.               |
|  | HU | Lenyelve mérgező.                |
|  | MT | Tossiku jekk jinbela'.           |
|  | NL | Giftig bij inslikken.            |
|  | PL | Działa toksycznie po połknięciu. |
|  | PT | Tóxico por ingestão.             |
|  | RO | Toxic în caz de înghițire.       |
|  | SK | Toxický po požití.               |
|  | SL | Strupeno pri zaužitju.           |
|  | FI | Myrkyllistä nieltynä.            |
|  | SV | Giftigt vid förtäring.           |

▼ **B**

| H302 | Language | 3.1 — Acute toxicity (oral), Hazard Category 4 |
|------|----------|--|
|      | BG       | Вреден при поглъщане.                          |
|      | ES       | Nocivo en caso de ingestión.                   |
|      | CS       | Zdraví škodlivý při požití.                    |
|      | DA       | Farlig ved indtagelse.                         |
|      | DE       | Gesundheitsschädlich bei Verschlucken.         |
|      | ET       | Allaneelamisel kahjulik.                       |
|      | EL       | Επιβλαβές σε περίπτωση κατάποσης.              |
|      | EN       | Harmful if swallowed.                          |
|      | FR       | Nocif en cas d'ingestion.                      |
|      | GA       | Diobhálach má shlogtar.                        |

▼ **M5**

|  |    |                        |
|--|----|------------------------|
|  | HR | Štetno ako se proguta. |
|--|----|------------------------|

▼ **B**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Nocivo se ingerito.              |
|  | LV | Kaitīgs, ja norij.               |
|  | LT | Kenksminga prarijus.             |
|  | HU | Lenyelve ártalmas.               |
|  | MT | Jagħmel il-ħsara jekk jinbela’.  |
|  | NL | Schadelijk bij inslikken.        |
|  | PL | Działa szkodliwie po połknięciu. |
|  | PT | Nocivo por ingestão.             |
|  | RO | Nociv în caz de înghițire.       |
|  | SK | Škodlivý po požití.              |
|  | SL | Zdravju škodljivo pri zaužitju.  |
|  | FI | Haitallista nieltynä.            |
|  | SV | Skadligt vid förtäring.          |

| H304 | Language | 3.10 — Aspiration hazard, Hazard Category 1   |
|------|----------|---|
|      | BG       | Може да бъде смъртоносен при поглъщане и навлизане в дихателните пътища.                    |
|      | ES       | Puede ser mortal en caso de ingestión y penetración en las vías respiratorias.              |
|      | CS       | Při požití a vniknutí do dýchacích cest může způsobit smrt.                                 |
|      | DA       | Kan være livsfarligt, hvis det indtages og kommer i luftvejene.                             |
|      | DE       | Kann bei Verschlucken und Eindringen in die Atemwege tödlich sein.                          |
|      | ET       | Allaneelamisel või hingamisteedesse sattumisel võib olla surmav.                            |
|      | EL       | Μπορεί να προκαλέσει θάνατο σε περίπτωση κατάποσης και διείσδυσης στις αναπνευστικές οδούς. |
|      | EN       | May be fatal if swallowed and enters airways.   |
|      | FR       | Peut être mortel en cas d'ingestion et de pénétration dans les voies respiratoires.         |
|      | GA       | D'fhéadfadh sé a bheith marfach má shlogtar é agus má théann sé isteach sna haerbhealaí.    |

▼ B

| H304 | Language | 3.10 — Aspiration hazard, Hazard Category 1                                       |
|------|----------|---|
|      | HR       | Može biti smrtonosno ako se proguta i uđe u dišni sustav.                         |
|      | HU       | Lenyelve és a légutakba kerülve halálos lehet.                                    |
|      | IT       | Può essere letale in caso di ingestione e di penetrazione nelle vie respiratorie. |
|      | LV       | Var izraisīt nāvi, ja norij vai iekļūst elpceļos.                                 |
|      | LT       | Prarijus ir patekus į kvėpavimo takus, gali sukelti mirtį.                        |
|      | MT       | Jista' jkun fatali jekk jinbela' u jidhol fil-pajpijiet tan-nifs.                 |
|      | NL       | Kan dodelijk zijn als de stof bij inslikken in de luchtwegen terecht komt.        |
|      | PL       | Połknięcie i dostanie się przez drogi oddechowe może grozić śmiercią.             |
|      | PT       | Pode ser mortal por ingestão e penetração nas vias respiratórias.                 |
|      | RO       | Poate fi mortal în caz de înghițire și de pătrundere în căile respiratorii.       |
|      | SK       | Môže byť smrteľný po požití a vniknutí do dýchacích ciest.                        |
|      | SL       | Pri zaužitju in vstopu v dihalne poti je lahko smrtno.                            |
|      | FI       | Voi olla tappavaa nieltynä ja joutuessaan hengitysteihin.                         |
|      | SV       | Kan vara dödligt vid förtäring om det kommer ner i luftvägarna.                   |

| H310 | Language | 3.1 — Acute toxicity (dermal), Hazard Category 1, 2 |
|------|----------|---|
|      | BG       | Смъртоносен при контакт с кожата.                   |
|      | ES       | Mortal en contacto con la piel.                     |
|      | CS       | Při styku s kůží může způsobit smrt.                |
|      | DA       | Livsfarlig ved hudkontakt.                          |
|      | DE       | Lebensgefahr bei Hautkontakt.                       |
|      | ET       | Nahale sattumisel surmav.                           |
|      | EL       | Θανατηφόρο σε επαφή με το δέρμα.                    |
|      | EN       | Fatal in contact with skin.                         |
|      | FR       | Mortel par contact cutané.                          |
|      | GA       | Marfach i dteagmháil leis an gcráiceann.            |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Smrtonosno u dodiru s kožom.           |
|  | HU | Bőrrel érintkezve halálos.             |
|  | IT | Letale per contatto con la pelle.      |
|  | LV | Nonākot saskarē ar ādu, iestājas nāve. |

▼ B

**▼B**

| H310 | Language | 3.1 — Acute toxicity (dermal), Hazard Category 1, 2 |
|------|----------|---|
|      | LT       | Mirtina susilietus su oda.                          |
|      | MT       | Fatali jekk imiss mal-ġilda.                        |
|      | NL       | Dodelijk bij contact met de huid.                   |
|      | PL       | Grozi śmiercią w kontakcie ze skórą.                |
|      | PT       | Mortal em contacto com a pele.                      |
|      | RO       | Mortal în contact cu pielea.                        |
|      | SK       | Smrteľný pri kontakte s pokožkou.                   |
|      | SL       | Smrtno v stiku s kožo.                              |
|      | FI       | Tappavaa joutuessaan iholle.                        |
|      | SV       | Dödligt vid hudkontakt.                             |

| H311 | Language | 3.1 — Acute toxicity (dermal), Hazard Category 3 |
|------|----------|--|
|      | BG       | Токсичен при контакт с кожата.                   |
|      | ES       | Tóxico en contacto con la piel.                  |
|      | CS       | Toxický při styku s kůží.                        |
|      | DA       | Giftig ved hudkontakt.                           |
|      | DE       | Giftig bei Hautkontakt.                          |
|      | ET       | Nahale sattumisel mürgine.                       |
|      | EL       | Τοξικό σε επαφή με το δέρμα.                     |
|      | EN       | Toxic in contact with skin.                      |
|      | FR       | Toxique par contact cutané.                      |
|      | GA       | Tocsaineach i dteagmháil leis an gcráiceann.     |

**▼M5**

|  |    |                           |
|--|----|---------------------------|
|  | HR | Otrovno u dodiru s kožom. |
|--|----|---------------------------|

**▼B**

|  |    |   |
|--|----|---|
|  | IT | Tossico per contatto con la pelle.      |
|  | LV | Toksisks, ja nonāk saskarē ar ādu.      |
|  | LT | Toksiška susilietus su oda.             |
|  | HU | Bőrrel érintkezve mérgező.              |
|  | MT | Tossiku meta jmiss mal-ġilda.           |
|  | NL | Giftig bij contact met de huid.         |
|  | PL | Działa toksycznie w kontakcie ze skórą. |
|  | PT | Tóxico em contacto com a pele.          |
|  | RO | Toxic în contact cu pielea.             |
|  | SK | Toxický pri kontakte s pokožkou.        |
|  | SL | Strupeno v stiku s kožo.                |
|  | FI | Myrkyllistä joutuessaan iholle.         |
|  | SV | Giftigt vid hudkontakt.                 |



**▼B**

| H312 | Language | 3.1 — Acute toxicity (dermal), Hazard Category 4 |
|------|----------|--|
|      | BG       | Вреден при контакт с кожата.                     |
|      | ES       | Nocivo en contacto con la piel.                  |
|      | CS       | Zdraví škodlivý při styku s kůží.                |
|      | DA       | Farlig ved hudkontakt.                           |
|      | DE       | Gesundheitsschädlich bei Hautkontakt.            |
|      | ET       | Nahale sattumisel kahjulik.                      |
|      | EL       | Επιβλαβές σε επαφή με το δέρμα.                  |
|      | EN       | Harmful in contact with skin.                    |
|      | FR       | Nocif par contact cutané.                        |
|      | GA       | Diobhálach i dteagmháil leis an gcearaiceann.    |

**▼M5**

|  |    |                          |
|--|----|--------------------------|
|  | HR | Štetno u dodiru s kožom. |
|--|----|--------------------------|

**▼B**

|  |    |   |
|--|----|---|
|  | IT | Nocivo per contatto con la pelle.       |
|  | LV | Kaitīgs, ja nonāk saskarē ar ādu.       |
|  | LT | Kenksminga susilietus su oda.           |
|  | HU | Bőrrel érintkezve ártalmas.             |
|  | MT | Jagħmel il-ħsara meta jmiss mal-ġilda.  |
|  | NL | Schadelijk bij contact met de huid.     |
|  | PL | Działa szkodliwie w kontakcie ze skórą. |
|  | PT | Nocivo em contacto com a pele.          |
|  | RO | Nociv în contact cu pielea.             |
|  | SK | Škodlivý pri kontakte s pokožkou.       |
|  | SL | Zdravju škodljivo v stiku s kožo.       |
|  | FI | Haitallista joutuessaan iholle.         |
|  | SV | Skadligt vid hudkontakt.                |

**▼M12**

| H314 | Language | 3.2 — Skin corrosion/irritation, Hazard Category 1, Sub-Categories 1A, 1B, 1C |
|------|----------|---|
|      | BG       | Причинява тежки изгаряния на кожата и сериозно увреждане на очите.            |
|      | ES       | Provoca quemaduras graves en la piel y lesiones oculares graves.              |
|      | CS       | Způsobuje těžké poleptání kůže a poškození očí.                               |
|      | DA       | Forårsager svære ætsninger af huden og øjenskader.                            |
|      | DE       | Verursacht schwere Verätzungen der Haut und schwere Augenschäden.             |
|      | ET       | Põhjustab rasket nahasõvitust ja silmakahjustusi.                             |
|      | EL       | Προκαλεί σοβαρά δερματικά εγκαύματα και οφθαλμικές βλάβες.                    |

▼ **M12**

| H314 | Language | 3.2 — Skin corrosion/irritation, Hazard Category 1, Sub-Categories 1A, 1B, 1C |
|------|----------|---|
|      | EN       | Causes severe skin burns and eye damage.                                      |
|      | FR       | Provoque des brûlures de la peau et de graves lésions des yeux.               |
|      | GA       | Ina chúis le dónna tromchúiseacha craicinn agus le damáiste don tsúil.        |
|      | HR       | Uzrokuje teške opekline kože i ozljede oka.                                   |
|      | IT       | Provoca gravi ustioni cutanee e gravi lesioni oculari.                        |
|      | LV       | Izraisa smagus ādas apdegumus un acu bojājumus.                               |
|      | LT       | Smarkiai nudegina odą ir pažeidžia akis.                                      |
|      | HU       | Súlyos égési sérülést és szemkárosodást okoz.                                 |
|      | MT       | Jagħmel ħruq serju lill-ġilda u ħsara lill-ghajnejn.                          |
|      | NL       | Veroorzaakt ernstige brandwonden en oogletsel.                                |
|      | PL       | Powoduje poważne oparzenia skóry oraz uszkodzenia oczu .                      |
|      | PT       | Provoca queimaduras na pele e lesões oculares graves.                         |
|      | RO       | Provoacă arsuri grave ale pielii și lezarea ochilor.                          |
|      | SK       | Spôsobuje vážne poleptanie kože a poškodenie očí.                             |
|      | SL       | Povzroča hude opekline kože in poškodbe oči.                                  |
|      | FI       | Voimakkaasti ihoa syövyttävää ja silmiä vaurioittavaa.                        |
|      | SV       | Orsakar allvarliga frätskador på hud och ögon.                                |

▼ **B**

| H315 | Language | 3.2 — Skin corrosion/irritation, Hazard Category 2 |
|------|----------|--|
|      | BG       | Предизвиква дразнене на кожата.                    |
|      | ES       | Provoca irritación cutánea.                        |
|      | CS       | Dráždí kůži.                                       |
|      | DA       | Forårsager hudirritation.                          |
|      | DE       | Verursacht Hautreizungen.                          |
|      | ET       | Põhjustab nahaärritust.                            |
|      | EL       | Προκαλεί ερεθισμό του δέρματος.                    |
|      | EN       | Causes skin irritation.                            |
|      | FR       | Provoque une irritation cutanée.                   |
|      | GA       | Ina chúis le greannú craicinn.                     |

▼ **M5**

|  |    |                              |
|--|----|------------------------------|
|  | HR | Nadražuje kožu.              |
|  | IT | Provoca irritazione cutanea. |

▼ **B**

▼ B

| H315 | Language | 3.2 — Skin corrosion/irritation, Hazard Category 2 |
|------|----------|--|
|      | LV       | Kairina ādu.                                       |
|      | LT       | Dirgina odą.                                       |
|      | HU       | Bőrirritáló hatású.                                |
|      | MT       | Jagħmel irritazzjoni tal-ġilda.                    |
|      | NL       | Veroorzaakt huidirritatie.                         |
|      | PL       | Działa drażniąco na skórę.                         |
|      | PT       | Provoca irritação cutânea.                         |
|      | RO       | Provoacă iritarea pielii.                          |
|      | SK       | Dráždí kožu.                                       |
|      | SL       | Povzroča draženje kože.                            |
|      | FI       | Ärsyttää ihoa.                                     |
|      | SV       | Irriterar huden.                                   |

| H317 | Language | ► <b>M2</b> 3.4 — Sensitisation — Skin, hazard category 1, 1A, 1B ◀      |
|------|----------|--|
|      | BG       | Може да причини алергична кожна реакция.                                 |
|      | ES       | Puede provocar una reacción alérgica en la piel.                         |
|      | CS       | Může vyvolat alergickou kožní reakci.                                    |
|      | DA       | Kan forårsage allergisk hudreaktion.                                     |
|      | DE       | Kann allergische Hautreaktionen verursachen.                             |
|      | ET       | Võib põhjustada allergilist nahareaktsiooni.                             |
|      | EL       | Μπορεί να προκαλέσει αλλεργική δερματική αντίδραση.                      |
|      | EN       | May cause an allergic skin reaction.                                     |
|      | FR       | Peut provoquer une allergie cutanée.                                     |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach craicinn. |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Može izazvati alergijsku reakciju na koži.     |
|  | IT | Può provocare una reazione allergica cutanea.  |
|  | LV | Var izraisīt alerģisku ādas reakciju.          |
|  | LT | Gali sukelti alerginę odos reakciją.           |
|  | HU | Allergiás bőrreakciót válthat ki.              |
|  | MT | Jista' jikkawża reazzjoni allergika tal-ġilda. |
|  | NL | Kan een allergische huidreactie veroorzaken.   |
|  | PL | Może powodować reakcję alergiczną skóry.       |
|  | PT | Pode provocar uma reacção alérgica cutânea.    |
|  | RO | Poate provoca o reacție alergică a pielii.     |
|  | SK | Môže vyvolať alergickú kožnú reakciu.          |

▼ B

▼ **B**

| H317 | Language | ► <b>M2</b> 3.4 — Sensitisation — Skin, hazard category 1, 1A, 1B ◀ |
|------|----------|---|
|      | SL       | Lahko povzroči alergijski odziv kože.                               |
|      | FI       | Voi aiheuttaa allergisen ihoreaktion.                               |
|      | SV       | Kan orsaka allergisk hudreaktion.                                   |

▼ **M12**

| H318 | Language | 3.3 — Serious eye damage/eye irritation, Hazard Category 1 |
|------|----------|--|
|      | BG       | Предизвиква сериозно увреждане на очите.                   |
|      | ES       | Provoca lesiones oculares graves.                          |
|      | CS       | Způsobuje vážné poškození očí.                             |
|      | DA       | Forårsager alvorlig øjenskade.                             |
|      | DE       | Verursacht schwere Augenschäden.                           |
|      | ET       | Põhjustab raskeid silmakahjustusi.                         |
|      | EL       | Προκαλεί σοβαρή οφθαλμική βλάβη.                           |
|      | EN       | Causes serious eye damage.                                 |
|      | FR       | Provoque de graves lésions des yeux.                       |
|      | GA       | Ina chúis le damáiste tromchúiseach don tsúil.             |
|      | HR       | Uzrokuje teške ozljede oka.                                |
|      | IT       | Provoca gravi lesioni oculari.                             |
|      | LV       | Izraisa nopietnus acu bojājumus.                           |
|      | LT       | Smarkiai pažeidžia akis.                                   |
|      | HU       | Súlyos szemkárosodást okoz.                                |
|      | MT       | Jagħmel ħsara serja lill-ghajnejn.                         |
|      | NL       | Veroorzaakt ernstig oogletsel.                             |
|      | PL       | Powoduje poważne uszkodzenie oczu.                         |
|      | PT       | Provoca lesões oculares graves.                            |
|      | RO       | Provoacă leziuni oculare grave.                            |
|      | SK       | Spôsobuje vážne poškodenie očí.                            |
|      | SL       | Povzroča hude poškodbe oči.                                |
|      | FI       | Vaurioittaa vakavasti silmiä.                              |
|      | SV       | Orsakar allvarliga ögonskador.                             |

▼ **B**

| H319 | Language | 3.3 — Serious eye damage/eye irritation, Hazard Category 2 |
|------|----------|--|
|      | BG       | Предизвиква сериозно дразнене на очите.                    |
|      | ES       | Provoca irritación ocular grave.                           |
|      | CS       | Způsobuje vážné podráždění očí.                            |
|      | DA       | Forårsager alvorlig øjenirritation.                        |
|      | DE       | Verursacht schwere Augenreizung.                           |
|      | ET       | Põhjustab tugevat silmade ärritust.                        |
|      | EL       | Προκαλεί σοβαρό οφθαλμικό ερεθισμό.                        |
|      | EN       | Causes serious eye irritation.                             |
|      | FR       | Provoque une sévère irritation des yeux.                   |
|      | GA       | Ina chúis le greannú tromchúiseach don tsúil.              |

▼ **B**

|      |          |  |
|------|----------|--|
| H319 | Language | 3.3 — Serious eye damage/eye irritation, Hazard Category 2 |
|------|----------|--|

▼ **M5**

|  |    |                                 |
|--|----|---------------------------------|
|  | HR | Uzrokuje jako nadraživanje oka. |
|--|----|---------------------------------|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Provoca grave irritazione oculare.        |
|  | LV | Izraisa nopietnu acu kairinājumu.         |
|  | LT | Sukelia smarkų akių dirginimą.            |
|  | HU | Súlyos szemirritációt okoz.               |
|  | MT | Jagħmel irritazzjoni serja lill-għajnejn. |
|  | NL | Veroorzaakt ernstige oogirritatie.        |
|  | PL | Działa drażniąco na oczy.                 |
|  | PT | Provoca irritação ocular grave.           |
|  | RO | Provoacă o iritare gravă a ochilor.       |
|  | SK | Spôsobuje vážne podráždenie očí.          |
|  | SL | Povzroča hudo draženje oči.               |
|  | FI | Ärsyttää voimakkaasti silmiä.             |
|  | SV | Orsakar allvarlig ögonirritation.         |

|      |          |   |
|------|----------|---|
| H330 | Language | 3.1 — Acute toxicity (inhal.), Hazard Category 1, 2 |
|      | BG       | Смъртоносен при вдишване.                           |
|      | ES       | Mortal en caso de inhalación.                       |
|      | CS       | Při vdechování může způsobit smrt.                  |
|      | DA       | Livsfarlig ved indånding.                           |
|      | DE       | Lebensgefahr bei Einatmen.                          |
|      | ET       | Sissehingamisel surmav.                             |
|      | EL       | Θανατηφόρο σε περίπτωση εισπνοής.                   |
|      | EN       | Fatal if inhaled.                                   |
|      | FR       | Mortel par inhalation.                              |
|      | GA       | Marfach má ionanálaítear.                           |

▼ **M5**

|  |    |                          |
|--|----|--------------------------|
|  | HR | Smrtonosno ako se udiše. |
|--|----|--------------------------|

▼ **B**

|  |    |                            |
|--|----|----------------------------|
|  | IT | Letale se inalato.         |
|  | LV | Ieelpojot, iestājas nāve.  |
|  | LT | Mirtina įkvėpus.           |
|  | HU | Belélegezve halálos.       |
|  | MT | Fatali jekk jinxtamm.      |
|  | NL | Dodelijk bij inademing.    |
|  | PL | Wdychanie grozi śmiercią.  |
|  | PT | Mortal por inalação.       |
|  | RO | Mortal în caz de inhalare. |
|  | SK | Smrteľný pri vdýchnutí.    |

**▼B**

| H330 | Language | 3.1 — Acute toxicity (inhal.), Hazard Category 1, 2 |
|------|----------|---|
|      | SL       | Smrtno pri vdihavanju.                              |
|      | FI       | Tappavaa hengitettynä.                              |
|      | SV       | Dödligt vid inandning.                              |

| H331 | Language | 3.1 — Acute toxicity (inhal.), Hazard Category 3 |
|------|----------|--|
|      | BG       | Токсичен при вдишване.                           |
|      | ES       | Tóxico en caso de inhalación.                    |
|      | CS       | Toxický při vdechování.                          |
|      | DA       | Giftig ved indånding.                            |
|      | DE       | Giftig bei Einatmen.                             |
|      | ET       | Sissehingamisel mürgine.                         |
|      | EL       | Τοξικό σε περίπτωση εισπνοής.                    |
|      | EN       | Toxic if inhaled.                                |
|      | FR       | Toxique par inhalation.                          |
|      | GA       | Tocsaineach má ionanálaítear.                    |

**▼M5**

|  |    |                       |
|--|----|-----------------------|
|  | HR | Otrovno ako se udiše. |
|--|----|-----------------------|

**▼B**

|  |    |  |
|--|----|--|
|  | IT | Tossico se inalato.                        |
|  | LV | Toksisks ieelpojot.                        |
|  | LT | Toksiška įkvėpus.                          |
|  | HU | Belélegezve mérgező.                       |
|  | MT | Tossiku jekk jinxtamm.                     |
|  | NL | Giftig bij inademing.                      |
|  | PL | Działa toksycznie w następstwie wdychania. |
|  | PT | Tóxico por inalação.                       |
|  | RO | Toxic în caz de inhalare.                  |
|  | SK | Toxický pri vdýchnutí.                     |
|  | SL | Strupeno pri vdihavanju.                   |
|  | FI | Myrkyllistä hengitettynä.                  |
|  | SV | Giftigt vid inandning.                     |

| H332 | Language | 3.1 — Acute toxicity (inhal.), Hazard Category 4 |
|------|----------|--|
|      | BG       | Вреден при вдишване.                             |
|      | ES       | Nocivo en caso de inhalación.                    |
|      | CS       | Zdraví škodlivý při vdechování.                  |
|      | DA       | Farlig ved indånding.                            |

▼ **B**

|      |          |  |
|------|----------|--|
| H332 | Language | 3.1 — Acute toxicity (inhal.), Hazard Category 4 |
|      | DE       | Gesundheitsschädlich bei Einatmen.               |
|      | ET       | Sissehingamisel kahjulik.                        |
|      | EL       | Επιβλαβές σε περίπτωση εισπνοής.                 |
|      | EN       | Harmful if inhaled.                              |
|      | FR       | Nocif par inhalation.                            |
|      | GA       | Diobhálach má ionanálaítear.                     |

▼ **M5**

|  |    |                      |
|--|----|----------------------|
|  | HR | Štetno ako se udiše. |
|--|----|----------------------|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Nocivo se inalato.                         |
|  | LV | Kaitīgs ieelpojot.                         |
|  | LT | Kenksminga įkvėpus.                        |
|  | HU | Belélegezve ártalmas.                      |
|  | MT | Jagħmel il-ħsara jekk jinxtamm.            |
|  | NL | Schadelijk bij inademing.                  |
|  | PL | Działa szkodliwie w następstwie wdychania. |
|  | PT | Nocivo por inalação.                       |
|  | RO | Nociv în caz de inhalare.                  |
|  | SK | Škodlivý pri vdýchnutí.                    |
|  | SL | Zdravju škodljivo pri vdihavanju.          |
|  | FI | Haitallista hengitettynä.                  |
|  | SV | Skadligt vid inandning.                    |

|      |          |   |
|------|----------|---|
| H334 | Language | ► <b>M2</b> 3.4 — Sensitisation — Respiratory, hazard category 1, 1A, 1B ◀                            |
|      | BG       | Може да причини алергични или астматични симптоми или затруднения в дишането при вдишване.            |
|      | ES       | Puede provocar síntomas de alergia o asma o dificultades respiratorias en caso de inhalación.         |
|      | CS       | Při vdechování může vyvolat příznaky alergie nebo astmatu nebo dýchací potíže.                        |
|      | DA       | Kan forårsage allergi- eller astmasymptomer eller åndedrætsbesvær ved indånding.                      |
|      | DE       | Kann bei Einatmen Allergie, asthmaartige Symptome oder Atembeschwerden verursachen.                   |
|      | ET       | Sissehingamisel võib põhjustada allergia- või astma sümptomeid või hingamisraskusi.                   |
|      | EL       | Μπορεί να προκαλέσει αλλεργία ή συμπτώματα άσθματος ή δύσπνοια σε περίπτωση εισπνοής.                 |
|      | EN       | May cause allergy or asthma symptoms or breathing difficulties if inhaled.                            |
|      | FR       | Peut provoquer des symptômes allergiques ou d'asthme ou des difficultés respiratoires par inhalation. |

▼ **B**

|      |          |   |
|------|----------|---|
| H334 | Language | ► <b>M2</b> 3.4 — Sensitisation — Respiratory, hazard category 1, 1A, 1B ◀  |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le siomptóim ailléirge nó asma nó le deacrachtaí anáilaithe má ionanálaítear é. |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Ako se udiše može izazvati simptome alergije ili astme ili poteškoće s disanjem. |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Può provocare sintomi allergici o asmatici o difficoltà respiratorie se inalato.                            |
|  | LV | Ja ieelpo, var izraisīt alerģiju vai astmas simptomus, vai apgrūtināt elpošanu.                             |
|  | LT | Įkvėpus gali sukelti alerginę reakciją, astmos simptomus arba apsunkinti kvėpavimą.                         |
|  | HU | Belélegezve allergiás és asztmás tüneteket, és nehéz légzést okozhat.                                       |
|  | MT | Jista' jikkawza sintomi ta' allergija jew ta' azma jew diffikultajiet biex jittiehed in-nifs jekk jinxtamm. |
|  | NL | Kan bij inademing allergie- of astmasymptomen of ademhalingsmoeilijkheden veroorzaken.                      |
|  | PL | Może powodować objawy alergii lub astmy lub trudności w oddychaniu w następstwie wdychania.                 |
|  | PT | Quando inalado, pode provocar sintomas de alergia ou de asma ou dificuldades respiratórias.                 |
|  | RO | Poate provoca simptome de alergie sau astm sau dificultăți de respirație în caz de inhalare.                |
|  | SK | Pri vdýchnutí môže vyvolať alergiu alebo príznaky astmy, alebo dýchacie ťažkosti.                           |
|  | SL | Lahko povzroči simptome alergije ali astme ali težave z dihanjem pri vdihavanju.                            |
|  | FI | Voi aiheuttaa hengitettynä allergia- tai astmaoireita tai hengitysvaikeuksia.                               |
|  | SV | Kan orsaka allergi- eller astmasymtom eller andningssvårigheter vid inandning.                              |

|      |          |   |
|------|----------|---|
| H335 | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 3, Respiratory tract irritation |
|      | BG       | Може да предизвика дразнене на дихателните пътища.  |
|      | ES       | Puede irritar las vías respiratorias.   |
|      | CS       | Může způsobit podráždění dýchacích cest.  |
|      | DA       | Kan forårsage irritation af luftvejene.   |
|      | DE       | Kann die Atemwege reizen.   |
|      | ET       | Võib põhjustada hingamisteede ärritust.   |
|      | EL       | Μπορεί να προκαλέσει ερεθισμό της αναπνευστικής οδού.   |
|      | EN       | May cause respiratory irritation.   |
|      | FR       | Peut irriter les voies respiratoires.   |



▼ B

|      |          |   |
|------|----------|---|
| H335 | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 3, Respiratory tract irritation |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le greannú riospráide.  |

▼ M5

|  |    |                              |
|--|----|------------------------------|
|  | HR | Može nadražiti dišni sustav. |
|--|----|------------------------------|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Può irritare le vie respiratorie.               |
|  | LV | Var izraisīt elpceļu kairinājumu.               |
|  | LT | Gali dirginti kvėpavimo takus.                  |
|  | HU | Légúti irritációt okozhat.                      |
|  | MT | Jista' jikkawza irritazzjoni respiratorja.      |
|  | NL | Kan irritatie van de luchtwegen veroorzaken.    |
|  | PL | Może powodować podrażnienie dróg oddechowych.   |
|  | PT | Pode provocar irritação das vias respiratórias. |
|  | RO | Poate provoca iritarea căilor respiratorii.     |
|  | SK | Môže spôsobiť podráždenie dýchacích ciest.      |
|  | SL | Lahko povzroči draženje dihalnih poti.          |
|  | FI | Saattaa aiheuttaa hengitysteiden ärsytystä.     |
|  | SV | Kan orsaka irritation i luftvägarna.            |

|      |          |   |
|------|----------|---|
| H336 | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 3, Narcosis |
|      | BG       | Може да предизвика сънливост или световъртеж.                                       |
|      | ES       | Puede provocar somnolencia o vértigo.   |
|      | CS       | Může způsobit ospalost nebo závratě.  |
|      | DA       | Kan forårsage sløvhed eller svimmelhed.   |
|      | DE       | Kann Schläfrigkeit und Benommenheit verursachen.                                    |
|      | ET       | Võib põhjustada unisust või peapööritust.   |
|      | EL       | Μπορεί να προκαλέσει υπνηλία ή ζάλη.  |
|      | EN       | May cause drowsiness or dizziness.  |
|      | FR       | Peut provoquer somnolence ou vertiges.  |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le codlatacht nó le meadhrán.                     |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Može izazvati pospanost ili vrtoglavicu. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Può provocare sonnolenza o vertigini.          |
|  | LV | Var izraisīt miegainību vai reibošus.          |
|  | LT | Gali sukelti mieguistumą arba galvos svaigimą. |
|  | HU | Álmoságot vagy szédülést okozhat.              |

## ▼B

|      |          |   |
|------|----------|---|
| H336 | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 3, Narcosis   |
|      | MT       | Jista' jikkawża hedla jew sturdament.   |
|      | NL       | Kan slaperigheid of duizeligheid veroorzaken.   |
|      | PL       | Może wywoływać uczucie senności lub zawroty głowy.  |
|      | PT       | Pode provocar sonolência ou vertigens.  |
|      | RO       | Poate provoca somnolență sau amețală.   |
|      | SK       | Môže spôsobiť ospalosť alebo závraty.   |
|      | SL       | Lahko povzroči zaspanost ali omotico.   |
|      | FI       | Saattaa aiheuttaa uneliaisuutta ja huimausta.   |
|      | SV       | Kan göra att man blir dåsigt eller omtöcknad.   |
| H340 | Language | 3.5 — Germ cell mutagenicity, Hazard Category 1A, 1B  |
|      | BG       | Може да причини генетични дефекти < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.               |
|      | ES       | Puede provocar defectos genéticos <Indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía >.                       |
|      | CS       | Může vyvolat genetické poškození <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.  |
|      | DA       | Kan forårsage genetiske defekter <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.                              |
|      | DE       | Kann genetische Defekte verursachen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.                           |
|      | ET       | Võib põhjustada geneetilisi defekte <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.   |
|      | EL       | Μπορεί να προκαλέσει γενετικά ελαττώματα < αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης >.                    |
|      | EN       | May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Peut induire des anomalies génétiques <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.                   |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le héalanga géiniteacha <tabhair an bealach nochta má tá sé cruthaithe go cinnitheach nach bealach nochta ar bith eile is cúis leis an nguais>. |

▼ **B**

|             |          |   |
|-------------|----------|---|
| H340        | Language | 3.5 — Germ cell mutagenicity, Hazard Category 1A, 1B  |
| ▼ <b>M5</b> | HR       | Može izazvati genetska oštećenja <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.         |
| ▼ <b>B</b>  | IT       | Può provocare alterazioni genetiche <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.            |
|             | LV       | Var izraisīt ģenētiskus bojājumus <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.                              |
|             | LT       | Gali sukelti genetinius defektus <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.   |
|             | HU       | Genetikai károsodást okozhat < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.             |
|             | MT       | Jista' jikkawża difetti ġenetiċi <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.      |
|             | NL       | Kan genetische schade veroorzaken <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.     |
|             | PL       | Może powodować wady genetyczne <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.                         |
|             | PT       | Pode provocar anomalias genéticas <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.    |
|             | RO       | Poate provoca anomalii genetice <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.             |
|             | SK       | Môže spôsobiť genetické poškodenie <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                  |
|             | SL       | Lahko povzroči genetske okvare <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>. |
|             | FI       | Saattaa aiheuttaa perimävaurioita <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.          |
|             | SV       | Kan orsaka genetiska defekter <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.                      |

▼ **B**

|      |          |  |
|------|----------|--|
| H341 | Language | 3.5 — Germ cell mutagenicity, Hazard Category 2  |
|      | BG       | Предполага се, че причинява генетични дефекти < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.              |
|      | ES       | Se sospecha que provoca defectos genéticos <Indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                          |
|      | CS       | Podezření na genetické poškození <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.   |
|      | DA       | Mistænkt for at forårsage genetiske defekter <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.                             |
|      | DE       | Kann vermutlich genetische Defekte verursachen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.                           |
|      | ET       | Arvatavasti põhjustab geneetilisi defekte <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohlikud>.   |
|      | EL       | Υποπτο για πρόκληση γενετικών ελαττωμάτων <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.                                |
|      | EN       | Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Susceptible d'induire des anomalies génétiques <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.                     |
|      | GA       | Ceaptar go bhféadfadh sé a bheith ina chúis le héalanga géiniteacha <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>. |
|      | HR       | Sumnja na moguća genetska oštećenja <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.                                 |
|      | IT       | Sospettato di provocare alterazioni genetiche <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.                             |
|      | LV       | Ir aizdomas, ka var izraisīt ģenētiskus bojājumus <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.   |
|      | LT       | Įtariama, kad gali sukelti genetinius defektus <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.  |

▼ **M5**▼ **B**

## ▼B

| H341 | Language | 3.5 — Germ cell mutagenicity, Hazard Category 2  |
|------|----------|--|
|      | HU       | Feltehetően genetikai károsodást okoz < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.                 |
|      | MT       | Suspettat li jikkawża difetti ġenetiċi <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>.             |
|      | NL       | Verdacht van het veroorzaken van genetische schade <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>. |
|      | PL       | Podejrzenia, że powoduje wady genetyczne <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.                            |
|      | PT       | Suspeito de provocar anomalias genéticas <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.          |
|      | RO       | Susceptibil de a provoca anomalii genetice <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.               |
|      | SK       | Podozrenie, že spôsobuje genetické poškodenie <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                    |
|      | SL       | Sum povzročitve genetskih okvar <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.             |
|      | FI       | Epäillään aiheuttavan perimävaurioita <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.                   |
|      | SV       | Misstänks kunna orsaka genetiska defekter <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.                       |
| H350 | Language | 3.6 — Carcinogenicity, Hazard Category 1A, 1B  |
|      | BG       | Може да причини рак < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.                          |
|      | ES       | Puede provocar cáncer <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                                 |
|      | CS       | Může vyvolat rakovinu <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.  |
|      | DA       | Kan fremkalde kræft <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.  |

▼ **B**

| H350 | Language | 3.6 — Carcinogenicity, Hazard Category 1A, 1B  |
|------|----------|--|
|      | DE       | Kann Krebs erzeugen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.                              |
|      | ET       | Võib põhjustada vähktõbe <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.   |
|      | EL       | Μπορεί να προκαλέσει καρκίνο <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.                     |
|      | EN       | May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Peut provoquer le cancer <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.                   |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le hailse <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>. |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Može uzrokovati rak <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Può provocare il cancro <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.           |
|  | LV | Var izraisīt vēzi <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.                                 |
|  | LT | Gali sukelti vėžį <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.   |
|  | HU | Rákot okozhat < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.               |
|  | MT | Jista' jikkawża l-kanċer <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>. |
|  | NL | Kan kanker veroorzaken <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>    |
|  | PL | Może powodować raka <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.                       |
|  | PT | Pode provocar cancro <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.    |
|  | RO | Poate provoca cancer <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.           |

▼ **B**

| H350 | Language | 3.6 — Carcinogenicity, Hazard Category 1A, 1B  |
|------|----------|--|
|      | SK       | Môže spôsobiť rakovinu <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.  |
|      | SL       | Lahko povzroči raka <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.                         |
|      | FI       | Saattaa aiheuttaa syöpää <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.                                |
|      | SV       | Kan orsaka cancer <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.   |
| H351 | Language | 3.6 — Carcinogenicity, Hazard Category 2   |
|      | BG       | Предполага се, че причинява рак <да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.               |
|      | ES       | Se sospecha que provoca cáncer <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                        |
|      | CS       | Podežření na vyvolání rakoviny <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.  |
|      | DA       | Mistænkt for at fremkalde kræft <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.                            |
|      | DE       | Kann vermutlich Krebs erzeugen <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.                             |
|      | ET       | Arvatavasti põhjustab vähktõbe <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.   |
|      | EL       | Υποπτο για πρόκληση καρκίνου <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.                               |
|      | EN       | ► <b>C3</b> Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. ◀                            |
|      | FR       | Susceptible de provoquer le cancer <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.                   |
|      | GA       | Ceaptar go bhféadfadh sé a bheith ina chúis le hailse <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>. |
|      | HR       | Sumnja na moguće uzrokovanje raka <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.                     |

▼ **M5**

## ▼B

| H351 | Language | 3.6 — Carcinogenicity, Hazard Category 2   |
|------|----------|--|
|      | IT       | Sospettato di provocare il cancro <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.   |
|      | LV       | Ir aizdomas, ka var izraisīt vēzi <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.   |
|      | LT       | Įtariama, kad sukelia vėžį <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.  |
|      | HU       | Feltehetően rákot okoz < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.  |
|      | MT       | Suspettat li jikkawża l-kanċer <ara l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu >.  |
|      | NL       | Verdacht van het veroorzaken van kanker <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.  |
|      | PL       | Podejrzenia, że powoduje raka <podać drogę narażenia, jeżeli definitywnie udowodniono, że inna droga narażenia nie powoduje zagrożenia>.   |
|      | PT       | Suspeito de provocar cancro <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.   |
|      | RO       | Susceptibil de a provoca cancer <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.  |
|      | SK       | Podозrenie, že spôsobuje rakovinu <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.  |
|      | SL       | Sum povzročitve raka <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.  |
|      | FI       | Epäillään aiheuttavan syöpää <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.  |
|      | SV       | Misstänks kunna orsaka cancer <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.   |
| H360 | Language | 3.7 — Reproductive toxicity, Hazard Category 1A, 1B  |
|      | BG       | Може да увреди оплодителната способност или плода < да се посочи конкретното въздействие, ако е известно > < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >. |



▼B

| H360 | Language | 3.7 — Reproductive toxicity, Hazard Category 1A, 1B   |
|------|----------|---|
|      | ES       | Puede perjudicar la fertilidad o dañar al feto <indíquese el efecto específico si se conoce> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                     |
|      | CS       | Může poškodit reprodukční schopnost nebo plod v těle matky <uved'te specifický účinek, je-li znám> <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.                                    |
|      | DA       | Kan skade forplantningsevnen eller det ufødte barn <angiv specifik effekt, hvis kendt> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.                                |
|      | DE       | Kann die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen <konkrete Wirkung angeben, sofern bekannt> <Expositionsweg angeben, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht>. |
|      | ET       | Võib kahjustada viljakust või loodet <märkida spetsiifiline toime, kui see on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.  |
|      | EL       | Μπορεί να βλάψει τη γονιμότητα ή το έμβρυο <αναφέρεται η ειδική επίπτωση εάν είναι γνωστή> <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.                            |
|      | EN       | May damage fertility or the unborn child <state specific effect if known > <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  |
|      | FR       | Peut nuire à la fertilité ou au fœtus <indiquer l'effet spécifique s'il est connu> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.                              |
|      | GA       | D'fhéadfadh sé damáiste a dhéanamh do thorthúlacht nó don leanbh sa bhroinn <tabhair an tsainéifeacht más eol > <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.  |
|      | HR       | Može štetno djelovati na plodnost ili naškoditi nerođenom djetetu <navesti konkretan učinak ako je poznat > <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.      |
|      | IT       | Può nuocere alla fertilità o al feto <indicare l'effetto specifico, se noto><indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.  |

▼M5▼B

## ▼B

| H360 | Language | 3.7 — Reproductive toxicity, Hazard Category 1A, 1B  |
|------|----------|--|
|      | LV       | Var kaitēt auglībai vai nedzimušajam bērnam <norādīt īpašo ietekmi, ja tā ir zināma> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.  |
|      | LT       | Gali pakenkti vaisingumui arba negimusiam vaikui <nurodyti konkretų poveikį, jeigu žinomas> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.   |
|      | HU       | Károsíthatja a termékenységet vagy a születendő gyermeket < ha ismert, meg kell adni a konkrét hatást > < meg kell adni az expozíciós útvonalat, ha meggyőződen bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.              |
|      | MT       | Jista' jagħmel hsara lill-fertilità jew lit-tarbija li għadha fil-guġ <semmi l-effett speċifiku jekk ikun magħruf> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>. |
|      | NL       | Kan de vruchtbaarheid of het ongeboren kind schaden <specifiek effect vermelden indien bekend> <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.                     |
|      | PL       | Może działać szkodliwie na płodność lub na dziecko w łonie matki <podać szczególny skutek, jeżeli jest znany> <podać drogę narażenia, jeżeli definitywnie udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.                      |
|      | PT       | Pode afectar a fertilidade ou o nascituro <indicar o efeito específico se este for conhecido> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.                     |
|      | RO       | Poate dăuna fertilității sau fătului <indicați efectul specific, dacă este cunoscut><indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.                                      |
|      | SK       | Môže spôsobiť poškodenie plodnosti alebo nenarodeného dieťaťa <uved'te konkrétny účinok, ak je známy > <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                           |
|      | SL       | Lahko škoduje plodnosti ali nerojenemu otroku <navesti posebni učinek, če je znan> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.                          |
|      | FI       | Saattaa heikentää hedelmällisyyttä tai vaurioittaa sikiötä <mainitaan tiedetty spesifinen vaikutus> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.                     |
|      | SV       | Kan skada fertiliteten eller det ofödda barnet <ange specifik effekt om denna är känd> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.  |

▼ **B**

| H361 | Language | 3.7 — Reproductive toxicity, Hazard Category 2  |
|------|----------|---|
|      | BG       | Предполага се, че уврежда оплодотелната способност или плода < да се посочи конкретното въздействие, ако е известно > < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.               |
|      | ES       | ► <b>C3</b> Se sospecha que puede perjudicar la fertilidad o dañar el feto ◀ <indíquese el efecto específico si se conoce> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                   |
|      | CS       | Podezření na poškození reprodukční schopnosti nebo plodu v těle matky <uved'te specifický účinek, je-li znám> <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.   |
|      | DA       | Mistænkt for at skade forplantningsevnen eller det ufødte barn <angiv specifik effekt, hvis kendt> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.  |
|      | DE       | ► <b>C3</b> Kann vermutlich die Fruchtbarkeit beeinträchtigen oder das Kind im Mutterleib schädigen <konkrete Wirkung angeben, sofern bekannt> ◀ <Expositionsweg angeben, sofern schlüssig belegt ist, dass die Gefahr bei keinem anderen Expositionsweg besteht>     |
|      | ET       | Arvatavasti kahjustab viljakust või loodet <märkida spetsiifilise toime, kui see on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.  |
|      | EL       | Υποπτο για πρόκληση βλάβης στη γονιμότητα ή στο έμβρυο <αναφέρεται η ειδική επίπτωση εάν είναι γνωστή> <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.  |
|      | EN       | Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  |
|      | FR       | Susceptible de nuire à la fertilité ou au fœtus <indiquer l'effet s'il est connu> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.   |
|      | GA       | Ceaptar go bhféadfadh sé damáiste a dhéanamh do thorthúlacht nó don leanbh sa bhroinn <tabhair an tsainéifeacht más eol > <tabhair an bealach nochta má tá sé cruthaithe go cinnitheach nach bealach nochta ar bith eile is cúis leis an nguais>.                     |
|      | HR       | Sumnja na moguće štetno djelovanje na plodnost ili mogućnost štetnog djelovanja na nerođeno dijete <navesti konkretan učinak ako je poznat > <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>. |

▼ **M5**

## ▼B

| H361 | Language | 3.7 — Reproductive toxicity, Hazard Category 2  |
|------|----------|---|
|      | IT       | Sospettato di nuocere alla fertilità o al feto <indicare l'effetto specifico, se noto> <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.   |
|      | LV       | Ir aizdomas, ka var kaitēt auglībai vai nedzimušajam bērnam <norādīt īpašo ietekmi, ja tā ir zināma> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.   |
|      | LT       | Įtariama, kad kenkia vaisingumui arba negimusiam vaikui <nurodyti konkretų poveikį, jeigu žinomas> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.   |
|      | HU       | Feltehetően károsítja a termékenységet vagy a születendő gyermeket < ha ismert, meg kell adni a konkrét hatást > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.           |
|      | MT       | Suspettat li jagħmel ħsara lill-fertilità jew litarbija li għadha fil-ġuf <semmi l-effett speċifiku jekk ikun magħruf> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konklużiv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu >. |
|      | NL       | Kan mogelijk de vruchtbaarheid of het ongeboren kind schaden <specifiek effect vermelden indien bekend> <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.                 |
|      | PL       | Podejrzewa się, że działa szkodliwie na płodność lub na dziecko w łonie matki <podać szczególnie skutek, jeżeli jest znany> <podać drogę narażenia, jeżeli definitywnie udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.             |
|      | PT       | Suspeito de afectar a fertilidade ou o nascituro <indicar o efeito específico se este for conhecido> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.                   |
|      | RO       | Susceptibil de a dăuna fertilității sau fătului <indicați efectul specific, dacă este cunoscut><indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.                                |
|      | SK       | Podozrenie, že spôsobuje poškodenie plodnosti alebo nenarodeného dieťaťa <uved'te konkrétny účinok, ak je známy > <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                     |
|      | SL       | Sum škodljivosti za plodnost ali nerojenega otroka <navesti posebni učinek, če je znan> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.                          |

▼B

| H361 | Language | 3.7 — Reproductive toxicity, Hazard Category 2   |
|------|----------|--|
|      | FI       | Epäillään heikentävän hedelmällisyyttä tai vaurioittavan sikiötä <mainitaan tiedetty spesifinen vaikutus> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>. |
|      | SV       | Misstänks kunna skada fertiliteten eller det ofödda barnet <ange specifik effekt om denna är känd> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.                |

| H362 | Language | 3.7 — Reproductive toxicity, Additional category, Effects on or via lactation |
|------|----------|---|
|      | BG       | Може да бъде вреден за кърмачета.   |
|      | ES       | Puede perjudicar a los niños alimentados con leche materna.                   |
|      | CS       | Může poškodit kojence prostřednictvím mateřského mléka.                       |
|      | DA       | Kan skade børn, der ammes.  |
|      | DE       | Kann Säuglinge über die Muttermilch schädigen.                                |
|      | ET       | Võib kahjustada rinnaga toidetavat last.                                      |
|      | EL       | Μπορεί να βλάψει τα βρέφη που τρέφονται με μητρικό γάλα.                      |
|      | EN       | May cause harm to breast-fed children.  |
|      | FR       | Peut être nocif pour les bébés nourris au lait maternel.                      |
|      | GA       | D'fhéadfadh sé díobháil a dhéanamh do leanaí diúil.                           |

▼M5

|  |    |   |
|--|----|---|
|  | HR | Može štetno djelovati na djecu koja se hrane majčinim mlijekom. |
|--|----|---|

▼B

|  |    |   |
|--|----|---|
|  | IT | Può essere nocivo per i lattanti allattati al seno.             |
|  | LV | Var radīt kaitējumu ar krūti barotam bērnam.                    |
|  | LT | Gali pakenkti žindomam vaikui.                                  |
|  | HU | A szoptatott gyermeket károsíthatja.                            |
|  | MT | Jista' jagħmel ħsara lit-tfal imreddgħa.                        |
|  | NL | Kan schadelijk zijn via borstvoeding.                           |
|  | PL | Może działać szkodliwie na dzieci karmione piersią.             |
|  | PT | Pode ser nocivo para as crianças alimentadas com leite materno. |
|  | RO | Poate dăuna copiilor alăptați la sân.                           |
|  | SK | Môže spôsobiť poškodenie u dojčených detí.                      |
|  | SL | Lahko škoduje dojenim otrokom.                                  |

## ▼B

|      |          |  |
|------|----------|--|
| H362 | Language | 3.7 — Reproductive toxicity, Additional category, Effects on or via lactation  |
|      | FI       | Saattaa aiheuttaa haittaa rintaruokinnassa oleville lapsille.  |
|      | SV       | Kan skada spädbarn som ammas.  |
| H370 | Language | 3.8 — Specific target organ toxicity — single exposure, Hazard Category 1  |
|      | BG       | Причинява увреждане на органите < или да се посочат всички засегнати органи, ако са известни > < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >.   |
|      | ES       | Provoca daños en los órganos <o indiquense todos los órganos afectados, si se conocen> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                    |
|      | CS       | Způsobuje poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.  |
|      | DA       | Forårsager organskader <eller angiv alle berørte organer, hvis de kendes> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.                                      |
|      | DE       | Schädigt die Organe <oder alle betroffenen Organe nennen, sofern bekannt> <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.                                      |
|      | ET       | Kahjustab elundeid <või märkida kõik mõjutatud elundid, kui need on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohlikud>.  |
|      | EL       | Προκαλεί βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> < αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης >.                    |
|      | EN       | Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Risque avéré d'effets graves pour les organes <ou indiquer tous les organes affectés, s'ils sont connus> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>. |
|      | GA       | Déanann sé damáiste d'orgáin <nó tabhair na horgáin go léir a bhualtear, más eol> <tabhair an bealach nochta má tá sé cruthaithe go cinnitheach nach bealach nochta ar bith eile is cúis leis an nguais>.                          |

▼**B**

|             |          |   |
|-------------|----------|---|
| H370        | Language | 3.8 — Specific target organ toxicity — single exposure, Hazard Category 1   |
| ▼ <b>M5</b> | HR       | Uzrokuje oštećenje organa <ili navesti sve organe na koje djeluje ako je poznato> <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.        |
| ▼ <b>B</b>  | IT       | Provoca danni agli organi <o indicare tutti gli organi interessati, se noti> <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.                   |
|             | LV       | Rada orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.                                    |
|             | LT       | Kenkia organams <arba nurodyti visus veikiamus organus, jeigu žinomi> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.  |
|             | HU       | Károsítja a szerveket < vagy meg kell adni az összes érintett szervet, ha ismertek > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.     |
|             | MT       | Jagħmel hsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu magħrufa> <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni ieħor ma jikkawża l-periklu>. |
|             | NL       | Veroorzaakt schade aan organen <of alle betrokken organen vermelden indien bekend> <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.    |
|             | PL       | Powoduje uszkodzenie narządów <podać szczególny skutek, jeśli jest znany> <podać drogę narażenia, jeżeli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.  |
|             | PT       | Afecta os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.         |
|             | RO       | Provoacă leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.  |
|             | SK       | Spôsobuje poškodenie orgánov <alebo uvedte všetky zasiahnuté orgány, ak sú známe> <uvedte spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                    |
|             | SL       | Škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.        |



| H370 | Language | 3.8 — Specific target organ toxicity — single exposure, Hazard Category 1   |
|------|----------|---|
|      | FI       | Vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.   |
|      | SV       | Orsakar organskador <eller ange vilka organ som påverkas om detta är känt> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.   |
| H371 | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 2   |
|      | BG       | Може да причини увреждане на органите < или да се посочат всички засегнати органи, ако са известни> < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >. |
|      | ES       | Puede provocar daños en los órganos <o indiquense todos los órganos afectados, si se conocen> <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                |
|      | CS       | Může způsobit poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.  |
|      | DA       | Kan forårsage organskader <eller angiv alle berørte organer, hvis de kendes> <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.                                      |
|      | DE       | Kann die Organe schädigen <oder alle betroffenen Organe nennen, sofern bekannt> <Expositionsweg angeben, sofern schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.                                   |
|      | ET       | Võib kahjustada elundeid <või märkida kõik mõjutatud elundid, kui need on teada> <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohlikud>.   |
|      | EL       | Μπορεί να προκαλέσει βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.             |
|      | EN       | May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Risque présumé d'effets graves pour les organes <ou indiquer tous les organes affectés, s'ils sont connus> <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>.  |



▼B

|             |          |  |
|-------------|----------|--|
| H371        | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 2  |
|             | GA       | D'fhéadfadh damáiste a dhéanamh d'orgáin <nó tabhair na horgáin go léir a bhualtear, más eol> <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.     |
| ▼ <u>M5</u> | HR       | Može uzrokovati oštećenje organa <ili navesti sve organe na koje djeluje ako je poznato> <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.          |
| ▼ <u>B</u>  | IT       | Può provocare danni agli organi <o indicare tutti gli organi interessati, se noti> <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.                      |
|             | LV       | Var izraisīt orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.                                     |
|             | LT       | Gali pakenkti organams <arba nurodyti visus veikianus organus, jeigu žinomi> <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.  |
|             | HU       | Károsíthatja a szerveket < vagy meg kell adni az összes érintett szervet, ha ismertek > < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt >.           |
|             | MT       | Jista' jikkawża hsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu magħrufa> <semmi l-mod ta' espożizzjoni jekk ikun privat b'mod konklużiv li l-ebda mod ta'' espożizzjoni iehor ma jikkawża l-periklu>. |
|             | NL       | Kan schade aan organen <of alle betrokken organen vermelden indien bekend> veroorzaken <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.         |
|             | PL       | Może powodować uszkodzenie narządów <podać wszystkie znane narządy, których to dotyczy> <podać drogę narażenia, jeżeli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.                                     |
|             | PT       | Pode afectar os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.            |
|             | RO       | Poate provoca leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.      |
|             | SK       | Môže spôsobiť poškodenie orgánov <alebo uved'te všetky zasiahnuté orgány, ak sú známe> <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                       |

## ▼B

| H371 | Language | 3.8 — Specific target organ toxicity — Single exposure, Hazard Category 2  |
|------|----------|--|
|      | SL       | Lahko škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.   |
|      | FI       | Saattaa vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.  |
|      | SV       | Kan orsaka organskador <eller ange vilka organ som påverkas om detta är känt> <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.   |
| H372 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 1  |
|      | BG       | Причинява увреждане на органите < или да се посочат всички засегнати органи, ако са известни > посредством продължителна или повтаряща се експозиция < да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >. |
|      | ES       | Provoca daños en los órganos <indíquense todos los órganos afectados, si se conocen> tras exposiciones prolongadas o repetidas <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                                |
|      | CS       | Způsobuje poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> při prodloužené nebo opakované expozici <uvedte cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.   |
|      | DA       | Forårsager organskader <eller angiv alle berørte organer, hvis de kendes> ved længerevarende eller gentagen eksponering <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.  |
|      | DE       | Schädigt die Organe <alle betroffenen Organe nennen> bei längerer oder wiederholter Exposition <Expositionsweg angeben, wenn schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.   |
|      | ET       | Kahjustab elundeid <või märkida kõik mõjutatud elundid, kui need on teada> pikaajalisel või korduval kokkupuutel <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.   |
|      | EL       | Προκαλεί βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> ύστερα από παρατεταμένη ή επανειλημμένη έκθεση < αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης >.                         |

▼ **B**

|      |          |   |
|------|----------|---|
| H372 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 1   |
|      | EN       | Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Risque avéré d'effets graves pour les organes <indiquer tous les organes affectés, s'ils sont connus> à la suite d'expositions répétées ou d'une exposition prolongée <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>. |
|      | GA       | Déanann damáiste d'orgáin <nó tabhair na horgáin go léir a bhualtear, más eol> trí nochtadh fada nó ilnochtadh <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.   |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Uzrokuje oštećenje organa <ili navesti sve organe na koje djeluje ako je poznato> tijekom produljene ili ponavljane izloženosti <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>. |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Provoca danni agli organi <o indicare tutti gli organi interessati, se noti> in caso di esposizione prolungata o ripetuta <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.                  |
|  | LV | Izraisa orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> ilgstošas vai atkārtotas iedarbības rezultātā <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.                               |
|  | LT | Kenkia organams <arba nurodyti visus veikianus organus, jeigu žinoma>, jeigu medžiaga veikia ilgai arba kartotinai <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.   |
|  | HU | Isméltlődő vagy hosszabb expozíció esetén < meg kell adni az expozíciós útvonalat, ha meggyőzően bizonyított, hogy más expozíciós útvonal nem okozza a veszélyt > károsítja a szerveket < vagy meg kell adni az összes érintett szervet, ha ismertek >.       |
|  | MT | Jikkawża ħsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu magħrufa> minhabba espożizzjoni fit-tul jew ripetuta <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>. |
|  | NL | Veroorzaakt schade aan organen <of alle betrokken organen vermelden indien bekend> bij langdurige of herhaalde blootstelling <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.      |

## ▼B

| H372 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 1  |
|------|----------|--|
|      | PL       | Powoduje uszkodzenie narządów <podać wszystkie znane narządy, których to dotyczy > poprzez długotrwałe lub powtarzane narażenie <podać drogę narażenia, jeżeli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.   |
|      | PT       | Afecta os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> após exposição prolongada ou repetida <indicar a via de exposição se existirem provas concludentes de que o perigo não decorre de nenhuma outra via de exposição>.                                    |
|      | RO       | Provoacă leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> în caz de expunere prelungită sau repetată <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.                        |
|      | SK       | Spôsobuje poškodenie orgánov <alebo uved'te všetky zasiahnuté orgány, ak sú známe> pri dlhšej alebo opakovanej expozícii <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.   |
|      | SL       | Škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> pri dolgotrajni ali ponavljajoči se izpostavljenosti <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>.                    |
|      | FI       | Vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> pitkäaikaisessa tai toistuvassa altistumisessa <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta>.   |
|      | SV       | Orsakar organskador <eller ange vilka organ som påverkas om detta är känt> genom lång eller upprepad exponering <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.   |
| H373 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 2  |
|      | BG       | Може да причини увреждане на органите <или да се посочат всички засегнати органи, ако са известни > при продължителна или повтаряща се експозиция <да се посочи пътят на експозицията, ако е доказано убедително, че няма друг път на експозиция, който води до същата опасност >. |
|      | ES       | Puede provocar daños en los órganos <indíquense todos los órganos afectados, si se conocen> tras exposiciones prolongadas o repetidas <indíquese la vía de exposición si se ha demostrado concluyentemente que el peligro no se produce por ninguna otra vía>.                     |

▼B

| H373 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 2  |
|------|----------|--|
|      | CS       | Může způsobit poškození orgánů <nebo uvést všechny postižené orgány, jsou-li známy> při prodloužené nebo opakované expozici <uved'te cestu expozice, je-li přesvědčivě prokázáno, že ostatní cesty expozice nejsou nebezpečné>.  |
|      | DA       | Kan forårsage organskader <eller angiv alle berørte organer, hvis de kendes> ved længerevarende eller gentagen eksponering <angiv eksponeringsvej, hvis det er endeligt påvist, at faren ikke kan frembringes ad nogen anden eksponeringsvej>.   |
|      | DE       | Kann die Organe schädigen <alle betroffenen Organe nennen, sofern bekannt> bei längerer oder wiederholter Exposition <Expositionsweg angeben, wenn schlüssig belegt ist, dass diese Gefahr bei keinem anderen Expositionsweg besteht>.   |
|      | ET       | Võib kahjustada elundeid <või märkida kõik mõjutatud elundid, kui need on teada> pikaajalisel või korduval kokkupuutel <märkida kokkupuuteviisi, kui on veenvalt tõestatud, et muud kokkupuuteviisid ei ole ohtlikud>.   |
|      | EL       | Μπορεί να προκαλέσει βλάβες στα όργανα <ή αναφέρονται όλα τα όργανα που βλάπτονται, εάν είναι γνωστά> ύστερα από παρατεταμένη ή επανειλημμένη έκθεση <αναφέρεται η οδός έκθεσης αν έχει αποδειχθεί αδιαμφισβήτητα ότι δεν υπάρχει κίνδυνος από τις άλλες οδούς έκθεσης>.                             |
|      | EN       | May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.   |
|      | FR       | Risque présumé d'effets graves pour les organes <ou indiquer tous les organes affectés, s'ils sont connus> à la suite d'expositions répétées ou d'une exposition prolongée <indiquer la voie d'exposition s'il est formellement prouvé qu'aucune autre voie d'exposition ne conduit au même danger>. |
|      | GA       | D'fhéadfadh sé damáiste a dhéanamh d'orgáin <nó tabhair na horgáin go léir a bhualtear, más eol> trí nochtadh fada nó ilnochtadh <tabhair an bealach nochta má tá sé cruthaithe go cinntitheach nach bealach nochta ar bith eile is cúis leis an nguais>.  |
|      | HR       | Može uzrokovati oštećenje organa <ili navesti sve organe na koje djeluje ako je poznato> tijekom produljene ili ponavljane izloženosti <navesti način izloženosti ako je nedvojbeno dokazano da niti jedan drugi način izloženosti ne uzrokuje takvu opasnost>.                                      |
|      | IT       | Può provocare danni agli organi <o indicare tutti gli organi interessati, se noti> in caso di esposizione prolungata o ripetuta <indicare la via di esposizione se è accertato che nessun'altra via di esposizione comporta il medesimo pericolo>.   |

▼M5▼B

## ▼B

| H373 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 2   |
|------|----------|---|
|      | LV       | Var izraisīt orgānu bojājumus <vai norādīt visus skartos orgānus, ja tie ir zināmi> ilgstošas vai atkārtotas iedarbības rezultātā <norādīt iedarbības ceļu, ja ir nepārprotami pierādīts, ka citi iedarbības ceļi nerada bīstamību>.                                  |
|      | LT       | Gali pakenkti organams <arba nurodyti visus veikiamus organus, jeigu žinomi>, jeigu medžiaga veikia ilgai arba kartotinai <nurodyti veikimo būdą, jeigu įtikinamai nustatyta, kad kiti veikimo būdai nepavojingi>.  |
|      | HU       | Ismétlődő vagy hosszabb expozíció esetén < meg kell adni az expozíció útvonulatát, ha meggyőzően bizonyított, hogy más expozíció útvonala nem okozza a veszélyt > károsíthatja a szerveket > vagy meg kell adni az összes érintett szervet, ha ismertek >.            |
|      | MT       | Jista' jikkawża ħsara lill-organi <jew semmi l-organi kollha affettwati, jekk ikunu magħrufa> minħabba espożizzjoni fit-tul jew ripetuta <semmi l-mod ta' espożizzjoni jekk ikun pruvat b'mod konkluziv li l-ebda mod ta' espożizzjoni iehor ma jikkawża l-periklu>.  |
|      | NL       | Kan schade aan organen <of alle betrokken organen vermelden indien bekend> veroorzaken bij langdurige of herhaalde blootstelling <blootstellingsroute vermelden indien afdoende bewezen is dat het gevaar bij andere blootstellingsroutes niet aanwezig is>.          |
|      | PL       | Może powodować uszkodzenie narządów <podać wszystkie znane narządy, których to dotyczy > poprzez długotrwałe lub narażenie powtarzane <podać drogę narażenia, jeśli udowodniono, że inne drogi narażenia nie stwarzają zagrożenia>.                                   |
|      | PT       | Pode afectar os órgãos <ou indicar todos os órgãos afectados, se forem conhecidos> após exposição prolongada ou repetida <indicar a via de exposição se existirem provas conclusivas de que o perigo não decorre de nenhuma outra via de exposição>.                  |
|      | RO       | Poate provoca leziuni ale organelor <sau indicați toate organele afectate, dacă sunt cunoscute> în caz de expunere prelungită sau repetată <indicați calea de expunere, dacă există probe concludente că nicio altă cale de expunere nu provoacă acest pericol>.      |
|      | SK       | Môže spôsobiť poškodenie orgánov <alebo uved'te všetky zasiahnuté orgány, ak sú známe> pri dlhšej alebo opakovanej expozícii <uved'te spôsob expozície, ak sa presvedčivo preukáže, že iné spôsoby expozície nevyvolávajú nebezpečenstvo>.                            |
|      | SL       | Lahko škoduje organom <ali navesti vse organe, na katere vpliva, če je znano> pri dolgotrajni ali ponavljajoči se izpostavljenosti <navesti način izpostavljenosti, če je prepričljivo dokazano, da noben drug način izpostavljenosti ne povzroča takšne nevarnosti>. |

▼ **B**

|      |          |   |
|------|----------|---|
| H373 | Language | 3.9 — Specific target organ toxicity — Repeated exposure, Hazard Category 2   |
|      | FI       | Saattaa vahingoittaa elimiä <tai mainitaan kaikki tiedetyt kohde-elimet> pitkäaikaisessa tai toistuvassa altistumisessa <mainitaan altistumisreitti, jos on kiistatta osoitettu, että vaara ei voi aiheutua muiden altistumisreittien kautta> |
|      | SV       | Kan orsaka organskador <eller ange vilka organ som påverkas om detta är känt> genom lång eller upprepad exponering <ange exponeringsväg om det är definitivt bevisat att faran inte kan orsakas av några andra exponeringsvägar>.             |

▼ **M2**

|             |          |   |
|-------------|----------|---|
| H300 + H310 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (dermal), hazard category 1, 2 |
|             | BG       | Смъртоносен при поглъщане или при контакт с кожата                            |
|             | ES       | Mortal en caso de ingestión o en contacto con la piel                         |
|             | CS       | Při požití nebo při styku s kůží může způsobit smrt                           |
|             | DA       | Livsfarlig ved indtagelse eller hudkontakt                                    |
|             | DE       | Lebensgefahr bei Verschlucken oder Hautkontakt                                |
|             | ET       | Allaneelamisel või nahale sattumisel surmav                                   |
|             | EL       | Θανατηφόρο σε περίπτωση κατάποσης ή σε επαφή με το δέρμα                      |
|             | EN       | Fatal if swallowed or in contact with skin                                    |
|             | FR       | Mortel par ingestion ou par contact cutané                                    |
|             | GA       | Ábhar marfach é seo má shlogtar é nó má theagmhaíonn leis an gcráiceann       |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Smrtonosno ako se proguta ili u dodiru s kožom. |
|--|----|---|

▼ **M2**

|  |    |   |
|--|----|---|
|  | IT | Mortale in caso di ingestione o a contatto con la pelle |
|  | LV | Var izraisīt nāvi, ja norīts vai saskaras ar ādu        |
|  | LT | Mirtina prarijus arba susilietus su oda                 |
|  | HU | Lenyelve vagy bőrrel érintkezve halálos                 |
|  | MT | Fatali jekk tinbela' jew tmiss mal-ġilda                |
|  | NL | Dodelijk bij inslikken en bij contact met de huid       |
|  | PL | Grozi śmiercią po połknięciu lub w kontakcie ze skórą   |
|  | PT | Mortal por ingestão ou contacto com a pele              |

▼ M2

| H300<br>+<br>H310 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (dermal), hazard category 1, 2 |
|-------------------|----------|---|
|                   | RO       | Mortal în caz de înghițire sau în contact cu pielea                           |
|                   | SK       | Pri použití alebo styku s kožou môže spôsobiť smrť                            |
|                   | SL       | Smrtno pri zaužitju ali v stiku s kožo  |
|                   | FI       | Tappavaa nieltynä tai joutuessaan iholle                                      |
|                   | SV       | Dödligt vid förtäring eller vid hudkontakt                                    |

| H300<br>+<br>H330 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (inhalation), hazard category 1, 2 |
|-------------------|----------|---|
|                   | BG       | Смъртоносен при поглъщане или при вдишване  |
|                   | ES       | Mortal en caso de ingestión o inhalación  |
|                   | CS       | Při použití nebo při vdechování může způsobit smrt                                |
|                   | DA       | Livsfarlig ved indtagelse eller indånding   |
|                   | DE       | Lebensgefahr bei Verschlucken oder Einatmen                                       |
|                   | ET       | Allaneelamisel või sissehingamisel surmav   |
|                   | EL       | Θανατηφόρο σε περίπτωση κατάποσης ή σε περίπτωση εισπνοής                         |
|                   | EN       | Fatal if swallowed or if inhaled  |
|                   | FR       | Mortel par ingestion ou par inhalation  |
|                   | GA       | Ábhar marfach é seo má shlogtar nó má ionanálaítear é                             |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Smrtonosno ako se proguta ili ako se udiše |
|--|----|--|

▼ M2

|  |    |   |
|--|----|---|
|  | IT | Mortale se ingerito o inalato                     |
|  | LV | Var izraisīt nāvi, ja norīts vai iekļūst elpceļos |
|  | LT | Mirtina prarijus arba įkvėpus                     |
|  | HU | Lenyelve vagy belélegezve halálos                 |



▼ M2

| H300<br>+<br>H330 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (inhalation), hazard category 1, 2 |
|-------------------|----------|---|
|                   | MT       | Fatali jekk tinbela' jew tittiehed bin-nifs                                       |
|                   | NL       | Dodelijk bij inslikken en bij inademing   |
|                   | PL       | Grozi śmiercią po połknięciu lub w następstwie wdychania                          |
|                   | PT       | Mortal por ingestão ou inalação   |
|                   | RO       | Mortal în caz de înghițire sau inhalare   |
|                   | SK       | Pri požití alebo vdýchnutí môže spôsobiť smrť                                     |
|                   | SL       | Smrtno pri zaužitju ali vdihavanju  |
|                   | FI       | Tappavaa nieltynä tai hengitettynä  |
|                   | SV       | Dödligt vid förtäring eller inandning   |

| H310<br>+<br>H330 | Language | 3.1 — Acute toxicity (dermal) and acute toxicity (inhalation), hazard category 1, 2 |
|-------------------|----------|---|
|                   | BG       | Смъртоносен при контакт с кожата или при вдишване                                   |
|                   | ES       | Mortal en contacto con la piel o si se inhala                                       |
|                   | CS       | Při styku s kůží nebo při vdechování může způsobit smrt                             |
|                   | DA       | Livsfarlig ved hudkontakt eller indånding   |
|                   | DE       | Lebensgefahr bei Hautkontakt oder Einatmen  |
|                   | ET       | Nahale sattumisel või sissehingamisel surmav  |
|                   | EL       | Θανατηφόρο σε επαφή με το δέρμα ή σε περίπτωση εισπνοής                             |
|                   | EN       | Fatal in contact with skin or if inhaled  |
|                   | FR       | Mortel par contact cutané ou par inhalation   |
|                   | GA       | Ábhar marfach é seo má theagmhaíonn leis an gcaiceann nó má ionanálaítear é         |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Smrtonosno u dodiru s kožom ili ako se udiše |
|--|----|--|

▼ M2

|  |    |   |
|--|----|---|
|  | IT | Mortale a contatto con la pelle o in caso di inalazione         |
|  | LV | Var izraisīt nāvi, ja saskaras ar ādu vai nonāk elpceļos        |
|  | LT | Mirtina susilietus su oda arba įkvėpus                          |
|  | HU | Bőrrel érintkezve vagy belélegezve halálos                      |
|  | MT | Fatali f'kuntatt mal-ġilda jew jekk tittiehed bin-nifs          |
|  | NL | Dodelijk bij contact met de huid en bij inademing               |
|  | PL | Grozi śmiercią w kontakcie ze skórą lub w następstwie wdychania |

▼ **M2**

| H310 + H330 | Language | 3.1 — Acute toxicity (dermal) and acute toxicity (inhalation), hazard category 1, 2 |
|-------------|----------|---|
|             | PT       | Mortal por contacto com a pele ou inalação  |
|             | RO       | Mortal în contact cu pielea sau prin inhalare                                       |
|             | SK       | Pri styku s kožou alebo pri vdýchnutí môže spôsobiť smrť                            |
|             | SL       | Smrtno v stiku s kožo ali pri vdihavanju  |
|             | FI       | Tappavaa joutuessaan iholle tai hengitettynä  |
|             | SV       | Dödligt vid hudkontakt eller inandning  |

| H300 + H310 + H330 | Language | 3.1 — Acute toxicity (oral), acute toxicity (dermal) and acute toxicity (inhalation), hazard category 1, 2 |
|--------------------|----------|--|
|                    | BG       | Смъртоносен при поглъщане, при контакт с кожата или при вдишване   |
|                    | ES       | Mortal en caso de ingestión, contacto con la piel o inhalación   |
|                    | CS       | Při požití, při styku s kůží nebo při vdechování může způsobit smrt  |
|                    | DA       | Livsfarlig ved indtagelse, hudkontakt eller indånding  |
|                    | DE       | Lebensgefahr bei Verschlucken, Hautkontakt oder Einatmen   |
|                    | ET       | Allaneelamisel, nahale sattumisel või sissehingamisel surmav   |
|                    | EL       | Θανατηφόρο σε περίπτωση κατάποσης, σε επαφή με το δέρμα ή σε περίπτωση εισπνοής                            |
|                    | EN       | Fatal if swallowed, in contact with skin or if inhaled   |
|                    | FR       | Mortel par ingestion, par contact cutané ou par inhalation   |
|                    | GA       | Ábhar marfach é seo má shlogtar, má theagmhaíonn leis an gcráiceann nó má ionanálaítear é                  |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Smrtonosno ako se proguta, u dodiru s kožom ili ako se udiše |
|--|----|--|

▼ **M2**

|  |    |  |
|--|----|--|
|  | IT | Mortale se ingerito, a contatto con la pelle o se inalato          |
|  | LV | Var izraisīt nāvi, ja norīts, saskaras ar ādu vai iekļūst elpceļos |
|  | LT | Mirtina prarijus, susilietus su oda arba įkvėpus                   |
|  | HU | Lenyelve, bőrrel érintkezve vagy belélegezve halálos               |
|  | MT | Fatali jekk tinbela', tmiss mal-gilda jew tittiehed bin-nifs       |
|  | NL | Dodelijk bij inslikken, bij contact met de huid en bij inademing   |

▼ **M2**

| H300 +<br>H310 +<br>H330 | Language | 3.1 — Acute toxicity (oral), acute toxicity (dermal) and acute toxicity (inhalation), hazard category 1, 2 |
|--------------------------|----------|--|
|                          | PL       | Grozi śmiercią po połknięciu, w kontakcie ze skórą lub w następstwie wdychania                             |
|                          | PT       | Mortal por ingestão, contacto com a pele ou inalação   |
|                          | RO       | Mortal în caz de înghițire, în contact cu pielea sau prin inhalare   |
|                          | SK       | Pri požití, pri styku s kožou alebo pri vdýchnutí môže spôsobiť smrť                                       |
|                          | SL       | Smrtno pri zaužitju, v stiku s kožo ali pri vdihavanju   |
|                          | FI       | Tappavaa nieltynä, joutuessaan iholle tai hengittetynä   |
|                          | SV       | Dödligt vid förtäring, hudkontakt eller inandning  |

| H301 +<br>H311 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (dermal), hazard category 3 |
|----------------|----------|--|
|                | BG       | Токсичен при поглъщане или при контакт с кожата                            |
|                | ES       | Tóxico en caso de ingestión o en contacto con la piel                      |
|                | CS       | Toxický při požití a při styku s kůží                                      |
|                | DA       | Giftig ved indtagelse eller hudkontakt                                     |
|                | DE       | Giftig bei Verschlucken oder Hautkontakt                                   |
|                | ET       | Allaneelamisel või nahale sattumisel mürgine                               |
|                | EL       | Τοξικό σε περίπτωση κατάποσης ή σε επαφή με το δέρμα                       |
|                | EN       | Toxic if swallowed or in contact with skin                                 |
|                | FR       | Toxique par ingestion ou par contact cutané                                |
|                | GA       | Ábhar tocsaineach má shlogtar é nó má theagmhaíonn leis an gcaiceann       |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Otrovno ako se proguta ili u dodiru s kožom |
|--|----|---|

▼ **M2**

|  |    |  |
|--|----|--|
|  | IT | Tossico se ingerito o a contatto con la pelle            |
|  | LV | Toksisks, ja norīts vai saskaras ar ādu                  |
|  | LT | Toksiška prarijus arba susilietus su oda                 |
|  | HU | Lenyelve vagy bőrrel érintkezve mérgező                  |
|  | MT | Tossika jekk tinbela' jew tmiss mal-ġilda                |
|  | NL | Giftig bij inslikken en bij contact met de huid          |
|  | PL | Działa toksycznie po połknięciu lub w kontakcie ze skórą |
|  | PT | Tóxico por ingestão ou contacto com a pele               |

▼ M2

| H301<br>+<br>H311 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (dermal), hazard category 3 |
|-------------------|----------|--|
|                   | RO       | Toxic în caz de înghițire sau în contact cu pielea                         |
|                   | SK       | Toxický pri požití a pri styku s kožou                                     |
|                   | SL       | Strupeno pri zaužitju ali v stiku s kožo                                   |
|                   | FI       | Myrkyllistä nieltynä tai joutuessaan iholle                                |
|                   | SV       | Giftigt vid förtäring eller hudkontakt                                     |

| H301<br>+<br>H331 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (inhalation), hazard category 3 |
|-------------------|----------|--|
|                   | BG       | Токсичен при поглъщане или при вдишване  |
|                   | ES       | Tóxico en caso de ingestión o inhalación                                       |
|                   | CS       | Toxický při požití a při vdechování  |
|                   | DA       | Giftig ved indtagelse eller indånding  |
|                   | DE       | Giftig bei Verschlucken oder Einatmen  |
|                   | ET       | Allaneelamisel või sissehingamisel mürgine                                     |
|                   | EL       | Τοξικό σε περίπτωση κατάποσης ή σε περίπτωση εισπνοής                          |
|                   | EN       | Toxic if swallowed or if inhaled   |
|                   | FR       | Toxique par ingestion ou par inhalation  |
|                   | GA       | Ábhar tocsaineach má shlogtar nó má ionanálaítear é                            |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Otrovno ako se proguta ili ako se udiše |
|--|----|---|

▼ M2

|  |    |   |
|--|----|---|
|  | IT | Tossico se ingerito o inalato                               |
|  | LV | Toksisks, ja norīts vai iekļūst elpceļos                    |
|  | LT | Toksiška prarijus arba įkvėpus                              |
|  | HU | Lenyelve vagy belélegezve mérgező                           |
|  | MT | Tossika jekk tinbela' jew tittiehed bin-nifs                |
|  | NL | Giftig bij inslikken en bij inademing                       |
|  | PL | Działa toksycznie po połknięciu lub w następstwie wdychania |
|  | PT | Tóxico por ingestão ou inalação                             |
|  | RO | Toxic în caz de înghițire sau prin inhalare                 |
|  | SK | Toxický pri požití alebo vdýchnutí                          |
|  | SL | Strupeno pri zaužitju ali vdihavanju                        |
|  | FI | Myrkyllistä nieltynä tai hengitettynä                       |
|  | SV | Giftigt vid förtäring eller inandning                       |

▼ **M12**

| H311 + H331 | Language | 3.1 — Acute toxicity (dermal) and acute toxicity (inhalation), hazard category 3 |
|-------------|----------|--|
|             | BG       | Токсичен при контакт с кожата или при вдишване                                   |
|             | ES       | Tóxico en contacto con la piel o si se inhala                                    |
|             | CS       | Toxický při styku s kůží a při vdechování  |
|             | DA       | Giftig ved hudkontakt eller indånding  |
|             | DE       | Giftig bei Hautkontakt oder Einatmen   |
|             | ET       | Nahale sattumisel või sissehingamisel mürgine                                    |
|             | EL       | Τοξικό σε επαφή με το δέρμα ή σε περίπτωση εισπνοής                              |
|             | EN       | Toxic in contact with skin or if inhaled   |
|             | FR       | Toxique par contact cutané ou par inhalation                                     |
|             | GA       | Ábhar tocsaineach má theagmhaíonn leis an gcaiceann nó má ionanálaítear é        |
|             | HR       | Otrovno u dodiru s kožom ili ako se udiše  |
|             | IT       | Tossico a contatto con la pelle o se inalato                                     |
|             | LV       | Toksisks saskarē ar ādu vai ja iekļūst elpceļos                                  |
|             | LT       | Toksiška susilietus su oda arba įkvėpus  |
|             | HU       | Bőrrel érintkezve vagy belélegezve mérgező                                       |
|             | MT       | Tossika jekk tmiss mal-ġilda jew tittieheb bin-nifs                              |
|             | NL       | Giftig bij contact met de huid en bij inademing                                  |
|             | PL       | Działa toksycznie w kontakcie ze skórą lub w następstwie wdychania               |
|             | PT       | Tóxico em contacto com a pele ou por inalação                                    |
|             | RO       | Toxic în contact cu pielea sau prin inhalare                                     |
|             | SK       | Toxický při styku s kůžou alebo při vdýchnutí                                    |
|             | SL       | Strupeno v stiku s kožo ali pri vdihavanju                                       |
|             | FI       | Myrkyllistä joutuessaan iholle tai hengitettynä                                  |
|             | SV       | Giftigt vid hudkontakt eller förtäring   |

▼ **M2**

| H301 + H311 + H331 | Language | 3.1 — Acute toxicity (oral), acute toxicity (dermal) and acute toxicity (inhalation), hazard category 3 |
|--------------------|----------|---|
|                    | BG       | Токсичен при поглъщане, при контакт с кожата или при вдишване   |
|                    | ES       | Tóxico en caso de ingestión, contacto con la piel o inhalación  |
|                    | CS       | Toxický při požití, při styku s kůží a při vdechování   |
|                    | DA       | Giftig ved indtagelse, hudkontakt eller indånding   |

▼ **M2**

|                          |          |   |
|--------------------------|----------|---|
| H301 +<br>H311 +<br>H331 | Language | 3.1 — Acute toxicity (oral), acute toxicity (dermal) and acute toxicity (inhalation), hazard category 3 |
|                          | DE       | Giftig bei Verschlucken, Hautkontakt oder Einatmen  |
|                          | ET       | Allaneelamisel, nahale sattumisel või sissehingamisel mürgine   |
|                          | EL       | Τοξικό σε περίπτωση κατάποσης, σε επαφή με το δέρμα ή σε περίπτωση κατάποσης                            |
|                          | EN       | Toxic if swallowed, in contact with skin or if inhaled  |
|                          | FR       | Toxique par ingestion, par contact cutané ou par inhalation   |
|                          | GA       | Ábhar tocsaineach má shlogtar, má theagmhaíonn leis an gcráiceann nó má ionanálaítear é                 |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Otrovno ako se proguta, u dodiru s kožom ili ako se udiše |
|--|----|---|

▼ **M2**

|  |    |   |
|--|----|---|
|  | IT | Tossico se ingerito, a contatto con la pelle o se inalato                         |
|  | LV | Toksisks, ja norīts, saskaras ar ādu vai iekļūst elpceļos                         |
|  | LT | Toksiška prarijus, susilietus su oda arba įkvėpus                                 |
|  | HU | Lenyelve, bőrrel érintkezve vagy belélegezve mérgező                              |
|  | MT | Tossika jekk tinbela', tmiss mal-gilda jew tittiehed bin-nifs                     |
|  | NL | Giftig bij inslikken, bij contact met de huid en bij inademing                    |
|  | PL | Działa toksycznie po połknięciu, w kontakcie ze skórą lub w następstwie wdychania |
|  | PT | Tóxico por ingestão, contacto com a pele ou inalação                              |
|  | RO | Toxic în caz de înghițire, în contact cu pielea sau prin inhalare                 |
|  | SK | Toxický pri požití, styku s kožou alebo pri vdýchnutí                             |
|  | SL | Strupeno pri zaužitju, v stiku s kožo ali pri vdihavanju                          |
|  | FI | Myrkyllistä nieltynä, joutuessaan iholle tai hengitettynä                         |
|  | SV | Giftigt vid förtäring, hudkontakt eller inandning                                 |

▼ **M12**

|                |          |  |
|----------------|----------|--|
| H302 +<br>H312 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (dermal), hazard category 4 |
|                | BG       | Вреден при поглъщане или при контакт с кожата                              |
|                | ES       | Nocivo en caso de ingestión o en contacto con la piel                      |
|                | CS       | Zdraví škodlivý při požití a při styku s kůží                              |

▼ **M12**

| H302<br>+<br>H312 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (dermal), hazard category 4 |
|-------------------|----------|--|
|                   | DA       | Farlig ved indtagelse eller hudkontakt                                     |
|                   | DE       | Gesundheitsschädlich bei Verschlucken oder Hautkontakt                     |
|                   | ET       | Allaneelamisel vði nahale sattumisel kahjulik                              |
|                   | EL       | Επιβλαβές σε περίπτωση κατάποσης ή σε επαφή με το δέρμα                    |
|                   | EN       | Harmful if swallowed or in contact with skin                               |
|                   | FR       | Nocif en cas d'ingestion ou de contact cutané                              |
|                   | GA       | Ábhar dochrach má shlogtar é nó má theagmhaíonn leis an gcráiceann         |
|                   | HR       | Štetno ako se proguta ili u dodiru s kožom                                 |
|                   | IT       | Nocivo se ingerito o a contatto con la pelle                               |
|                   | LV       | Kaitīgs, ja norīts vai saskaras ar ādu                                     |
|                   | LT       | Kenksminga prarijus arba susilietus su oda                                 |
|                   | HU       | Lenyelve vagy bőrrrel érintkezve ártalmas                                  |
|                   | MT       | Tagħmel hsara jekk tinbela' jew jekk tmiss mal-gilda                       |
|                   | NL       | Schadelijk bij inslikken en bij contact met de huid                        |
|                   | PL       | Działa szkodliwie po połknięciu lub w kontakcie ze skórą                   |
|                   | PT       | Nocivo por ingestão ou contacto com a pele                                 |
|                   | RO       | Nociv în caz de înghițire sau în contact cu pielea                         |
|                   | SK       | Zdraviu škodlivý pri požití alebo pri styku s kožou                        |
|                   | SL       | Zdravju škodljivo pri zaužitju ali v stiku s kožo                          |
|                   | FI       | Haitallista nieltynä tai joutuessaan iholle                                |
|                   | SV       | Skadligt vid förtäring eller hudkontakt                                    |

▼ **M2**

| H302<br>+<br>H332 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (inhalation), hazard category 4 |
|-------------------|----------|--|
|                   | BG       | Вреден при поглъщане или при вдишване  |
|                   | ES       | Nocivo en caso de ingestión o inhalación                                       |
|                   | CS       | Zdraví škodlivý při požití a při vdechování                                    |
|                   | DA       | Farlig ved indtagelse eller indånding  |
|                   | DE       | Gesundheitsschädlich bei Verschlucken oder Einatmen                            |
|                   | ET       | Allaneelamisel vði sissehingamisel kahjulik                                    |
|                   | EL       | Επιβλαβές σε περίπτωση κατάποσης ή σε περίπτωση εισπνοής                       |
|                   | EN       | Harmful if swallowed or if inhaled   |
|                   | FR       | Nocif en cas d'ingestion ou d'inhalation                                       |

▼ M2

| H302<br>+<br>H332 | Language | 3.1 — Acute toxicity (oral) and acute toxicity (inhalation), hazard category 4 |
|-------------------|----------|--|
|                   | GA       | Ábhar dochrach má shlogtar nó má ionanálaítear é                               |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Štetno ako se proguta ili ako se udiše |
|--|----|--|

▼ M2

|  |    |   |
|--|----|---|
|  | IT | Nocivo se ingerito o inalato                                |
|  | LV | Kaitīgs, ja norīts vai iekļūst elpceļos                     |
|  | LT | Kenksminga prarijus arba įkvėpus                            |
|  | HU | Lenyelve vagy belélegezve ártalmas                          |
|  | MT | Tagħmel ħsara jekk tinbela' jew tittiehed bin-nifs          |
|  | NL | Schadelijk bij inslikken en bij inademing                   |
|  | PL | Działa szkodliwie po połknięciu lub w następstwie wdychania |
|  | PT | Nocivo por ingestão ou inalação                             |
|  | RO | Nociv în caz de înghițire sau inhalare                      |
|  | SK | Zdraviu škodlivý pri požití alebo vdýchnutí                 |
|  | SL | Zdravju škodljivo pri zaužitju in vdihavanju                |
|  | FI | Haitallista nieltynä tai hengitetynä                        |
|  | SV | Skadligt vid förtäring eller inandning                      |

| H312<br>+<br>H332 | Language | 3.1 — Acute toxicity (dermal) and acute toxicity (inhalation), hazard category 4 |
|-------------------|----------|--|
|                   | BG       | Вреден при контакт с кожата или при вдишване                                     |
|                   | ES       | Nocivo en contacto con la piel o si se inhala                                    |
|                   | CS       | Zdraví škodlivý při styku s kůží a při vdechování                                |
|                   | DA       | Farlig ved hudkontakt eller indånding  |
|                   | DE       | Gesundheitsschädlich bei Hautkontakt oder Einatmen                               |
|                   | ET       | Nahale sattumisel või sissehingamisel kahjulik                                   |
|                   | EL       | Επιβλαβές σε επαφή με το δέρμα ή σε περιπνοση εισπνοής                           |
|                   | EN       | Harmful in contact with skin or if inhaled                                       |
|                   | FR       | Nocif en cas de contact cutané ou d'inhalation                                   |
|                   | GA       | Ábhar dochrach má theagmhaíonn leis an gcráiceann nó má ionanálaítear é          |
|                   | HR       | Štetno u dodiru s kožom ili ako se udiše   |
|                   | IT       | Nocivo a contatto con la pelle o se inalato                                      |

▼ M5▼ M2



▼ **M2**

| H312 + H332 | Language | 3.1 — Acute toxicity (dermal) and acute toxicity (inhalation), hazard category 4 |
|-------------|----------|--|
|             | LV       | Kaitīgs saskarē ar ādu vai ja iekļūst elpceļos                                   |
|             | LT       | Kenksminga susilietus su oda arba įkvėpus  |
|             | HU       | Bőrrel érintkezve vagy belélegezve ártalmas                                      |
|             | MT       | Tagħmel ħsara jekk tmiss mal-ġilda jew jekk tittiehed bin-nifs                   |
|             | NL       | Schadelijk bij contact met de huid en bij inademing                              |
|             | PL       | Działa szkodliwie w kontakcie ze skórą lub w następstwie wdychania               |
|             | PT       | Nocivo em contacto com a pele ou por inalação                                    |
|             | RO       | Nociv în contact cu pielea sau prin inhalare                                     |
|             | SK       | Zdraviu škodlivý pri styku s kožou alebo pri vdýchnutí                           |
|             | SL       | Zdravju škodljivo v stiku s kožo in pri vdihavanju                               |
|             | FI       | Haitallista joutuessaan iholle tai hengitettynä                                  |
|             | SV       | Skadligt vid hudkontakt eller inandning  |

| H302 + H312 + H332 | Language | 3.1 — Acute toxicity (oral), acute toxicity (dermal) and acute toxicity (inhalation), hazard category 4 |
|--------------------|----------|---|
|                    | BG       | Вреден при поглъщане, при контакт с кожата или при вдишване   |
|                    | ES       | Nocivo en caso de ingestión, contacto con la piel o inhalación  |
|                    | CS       | Zdraví škodlivý při požití, při styku s kůží a při vdechování   |
|                    | DA       | Farlig ved indånding, hudkontakt eller indånding  |
|                    | DE       | Gesundheitsschädlich bei Verschlucken, Hautkontakt oder Einatmen  |
|                    | ET       | Allaneelamisel, nahale sattumisel või sissehingamisel kahjulik  |
|                    | EL       | Επιβλαβές σε περίπτωση κατάποσης, σε επαφή με το δέρμα ή σε περίπτωση εισπνοής                          |
|                    | EN       | Harmful if swallowed, in contact with skin or if inhaled  |
|                    | FR       | Nocif en cas d'ingestion, de contact cutané ou d'inhalation   |
|                    | GA       | Ábhar dochrach má shlogtar, má theaghmaíonn leis an gcráiceann nó má ionanálaítear é                    |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Štetno ako se proguta, u dodiru s kožom ili ako se udiše |
|--|----|--|

▼ **M2**

|  |    |  |
|--|----|--|
|  | IT | Nocivo se ingerito, a contatto con la pelle o se inalato |
|  | LV | Kaitīgs, ja norīts, saskaras ar ādu vai nonāk elpceļos   |

▼ **M2**

| H302 +<br>H312 +<br>H332 | Language | 3.1 — Acute toxicity (oral), acute toxicity (dermal) and acute toxicity (inhalation), hazard category 4 |
|--------------------------|----------|---|
|                          | LT       | Kenksminga prarijus, susilietus su oda arba įkvėpus   |
|                          | HU       | Lenyelve, bőrrel érintkezve vagy belélegezve ártalmas   |
|                          | MT       | Tagħmel il-hsara jekk tinbela', tmiss mal-ġilda jew tittiħed bin-nifs                                   |
|                          | NL       | Schadelijk bij inslikken, bij contact met de huid en bij inademing                                      |
|                          | PL       | Działa szkodliwie po połknięciu, w kontakcie ze skórą lub w następstwie wdychania                       |
|                          | PT       | Nocivo por ingestão, contacto com a pele ou inalação  |
|                          | RO       | Nociv în caz de înghițire, în contact cu pielea sau prin inhalare                                       |
|                          | SK       | Zdraviu škodlivý pri požití, styku s kožou alebo pri vdýchnutí  |
|                          | SL       | Zdravju škodljivo pri zaužitju, v stiku s kožo ali pri vdihavanju                                       |
|                          | FI       | Haitallista nieltynä, joutuessaan iholle tai hengittynä   |
|                          | SV       | Skadligt vid förtäring, hudkontakt eller inandning  |

▼ **B**

Table 1.3

**Hazard statements for environmental hazards**

| H400 | Language | 4.1 — Hazardous to the aquatic environment — AcuteHazard, Category 1 |
|------|----------|--|
|      | BG       | Силно токсичен за водните организми.                                 |
|      | ES       | Muy tóxico para los organismos acuáticos.                            |
|      | CS       | Vysoce toxický pro vodní organismy.                                  |
|      | DA       | Meget giftig for vandlevende organismer.                             |
|      | DE       | Sehr giftig für Wasserorganismen.                                    |
|      | ET       | Väga mürgine veeorganismidele.                                       |
|      | EL       | Πολύ τοξικό για τους υδρόβιους οργανισμούς.                          |
|      | EN       | Very toxic to aquatic life.  |
|      | FR       | Très toxique pour les organismes aquatiques.                         |
|      | GA       | An-tocsaineach don saol uisceach.                                    |
|      | HR       | Vrlo otrovno za vodeni okoliš.                                       |
|      | IT       | Molto tossico per gli organismi acquatici.                           |
|      | LV       | Ļoti toksisks ūdens organismiem.                                     |
|      | LT       | Labai toksiška vandens organizmams.                                  |

▼ **M5**▼ **B**

▼ B

| H400 | Language | 4.1 — Hazardous to the aquatic environment — AcuteHazard, Category 1 |
|------|----------|--|
|      | HU       | Nagyon mérgező a vízi élővilágra.                                    |
|      | MT       | Tossiku ħafna għall-organizmi akwatici.                              |
|      | NL       | Zeer giftig voor in het water levende organismen.                    |
|      | PL       | Działa bardzo toksycznie na organizmy wodne.                         |
|      | PT       | Muito tóxico para os organismos aquáticos.                           |
|      | RO       | Foarte toxic pentru mediul acvatic.                                  |
|      | SK       | Veľmi toxický pre vodné organizmy.                                   |
|      | SL       | Zelo strupeno za vodne organizme.                                    |
|      | FI       | Erittäin myrkyllistä vesieliöille.                                   |
|      | SV       | Mycket giftigt för vattenlevande organismer.                         |

| H410 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 1                 |
|------|----------|---|
|      | BG       | Силно токсичен за водните организми, с дълготраен ефект.                                |
|      | ES       | Muy tóxico para los organismos acuáticos, con efectos nocivos duraderos.                |
|      | CS       | Vysoce toxický pro vodní organismy, s dlouhodobými účinky.                              |
|      | DA       | Meget giftig med langvarige virkninger for vandlevende organismer.                      |
|      | DE       | Sehr giftig für Wasserorganismen mit langfristiger Wirkung.                             |
|      | ET       | Väga mürgine veeorganismidele, pikaajaline toime.                                       |
|      | EL       | Πολύ τοξικό για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.                 |
|      | EN       | Very toxic to aquatic life with long lasting effects.                                   |
|      | FR       | Très toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme. |
|      | GA       | An-tocsaineach don saol uisceach, le héifeachtaí fadtréimhseacha.                       |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Vrlo otrovno za vodeni okoliš, s dugotrajnim učincima. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Molto tossico per gli organismi acquatici con effetti di lunga durata. |
|  | LV | Ļoti toksisks ūdens organismiem ar ilgstošām sekām.                    |

▼ **B**

| H410 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 1    |
|------|----------|--|
|      | LT       | Labai toksiška vandens organizmams, sukelia ilgalaikius pakitimus.         |
|      | HU       | Nagyon mérgező a vízi élővilágra, hosszan tartó károsodást okoz.           |
|      | MT       | Tossiku hafna għall-organizmi akwatici b'mod li jhalli effetti dejjiema.   |
|      | NL       | Zeer giftig voor in het water levende organismen, met langdurige gevolgen. |
|      | PL       | Działa bardzo toksycznie na organizmy wodne, powodując długotrwałe skutki. |
|      | PT       | Muito tóxico para os organismos aquáticos com efeitos duradouros.          |
|      | RO       | Foarte toxic pentru mediul acvatic cu efecte pe termen lung.               |
|      | SK       | Veľmi toxický pre vodné organizmy, s dlhodobými účinkami.                  |
|      | SL       | Zelo strupeno za vodne organizme, z dolgotrajnimi učinki.                  |
|      | FI       | Erittäin myrkyllistä vesieliölle, pitkäaikaisia haittavaikutuksia.         |
|      | SV       | Mycket giftigt för vattenlevande organismer med långtidseffekter.          |

| H411 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 2            |
|------|----------|--|
|      | BG       | Токсичен за водните организми, с дълготраен ефект.                                 |
|      | ES       | Tóxico para los organismos acuáticos, con efectos nocivos duraderos.               |
|      | CS       | Toxický pro vodní organismy, s dlouhodobými účinky.                                |
|      | DA       | Giftig for vandlevende organismer, med langvarige virkninger.                      |
|      | DE       | Giftig für Wasserorganismen, mit langfristiger Wirkung.                            |
|      | ET       | Mürgine veeorganismidele, pikaajaline toime.                                       |
|      | EL       | Τοξικό για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.                 |
|      | EN       | Toxic to aquatic life with long lasting effects.                                   |
|      | FR       | Toxique pour les organismes aquatiques, entraîne des effets néfastes à long terme. |
|      | GA       | Tocsaineach don saol uisceach, le héifeachtaí fadtréimhseacha.                     |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Otrovno za vodeni okoliš s dugotrajnim učincima. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Tossico per gli organismi acquatici con effetti di lunga durata. |
|--|----|--|

▼ **B**

|      |          |  |
|------|----------|--|
| H411 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 2          |
|      | LV       | Toksisks ūdens organismiem ar ilgstošām sekām.                                   |
|      | LT       | Toksiška vandens organizmams, sukelia ilgalaikius pakitimus.                     |
|      | HU       | Mérgező a vízi élővilágra, hosszan tartó károsodást okoz.                        |
|      | MT       | Tossiku għall-organizmi akwatiċi b'mod li jhalli effetti dejjiema.               |
|      | NL       | Giftig voor in het water levende organismen, met langdurige gevolgen.            |
|      | PL       | Działa toksycznie na organizmy wodne, powodując długotrwałe skutki.              |
|      | PT       | Tóxico para os organismos aquáticos com efeitos duradouros.                      |
|      | RO       | Toxic pentru mediul acvatic cu efecte pe termen lung.                            |
|      | SK       | Toxický pre vodné organizmy, s dlhodobými účinkami.                              |
|      | SL       | Strupeno za vodne organizme, z dolgotrajnimi učinki.                             |
|      | FI       | Myrkyllistä vesieliölle, pitkäaikaisia haittavaikutuksia.                        |
|      | SV       | Giftigt för vattenlevande organismer med långtidseffekter.                       |
| H412 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 3          |
|      | BG       | Вреден за водните организми, с дълготраен ефект.                                 |
|      | ES       | Nocivo para los organismos acuáticos, con efectos nocivos duraderos.             |
|      | CS       | Škodlivý pro vodní organismy, s dlouhodobými účinky.                             |
|      | DA       | Skadelig for vandlevende organismer, med langvarige virkninger.                  |
|      | DE       | Schädlich für Wasserorganismen, mit langfristiger Wirkung.                       |
|      | ET       | ► <b>C3</b> Kahjulik veeorganismidele, pikaajaline toime. ◀                      |
|      | EL       | Επιβλαβές για τους υδρόβιους οργανισμούς, με μακροχρόνιες επιπτώσεις.            |
|      | EN       | Harmful to aquatic life with long lasting effects.                               |
|      | FR       | Nocif pour les organismes aquatiques, entraîne des effets néfastes à long terme. |
|      | GA       | Díobhálach don saol uisceach, le héifeachtaí fadtréimhseacha.                    |
|      | HR       | Štetno za vodeni okoliš s dugotrajnim učincima.                                  |
|      | IT       | Nocivo per gli organismi acquatici con effetti di lunga durata.                  |

▼ **M5**▼ **B**

▼ **B**

| H412 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 3   |
|------|----------|---|
|      | LV       | Kaitīgs ūdens organismiem ar ilgstošām sekām.                             |
|      | LT       | Kenksminga vandens organizmams, sukelia ilgalaikius pakitimus.            |
|      | HU       | Ártalmas a vízi élővilágra, hosszan tartó károsodást okoz.                |
|      | MT       | Jagħmel ħsara lill-organizmi akwatiċi b'mod li jħalli effetti dejjiema.   |
|      | NL       | Schadelijk voor in het water levende organismen, met langdurige gevolgen. |
|      | PL       | Działa szkodliwie na organizmy wodne, powodując długotrwałe skutki.       |
|      | PT       | Nocivo para os organismos aquáticos com efeitos duradouros.               |
|      | RO       | Nociv pentru mediul acvatic cu efecte pe termen lung.                     |
|      | SK       | Škodlivý pre vodné organizmy, s dlhodobými účinkami.                      |
|      | SL       | Škodljivo za vodne organizme, z dolgotrajnimi učinki.                     |
|      | FI       | Haitallista vesieliöille, pitkäaikaisia haittavaikutuksia.                |
|      | SV       | Skadliga långtidseffekter för vattenlevande organismer.                   |

| H413 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 4                           |
|------|----------|---|
|      | BG       | Може да причини дълготраен вреден ефект за водните организми.                                     |
|      | ES       | Puede ser nocivo para los organismos acuáticos, con efectos nocivos duraderos.                    |
|      | CS       | Může vyvolat dlouhodobé škodlivé účinky pro vodní organismy.                                      |
|      | DA       | Kan forårsage langvarige skadelige virkninger for vandlevende organismer.                         |
|      | DE       | Kann für Wasserorganismen schädlich sein, mit langfristiger Wirkung.                              |
|      | ET       | Võib avaldada veeorganismidele pikaajalist kahjulikku toimet.                                     |
|      | EL       | Μπορεί να προκαλέσει μακροχρόνιες επιπτώσεις στους υδρόβιους οργανισμούς.                         |
|      | EN       | May cause long lasting harmful effects to aquatic life.   |
|      | FR       | Peut être nocif à long terme pour les organismes aquatiques.                                      |
|      | GA       | D'fhéadfadh sé a bheith ina chúis le héifeachtaí fadtréimhseacha díobhálacha ar an saol uisceach. |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Može uzrokovati dugotrajne štetne učinke na vodeni okoliš.                 |
|  | IT | Può essere nocivo per gli organismi acquatici con effetti di lunga durata. |

▼ **B**

▼ **B**

| H413 | Language | 4.1 — Hazardous to the aquatic environment — Chronic Hazard, Category 4          |
|------|----------|--|
|      | LV       | Var radīt ilgstošas kaitīgas sekas ūdens organismiem.                            |
|      | LT       | Gali sukelti ilgalaikį kenksmingą poveikį vandens organizmams.                   |
|      | HU       | Hosszan tartó ártalmas hatást gyakorolhat a vízi élővilágra.                     |
|      | MT       | Jista' jikkawża effetti ta' hsara dejjiema lill-organizmi akwatici.              |
|      | NL       | Kan langdurige schadelijke gevolgen voor in het water levende organismen hebben. |
|      | PL       | Może powodować długotrwałe szkodliwe skutki dla organizmów wodnych.              |
|      | PT       | Pode provocar efeitos nocivos duradouros nos organismos aquáticos.               |
|      | RO       | Poate provoca efecte nocive pe termen lung asupra mediului acvatic.              |
|      | SK       | Môže mať dlhodobé škodlivé účinky na vodné organizmy.                            |
|      | SL       | Lahko ima dolgotrajne škodljive učinke na vodne organizme.                       |
|      | FI       | Voi aiheuttaa pitkäaikaisia haittavaikutuksia vesieläimille.                     |
|      | SV       | Kan ge skadliga långtidseffekter på vattenlevande organismer.                    |

▼ **M2**

| H420 | Language | 5.1 – Hazardous to the ozone layer — hazard category 1  |
|------|----------|---|
|      | BG       | Вреди на общественото здраве и на околната среда, като разрушава озона във високите слоеве на атмосферата               |
|      | ES       | Causa daños a la salud pública y el medio ambiente al destruir el ozono en la atmósfera superior                        |
|      | CS       | Poškozuje veřejné zdraví a životní prostředí tím, že ničí ozon ve svrchních vrstvách atmosféry                          |
|      | DA       | Skader folkesundheden og miljøet ved at ødelægge ozon i den øvre atmosfære  |
|      | DE       | Schädigt die öffentliche Gesundheit und die Umwelt durch Ozonabbau in der äußeren Atmosphäre                            |
|      | ET       | Kahjustab rahvatervist ja keskkonda, hävitades kõrgatmosfääris asuvat osoonikihti                                       |
|      | EL       | Βλάπτει τη δημόσια υγεία και το περιβάλλον καταστρέφοντας το όζον στην ανώτερη ατμόσφαιρα                               |
|      | EN       | Harms public health and the environment by destroying ozone in the upper atmosphere                                     |
|      | FR       | Nuit à la santé publique et à l'environnement en détruisant l'ozone dans la haute atmosphère                            |
|      | GA       | Déanann an t-ábhar seo díobháil don tsláinte phoiblí agus don chomhshaol trí ózón san atmaisféar uachtarach a scriosadh |

▼ **M2**

|             |          |  |
|-------------|----------|--|
| H420        | Language | 5.1 – Hazardous to the ozone layer — hazard category 1   |
| ▼ <b>M5</b> | HR       | Štetno za zdravlje ljudi i okoliš zbog uništavanja ozona u višoj atmosferi   |
| ▼ <b>M2</b> | IT       | Nuoce alla salute pubblica e all'ambiente distruggendo l'ozono dello strato superiore dell'atmosfera                     |
|             | LV       | Bīstams sabiedrības veselībai un videi, jo iznīcina ozonu atmosfēras augšējā slānī                                       |
|             | LT       | Kenkia visuomenės sveikatai ir aplinkai, nes naikina ozono sluoksnį viršutinėje atmosferoje                              |
|             | HU       | Károsítja a közegészséget és a környezetet, mert a légkör felső rétegeiben lebontja az ózont                             |
|             | MT       | Tagħmel ħsara lis-saħħa tal-pubbliku u lill-ambjent billi teqred l-ożonu fl-atmosfera ta' fuq                            |
|             | NL       | Schadelijk voor de volksgezondheid en het milieu door afbraak van ozon in de bovenste lagen van de atmosfeer             |
|             | PL       | Szkodliwe dla zdrowia publicznego i środowiska w związku z niszczącym oddziaływaniem na ozon w górnej warstwie atmosfery |
|             | PT       | Prejudica a saúde pública e o ambiente ao destruir o ozono na alta atmosfera   |
|             | RO       | Dăunează sănătății publice și mediului înconjurător prin distrugerea ozonului în atmosfera superioară                    |
|             | SK       | Poškodzuje verejné zdravie a životné prostredie tým, že ničí ozón vo vrchných vrstvách atmosféry                         |
|             | SL       | Škodljivo za javno zdravje in okolje zaradi uničevanja ozona v zgornji atmosferi   |
|             | FI       | Vahingoittaa kansanterveyttä ja ympäristöä tuhoamalla otsonia ylemmässä ilmakehässä                                      |
|             | SV       | Skadar folkhälsan och miljön genom förstöring av ozonet i övre delen av atmosfären                                       |

▼ **B**

## 2. Part 2: supplemental hazard information

Table 2.1

## Physical properties

| EUH 001 | Language |  |
|---------|----------|--|
|         | BG       | Експлозивен в сухо състояние.                |
|         | ES       | Explosivo en estado seco.                    |
|         | CS       | Výbušný v suchém stavu.                      |
|         | DA       | Eksplisiv i tør tilstand.                    |
|         | DE       | ► <b>C3</b> In trockenem Zustand explosiv. ◀ |
|         | ET       | Plahvatusohtlik kuivana.                     |
|         | EL       | Εκρηκτικό σε ξηρή κατάσταση.                 |
|         | EN       | Explosive when dry.                          |
|         | FR       | Explosif à l'état sec.                       |



▼ **B**

| EUH 001     | Language |                                      |
|-------------|----------|--------------------------------------|
|             | GA       | Pléascach agus é tirim.              |
| ▼ <b>M5</b> |          |                                      |
|             | HR       | Eksplodivno u suhom stanju.          |
| ▼ <b>B</b>  |          |                                      |
|             | IT       | Esplosivo allo stato secco.          |
|             | LV       | Sprādzienbīstams sausā veidā.        |
|             | LT       | Sausos būsenos gali sprogti.         |
|             | HU       | Száraz állapotban robbanásveszélyes. |
|             | MT       | Jisplodi meta jinxf.                 |
|             | NL       | In droge toestand ontplofbaar.       |
|             | PL       | Produkt wybuchowy w stanie suchym.   |
|             | PT       | Explosivo no estado seco.            |
|             | RO       | Exploziv în stare uscată.            |
|             | SK       | V suchom stave výbušný.              |
|             | SL       | Eksplodivno v suhem stanju.          |
|             | FI       | Räjätävää kuivana.                   |
|             | SV       | Explosivt i torrt tillstånd.         |

▼ **M4**


---

▼ **B**

| EUH 014 | Language |  |
|---------|----------|--|
|         | BG       | Реагира бурно с вода.                  |
|         | ES       | Reacciona violentamente con el agua.   |
|         | CS       | Prudce reaguje s vodou.                |
|         | DA       | Reagerer voldsomt med vand.            |
|         | DE       | Reagiert heftig mit Wasser.            |
|         | ET       | Reageerib ägedalt veega.               |
|         | EL       | Αντιδρά βίαια με νερό.                 |
|         | EN       | Reacts violently with water.           |
|         | FR       | Réagit violemment au contact de l'eau. |
|         | GA       | Imoibríonn go foirtíl le huisce.       |

▼ **M5**

|            |    |   |
|------------|----|---|
|            | HR | Burno reagira s vodom.                      |
| ▼ <b>B</b> |    |   |
|            | IT | Reagisce violentemente con l'acqua.         |
|            | LV | Aktīvi reaģē ar ūdeni.                      |
|            | LT | Smarkiai reaguoja su vandeniu.              |
|            | HU | Vízzel hevesen reagál.                      |
|            | MT | Jirreaġixxi bil-qawwa meta jmiss l-ilma.    |
|            | NL | Reageert heftig met water.                  |
|            | PL | Reaguje gwałtownie z wodą.                  |
|            | PT | Reage violentamente em contacto com a água. |
|            | RO | Reacționează violent în contact cu apa.     |
|            | SK | Prudko reaguje s vodou.                     |
|            | SL | Burno reagira z vodo.                       |
|            | FI | Reagoi voimakkaasti veden kanssa.           |
|            | SV | Reagerar häftigt med vatten.                |

▼ **B**

| EUH 018 | Language |   |
|---------|----------|---|
|         | BG       | При употреба може да се образува запалима/експлозивна паровъздушна смес.              |
|         | ES       | ► <b>C3</b> Al usarlo, pueden formarse mezclas aire-vapor explosivas o inflamables. ◀ |
|         | CS       | Při používání může vytvářet hořlavé nebo výbušné směsi par se vzduchem.               |
|         | DA       | Ved brug kan brandbarlige dampe/eksplosive damp-luftblandinger dannes.                |
|         | DE       | Kann bei Verwendung explosionsfähige/entzündbare Dampf/Luft-Gemische bilden.          |
|         | ET       | Kasutamisel võib moodustuda tule-/plahvatusohtlik auru-õhu segu.                      |
|         | EL       | Κατά τη χρήση μπορεί να σχηματίσει εύφλεκτα/εκρηκτικά μείγματα ατμού-αέρος.           |
|         | EN       | In use may form flammable/explosive vapour-air mixture.                               |
|         | FR       | Lors de l'utilisation, formation possible de mélange vapeur-air inflammable/explosif. |
|         | GA       | Agus é á úsáid d'fhéadfaí meascán inadhaite/pléascach gaile-aeir a chruthú.           |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Pri uporabi može nastati zapaljiva/eksplozivna smjesa para-zrak. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Durante l'uso può formarsi una miscela vapore-aria esplosiva/infiammabile.                 |
|  | LV | Izmantojot var veidot uzliesmojošu vai sprādzienbīstamu tvaiku un gaisa maisījumu.         |
|  | LT | Naudojama gali sudaryti degius (sprogus) garų-oro mišinius.                                |
|  | HU | A használat során tűzveszélyes/robbanásveszélyes gőz/levegő elegy keletkezhet.             |
|  | MT | Meta jintuża jista' jiffirma taħlitiet espussivi jew li jaqbd u jekk jiħhallat ma' l-arja. |
|  | NL | Kan bij gebruik een ontvlambaar/ontplofbaar damp-luchtmengsel vormen.                      |
|  | PL | Podczas stosowania mogą powstawać łatwopalne lub wybuchowe mieszaniny par z powietrzem.    |
|  | PT | Pode formar mistura vapor-ar explosiva/inflamável durante a utilização.                    |
|  | RO | În timpul utilizării poate forma un amestec vapori-aer, inflamabil/exploziv.               |
|  | SK | Pri použití môže vytvárať horľavú/výbušnú zmes pár so vzduchom.                            |
|  | SL | Pri uporabi lahko tvori vnetljivo/eksplozivno zmes hlapi-zrak.                             |
|  | FI | Käytössä voi muodostua syttyvä/räjähävä höyry-ilmaseos.                                    |
|  | SV | Vid användning kan brännbara/explosiva ång-luftblandningar bildas.                         |

▼ B

| EUH 019 | Language |   |
|---------|----------|---|
|         | BG       | Може да образува експлозивни пероксиди.         |
|         | ES       | Puede formar peróxidos explosivos.              |
|         | CS       | Může vytvářet výbušné peroxidy.                 |
|         | DA       | Kan danne eksplosive peroxider.                 |
|         | DE       | Kann explosionsfähige Peroxide bilden.          |
|         | ET       | Võib moodustada plahvatusohtlikke peroksiide.   |
|         | EL       | Μπορεί να σχηματίσει εκρηκτικά υπεροξειδία.     |
|         | EN       | May form explosive peroxides.                   |
|         | FR       | Peut former des peroxydes explosifs.            |
|         | GA       | D'fhéadfadh sé sárocsaídí pléascacha a chruthú. |

▼ M5

|  |    |                                      |
|--|----|--------------------------------------|
|  | HR | Može stvarati eksplozivne perokside. |
|--|----|--------------------------------------|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Può formare perossidi esplosivi.          |
|  | LV | Var veidot sprādzienbīstamus peroksīdus.  |
|  | LT | Gali sudaryti sprogus peroksidus.         |
|  | HU | Robbanásveszélyes peroxidokat képezhet.   |
|  | MT | Jista' jiforma perossidi espussivi.       |
|  | NL | Kan ontplofbare peroxiden vormen.         |
|  | PL | Może tworzyć wybuchowe nadtlenki.         |
|  | PT | Pode formar peróxidos explosivos.         |
|  | RO | Poate forma peroxizi explozivi.           |
|  | SK | Môže vytvárat' výbušné peroxidy.          |
|  | SL | Lahko tvori eksplozivne perokside.        |
|  | FI | Saattaa muodostaa räjähtäviä peroksideja. |
|  | SV | Kan bilda explosiva peroxider.            |

| EUH 044 | Language |   |
|---------|----------|---|
|         | BG       | Риск от експлозия при нагряване в затворено пространство. |
|         | ES       | Riesgo de explosión al calentarlo en ambiente confinado.  |
|         | CS       | Nebezpečí výbuchu při zahřátí v uzavřeném obalu.          |
|         | DA       | Eksplodingsfarlig ved opvarmning under indeslutning.      |
|         | DE       | Explosionsgefahr bei Erhitzen unter Einschluss.           |
|         | ET       | Plahvatusohtlik kuumutamisel kinnises mahutis.            |
|         | EL       | Κίνδυνος εκρήξεως εάν θερμανθεί υπό περιορισμό.           |
|         | EN       | Risk of explosion if heated under confinement.            |

▼ **B**

| EUH 044 | Language |   |
|---------|----------|---|
|         | FR       | Risque d'explosion si chauffé en ambiance confinée. |
|         | GA       | Baol pléasctha arna théamh i limistéar iata.        |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Opasnost od eksplozije ako se zagrijava u zatvorenom prostoru. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Rischio di esplosione per riscaldamento in ambiente confinato. |
|  | LV | Sprādziena draudi, karsējot slēgtā vidē.                       |
|  | LT | Gali sprogti, jei kaitinama sandariai uždaryta.                |
|  | HU | Zárt térben hő hatására robbanhat.                             |
|  | MT | Riskju ta' spluzjoni jekk jissahhan fil-magħluq.               |
|  | NL | Ontploffingsgevaar bij verwarming in afgesloten toestand.      |
|  | PL | Zagrożenie wybuchem po ogrzaniu w zamkniętym pojemniku.        |
|  | PT | Risco de explosão se aquecido em ambiente fechado.             |
|  | RO | Risc de explozie, dacă este încălzit în spațiu închis.         |
|  | SK | Riziko výbuchu pri zahrievaní v uzavretom priestore.           |
|  | SL | Nevarnost eksplozije ob segrevanju v zaprtem prostoru.         |
|  | FI | Räjähdysvaara kuumennettaessa suljetussa astiassa.             |
|  | SV | Explosionsrisk vid uppvärmning i sluten behållare.             |

Table 2.2

**Health properties**

| EUH 029 | Language |   |
|---------|----------|---|
|         | BG       | При контакт с вода се отделя токсичен газ.          |
|         | ES       | En contacto con agua libera gases tóxicos.          |
|         | CS       | Uvolňuje toxický plyn při styku s vodou.            |
|         | DA       | Udvikler giftig gas ved kontakt med vand.           |
|         | DE       | Entwickelt bei Berührung mit Wasser giftige Gase.   |
|         | ET       | Kokkupuutel veega eraldub mürgine gaas.             |
|         | EL       | Σε επαφή με το νερό ελευθερώνονται τοξικά αέρια.    |
|         | EN       | Contact with water liberates toxic gas.             |
|         | FR       | Au contact de l'eau, dégage des gaz toxiques.       |
|         | GA       | I dteagmháil le huisce scaoiltear gás tocsai-neach. |

▼ B

| EUH 029 | Language |   |
|---------|----------|---|
|         | HR       | U dodiru s vodom oslobađa otrovni plin.             |
|         | IT       | A contatto con l'acqua libera un gas tossico.       |
|         | LV       | Saskaroties ar ūdeni, izdala toksiskas gāzes.       |
|         | LT       | Kontaktuodama su vandeniu išskiria toksiškas dujas. |
|         | HU       | Vízzel érintkezve mérgező gázok képződnek.          |
|         | MT       | Jitfa' gass tossiku meta jmiss l-ilma.              |
|         | NL       | Vormt giftig gas in contact met water.              |
|         | PL       | W kontakcie z wodą uwalnia toksyczne gazy.          |
|         | PT       | Em contacto com a água liberta gases tóxicos.       |
|         | RO       | În contact cu apa, degajă un gaz toxic.             |
|         | SK       | Pri kontakte s vodou uvoľňuje toxický plyn.         |
|         | SL       | V stiku z vodo se sprošča strupen plin.             |
|         | FI       | Kehittää myrkyllistä kaasua veden kanssa.           |
|         | SV       | Utvecklar giftig gas vid kontakt med vatten.        |

| EUH 031 | Language |   |
|---------|----------|---|
|         | BG       | При контакт с киселини се отделя токсичен газ.      |
|         | ES       | En contacto con ácidos libera gases tóxicos.        |
|         | CS       | Uvolňuje toxický plyn při styku s kyselinami.       |
|         | DA       | Udvikler giftig gas ved kontakt med syre.           |
|         | DE       | Entwickelt bei Berührung mit Säure giftige Gase.    |
|         | ET       | Kokkupuutel hapetega eraldub mürgine gaas.          |
|         | EL       | Σε επαφή με οξέα ελευθερώνονται τοξικά αέρια.       |
|         | EN       | Contact with acids liberates toxic gas.             |
|         | FR       | Au contact d'un acide, dégage un gaz toxique.       |
|         | GA       | I dteagmháil le haigéid scaoiltear gás tocsaineach. |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | U dodiru s kiselinama oslobađa otrovni plin.         |
|  | IT | A contatto con acidi libera gas tossici.             |
|  | LV | Saskaroties ar skābēm, izdala toksiskas gāzes.       |
|  | LT | Kontaktuodama su rūgštimis išskiria toksiškas dujas. |
|  | HU | Savval érintkezve mérgező gázok képződnek.           |
|  | MT | Jitfa' gass tossiku meta jmiss l-aċidi.              |

▼ B

▼ **B**

| EUH 031 | Language |  |
|---------|----------|--|
|         | NL       | Vormt giftig gas in contact met zuren.           |
|         | PL       | W kontakcie z kwasami uwalnia toksyczne gazy.    |
|         | PT       | Em contacto com ácidos liberta gases tóxicos.    |
|         | RO       | În contact cu acizi, degajă un gaz toxic.        |
|         | SK       | Pri kontakte s kyselinami uvoľňuje toxický plyn. |
|         | SL       | V stiku s kislinami se sprošča strupen plin.     |
|         | FI       | Kehittää myrkyllistä kaasua hapon kanssa.        |
|         | SV       | Utvecklar giftig gas vid kontakt med syra.       |

| EUH 032 | Language |  |
|---------|----------|--|
|         | BG       | При контакт с киселини се отделя силно токсичен газ.   |
|         | ES       | En contacto con ácidos libera gases muy tóxicos.       |
|         | CS       | Uvolňuje vysoce toxický plyn při styku s kyselinami.   |
|         | DA       | Udvikler meget giftig gas ved kontakt med syre.        |
|         | DE       | Entwickelt bei Berührung mit Säure sehr giftige Gase.  |
|         | ET       | Kokkupuutel hapetega eraldub väga mürgine gaas.        |
|         | EL       | Σε επαφή με οξέα ελευθερώνονται πολύ τοξικά αέρια.     |
|         | EN       | Contact with acids liberates very toxic gas.           |
|         | FR       | Au contact d'un acide, dégage un gaz très toxique.     |
|         | GA       | I dteagmháil le haigéid scaoiltear gás an-tocsaineach. |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | U dodiru s kiselinama oslobađa vrlo otrovni plin. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | A contatto con acidi libera gas molto tossici.             |
|  | LV | Saskaroties ar skābēm, izdala ļoti toksiskas gāzes.        |
|  | LT | Kontaktuodama su rūgštimis išskiria labai toksiškas dujas. |
|  | HU | Savval érintkezve nagyon mérgező gázok képződnek.          |
|  | MT | Jitfa' gass tossiku ħafna meta jmiss l-aċidi.              |
|  | NL | Vormt zeer giftig gas in contact met zuren.                |
|  | PL | W kontakcie z kwasami uwalnia bardzo toksyczne gazy.       |
|  | PT | Em contacto com ácidos liberta gases muito tóxicos.        |

▼ **B**

| EUH 032 | Language |  |
|---------|----------|--|
|         | RO       | În contact cu acizi, degajă un gaz foarte toxic.       |
|         | SK       | Pri kontakte s kyselinami uvoľňuje veľmi toxický plyn. |
|         | SL       | V stiku s kislinami se sprošča zelo strupen plin.      |
|         | FI       | Kehittää erittäin myrkyllistä kaasua hapon kanssa.     |
|         | SV       | Utvecklar mycket giftig gas vid kontakt med syra.      |

| EUH 066 | Language |   |
|---------|----------|---|
|         | BG       | Повтарящата се експозиция може да предизвика изсушаване или напукване на кожата.            |
|         | ES       | La exposición repetida puede provocar sequedad o formación de grietas en la piel.           |
|         | CS       | Opakovaná expozice může způsobit vysušení nebo popraskání kůže.                             |
|         | DA       | Gentagen kontakt kan give tør eller revnet hud.   |
|         | DE       | Wiederholter Kontakt kann zu spröder oder rissiger Haut führen.                             |
|         | ET       | Korduv kokkupuude võib põhjustada naha kuivust või lõhenemist.                              |
|         | EL       | Παρατεταμένη έκθεση μπορεί να προκαλέσει ξηρότητα δέρματος ή σκάσιμο.                       |
|         | EN       | Repeated exposure may cause skin dryness or cracking.                                       |
|         | FR       | L'exposition répétée peut provoquer dessèchement ou gerçures de la peau.                    |
|         | GA       | D'fhéadfadh tirimeacht chraicinn nó scoilteadh craicinn a bheith mar thoradh ar ilnochtadh. |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Ponavljano izlaganje može prouzročiti sušenje ili pucanje kože. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | L'esposizione ripetuta può provocare secchezza o screpolature della pelle. |
|  | LV | Atkārtota iedarbība var radīt sausu ādu vai izraisīt tās sprēgāšanu.       |
|  | LT | Pakartotinis poveikis gali sukelti odos džiuvimą arba skilinėjimą.         |
|  | HU | Ismétlődő expozíció a bőr kiszáradását vagy megrepedezését okozhatja.      |
|  | MT | Esposizzjoni ripetuta tista' tikkaġuna nxif jew qsim tal-ġilda.            |
|  | NL | Herhaalde blootstelling kan een droge of een gebarsten huid veroorzaken.   |
|  | PL | Powtarzające się narażenie może powodować wysuszenie lub pękanie skóry.    |

▼ **B**

| EUH 066 | Language |   |
|---------|----------|---|
|         | PT       | Pode provocar pele seca ou gretada, por exposição repetida.                   |
|         | RO       | Expunerea repetată poate provoca uscarea sau crăparea pielii.                 |
|         | SK       | Opakovaná expozícia môže spôsobiť vysušenie alebo popraskanie pokožky.        |
|         | SL       | Ponavljajoča izpostavljenost lahko povzroči nastanek suhe ali razpokane kože. |
|         | FI       | Toistuva altistus voi aiheuttaa ihon kuivumista tai halkeilua.                |
|         | SV       | Upprepad kontakt kan ge torr hud eller hudsprickor.                           |

| EUH 070 | Language |   |
|---------|----------|---|
|         | BG       | Токсично при контакт с очите.             |
|         | ES       | Tóxico en contacto con los ojos.          |
|         | CS       | Toxický při styku s očima.                |
|         | DA       | Giftig ved kontakt med øjnene.            |
|         | DE       | Giftig bei Berührung mit den Augen.       |
|         | ET       | Silma sattumisel mürgine.                 |
|         | EL       | Τοξικό σε επαφή με τα μάτια.              |
|         | EN       | Toxic by eye contact.                     |
|         | FR       | Toxique par contact oculaire.             |
|         | GA       | Tocsaineach trí theagmháil leis an tsúil. |

▼ **M5**▼ **B**

|  |    |   |
|--|----|---|
|  | HR | Otrovno u dodiru s očima.               |
|  | IT | Tossico per contatto oculare.           |
|  | LV | Toksisks saskarē ar acīm.               |
|  | LT | Toksiška patekus į akis.                |
|  | HU | Szembe kerülve mérgező.                 |
|  | MT | Tossiku meta jmiss ma' l-ghajnejn.      |
|  | NL | Giftig bij oogcontact.                  |
|  | PL | Działa toksycznie w kontakcie z oczami. |
|  | PT | Tóxico por contacto com os olhos.       |
|  | RO | Toxic în caz de contact cu ochii.       |
|  | SK | Toxické pri kontakte s očami.           |
|  | SL | Strupeno ob stiku z očmi.               |
|  | FI | Myrkyllistä joutuessaan silmään.        |
|  | SV | Giftigt vid kontakt med ögonen.         |

| EUH 071 | Language |  |
|---------|----------|--|
|         | BG       | Корозивен за дихателните пътища.       |
|         | ES       | Corrosivo para las vías respiratorias. |
|         | CS       | Způsobuje poleptání dýchacích cest.    |
|         | DA       | Ætsende for luftvejene.                |



▼ B

| EUH 071 | Language |  |
|---------|----------|--|
|         | DE       | Wirkt ätzend auf die Atemwege.         |
|         | ET       | Söövitav hingamisteedele.              |
|         | EL       | Διαβρωτικό της αναπνευστικής οδού.     |
|         | EN       | Corrosive to the respiratory tract.    |
|         | FR       | Corrosif pour les voies respiratoires. |
|         | GA       | Creimneach don chonair riospráide.     |

▼ M5

|  |    |                              |
|--|----|------------------------------|
|  | HR | Nagrizajuće za dišni sustav. |
|--|----|------------------------------|

▼ B

|  |    |                                       |
|--|----|---------------------------------------|
|  | IT | Corrosivo per le vie respiratorie.    |
|  | LV | Kodīgs elpceļiem.                     |
|  | LT | Ėsdina kvėpavimo takus.               |
|  | HU | Maró hatású a légutakra.              |
|  | MT | Korrużiv għas-sistema respiratorja.   |
|  | NL | Bijtend voor de luchtwegen.           |
|  | PL | Działa żrąco na drogi oddechowe.      |
|  | PT | Corrosivo para as vias respiratórias. |
|  | RO | Corosiv pentru căile respiratorii.    |
|  | SK | Žieravé pre dýchacie cesty.           |
|  | SL | Jedko za dihalne poti.                |
|  | FI | Hengityselimiä syövyttävää.           |
|  | SV | Frätande på luftvägarna.              |

▼ M2▼ B

**3. Part 3: supplemental label elements/information on certain**  
**▶ M2 ← mixtures**

| EUH 201/201A                       | Language |  |
|------------------------------------|----------|--|
| ▶ <u>M2</u> — ◀<br>▶ <u>M2</u> — ◀ | BG       | Съдържа олово. Да не се използва върху повърхност, която евентуално може да се дъвче или смуче от деца.<br>Внимание! Съдържа олово.              |
| ▶ <u>M2</u> — ◀<br>▶ <u>M2</u> — ◀ | ES       | Contiene plomo. No utilizar en objetos que los niños puedan masticar o chupar.<br>¡Atención! Contiene plomo.                                     |
| ▶ <u>M2</u> — ◀<br>▶ <u>M2</u> — ◀ | CS       | Obsahuje olovo. Nemá se používat na povrchy, které mohou okusovat nebo olizovat děti.<br>Pozor! Obsahuje olovo.                                  |
| ▶ <u>M2</u> — ◀<br>▶ <u>M2</u> — ◀ | DA       | Indeholder bly. Må ikke anvendes på genstande, som børn vil kunne tygge eller sutte på.<br>Advarsel! Indeholder bly.                             |
| ▶ <u>M2</u> — ◀<br>▶ <u>M2</u> — ◀ | DE       | Enthält Blei. Nicht für den Anstrich von Gegenständen verwenden, die von Kindern gekaut oder gelutscht werden könnten.<br>Achtung! Enthält Blei. |

▼ B

| EUH 201/<br>201A                   | Language |  |
|------------------------------------|----------|--|
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | ET       | ► <b>C3</b> Sisaldab pliid. Mitte kasutada pindadel, mida lapsed võivad närida või imeda.<br>Hoiatus! Sisaldab pliid. ◀                      |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | EL       | Περιέχει μόλυβδο. Να μη χρησιμοποιείται σε επιφάνειες που είναι πιθανόν να μασήσουν ή να πιπίλίσουν τα παιδιά.<br>Προσοχή! Περιέχει μόλυβδο. |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | EN       | Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.<br>Warning! Contains lead.                          |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | FR       | Contient du plomb. Ne pas utiliser sur les objets susceptibles d'être mâchés ou sucés par des enfants.<br>Attention! Contient du plomb.      |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | GA       | Luaidhe ann. Níor chóir a úsáid ar dhromchlaí a d'fhéadfadh a bheith á gcogaint nó á sú ag leanaí.<br>Rabhadh! Luaidhe ann.                  |
|                                    | HR       | Sadrži olovo. Ne smije se koristiti na površinama koje mogu žvakati ili sisati djeca.<br>Upozorenje! Sadrži olovo.                           |
|                                    | IT       | Contiene piombo. Non utilizzare su oggetti che possono essere masticati o succhiati dai bambini.<br>Attenzione! Contiene piombo.             |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | LV       | Satur svīnu. Nedrīkst lietot uz virsmām, kuras var nonākt bērnam mutē.<br>Brīdinājums! Satur svīnu.  |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | LT       | Sudėtyje yra švino. Nenaudoti paviršiams, kurie gali būti vaikų kramtomi arba čiulpiami.<br>Atsargiai! Sudėtyje yra švino.                   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | HU       | Ólmot tartalmaz. Tilos olyan felületeken használni, amelyeket gyermekek szájukba vehetnek.<br>Figyelem! Ólmot tartalmaz.                     |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | MT       | Fih iċ-ċomb. M'għandux jintuża' fuq uċuh li x'aktarx jomoghduhom jew jerdghuhom it-tfal.<br>Twissija! Fih iċ-ċomb.                           |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | NL       | Bevat lood. Mag niet worden gebruikt voor voorwerpen waarin kinderen kunnen bijten of waaraan kinderen kunnen zuigen.<br>Let op! Bevat lood. |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | PL       | Zawiera ołów. Nie należy stosować na powierzchniach, które mogą być gryzione lub ssane przez dzieci.<br>Uwaga! Zawiera ołów.                 |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | PT       | Contém chumbo. Não utilizar em superfícies que possam ser mordidas ou chupadas por crianças.<br>Atenção! Contém chumbo.                      |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | RO       | Conține plumb. A nu se utiliza pe obiecte care pot fi mestecate sau supte de copii.<br>Atenție! Conține plumb.                               |

▼ M5▼ B

▼ B

| EUH 201/<br>201A                   | Language |   |
|------------------------------------|----------|---|
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | SK       | Obsahuje olovo. Nepoužívajte na povrchy, ktoré by mohli žuť alebo oblizovať deti. Pozor! Obsahuje olovo.          |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | SL       | Vsebuje svinec. Ne sme se nanašati na površine, ki bi jih lahko žvečili ali sesali otroci. Pozor! Vsebuje svinec. |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | FI       | Sisältää lyijyä. Ei saa käyttää pintoihin, joita lapset voivat pureskella tai imeä. Varoitus! Sisältää lyijyä.    |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | SV       | Innehåller bly. Bör inte användas på ytor där barn kan komma åt att tugga eller suga. Varning! Innehåller bly.    |

| EUH 202 | Language |  |
|---------|----------|--|
|         | BG       | Цианокрилат. Опасно. Залепва кожата и очите за секунди. Да се съхранява извън обсега на деца.                                    |
|         | ES       | Cianoacrilato. Peligro. Se adhiere a la piel y a los ojos en pocos segundos. Mantener fuera del alcance de los niños.            |
|         | CS       | Kyanoakrylát. Nebezpečí. Okamžitě slepuje kůži a oči. Uchovávejte mimo dosah dětí.   |
|         | DA       | Cyanoacrylat. Farligt. Klæber til huden og øjnene på få sekunder. Opbevares utilgængeligt for børn.                              |
|         | DE       | Cyanacrylat. Gefahr. Klebt innerhalb von Sekunden Haut und Augenlider zusammen. Darf nicht in die Hände von Kindern gelangen.    |
|         | ET       | Tsüanoakrülaat. Ohtlik. Liimib naha ja silmad hetkega. Hoida lastele kättesaamatus kohas.  |
|         | EL       | Κυανοακρυλική ένωση. Κίνδυνος. Κολλάει στην επιδερμίδα και στα μάτια μέσα σε λίγα δευτερόλεπτα. Να φυλάσσεται μακριά από παιδιά. |
|         | EN       | Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.  |
|         | FR       | Cyanoacrylate. Danger. Colle à la peau et aux yeux en quelques secondes. À conserver hors de portée des enfants.                 |
|         | GA       | Cianaicrioláit. Contúirt. Nascann craiceann agus súile laistigh de shoicindí. Coimeád as aimsiú leanaí.                          |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Cianoakrilat. Opasnost. Trenutno lijepi kožu i oči. Čuvati izvan dohvata djece. |
|--|----|---|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Cianoacrilato. Pericolo. Incolla la pelle e gli occhi in pochi secondi. Tenere fuori dalla portata dei bambini. |
|  | LV | Ciānakrilāts. Bīstami. Iedarbība uz acīm un ādu tūlītēja. Sargāt no bērniem.                                    |

## ▼B

| EUH 202 | Language |   |
|---------|----------|---|
|         | LT       | Cianoakrilatas. Pavojinga. Staigiai suklijuoja odą ir akis. Laikyti vaikams neprieinamoje vietoje.                        |
|         | HU       | Cianoakrilát. Veszély! Néhány másodperc alatt a bőrre és a szembe ragad. Gyermekektől elzárva tartandó.                   |
|         | MT       | Cyanoacrylate. Periklu. Iwahhal il-ġilda u l-ghajnejn fi ftit sekondi. Żomm 'il bogħod minn fejn jistgħu jilhqūh it-tfal. |
|         | NL       | Cyanoacrylaat. Gevaarlijk. Kleeft binnen enkele seconden aan huid en oogleden. Buiten het bereik van kinderen houden.     |
|         | PL       | Cyjanoakrylany. Niebezpieczeństwo. Skleja skórę i powieki w ciągu kilku sekund. Chronić przed dziećmi.                    |
|         | PT       | Cianoacrilato. Perigo. Cola à pele e aos olhos em poucos segundos. Manter fora do alcance das crianças.                   |
|         | RO       | Cianoacrilat. Pericol. Se lipește de piele și ochi în câteva secunde. A nu se lăsa la îndemâna copiilor.                  |
|         | SK       | Kyanoakrylát. Nebezpečenstvo. V priebehu niekoľkých sekúnd zlepi pokožku a oči. Uchovávať mimo dosahu detí.               |
|         | SL       | Cianoakrilat. Nevarno. Kožo in oči zlepi v nekaj sekundah. Hraniti zunaj dosega otrok.                                    |
|         | FI       | Syanoakrylaattia. Vaara. Liimaa ihon ja silmät hetkessä. Säilytettävä lasten ulottumattomissa.                            |
|         | SV       | Cyanoakrylat. Fara. Fäster snabbt på hud och ögon. Förvaras oåtkomligt för barn.  |
| EUH 203 | Language |   |
|         | BG       | Съдържа хром (VI). Може да причини алергична реакция.   |
|         | ES       | Contiene cromo (VI). Puede provocar una reacción alérgica.  |
|         | CS       | Obsahuje chrom (VI). Může vyvolat alergickou reakci.  |
|         | DA       | Indeholder krom (VI). Kan udløse allergisk reaktion.  |
|         | DE       | Enthält Chrom (VI). Kann allergische Reaktionen hervorrufen.  |
|         | ET       | Sisaldab kroomi (VI). Võib esile kutsuda allergilise reaktsiooni.   |
|         | EL       | Περιέχει χρώμιο (VI). Μπορεί να προκαλέσει αλλεργική αντίδραση.   |
|         | EN       | Contains chromium (VI). May produce an allergic reaction.   |
|         | FR       | Contient du chrome (VI). Peut produire une réaction allergique.   |
|         | GA       | Cróimiam (VI) ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach.  |

▼ B

| EUH 203     | Language |   |
|-------------|----------|---|
| ▼ <u>M5</u> | HR       | Sadrži krom (VI). Može izazvati alergijsku reakciju.                |
| ▼ <u>B</u>  | IT       | Contiene cromo (VI). Può provocare una reazione allergica.          |
|             | LV       | Satur hromu (VI). Var izraisīt alergisku reakciju.                  |
|             | LT       | Sudėtyje yra chromo (VI). Gali sukelti alerginę reakciją.           |
|             | HU       | Krómot (VI) tartalmaz. Allergiás reakciót válthat ki.               |
|             | MT       | Fih il-kromju (VI). Jista' johloq reazzjoni allergika.              |
|             | NL       | Bevat zeswaardig chroom. Kan een allergische reactie veroorzaken.   |
|             | PL       | Zawiera chrom (VI). Može powodować wystąpienie reakcji alergicznej. |
|             | PT       | Contém crómio (VI). Pode provocar uma reacção alérgica.             |
|             | RO       | Conține crom (VI). Poate provoca o reacție alergică.                |
|             | SK       | Obsahuje chróm (VI). Môže vyvolať alergickú reakciu.                |
|             | SL       | Vsebuje krom (VI). Lahko povzroči alergijski odziv.                 |
|             | FI       | Sisältää kromi(VI)-yhdistettä. Voi aiheuttaa allergisen reaktion.   |
|             | SV       | Innehåller krom (VI). Kan orsaka en allergisk reaktion.             |

| EUH 204 | Language |   |
|---------|----------|---|
|         | BG       | Съдържа изоцианати. Може да причини алергична реакция.                  |
|         | ES       | Contiene isocianatos. Puede provocar una reacción alérgica.             |
|         | CS       | Obsahuje isokyanáty. Může vyvolat alergickou reakci.                    |
|         | DA       | Indeholder isocyanater. Kan udløse allergisk reaktion.                  |
|         | DE       | Enthält Isocyanate. Kann allergische Reaktionen hervorrufen.            |
|         | ET       | Sisaldab isotüanaate. Võib esile kutsuda allergilise reaktsiooni.       |
|         | EL       | Περιέχει ισοκυανικές ενώσεις. Μπορεί να προκαλέσει αλλεργική αντίδραση. |
|         | EN       | Contains isocyanates. May produce an allergic reaction.                 |
|         | FR       | Contient des isocyanates. Peut produire une réaction allergique.        |

▼ B

| EUH 204     | Language |  |
|-------------|----------|--|
|             | GA       | Isicianaití ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach. |
| ▼ <u>M5</u> | HR       | Sadrži izocianate. Može izazvati alergijsku reakciju.                            |
| ▼ <u>B</u>  | IT       | Contiene isocianati. Può provocare una reazione allergica.                       |
|             | LV       | Satur izocianātus. Var izraisīt alerģisku reakciju.                              |
|             | LT       | Sudėtyje yra izocianatų. Gali sukelti alerginę reakciją.                         |
|             | HU       | Izocianátokat tartalmaz. Allergiás reakciót válthat ki.                          |
|             | MT       | Fih l-isocyanates. Jista' jagħmel reazzjoni allergika.                           |
|             | NL       | Bevat isocyanaten. Kan een allergische reactie veroorzaken.                      |
|             | PL       | Zawiera izocyjaniany. Może powodować wystąpienie reakcji alergicznej.            |
|             | PT       | Contém isocianatos. Pode provocar uma reacção alérgica.                          |
|             | RO       | Conține izocianați. Poate provoca o reacție alergică.                            |
|             | SK       | Obsahuje izokyanáty. Môže vyvolať alergickú reakciu.                             |
|             | SL       | Vsebuje izocianate. Lahko povzroči alergijski odziv.                             |
|             | FI       | Sisältää isosyanaatteja. Voi aiheuttaa allergisen reaktion.                      |
|             | SV       | Innehåller isocyanater. Kan orsaka en allergisk reaktion.                        |

| EUH 205 | Language |  |
|---------|----------|--|
|         | BG       | Съдържа епоксидни съставки. Може да причини алергична реакция.               |
|         | ES       | Contiene componentes epoxídicos. Puede provocar una reacción alérgica.       |
|         | CS       | Obsahuje epoxidové složky. Může vyvolat alergickou reakci.                   |
|         | DA       | Indeholder epoxyforbindelser. Kan udløse allergisk reaktion.                 |
|         | DE       | Enthält epoxidhaltige Verbindungen. Kann allergische Reaktionen hervorrufen. |
|         | ET       | Sisaldab epoksükomponente. Võib esile kutsuda allergilise reaktsiooni.       |
|         | EL       | Περιέχει εποξειδικές ενώσεις. Μπορεί να προκαλέσει αλλεργική αντίδραση.      |
|         | EN       | Contains epoxy constituents. May produce an allergic reaction.               |

▼ B

| EUH 205 | Language |  |
|---------|----------|--|
|         | FR       | Contient des composés époxydiques. Peut produire une réaction allergique.                  |
|         | GA       | Comhábhair eapocsacha ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach. |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Sadrži epoksidne sastojke. Može izazvati alergijsku reakciju. |
|--|----|---|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Contiene componenti epossidici. Può provocare una reazione allergica.         |
|  | LV | Satur epoksīda sastāvdaļas. Var izraisīt alerģisku reakciju.                  |
|  | LT | Sudėtyje yra epoksidinių komponentų. Gali sukelti alerginę reakciją.          |
|  | HU | Epoxid tartalmú vegyületeket tartalmaz. Allergiás reakciót válthat ki.        |
|  | MT | Fih kostitwenti ta' l-eposside. Jista' jaghmel reazzjoni allergika.           |
|  | NL | Bevat epoxyverbindingen. Kan een allergische reactie veroorzaken.             |
|  | PL | Zawiera składniki epoksydowe. Może powodować wystąpienie reakcji alergicznej. |
|  | PT | Contém componentes epoxídicos. Pode provocar uma reacção alérgica.            |
|  | RO | Conține componenteți epoxidici. Poate provoca o reacție alergică.             |
|  | SK | Obsahuje epoxidové zložky. Môže vyvolať alergickú reakciu.                    |
|  | SL | Vsebuje epoksidne sestavine. Lahko povzroči alergijski odziv.                 |
|  | FI | Sisältää epoksihartseja. Voi aiheuttaa allergisen reaktion.                   |
|  | SV | Innehåller epoxiförening. Kan orsaka en allergisk reaktion.                   |

| EUH 206 | Language |   |
|---------|----------|---|
|         | BG       | Внимание! Да не се използва заедно с други продукти. Може да отдели опасни газове (хлор).                       |
|         | ES       | ¡Atención! No utilizar junto con otros productos. Puede desprender gases peligrosos (cloro).                    |
|         | CS       | Pozor! Nepoužívejte společně s jinými výrobky. Může uvolňovat nebezpečné plyny (chlor).                         |
|         | DA       | Advarsel! Må ikke anvendes i forbindelse med andre produkter. Farlige luftarter (chlor) kan frigøres.           |
|         | DE       | Achtung! Nicht zusammen mit anderen Produkten verwenden, da gefährliche Gase (Chlor) freigesetzt werden können. |

▼ **B**

| EUH 206 | Language |  |
|---------|----------|--|
|         | ET       | ► <b>C3</b> Hoiatus! Mitte kasutada koos teiste toodetega. Segust võib eralduda ohtlikke gaase (kloori). ◀       |
|         | EL       | Προσοχή! Να μην χρησιμοποιείται σε συνδυασμό με άλλα προϊόντα. Μπορεί να ελευθερωθούν επικίνδυνα αέρια (χλώριο). |
|         | EN       | Warning! Do not use together with other products. May release dangerous gases (chlorine).                        |
|         | FR       | Attention! Ne pas utiliser en combinaison avec d'autres produits. Peut libérer des gaz dangereux (chlore).       |
|         | GA       | Rabhadh! Ná húsáid in éineacht le táirgí eile. D'fhéadfadh sé go scaoilfí gáis chontúirteacha (clóirín).         |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Upozorenje! Ne koristiti s drugim proizvodima. Mogu se osloboditi opasni plinovi (klor). |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Attenzione! Non utilizzare in combinazione con altri prodotti. Possono liberarsi gas pericolosi (cloro).      |
|  | LV | Brīdinājums! Nelietot kopā ar citiem produktiem. Var izdalīt bīstamas gāzes (hloru).                          |
|  | LT | Atsargiai! Nenaudoti kartu su kitais produktais. Gali išskirti pavojingas dujas (chlorą).                     |
|  | HU | Figyelem! Tilos más termékekkel együtt használni. Veszélyes gázok (klór) szabadulhatnak fel.                  |
|  | MT | Twissija! Tuzahx flimkien ma' prodotti oħra. Jista' jerħi gassijiet perikolużi (kloru).                       |
|  | NL | Let op! Niet in combinatie met andere producten gebruiken. Er kunnen gevaarlijke gassen (chloor) vrijkomen.   |
|  | PL | Uwaga! Nie stosować razem z innymi produktami. Może wydzielać niebezpieczne gazy (chlor).                     |
|  | PT | Atenção! Não utilizar juntamente com outros produtos. Podem libertar-se gases perigosos (cloro).              |
|  | RO | Atenție! A nu se folosi împreună cu alte produse. Poate elibera gaze periculoase (clor).                      |
|  | SK | Pozor! Nepoužívajte spolu s inými výrobkami. Môžu uvoľňovať nebezpečné plyny (chlór).                         |
|  | SL | Pozor! Ne uporabljajte skupaj z drugimi izdelki. Lahko se sproščajo nevarni plini (klor).                     |
|  | FI | Varoitus! Älä käyttää yhdessä muiden tuotteiden kanssa. Tuotteesta voi vapautua vaarallista kaasua (klooria). |
|  | SV | Varning! Får ej användas tillsammans med andra produkter. Kan avge farliga gaser (klor).                      |



▼ **B**

| EUH 207 | Language |  |
|---------|----------|--|
|         | BG       | Внимание! Съдържа кадмий. При употреба се образуват опасни пари. Вижте информацията, предоставена от производителя. Спазвайте инструкциите за безопасност.                         |
|         | ES       | ¡Atención! Contiene cadmio. Durante su utilización se desprenden vapores peligrosos. Ver la información facilitada por el fabricante. Seguir las instrucciones de seguridad.       |
|         | CS       | Pozor! Obsahuje kadmium. Při používání vznikají nebezpečné výpary. Viz informace dodané výrobcem. Dodržujte bezpečnostní pokyny.   |
|         | DA       | Advarsel! Indeholder cadmium. Der udvikles farlige dampe under anvendelsen. Se producentens oplysninger. Overhold sikkerhedsforskrifterne.   |
|         | DE       | Achtung! Enthält Cadmium. Bei der Verwendung entstehen gefährliche Dämpfe. Hinweise des Herstellers beachten. Sicherheitsanweisungen einhalten.                                    |
|         | ET       | ► <b>C3</b> Hoiatus! Sisaldab kaadmiumi. Kasutamisel moodustuvad ohtlikud aurud. Vt tootja esitatud teavet. Järgida ohutuseeskirju. ◀  |
|         | EL       | Προσοχή! Περιέχει κάδμιο. Κατά τη χρήση αναπτύσσονται επικίνδυνες αναθυμιάσεις. Βλέπετε πληροφορίες του κατασκευαστή. Τηρείτε τις οδηγίες ασφαλείας.                               |
|         | EN       | Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer. Comply with the safety instructions.                               |
|         | FR       | Attention! Contient du cadmium. Des fumées dangereuses se développent pendant l'utilisation. Voir les informations fournies par le fabricant. Respectez les consignes de sécurité. |
|         | GA       | Rabhadh! Caidmiam ann. Cruthaítear múch chontúirteach le linn a úsáide. Féach an fhaisnéis atá curtha ar fáil ag an monaróir. Cloigh leis na treoracha sábháilteachta.             |
|         | HR       | Upozorenje! Sadrži kadmij. Tijekom uporabe stvara se opasni dim. Vidi podatke dostavljene od proizvođača. Postupati prema uputama o mjerama sigurnosti.                            |
|         | IT       | Attenzione! Contiene cadmio. Durante l'uso si sviluppano fumi pericolosi. Leggere le informazioni fornite dal fabbricante. Rispettare le disposizioni di sicurezza.                |
|         | LV       | Brīdinājums! Satur kadmiju. Lietojot veidojas bīstami izgarojumi. Sk. ražotāja sniegto informāciju. Ievērot drošības instrukcijas.   |
|         | LT       | Atsargiai! Sudėtyje yra kadmio. Naudojant susidaro pavojingi garai. Žiūrėti gamintojo pateiktą informaciją. Vykdyti saugos instrukcijas.   |
|         | HU       | Figyelem! Kadmiumot tartalmaz! A használat során veszélyes füstök képződnek. Lásd a gyártó által közölt információt. Be kell tartani a biztonsági előírásokat.                     |

▼ **M5**▼ **B**

## ▼B

| EUH 207 | Language |   |
|---------|----------|---|
|         | MT       | Twissija! Fih il-kadmju. Waqt li jintuza jiffurmaw dhahen perikolużi. Ara l-informazzjoni mogħtija mill-fabbrikant. Hares l-istruzzjonijiet dwar is-sigurtà.                  |
|         | NL       | Let op! Bevat cadmium. Bij het gebruik ontwikkelen zich gevaarlijke dampen. Zie de aanwijzingen van de fabrikant. Neem de veiligheidsvoorschriften in acht.                   |
|         | PL       | Uwaga! Zawiera kadm. Podczas stosowania wydziela niebezpieczne pary. Zapoznaj się z informacją dostarczoną przez producenta. Przestrzegaj instrukcji bezpiecznego stosowania. |
|         | PT       | Atenção! Contém cádmio. Libertam-se fumos perigosos durante a utilização. Ver as informações fornecidas pelo fabricante. Respeitar as instruções de segurança.                |
|         | RO       | Atenție! Conține cadmiu. În timpul utilizării se degajă un fum periculos. A se vedea informațiile furnizate de producător. A se respecta instrucțiunile privind siguranța.    |
|         | SK       | Pozor! Obsahuje kadmium. Pri používaní sa tvorí nebezpečný dym. Pozri informácie od výrobcu. Dodržiavajte bezpečnostné pokyny.  |
|         | SL       | Pozor! Vsebuje kadmij. Med uporabo nastajajo nevarni dimi. Preberite informacije proizvajalca. Upoštevajte navodila za varno uporabo.   |
|         | FI       | Varoitus! Sisältää kadmiumia. Käytettäessä muodostuu vaarallisia huujuja. Noudata valmistajan antamia ohjeita. Noudata turvallisuusohjeita.                                   |
|         | SV       | Varning! Innehåller kadmium. Farliga ångor bildas vid användning. Se information från tillverkaren. Följ skyddsanvisningarna.   |
| EUH 208 | Language |   |
|         | BG       | Съдържа <наименование на сенсibiliзиращото вещество>. Може да предизвика алергична реакция.   |
|         | ES       | Contiene <nombre de la sustancia sensibilizante>. Puede provocar una reacción alérgica.   |
|         | CS       | Obsahuje <název senzibilizující látky>. Může vyvolat alergickou reakci.   |
|         | DA       | Indeholder <navn på det sensibiliserende stof>. Kan udløse allergisk reaktion.  |
|         | DE       | Enthält <Name des sensibilisierenden Stoffes>. Kann allergische Reaktionen hervorrufen.   |
|         | ET       | Sisaldab <sensibiliseeriva aine nimetus>. Võib esile kutsuda allergilise reaktsiooni.   |
|         | EL       | Περιέχει <όνομα της ευαισθητοποιητικής ουσίας>. Μπορεί να προκαλέσει αλλεργική αντίδραση.   |
|         | EN       | Contains <name of sensitising substance>. May produce an allergic reaction.   |

▼ **B**

| EUH 208     | Language |   |
|-------------|----------|---|
|             | FR       | Contient <nom de la substance sensibilisante>. Peut produire une réaction allergique.               |
|             | GA       | <Ainm na substainte íograithe> ann. D'fhéadfadh sé a bheith ina chúis le frithghníomh ailléirgeach. |
| ▼ <b>M5</b> | HR       | Sadrži <naziv tvari koja dovodi do preosjetljivosti>. Može izazvati alergijsku reakciju.            |
| ▼ <b>B</b>  | IT       | Contiene <denominazione della sostanza sensibilizzante>. Può provocare una reazione allergica.      |
|             | LV       | Satur <sensibilizējošās vielas nosaukums>. Var izraisīt alergisku reakciju.                         |
|             | LT       | Sudėtyje yra <jautrinančios medžiagos pavadinimas>. Gali sukelti alerginę reakciją.                 |
|             | HU       | <Allergén anyag neve>-t tartalmaz. Allergiás reakciót válthat ki.                                   |
|             | MT       | Fih <-isem tas-sustanza sensibbli>. Jista' jagħmel reazzjoni allergika.                             |
|             | NL       | Bevat <naam van de sensibiliserende stof>. Kan een allergische reactie veroorzaken.                 |
|             | PL       | Zawiera <nazwa substancji uczulającej>. Może powodować wystąpienie reakcji alergicznej.             |
|             | PT       | Contém <nome da substância sensibilizante em questão>. Pode provocar uma reacção alérgica.          |
|             | RO       | Conține <denumirea substanței sensibilizante>. Poate provoca o reacție alergică.                    |
|             | SK       | Obsahuje <názov senzibilizujúcej látky>. Môže vyvolať alergickú reakciu.                            |
|             | SL       | Vsebuje <ime snovi, ki povzroča preobčutljivost>. Lahko povzroči alergijski odziv.                  |
|             | FI       | Sisältää <herkistävän aineen nimi>. Voi aiheuttaa allergisen reaktion.                              |
|             | SV       | Innehåller <namnet på det sensibiliserande ämnet>. Kan orsaka en allergisk reaktion.                |

| EUH 209/<br>209A                   | Language |   |
|------------------------------------|----------|---|
| ► <b>M2</b> — ◄<br>► <b>M2</b> — ◄ | BG       | При употреба може да стане силно запалимо.<br>При употреба може да стане запалимо.      |
| ► <b>M2</b> — ◄<br>► <b>M2</b> — ◄ | ES       | Puede inflamarse fácilmente al usarlo<br>Puede inflamarse al usarlo.                    |
| ► <b>M2</b> — ◄<br>► <b>M2</b> — ◄ | CS       | Při používání se může stát vysoce hořlavým.<br>Při používání se může stát hořlavým.     |
| ► <b>M2</b> — ◄<br>► <b>M2</b> — ◄ | DA       | Kan blive meget brandfarlig ved brug.<br>Kan blive brandfarlig ved brug.                |
| ► <b>M2</b> — ◄<br>► <b>M2</b> — ◄ | DE       | Kann bei Verwendung leicht entzündbar werden.<br>Kann bei Verwendung entzündbar werden. |

▼ **B**

| EUH 209/<br>209A                   | Language |   |
|------------------------------------|----------|---|
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | ET       | Kasutamisel võib muutuda väga tuleohtlikuks.<br>Kasutamisel võib muutuda tuleohtlikuks.                         |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | EL       | Μπορεί να γίνει πολύ εύφλεκτο κατά τη χρήση.<br>Μπορεί να γίνει εύφλεκτο κατά τη χρήση.                         |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | EN       | Can become highly flammable in use.<br>Can become flammable in use.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | FR       | Peut devenir facilement inflammable en cours d'utilisation.<br>Peut devenir inflammable en cours d'utilisation. |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | GA       | D'fhéadfadh sé éirí an-inadhainte agus é á úsáid.<br>D'fhéadfadh sé éirí inadhaite agus é á úsáid.              |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Pri uporabi može postati lako zapaljivo.<br>Pri uporabi može postati zapaljivo. |
|--|----|---|

▼ **B**

|                                    |    |   |
|------------------------------------|----|---|
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | IT | Può diventare facilmente infiammabile durante l'uso.<br>Può diventare infiammabile durante l'uso.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | LV | Lietojot var viegli uzliesmot.<br>Kļūt uzliesmojšs.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | LT | Naudojama gali tapti labai degi.<br>Naudojama gali tapti degi.  |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | HU | A használat során fokozottan tűzveszélyessé válhat.<br>A használat során tűzveszélyessé válhat.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | MT | Jista' jiehu n-nar faċilment meta jintuża.<br>Jista' jiehu n-nar meta jintuża.  |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | NL | Kan bij gebruik licht ontvlambaar worden.<br>Kan bij gebruik ontvlambaar worden.  |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | PL | Podczas stosowania może przekształcić się w substancję wysoce łatwopalną.<br>Podczas stosowania może przekształcić się w substancję łatwopalną. |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | PT | Pode tornar-se facilmente inflamável durante o uso.<br>Pode tornar-se inflamável durante o uso.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | RO | Poate deveni foarte inflamabil în timpul utilizării.<br>Poate deveni inflamabil în timpul utilizării.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | SK | Pri používaní sa môže stať veľmi horľavou.<br>Pri používaní sa môže stať horľavou.  |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | SL | Med uporabo utegne postati lahko vnetljivo.<br>Med uporabo utegne postati vnetljivo.  |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | FI | Voi muuttua helposti syttyväksi käytössä.<br>Voi muuttua syttyväksi käytössä.   |
| ► <u>M2</u> — ◀<br>► <u>M2</u> — ◀ | SV | Kan bli mycket brandfarligt vid användning.<br>Kan bli brandfarligt vid användning.   |

▼ **B**

| EUH 210 | Language |   |
|---------|----------|---|
|         | BG       | Информационен лист за безопасност ще бъде представен при поискване. |
|         | ES       | Puede solicitarse la ficha de datos de seguridad.                   |
|         | CS       | Na vyžádání je k <sup>o</sup> dispozici bezpečnostní list.          |
|         | DA       | Sikkerhedsdatablad kan på anmodning rekvireres.                     |
|         | DE       | Sicherheitsdatenblatt auf Anfrage erhältlich.                       |
|         | ET       | Ohutuskaart nõudmisel kättesaadav.                                  |
|         | EL       | Δελτίο δεδομένων ασφαλείας παρέχεται εφόσον ζητηθεί.                |
|         | EN       | Safety data sheet available on request.                             |
|         | FR       | Fiche de données de sécurité disponible sur demande.                |
|         | GA       | Bileog sonraí sábháilteachta ar fáil arna iarraidh sin.             |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Sigurnosno-tehnički list dostupan na zahtjev. |
|--|----|---|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Scheda dati di sicurezza disponibile su richiesta.                  |
|  | LV | Drošības datu lapa ir pieejama pēc pieprasījuma.                    |
|  | LT | Saugos duomenų lapą galima gauti paprašius.                         |
|  | HU | Kérésre biztonsági adatlap kapható.                                 |
|  | MT | Il-karta tad-data dwar is-sikurezza hija disponibbli meta tintalab. |
|  | NL | Veiligheidsinformatieblad op verzoek verkrijgbaar.                  |
|  | PL | Karta charakterystyki dostępna na żądanie.                          |
|  | PT | Ficha de segurança fornecida a pedido.                              |
|  | RO | Fișa cu date de securitate disponibilă la cerere.                   |
|  | SK | Na požiadanie možno poskytnúť kartu bezpečnostných údajov.          |
|  | SL | Varnosti list na voljo na zahtevo.                                  |
|  | FI | Käyttöturvallisuustiedote toimitetaan pyynnöstä.                    |
|  | SV | Säkerhetsdatablad finns att rekvirera.                              |

| EUH 401 | Language |   |
|---------|----------|---|
|         | BG       | За да се избегнат рискове за човешкото здраве и околната среда, спазвайте инструкциите за употреба. |
|         | ES       | A fin de evitar riesgos para las personas y el medio ambiente, siga las instrucciones de uso.       |
|         | CS       | Dodržujte pokyny pro používání, abyste se vyvarovali rizik pro lidské zdraví a životní prostředí.   |

▼ **B**

| EUH 401 | Language |   |
|---------|----------|---|
|         | DA       | Brugsanvisningen skal følges for ikke at bringe menneskers sundhed og miljøet i fare.                                       |
|         | DE       | Zur Vermeidung von Risiken für Mensch und Umwelt die Gebrauchsanleitung einhalten.  |
|         | ET       | Inimeste tervise ja keskkonna ohustamise vältimiseks järgida kasutusjuhendit.   |
|         | EL       | Για να αποφύγετε τους κινδύνους για την ανθρώπινη υγεία και το περιβάλλον, ακολουθήστε τις οδηγίες χρήσης.                  |
|         | EN       | To avoid risks to human health and the environment, comply with the instructions for use.                                   |
|         | FR       | Respectez les instructions d'utilisation pour éviter les risques pour la santé humaine et l'environnement.                  |
|         | GA       | Chun priacail do shláinte an duine agus don chomhshaol a sheachaint, cloígh leis na treoracha maidir le húsáid.             |
|         | HR       | Da bi se izbjegli rizici za zdravlje ljudi i okoliš, treba se pridržavati uputa za uporabu.                                 |
|         | IT       | Per evitare rischi per la salute umana e per l'ambiente, seguire le istruzioni per l'uso.                                   |
|         | LT       | Siekiant išvengti žmonių sveikatai ir aplinkai keliamos rizikos, būtina vykdyti naudojimo instrukcijos nurodymus.           |
|         | LV       | Lai izvairītos no riska cilvēku veselībai un videi, ievērojiet lietošanas pamācību.   |
|         | HU       | Az emberi egészség és a környezet veszélyeztetésének elkerülése érdekében be kell tartani a használati utasítás előírásait. |
|         | MT       | Biex jiġu evitati r-riskji għal saħħet il-bniedem u għall-ambjent, hares l-istruzzjonijiet dwar l-użu.                      |
|         | NL       | Volg de gebruiksaanwijzing om gevaar voor de menselijke gezondheid en het milieu te voorkomen.                              |
|         | PL       | W celu uniknięcia zagrożenia dla zdrowia ludzi i środowiska, należy postępować zgodnie z instrukcją użycia.                 |
|         | PT       | Para evitar riscos para a saúde humana e para o ambiente, respeitar as instruções de utilização.                            |
|         | RO       | Pentru a evita riscurile pentru sănătatea umană și mediu, a se respecta instrucțiunile de utilizare.                        |
|         | SK       | Dodržiavajte návod na používanie, aby ste zabránili vzniku rizík pre zdravie ľudí a životné prostredie.                     |
|         | SL       | Da bi se izognili tveganjem za ljudi in okolje, ravnajte v skladu z navodili za uporabo.                                    |
|         | FI       | Noudata käyttöohjeita ihmisen terveydelle ja ympäristölle aiheutuvien vaarojen välttämiseksi.                               |
|         | SV       | För att undvika risker för människors hälsa och för miljön, följ bruksanvisningen.  |

▼ **M5**▼ **B**

**▼ B***ANNEX IV***LIST OF PRECAUTIONARY STATEMENTS****▼ M4**

In selecting the precautionary statements in accordance with Articles 22 and 28(3), suppliers may combine the Precautionary Statements in the table below, having regard to clarity and comprehensibility of the precautionary advice.

Where square brackets [...] appear around some text in a precautionary statement in column (2), this indicates that the text in square brackets is not appropriate in every case and should be used only in certain circumstances. In these cases, conditions for use explaining when the text should be used are given in column (5).

**▼ M12**

When a forward slash or diagonal mark [/] appears in a precautionary statement text in column (2), this indicates that a choice has to be made between the phrases they separate in accordance with the indications provided in column (5).

**▼ M4**

When three full stops [...] appear in a precautionary statement text in column (2), details on the information to be provided are indicated in column (5).

**▼ M12**

Where the text in column 5 indicates that a precautionary statement may be omitted if another precautionary statement is given on the label, this information may be used in selecting precautionary statements in accordance with Articles 22 and 28.

**▼ B****1. Part 1: Criteria for the selection of precautionary statements***Table 6.1***Precautionary statements — General**

| Code (1) | General precautionary statements (2)                                  | Hazard class (3) | Hazard category (4) | Conditions for use (5) |
|----------|---|------------------|---------------------|------------------------|
| P101     | If medical advice is needed, have product container or label at hand. | as appropriate   |                     | Consumer products      |
| P102     | Keep out of reach of children.  | as appropriate   |                     | Consumer products      |
| P103     | Read label before use.  | as appropriate   |                     | Consumer products      |

*Table 6.2***Precautionary statements — Prevention**

| Code (1) | Prevention precautionary statements (2) | Hazard class (3)                     | Hazard category (4) | Conditions for use (5) |
|----------|---|--------------------------------------|---------------------|------------------------|
| P201     | Obtain special instructions before use. | Explosives (section 2.1)             | Unstable explosive  |                        |
|          |   | Germ cell mutagenicity (section 3.5) | 1A, 1B, 2           |                        |
|          |   | Carcinogenicity (section 3.6)        | 1A, 1B, 2           |                        |
|          |   | Reproductive toxicity (section 3.7)  | 1A, 1B, 2           |                        |

**▼ B**

| Code (1)     | Prevention precautionary statements (2)  | Hazard class (3)  | Hazard category (4)               | Conditions for use (5) |
|--------------|--|---|-----------------------------------|------------------------|
|              |  | Reproductive toxicity — effects on or via lactation (section 3.7)   | Additional category               |                        |
| <b>▼ M12</b> |  |   |                                   |                        |
| P202         | Do not handle until all safety precautions have been read and understood.                      | Flammable gases (including chemically unstable gases) (Section 2.2) | A, B (chemically unstable gases)  |                        |
|              |  | Germ cell mutagenicity (Section 3.5)                                | 1A, 1B, 2                         |                        |
|              |  | Carcinogenicity (Section 3.6)                                       | 1A, 1B, 2                         |                        |
|              |  | Reproductive toxicity (Section 3.7)                                 | 1A, 1B, 2                         |                        |
| <b>▼ M7</b>  |  |   |                                   |                        |
| P210         | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | Explosives (section 2.1)  | Divisions 1.1, 1.2, 1.3, 1.4, 1.5 |                        |
|              |  | Flammable gases (section 2.2)                                       | 1, 2                              |                        |
|              |  | Aerosols (section 2.3)  | 1, 2, 3                           |                        |
|              |  | Flammable liquids (section 2.6)                                     | 1, 2, 3                           |                        |
|              |  | Flammable solids (section 2.7)                                      | 1, 2                              |                        |
|              |  | Self-reactive substances and mixtures (section 2.8)                 | Types A, B, C, D, E, F            |                        |
|              |  | Pyrophoric liquids (section 2.9)                                    | 1                                 |                        |
|              |  | Pyrophoric solids (section 2.10)                                    | 1                                 |                        |
|              |  | Oxidising liquids (section 2.13)                                    | 1, 2, 3                           |                        |
|              |  | Oxidising solids (section 2.14)                                     | 1, 2, 3                           |                        |
|              |  | Organic peroxides (section 2.15)                                    | Types A, B, C, D, E, F            |                        |
| <b>▼ M4</b>  |  |   |                                   |                        |
| P211         | Do not spray on an open flame or other ignition source.  | Aerosols (section 2.3)  | 1, 2                              |                        |
| <b>▼ M12</b> |  |   |                                   |                        |
| P220         | Keep away from clothing and other combustible materials.                                       | Oxidising gases (Section 2.4)                                       | 1                                 |                        |
|              |  | Oxidising liquids (Section 2.13)                                    | 1, 2, 3                           |                        |
|              |  | Oxidising solids (Section 2.14)                                     | 1, 2, 3                           |                        |



▼ **M12**

| Code (1)     | Prevention precautionary statements (2)       | Hazard class (3)  | Hazard category (4)          | Conditions for use (5)  |
|--------------|---|---|------------------------------|---|
|              |   |   |                              |   |
| P222         | Do not allow contact with air.                | Pyrophoric liquids (Section 2.9)  | 1                            | — if emphasis of the hazard statement is deemed necessary   |
|              |   | Pyrophoric solids (Section 2.10)  | 1                            |   |
| P223         | Do not allow contact with water.              | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2                         | — if emphasis of the hazard statement is deemed necessary   |
| P230         | Keep wetted with ...                          | Explosives (Section 2.1)  | Divisions 1.1, 1.2, 1.3, 1.5 | — for substances and mixtures which are wetted, diluted, dissolved or suspended with a phlegmatizer in order to reduce or suppress their explosive properties (desensitised explosives)<br><br>... Manufacturer/supplier to specify appropriate material. |
| P231         | Handle and store contents under inert gas/... | Pyrophoric liquids (Section 2.9)  | 1                            | ... Manufacturer/supplier to specify appropriate liquid or gas if 'inert gas' is not appropriate.   |
|              |   | Pyrophoric solids (Section 2.10)  | 1                            |   |
|              |   | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3                      | — if the substance or mixture reacts readily with moisture in air.<br><br>... Manufacturer/supplier to specify appropriate liquid or gas if 'inert gas' is not appropriate.   |
| ▼ <b>B</b>   |   |   |                              |   |
| P232         | Protect from moisture.                        | Substances and mixtures which, in contact with water, emit flammable gases (section 2.12) | 1, 2, 3                      |   |
| ▼ <b>M12</b> |   |   |                              |   |
| P233         | Keep container tightly closed.                | Flammable liquids (Section 2.6)   | 1, 2, 3                      | — if the liquid is volatile and may generate an explosive atmosphere  |
|              |   | Pyrophoric liquids (Section 2.9)  | 1                            |   |
|              |   | Pyrophoric solids (Section 2.10)  | 1                            |   |

## ▼ M12

| Code (1) | Prevention precautionary statements (2)            | Hazard class (3)   | Hazard category (4)               | Conditions for use (5)  |
|----------|--|--|-----------------------------------|---|
|          |  | Acute toxicity — inhalation (Section 3.1)  | 1, 2, 3                           | — if the chemical is volatile and may generate a hazardous atmosphere   |
|          |  | Specific target organ toxicity — single exposure; respiratory tract irritation (Section 3.8) | 3                                 |   |
|          |  | Specific target organ toxicity — single exposure; narcotic effects (Section 3.8)             | 3                                 |   |
| P234     | Keep only in original packaging.                   | Explosives (Section 2.1)   | Divisions 1.1, 1.2, 1.3, 1.4, 1.5 |   |
|          |  | Self-reactive substances and mixtures (Section 2.8)  | Types A, B, C, D, E, F            |   |
|          |  | Organic peroxides (Section 2.15)   | Types A, B, C, D, E, F            |   |
|          |  | Corrosive to metals (Section 2.16)   | 1                                 |   |
| P235     | Keep cool.   | Flammable liquids (Section 2.6)  | 1, 2, 3                           | — for flammable liquids category 1 and other flammable liquids that are volatile and may generate an explosive atmosphere |
|          |  | Self-reactive substances and mixtures (Section 2.8)  | Types A, B, C, D, E, F            | — may be omitted if P411 is given on the label  |
|          |  | Self-heating substances and mixtures (Section 2.11)  | 1, 2                              | — may be omitted if P413 is given on the label  |
|          |  | Organic peroxides (Section 2.15)   | Types A, B, C, D, E, F            | — may be omitted if P411 is given on the label  |
| P240     | Ground and bond container and receiving equipment. | Explosives (Section 2.1)   | Divisions 1.1, 1.2, 1.3, 1.4, 1.5 | — if the explosive is electrostatically sensitive   |
|          |  | Flammable liquids (Section 2.6)  | 1, 2, 3                           | — if the liquid is volatile and may generate an explosive atmosphere  |
|          |  | Flammable solids (Section 2.7)   | 1, 2                              | — if the solid is electrostatically sensitive   |
|          |  | Self-reactive substances and mixtures (Section 2.8)  | Types A,B,C, D, E, F              | — if electrostatically sensitive and able to generate an explosive atmosphere   |
|          |  | Organic peroxides (Section 2.15)   |                                   |   |

▼ **M12**

| Code (1)     | Prevention precautionary statements (2)                              | Hazard class (3)                | Hazard category (4)                                       | Conditions for use (5)   |
|--------------|--|---------------------------------|---|--|
| P241         | Use explosion-proof [electrical/ventilating/lighting/...] equipment. | Flammable liquids (Section 2.6) | 1, 2, 3   | <ul style="list-style-type: none"> <li>— if the liquid is volatile and may generate an explosive atmosphere.</li> <li>— text in square brackets may be used to specify specific electrical, ventilating, lighting or other equipment if necessary and as appropriate.</li> </ul>   |
|              |  | Flammable solids (Section 2.7)  | 1, 2  | <ul style="list-style-type: none"> <li>— if dust clouds can occur.</li> <li>— text in square brackets may be used to specify specific electrical, ventilating, lighting or other equipment if necessary and as appropriate.</li> </ul>   |
| P242         | Use non-sparking tools.  | Flammable liquids (Section 2.6) | 1, 2, 3   | <ul style="list-style-type: none"> <li>— if the liquid is volatile and may generate an explosive atmosphere and if the minimum ignition energy is very low. (This applies to substances and mixtures where the ignition energy is &lt; 0,1 mJ, e.g. carbon disulphide).</li> </ul> |
| P243         | Take action to prevent static discharges.                            | Flammable liquids (Section 2.6) | 1, 2, 3   | <ul style="list-style-type: none"> <li>— if the liquid is volatile and may generate an explosive atmosphere.</li> </ul>  |
| ▼ <b>M4</b>  |  |                                 |   |  |
| P244         | Keep valves and fittings free from oil and grease.                   | Oxidising gases (section 2.4)   | 1   |  |
| ▼ <b>M12</b> |  |                                 |   |  |
| P250         | Do not subject to grinding/shock/friction ...                        | Explosives (Section 2.1)        | Unstable explosives and divisions 1.1, 1.2, 1.3, 1.4, 1.5 | <ul style="list-style-type: none"> <li>— if the explosive is mechanically sensitive</li> <li>... Manufacturer/supplier to specify applicable rough handling.</li> </ul>  |
| ▼ <b>M4</b>  |  |                                 |   |  |
| P251         | Do not pierce or burn, even after use.                               | Aerosols (section 2.3)          | 1, 2, 3   |  |

**▼ B**

| Code (1) | Prevention precautionary statements (2)          | Hazard class (3)  | Hazard category (4) | Conditions for use (5)   |
|----------|--|---|---------------------|--|
| P260     | Do not breathe dust/fume/gas/mist/vapours/spray. | Acute toxicity — inhalation (section 3.1)                         | 1, 2                | Manufacturer/supplier to specify applicable conditions.  |
|          |  | Specific target organ toxicity — single exposure (section 3.8)    | 1, 2                |  |
|          |  | Specific target organ toxicity — repeated exposure (section 3.9)  | 1, 2                |  |
|          |  | Skin corrosion (section 3.2)                                      | 1A, 1B, 1C          | — Specify do not breathe dusts or mists.<br>— if inhalable particles of dusts or mists may occur during use. |
|          |  | Reproductive toxicity — effects on or via lactation (section 3.7) | Additional category |  |

**▼ M12**

|      |   |  |           |   |
|------|---|--|-----------|---|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. | Acute toxicity — inhalation (Section 3.1)  | 3, 4      | — may be omitted if P260 is given on the label<br>Manufacturer/supplier to specify applicable conditions. |
|      |   | Respiratory sensitisation (Section 3.4)  | 1, 1A, 1B |   |
|      |   | Skin sensitisation (Section 3.4)   | 1, 1A, 1B |   |
|      |   | Specific target organ toxicity — single exposure; respiratory tract irritation (Section 3.8) | 3         |   |
|      |   | Specific target organ toxicity — single exposure; narcotic effects (Section 3.8)             | 3         |   |

**▼ B**

|      |  |                                       |      |  |
|------|--|---------------------------------------|------|--|
| P262 | Do not get in eyes, on skin, or on clothing. | Acute toxicity — dermal (section 3.1) | 1, 2 |  |
|------|--|---------------------------------------|------|--|

**▼ M12**

|      |   |   |                     |  |
|------|---|---|---------------------|--|
| P263 | Avoid contact during pregnancy and while nursing. | Reproductive toxicity — effects on or via lactation (Section 3.7) | Additional category |  |
|------|---|---|---------------------|--|

**▼ B**

|      |                                     |                                       |            |   |
|------|-------------------------------------|---------------------------------------|------------|---|
| P264 | Wash ... thoroughly after handling. | Acute toxicity — oral (section 3.1)   | 1, 2, 3, 4 | Manufacturer/supplier to specify parts of the body to be washed after handling. |
|      |                                     | Acute toxicity — dermal (section 3.1) | 1, 2       |   |
|      |                                     | Skin corrosion (section 3.2)          | 1A, 1B, 1C |   |

▼ **B**

| Code (1)    | Prevention precautionary statements (2)                                | Hazard class (3)   | Hazard category (4) | Conditions for use (5)             |
|-------------|--|--|---------------------|------------------------------------|
|             |  | Skin irritation (section 3.2)  | 2                   |                                    |
|             |  | Eye irritation (section 3.3)   | 2                   |                                    |
|             |  | Reproductive toxicity — effects on or via lactation (section 3.7)                            | Additional category |                                    |
|             |  | Specific target organ toxicity — single exposure (section 3.8)                               | 1, 2                |                                    |
|             |  | Specific target organ toxicity — repeated exposure (section 3.9)                             | 1                   |                                    |
| P270        | Do not eat, drink or smoke when using this product.                    | Acute toxicity — oral (section 3.1)  | 1, 2, 3, 4          |                                    |
|             |  | Acute toxicity — dermal (section 3.1)  | 1, 2                |                                    |
|             |  | Reproductive toxicity — effects on or via lactation (section 3.7)                            | Additional category |                                    |
|             |  | Specific target organ toxicity — single exposure (section 3.8)                               | 1, 2                |                                    |
|             |  | Specific target organ toxicity — repeated exposure (section 3.9)                             | 1                   |                                    |
| P271        | Use only outdoors or in a well-ventilated area.                        | Acute toxicity — inhalation (section 3.1)  | 1, 2, 3, 4          |                                    |
|             |  | Specific target organ toxicity — single exposure; respiratory tract irritation (section 3.8) | 3                   |                                    |
|             |  | Specific target organ toxicity — single exposure; narcosis (section 3.8)                     | 3                   |                                    |
| ▼ <b>M2</b> |  |  |                     |                                    |
| P272        | Contaminated work clothing should not be allowed out of the workplace. | Skin sensitisation (section 3.4)   | 1, 1A, 1B           |                                    |
| ▼ <b>B</b>  |  |  |                     |                                    |
| P273        | Avoid release to the environment.                                      | Hazardous to the aquatic environment — acute aquatic hazard (section 4.1)                    | 1                   | — if this is not the intended use. |
|             |  | Hazardous to the aquatic environment — ► <b>M2</b> long-term aquatic hazard (section 4.1) ◀  | 1, 2, 3, 4          |                                    |

▼ **B**

| Code<br>(1)  | Prevention precautionary<br>statements<br>(2)  | Hazard class<br>(3)   | Hazard category<br>(4)   | Conditions for use<br>(5)   |   |
|--------------|--|---|--|---|---|
| ▼ <b>M2</b>  |  |   |  |   |   |
| ▼ <b>M12</b> | P280 Wear protective gloves/<br>protective clothing/eye<br>protection/face protection. | Explosives (Section 2.1)  | Unstable<br>explosives and<br>divisions 1.1,<br>1.2, 1.3, 1.4, 1.5             | Manufacturer/supplier to<br>specify the appropriate type<br>of equipment. |   |
|              |  | Flammable liquids (Section 2.6)   | 1, 2, 3  |   |   |
|              |  | Flammable solids (Section 2.7)  | 1, 2   |   |   |
|              |  | Self-reactive substances and mixtures (Section 2.8)                                       | Types A, B, C,<br>D, E, F  |   |   |
|              |  | Pyrophoric liquids (Section 2.9)  | 1  |   |   |
|              |  | Pyrophoric solids (Section 2.10)  | 1  |   |   |
|              |  | Self-heating substances and mixtures (Section 2.11)                                       | 1, 2   |   |   |
|              |  | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3  |   |   |
|              |  | Oxidising liquids (Section 2.13)  | 1, 2, 3  |   |   |
|              |  | Oxidising solids (Section 2.14)   | 1, 2, 3  |   |   |
|              |  | Organic peroxides (Section 2.15)  | Types A, B, C,<br>D, E, F  |   |   |
|              |  | Acute toxicity — dermal (Section 3.1)   | 1, 2, 3, 4   |   | — Specify protective gloves/clothing<br>Manufacturer/supplier may further specify type of equipment where appropriate.                          |
|              |  | Skin corrosion (Section 3.2)  | 1, 1A, 1B, 1C  |   | — Specific protective gloves/clothing and eye/face protection<br>Manufacturer/supplier may further specify type of equipment where appropriate. |
|              |  | Skin irritation (Section 3.2)   | 2  |   | — Specify protective gloves.  |
|              | Skin sensitisation (Section 3.4)   | 1, 1A, 1B   | Manufacturer/supplier may further specify type of equipment where appropriate. |   |   |

▼ **M12**

| Code (1) | Prevention precautionary statements (2) | Hazard class (3)                     | Hazard category (4) | Conditions for use (5)   |
|----------|---|--------------------------------------|---------------------|--|
|          |   | Serious eye damage (Section 3.3)     | 1                   | — Specify eye/face protection.   |
|          |   | Eye irritation (Section 3.3)         | 2                   | Manufacturer/supplier may further specify type of equipment where appropriate. |
|          |   | Germ cell mutagenicity (Section 3.5) | 1A, 1B, 2           | Manufacturer/ supplier to specify the appropriate type of equipment.           |
|          |   | Carcinogenicity (Section 3.6)        | 1A, 1B, 2           |  |
|          |   | Reproductive toxicity (Section 3.7)  | 1A, 1B, 2           |  |

▼ **M4**▼ **M12**

|      |   |   |                            |   |
|------|---|---|----------------------------|---|
| P282 | Wear cold insulating gloves and either face shield or eye protection. | Gases under pressure (Section 2.5)        | Refrigerated liquefied gas |   |
| P283 | Wear fire resistant or flame retardant clothing.                      | Oxidising liquids (Section 2.13)          | 1                          |   |
|      |   | Oxidising solids (Section 2.14)           | 1                          |   |
| P284 | [In case of inadequate ventilation] wear respiratory protection.      | Acute toxicity — inhalation (Section 3.1) | 1, 2                       | — text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use.<br><br>Manufacturer/supplier to specify equipment. |
|      |   | Respiratory sensitisation (Section 3.4)   | 1, 1A, 1B                  |   |

▼ **M4**▼ **M12**

|             |   |   |         |   |
|-------------|---|---|---------|---|
| P231 + P232 | Handle and store contents under inert gas/...<br>Protect from moisture. | Pyrophoric liquids (Section 2.9)  | 1       | ... Manufacturer/supplier to specify the appropriate liquid or gas if 'inert gas' is not appropriate.   |
|             |   | Pyrophoric solids (Section 2.10)  | 1       |   |
|             |   | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3 | — if the substance or mixture reacts readily with moisture in air.<br><br>... Manufacturer/supplier to specify appropriate liquid or gas if 'inert gas' is not appropriate. |

**▼B**

Table 6.3

**Precautionary statements — Response**

| Code (1)     | Response precautionary statements (2) | Hazard class (3)   | Hazard category (4) | Conditions for use (5) |
|--------------|---------------------------------------|--|---------------------|------------------------|
| P301         | IF SWALLOWED:                         | Acute toxicity — oral (section 3.1)  | 1, 2, 3, 4          |                        |
|              |                                       | Skin corrosion (section 3.2)   | 1A, 1B, 1C          |                        |
|              |                                       | Aspiration Hazard (section 3.10)   | 1                   |                        |
| ▼M12<br>P302 | IF ON SKIN:                           | Pyrophoric liquids (Section 2.9)   | 1                   |                        |
|              |                                       | Pyrophoric solids (Section 2.10)   | 1                   |                        |
|              |                                       | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12)    | 1, 2                |                        |
|              |                                       | Acute Toxicity, dermal (Section 3.1)   | 1, 2, 3, 4          |                        |
|              |                                       | Skin irritation (Section 3.2)  | 2                   |                        |
|              |                                       | Skin sensitisation (Section 3.4)   | 1, 1A, 1B           |                        |
| ▼B<br>P303   | IF ON SKIN (or hair):                 | Flammable liquids (section 2.6)  | 1, 2, 3             |                        |
|              |                                       | Skin corrosion (section 3.2)   | 1A, 1B, 1C          |                        |
| ▼M2<br>P304  | IF INHALED:                           | Acute toxicity — inhalation (section 3.1)  | 1, 2, 3, 4          |                        |
|              |                                       | Skin corrosion (section 3.2)   | 1A, 1B, 1C          |                        |
|              |                                       | Respiratory sensitisation (section 3.4)  | 1, 1A, 1B           |                        |
|              |                                       | Specific target organ toxicity — single exposure; respiratory tract irritation (section 3.8) | 3                   |                        |
|              |                                       | Specific target organ toxicity — single exposure; narcosis (section 3.8)                     | 3                   |                        |



▼ **B**

| Code (1) | Response precautionary statements (2) | Hazard class (3)                                | Hazard category (4) | Conditions for use (5) |
|----------|---------------------------------------|---|---------------------|------------------------|
| P305     | IF IN EYES:                           | Skin corrosion (section 3.2)                    | 1A, 1B, 1C          |                        |
|          |                                       | Serious eye damage/eye irritation (section 3.3) | 1                   |                        |
|          |                                       | Eye irritation (section 3.3)                    | 2                   |                        |
| P306     | IF ON CLOTHING:                       | Oxidising liquids (section 2.13)                | 1                   |                        |
|          |                                       | Oxidising solids (section 2.14)                 | 1                   |                        |

▼ **M4**

|      |   |   |                     |   |
|------|---|---|---------------------|---|
| P308 | IF exposed or concerned:                    | Germ cell mutagenicity (section 3.5)                              | 1A, 1B, 2           |   |
|      |   | Carcinogenicity (section 3.6)                                     | 1A, 1B, 2           |   |
|      |   | Reproductive toxicity (section 3.7)                               | 1A, 1B, 2           |   |
|      |   | Reproductive toxicity — effects on or via lactation (section 3.7) | Additional category |   |
|      |   | Specific target organ toxicity, single exposure (section 3.8)     | 1, 2                |   |
| P310 | Immediately call a POISON CENTER/doctor/... | Acute toxicity — oral (section 3.1)                               | 1, 2, 3             | ...Manufacturer/supplier to specify the appropriate source of emergency medical advice. |
|      |   | Acute toxicity — dermal (section 3.1)                             | 1, 2                |   |
|      |   | Acute toxicity — inhalation (section 3.1)                         | 1, 2                |   |
|      |   | Skin corrosion (section 3.2)                                      | 1A, 1B, 1C          |   |
|      |   | Serious eye damage/eye irritation (section 3.3)                   | 1                   |   |
|      |   | Aspiration hazard (section 3.10)                                  | 1                   |   |
| P311 | Call a POISON CENTER/doctor/...             | Acute toxicity — inhalation (section 3.1)                         | 3                   | ...Manufacturer/supplier to specify the appropriate source of emergency medical advice. |
|      |   | Respiratory sensitisation (section 3.4)                           | 1, 1A, 1B           |   |
|      |   | Specific target organ toxicity — single exposure (section 3.8)    | 1, 2                |   |

▼ **B**

| Code (1)     | Response precautionary statements (2)               | Hazard class (3)   | Hazard category (4)        | Conditions for use (5)   |
|--------------|---|--|----------------------------|--|
| <b>▼ M12</b> |   |  |                            |  |
| P312         | Call a POISON CENTRE/doctor/... if you feel unwell. | Acute toxicity — oral (Section 3.1)  | 4                          | ... Manufacturer/supplier to specify the appropriate source of emergency medical advice. |
|              |   | Acute toxicity — dermal (Section 3.1)  | 3, 4                       |  |
|              |   | Acute toxicity — inhalation (Section 3.1)  | 4                          |  |
|              |   | Specific target organ toxicity — single exposure; respiratory tract irritation (Section 3.8) | 3                          |  |
|              |   | Specific target organ toxicity — single exposure; narcotic effects (Section 3.8)             | 3                          |  |
| <b>▼ M2</b>  |   |  |                            |  |
| P313         | Get medical advice/attention.                       | Skin irritation (section 3.2)  | 2, 3                       |  |
|              |   | Eye irritation (section 3.3)   | 2                          |  |
|              |   | Skin sensitisation (section 3.4)   | 1, 1A, 1B                  |  |
|              |   | Germ cell mutagenicity (section 3.5)   | 1A, 1B, 2                  |  |
|              |   | Carcinogenicity (section 3.6)  | 1A, 1B, 2                  |  |
|              |   | Reproductive toxicity (section 3.7)  | 1A, 1B, 2                  |  |
|              |   | Reproductive toxicity — effects on or via lactation (section 3.7)                            | Additional category        |  |
| <b>▼ B</b>   |   |  |                            |  |
| P314         | Get medical advice/attention if you feel unwell.    | Specific target organ toxicity — repeated exposure (section 3.9)                             | 1, 2                       |  |
| P315         | Get immediate medical advice/attention.             | Gases under pressure (section 2.5)   | Refrigerated liquefied gas |  |

▼ **B**

| Code (1)     | Response precautionary statements (2)                 | Hazard class (3)   | Hazard category (4) | Conditions for use (5)  |
|--------------|---|--|---------------------|---|
| <b>▼ M12</b> |   |  |                     |   |
| P320         | Specific treatment is urgent (see ... on this label). | Acute toxicity — inhalation (Section 3.1)                      | 1, 2                | — if immediate administration of antidote is required.<br>... Reference to supplemental first aid instruction.                |
| P321         | Specific treatment (see ... on this label).           | Acute toxicity — oral (Section 3.1)                            | 1, 2, 3             | — if immediate administration of antidote is required.<br>... Reference to supplemental first aid instruction.                |
|              |   | Acute toxicity, dermal (Section 3.1)                           | 1, 2, 3, 4          | — if immediate measures such as specific cleansing agent are advised.<br>... Reference to supplemental first aid instruction. |
|              |   | Acute toxicity — inhalation (Section 3.1)                      | 3                   | — if immediate specific measures are required.<br>... Reference to supplemental first aid instruction.                        |
|              |   | Skin corrosion (Section 3.2)                                   | 1, 1A, 1B, 1C       | ... Reference to supplemental first aid instruction.  |
|              |   | Skin irritation (Section 3.2)                                  | 2                   | Manufacturer/supplier may specify a cleansing agent if appropriate.   |
|              |   | Skin sensitisation (Section 3.4)                               | 1, 1A, 1B           |   |
|              |   | Specific target organ toxicity — single exposure (Section 3.8) | 1                   | — if immediate measures are required.<br>... Reference to supplemental first aid instruction.                                 |
| <b>▼ M4</b>  |   |  |                     |   |
| <b>▼ B</b>   |   |  |                     |   |
| P330         | Rinse mouth.  | Acute toxicity — oral (section 3.1)                            | 1, 2, 3, 4          |   |
|              |   | Skin corrosion (section 3.2)                                   | 1A, 1B, 1C          |   |
| P331         | Do NOT induce vomiting.                               | Skin corrosion (section 3.2)                                   | 1A, 1B, 1C          |   |
|              |   | Aspiration hazard (section 3.10)                               | 1                   |   |
| P332         | If skin irritation occurs:                            | Skin irritation (section 3.2)                                  | 2, 3                |   |

**▼B**

| Code (1)            | Response precautionary statements (2)                               | Hazard class (3)  | Hazard category (4)        | Conditions for use (5)  |
|---------------------|---|---|----------------------------|---|
| <b>▼M2</b><br>P333  | If skin irritation or rash occurs:                                  | Skin sensitisation (section 3.4)  | 1, 1A, 1B                  |   |
| <b>▼M12</b><br>P334 | Immerse in cool water [or wrap in wet bandages].                    | Pyrophoric liquids (Section 2.9)  | 1                          | — text in square brackets to be used for pyrophoric liquids and solids        |
|                     |   | Pyrophoric solids (Section 2.10)  | 1                          |   |
|                     |   | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2                       | Use only 'immerse in cool water.' Text in square brackets should not be used. |
| <b>▼B</b><br>P335   | Brush off loose particles from skin.                                | Pyrophoric solids (section 2.10)  | 1                          |   |
|                     |   | Substances and mixtures which, in contact with water, emit flammable gases (section 2.12) | 1, 2                       |   |
| P336                | Thaw frosted parts with lukewarm water. Do not rub affected area.   | Gases under pressure (section 2.5)  | Refrigerated liquefied gas |   |
| P337                | If eye irritation persists:   | Eye irritation (section 3.3)  | 2                          |   |
| P338                | Remove contact lenses, if present and easy to do. Continue rinsing. | Skin corrosion (section 3.2)  | 1A, 1B, 1C                 |   |
|                     |   | Serious eye damage/eye irritation (section 3.3)   | 1                          |   |
|                     |   | Eye irritation (section 3.3)  | 2                          |   |
| <b>▼M4</b><br>P340  | Remove person to fresh air and keep comfortable for breathing.      | Acute toxicity — inhalation (section 3.1)   | 1, 2, 3, 4                 |   |
|                     |   | Skin corrosion (section 3.2)  | 1A, 1B, 1C                 |   |
|                     |   | Respiratory sensitisation (section 3.4)   | 1, 1A, 1B                  |   |

▼ M4

| Code (1) | Response precautionary statements (2) | Hazard class (3)   | Hazard category (4) | Conditions for use (5) |
|----------|---------------------------------------|--|---------------------|------------------------|
|          |                                       | Specific target organ toxicity — single exposure; respiratory tract irritation (section 3.8) | 3                   |                        |
|          |                                       | Specific target organ toxicity — single exposure; narcosis (section 3.8)                     | 3                   |                        |

▼ M2

|      |                                       |   |           |  |
|------|---------------------------------------|---|-----------|--|
| P342 | If experiencing respiratory symptoms: | Respiratory sensitisation (section 3.4) | 1, 1A, 1B |  |
|------|---------------------------------------|---|-----------|--|

▼ M4

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

▼ B

|      |  |   |            |  |
|------|--|---|------------|--|
| P351 | Rinse cautiously with water for several minutes. | Skin corrosion (section 3.2)                    | 1A, 1B, 1C |  |
|      |  | Serious eye damage/eye irritation (section 3.3) | 1          |  |
|      |  | Eye irritation (section 3.3)                    | 2          |  |

▼ M4

|      |                                |                                       |            |  |
|------|--------------------------------|---------------------------------------|------------|--|
| P352 | Wash with plenty of water/ ... | Acute toxicity — dermal (section 3.1) | 1, 2, 3, 4 | ...Manufacturer/supplier may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. |
|      |                                | Skin irritation (section 3.2)         | 2          |  |
|      |                                | Skin sensitisation (section 3.4)      | 1, 1A, 1B  |  |

▼ M12

|      |                                    |                                 |               |  |
|------|------------------------------------|---------------------------------|---------------|--|
| P353 | Rinse skin with water [or shower]. | Flammable liquids (Section 2.6) | 1, 2, 3       | — text in square brackets to be included where the manufacturer/supplier considers it appropriate for the specific chemical. |
|      |                                    | Skin corrosion (Section 3.2)    | 1, 1A, 1B, 1C |  |

▼ B

|      |  |                                  |   |  |
|------|--|----------------------------------|---|--|
| P360 | Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. | Oxidising liquids (section 2.13) | 1 |  |
|      |  | Oxidising solids (section 2.14)  | 1 |  |

▼ M4

|      |   |                                       |         |  |
|------|---|---------------------------------------|---------|--|
| P361 | Take off immediately all contaminated clothing. | Flammable liquids (section 2.6)       | 1, 2, 3 |  |
|      |   | Acute toxicity — dermal (section 3.1) | 1, 2, 3 |  |

▼ **M4**

| Code (1) | Response precautionary statements (2)    | Hazard class (3)                     | Hazard category (4) | Conditions for use (5) |
|----------|--|--------------------------------------|---------------------|------------------------|
|          |  | Skin corrosion (section 3.2)         | 1A, 1B, 1C          |                        |
| P362     | Take off contaminated clothing.          | Acute toxicity, dermal (section 3.1) | 4                   |                        |
|          |  | Skin irritation (section 3.2)        | 2                   |                        |
|          |  | Skin sensitisation (section 3.4)     | 1, 1A, 1B           |                        |
| P363     | Wash contaminated clothing before reuse. | Skin corrosion (section 3.2)         | 1A, 1B, 1C          |                        |
| P364     | And wash it before reuse.                | Acute toxicity, dermal (section 3.1) | 1, 2, 3, 4          |                        |
|          |  | Skin irritation (section 3.2)        | 2                   |                        |
|          |  | Skin sensitisation (section 3.4)     | 1, 1A, 1B           |                        |

▼ **M12**

|      |                  |   |   |  |
|------|------------------|---|---|--|
| P370 | In case of fire: | Explosives (Section 2.1)  | Unstable explosives and divisions 1.1, 1.2, 1.3, 1.4, 1.5 |  |
|      |                  | Oxidising gases (Section 2.4)   | 1   |  |
|      |                  | Flammable liquids (Section 2.6)   | 1, 2, 3   |  |
|      |                  | Flammable solids (Section 2.7)  | 1, 2  |  |
|      |                  | Self-reactive substances and mixtures (Section 2.8)                                       | Types A, B, C, D, E, F                                    |  |
|      |                  | Pyrophoric liquids (Section 2.9)  | 1   |  |
|      |                  | Pyrophoric solids (Section 2.10)  | 1   |  |
|      |                  | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3   |  |
|      |                  | Oxidising liquids (Section 2.13)  | 1, 2, 3   |  |
|      |                  | Oxidising solids (Section 2.14)   | 1, 2, 3   |  |

▼ **M12**

| Code (1) | Response precautionary statements (2) | Hazard class (3)                 | Hazard category (4)    | Conditions for use (5) |
|----------|---------------------------------------|----------------------------------|------------------------|------------------------|
|          |                                       | Organic Peroxides (Section 2.15) | Types A, B, C, D, E, F |                        |

▼ **B**

|      |   |                                  |   |  |
|------|---|----------------------------------|---|--|
| P371 | In case of major fire and large quantities: | Oxidising liquids (section 2.13) | 1 |  |
|      |   | Oxidising solids (section 2.14)  | 1 |  |

▼ **M12**

|      |   |   |  |   |
|------|---|---|--|---|
| P372 | Explosion risk.                                   | Explosives (Section 2.1)                            | Unstable explosives and Divisions 1.1, 1.2, 1.3, and 1.5 |   |
|      |   |   | Division 1.4   | — except for explosives of division 1.4 (compatibility group S) in transport packaging. |
|      |   | Self-reactive substances and mixtures (Section 2.8) | Type A   |   |
|      |   | Organic peroxides (Section 2.15)                    | Type A   |   |
| P373 | DO NOT fight fire when fire reaches explosives.   | Explosives (Section 2.1)                            | Unstable explosives and Divisions 1.1, 1.2, 1.3, 1.5     |   |
|      |   |   | Division 1.4   | — except for explosives of division 1.4 (compatibility group S) in transport packaging. |
|      |   | Self-reactive substances and mixtures (Section 2.8) | Type A   |   |
|      |   | Organic peroxides (Section 2.15)                    | Type A   |   |
| P375 | Fight fire remotely due to the risk of explosion. | Explosives (Section 2.1)                            | Division 1.4   | — for explosives of division 1.4 (compatibility group S) in transport packaging.        |
|      |   | Self-reactive substances and mixtures (Section 2.8) | Type B   |   |
|      |   | Oxidising liquids (Section 2.13)                    | 1  |   |
|      |   | Oxidising solids (Section 2.14)                     | 1  |   |
|      |   | Organic peroxides (Section 2.15)                    | Type B   |   |

▼ **B**

| Code (1) | Response precautionary statements (2)                                      | Hazard class (3)              | Hazard category (4) | Conditions for use (5) |
|----------|--|-------------------------------|---------------------|------------------------|
| P376     | Stop leak if safe to do so.  | Oxidising gases (section 2.4) | 1                   |                        |
| P377     | Leaking gas fire:<br>Do not extinguish, unless leak can be stopped safely. | Flammable gases (section 2.2) | 1, 2                |                        |

▼ **M12**

|      |   |   |   |   |
|------|---|---|---|---|
| P378 | Use ... to extinguish.                              | Flammable liquids (Section 2.6)   | 1, 2, 3   | — if water increases risk<br>... Manufacturer/supplier to specify appropriate media |
|      |   | Flammable solids (Section 2.7)  | 1, 2  |   |
|      |   | Self-reactive substances and mixtures (Section 2.8)                                       | Types B, C, D, E, F                                       |   |
|      |   | Pyrophoric liquids (Section 2.9)  | 1   |   |
|      |   | Pyrophoric solids (Section 2.10)  | 1   |   |
|      |   | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3   |   |
|      |   | Oxidising liquids (Section 2.13)  | 1, 2, 3   |   |
|      |   | Oxidising solids (Section 2.14)   | 1, 2, 3   |   |
|      |   | Organic peroxides (Section 2.15)  | Types B, C, D, E, F                                       |   |
| P380 | Evacuate area.                                      | Explosives (Section 2.1)  | Unstable explosives,<br>Divisions 1.1, 1.2, 1.3, 1.4, 1.5 |   |
|      |   | Self-reactive substances and mixtures (Section 2.8)                                       | Types A, B  |   |
|      |   | Oxidising liquids (Section 2.13)  | 1   |   |
|      |   | Oxidising solids (Section 2.14)   | 1   |   |
|      |   | Organic peroxides (Section 2.15)  | Types A, B  |   |
| P381 | In case of leakage, eliminate all ignition sources. | Flammable gases (Section 2.2)   | 1, 2  |   |
| P390 | Absorb spillage to prevent material damage.         | Corrosive to metals (section 2.16)  | 1   |   |

▼ **B**



▼ **B**

| Code (1)                    | Response precautionary statements (2)                                      | Hazard class (3)   | Hazard category (4) | Conditions for use (5)   |
|-----------------------------|--|--|---------------------|--|
| P391                        | Collect spillage.  | Hazardous to the aquatic environment – acute aquatic hazard (section 4.1)                    | 1                   |  |
|                             |  | Hazardous to the aquatic environment – <b>M2</b> long-term aquatic hazard (section 4.1) ◀    | 1, 2                |  |
| ▼ <b>M4</b><br>P301 + P310  | IF SWALLOWED: Immediately call a POISON CENTER/doctor/...                  | Acute toxicity — oral (section 3.1)  | 1, 2, 3             | ...Manufacturer/supplier to specify the appropriate source of emergency medical advice.  |
|                             |  | Aspiration hazard (section 3.10)   | 1                   |  |
| ▼ <b>M12</b><br>P301 + P312 | IF SWALLOWED: Call a POISON CENTRE/doctor/... if you feel unwell.          | Acute toxicity — oral (Section 3.1)  | 4                   | ... Manufacturer/supplier to specify the appropriate source of emergency medical advice.   |
| _____                       |  |  |                     |  |
| P302 + P334                 | IF ON SKIN: Immerse in cool water or wrap in wet bandages.                 | Pyrophoric liquids (Section 2.9)   | 1                   |  |
| ▼ <b>M4</b><br>_____        |  |  |                     |  |
| P302 + P352                 | IF ON SKIN: Wash with plenty of water/...                                  | Acute toxicity — dermal (section 3.1)  | 1, 2, 3, 4          | ...Manufacturer/supplier may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. |
|                             |  | Skin irritation (section 3.2)  | 2                   |  |
|                             |  | Skin sensitisation (section 3.4)   | 1, 1A, 1B           |  |
| ▼ <b>M12</b><br>_____       |  |  |                     |  |
| ▼ <b>M4</b><br>P304 + P340  | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | Acute toxicity — inhalation (section 3.1)  | 1, 2, 3, 4          |  |
|                             |  | Skin corrosion (section 3.2)   | 1A, 1B, 1C          |  |
|                             |  | Respiratory sensitisation (section 3.4)  | 1, 1A, 1B           |  |
|                             |  | Specific target organ toxicity — single exposure; respiratory tract irritation (section 3.8) | 3                   |  |

▼ M4

| Code (1) | Response precautionary statements (2) | Hazard class (3)   | Hazard category (4) | Conditions for use (5) |
|----------|---------------------------------------|--|---------------------|------------------------|
|          |                                       | Specific target organ toxicity — single exposure; narcosis (section 3.8) | 3                   |                        |
|          |                                       |  |                     |                        |

▼ M12

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

▼ B

|             |  |                                  |   |  |
|-------------|--|----------------------------------|---|--|
| P306 + P360 | IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. | Oxidising liquids (section 2.13) | 1 |  |
|             |  | Oxidising solids (section 2.14)  | 1 |  |

▼ M4

|             |  |  |      |   |
|-------------|--|--|------|---|
| P308 + P311 | IF exposed or concerned: Call a POISON CENTER/doctor/... | Specific target organ toxicity — single exposure (section 3.8) | 1, 2 | ...Manufacturer/supplier to specify the appropriate source of emergency medical advice. |
|-------------|--|--|------|---|

▼ B

|             |  |   |                     |  |
|-------------|--|---|---------------------|--|
| P308 + P313 | IF exposed or concerned: Get medical advice/attention. | Germ cell mutagenicity (section 3.5)                              | 1A, 1B, 2           |  |
|             |  | Carcinogenicity (section 3.6)                                     | 1A, 1B, 2           |  |
|             |  | Reproductive toxicity (section 3.7)                               | 1A, 1B, 2           |  |
|             |  | Reproductive toxicity — effects on or via lactation (section 3.7) | Additional category |  |

▼ M4

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

▼ M12

|             |  |                               |   |  |
|-------------|--|-------------------------------|---|--|
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. | Skin irritation (Section 3.2) | 2 | — may be omitted when P333 + P313 is given on the label. |
|-------------|--|-------------------------------|---|--|

▼ M2

|             |  |                                  |           |  |
|-------------|--|----------------------------------|-----------|--|
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. | Skin sensitisation (section 3.4) | 1, 1A, 1B |  |
|-------------|--|----------------------------------|-----------|--|

▼ M12

|             |   |                                    |                            |  |
|-------------|---|------------------------------------|----------------------------|--|
| P336 + P315 | Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. | Gases under pressure (Section 2.5) | Refrigerated liquefied gas |  |
|-------------|---|------------------------------------|----------------------------|--|

▼ **M12**

| Code (1) | Response precautionary statements (2) | Hazard class (3) | Hazard category (4) | Conditions for use (5) |
|----------|---------------------------------------|------------------|---------------------|------------------------|
| —        |                                       |                  |                     |                        |

▼ **B**

|             |   |                              |   |  |
|-------------|---|------------------------------|---|--|
| P337 + P313 | If eye irritation persists: Get medical advice/attention. | Eye irritation (section 3.3) | 2 |  |
|-------------|---|------------------------------|---|--|

▼ **M4**

|             |  |   |           |   |
|-------------|--|---|-----------|---|
| P342 + P311 | If experiencing respiratory symptoms: Call a POISON CENTER/doctor/...    | Respiratory sensitisation (section 3.4) | 1, 1A, 1B | ...Manufacturer/supplier to specify the appropriate source of emergency medical advice. |
| P361 + P364 | Take off immediately all contaminated clothing and wash it before reuse. | Acute toxicity, dermal (section 3.1)    | 1, 2, 3   |   |
| P362 + P364 | Take off contaminated clothing and wash it before reuse.                 | Acute toxicity, dermal (section 3.1)    | 4         |   |
|             |  | Skin irritation (section 3.2)           | 2         |   |
|             |  | Skin sensitisation (section 3.4)        | 1, 1A, 1B |   |

▼ **B**

|             |  |                               |   |  |
|-------------|--|-------------------------------|---|--|
| P370 + P376 | In case of fire: Stop leak if safe to do so. | Oxidizing gases (section 2.4) | 1 |  |
|-------------|--|-------------------------------|---|--|

▼ **M12**

|             |   |   |                  |  |
|-------------|---|---|------------------|--|
| P370 + P378 | In case of fire: Use ... to extinguish. | Flammable liquids (Section 2.6)   | 1, 2, 3          | — if water increases risk.<br>... Manufacturer/sup-plier to specify appropriate media. |
|             |   | Flammable solids (Section 2.7)  | 1, 2             |  |
|             |   | Self-reactive substances and mixtures (Section 2.8)                                       | Types C, D, E, F |  |
|             |   | Pyrophoric liquids (Section 2.9)  | 1                |  |
|             |   | Pyrophoric solids (Section 2.10)  | 1                |  |
|             |   | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3          |  |
|             |   | Oxidising liquids (Section 2.13)  | 1, 2, 3          |  |
|             |   | Oxidising solids (Section 2.14)   | 1, 2, 3          |  |
|             |   | Organic peroxides (Section 2.15)  | Types C, D, E, F |  |

▼ **M12**

| Code (1)           | Response precautionary statements (2)  | Hazard class (3)  | Hazard category (4) | Conditions for use (5)   |
|--------------------|--|---|---------------------|--|
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   | Skin corrosion (Section 3.2)  | 1, 1A, 1B, 1C       |  |
| P302 + P335 + P334 | IF ON SKIN: Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].                                | Pyrophoric solids (Section 2.10)  | 1                   | — text in square brackets to be used for pyrophoric solids   |
|                    |  | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2                | — use only 'Immerse in cold water'. Text in square brackets should not be used.  |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         | Flammable liquids (Section 2.6)   | 1, 2, 3             | — text in square brackets to be included where the manufacturer/supplier considers it appropriate for the specific chemical. |
|                    |  | Skin corrosion (Section 3.2)  | 1, 1A, 1B, 1C       |  |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | Skin corrosion (Section 3.2)  | 1, 1A, 1B, 1C       |  |
|                    |  | Serious eye damage/eye irritation (Section 3.3)   | 1                   |  |
|                    |  | Eye irritation (Section 3.3)  | 2                   |  |
| —                  |  |   |                     |  |
| P370 + P380 + P375 | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.  | Explosives (Section 2.1)  | Division 1.4        | — for explosives of division 1.4 (compatibility group S) in transport packaging  |
| P371 + P380 + P375 | In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.                     | Oxidising liquids (section 2.13)  | 1                   |  |
|                    |  | Oxidising solids (section 2.14)   | 1                   |  |

▼ **B**

▼ **B**

| Code (1)   | Response precautionary statements (2)  | Hazard class (3)                                    | Hazard category (4)                                  | Conditions for use (5)   |
|--|--|---|--|--|
| ▼ <b>M12</b><br>P370 +<br>P372 +<br>P380 +<br>P373 | In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives             | Explosives (Section 2.1)                            | Unstable explosives and divisions 1.1, 1.2, 1.3, 1.5 | — except for explosives of division 1.4 (compatibility group S) in transport packaging.                                  |
|  |  |   | Division 1.4   |  |
|  |  | Self-reactive substances and mixtures (Section 2.8) | Type A   |  |
|  |  | Organic peroxides (Section 2.15)                    | Type A   |  |
| P370 +<br>P380 +<br>P375 +<br>[P378]               | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. [Use ... to extinguish]. | Self-reactive substances and mixtures (Section 2.8) | Type B   | — text in square brackets to be used if water increases risk.<br>... Manufacturer/supplier to specify appropriate media. |
|  |  | Organic peroxides (Section 2.15)                    | Type B   |  |

▼ **B**

Table 6.4

## Precautionary statements — Storage

| Code (1)             | Storage precautionary statements (2) | Hazard class (3)  | Hazard category (4)                                       | Conditions for use (5)   |
|----------------------|--------------------------------------|---|---|--|
| ▼ <b>M12</b><br>P401 | Store in accordance with ...         | Explosives (Section 2.1)  | Unstable explosives and Divisions 1.1, 1.2, 1.3, 1.4, 1.5 | ... Manufacturer/ supplier to specify local/regional/national/international regulations as applicable. |
| ▼ <b>B</b><br>P402   | Store in a dry place.                | Substances and mixtures which, in contact with water, emit flammable gases (section 2.12) | 1, 2, 3   |  |
| ▼ <b>M12</b><br>P403 | Store in a well-ventilated place.    | Flammable gases (Section 2.2)   | 1, 2  |  |
|                      |                                      | Oxidising gases (Section 2.4)   | 1   |  |
|                      |                                      | Gases under pressure (Section 2.5)  | Compressed gas  |  |
| Liquefied gas        |                                      |   |   |  |

▼ **M12**

| Code (1)   | Storage precautionary statements (2) | Hazard class (3)   | Hazard category (4)           | Conditions for use (5)  |
|------------|--------------------------------------|--|-------------------------------|---|
|            |                                      |  | Refrigerated<br>Liquefied gas |   |
|            |                                      |  | Dissolved gas                 |   |
|            |                                      | Flammable liquids (Section 2.6)  | 1, 2, 3                       | — for flammable liquids Category 1 and other flammable liquids that are volatile and may generate an explosive atmosphere.                                  |
|            |                                      | Self-reactive substances and mixtures (Section 2.8)  | Types A, B, C, D, E, F        | — except for temperature controlled self-reactive substances and mixtures or organic peroxides because condensation and consequent freezing may take place. |
|            |                                      | Organic peroxides (Section 2.15)   |                               |   |
|            |                                      | Acute toxicity — inhalation (Section 3.1)  | 1, 2, 3                       | — if the substance or mixture is volatile and may generate a hazardous atmosphere.  |
|            |                                      | Specific target organ toxicity — single exposure; respiratory tract irritation (Section 3.8) | 3                             |   |
|            |                                      | Specific target organ toxicity — single exposure; narcotic effects (Section 3.8)             | 3                             |   |
| <b>▼ B</b> |                                      |  |                               |   |
| P404       | Store in a closed container.         | Substances and mixtures which, in contact with water, emit flammable gases (section 2.12)    | 1, 2, 3                       |   |
| P405       | Store locked up.                     | Acute toxicity — oral (section 3.1)  | 1, 2, 3                       |   |
|            |                                      | Acute toxicity — dermal (section 3.1)  | 1, 2, 3                       |   |
|            |                                      | Acute toxicity — inhalation (section 3.1)  | 1, 2, 3                       |   |
|            |                                      | Skin corrosion (section 3.2)   | 1A, 1B, 1C                    |   |
|            |                                      | Germ cell mutagenicity (section 3.5)   | 1A, 1B, 2                     |   |
|            |                                      | Carcinogenicity (section 3.6)  | 1A, 1B, 2                     |   |
|            |                                      | Reproductive toxicity (section 3.7)  | 1A, 1B, 2                     |   |
|            |                                      | Specific target organ toxicity — single exposure (section 3.8)                               | 1, 2                          |   |

▼ **B**

| Code (1) | Storage precautionary statements (2) | Hazard class (3)   | Hazard category (4) | Conditions for use (5) |
|----------|--------------------------------------|--|---------------------|------------------------|
|          |                                      | Specific target organ toxicity — single exposure; respiratory tract irritation (section 3.8) | 3                   |                        |
|          |                                      | Specific target organ toxicity — single exposure; narcosis (section 3.8)                     | 3                   |                        |
|          |                                      | Aspiration hazard (section 3.10)   | 1                   |                        |

▼ **M12**

|      |  |   |      |  |
|------|--|---|------|--|
| P406 | Store in a corrosion-resistant/... container with a resistant inner liner. | Corrosive to metals (Section 2.16)                  | 1    | — may be omitted if P234 is given on the label<br>... Manufacturer/supplier to specify other compatible materials. |
| P407 | Maintain air gap between stacks or pallets.                                | Self-heating substances and mixtures (Section 2.11) | 1, 2 |  |

▼ **M4**

|      |                        |   |  |   |
|------|------------------------|---|--|---|
| P410 | Protect from sunlight. | Aerosols (section 2.3)                              | 1,2, 3   |   |
|      |                        | Gases under pressure (section 2.5)                  | Compressed gas<br>Liquefied gas<br>Dissolved gas | — <i>may be omitted for gases filled in transportable gas cylinders in accordance with packing instruction P200 of the UN RTDG, Model Regulations, unless those gases are subject to (slow) decomposition or polymerisation</i> |
|      |                        | Self-heating substances and mixtures (section 2.11) | 1, 2   |   |
|      |                        | Organic peroxides (section 2.15)                    | Types A, B, C, D, E, F                           |   |

▼ **M12**

|      |  |   |                        |  |
|------|--|---|------------------------|--|
| P411 | Store at temperatures not exceeding ... °C/... °F. | Self-reactive substances and mixtures (Section 2.8) | Types A, B, C, D, E, F | — if temperature control is required (according to Annex I, Section 2.8.2.4 or 2.15.2.3) or if otherwise deemed necessary.<br>... Manufacturer/supplier to specify temperature using the applicable temperature scale. |
|      |  | Organic peroxides (Section 2.15)                    | Types A, B, C, D, E, F |  |

▼ **M12**

| Code (1)            | Storage precautionary statements (2)   | Hazard class (3)   | Hazard category (4)    | Conditions for use (5)   |
|---------------------|--|--|------------------------|--|
| P412                | Do not expose to temperatures exceeding 50 °C/ 122 °F.                                     | Aerosols (Section 2.3)   | 1, 2, 3                | Manufacturer/supplier to use applicable temperature scale.   |
| P413                | Store bulk masses greater than ... kg/... lbs at temperatures not exceeding ... °C/... °F. | Self-heating substances and mixtures (Section 2.11)  | 1, 2                   | ... Manufacturer/supplier to specify mass and temperature using applicable scale.  |
| P420                | Store separately.  | Self-reactive substances and mixtures (Section 2.8)  | Types A, B, C, D, E, F |  |
|                     |  | Self-heating substances and mixtures (Section 2.11)  | 1,2                    |  |
|                     |  | Oxidising liquids (Section 2.13)   | 1                      |  |
|                     |  | Oxidising solids (Section 2.14)  | 1                      |  |
|                     |  | Organic peroxides (Section 2.15)   | Types A,B,C,D,E,F      |  |
| <hr/>               |  |  |                        |  |
| <b>▼ <u>B</u></b>   |  |  |                        |  |
| P402 + P404         | Store in a dry place. Store in a closed container.   | Substances and mixtures which, in contact with water, emit flammable gases (section 2.12)    | 1, 2, 3                |  |
| <hr/>               |  |  |                        |  |
| <b>▼ <u>M12</u></b> |  |  |                        |  |
| P403 + P233         | Store in a well-ventilated place. Keep container tightly closed.                           | Acute toxicity — inhalation (Section 3.1)  | 1, 2, 3                | — if the substance or mixture is volatile and may generate a hazardous atmosphere.   |
|                     |  | Specific target organ toxicity — single exposure; respiratory tract irritation (Section 3.8) | 3                      |  |
|                     |  | Specific target organ toxicity — single exposure; narcosis (Section 3.8)                     | 3                      |  |
| P403 + P235         | Store in a well-ventilated place. Keep cool.   | Flammable liquids (Section 2.6)  | 1, 2, 3                | — for flammable liquids Category 1 and other flammable liquids that are volatile and may generate an explosive atmosphere. |



▼ **M12**

| Code (1)    | Storage precautionary statements (2)   | Hazard class (3)                   | Hazard category (4) | Conditions for use (5)  |
|-------------|--|------------------------------------|---------------------|---|
| P410 + P403 | Protect from sunlight. Store in a well-ventilated place.                     | Gases under pressure (Section 2.5) | Compressed gas      | — P410 may be omitted for gases filled in transportable gas cylinders in accordance with packing instruction P200 of the UN RTDG, unless those gases are subject to (slow) decomposition or polymerisation. |
|             |  |                                    | Liquefied gas       |   |
|             |  |                                    | Dissolved gas       |   |
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. | Aerosols (Section 2.3)             | 1, 2, 3             | Manufacturer/ supplier to use applicable temperature scale.   |
| —           | —  | —                                  | —                   | —   |

▼ **M2**

Table 6.5

**Precautionary statements — Disposal**▼ **M12**

| Code (1) | Disposal precautionary statements (2) | Hazard class (3)  | Hazard category (4)                                       | Conditions for use (5)  |
|----------|---------------------------------------|---|---|---|
| P501     | Dispose of contents/ container to ... | Explosives (Section 2.1)  | Unstable explosives and Divisions 1.1, 1.2, 1.3, 1.4, 1.5 | ... in accordance with local/ regional/ national/ international regulation (to be specified).<br>Manufacturer/supplier to specify whether disposal requirements apply to contents, container or both. |
|          |                                       | Flammable liquids (Section 2.6)   | 1, 2, 3   |   |
|          |                                       | Self-reactive substances and mixtures (Section 2.8)                                       | Types A, B, C, D, E, F                                    |   |
|          |                                       | Substances and mixtures which, in contact with water, emit flammable gases (Section 2.12) | 1, 2, 3   |   |
|          |                                       | Oxidising liquids (Section 2.13)  | 1, 2, 3   |   |
|          |                                       | Oxidising solids (Section 2.14)   | 1, 2, 3   |   |
|          |                                       | Organic peroxides (Section 2.15)  | Types A, B, C, D, E, F                                    |   |

▼ **M12**

| Code (1) | Disposal precautionary statements (2)                                      | Hazard class (3)   | Hazard category (4) | Conditions for use (5) |
|----------|--|--|---------------------|------------------------|
|          |  | Acute toxicity — oral (Section 3.1)  | 1, 2, 3, 4          |                        |
|          |  | Acute toxicity — dermal (Section 3.1)  | 1, 2, 3, 4          |                        |
|          |  | Acute toxicity — inhalation (Section 3.1)  | 1, 2                |                        |
|          |  | Skin corrosion (Section 3.2)   | 1, 1A, 1B, 1C       |                        |
|          |  | Respiratory sensitisation (Section 3.4)  | 1, 1A, 1B           |                        |
|          |  | Skin sensitisation (Section 3.4)   | 1, 1A, 1B           |                        |
|          |  | Germ cell mutagenicity (Section 3.5)   | 1A, 1B, 2           |                        |
|          |  | Carcinogenicity (Section 3.6)  | 1A, 1B, 2           |                        |
|          |  | Reproductive toxicity (Section 3.7)  | 1A, 1B, 2           |                        |
|          |  | Specific target organ toxicity — single exposure (Section 3.8)                               | 1, 2                |                        |
|          |  | Specific target organ toxicity — single exposure; respiratory tract irritation (Section 3.8) | 3                   |                        |
|          |  | Specific target organ toxicity — single exposure; narcotic effects (Section 3.8)             | 3                   |                        |
|          |  | Specific target organ toxicity — repeated exposure (Section 3.9)                             | 1, 2                |                        |
|          |  | Aspiration hazard (Section 3.10)   | 1                   |                        |
|          |  | Hazardous to the aquatic environment — acute aquatic hazard (Section 4.1)                    | 1                   |                        |
|          |  | Hazardous to the aquatic environment — chronic aquatic hazard (Section 4.1)                  | 1, 2, 3, 4          |                        |
| P502     | Refer to manufacturer or supplier for information on recovery or recycling | Hazardous to the ozone layer (Section 5.1)   | 1                   |                        |

**▼B****2. Part 2: precautionary statements**

The precautionary statements shall be taken from this part of Annex IV and selected in accordance with Part 1.

Table 1.1

**Precautionary statements — General**

| P101       | Language |   |
|------------|----------|---|
|            | BG       | При необходимост от медицинска помощ, носете опаковката или етикета на продукта.                          |
|            | ES       | Si se necesita consejo médico, tener a mano el envase o la etiqueta.                                      |
|            | CS       | Je-li nutná lékařská pomoc, mějte po ruce obal nebo štítek výrobku.                                       |
|            | DA       | Hvis der er brug for lægehjælp, medbring da beholderen eller etiketten.                                   |
|            | DE       | Ist ärztlicher Rat erforderlich, Verpackung oder Kennzeichnungsetikett bereithalten.                      |
|            | ET       | Arsti poole pöördudes võtta kaasa toote pakend või etikett.   |
|            | EL       | Εάν ζητήσετε ιατρική συμβουλή, να έχετε μαζί σας τον περιέκτη του προϊόντος ή την ετικέτα.                |
|            | EN       | If medical advice is needed, have product container or label at hand.                                     |
|            | FR       | En cas de consultation d'un médecin, garder à disposition le récipient ou l'étiquette.                    |
|            | GA       | Más gá comhairle liachta, bíodh coimeádán nó lipéad an táirge ina aice lámhe.                             |
| <b>▼M5</b> | HR       | Ako je potrebna liječnička pomoć pokazati spremnik ili naljepnicu.  |
| <b>▼B</b>  | IT       | In caso di consultazione di un medico, tenere a disposizione il contenitore o l'etichetta del prodotto.   |
|            | LV       | Medicīniska padoma nepieciešamības gadījumā attiecīgā informācija ir norādīta uz iepakojuma vai etiķetes. |
|            | LT       | Jei reikalinga gydytojo konsultacija, su savimi turėkite produkto talpyklą ar jo etiketę.                 |
|            | HU       | Orvosi tanácsadás esetén tartsa kéznél a termék edényét vagy címkéjét.                                    |
|            | MT       | Jekk ikun meħtieġ parir mediku, ara li jkolluk il-kontenitur jew it-tikketta tal-prodott fil-qrib.        |
|            | NL       | Bij het inwinnen van medisch advies, de verpakking of het etiket ter beschikking houden.                  |
|            | PL       | W razie konieczności zasięgnięcia porady lekarza należy pokazać pojemnik lub etykietę.                    |
|            | PT       | Se for necessário consultar um médico, mostre-lhe a embalagem ou o rótulo.                                |
|            | RO       | Dacă este necesară consultarea medicului, țineți la îndemână recipientul sau eticheta produsului.         |

▼ B

| P101 | Language |  |
|------|----------|--|
|      | SK       | Ak je potrebná lekárska pomoc, majte k dispozícii obal alebo etiketu výrobku.      |
|      | SL       | Če je potreben zdravniški nasvet, mora biti na voljo posoda ali etiketa proizvoda. |
|      | FI       | Jos tarvitaan lääkinällistä apua, näytä pakkaus tai varoitusetiketti.              |
|      | SV       | Ha förpackningen eller etiketten till hands om du måste söka läkarvård.            |

| P102 | Language |   |
|------|----------|---|
|      | BG       | Да се съхранява извън обсега на деца.         |
|      | ES       | Mantener fuera del alcance de los niños.      |
|      | CS       | Uchovávejte mimo dosah dětí.                  |
|      | DA       | Opbevares utilgængeligt for børn.             |
|      | DE       | Darf nicht in die Hände von Kindern gelangen. |
|      | ET       | Hoida lastele kättesaamatus kohas.            |
|      | EL       | Μακριά από παιδιά.                            |
|      | EN       | Keep out of reach of children.                |
|      | FR       | Tenir hors de portée des enfants.             |
|      | GA       | Coimeád as aimsiú leanáí.                     |

▼ M5

|  |    |                             |
|--|----|-----------------------------|
|  | HR | Čuvati izvan dohvata djece. |
|--|----|-----------------------------|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Tenere fuori dalla portata dei bambini.            |
|  | LV | Sargāt no bērniem.                                 |
|  | LT | Laikyti vaikams neprieinamoje vietoje.             |
|  | HU | Gyermekektől elzárva tartandó.                     |
|  | MT | Żommu 'l bogħod minn fejn jistghu jilhquh it-tfal. |
|  | NL | Buiten het bereik van kinderen houden.             |
|  | PL | Chronić przed dziećmi.                             |
|  | PT | Manter fora do alcance das crianças.               |
|  | RO | A nu se lăsa la îndemâna copiilor.                 |
|  | SK | Uchovávejte mimo dosahu dětí.                      |
|  | SL | Hraniti zunaj dosega otrok.                        |
|  | FI | Säilytä lasten ulottumattomissa.                   |
|  | SV | Förvaras oåtkomligt för barn.                      |

| P103 | Language |  |
|------|----------|--|
|      | BG       | Преди употреба прочетете етикета.              |
|      | ES       | Leer la etiqueta antes del uso.                |
|      | CS       | Před použitím si přečtěte údaje na štítku.     |
|      | DA       | Læs etiketten før brug.                        |
|      | DE       | Vor Gebrauch Kennzeichnungsetikett lesen.      |
|      | ET       | Enne kasutamist tutvuda etiketil oleva infoga. |

▼ **B**

| P103 | Language |   |
|------|----------|---|
|      | EL       | Διαβάστε την ετικέτα πριν από τη χρήση. |
|      | EN       | Read label before use.                  |
|      | FR       | Lire l'étiquette avant utilisation.     |
|      | GA       | Léigh an lipéad roimh úsáid.            |

▼ **M5**

|  |    |                                     |
|--|----|-------------------------------------|
|  | HR | Prije uporabe pročitati naljepnicu. |
|--|----|-------------------------------------|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Leggere l'etichetta prima dell'uso.                       |
|  | LV | Pirms izmantošanas izlasīt etiķeti.                       |
|  | LT | Prieš naudojimą perskaityti etiketę.                      |
|  | HU | Használat előtt olvassa el a címkén közölt információkat. |
|  | MT | Aqra t-tikketta qabel l-użu.                              |
|  | NL | Alvorens te gebruiken, het etiket lezen.                  |
|  | PL | Przed użyciem przeczytać etykietę.                        |
|  | PT | Ler o rótulo antes da utilização.                         |
|  | RO | Citiți eticheta înainte de utilizare.                     |
|  | SK | Pred použitím si prečítajte etiketu.                      |
|  | SL | Pred uporabo preberite etiketo.                           |
|  | FI | Lue merkinnät ennen käyttöä.                              |
|  | SV | Läs etiketten före användning.                            |

Table 1.2

**Precautionary statements — Prevention**

| P201 | Language |   |
|------|----------|---|
|      | BG       | Преди употреба се снабдете със специални инструкции.                    |
|      | ES       | ► <b>C3</b> Solicitar instrucciones especiales antes del uso. ◀         |
|      | CS       | Před použitím si obstarajte speciální instrukce.                        |
|      | DA       | Indhent særlige anvisninger før brug.                                   |
|      | DE       | Vor Gebrauch besondere Anweisungen einholen.                            |
|      | ET       | Enne kasutamist tutvuda erijuhistega.                                   |
|      | EL       | Εφοδιαστείτε με τις ειδικές οδηγίες πριν από τη χρήση.                  |
|      | EN       | Obtain special instructions before use.                                 |
|      | FR       | ► <b>C3</b> Se procurer les instructions spéciales avant utilisation. ◀ |
|      | GA       | Faigh treoracha speisialta roimh úsáid.                                 |
|      | HR       | Prije uporabe pribaviti posebne upute.                                  |

▼ **M5**

▼ B

| P201 | Language |   |
|------|----------|---|
|      | IT       | Procurarsi istruzioni specifiche prima dell'uso.                          |
|      | LV       | Pirms lietošanas saņemt speciālu instrukciju.                             |
|      | LT       | Prieš naudojimą gauti specialias instrukcijas.                            |
|      | HU       | Használat előtt ismerje meg az anyagra vonatkozó különleges utasításokat. |
|      | MT       | Ikseb struzzjonijiet speċjali qabel l-użu.                                |
|      | NL       | Alvorens te gebruiken de speciale aanwijzingen raadplegen.                |
|      | PL       | Przed użyciem zapoznać się ze specjalnymi środkami ostrożności.           |
|      | PT       | Pedir instruções específicas antes da utilização.                         |
|      | RO       | Procurați instrucțiuni speciale înainte de utilizare.                     |
|      | SK       | Pred použitím sa oboznámte s osobitnými pokynmi.                          |
|      | SL       | Pred uporabo pridobiti posebna navodila.                                  |
|      | FI       | Lue erityisohjeet ennen käyttöä.  |
|      | SV       | Inhämta särskilda instruktioner före användning.                          |

| P202 | Language |  |
|------|----------|--|
|      | BG       | Не използвайте преди да сте прочели и разбрали всички предпазни мерки за безопасност.              |
|      | ES       | No manipular la sustancia antes de haber leído y comprendido todas las instrucciones de seguridad. |
|      | CS       | Nepoužívejte, dokud jste si nepřečetli všechny bezpečnostní pokyny a neporozuměli jim.             |
|      | DA       | Anvend ikke produktet, før alle advarsler er læst og forstået.                                     |
|      | DE       | Vor Gebrauch alle Sicherheitshinweise lesen und verstehen.   |
|      | ET       | Mitte käidelda enne ohutusnõuetega tutvumist ja nendest arusaamist.                                |
|      | EL       | Μην το χρησιμοποιήσετε πριν διαβάσετε και κατανοήσετε τις οδηγίες προφύλαξης.                      |
|      | EN       | Do not handle until all safety precautions have been read and understood.                          |
|      | FR       | Ne pas manipuler avant d'avoir lu et compris toutes les précautions de sécurité.                   |
|      | GA       | Ná láimhsigh go dtí go léifear agus go dtuigfear gach ráiteas réamhchúraim sácháilteachta.         |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Ne rukovati prije upoznavanja i razumijevanja sigurnosnih mjera predostrožnosti. |
|--|----|--|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Non manipolare prima di avere letto e compreso tutte le avvertenze. |
|--|----|---|

▼ **B**

| P202 | Language |  |
|------|----------|--|
|      | LV       | Neizmantot pirms nav izlasīti un saprasti visi apzīmējumi.                                     |
|      | LT       | Nenaudoti, jeigu neperskaityti ar nesuprasti visi saugos įspėjimai.                            |
|      | HU       | Ne használja addig, amíg az összes biztonsági óvintézkedést el nem olvasta és meg nem értette. |
|      | MT       | Tmissux qabel ma tkun qrajt u fhimt l-istruzzjonijiet kollha ta' prekawzjoni.                  |
|      | NL       | Pas gebruiken nadat u alle veiligheidsvoorschriften gelezen en begrepen heeft                  |
|      | PL       | Nie używać przed zapoznaniem się i zrozumieniem wszystkich środków bezpieczeństwa.             |
|      | PT       | Não manuseie o produto antes de ter lido e percebido todas as precauções de segurança.         |
|      | RO       | A nu se manipula decât după ce au fost citite și înțelese toate măsurile de securitate.        |
|      | SK       | Nepoužívajte, kým si neprečítate a nepochopíte všetky bezpečnostné opatrenia.                  |
|      | SL       | Ne uporabljajte, dokler se ne seznanite z vsemi varnostnimi ukrepi.                            |
|      | FI       | Lue varoitukset huolellisesti ennen käsittelyä.  |
|      | SV       | Använd inte produkten innan du har läst och förstått säkerhetsanvisningarna                    |

▼ **M4**

| P210 | Language |  |
|------|----------|--|
|      | BG       | Да се пази от топлина, нагорещени повърхности, искри, открит пламък, и други източници на запалване. Тютюнопушенето е забранено.             |
|      | ES       | Mantener alejado del calor, de superficies calientes, de chispas, de llamas abiertas y de cualquier otra fuente de ignición. No fumar.       |
|      | CS       | Chraňte před teplem, horkými povrchy, jiskrami, otevřeným ohněm a jinými zdroji zapálení. Zákaz kouření.                                     |
|      | DA       | Holdes væk fra varme, varme overflader, gnister, åben ild og andre antændelseskilder. Rygning forbudt.                                       |
|      | DE       | Von Hitze, heißen Oberflächen, Funken, offenen Flammen sowie anderen Zündquellenarten fernhalten. Nicht rauchen.                             |
|      | ET       | Hoida eemal soojusallikast, kuumadest pindadest, sädemetest, leکیدest ja muudest süüteallikatest. Mitte suitsetada.                          |
|      | EL       | Μακριά από θερμότητα, θερμές επιφάνειες, σπινθήρες, γυμνές φλόγες και άλλες πηγές ανάφλεξης. Μην καπνίζετε.                                  |
|      | EN       | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.   |
|      | FR       | Tenir à l'écart de la chaleur, des surfaces chaudes, des étincelles, des flammes nues et de toute autre source d'inflammation. Ne pas fumer. |

▼ **M4**

| P210        | Language |   |
|-------------|----------|---|
|             | GA       | Coimeád ó theas, dromchlaí te, splancacha, lasair gan chosaint agus foinsí eile adhainte. Ná caitear tobac.                       |
| ▼ <b>M8</b> | HR       | Čuvati odvojeno od topline, vrućih površina, iskri, otvorenih plamena i ostalih izvora paljenja. Ne pušiti.                       |
| ▼ <b>M4</b> | IT       | Tenere lontano da fonti di calore, superfici calde, scintille, fiamme libere o altre fonti di accensione. Non fumare.             |
|             | LV       | Sargāt no karstuma, karstām virsmām, dzirkstelēm, atklātas uguns un citiem aizdegšanās avotiem. Nesmēķēt.                         |
|             | LT       | Laikyti atokiau nuo šilumos šaltinių, karštų paviršių, žiežirbų, atviro liepsnos arba kitų degimo šaltinių. Nerūkyti.             |
|             | HU       | Hőtől, forró felületektől, szikrától, nyílt lángtól és más gyújtóforrástól távol tartandó. Tilos a dohányzás.                     |
|             | MT       | Biegħed mis-šhana, uċuħ jaħarqu, xrar tan-nar, fjammi miġtuħa u sorsi oħra li jaqbd u. Трејјипх.                                  |
|             | NL       | Verwijderd houden van warmte, hete oppervlakken, vonken, open vuur en andere ontstekingsbronnen. Niet roken.                      |
|             | PL       | Przechowywać z dala od źródeł ciepła, gorących powierzchni, źródeł iskrzenia, otwartego ognia i innych źródeł zapłonu. Nie palić. |
|             | PT       | Manter afastado do calor, superfícies quentes, fiação, chama aberta e outras fontes de ignição. Não fumar.                        |
|             | RO       | A se păstra departe de surse de căldură, suprafețe fierbinți, scântei, flăcări și alte surse de aprindere. Fumatul interzis.      |
|             | SK       | Uchovávať mimo dosahu tepla, horúcich povrchov, iskier, otvoreného ohňa a iných zdrojov zapálenia. Nefajčite.                     |
|             | SL       | Hraniti ločeno od vročine, vroćih površin, isker, odprtega ognja in drugih virov vžiga. Kajenje prepovedano.                      |
|             | FI       | Suojaa lämmöltä, kuumilta pinnoilta, kipinöiltä, avotulelta ja muilta sytytyslähteiltä. Tupakointi kielletty.                     |
|             | SV       | Får inte utsättas för värme, heta ytor, gnistor, öppen låga eller andra antändningskällor. Rökning förbjuden.                     |

▼ **B**

| P211 | Language |   |
|------|----------|---|
|      | BG       | Да не се пръска към открит пламък или друг източник на запалване. |
|      | ES       | No pulverizar sobre una llama abierta u otra fuente de ignición.  |
|      | CS       | Nestříkejte do otevřeného ohně nebo jiných zdrojů zapálení.       |
|      | DA       | Spray ikke mod åben ild eller andre antændelskilder.              |
|      | DE       | Nicht gegen offene Flamme oder andere Zündquelle sprühen.         |



▼ **B**

| P211 | Language |   |
|------|----------|---|
|      | ET       | Mitte pihustada leekidesse või muusse süüteallikasse.                     |
|      | EL       | Μην ψεκάζετε κοντά σε γυμνή φλόγα ή άλλη πηγή ανάφλεξης.                  |
|      | EN       | Do not spray on an open flame or other ignition source.                   |
|      | FR       | Ne pas vaporiser sur une flamme nue ou sur toute autre source d'ignition. |
|      | GA       | Ná spraeáil ar lasair gan chosaint ná ar fhoirse eile adhainte.           |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Ne prskati u otvoreni plamen ili drugi izvor paljenja. |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Non vaporizzare su una fiamma libera o altra fonte di accensione.               |
|  | LV | Neizsmidzināt uz atklātas uguns vai citiem aizdegšanās avotiem.                 |
|  | LT | Nepurkšti į atvirą liepsną arba kitus degimo šaltinius.                         |
|  | HU | Tilos nyílt lángra vagy más gyújtóforrásra permetezni.                          |
|  | MT | Tisprejjax fuq fjamma mikxufa jew sors ieħor li jaqbad.                         |
|  | NL | Niet in een open vuur of op andere ontstekingsbronnen spuiten.                  |
|  | PL | Nie rozpylać nad otwartym ogniem lub innym źródłem zapłonu.                     |
|  | PT | Não pulverizar sobre chama aberta ou outra fonte de ignição.                    |
|  | RO | Nu pulverizați deasupra unei flăcări deschise sau unei alte surse de aprindere. |
|  | SK | Nestriekajte na otvorený oheň ani iný zdroj zapálenia.                          |
|  | SL | Ne pršiti proti odprtemu ognju ali drugemu viru vžiga.                          |
|  | FI | Ei saa suihkuttaa avotuleen tai muuhun sytytyslähteeseen.                       |
|  | SV | Spreja inte över öppen låga eller andra antändningskällor.                      |

▼ **M12**

| P220 | Language |  |
|------|----------|--|
|      | BG       | Да се държи далеч от облекло и други горими материали.             |
|      | ES       | Mantener alejado de la ropa y otros materiales combustibles.       |
|      | CS       | Uchovávejte odděleně od oděvů a jiných hořlavých materiálů.        |
|      | DA       | Holdes væk fra beklædningsgenstande og andre brændbare materialer. |
|      | DE       | Von Kleidung und anderen brennbaren Materialien fernhalten.        |

▼ **M12**

| P220 | Language |  |
|------|----------|--|
|      | ET       | Hoida eemal rõivastest ja muust süttivast materjalist.                 |
|      | EL       | Να φυλάσσεται μακριά από ενδύματα και άλλα καύσιμα υλικά.              |
|      | EN       | Keep away from clothing and other combustible materials.               |
|      | FR       | Tenir à l'écart des vêtements et d'autres matières combustibles.       |
|      | GA       | Coimeád glan ar éadaí agus ar ábhair indóite eile.                     |
|      | HR       | Čuvati odvojeno od odjeće i drugih zapaljivih materijala.              |
|      | IT       | Tenere lontano da indumenti e altri materiali combustibili.            |
|      | LV       | Nepieļaut saskari ar apģērbu un citiem uzliesmojošiem materiāliem.     |
|      | LT       | Laikyti atokiau nuo drabužių bei kitų degių medžiagų.                  |
|      | HU       | Ruhától és más éghető anyagoktól távol tartandó.                       |
|      | MT       | Żomm 'il bogħod mill-ħwejjeg u materjali oħra li jaqbdū.               |
|      | NL       | Verwijderd houden van kleding en andere brandbare materialen.          |
|      | PL       | Trzymać z dala od odzieży i innych materiałów zapalnych.               |
|      | PT       | Manter afastado da roupa e de outras matérias combustíveis.            |
|      | RO       | A se păstra departe de îmbrăcăminte și de alte materiale combustibile. |
|      | SK       | Uchovávať mimo odevov a iných horľavých materiálov.                    |
|      | SL       | Hraniti ločeno od oblačil in drugih vnetljivih materialov.             |
|      | FI       | Pidä erillään vaatetuksesta ja muista syttyivistä materiaaleista.      |
|      | SV       | Hålls åtskilt från kläder och andra brännbara material.                |

▼ **B**

| P222 | Language |   |
|------|----------|---|
|      | BG       | Не допускайте контакт с въздух.                 |
|      | ES       | No dejar que entre en contacto con el aire.     |
|      | CS       | Zabraňte styku se vzduchem.                     |
|      | DA       | Undgå kontakt med luft.                         |
|      | DE       | ► <b>C3</b> Keinen Kontakt mit Luft zulassen. ◀ |

▼ **B**

| P222 | Language |                                     |
|------|----------|-------------------------------------|
|      | ET       | Hoida õhuga kokkupuute eest.        |
|      | EL       | Να μην έρθει σε επαφή με τον αέρα.  |
|      | EN       | Do not allow contact with air.      |
|      | FR       | Ne pas laisser au contact de l'air. |
|      | GA       | Ná ceadaiigh teagmháil le haer.     |

▼ **M5**

|  |    |                             |
|--|----|-----------------------------|
|  | HR | Spriječiti dodir sa zrakom. |
|--|----|-----------------------------|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Evitare il contatto con l'aria.          |
|  | LV | Nepieļaut kontaktu ar gaisu.             |
|  | LT | Saugoti nuo kontakto su oru.             |
|  | HU | Nem érintkezhet levegővel.               |
|  | MT | Thallix li jkun hemm kuntatt ma' l-arja. |
|  | NL | Contact met de lucht vermijden.          |
|  | PL | Nie dopuszczać do kontaktu z powietrzem. |
|  | PT | Não deixar entrar em contacto com o ar.  |
|  | RO | A nu se lăsa în contact cu aerul.        |
|  | SK | Zabraňte kontaktu so vzduchom.           |
|  | SL | Preprečiti stik z zrakom.                |
|  | FI | Ei saa joutua kosketuksiin ilman kanssa. |
|  | SV | Undvik kontakt med luft.                 |

▼ **M4**

| P223 | Language |                                      |
|------|----------|--------------------------------------|
|      | BG       | Не допускайте контакт с вода.        |
|      | ES       | Evitar el contacto con el agua.      |
|      | CS       | Zabraňte styku s vodou.              |
|      | DA       | Undgå kontakt med vand.              |
|      | DE       | Keinen Kontakt mit Wasser zulassen.  |
|      | ET       | Vältida kokkupuudet veega.           |
|      | EL       | Μην επιτρέπετε την επαφή με το νερό. |
|      | EN       | Do not allow contact with water.     |
|      | FR       | Éviter tout contact avec l'eau.      |
|      | GA       | Ná biodh aon teagmháil le huisce.    |

▼ **M8**

|  |    |                           |
|--|----|---------------------------|
|  | HR | Spriječiti dodir s vodom. |
|--|----|---------------------------|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | Evitare qualunque contatto con l'acqua. |
|  | LV | Nepieļaut saskari ar ūdeni.             |
|  | LT | Saugoti nuo sąlyčio su vandeniu.        |
|  | HU | Nem érintkezhet vízzel.                 |
|  | MT | Thallihx imiss mal-ilma.                |
|  | NL | Contact met water vermijden.            |

▼ **M4**

| P223 | Language |   |
|------|----------|---|
|      | PL       | Nie dopuszczać do kontaktu z wodą.        |
|      | PT       | Não deixar entrar em contacto com a água. |
|      | RO       | A nu se lăsa în contact cu apa.           |
|      | SK       | Zabráňte kontaktu s vodou.                |
|      | SL       | Preprečiti stik z vodo.                   |
|      | FI       | Ei saa joutua kosketuksiin veden kanssa.  |
|      | SV       | Undvik all kontakt med vatten.            |

▼ **B**

| P230 | Language |                                   |
|------|----------|-----------------------------------|
|      | BG       | Да се държи навлажнен с...        |
|      | ES       | Mantener humedecido con...        |
|      | CS       | Uchovávejte ve zvlhčeném stavu... |
|      | DA       | Holdes befugtet med...            |
|      | DE       | Feucht halten mit ...             |
|      | ET       | Niisutada ...-ga.                 |
|      | EL       | Να διατηρείται υγρό με ...        |
|      | EN       | Keep wetted with...               |
|      | FR       | Maintenir humidifié avec...       |
|      | GA       | Coimeád fliuchta le...            |

▼ **M5**

|  |    |                        |
|--|----|------------------------|
|  | HR | Čuvati navlaženo s ... |
|--|----|------------------------|

▼ **B**

|  |    |                                   |
|--|----|-----------------------------------|
|  | IT | Mantenere umido con...            |
|  | LV | Vienmēr samitrināt ar ...         |
|  | LT | Laikyti sudrėkintą (kuo)          |
|  | HU | ...-val/-vel nedvesítve tartandó. |
|  | MT | Żommu mxarrab bi ...              |
|  | NL | Vochtig houden met...             |
|  | PL | Przechowywać produkt zwilżony...  |
|  | PT | Manter húmido com...              |
|  | RO | A se păstra umezit cu...          |
|  | SK | Uchovávejte zvlhčené ...          |
|  | SL | Hraniti prepojeno z ...           |
|  | FI | Säilytä kostutettuna ...          |
|  | SV | Ska hållas fuktigt med...         |

▼ **M12**

| P231 | Language |   |
|------|----------|---|
|      | BG       | Да се използва и съхранява съдържанието под инертен газ/...               |
|      | ES       | Manipular y almacenar el contenido en un medio de gas inerte /...         |
|      | CS       | Manipulace a skladování pod inertním plynem /...                          |
|      | DA       | Håndteres og opbevares under inert gas/...                                |
|      | DE       | Inhalt unter inertem Gas/... handhaben und aufbewahren.                   |
|      | ET       | Sisu käidelda ja hoida inertgaasis/...                                    |
|      | EL       | Ο χειρισμός και η αποθήκευση του υλικού να γίνεται υπό αδρανές αέριο/ ... |
|      | EN       | Handle and store contents under inert gas/...                             |
|      | FR       | Manipuler et stocker le contenu sous gaz inerte/...                       |
|      | GA       | Láimhsigh agus stóráil an t-ábhar faoi thriathghás/...                    |
|      | HR       | Rukovati i skladištiti u inertnom plinu /...                              |
|      | IT       | Manipolare e conservare in atmosfera di gas inerte/...                    |
|      | LV       | Saturu izmantot un glabāt tikai inertas gāzes vidē/...                    |
|      | LT       | Turinį tvarkyti ir laikyti inertinėse dujose/...                          |
|      | HU       | Tartalma inert gázban /... használandó és tárolandó.                      |
|      | MT       | Uża u aħżen il-kontenut taħt gass inert i /...                            |
|      | NL       | Inhoud onder inert gas/... gebruiken en bewaren.                          |
|      | PL       | Używać i przechowywać zawartość w atmosferze obojętnego gazu /...         |
|      | PT       | Manusear e armazenar o conteúdo em atmosfera de gás inerte/...            |
|      | RO       | A se manipula și a se depozita conținutul sub un gaz inert/...            |
|      | SK       | Manipulujte s obsahom a skladujte ho v prostredí s inertným plynom/...    |
|      | SL       | Ravnati z vsebino in jo hraniti v inertnem plinu/...                      |
|      | FI       | Käsittely ja varastointi sisältö inertissä kaasussa/...                   |
|      | SV       | Hantera och förvara innehållet under inert gas/...                        |

▼ **B**

| P232 | Language |                         |
|------|----------|-------------------------|
|      | BG       | Да се пази от влага.    |
|      | ES       | Proteger de la humedad. |
|      | CS       | Chraňte před vlhkem.    |

▼ **B**

| P232 | Language |                              |
|------|----------|------------------------------|
|      | DA       | Beskyttes mod fugt.          |
|      | DE       | Vor Feuchtigkeit schützen.   |
|      | ET       | Hoida niiskuse eest.         |
|      | EL       | Προστατέψτε από την υγρασία. |
|      | EN       | Protect from moisture.       |
|      | FR       | Protéger de l'humidité.      |
|      | GA       | Cosain ar thaise.            |

▼ **M5**

|  |    |                     |
|--|----|---------------------|
|  | HR | Zaštítiti od vlage. |
|--|----|---------------------|

▼ **B**

|  |    |                               |
|--|----|-------------------------------|
|  | IT | Proteggere dall'umidità.      |
|  | LV | Aizsargāt no mitruma.         |
|  | LT | Saugoti nuo drėgmės.          |
|  | HU | Nedvességtől védendő.         |
|  | MT | Ipproteġi mill-umdità.        |
|  | NL | Tegen vocht beschermen.       |
|  | PL | Chronić przed wilgocią.       |
|  | PT | Manter ao abrigo da humidade. |
|  | RO | A se proteja de umiditate.    |
|  | SK | Chránite pred vlhkosťou.      |
|  | SL | Zaščititi pred vlago.         |
|  | FI | Suojaa kosteudelta.           |
|  | SV | Skyddas från fukt.            |

| P233 | Language |  |
|------|----------|--|
|      | BG       | Съдът да се съхранява плътно затворен.           |
|      | ES       | Mantener el recipiente herméticamente cerrado.   |
|      | CS       | Uchovávejte obal těsně uzavřený.                 |
|      | DA       | Hold beholderen tæt lukket.                      |
|      | DE       | Behälter dicht verschlossen halten.              |
|      | ET       | Hoida pakend tihedalt suletuna.                  |
|      | EL       | Να διατηρείται ο περιέκτης ερμητικά κλειστός.    |
|      | EN       | Keep container tightly closed.                   |
|      | FR       | Maintenir le récipient fermé de manière étanche. |
|      | GA       | Coimeád an coimeádán dúnta go docht.             |

▼ **M5**

|  |    |                                      |
|--|----|--------------------------------------|
|  | HR | Čuvati u dobro zatvorenom spremniku. |
|--|----|--------------------------------------|

▼ **B**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Tenere il recipiente ben chiuso. |
|--|----|----------------------------------|

▼ **B**

| P233 | Language |  |
|------|----------|--|
|      | LV       | Tvertni stingri noslēgt.                   |
|      | LT       | Talpyklą laikyti sandariai uždarytą.       |
|      | HU       | Az edény szorosan lezárva tartandó.        |
|      | MT       | Żomm il-kontenitur magħluq sew.            |
|      | NL       | In goed gesloten verpakking bewaren.       |
|      | PL       | Przechowywać pojemnik szczelnie zamknięty. |
|      | PT       | Manter o recipiente bem fechado.           |
|      | RO       | Păstrați recipientul închis etanș.         |
|      | SK       | Nádobu uchovávejte tesne uzavretú.         |
|      | SL       | Hraniti v tesno zaprti posodi.             |
|      | FI       | Säilytä tiiviisti suljettuna.              |
|      | SV       | Behållaren ska vara väl tillsluten.        |

▼ **M12**

| P234 | Language |   |
|------|----------|---|
|      | BG       | Да се съхранява само в оригиналната опаковка.         |
|      | ES       | Conservar únicamente en el embalaje original.         |
|      | CS       | Uchovávejte pouze v původním balení.                  |
|      | DA       | Opbevares kun i originalemballagen.                   |
|      | DE       | Nur in Originalverpackung aufbewahren.                |
|      | ET       | Hoida üksnes originaalpakendis.                       |
|      | EL       | Να διατηρείται μόνο στην αρχική συσκευασία.           |
|      | EN       | Keep only in original packaging.                      |
|      | FR       | Conserver uniquement dans l'emballage d'origine.      |
|      | GA       | Coimeád sa phacáistiú bunaidh amháin.                 |
|      | HR       | Čuvati samo u originalnom pakiranju.                  |
|      | IT       | Conservare soltanto nell'imballaggio originale.       |
|      | LV       | Turēt tikai oriģināliepakojumā.                       |
|      | LT       | Laikyti tik originalioje pakuotėje.                   |
|      | HU       | Az eredeti csomagolásban tartandó.                    |
|      | MT       | Żomm biss fl-imballaġġ oriġinali.                     |
|      | NL       | Uitsluitend in de oorspronkelijke verpakking bewaren. |
|      | PL       | Przechowywać wyłącznie w oryginalnym opakowaniu.      |
|      | PT       | Mantenha sempre o produto na sua embalagem original.  |
|      | RO       | A se păstra numai în ambalajul original.              |
|      | SK       | Uchovávejte iba v pôvodnom balení.                    |

▼ **M12**

| P234 | Language |  |
|------|----------|--|
|      | SL       | Hraniti samo v originalni embalaži.      |
|      | FI       | Säilytä alkuperäispakkauksessa.          |
|      | SV       | Förvaras endast i originalförpackningen. |

▼ **B**

| P235 | Language |                           |
|------|----------|---------------------------|
|      | BG       | Да се държи на хладно.    |
|      | ES       | Mantener en lugar fresco. |
|      | CS       | Uchovávejte v chladu.     |
|      | DA       | Opbevares køligt.         |
|      | DE       | Kühl halten.              |
|      | ET       | Hoida jahedas.            |
|      | EL       | Να διατηρείται δροσερό.   |
|      | EN       | Keep cool.                |
|      | FR       | Tenir au frais.           |
|      | GA       | Coimeád fionnuar é        |

▼ **M5**

|  |    |                    |
|--|----|--------------------|
|  | HR | Održavati hladnim. |
|--|----|--------------------|

▼ **B**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Conservare in luogo fresco.      |
|  | LV | Turēt vēsumā.                    |
|  | LT | Laikyti vėsioje vietoje.         |
|  | HU | Hűvös helyen tartandó.           |
|  | MT | Żomm frisk.                      |
|  | NL | Koel bewaren.                    |
|  | PL | Przechowywać w chłodnym miejscu. |
|  | PT | Conservar em ambiente fresco.    |
|  | RO | A se păstra la rece.             |
|  | SK | Uchovávať v chlade.              |
|  | SL | Hraniti na hladnem.              |
|  | FI | Säilytä viileässä.               |
|  | SV | Förvaras svalt.                  |

▼ **M12**

| P240 | Language |   |
|------|----------|---|
|      | BG       | Заземяване и еквипотенциална връзка на съда и приемателното устройство.     |
|      | ES       | Toma de tierra y enlace equipotencial del recipiente y del equipo receptor. |
|      | CS       | Uzemněte a upevněte obal a odběrové zařízení.                               |
|      | DA       | Beholder og modtageudstyr jordforbindes/potentialudlignes.                  |
|      | DE       | Behälter und zu befüllende Anlage erden.                                    |



▼ **M12**

| P240 | Language |   |
|------|----------|---|
|      | ET       | Mahuti ja vastuvõtuseade maandada ja ühendada.  |
|      | EL       | Γείωση και ισοδυναμική σύνδεση του περιέκτη και του εξοπλισμού του δέκτη.                     |
|      | EN       | Ground and bond container and receiving equipment.  |
|      | FR       | Mise à la terre et liaison équipotentielle du récipient et du matériel de réception.          |
|      | GA       | Nasc an coimeádán agus an trealamh glactha leis an talamh.                                    |
|      | HR       | Uzemljiti i učvrstiti spremnik i opremu za prihvatanje kemikalije.                            |
|      | IT       | Mettere a terra e a massa il contenitore e il dispositivo ricevente.                          |
|      | LV       | Tvertnes un saņēmējiekārtas iezemēt un savienot.  |
|      | LT       | Įžeminti ir įtvirtinti talpyklą ir priėmimo įrangą.   |
|      | HU       | A tárolóedényt és a fogadóedényt le kell földelni és át kell kötni.                           |
|      | MT       | Poġġi mal-art u wahhal il-kontenitur u t-tagħmir riċevitur.                                   |
|      | NL       | Opslag- en opvangreservoir aarden.  |
|      | PL       | Uziemić i połączyć pojemnik i sprzęt odbiorczy.   |
|      | PT       | Ligação à terra/equipotencial do recipiente e do equipamento recetor.                         |
|      | RO       | Legătură la pământ și conexiune echipotentială cu recipientul și cu echipamentul de recepție. |
|      | SK       | Uzemnite a upevnite nádoby a plniace zariadenie.  |
|      | SL       | Ozemljiti posodo in opremo za sprejem tekočine ter izenačiti potenciala.                      |
|      | FI       | Maadoita ja yhdistä säiliö ja vastaanottavat laitteet.  |
|      | SV       | Jorda och potentialförbind behållare och mottagarutrustning.                                  |

| P241 | Language |   |
|------|----------|---|
|      | BG       | Използвайте [електрическо/вентилационно/осветително/...] оборудване, обезопасено срещу експлозия. |
|      | ES       | Utilizar material [eléctrico / de ventilación/iluminación / ...] antideflagrante.                 |
|      | CS       | Používejte [elektrické/ventilační/osvětlovací/...] zařízení do výbušného prostředí.               |
|      | DA       | Anvend eksplosionssikkert [elektrisk/ventilations-/lys-/...] udstyr.                              |
|      | DE       | Explosionsschutzte [elektrische/Lüftungs-/Beleuchtungs-/...] Geräte verwenden.                    |
|      | ET       | Kasutada plahvatuskindlaid [elektri-/ventilatsioon-/valgustus-/...] seadmeid.                     |

▼ **M12**

| P241 | Language |  |
|------|----------|--|
|      | EL       | Να χρησιμοποιείται αντιαεκρηκτικός εξοπλισμός [ηλεκτρολογικός /εξαερισμού/φωτιστικός/...].                 |
|      | EN       | Use explosion-proof [electrical/ventilating/lighting/...] equipment.                                       |
|      | FR       | Utiliser du matériel [électrique/de ventilation/d'éclairage/...] antidéflagrant.                           |
|      | GA       | Bain úsáid as trealamh pléascdhíonach [leictreach/ aerála/soilsiúcháin/...].                               |
|      | HR       | Rabiti [električnu/ventilacijsku/rasvjetnu/...] opremu koja neće izazvati eksploziju.                      |
|      | IT       | Utilizzare impianti [elettrici/di ventilazione/d'illuminazione/...] a prova di esplosione.                 |
|      | LV       | Izmantot sprādzien drošas [elektriskās/ventilācijas/apgaismošanas/...] iekārtas.                           |
|      | LT       | Naudoti sprogimui atsparią [elektros/ventiliacijos/apšvietimo/...] įrangą.                                 |
|      | HU       | Robbanásbiztos [elektromos/szellőztető/világító/...] berendezés használandó.                               |
|      | MT       | Uża' tagħmir [elettriku / ta' ventilazzjoni / ta' dawl/...] li jiflaħ għal splużjoni.                      |
|      | NL       | Explosieveilige [elektrische/ventilatie-/verlichtings-/...]apparatuur gebruiken.                           |
|      | PL       | Używać [elektrycznego/wentylującego/oświetleniowego/...] przeciwwybuchowego sprzętu.                       |
|      | PT       | Utilizar equipamento [elétrico/de ventilação/de iluminação/...] à prova de explosão.                       |
|      | RO       | Utilizați echipamente [electrice/de ventilare/de iluminat/...] antideflagrante.                            |
|      | SK       | Používajte [elektrické/ventilačné/osvetľovacie/...] zariadenie do výbušného prostredia.                    |
|      | SL       | Uporabiti [električno opremo/prezračevalno opremo/ opremo za razsvetljavo/...], odporno proti eksplozijam. |
|      | FI       | Käytä räjähdysturvallisia [sähkö/ilmanvaihto/valaisin/...]laitteita.                                       |
|      | SV       | Använd explosionssäker [elektrisk/ventilations-/belysnings-/...]utrustning.                                |

| P242 | Language |   |
|------|----------|---|
|      | BG       | Използвайте инструменти, които не предизвикват искри. |
|      | ES       | No utilizar herramientas que produzcan chispas.       |
|      | CS       | Používejte nářadí z nejspíščího kovu.                 |
|      | DA       | Anvend værktøj, som ikke frembringer gnister.         |
|      | DE       | Funkenarmes Werkzeug verwenden.                       |

▼ **M12**

| P242 | Language |  |
|------|----------|--|
|      | ET       | Mitte kasutada seadmeid, mis võivad tekitada sädemeid. |
|      | EL       | Να χρησιμοποιούνται μη σπινθηρογόνα εργαλεία.          |
|      | EN       | Use non-sparking tools.                                |
|      | FR       | Utiliser des outils ne produisant pas d'étincelles.    |
|      | GA       | Bain úsáid as uirlisí neamhspréachta.                  |
|      | HR       | Rabiti neiskreći alat.                                 |
|      | IT       | Utilizzare utensili antiscintillamento.                |
|      | LV       | Izmantot instrumentus, kas nerada dzirksteles.         |
|      | LT       | Naudoti kibirkščių nekeliančius įrankius.              |
|      | HU       | Szikramentes eszközök használandók.                    |
|      | MT       | Uża għodda li ma ttajjarx żnied.                       |
|      | NL       | Vonkvrij gereedschap gebruiken.                        |
|      | PL       | Używać nieiskrzących narzędzi.                         |
|      | PT       | Utilizar ferramentas antichispa.                       |
|      | RO       | Nu utilizați unelte care produc scântei.               |
|      | SK       | Používajte neiskriace prístroje.                       |
|      | SL       | Uporabiti orodje, ki ne povzroča isker.                |
|      | FI       | Käytä kipinöimättömiä työkaluja.                       |
|      | SV       | Använd verktyg som inte ger upphov till gnistor.       |

| P243 | Language |  |
|------|----------|--|
|      | BG       | Предприемете действия за предотвратяване на освобождаването на статично електричество. |
|      | ES       | Tomar medidas de precaución contra las descargas electrostáticas.                      |
|      | CS       | Proveďte opatření proti výbojům statické elektřiny.                                    |
|      | DA       | Træf foranstaltninger mod statisk elektricitet.  |
|      | DE       | Maßnahmen gegen elektrostatische Entladungen treffen.                                  |
|      | ET       | Rakendada abinõusid staatilise elektri vältimiseks.                                    |
|      | EL       | Λάβετε μέτρα για την αποτροπή ηλεκτροστατικών εκκενώσεων.                              |
|      | EN       | Take action to prevent static discharges.  |
|      | FR       | Prendre des mesures de précaution contre les décharges électrostatiques.               |
|      | GA       | Déan bearta in aghaidh díluchtú statach.   |

▼ **M12**

| P243 | Language |  |
|------|----------|--|
|      | HR       | Poduzeti mjere za sprečavanje statičkog elektri-citeta.                      |
|      | IT       | Fare in modo di prevenire le scariche elettros-tatiche.                      |
|      | LV       | Nodrošināties pret statiskās enerģijas izlādi.                               |
|      | LT       | Imtis veismų statinei iškrovai išvengti.                                     |
|      | HU       | Az elektrosztatikus kisülés megakadályozására óvintézkedéseket kell tenni.   |
|      | MT       | Ħu azzjoni biex tipprevjeni l-ħruġ ta' elettriku statiku.                    |
|      | NL       | Maatregelen treffen om ontladingen van statische elektriciteit te voorkomen. |
|      | PL       | Podjąć działania zapobiegające wyładowaniom elektrostatycznym.               |
|      | PT       | Tomar medidas para evitar acumulação de cargas eletrostáticas.               |
|      | RO       | Luați măsuri de precauție împotriva descărcărilor electrostatice.            |
|      | SK       | Vykonajte opatrenia na zabránenie výbojom statickej elektriny.               |
|      | SL       | Ukrepati za preprečitev statičnega naelektrenja.                             |
|      | FI       | Estä staattisen sähkönen aiheuttama kipinäinti.                              |
|      | SV       | Vidta åtgärder mot statisk elektricitet.                                     |

▼ **M4**

| P244 | Language |  |
|------|----------|--|
|      | BG       | Поддържайте вентилите и фитингите чисти от масло и смазка.             |
|      | ES       | Mantener las válvulas y los racores libres de aceite y grasa.          |
|      | CS       | Udržujte ventily i příslušenství čisté — bez olejí a maziv.            |
|      | DA       | Hold ventiler og tilslutninger frie for olie og fedt.                  |
|      | DE       | Ventile und Ausrüstungsteile öl- und fettfrei halten.                  |
|      | ET       | Hoida ventiilid ja liitmikud õlist ja rasvast puhtad.                  |
|      | EL       | Διατηρείτε τα κλείστρα και τους συνδέσμους καθαρά από λάδια και γράσα. |
|      | EN       | Keep valves and fittings free from oil and grease.                     |
|      | FR       | Ni huile, ni graisse sur les robinets et raccords.                     |
|      | GA       | Coinnigh comhlai agus feistis saor ó ola agus ó ghréisc.               |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | Spriječiti dodir ventila i spojnice s uljem i masti. |
|--|----|--|

▼ **M4**

| P244 | Language |  |
|------|----------|--|
|      | IT       | Mantenere le valvole e i raccordi liberi da olio e grasso.                 |
|      | LV       | Uzturēt ventiļus un savienojumus tīrus no eļļas un taukvielām.             |
|      | LT       | Saugoti, kad ant vožtuvų ir jungiamųjų detalių nepatektų alyvos ir tepalų. |
|      | HU       | A szelepeket és szerelvényeket zsírtól és olajtól mentesen kell tartani.   |
|      | MT       | Żomm il-valvi u <i>fittings</i> hielsa miż-żejt u l- <i>grease</i> .       |
|      | NL       | Houd afsluiters en fittingen vrij van olie en vet.                         |
|      | PL       | Chronić zawory i przyłącza przed olejem i tłuszczem.                       |
|      | PT       | Manter válvulas e conexões isentas de óleo e gordura.                      |
|      | RO       | Feriți valvele și racordurile de ulei și grăsimi.                          |
|      | SK       | Udržujte ventily a príslušenstvo čisté, bez olejov a mazív.                |
|      | SL       | Preprečiti stik ventilov in opreme z oljem in mastjo.                      |
|      | FI       | Pidä venttiilit ja liittimet vapaana öljystä ja rasvasta.                  |
|      | SV       | Håll ventiler och anslutningar fria från olja och fett.                    |

▼ **M12**

| P250 | Language |  |
|------|----------|--|
|      | BG       | Да не се подлага на стържене/удар/триене...              |
|      | ES       | Evitar abrasiones/choques/fricciones/... .               |
|      | CS       | Nevystavujte obrušování/nárazům/tření/... .              |
|      | DA       | Må ikke udsættes for slibning/stød/gnidning/....         |
|      | DE       | Nicht schleifen/stoßen/reiben/... .                      |
|      | ET       | Hoida kriimustamise/põrutuse/hõõrdumise/... eest.        |
|      | EL       | Να αποφεύγεται άλεση/κρούση/τριβή/... .                  |
|      | EN       | Do not subject to grinding/shock/friction/... .          |
|      | FR       | Éviter les abrasions/les chocs/les frottements/... .     |
|      | GA       | Ná nocht do mheilt/do thurraing/do fhrith-chuimilt/... . |
|      | HR       | Ne izlagati mrvljenju/udarcima/trenju/...                |
|      | IT       | Evitare le abrasioni/gli urti/gli attriti/... .          |
|      | LV       | Nepakļaut drupināšanai/triecienam/berzei/... .           |
|      | LT       | Nešlifuoti/netrankyti/.../netrinti.                      |
|      | HU       | Tilos csiszolásnak/ütésnek/súrlódásnak/... kitenni.      |
|      | MT       | Tissottoponix għal brix / xokk / frizzjoni /... .        |

▼ **M12**

| P250 | Language |   |
|------|----------|---|
|      | NL       | Malen/schokken/wrijving/... vermijden.              |
|      | PL       | Nie poddawać szlifowaniu/wstrząsom/tarciu/....      |
|      | PT       | Não submeter a trituração/choque/fricção/... .      |
|      | RO       | A nu se supune la abraziuni/șocuri/frecare/... .    |
|      | SK       | Nevystavujte brúseniu/nárazu/treniu/... .           |
|      | SL       | Ne izpostavljati drgnjenju/udarcem/trenju/... .     |
|      | FI       | Suojele rasiukselta/iskuilta/hankaukselta/....      |
|      | SV       | Får inte utsättas för malning/stötat/friktion/... . |

▼ **M4**

| P251 | Language |   |
|------|----------|---|
|      | BG       | Да не се пробива и изгаря дори след употреба.                 |
|      | ES       | No perforar ni quemar, incluso después de su uso.             |
|      | CS       | Nepropichujte nebo nespalujte ani po použití.                 |
|      | DA       | Må ikke punkteres eller brændes, heller ikke efter brug.      |
|      | DE       | Nicht durchstechen oder verbrennen, auch nicht nach Gebrauch. |
|      | ET       | Mitte purustada ega põletada isegi pärast kasutamist.         |
|      | EL       | Να μην τρυπηθεί ή καεί ακόμη και μετά τη χρήση.               |
|      | EN       | Do not pierce or burn, even after use.                        |
|      | FR       | Ne pas perforer, ni brûler, même après usage.                 |
|      | GA       | Ná toll agus ná dóigh, fiú tar éis úsáide.                    |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | Ne bušiti, niti paliti čak niti nakon uporabe. |
|--|----|--|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | Non perforare né bruciare, neppure dopo l'uso.                      |
|  | LV | Nedurt vai nededzināt, arī pēc izlietošanas.                        |
|  | LT | Nepradurti ir nedeginti net panaudoto.                              |
|  | HU | Ne lyukassza ki vagy égesse el, még használat után sem.             |
|  | MT | Ittaqqbux u taħarqux, anki wara li tużah.                           |
|  | NL | Ook na gebruik niet doorboren of verbranden.                        |
|  | PL | Nie przekłuwać ani nie spalać, nawet po zużyciu.                    |
|  | PT | Não furar nem queimar, mesmo após utilização.                       |
|  | RO | Nu perforați sau ardeți, chiar și după utilizare.                   |
|  | SK | Neprepichujte alebo nespálajte ju, a to ani po spotrebovaní obsahu. |
|  | SL | Ne preluknjajte ali sežigajte je niti, ko je prazna.                |
|  | FI | Ei saa puhkaista tai polttaa edes tyhjänä.                          |
|  | SV | Får inte punkteras eller brännas, gäller även tömd behållare.       |

▼ B

| P260 | Language |   |
|------|----------|---|
|      | BG       | Не вдъшвайте прах/пушек/газ/дим/изпарения/аерозоли                      |
|      | ES       | No respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol.   |
|      | CS       | Nevdechujte prach/dým/plyn/mlhu/páry/aerosoly.                          |
|      | DA       | Indånd ikke pulver/røg/gas/tåge/damp/spray.                             |
|      | DE       | Staub/Rauch/Gas/Nebel/Dampf/Aerosol nicht einatmen.                     |
|      | ET       | Tolmu/suitsu/gaasi/udu/auru/pihustatud ainet mitte sisse hingata.       |
|      | EL       | Μην αναπνέετε σκόνη/αναθυμάσεις/αέρια/σταγονίδια/ατμούς/εκνεφώματα      |
|      | EN       | Do not breathe dust/fume/gas/mist/vapours/spray.                        |
|      | FR       | Ne pas respirer les poussières/fumées/gaz/brouillards/vapeurs/aérosols. |
|      | GA       | Ná hanálaigh deannach/múch/gás/ceo/gala/sprae.                          |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Ne udisati prašinu/dim/plin/maglu/pare/aerosol. |
|--|----|---|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Non respirare la polvere/i fumi/i gas/la nebbia/i vapori/gli aerosol. |
|  | LV | Neieelpot puteklus/tvaikus/gāzi/dūmus/izgarojumus/smidzinājumu.       |
|  | LT | Neįkvėpti dulkių/dūmų/dujų/rūko/garų/aerosolio.                       |
|  | HU | A por/füst/gáz/köd/gőzök/permet belélegzése tilos.                    |
|  | MT | Tiblax bin-nifs trabijiet/dhahen/gass/raxx/fwar/sprej.                |
|  | NL | Stof/rook/gas/nevel/damp/sputnevel niet inademen.                     |
|  | PL | Nie wdychać pyłu/dymu/gazu/mgły/par/rozpylonej cieczy.                |
|  | PT | Não respirar as poeiras/fumos/gases/névoas/vapores/aerossóis.         |
|  | RO | Nu inspirați praful/fumul/gazul/ceafa/vaporii/spray-ul.               |
|  | SK | Nevdychujte prach/dym/plyn/hmlu/pary/aerosóly.                        |
|  | SL | Ne vdihavati prahu/dima/plina/meglice/hlapov/razpršila.               |
|  | FI | Älä hengitä pölyä/savua/kaasua/sumua/höyryä/suihketta.                |
|  | SV | Inandas inte damm/rök/gaser/dimma/ångor/sprej.                        |

▼ B

| P261 | Language |  |
|------|----------|--|
|      | BG       | Избягвайте вдишване на прах/пушек/газ/дим/изпарения/аерозоли                   |
|      | ES       | Evitar respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol.      |
|      | CS       | Zamezte vdechování prachu/dýmu/plynu/mlhy/par/aerosolů.                        |
|      | DA       | Undgå indånding af pulver/røg/gas/tåge/damp/spray.                             |
|      | DE       | Einatmen von Staub/Rauch/Gas/Nebel/Dampf/Aerosol vermeiden.                    |
|      | ET       | Vältida tolmu/suitsu/gaasi/udu/auru/pihustatud aine sissehingamist.            |
|      | EL       | Αποφεύγετε να αναπνέετε σκόνη/αναθυμιάσεις/αέρια/σταγονίδια/ατμούς/εκνεφώματα. |
|      | EN       | Avoid breathing dust/fume/gas/mist/vapours/spray.                              |
|      | FR       | Éviter de respirer les poussières/fumées/gaz/brouillards/vapeurs/aérosols.     |
|      | GA       | Seachain deannach/múch/gás/ceo/gala/sprae a anáil.                             |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Izbjegavati udisanje prašine/dima/plina/magle/pare/aerosola. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Evitare di respirare la polvere/i fumi/i gas/la nebbia/i vapori/gli aerosol. |
|  | LV | Izvairoties ieelpot puteklus/tvaikus/gāzi/dūmus/izgarojumus/smīdzinājumu.    |
|  | LT | Stengtis neįkvėpti dulkių/dūmų/dujų/rūko/garų/aerozolio.                     |
|  | HU | Kerülje a por/füst/gáz/köd/gőzök/permet belélegzését.                        |
|  | MT | Evita li tibra' bin-nifs trabijiet/dhahen/gass/raxx/fwar/sprej.              |
|  | NL | Inademing van stof/rook/gas/nevel/damp/spuitnevel vermijden.                 |
|  | PL | Unikać wdychania pyłu/dymu/gazu/mgły/par/rozpylonej cieczy.                  |
|  | PT | Evitar respirar as poeiras/fumos/gases/névoas/vapores/aerossóis.             |



**▼ B**

| P261 | Language |   |
|------|----------|---|
|      | RO       | Evitați să inspirați praful/fumul/gazul/ceața/vaporii/spray-ul. |
|      | SK       | Zabraňte vdychovaniu prachu/dymu/plynu/hmly/pár/aerosólov.      |
|      | SL       | Ne vdihavati prahu/dima/plina/megllice/hlapov/razpršila.        |
|      | FI       | Vältä pölyn/savun/kaasun/sumun/höyryn/suihkeen hengittämistä.   |
|      | SV       | Undvik att inandas damm/rök/gaser/dimma/ångor/sprej.            |

| P262 | Language |   |
|------|----------|---|
|      | BG       | Да се избягва контакт с очите, кожата или облеклото.                    |
|      | ES       | Evitar el contacto con los ojos, la piel o la ropa.                     |
|      | CS       | Zabraňte styku s očima, kůží nebo oděvem.                               |
|      | DA       | Må ikke komme i kontakt med øjne, hud eller tøj.                        |
|      | DE       | Nicht in die Augen, auf die Haut oder auf die Kleidung gelangen lassen. |
|      | ET       | Vältida silma, nahale või rõivastele sattumist.                         |
|      | EL       | Να μην έρθει σε επαφή με τα μάτια, με το δέρμα ή με τα ρούχα.           |
|      | EN       | Do not get in eyes, on skin, or on clothing.                            |
|      | FR       | Éviter tout contact avec les yeux, la peau ou les vêtements.            |
|      | GA       | Ná lig sna súile, ar an gceisceann, ná ar éadaí.                        |

**▼ M5**

|  |    |  |
|--|----|--|
|  | HR | Spriječiti dodir s očima, kožom ili odjećom. |
|--|----|--|

**▼ B**

|  |    |  |
|--|----|--|
|  | IT | Evitare il contatto con gli occhi, la pelle o gli indumenti. |
|  | LV | Nepieļaut nokļūšanu acīs, uz ādas vai uz drēbēm.             |
|  | LT | Saugotis, kad nepatektų į akis, ant odos ar drabužių.        |
|  | HU | Szembe, bõrre vagy ruhára nem kerülhet.                      |
|  | MT | Iddahħalx fl-ghajnejn, fuq il-ġilda, jew fuq il-ħwejjeġ.     |
|  | NL | Contact met de ogen, de huid of de kleding vermijden.        |
|  | PL | Nie wprowadzać do oczu, na skórę lub na odzież.              |
|  | PT | Não pode entrar em contacto com os olhos, a pele ou a roupa. |
|  | RO | Evitați orice contact cu ochii, pielea sau îmbrăcămintea.    |

▼ **B**

| P262 | Language |   |
|------|----------|---|
|      | SK       | Zabráňte kontaktu s očami, pokožkou alebo odevom.           |
|      | SL       | Preprečiti stik z očmi, kožo ali oblačili.                  |
|      | FI       | Varo kemikaalin joutumista silmiin, iholle tai vaatteisiin. |
|      | SV       | Får inte komma i kontakt med ögonen, huden eller kläderna.  |

▼ **M12**

| P263 | Language |  |
|------|----------|--|
|      | BG       | Да се избягва контакт по време на бременност и при кърмене.                              |
|      | ES       | Evitar todo contacto con la sustancia durante el embarazo y la lactancia.                |
|      | CS       | Zabraňte styku během těhotenství a kojení.   |
|      | DA       | Undgå kontakt under graviditet/amning.   |
|      | DE       | Berührung während Schwangerschaft und Stillzeit vermeiden.                               |
|      | ET       | Vältida kokkupuudet raseduse ja imetamise ajal.  |
|      | EL       | Αποφεύγετε την επαφή στη διάρκεια της εγκυμοσύνης και της γαλουχίας.                     |
|      | EN       | Avoid contact during pregnancy and while nursing.  |
|      | FR       | Éviter tout contact avec la substance au cours de la grossesse et pendant l'allaitement. |
|      | GA       | Seachain teagmháil le linn toirchis agus fad agus atá an chíos á tabhairt.               |
|      | HR       | Izbjegavati dodir tijekom trudnoće i dojenja.  |
|      | IT       | Evitare il contatto durante la gravidanza e l'allattamento.                              |
|      | LV       | Izvairīties no saskares grūtniecības laikā un barojot bērnu ar krūti.                    |
|      | LT       | Vengti kontakto nėštumo metu/maitinant krūtimi.  |
|      | HU       | Terhesség és szoptatás alatt kerülni kell az anyaggal való érintkezést.                  |
|      | MT       | Evita l-kuntatt waqt it-tqala u t-treddigh.  |
|      | NL       | Bij zwangerschap of borstvoeding aanraking vermijden.                                    |
|      | PL       | Unikać kontaktu w czasie ciąży i podczas karmienia piersią.                              |
|      | PT       | Evitar o contacto durante a gravidez e o aleitamento.                                    |
|      | RO       | Evitați contactul în timpul sarcinii și alăptării.                                       |
|      | SK       | Zabráňte kontaktu počas tehotenstva a dojenia.   |
|      | SL       | Preprečiti stik med nosečnostjo in dojenjem.   |

▼ **M12**

| P263 | Language |   |
|------|----------|---|
|      | FI       | Vältä kosketusta raskauden ja imetyksen aikana. |
|      | SV       | Undvik kontakt under graviditet och amning.     |

▼ **B**

| P264 | Language |  |
|------|----------|--|
|      | BG       | Да се измие... старателно след употреба.           |
|      | ES       | Lavarse ... concienzudamente tras la manipulación. |
|      | CS       | Po manipulaci důkladně omyjte ...                  |
|      | DA       | Vask ... grundigt efter brug.                      |
|      | DE       | Nach Gebrauch ... gründlich waschen.               |
|      | ET       | Pärast käitlemist pesta hoolega ...                |
|      | EL       | Πλύνετε ... σχολαστικά μετά το χειρισμό.           |
|      | EN       | Wash ... thoroughly after handling.                |
|      | FR       | Se laver ... soigneusement après manipulation.     |
|      | GA       | Nigh ... go lánchúramach tar éis láimhsithe.       |

▼ **M5**

|  |    |                                    |
|--|----|------------------------------------|
|  | HR | Nakon uporabe temeljito oprati ... |
|--|----|------------------------------------|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Lavare accuratamente ... dopo l'uso.                        |
|  | LV | Pēc izmantošanas ... kārtīgi nomazgāt.                      |
|  | LT | Po naudojimo kruopščiai nuplauti ...                        |
|  | HU | A használatot követően a(z) ... -t alaposan meg kell mosni. |
|  | MT | Aħsel ... sew wara li timmanigġjah.                         |
|  | NL | Na het werken met dit product ... grondig wassen.           |
|  | PL | Dokładnie umyć ... po użyciu.                               |
|  | PT | Lavar ... cuidadosamente após manuseamento.                 |
|  | RO | Spălați-vă ... bine după utilizare.                         |
|  | SK | Po manipulácii starostlivo umyte...                         |
|  | SL | Po uporabi temeljito umiti ...                              |
|  | FI | Pese ... huolellisesti käsittelyn jälkeen.                  |
|  | SV | Tvätta ... grundligt efter användning.                      |

| P270 | Language |  |
|------|----------|--|
|      | BG       | Да не се яде, пие или пуши при употреба на продукта.                   |
|      | ES       | No comer, beber ni fumar durante su utilización.                       |
|      | CS       | Při používání tohoto výrobku nejezte, nepijte ani nekuřte.             |
|      | DA       | Der må ikke spises, drikkes eller ryges under brugen af dette produkt. |

▼ B

| P270 | Language |  |
|------|----------|--|
|      | DE       | Bei Gebrauch nicht essen, trinken oder rauchen.                                  |
|      | ET       | Toote käitlemise ajal mitte süüa, juua ega suitsetada.                           |
|      | EL       | ► <b>C3</b> Μην τρώτε, πίνετε ή καπνίζετε, όταν χρησιμοποιείτε αυτό το προϊόν. ◀ |
|      | EN       | ► <b>C3</b> Do not eat, drink or smoke when using this product. ◀                |
|      | FR       | Ne pas manger, boire ou fumer en manipulant ce produit.                          |
|      | GA       | Ná hith, ná hól agus ná caitear tobac agus an táirge seo á úsáid.                |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Pri rukovanju proizvodom ne jesti, piti niti pušiti. |
|--|----|--|

▼ B

|  |    |   |
|--|----|---|
|  | IT | Non mangiare, né bere, né fumare durante l'uso.                     |
|  | LV | Neēst, nedzert un nesmēķēt produkta izmantošanas laikā.             |
|  | LT | Naudojant šį produktą, nevalgyti, negerti ir nerūkyti.              |
|  | HU | A termék használata közben tilos enni, inni vagy dohányozni.        |
|  | MT | Tikolx, tixrobx u tpejjipx waqt li tuża' dan il-prodott.            |
|  | NL | Niet eten, drinken of roken tijdens het gebruik van dit product.    |
|  | PL | Nie jeść, nie pić i nie palić podczas używania produktu.            |
|  | PT | Não comer, beber ou fumar durante a utilização deste produto.       |
|  | RO | A nu mânca, bea sau fuma în timpul utilizării produsului.           |
|  | SK | Pri používaní výrobku nejedzte, nepite ani nefajčite.               |
|  | SL | Ne jesti, piti ali kaditi med uporabo tega izdelka.                 |
|  | FI | Syöminen, juominen ja tupakointi kielletty kemikaalia käytettäessä. |
|  | SV | Ät inte, drick inte och rök inte när du använder produkten.         |

| P271 | Language |   |
|------|----------|---|
|      | BG       | Да се използва само на открито или на добре проветриво място.   |
|      | ES       | Utilizar únicamente en exteriores o en un lugar bien ventilado. |
|      | CS       | Používejte pouze venku nebo v dobře větraných prostorech.       |
|      | DA       | Brug kun udendørs eller i et rum med god udluftning.            |

▼ B

| P271 | Language |  |
|------|----------|--|
|      | DE       | Nur im Freien oder in gut belüfteten Räumen verwenden.           |
|      | ET       | Käidelda üksnes välitingimustes või hästi ventileeritavas kohas. |
|      | EL       | Να χρησιμοποιείται μόνο σε ανοικτό ή καλά αεριζόμενο χώρο.       |
|      | EN       | Use only outdoors or in a well-ventilated area.                  |
|      | FR       | Utiliser seulement en plein air ou dans un endroit bien ventilé. |
|      | GA       | Úsáid amuigh faoin aer nó i limistéar dea-aerálaithe amháin.     |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Rabiti samo na otvorenom ili u dobro prozračenom prostoru. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Utilizzare soltanto all'aperto o in luogo ben ventilato.                 |
|  | LV | Izmantot tikai ārā vai labi vēdināmās telpās.                            |
|  | LT | Naudoti tik lauke arba gerai vėdinamoje patalpoje.                       |
|  | HU | Kizárólag szabadban vagy jól szellőző helyiségben használható.           |
|  | MT | Uża biss barra jew f'post ventilat sew.                                  |
|  | NL | Alleen buiten of in een goed geventileerde ruimte gebruiken.             |
|  | PL | Stosować wyłącznie na zewnątrz lub w dobrze wentylowanym pomieszczeniu   |
|  | PT | Utilizar apenas ao ar livre ou em locais bem ventilados.                 |
|  | RO | A se utiliza numai în aer liber sau în spații bine ventilate.            |
|  | SK | Používajte iba na voľnom priestranstve alebo v dobre vetranom priestore. |
|  | SL | Uporabljati le zunaj ali v dobro prezračevanem prostoru.                 |
|  | FI | Käytä ainoastaan ulkona tai tiloissa, joissa on hyvä ilmanvaihto.        |
|  | SV | Används endast utomhus eller i väl ventilerade utrymmen.                 |

| P272 | Language |   |
|------|----------|---|
|      | BG       | Да не се изнася замърсено работно облекло извън работното помещение.        |
|      | ES       | Las prendas de trabajo contaminadas no podrán sacarse del lugar de trabajo. |
|      | CS       | Kontaminovaný pracovní oděv neodnášejte z pracoviště.                       |
|      | DA       | Tilsmudset arbejdstøj bør ikke fjernes fra arbejdspladsen.                  |

▼ B

| P272 | Language |   |
|------|----------|---|
|      | DE       | Kontaminierte Arbeitskleidung nicht außerhalb des Arbeitsplatzes tragen.        |
|      | ET       | Saastunud töörõivaid töökohast mitte välja viia.                                |
|      | EL       | Τα μολυσμένα ενδύματα εργασίας δεν πρέπει να βγαίνουν από το χώρο εργασίας.     |
|      | EN       | Contaminated work clothing should not be allowed out of the workplace.          |
|      | FR       | Les vêtements de travail contaminés ne devraient pas sortir du lieu de travail. |
|      | GA       | Níor chóir éadaí éillithe oibre a ligean amach as an láthair oibre.             |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Zagađena radna odjeća ne smije se iznositi izvan radnog prostora. |
|--|----|---|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Gli indumenti da lavoro contaminati non devono essere portati fuori dal luogo di lavoro. |
|  | LV | Piesārņoto darba apģērbu neiznest ārpus darba telpām.                                    |
|  | LT | Užterštų darbo drabužių negalima išnešti iš darbo vietos.                                |
|  | HU | Szennyezett munkaruhát tilos kivinni a munkahely területéről.                            |
|  | MT | Ilbies tax-xogħol kontaminat m'għandux jithalla johroġ mill-post tax-xogħol.             |
|  | NL | Verontreinigde werkkleding mag de werkruimte niet verlaten.                              |
|  | PL | Zanieczyszczonej odzieży ochronnej nie wnosić poza miejsce pracy.                        |
|  | PT | A roupa de trabalho contaminada não pode sair do local de trabalho.                      |
|  | RO | Nu scoateți îmbrăcămintea de lucru contaminată în afara locului de muncă.                |
|  | SK | Je zakázané vyniesť kontaminovaný pracovný odev z pracoviska.                            |
|  | SL | Kontaminirana delovna oblačila niso dovoljena zunaj delovnega mesta.                     |
|  | FI | Saastuneita työvaatteita ei saa viedä työpaikalta.                                       |
|  | SV | Nedstänkta arbetskläder får inte avlägsnas från arbetsplatsen.                           |

| P273 | Language |   |
|------|----------|---|
|      | BG       | Да се избягва изпускане в околната среда. |
|      | ES       | Evitar su liberación al medio ambiente.   |
|      | CS       | Zabraňte uvolnění do životního prostředí. |
|      | DA       | Undgå udledning til miljøet.              |
|      | DE       | Freisetzung in die Umwelt vermeiden.      |

▼ B

| P273 | Language |   |
|------|----------|---|
|      | ET       | Vältida sattumist keskkonda.                |
|      | EL       | Να αποφεύγεται η ελευθέρωση στο περιβάλλον. |
|      | EN       | Avoid release to the environment.           |
|      | FR       | Éviter le rejet dans l'environnement.       |
|      | GA       | Ná scaoiltear amach sa chomhshaol.          |

▼ M5

|  |    |                                  |
|--|----|----------------------------------|
|  | HR | Izbjegavati ispuštanje u okoliš. |
|--|----|----------------------------------|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Non disperdere nell'ambiente.                          |
|  | LV | Izvairīties no izplatīšanas apkārtējā vidē.            |
|  | LT | Saugoti, kad nepatektų į aplinką.                      |
|  | HU | Kerülni kell az anyagnak a környezetbe való kijutását. |
|  | MT | Evita r-rilaxx fl-ambjent.                             |
|  | NL | Voorkom lozing in het milieu.                          |
|  | PL | Unikać uwolnienia do środowiska.                       |
|  | PT | Evitar a libertação para o ambiente.                   |
|  | RO | Evitați dispersarea în mediu.                          |
|  | SK | Zabráňte uvoľneniu do životného prostredia.            |
|  | SL | Preprečiti sproščanje v okolje.                        |
|  | FI | Vältettävä päästämistä ympäristöön.                    |
|  | SV | Undvik utsläpp till miljön.                            |

| P280 | Language |  |
|------|----------|--|
|      | BG       | Използвайте предпазни ръкавици/предпазно облекло/предпазни очила/предпазна маска за лице.                  |
|      | ES       | Llevar guantes/prendas/gafas/máscara de protección.  |
|      | CS       | Používejte ochranné rukavice/ochranný oděv/ochranné brýle/obličejový štít.                                 |
|      | DA       | Bær beskyttelseshandsker/beskyttelsestøj/øjebeskyttelse/ansigtsbeskyttelse                                 |
|      | DE       | Schutzhandschuhe/Schutzkleidung/Augenschutz/Gesichtsschutz tragen.   |
|      | ET       | Kanda kaitsekindaid/kaitserõivastust/kaitseprille/kaitsemaski.   |
|      | EL       | Να φοράτε προστατευτικά γάντια/προστατευτικά ενδύματα/μέσα ατομικής προστασίας για τα μάτια/πρόσωπο.       |
|      | EN       | Wear protective gloves/protective clothing/eye protection/face protection.                                 |
|      | FR       | Porter des gants de protection/des vêtements de protection/un équipement de protection des yeux/du visage. |
|      | GA       | Caith lámhainní cosanta/éadaí cosanta/cosaint súile/cosaint aghaidhe.                                      |

▼ B

| P280 | Language |  |
|------|----------|--|
|      | HR       | Nositi zaštitne rukavice/zaštitno odijelo/zaštitu za oči/zaštitu za lice.  |
|      | IT       | Indossare guanti/indumenti protettivi/Proteggere gli occhi/il viso.  |
|      | LV       | Izmantot aizsargcimdus/aizsargdrēbes/acu aizsargus/sejas aizsargus.  |
|      | LT       | Mūvēti apsaugines pirštines/dėvėti apsauginius drabužius/naudoti akių (veido) apsaugos priemonės.                        |
|      | HU       | Védőkesztyű/védőruha/szemvédő/arcvédő használatra kötelező.  |
|      | MT       | Ilbes ingwanti protettivi/ilbies protettiv/protezzjoni għall-ghajnejn/protezzjoni għall-wiċċ.                            |
|      | NL       | Beschermende handschoenen/beschermende kleding/oogbescherming/gelaatsbescherming dragen.                                 |
|      | PL       | Stosować rękawice ochronne/odzież ochronną/ochronę oczu/ochronę twarzy.  |
|      | PT       | Usar luvas de protecção/vestuário de protecção/protecção ocular/protecção facial.  |
|      | RO       | Purtați mănuși de protecție/îmbrăcăminte de protecție/echipament de protecție a ochilor/echipament de protecție a feței. |
|      | SK       | Noste ochranné rukavice/ochranný odev/ochranné okuliare/ochranu tváre.   |
|      | SL       | Nositi zaščitne rokavice/zaščitno obleko/zaščitno za oči/zaščitno za obraz.  |
|      | FI       | Käytä suojakäsineitä/suojavaatetusta/silmien-suojainta/kasvosuojainta.   |
|      | SV       | Använd skyddshandskar/skyddskläder/ögonskydd/ansiktsskydd.   |

▼ M4

\_\_\_\_\_

▼ M12

| P282 | Language |   |
|------|----------|---|
|      | BG       | Носете предпазващи от студ ръкавици, както и маска за лице или защитни очила.               |
|      | ES       | Usar guantes aislantes contra el frío y equipo de protección para la cara o los ojos.       |
|      | CS       | Používejte ochranné rukavice proti chladu a buď obličejový štít, nebo ochranné brýle.       |
|      | DA       | Bær kuldeisolerende handsker og enten ansigtsskærm eller øjenbeskyttelse.                   |
|      | DE       | Schutzhandschuhe mit Kälteisolierung und zusätzlich Gesichtsschild oder Augenschutz tragen. |
|      | ET       | Kanda külmakaitsekindaid ning kaitsemaski või kaitseprille.                                 |



## ▼ M12

| P282 | Language |   |
|------|----------|---|
|      | EL       | Να φοράτε μονωτικά γάντια και προστατευτικό κάλυμμα προσώπου ή εξοπλισμό προστασίας ματιών.         |
|      | EN       | Wear cold insulating gloves and either face shield or eye protection.                               |
|      | FR       | Porter des gants isolants contre le froid et un équipement de protection du visage ou des yeux.     |
|      | GA       | Caith lámhainní inslithe fuachta agus aghaidhsciath nó cosaint súile.                               |
|      | HR       | Nositi zaštitne rukavice za hladnoću i zaštitu za lice ili zaštitu za oči.                          |
|      | IT       | Utilizzare guanti termici e schermo facciale o protezione per gli occhi.                            |
|      | LV       | Izmantot aukstumizolējošus aizsargcimodus un sejas vai acu aizsargu.                                |
|      | LT       | Mūvēti nuo šalčio izoliuojančias pirštines ir naudoti veido skydelį arba akių apsaugos priemonės.   |
|      | HU       | Hidegszigetelő kesztyű és arcvédő vagy szemvédő használatra kötelező.                               |
|      | MT       | Ilbes ingwanti kiesha li ma jinfidx minnhom u jew ilqugh għall-wiċċ jew protezzjoni għall-ġhajnejn. |
|      | NL       | Koude-isolerende handschoenen en hetzij gelaatsbescherming hetzij oogbescherming dragen.            |
|      | PL       | Nosić rękawice izolujące od zimna oraz albo maski na twarz albo ochronę oczu.                       |
|      | PT       | Usar luvas de proteção contra o frio e escudo facial ou proteção ocular.                            |
|      | RO       | Purtați mănuși izolante împotriva frigului și echipament de protecție a feței sau a ochilor.        |
|      | SK       | Používajte termostabilné rukavice a buď ochranný štít alebo ochranné okuliare.                      |
|      | SL       | Nositi izolirne rokavice za zaščito pred mrazom in zaščito za obraz oziroma zaščito za oči.         |
|      | FI       | Käytä kylmäeristäviä suojakäsineitä ja joko kasvosuojainta tai silmiensuojainta.                    |
|      | SV       | Använd köldisolerande handskar och antingen visir eller ögonskydd.                                  |

| P283 | Language |   |
|------|----------|---|
|      | BG       | Носете огнеупорно или огнезащитно облекло.                  |
|      | ES       | Llevar ropa resistente al fuego o retardante de las llamas. |
|      | CS       | Používejte ohnivzdorný oděv nebo oděv zpomalující hoření.   |
|      | DA       | Bær brandbestandig eller brandhæmmende beklædning.          |

▼ **M12**

| P283 | Language |  |
|------|----------|--|
|      | DE       | Schwer entflammbare oder flammhemmende Kleidung tragen.                        |
|      | ET       | Kanda tulekindlat või tule levikut aeglustavat rõivastust.                     |
|      | EL       | Να φοράτε αντιπυρικό ρουχισμό ή ρουχισμό με επιβραδυντικό φλόγας.              |
|      | EN       | Wear fire resistant or flame retardant clothing.                               |
|      | FR       | Porter des vêtements résistant au feu ou à retard de flamme.                   |
|      | GA       | Caith éadaí dódhíonacha nó lasairmhoillitheacha.                               |
|      | HR       | Nositi odjeću otpornu na vatru ili nezapaljivu odjeću.                         |
|      | IT       | Indossare indumenti completamente ignifughi o in tessuti ritardanti di fiamma. |
|      | LV       | Izmantot ugunsizturīgu vai liesmas aizturošu apģērbu.                          |
|      | LT       | Dėvėti ugniai atsparius arba antipirenius drabužius.                           |
|      | HU       | Tűzálló vagy lángkésleltető ruházat viselése kötelező.                         |
|      | MT       | Ilbes hwejjeġ rezistenti għan-nar u retardanti tal-fjammi.                     |
|      | NL       | Vuurbestendige of vlamvertragende kleding dragen.                              |
|      | PL       | Nosić odzież ognioodporną lub opóźniającą zapalenie.                           |
|      | PT       | Usar vestuário ignífugo ou retardador de chamas.                               |
|      | RO       | Purtați îmbrăcăminte rezistentă la foc sau ignifugă.                           |
|      | SK       | Noste ohňovzdorný odev alebo odev so zníženou horľavosťou.                     |
|      | SL       | Nositi negorljiva oblačila ali oblačila, odporna proti ognju.                  |
|      | FI       | Käytä palosuojattua tai paloturvallista vaate-tusta.                           |
|      | SV       | Använd brandsäkra eller flammhämmande kläder.                                  |

▼ **M4**

| P284 | Language |  |
|------|----------|--|
|      | BG       | [При недостатъчна вентилация] носете средства за защита на дихателните пътища.   |
|      | ES       | [En caso de ventilación insuficiente,] llevar equipo de protección respiratoria. |
|      | CS       | [V případě nedostatečného větrání] použijte vybavení pro ochranu dýchacích cest. |
|      | DA       | [I tilfælde af utilstrækkelig ventilation], anvend åndedrætsværn.                |

▼ **M4**

| P284 | Language |   |
|------|----------|---|
|      | DE       | [Bei unzureichender Belüftung] Atemschutz tragen.   |
|      | ET       | [Ebapiisava ventilatsiooni korral] kanda hingamisteede kaitsevahendit.                              |
|      | EL       | [Σε περίπτωση ανεπαρκούς αερισμού] χρησιμοποιείτε μέσα ατομικής προστασίας της αναπνοής.            |
|      | EN       | [In case of inadequate ventilation] wear respiratory protection.                                    |
|      | FR       | [Lorsque la ventilation du local est insuffisante] porter un équipement de protection respiratoire. |
|      | GA       | [Mura leor an aeráil] caith cosaint riospráide.   |

▼ **M8**

|  |    |   |
|--|----|---|
|  | HR | [U slučaju nedovoljne ventilacije] nositi sredstva za zaštitu dišnog sustava. |
|--|----|---|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | [Quando la ventilazione del locale è insufficiente] indossare un apparecchio di protezione respiratoria. |
|  | LV | [Neatbilstošas ventilācijas gadījumā] lietot elpošanas orgānu aizsargierīces.                            |
|  | LT | [Esant nepakankamam vėdinimui] naudoti kvėpavimo takų apsaugos priemonės.                                |
|  | HU | [Nem megfelelő szellőzés esetén] légzésvédelem kötelező.   |
|  | MT | [F'każ ta' ventilazzjoni inadegwata] ilbes protezzjoni respiratorja.                                     |
|  | NL | [Bij ontoereikende ventilatie] adembescherming dragen.   |
|  | PL | [W przypadku nieodpowiedniej wentylacji] stosować indywidualne środki ochrony dróg oddechowych.          |
|  | PT | [Em caso de ventilação inadequada] usar proteção respiratória.   |
|  | RO | [În cazul în care ventilarea este necorespunzătoare] purtați echipament de protecție respiratorie.       |
|  | SK | [V prípade nedostatočného vetrania] používajte ochranu dýchacích ciest.                                  |
|  | SL | [Ob nezadostnem prezračevanju] nositi opremo za zaščito dihal.   |
|  | FI | Käytä hengityksensuojainta [jos ilmanvaihto on riittämätön].   |
|  | SV | [Vid otillräcklig ventilation], använd andningsskydd.  |

▼ **M12**

| P231 + P232 | Language |   |
|-------------|----------|---|
|             | BG       | Да се използва и съхранява съдържанието под инертен газ/... Да се пази от влага.          |
|             | ES       | Manipular y almacenar el contenido en un medio de gas inerte/.... Proteger de la humedad. |

## ▼ M12

| P231 + P232 | Language |  |
|-------------|----------|--|
|             | CS       | Manipulace a skladování pod inertním plynem /... Chraňte před vlhkem.                                |
|             | DA       | Håndteres og opbevares under inert gas/... Beskyt mod fugt.  |
|             | DE       | Inhalt unter inertem Gas/... handhaben und aufbewahren. Vor Feuchtigkeit schützen.                   |
|             | ET       | Sisu käidelda ja hoida inertgaasis/... Hoida niiskuse eest.  |
|             | EL       | Ο χειρισμός και η αποθήκευση του υλικού να γίνεται υπό αδρανές αέριο/ ... Προστασία από την υγρασία. |
|             | EN       | Handle and store contents under inert gas/... Protect from moisture.                                 |
|             | FR       | Manipuler et stocker le contenu sous gaz inerte/ ... Protéger de l'humidité.                         |
|             | GA       | Láimhsigh agus stóráil an t-ábhar faoi thriathghás/... Cosain ó thaise.                              |
|             | HR       | Rukovati i skladištiti u inertnom plinu / ... Zaštiti od vlage.                                      |
|             | IT       | Manipolare e conservare in atmosfera di gas inerte/... Tenere al riparo dall'umidità.                |
|             | LV       | Saturu izmantot un glabāt tikai inertas gāzes vidē/... Sargāt no mitruma.                            |
|             | LT       | Turinį tvarkyti ir laikyti inertinėse dujose/ ...Saugoti nuo drėgmės.                                |
|             | HU       | Tartalma inert gázban / ... használandó és tárolandó. Nedvességtől védendő.                          |
|             | MT       | Uża u aħžen il-kontenut taht gass inerti /... Ipproteġi mill-umdità.                                 |
|             | NL       | Inhoud onder inert gas/... gebruiken en bewaren. Tegen vocht beschermen.                             |
|             | PL       | Używać i przechowywać zawartość w atmosferze obojętnego gazu /... Chronić przed wilgocią.            |
|             | PT       | Manusear e armazenar o conteúdo em atmosfera de gás inerte/... Manter ao abrigo da humidade.         |
|             | RO       | A se manipula și a se depozita conținutul sub un gaz inert/... A se proteja de umiditate.            |
|             | SK       | Manipulujte s obsahom a skladujte ho v prostredí s inertným plynom/... Chrňte pred vlhkosťou.        |
|             | SL       | Ravnati z vsebino in jo hraniti v ustreznem inertnem plinu/... Zaščititi pred vlago.                 |
|             | FI       | Käsittely ja varastointi sisältö inertissä kaasussa /... Suojaa kosteudelta.                         |
|             | SV       | Hantera och förvara innehållet under inert gas/ ... Skyddas från fukt.                               |

▼B

Table 1.3

## Precautionary statements — Response

| P301 | Language |                                      |
|------|----------|--------------------------------------|
|      | BG       | ПРИ ПОГЛЪЩАНЕ:                       |
|      | ES       | EN CASO DE INGESTIÓN:                |
|      | CS       | PŘI POŽITÍ:                          |
|      | DA       | I TILFÆLDE AF INDTAGELSE:            |
|      | DE       | BEI VERSCHLUCKEN:                    |
|      | ET       | ALLANEELAMISE KORRAL:                |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΙΟΣΗΣ:             |
|      | EN       | IF SWALLOWED:                        |
|      | FR       | EN CAS D'INGESTION:                  |
|      | GA       | MÁ SHLOGTAR:                         |
|      | HR       | AKO SE PROGUTA:                      |
|      | IT       | IN CASO DI INGESTIONE:               |
|      | LV       | NORIŠANAS GADĪJUMĀ:                  |
|      | LT       | PRARIJUS:                            |
|      | HU       | LENYELÉS ESETÉN:                     |
|      | MT       | JEKK JINBELA':                       |
|      | NL       | NA INSLIKKEN:                        |
|      | PL       | W PRZYPADKU POŁKNIĘCIA:              |
|      | PT       | EM CASO DE INGESTÃO:                 |
|      | RO       | ÎN CAZ DE ÎNGHIȚIRE:                 |
|      | SK       | PO POŽITÍ:                           |
|      | SL       | PRI ZAUŽITJU:                        |
|      | FI       | JOS KEMIKAALIA ON NIELTY:            |
|      | SV       | VID FÖRTÄRING:                       |
| P302 | Language |                                      |
|      | BG       | ПРИ КОНТАКТ С КОЖАТА:                |
|      | ES       | EN CASO DE CONTACTO CON LA PIEL:     |
|      | CS       | PŘI STYKU S KŮŽÍ:                    |
|      | DA       | VED KONTAKT MED HUDEN:               |
|      | DE       | BEI BERÜHRUNG MIT DER HAUT:          |
|      | ET       | NAHALE SATTUMISE KORRAL:             |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ:     |
|      | EN       | IF ON SKIN:                          |
|      | FR       | EN CAS DE CONTACT AVEC LA PEAU:      |
|      | GA       | I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN: |

▼M5▼B

▼ B

| P302 | Language |                                   |
|------|----------|-----------------------------------|
|      | HR       | U SLUČAJU DODIRA S KOŽOM:         |
|      | IT       | IN CASO DI CONTATTO CON LA PELLE: |
|      | LV       | SASKARĒ AR ĀDU:                   |
|      | LT       | PATEKUS ANT ODOS:                 |
|      | HU       | HA BŐRRE KERÜL:                   |
|      | MT       | F'KAŻ TA' KUNTATT MAL-ĠILDA:      |
|      | NL       | BIJ CONTACT MET DE HUID:          |
|      | PL       | W PRZYPADKU KONTAKTU ZE SKÓRĄ:    |
|      | PT       | SE ENTRAR EM CONTACTO COM A PELE: |
|      | RO       | ÎN CAZ DE CONTACT CU PIELEA:      |
|      | SK       | PRI KONTAKTE S POKOŽKOU:          |
|      | SL       | PRI STIKU S KOŽO:                 |
|      | FI       | JOS KEMIKAALIA JOUTUU IHOLLE:     |
|      | SV       | VID HUDKONTAKT:                   |

| P303 | Language |   |
|------|----------|---|
|      | BG       | ПРИ КОНТАКТ С КОЖАТА (или косата):                  |
|      | ES       | EN CASO DE CONTACTO CON LA PIEL (o el pelo):        |
|      | CS       | PŘI STYKU S KŮŽÍ (nebo s vlasy):                    |
|      | DA       | VED KONTAKT MED HUDEN (eller håret):                |
|      | DE       | BEI BERÜHRUNG MIT DER HAUT (oder dem Haar):         |
|      | ET       | NAHALE (või juustele) SATTUMISE KORRAL:             |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ (ή με τα μαλλιά):   |
|      | EN       | IF ON SKIN (or hair):                               |
|      | FR       | EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):    |
|      | GA       | I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN (nó le gruaig): |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | U SLUČAJU DODIRA S KOŽOM (ili kosom):               |
|  | IT | IN CASO DI CONTATTO CON LA PELLE (o con i capelli): |
|  | LV | SASKARĒ AR ĀDU (vai matiem):                        |
|  | LT | PATEKUS ANT ODOS (arba plauką):                     |
|  | HU | HA BŐRRE (vagy hajra) KERÜL:                        |

▼ B

**▼B**

| P303 | Language |   |
|------|----------|---|
|      | MT       | F'KAŻ TA' KUNTATT MAL-ĠILDA (jew ix-xagħar):    |
|      | NL       | BIJ CONTACT MET DE HUID (of het haar):          |
|      | PL       | W PRZYPADKU KONTAKTU ZE SKÓRĄ (lub z włosami):  |
|      | PT       | SE ENTRAR EM CONTACTO COM A PELE (ou o cabelo): |
|      | RO       | ÎN CAZ DE CONTACT CU PIELEA (sau părul):        |
|      | SK       | PRI KONTAKTE S POKOŽKOU (alebo vlasmi):         |
|      | SL       | PRI STIKU S KOŽO (ali lasmi):                   |
|      | FI       | JOS KEMIKAALIA JOUTUU IHOLLE (tai hiuksiin):    |
|      | SV       | VID HUDKONTAKT (även håret):                    |

| P304 | Language |                        |
|------|----------|------------------------|
|      | BG       | ПРИ ВДИШВАНЕ:          |
|      | ES       | EN CASO DE INHALACIÓN: |
|      | CS       | PŘI VDECHNUTÍ:         |
|      | DA       | VED INDÅNDING:         |
|      | DE       | BEI EINATMEN:          |
|      | ET       | SISSEHINGAMISE KORRAL: |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΙΣΠΝΟΗΣ: |
|      | EN       | IF INHALED:            |
|      | FR       | EN CAS D'INHALATION:   |
|      | GA       | MÁ IONANÁLAÍTEAR:      |

**▼M5**

|  |    |               |
|--|----|---------------|
|  | HR | AKO SE UDIŠE: |
|--|----|---------------|

**▼B**

|  |    |   |
|--|----|---|
|  | IT | IN CASO DI INALAZIONE:                        |
|  | LV | IEELPOJOT:                                    |
|  | LT | ĮKVĖPUS:                                      |
|  | HU | BELÉLEGZÉS ESETÉN:                            |
|  | MT | JEKK JINGĪBED MAN-NIFS:                       |
|  | NL | NA INADEMING:                                 |
|  | PL | W PRZYPADKU DOSTANIA SIĘ DO DRÓG ODDECHOWYCH: |
|  | PT | EM CASO DE INALAÇÃO:                          |
|  | RO | ÎN CAZ DE INHALARE:                           |
|  | SK | PO VDÝCHNUTÍ:                                 |

▼ B

| P304 | Language |                               |
|------|----------|-------------------------------|
|      | SL       | PRI VDIHAVANJU:               |
|      | FI       | JOS KEMIKAALIA ON HENGITETTY: |
|      | SV       | VID INANDNING:                |

| P305 | Language |                                   |
|------|----------|-----------------------------------|
|      | BG       | ПРИ КОНТАКТ С ОЧИТЕ:              |
|      | ES       | EN CASO DE CONTACTO CON LOS OJOS: |
|      | CS       | PŘI ZASAŽENÍ OČÍ:                 |
|      | DA       | VED KONTAKT MED ØJNENE:           |
|      | DE       | BEI KONTAKT MIT DEN AUGEN:        |
|      | ET       | SILMA SATTUMISE KORRAL:           |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΜΑΤΙΑ:  |
|      | EN       | IF IN EYES:                       |
|      | FR       | EN CAS DE CONTACT AVEC LES YEUX:  |
|      | GA       | I gCÁS TEAGMHÁLA LEIS NA SÚILE:   |

▼ M5

|  |    |                           |
|--|----|---------------------------|
|  | HR | U SLUČAJU DODIRA S OČIMA: |
|--|----|---------------------------|

▼ B

|  |    |                                     |
|--|----|-------------------------------------|
|  | IT | IN CASO DI CONTATTO CON GLI OCCHI:  |
|  | LV | IEKĻŪSTOT ACĪS:                     |
|  | LT | PATEKUS Į AKIS:                     |
|  | HU | SZEMBE KERÜLÉS ESETÉN:              |
|  | MT | JEKK JIDHOL FL-GHAJNEJN:            |
|  | NL | BIJ CONTACT MET DE OGEN:            |
|  | PL | W PRZYPADKU DOSTANIA SIĘ DO OCZU:   |
|  | PT | SE ENTRAR EM CONTACTO COM OS OLHOS: |
|  | RO | ÎN CAZ DE CONTACT CU OCHII:         |
|  | SK | PO ZASIAHNUTÍ OČÍ:                  |
|  | SL | PRI STIKU Z OČMI:                   |
|  | FI | JOS KEMIKAALIA JOUTUU SILMIIN:      |
|  | SV | VID KONTAKT MED ÖGONEN:             |

| P306 | Language |   |
|------|----------|---|
|      | BG       | ПРИ ПОПАДАНЕ ВЪРХУ ОБЛЕКЛОТО:               |
|      | ES       | EN CASO DE CONTACTO CON LA ROPA:            |
|      | CS       | PŘI STYKU S ODĚVEM:                         |
|      | DA       | VED KONTAKT MED TØJET:                      |
|      | DE       | ► <b>C3</b> BEI KONTAKT MIT DER KLEIDUNG: ◀ |
|      | ET       | RÕIVASTELE SATTUMISE KORRAL:                |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΡΟΥΧΑ:            |



**▼ B**

| P306 | Language |                                       |
|------|----------|---------------------------------------|
|      | EN       | IF ON CLOTHING:                       |
|      | FR       | EN CAS DE CONTACT AVEC LES VÊTEMENTS: |
|      | GA       | I gCÁS TEAGMHÁLA LE hÉADAÍ:           |

**▼ M5**

|  |    |                             |
|--|----|-----------------------------|
|  | HR | U SLUČAJU DODIRA S ODJEĆOM: |
|--|----|-----------------------------|

**▼ B**

|  |    |  |
|--|----|--|
|  | IT | IN CASO DI CONTATTO CON GLI INDUMENTI: |
|  | LV | SASKARĒ AR APĢĒRBU:                    |
|  | LT | PATEKUS ANT DRABUŽIŲ:                  |
|  | HU | HA RUHÁRA KERÜL:                       |
|  | MT | F'KAŻ TA' KUNTATT MA' L-ILBIES:        |
|  | NL | NA MORSEN OP KLEDING:                  |
|  | PL | W PRZYPADKU KONTAKTU Z ODZIEŻĄ:        |
|  | PT | SE ENTRAR EM CONTACTO COM A ROUPA:     |
|  | RO | ÎN CAZ DE CONTACT CU ÎMBRĂCĂMINTEA:    |
|  | SK | PRI KONTAKTE S ODEVOM:                 |
|  | SL | PRI STIKU Z OBLAČILI:                  |
|  | FI | JOS KEMIKAALIA JOUTUU VAATTEISIIN:     |
|  | SV | VID KONTAKT MED KLÄDERNA:              |

**▼ M4****▼ B**

| P308 | Language |  |
|------|----------|--|
|      | BG       | ПРИ явна или предполагаема експозиция:             |
|      | ES       | EN CASO DE exposición manifiesta o presunta:       |
|      | CS       | PŘI expozici nebo podezření na ni:                 |
|      | DA       | VED eksponering eller mistanke om eksponering:     |
|      | DE       | BEI Exposition oder falls betroffen                |
|      | ET       | Kokkupuute või kokkupuutekahtluse korral:          |
|      | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή πιθανής έκθεσης:            |
|      | EN       | IF exposed or concerned:                           |
|      | FR       | EN CAS d'exposition prouvée ou suspectée:          |
|      | GA       | I gCÁS nochta nó má mheastar a bheith noch-taithe: |

▼ B

| P308 | Language |  |
|------|----------|--|
|      | HR       | U SLUČAJU izloženosti ili sumnje na izloženost:          |
|      | IT       | IN CASO di esposizione o di possibile esposizione:       |
|      | LV       | Ja saskaras vai saistīts ar:                             |
|      | LT       | Esant sąlyčiui arba jeigu numanomas sąlytis:             |
|      | HU       | Expozíció vagy annak gyanúja esetén:                     |
|      | MT       | JEKK espost jew konċernat:                               |
|      | NL       | NA (mogelijke) blootstelling:                            |
|      | PL       | W PRZYPADKU narażenia lub styczości:                     |
|      | PT       | EM CASO DE exposição ou suspeita de exposição:           |
|      | RO       | ÎN CAZ DE expunere sau de posibilă expunere:             |
|      | SK       | Po expozícii alebo podozrení z nej:                      |
|      | SL       | PRI izpostavljenosti ali sumu izpostavljenosti:          |
|      | FI       | Altistumisen tapahduttua tai jos epäillään altistumista: |
|      | SV       | Vid exponering eller misstanke om exponering:            |

▼ M4

| P310 | Language |  |
|------|----------|--|
|      | BG       | Незабавно се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...     |
|      | ES       | Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA/médico/...    |
|      | CS       | Okamžitě volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO/lékaře/... |
|      | DA       | Ring omgående til en GIFTINFORMATION/læge/...                  |
|      | DE       | Sofort GIFTINFORMATIONSZENTRUM/Arzt/.../anrufen.               |
|      | ET       | Võtta viivitamata ühendust MÜRGIKUSTEABEKESKUSE/arstiga...     |
|      | EL       | Καλέστε αμέσως το ΚΕΝΤΡΟ ΔΗΛΗΘΗΡΙΑΣΕΩΝ/γιατρό/...              |
|      | EN       | Immediately call a POISON CENTER/doctor/...                    |
|      | FR       | Appeler immédiatement un CENTRE ANTI-POISON/un médecin/...     |
|      | GA       | Cuir glao láithreach ar IONAD NIMHE/ar dhochtúir/...           |

▼ M8

|  |    |  |
|--|----|--|
|  | HR | Odmah nazvati CENTAR ZA KONTROLU OTROVANJA/liječnika/... |
|--|----|--|

▼ M4

|  |    |   |
|--|----|---|
|  | IT | Contattare immediatamente un CENTRO ANTIVELENI/un medico... |
|--|----|---|

▼ **M4**

| P310 | Language |   |
|------|----------|---|
|      | LV       | Nekavējoties sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/...                         |
|      | LT       | Nedelsiant skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ/kreiptis į gydytoją/.... |
|      | HU       | Azonnal forduljon TOXIKOLÓGIAI KÖZPONTHOZ/orvoshoz/....                                       |
|      | MT       | Sejjah minnufih ĊENTRU TAL-AVVLENAMENT/tabib/...  |
|      | NL       | Onmiddellijk een ANTIGIFCENTRUM/arts/... raadplegen.  |
|      | PL       | Natychmiast skontaktować się z OŚRODKIEM ZATRUCIEK/lekarzem/...                               |
|      | PT       | Contacte imediatamente um CENTRO DE INFORMAÇÃO ANTIVENENOS/médico/...                         |
|      | RO       | Sunați imediat la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic/...                            |
|      | SK       | Okamžite volajte TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/...                                  |
|      | SL       | Takoj pokličite CENTER ZA ZASTRUPITVE/zdravnika/...   |
|      | FI       | Ota välittömästi yhteys MYRKYTYSTIETOKESKUKSEEN/lääkäriin/...                                 |
|      | SV       | Kontakta genast GIFTINFORMATIONSCENTRALEN/läkare...   |

| P311 | Language |  |
|------|----------|--|
|      | BG       | Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...       |
|      | ES       | Llamar a un CENTRO DE TOXICOLOGÍA/médico/...           |
|      | CS       | Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO/lékaře/.... |
|      | DA       | Ring til en GIFTINFORMATION/læge/...                   |
|      | DE       | GIFTINFORMATIONSZENTRUM/Arzt/.../anrufen.              |
|      | ET       | Võtta ühendust MÜRGIKUSTEABEKESKUSE/arstiga...         |
|      | EL       | Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΘΗΡΙΑΣΕΩΝ/γιατρό/...             |
|      | EN       | Call a POISON CENTER/doctor/...                        |
|      | FR       | Appeler un CENTRE ANTIPOISON/un médecin/...            |
|      | GA       | Cuir glao ar IONAD NIMHE/ar dhoctúir/...               |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | Nazvati CENTAR ZA KONTROLU OTROVANJA/liječnika/... |
|--|----|--|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | Contattare un CENTRO ANTIVELENI/un medico/...            |
|  | LV | Sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/... |

▼ **M4**

| P311 | Language |  |
|------|----------|--|
|      | LT       | Skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ/kreiptis į gydytoją/.... |
|      | HU       | Forduljon TOXIKOLÓGIAI KÖZPONTHOZ/ orvoshoz/....                                   |
|      | MT       | Sejjah ĊENTRU TAL-AVVELENAMENT/ tabib/...  |
|      | NL       | Een ANTIGIFCENTRUM/arts/... raadplegen.  |
|      | PL       | Skontaktować się z OŚRODKIEM ZATRUĆ/ lekarzem/...                                  |
|      | PT       | Contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS/médico/...                            |
|      | RO       | Sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic...                          |
|      | SK       | Volajte TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/...                                |
|      | SL       | Pokličite CENTER ZA ZASTRUPITVE/ zdravnika/...                                     |
|      | FI       | Ota yhteyks MYRKYTYSTIETOKES-KUKSEEN/lääkäriin/...                                 |
|      | SV       | Kontakta GIFTINFORMATIONSCENTRALEN/läkare/...                                      |

▼ **M12**

| P312 | Language |  |
|------|----------|--|
|      | BG       | При неразположение се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...                  |
|      | ES       | Llamar a un CENTRO DE TOXICOLOGÍA / médico/... si la persona se encuentra mal.       |
|      | CS       | Necítíte-li se dobře, volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO / lékaře /... .     |
|      | DA       | Kontakt GIFTLINJEN/læge/... i tilfælde af ubehag.                                    |
|      | DE       | Bei Unwohlsein GIFTINFORMATIONSCENTRUM/Arzt/... anrufen.                             |
|      | ET       | Halva enesetunde korral võtta ühendust MÜRGISTUSTEABEKESKUSEGA/ arstiga/....         |
|      | EL       | Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ/γιατρό/..., αν αισθανθείτε αδιαθεσία.                |
|      | EN       | Call a POISON CENTRE/doctor/... if you feel unwell.                                  |
|      | FR       | Appeler un CENTRE ANTIPOISON/un médecin/... en cas de malaise.                       |
|      | GA       | Cuir glao ar IONAD NIMHE/dochtúir/... má bhraitheann tú tinn.                        |
|      | HR       | U slučaju zdravstvenih tegoba nazvati CENTAR ZA KONTROLU OTROVANJA / liječnika / ... |
|      | IT       | In caso di malessere, contattare un CENTRO ANTIVELENI/un medico/... .                |

▼ **M12**

| P312 | Language |   |
|------|----------|---|
|      | LV       | Sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/..., ja jums ir slikta pašsajūta.                  |
|      | LT       | Pasijutus blogai, skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ / kreiptis į gydytoją / ... |
|      | HU       | Rosszullét esetén forduljon TOXIKOLÓGIAI KÖZPONTHOZ/orvoshoz/....                                       |
|      | MT       | Ikkuntattja ĊENTRU TAL-AVVLENAMENT / tabib / ... jekk thossok ma tiflahx.                               |
|      | NL       | Bij onwel voelen een ANTIGIF-CENTRUM/arts/... raadplegen.   |
|      | PL       | W przypadku złego samopoczucia skontaktować się z OŚRODKIEM ZATRUCIEK/lekarzem/....                     |
|      | PT       | Caso sinta indisposição, contacte um CENTRO DE INFORMAÇÃO ANTI-VENENOS/médico/... .                     |
|      | RO       | Sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic/... dacă nu vă simțiți bine.                     |
|      | SK       | Pri zdravotných problémoch volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/... .                |
|      | SL       | Ob slabem počutju pokličite CENTER ZA ZASTRUPITVE/ zdravnika/... .                                      |
|      | FI       | Ota yhteys MYRKYTYSTIETOKESKUKSEEN/lääkäriin/..., jos ilmenee pahoinvointia.                            |
|      | SV       | Vid obehag, kontakta GIFTINFORMATIONSCENTRALEN/läkare... .  |

▼ **B**

| P313 | Language |  |
|------|----------|--|
|      | BG       | Потърсете медицински съвет/помощ.                    |
|      | ES       | Consultar a un médico.                               |
|      | CS       | Vyhledejte lékařskou pomoc/ošetření.                 |
|      | DA       | Søg lægehjælp.                                       |
|      | DE       | Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen. |
|      | ET       | Pöörduda arsti poole.                                |
|      | EL       | Συμβουλευθείτε/Επισκεφθείτε γιατρό.                  |
|      | EN       | Get medical advice/attention.                        |
|      | FR       | Consulter un médecin.                                |
|      | GA       | Faigh comhairle/cúram liachta.                       |

▼ **M5**

|  |    |                                   |
|--|----|-----------------------------------|
|  | HR | Zatražiti savjet/pomoć liječnika. |
|--|----|-----------------------------------|

▼ **B**

|  |    |                             |
|--|----|-----------------------------|
|  | IT | Consultare un medico.       |
|  | LV | Lūdziet palīdzību mediķiem. |
|  | LT | Kreiptis į gydytoją.        |

▼ **B**

| P313 | Language |  |
|------|----------|--|
|      | HU       | Orvosi ellátást kell kérni.                      |
|      | MT       | Ikkonsulta tabib.                                |
|      | NL       | Een arts raadplegen.                             |
|      | PL       | Zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|      | PT       | Consulte um médico.                              |
|      | RO       | Consultați medicul.                              |
|      | SK       | Vyhľadajte lekársku pomoc/starostlivosť.         |
|      | SL       | Poiščite zdravniško pomoč/oskrbo.                |
|      | FI       | Hakeudu lääkäriin.                               |
|      | SV       | Sök läkarhjälp.                                  |

| P314 | Language |   |
|------|----------|---|
|      | BG       | При неразположение потърсете медицински съвет/помощ.                |
|      | ES       | Consultar a un médico en caso de malestar.                          |
|      | CS       | Necítíte-li se dobře, vyhledejte lékařskou pomoc/ošetření.          |
|      | DA       | Søg lægehjælp ved ubehag.   |
|      | DE       | Bei Unwohlsein ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen. |
|      | ET       | Halva enesetunde korral pöörduda arsti poole.                       |
|      | EL       | Συμβουλευθείτε/Επισκεφθείτε γιατρό εάν αισθανθείτε αδιαθεσία.       |
|      | EN       | Get medical advice/attention if you feel unwell.                    |
|      | FR       | Consulter un médecin en cas de malaise.                             |
|      | GA       | Faigh comhairle/cúram liachta má bhraitheann tú tinn.               |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | U slučaju zdravstvenih tegoba zatražiti savjet/pomoć liječnika. |
|--|----|---|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | In caso di malessere, consultare un medico.                                     |
|  | LV | Lūdziet palīdzību mediķiem, ja jums ir slikta pašsajūta.                        |
|  | LT | Pasijutus blogai, kreiptis į gydytoją.  |
|  | HU | Roszzullét esetén orvosi ellátást kell kérni.                                   |
|  | MT | Ikkonsulta tabib jekk thossok ma tiflaħx.                                       |
|  | NL | Bij onwel voelen een arts raadplegen.   |
|  | PL | W przypadku złego samopoczucia zasięgnąć porady/zgłosić się pod opiekę lekarza. |

▼ **B**

| P314 | Language |   |
|------|----------|---|
|      | PT       | Em caso de indisposição, consulte um médico.                                |
|      | RO       | Consultați medicul, dacă nu vă simțiți bine.                                |
|      | SK       | Ak pocit'ujete zdravotné problémy, vyhľadajte lekársku pomoc/starostlivosť. |
|      | SL       | Ob slabem počutju poiščite zdravniško pomoč/oskrbo.                         |
|      | FI       | Hakeudu lääkäriin, jos ilmenee pahoinvointia.                               |
|      | SV       | Sök läkarhjälp vid obehag.  |

| P315 | Language |   |
|------|----------|---|
|      | BG       | Незабавно потърсете медицински съвет/помощ.                 |
|      | ES       | Consultar a un médico inmediatamente.                       |
|      | CS       | Okamžitě vyhledejte lékařskou pomoc/ošetření.               |
|      | DA       | Søg omgående lægehjælp.                                     |
|      | DE       | Sofort ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen. |
|      | ET       | Põõrduda viivitamata arsti poole.                           |
|      | EL       | Συμβουλευθείτε/Επισκεφθείτε αμέσως γιατρό.                  |
|      | EN       | Get immediate medical advice/attention.                     |
|      | FR       | Consulter immédiatement un médecin.                         |
|      | GA       | Faigh comhairle/cúram liachta láithreach.                   |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Hitno zatražiti savjet/pomoć liječnika. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Consultare immediatamente un medico.                         |
|  | LV | Nekavējoties lūdziet palīdzību mediķiem.                     |
|  | LT | Nedelsiant kreiptis į gydytoją.                              |
|  | HU | Azonnal orvosi ellátást kell kérni.                          |
|  | MT | Ikkonsulta tabib minnufih.                                   |
|  | NL | Onmiddellijk een arts raadplegen.                            |
|  | PL | Natychmiast zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|  | PT | Consulte imediatamente um médico.                            |
|  | RO | Consultați imediat medicul.                                  |

▼ **B**

| P315 | Language |   |
|------|----------|---|
|      | SK       | Okamžite vyhľadajte lekársku pomoc/starostlivosť. |
|      | SL       | Takoj poiščite zdravniško pomoč/oskrbo.           |
|      | FI       | Hakeudu välittömästi lääkäriin.                   |
|      | SV       | Sök omedelbart läkarhjälp.                        |

| P320 | Language |  |
|------|----------|--|
|      | BG       | Спешна нужда от специализирано лечение (вж... на този етикет).                           |
|      | ES       | Se necesita urgentemente un tratamiento específico (ver ... en esta etiqueta).           |
|      | CS       | Je nutné odborné ošetření (viz ... na tomto štítku).                                     |
|      | DA       | Særlig behandling straks påkrævet (se ... på denne etiket).                              |
|      | DE       | Besondere Behandlung dringend erforderlich (siehe ... auf diesem Kennzeichnungsetikett). |
|      | ET       | Nõuab viivitamatut eriravi (vt ... käesoleval etiketil).                                 |
|      | EL       | Χρειάζεται επείγοντως ειδική αγωγή (βλέπε ... στην ετικέτα).                             |
|      | EN       | Specific treatment is urgent (see ... on this label).                                    |
|      | FR       | Un traitement spécifique est urgent (voir ... sur cette étiquette).                      |
|      | GA       | Tá sé práinneach go bhfaightear cóir leighis ar leith (féach ... ar an lipéad seo).      |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Hitno je potrebna posebna liječnička obrada (vidi ... na ovoj naljepnici). |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Trattamento specifico urgente (vedere... su questa etichetta).                  |
|  | LV | Steidzami nepieciešama īpaša medicīniskā palīdzība (skat. ... uz šīs etiķetes). |
|  | LT | Būtinas skubus specialus gydymas (žr. ... šioje etiketėje).                     |
|  | HU | Sürgős szakellátás szükséges (lásd ... a címkén).                               |
|  | MT | Trattament speċifiku hu urġenti (ara ... fuq din it-tikketta).                  |
|  | NL | Specifieke behandeling dringend vereist (zie ... op dit etiket).                |
|  | PL | Pilnie zastosować określone leczenie (patrz ... na etykiecie).                  |
|  | PT | É urgente um tratamento específico (ver ... no presente rótulo).                |
|  | RO | Un tratament specific este urgent (a se vedea ... de pe această etichetă).      |
|  | SK | Odborné ošetrenie je naliehavé (pozri ... na etikete).                          |



▼ **B**

| P320 | Language |  |
|------|----------|--|
|      | SL       | Posebno zdravljenje je nujno (glejte ... na tej etiketi).                |
|      | FI       | Eriyishoitoa tarvitaan välittömästi (katso ... pakkauksen merkinnöissä). |
|      | SV       | Särskild behandling krävs omedelbart (se ... på etiketten).              |

| P321 | Language |  |
|------|----------|--|
|      | BG       | Специализирано лечение (вж... на този етикет).                     |
|      | ES       | Se necesita un tratamiento específico (ver ... en esta etiqueta).  |
|      | CS       | Odborné ošetření (viz ... na tomto štítku).                        |
|      | DA       | Særlig behandling (se ... på denne etiket).                        |
|      | DE       | Besondere Behandlung (siehe ... auf diesem Kennzeichnungsetikett). |
|      | ET       | Nõuab eriravi (vt ... käesoleval etiketil).                        |
|      | EL       | Χρειάζεται ειδική αγωγή (βλέπε ... στην ετικέτα).                  |
|      | EN       | Specific treatment (see ... on this label).                        |
|      | FR       | Traitement spécifique (voir ... sur cette étiquette).              |
|      | GA       | Cóir liachta ar leith (féach ... ar an lipéad seo).                |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Potrebna je posebna liječnička obrada (vidi ... na ovoj naljepnici). |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Trattamento specifico (vedere ...su questa etichetta).      |
|  | LV | Īpaša medicīniskā palīdzība (skat. ... uz šīs etiķetes).    |
|  | LT | Specialus gydymas (žr. ... šioje etiketėje).                |
|  | HU | Szakellátás (lásd ... a címén).                             |
|  | MT | Trattament speċifiku (ara ... fuq din it-tikketta).         |
|  | NL | Specifieke behandeling vereist (zie ... op dit etiket).     |
|  | PL | Zastosować określone leczenie (patrz ... na etykietcie).    |
|  | PT | Tratamento específico (ver ... no presente rótulo).         |
|  | RO | Tratament specific (a se vedea ... de pe această etichetă). |
|  | SK | Odborné ošetrenie (pozri ... na etikete).                   |
|  | SL | Posebno zdravljenje (glejte ... na tej etiketi).            |
|  | FI | Eriyishoitoa tarvitaan (katso ... pakkauksen merkinnöissä). |
|  | SV | Särskild behandling (se ... på etiketten).                  |

▼ M4▼ B

| P330 | Language |                       |
|------|----------|-----------------------|
|      | BG       | Изплакнете устата.    |
|      | ES       | Enjuagarse la boca.   |
|      | CS       | Vypláchněte ústa.     |
|      | DA       | Skyl munden.          |
|      | DE       | Mund ausspülen.       |
|      | ET       | Loputada suud.        |
|      | EL       | Ξεπλύνετε το στόμα.   |
|      | EN       | Rinse mouth.          |
|      | FR       | Rincer la bouche.     |
|      | GA       | Sruthlaítear an béal. |

▼ M5▼ B

|  |    |                            |
|--|----|----------------------------|
|  | HR | Isprati usta.              |
|  | IT | Sciacquare la bocca.       |
|  | LV | Izskalot muti.             |
|  | LT | Išskalauti burną.          |
|  | HU | A szájat ki kell öblíteni. |
|  | MT | Lahlaħ haqek.              |
|  | NL | De mond spoelen.           |
|  | PL | Wyplukać usta.             |
|  | PT | Enxaguar a boca.           |
|  | RO | Clătiți gura.              |
|  | SK | Vypláchnite ústa.          |
|  | SL | Izprati usta.              |
|  | FI | Huuhdo suu.                |
|  | SV | Skölj munnen.              |

| P331 | Language |                                  |
|------|----------|----------------------------------|
|      | BG       | НЕ предизвиквайте повръщане.     |
|      | ES       | NO provocar el vómito.           |
|      | CS       | NEVYVOLÁVEJTE zvracení.          |
|      | DA       | Fremkald IKKE opkastning.        |
|      | DE       | KEIN Erbrechen herbeiführen.     |
|      | ET       | MITTE kutsuda esile oksendamist. |
|      | EL       | ΜΗΝ προκαλέσετε εμετό.           |
|      | EN       | Do NOT induce vomiting.          |
|      | FR       | NE PAS faire vomir.              |
|      | GA       | NÁ spreagtar urlacan.            |

▼ M5▼ B

|  |    |                          |
|--|----|--------------------------|
|  | HR | NE izazivati povraćanje. |
|  | IT | NON provocare il vomito. |
|  | LV | NEIZRAISĪT vemšanu.      |
|  | LT | NESKATINTI vėmimo.       |

▼ **B**

| P331 | Language |                           |
|------|----------|---------------------------|
|      | HU       | TILOS hánytatni.          |
|      | MT       | TIPPROVOKAX ir-remettar.  |
|      | NL       | GEEN braken opwekken.     |
|      | PL       | NIE wywoływać wymiotów.   |
|      | PT       | NÃO provocar o vômito.    |
|      | RO       | NU provocați vomă.        |
|      | SK       | Nevyvolávajúte zvracanie. |
|      | SL       | NE izzvati bruhanja.      |
|      | FI       | Ei saa oksennuttaa.       |
|      | SV       | Framkalla INTE kräkning.  |

| P332 | Language |   |
|------|----------|---|
|      | BG       | При поява на кожно дразнене:            |
|      | ES       | En caso de irritación cutánea:          |
|      | CS       | Při podráždění kůže:                    |
|      | DA       | Ved hudirritation:                      |
|      | DE       | Bei Hautreizung:                        |
|      | ET       | Nahaärrituse korral:                    |
|      | EL       | Εάν παρατηρηθεί ερεθισμός του δέρματος: |
|      | EN       | If skin irritation occurs:              |
|      | FR       | En cas d'irritation cutanée:            |
|      | GA       | I gcás greannú craicinn:                |

▼ **M5**

|  |    |                           |
|--|----|---------------------------|
|  | HR | U slučaju nadražaja kože: |
|--|----|---------------------------|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | In caso di irritazione della pelle:         |
|  | LV | Ja rodas ādas iekaisums:                    |
|  | LT | Jeigu sudirginama oda:                      |
|  | HU | Bőrirritáció esetén:                        |
|  | MT | Jekk ikun hemm irritazzjoni tal-ġilda:      |
|  | NL | Bij huidirritatie:                          |
|  | PL | W przypadku wystąpienia podrażnienia skóry: |
|  | PT | Em caso de irritação cutânea:               |
|  | RO | În caz de iritare a pielii:                 |
|  | SK | Ak sa prejaví podráždenie pokožky:          |
|  | SL | Če nastopi draženje kože:                   |
|  | FI | Jos ilmenee ihoärsytystä:                   |
|  | SV | Vid hudirritation:                          |

| P333 | Language |  |
|------|----------|--|
|      | BG       | При поява на кожно дразнене или обрив на кожата: |
|      | ES       | En caso de irritación o erupción cutánea:        |
|      | CS       | Při podráždění kůže nebo vyrážce:                |
|      | DA       | Ved hudirritation eller udslet:                  |

▼ **B**

| P333 | Language |   |
|------|----------|---|
|      | DE       | Bei Hautreizung oder -ausschlag:                              |
|      | ET       | ► <b>C3</b> Nahaärrituse või lööbe korral: ◀                  |
|      | EL       | Εάν παρατηρηθεί ερεθισμός του δέρματος ή εμφανιστεί εξάνθημα: |
|      | EN       | If skin irritation or rash occurs:                            |
|      | FR       | En cas d'irritation ou d'éruption cutanée:                    |
|      | GA       | I gcás greannú nó grís craicinn:                              |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | U slučaju nadražaja ili osipa na koži: |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | In caso di irritazione o eruzione della pelle:              |
|  | LV | Ja rodas ādas iekaisums vai izsitumi:                       |
|  | LT | Jeigu sudirginama oda arba ją išberia.                      |
|  | HU | Bőrirritáció vagy kiütések megjelenése esetén:              |
|  | MT | Jekk ikun hemm irritazzjoni jew raxx tal-gilda:             |
|  | NL | Bij huidirritatie of uitslag:                               |
|  | PL | W przypadku wystąpienia podrażnienia skóry lub wysypki:     |
|  | PT | Em caso de irritação ou erupção cutânea:                    |
|  | RO | În caz de iritare a pielii sau de erupție cutanată:         |
|  | SK | Ak sa prejaví podráždenie pokožky alebo sa vytvorí vyrážky: |
|  | SL | Če nastopi draženje kože ali se pojavi izpuščaj:            |
|  | FI | Jos ilmenee ihoärsytystä tai ihottumaa:                     |
|  | SV | Vid hudirritation eller utslag:                             |

▼ **M12**

| P334 | Language |   |
|------|----------|---|
|      | BG       | Потопете в хладка вода [или сложете мокри компреси].            |
|      | ES       | Sumergir en agua fría [o envolver en vendas húmedas].           |
|      | CS       | Ponořte do studené vody [nebo zabalte do vlhkého obvazu].       |
|      | DA       | Hold under koldt vand [eller anvend våde omslag].               |
|      | DE       | In kaltes Wasser tauchen [oder nassen Verband anlegen].         |
|      | ET       | Hoida jahedas vees [või panna peale niiske kompress].           |
|      | EL       | Βυθίστε σε δροσερό νερό [ή τυλίξτε με βρεγμένους επίδεσμους].   |
|      | EN       | Immerse in cool water [or wrap in wet bandages].                |
|      | FR       | Rincer à l'eau fraîche [ou poser une compresse humide].         |
|      | GA       | Tum in uisce fionnuar [nó cuir bréid fliuch air].               |
|      | HR       | Uroniti u hladnu vodu [ili omotati vlažnim zavojem].            |
|      | IT       | Immergere in acqua fredda [o avvolgere con un bendaggio umido]. |

▼ M12

| P334 | Language |  |
|------|----------|--|
|      | LV       | Iegremdēt vēsā ūdenī [vai ietīt mitros apsējos].             |
|      | LT       | Įmerkti į vėsų vandenį [arba apvynioti šlapiais tvarsčiais]. |
|      | HU       | Hideg vízzel [vagy nedves kötészel] kell hűteni.             |
|      | MT       | Dahhal fl-ilma kiesah [jew kebbeb ffaxex imxarrbin].         |
|      | NL       | In koud water onderdampelen [of nat verband aanbrengen].     |
|      | PL       | Zanurzyć w zimnej wodzie [lub owinąć mokrym bandażem].       |
|      | PT       | Mergulhar em água fria [ou aplicar compressas húmidas].      |
|      | RO       | Introduceți în apă rece [sau acoperiți cu o compresă umedă]. |
|      | SK       | Ponorte do studenej vody [alebo obviažte mokrými obväzmi].   |
|      | SL       | Potopiti v hladno vodo [ali zaviti v mokre povoje].          |
|      | FI       | Upota kylmään veteen [tai kääri märkiin siteisiin].          |
|      | SV       | Skölj under kallt vatten [eller använd våta omslag].         |

▼ B

| P335 | Language |   |
|------|----------|---|
|      | BG       | Отстранете от кожата посипаните частици.                      |
|      | ES       | Sacudir las partículas que se hayan depositado en la piel.    |
|      | CS       | Volné částice odstraňte z kůže.                               |
|      | DA       | Børst løse partikler bort fra huden.                          |
|      | DE       | Lose Partikel von der Haut abbürsten.                         |
|      | ET       | Pühkida lahtised osakesed nahalt maha.                        |
|      | EL       | Αφαιρέστε προσεκτικά τα σωματίδια που έχουν μείνει στο δέρμα. |
|      | EN       | Brush off loose particles from skin.                          |
|      | FR       | Enlever avec précaution les particules déposées sur la peau.  |
|      | GA       | Glan cáithníní scaoilte den chraiceann.                       |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Izmesti zaostale čestice s kože.                          |
|  | IT | Rimuovere le particelle depositate sulla pelle.           |
|  | LV | Noberzt no ādas nepiestiprinātās daļiņas.                 |
|  | LT | Neprilipusias daleles nuvalyti nuo odos.                  |
|  | HU | A bőrre lazán tapadó szemcséket óvatosan le kell kefélni. |
|  | MT | Farfar il-frac mhux imwählha minn fuq il-gilda.           |
|  | NL | Losse deeltjes van de huid afvegen.                       |

▼ B

▼ **B**

| P335 | Language |  |
|------|----------|--|
|      | PL       | Nie związaną pozostałość strzepnąć ze skóry. |
|      | PT       | Sacudir da pele as partículas soltas.        |
|      | RO       | Îndepărtați particulele depuse pe piele.     |
|      | SK       | Z pokožky oprášte sypké čiastočky.           |
|      | SL       | S krtačo odstraniti razsute delce s kože.    |
|      | FI       | Poista irtohiukkaset iholta.                 |
|      | SV       | Borsta bort lösa partiklar från huden.       |

| P336 | Language |   |
|------|----------|---|
|      | BG       | Размразете замръзналите части в хладка вода. Не разтривайте засегнатото място.                  |
|      | ES       | Descongelar las partes heladas con agua tibia. No frotar la zona afectada.                      |
|      | CS       | Omrzlá místa ošetřete vlažnou vodou. Postižené místo netřete.                                   |
|      | DA       | Forsigtig opvarmning af frostskaadede legemsdele i lunkent vand. Gnid ikke det angrebne område. |
|      | DE       | Vereiste Bereiche mit lauwarmem Wasser auftauen. Betroffenen Bereich nicht reiben.              |
|      | ET       | Sulatada külmunud piirkonnad leige veega. Kannatada saanud piirkonda mitte hõõruda.             |
|      | EL       | Ξεπαγώστε τα παγωμένα μέρη με χλιαρό νερό. Μην τρίβετε την περιοχή που πάγωσε.                  |
|      | EN       | Thaw frosted parts with lukewarm water. Do not rub affected area.                               |
|      | FR       | Dégeler les parties gelées avec de l'eau tiède. Ne pas frotter les zones touchées.              |
|      | GA       | Leáigh codanna siochta le huisce alabhog. Ná cuimil an réimse lena mbaineann.                   |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Zamrznute dijelove odmrznuti mlakom vodom. Ne trljati oštećeno mjesto. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Sgelare le parti congelate usando acqua tiepida. Non sfregare la parte interessata.          |
|  | LV | Atkausēt sasalušās daļas ar remdenu ūdeni. Skarto zonu neberzt.                              |
|  | LT | Prišalusias daleles atitirpinti drungnu vandeniu. Netrinti paveiktos zonos.                  |
|  | HU | A fagyott részeket langyos vízzel fel kell melegíteni. Tilos az érintett terület dörzsölése. |
|  | MT | Holl il-partijiet kiesha bl-ilma fietel. Toghrokk il-parti affettwata.                       |

▼ **B**

| P336 | Language |   |
|------|----------|---|
|      | NL       | Bevroren lichaamsdelen met lauw water ontdooien. Niet wrijven op de betrokken plaatsen. |
|      | PL       | Rozmrozić oszronione obszary letnią wodą. Nie trzeć oszronionego obszaru.               |
|      | PT       | Derreter as zonas congeladas com água morna. Não friccionar a zona afectada.            |
|      | RO       | Dezghetați părțile degerate cu apă caldă. Nu frecați zona afectată.                     |
|      | SK       | Zmrznuté časti ošetríte vlažnou vodou. Postihnuté miesto netrite.                       |
|      | SL       | Zamrznjene dele odtaliti z mlačno vodo. Ne drgniti prizadetega mesta.                   |
|      | FI       | Sulata jäätyneet alueet haalealla vedellä. Vahingoittunutta aluetta ei saa hangata.     |
|      | SV       | Värm det köldskadade området med ljummet vatten. Gnid inte det skadade området.         |

| P337 | Language |  |
|------|----------|--|
|      | BG       | При продължително дразнене на очите:     |
|      | ES       | Si persiste la irritación ocular:        |
|      | CS       | Přetrvává-li podráždění očí:             |
|      | DA       | Ved vedvarende øjenirritation:           |
|      | DE       | Bei anhaltender Augenreizung:            |
|      | ET       | Kui silmade ärritus ei möödu:            |
|      | EL       | Εάν δεν υποχωρεί ο οφθαλμικός ερεθισμός: |
|      | EN       | If eye irritation persists:              |
|      | FR       | Si l'irritation oculaire persiste:       |
|      | GA       | Má mhaireann an greannú súile:           |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Ako nadražaj oka ne prestaje:                               |
|  | IT | Se l'irritazione degli occhi persiste:                      |
|  | LV | Ja acu iekaisums nepāriet:                                  |
|  | LT | Jei akių dirginimas nepraeina:                              |
|  | HU | Ha a szemirritáció nem múlik el:                            |
|  | MT | Jekk l-irritazzjoni ta' l-għajnejn tibqa':                  |
|  | NL | Bij aanhoudende oogirritatie:                               |
|  | PL | W przypadku utrzymywania się działania drażniącego na oczy: |
|  | PT | Caso a irritação ocular persista:                           |
|  | RO | Dacă iritarea ochilor persistă:                             |
|  | SK | Ak podráždenie očí pretrváva:                               |
|  | SL | Če draženje oči ne preneha:                                 |

▼ **B**

▼ **B**

|             |          |   |
|-------------|----------|---|
| P337        | Language |   |
|             | FI       | Jos silmä-ärsytys jatkuu:   |
|             | SV       | Vid bestående ögonirritation:   |
| P338        | Language |   |
|             | BG       | Свалете контактните лещи, ако има такива и доколкото това е възможно. Продължете с изплакването.                          |
|             | ES       | Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando.  |
|             | CS       | Vyjměte kontaktní čočky, jsou-li nasazeny a pokud je lze vyjmout snadno. Pokračujte ve vyplachování.                      |
|             | DA       | Fjern eventuelle kontaktlinser, hvis dette kan gøres let. Fortsæt skylning.   |
|             | DE       | Eventuell Vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter ausspülen.  |
|             | ET       | Eemaldada kontaktläätsed, kui neid kasutatakse ja kui neid on kerge eemaldada. Loputada veel kord.                        |
|             | EL       | Εάν υπάρχουν φακοί επαφής, αφαιρέστε τους, εφόσον είναι εύκολο. Συνεχίστε να ξεπλένετε.                                   |
|             | EN       | Remove contact lenses, if present and easy to do. Continue rinsing.   |
|             | FR       | Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. |
|             | GA       | Tóg amach na tadhall-lionsaí, más ann dóibh agus más furasta é sin a dhéanamh. Lean den sruthlú.                          |
| ▼ <b>M5</b> | HR       | Ukloniti kontaktne leće ukoliko ih nosite i ako se one lako uklanjaju. Nastaviti ispiranje.                               |
| ▼ <b>B</b>  | IT       | Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciacquare.                                       |
|             | LV       | Izņemiet kontaktlēcas, ja tās ir ievietotas un to ir viegli izdarīt. Turpiniet skalot.                                    |
|             | LT       | Išimti kontaktinius lęšius, jeigu jie yra ir jeigu lengvai galima tai padaryti. Toliau plauti akis.                       |
|             | HU       | Adott esetben kontaktlencsék eltávolítása, ha könnyen megoldható. Az öblítés folytatása.                                  |
|             | MT       | Nehhi l-lentijiet tal-kuntatt, jekk ikun hemm u jkunu faċli biex tneħħihom. Komplil lahlaħ.                               |
|             | NL       | Contactlenzen verwijderen, indien mogelijk. Blijven spoelen.  |
|             | PL       | Wyjąć soczewki kontaktowe, jeżeli są i można je łatwo usunąć. Nadal płukać.   |
|             | PT       | Se usar lentes de contacto, retire-as, se tal lhe for possível. Continue a enxaguar.                                      |



**▼ B**

| P338 | Language |  |
|------|----------|--|
|      | RO       | Scoateți lentilele de contact, dacă este cazul și dacă acest lucru se poate face cu ușurință. Continuați să clătiți. |
|      | SK       | Ak používate kontaktné šošovky a ak je to možné, odstráňte ich. Pokračujte vo vyplachovaní.                          |
|      | SL       | Odstranite kontaktne leče, če jih imate in če to lahko storite brez težav. Nadaljujte z izpiranjem.                  |
|      | FI       | Poista piilolinssit, jos sen voi tehdä helposti. Jatka huuhtomista.  |
|      | SV       | Ta ur eventuella kontaktlinser om det går lätt. Fortsätt att skölja.   |

**▼ M4**

| P340 | Language |  |
|------|----------|--|
|      | BG       | Изведете лицето на чист въздух и го поставете в позиция, улесняваща дишането.                                  |
|      | ES       | Transportar a la persona al aire libre y mantenerla en una posición que le facilite la respiración.            |
|      | CS       | Přeneste osobu na čerstvý vzduch a ponechte ji v poloze usnadňující dýchání.                                   |
|      | DA       | Flyt personen til et sted med frisk luft og sørg for, at vejtrækningen lettes.                                 |
|      | DE       | Die Person an die frische Luft bringen und für ungehinderte Atmung sorgen.                                     |
|      | ET       | Toimetada isik värske õhu kätte ja hoida asendis, mis võimaldab kergesti hingata.                              |
|      | EL       | Μεταφέρετε τον παθόντα στον καθαρό αέρα και αφήστε τον να ξεκουραστεί σε στάση που διευκολύνει την αναπνοή.    |
|      | EN       | Remove person to fresh air and keep comfortable for breathing.   |
|      | FR       | Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer. |
|      | GA       | Tabhair an duine amach faoin aer úr agus coinnigh é i riocht ina bhféadfadh sé anáil a tharraingt go réidh.    |

**▼ M8**

|  |    |  |
|--|----|--|
|  | HR | Premjestiti osobu na svježí zrak i postaviti ju u položaj koji olakšava disanje. |
|--|----|--|

**▼ M4**

|  |    |   |
|--|----|---|
|  | IT | Trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione. |
|  | LV | Nogādāt cietušo svaigā gaisā un nodrošināt netraucētu elpošanu.   |
|  | LT | Išnešti nukentėjusį į gryną orą; jam būtina patogi padėtis, leidžianti laisvai kvėpuoti.                    |

▼ **M4**

| P340 | Language |   |
|------|----------|---|
|      | HU       | Az érintett személyt friss levegőre kell vinni, és olyan nyugalmi testhelyzetbe kell helyezni, hogy könnyen tudjon lélegezni. |
|      | MT       | Qiegħed lill-persuna għall-arja friska f'pożizzjoni komda biex tieħu n-nifs.  |
|      | NL       | De persoon in de frisse lucht brengen en ervoor zorgen dat deze gemakkelijk kan ademen.                                       |
|      | PL       | Wyprowadzić lub wynieść poszkodowanego na świeże powietrze i zapewnić mu warunki do swobodnego oddychania.                    |
|      | PT       | Retirar a pessoa para uma zona ao ar livre e mantê-la numa posição que não dificulte a respiração.                            |
|      | RO       | Transportați persoana la aer liber și mențineți-o într-o poziție confortabilă pentru respirație.                              |
|      | SK       | Presuňte osobu na čerstvý vzduch a umožňte jej pohodlne dýchať.   |
|      | SL       | Preneši osebo na svež zrak in jo pustiti v udobnem položaju, ki olajša dihanje.   |
|      | FI       | Siirrä henkilö raittiiseen ilmaan ja varmista vaivaton hengitys.  |
|      | SV       | Flytta personen till frisk luft och se till att andningen underlättas.  |

| P342 | Language |   |
|------|----------|---|
|      | BG       | При симптоми на затруднено дишане:          |
|      | ES       | En caso de síntomas respiratorios:          |
|      | CS       | Při dýchacích potížích:                     |
|      | DA       | Ved luftvejssymptomer:                      |
|      | DE       | Bei Symptomen der Atemwege:                 |
|      | ET       | Hingamisteede probleemide ilmnemise korral: |
|      | EL       | Εάν παρουσιάζονται αναπνευστικά συμπτώματα: |
|      | EN       | If experiencing respiratory symptoms:       |
|      | FR       | En cas de symptômes respiratoires:          |
|      | GA       | I gcás siomptóm riospráide:                 |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Pri otežanom disanju:  |
|  | IT | In caso di sintomi respiratori:                                |
|  | LV | Ja rodas elpošanas traucējumu simptomi:                        |
|  | LT | ► <b>C3</b> Jeigu pasireiškia kvėpavimo sutrikimo simptomai: ◀ |
|  | HU | Légzési problémák esetén:                                      |
|  | MT | Jekk tkun qed tbatl minn sintomi respiratorji:                 |
|  | NL | Bij ademhalingssymptomen:                                      |

▼ **B**

▼ B

| P342 | Language |   |
|------|----------|---|
|      | PL       | W przypadku wystąpienia objawów ze strony układu oddechowego: |
|      | PT       | Em caso de sintomas respiratórios:                            |
|      | RO       | În caz de simptome respiratorii:                              |
|      | SK       | Pri sťaženom dýchaní:   |
|      | SL       | Pri respiratornih simptomih:                                  |
|      | FI       | Jos ilmenee hengitysoireita:                                  |
|      | SV       | Vid besvär i luftvägarna:                                     |

▼ M4▼ B

| P351 | Language |   |
|------|----------|---|
|      | BG       | Промивайте внимателно с вода в продължение на няколко минути.   |
|      | ES       | Aclarar cuidadosamente con agua durante varios minutos.         |
|      | CS       | Několik minut opatrně oplachujte vodou.                         |
|      | DA       | Skyl forsigtigt med vand i flere minutter.                      |
|      | DE       | Einige Minuten lang behutsam mit Wasser ausspülen.              |
|      | ET       | Loputada mitme minuti jooksul ettevaatlikult veega.             |
|      | EL       | Ξεπλύνετε προσεκτικά με νερό για αρκετά λεπτά.                  |
|      | EN       | Rinse cautiously with water for several minutes.                |
|      | FR       | Rincer avec précaution à l'eau pendant plusieurs minutes.       |
|      | GA       | Sruthlaítear go faichilleach le huisce ar feadh roinnt nóiméad. |

▼ M5▼ B

|  |    |   |
|--|----|---|
|  | HR | Oprezno ispirati vodom nekoliko minuta.                       |
|  | IT | Sciacquare accuratamente per parecchi minuti.                 |
|  | LV | Uzmanīgi skalot ar ūdeni vairākas minūtes.                    |
|  | LT | Atsargiai plauti vandenių kelias minutes.                     |
|  | HU | Óvatos öblítés vízzel több percen keresztül.                  |
|  | MT | Lahlaħ b'attenzjoni bl-ilma għal diversi minuti.              |
|  | NL | Voorzichtig afspoelen met water gedurende een aantal minuten. |
|  | PL | Ostrożnie płukać wodą przez kilka minut.                      |
|  | PT | Enxaguar cuidadosamente com água durante vários minutos.      |

▼ **B**

| P351 | Language |  |
|------|----------|--|
|      | RO       | Clătiți cu atenție cu apă, timp de mai multe minute. |
|      | SK       | Opatrne niekoľko minút oplachujte vodou.             |
|      | SL       | Previdno izpirati z vodo nekaj minut.                |
|      | FI       | Huuhto huolellisesti vedellä usean minuutin ajan.    |
|      | SV       | Skölj försiktigt med vatten i flera minuter.         |

▼ **M4**

| P352 | Language |                                  |
|------|----------|----------------------------------|
|      | BG       | Измийте обилно с вода/...        |
|      | ES       | Lavar con abundante agua/...     |
|      | CS       | Omyjte velkým množstvím vody/... |
|      | DA       | Vask med rigeligt vand/...       |
|      | DE       | Mit viel Wasser/.../waschen.     |
|      | ET       | Pesta rohke veega/...            |
|      | EL       | Πλύντε με άφθονο νερό/...        |
|      | EN       | Wash with plenty of water/...    |
|      | FR       | Laver abondamment à l'eau/...    |
|      | GA       | Nigh le neart uisce/...          |

▼ **M8**

|  |    |                                   |
|--|----|-----------------------------------|
|  | HR | Oprati velikom količinom vode/... |
|--|----|-----------------------------------|

▼ **M4**

|  |    |                                      |
|--|----|--------------------------------------|
|  | IT | Lavare abbondantemente con acqua/... |
|  | LV | Nomazgāt ar lielu ūdens/. daudzumu.  |
|  | LT | Plauti dideliu vandens kiekiu/...    |
|  | HU | Lemosás bő vízzel/...                |
|  | MT | Baħbaħ b'ħafna ilma/...              |
|  | NL | Met veel water/... wassen.           |
|  | PL | Umyć dużą ilością wody/...           |
|  | PT | Lavar abundantemente com água/...    |
|  | RO | Spălați cu multă apă/...             |
|  | SK | Umyte veľkým množstvom vody/...      |
|  | SL | Umiti z veliko vode/...              |
|  | FI | Pese runsaalla vedellä/...           |
|  | SV | Tvätta med mycket vatten/...         |

▼ **M12**

| P353 | Language |   |
|------|----------|---|
|      | BG       | Облейте кожата с вода [или вземете душ].                    |
|      | ES       | Enjuagar la piel con agua [o ducharse].                     |
|      | CS       | Opláchněte kůži vodou [nebo osprchujte].                    |
|      | DA       | Skyl [eller brus] huden med vand.                           |
|      | DE       | Haut mit Wasser abwaschen [oder duschen].                   |
|      | ET       | Loputada nahka veega [või loputada duši all].               |
|      | EL       | Ξεπλύνετε την επιδερμίδα με νερό [ή στο ντους].             |
|      | EN       | Rinse skin with water [or shower].                          |
|      | FR       | Rincer la peau à l'eau [ou se doucher].                     |
|      | GA       | Sruthlaítear an craiceann le huisce [nó glac cithfholcadh]. |
|      | HR       | Isprati kožu vodom [ili tuširanjem].                        |
|      | IT       | Sciacquare la pelle [o fare una doccia].                    |
|      | LV       | Noskalot ādu ar ūdeni [vai iet dušā].                       |
|      | LT       | Odą nuplauti vandeniu [arba čiurkšle].                      |
|      | HU       | A bőrt le kell öblíteni vízzel [vagy zuhanyozás].           |
|      | MT       | Laħlaħ il-ġilda bl-ilma [jew bix-xawer].                    |
|      | NL       | Huid met water afspoelen [of afdouchen].                    |
|      | PL       | Splukać skórę pod strumieniem wody [lub prysznicem].        |
|      | PT       | Enxaguar a pele com água [ou tomar um duche].               |
|      | RO       | Clătiți pielea cu apă [sau faceți duș].                     |
|      | SK       | Pokožku ihneď opláchnite vodou [alebo sprchou].             |
|      | SL       | Kožo izprati z vodo [ali prho].                             |
|      | FI       | Huuhdo iho vedellä [tai suihkuta].                          |
|      | SV       | Skölj huden med vatten [eller duscha].                      |

▼ **B**

| P360 | Language |   |
|------|----------|---|
|      | BG       | Незабавно облейте замърсеното облекло и кожата обилно с вода, преди да свалите дрехите.                 |
|      | ES       | Aclarar inmediatamente con agua abundante las prendas y la piel contaminadas antes de quitarse la ropa. |
|      | CS       | Kontaminovaný oděv a kůži okamžitě omyjte velkým množstvím vody a potom oděv odložte.                   |

**▼ B**

| P360 | Language |   |
|------|----------|---|
|      | DA       | Skyl omgående tilsmudset tøj og hud med rigeligt vand, før tøjet fjernes.                                     |
|      | DE       | Kontaminierte Kleidung und Haut sofort mit viel Wasser abwaschen und danach Kleidung ausziehen.               |
|      | ET       | Saastunud rõivad ja nahk loputada viivitamata rohke veega ning alles seejärel rõivad eemaldada.               |
|      | EL       | Ξεπλύνετε αμέσως τα μολυσμένα ρούχα και την επιδερμίδα με άφθονο νερό πριν αφαιρέσετε τα ρούχα.               |
|      | EN       | Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.                |
|      | FR       | Rincer immédiatement et abondamment avec de l'eau les vêtements contaminés et la peau avant de les enlever.   |
|      | GA       | Sruthlaítear éadaí éillithe agus an craiceann láithreach le neart uisce sula mbaineann an duine na héadaí de. |

**▼ M5**

|  |    |  |
|--|----|--|
|  | HR | Odmah isprati zagađenu odjeću i kožu velikom količinom vode prije uklanjanja odjeće. |
|--|----|--|

**▼ B**

|  |    |  |
|--|----|--|
|  | IT | Sciacquare immediatamente e abbondantemente gli indumenti contaminati e la pelle prima di togliersi gli indumenti. |
|  | LV | Nekavējoties noskalot piesārņoto apģērbu un skarto ādu ar lielu daudzumu ūdens pirms apģērba novilkšanas.          |
|  | LT | Prieš nuvelkant užterštus drabužius, nedelsiant juos ir odą nuplauti dideliu kiekiu vandens.                       |
|  | HU | A ruhák levetése előtt a szennyezett ruházatot és a bőrt bő vízzel azonnal le kell öblíteni.                       |
|  | MT | Lahlaħ mall-ewwel l-ilbies ikkontaminat u l-ġilda b'ħafna ilma qabel ma tneħħi l-ilbies.                           |
|  | NL | Verontreinigde kleding en huid onmiddellijk met veel water afspoelen en pas daarna kleding uittrekken.             |
|  | PL | Natychmiast spłukać zanieczyszczoną odzież i skórę dużą ilością wody przed zdjęciem odzieży.                       |
|  | PT | Enxaguar imediatamente com muita água a roupa e a pele contaminadas antes de se despir.                            |
|  | RO | Clătiți imediat îmbrăcămintea contaminată și pielea cu multă apă, înainte de scoaterea îmbrăcămintei.              |

**▼ B**

| P360 | Language |   |
|------|----------|---|
|      | SK       | Kontaminovaný odev a pokožku ihned opláchnite velkým množstvím vody a potom odev odstraňte. |
|      | SL       | Takoj izprati kontaminirana oblačila in kožo z veliko vode pred odstranitvijo oblačil.      |
|      | FI       | Huuhdo saastunut vaatus ja iho välittömästi runsaalla vedellä ennen vaatuksen riisumista.   |
|      | SV       | Skölj genast nedstänkta kläder och hud med mycket vatten innan du tar av dig kläderna.      |

**▼ M4**

| P361 | Language |   |
|------|----------|---|
|      | BG       | Незабавно свалете цялото замърсено облекло.           |
|      | ES       | Quitar inmediatamente todas las prendas contaminadas. |
|      | CS       | Veškeré kontaminované části oděvu okamžitě svlékněte. |
|      | DA       | Alt tilsmudset tøj tages straks af.                   |
|      | DE       | Alle kontaminierten Kleidungsstücke sofort ausziehen. |
|      | ET       | Võtta viivitamata seljast kõik saastunud rõivad.      |
|      | EL       | Βγάλτε αμέσως όλα τα μολυσμένα ρούχα.                 |
|      | EN       | Take off immediately all contaminated clothing.       |
|      | FR       | Enlever immédiatement tous les vêtements contaminés.  |
|      | GA       | Bain díot láithreach na héadaí éillithe go léir.      |

**▼ M8**

|  |    |                                    |
|--|----|------------------------------------|
|  | HR | Odmah skinuti svu zagađenu odjeću. |
|--|----|------------------------------------|

**▼ M4**

|  |    |  |
|--|----|--|
|  | IT | Togliere immediatamente tutti gli indumenti contaminati. |
|  | LV | Novilkst nekavējoties visu piesārņoto apģērbu.           |
|  | LT | Nedelsiant nuvilkti visus užterštus drabužius.           |
|  | HU | Az összes szennyezett ruhadarabot azonnal le kell vetni. |
|  | MT | Nehhi minnufih il-ħwejjeg kontaminati kollha.            |
|  | NL | Verontreinigde kleding onmiddellijk uittrekken.          |
|  | PL | Natychmiast zdjąć całą zanieczyszczoną odzież.           |
|  | PT | Retirar imediatamente toda a roupa contaminada.          |
|  | RO | Scoateți imediat toată îmbrăcămintea contaminată.        |
|  | SK | Všetky kontaminované části oděvu okamžitě vyzlečte.      |
|  | SL | Takoj sleči vsa kontaminirana oblačila.                  |
|  | FI | Riisu saastunut vaatus välittömästi.                     |
|  | SV | Ta omedelbart av alla nedstänkta kläder.                 |

▼ **M4**

| P362 | Language |                                   |
|------|----------|-----------------------------------|
|      | BG       | Свалете замърсеното облекло.      |
|      | ES       | Quitar las prendas contaminadas.  |
|      | CS       | Kontaminovaný oděv svlékněte.     |
|      | DA       | Alt tilsmudset tøj tages af.      |
|      | DE       | Kontaminierte Kleidung ausziehen. |
|      | ET       | Võtta saastunud rõivad seljast.   |
|      | EL       | Βγάλετε τα μολυσμένα ρούχα.       |
|      | EN       | Take off contaminated clothing.   |
|      | FR       | Enlever les vêtements contaminés. |
|      | GA       | Bain díot aon éadaí éillithe.     |

▼ **M8**

|  |    |                          |
|--|----|--------------------------|
|  | HR | Skinuti zagađenu odjeću. |
|--|----|--------------------------|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | Togliere gli indumenti contaminati.      |
|  | LV | Novilkt piesārņoto apģērbu.              |
|  | LT | Nuvilkti užterštus drabužius.            |
|  | HU | A szennyezett ruhadarabot le kell vetni. |
|  | MT | Nehhi l-hwejjeġ kontaminati.             |
|  | NL | Verontreinigde kleding uittrekken.       |
|  | PL | Zdjąć zanieczyszczoną odzież.            |
|  | PT | Retirar a roupa contaminada.             |
|  | RO | Scoateți îmbrăcămintea contaminată.      |
|  | SK | Kontaminovaný odev vyzlečte.             |
|  | SL | Sleči kontaminirana oblačila.            |
|  | FI | Riisu saastunut vaatetus.                |
|  | SV | Ta av nedstänkta kläder.                 |

▼ **B**

| P363 | Language |  |
|------|----------|--|
|      | BG       | Изперете замърсеното облекло преди повторна употреба.      |
|      | ES       | Lavar las prendas contaminadas antes de volver a usarlas.  |
|      | CS       | Kontaminovaný oděv před opětovným použitím vyperte.        |
|      | DA       | Tilsmudset tøj skal vaskes, før det kan anvendes igen.     |
|      | DE       | Kontaminierte Kleidung vor erneutem Tragen waschen.        |
|      | ET       | Saastunud rõivad enne järgmist kasutamist pesta.           |
|      | EL       | Πλύνετε τα μολυσμένα ενδύματα πριν τα ξαναχρησιμοποιήσετε. |
|      | EN       | Wash contaminated clothing before reuse.                   |
|      | FR       | Laver les vêtements contaminés avant réutilisation.        |



▼ **B**

| P363        | Language |  |
|-------------|----------|--|
|             | GA       | Nigh éadaí éillithe sula ndéanfar iad a athúsáid.                    |
| ▼ <b>M5</b> | HR       | Oprati zagađenu odjeću prije ponovne uporabe.                        |
| ▼ <b>B</b>  | IT       | Lavare gli indumenti contaminati prima di indossarli nuovamente.     |
|             | LV       | Pirms atkārtotas lietošanas piesārņoto apģērbu izmazgāt.             |
|             | LT       | Užterštus drabužius išskalbti prieš vėl juos apsi-<br>velkant.       |
|             | HU       | A szennyezett ruhát újbóli használat előtt ki kell<br>mosni.         |
|             | MT       | Aħsel il-hwejjeġ kontaminati qabel terġa’<br>tużahom.                |
|             | NL       | Verontreinigde kleding wassen alvorens deze<br>opnieuw te gebruiken. |
|             | PL       | Wyprać zanieczyszczoną odzież przed<br>ponownym użyciem.             |
|             | PT       | Lavar a roupa contaminada antes de a voltar a<br>usar.               |
|             | RO       | Spălați îmbrăcămintea contaminată, înainte de<br>reutilizare.        |
|             | SK       | Kontaminovaný odev pred ďalším použitím<br>vyperte.                  |
|             | SL       | Kontaminirana oblačila oprati pred ponovno<br>uporabo.               |
|             | FI       | Pese saastunut vaatetus ennen uudelleenkäyttöä.                      |
|             | SV       | Nedstänkta kläder ska tvättas innan de används<br>igen.              |

▼ **M4**

| P364 | Language |   |
|------|----------|---|
|      | BG       | И го изперете преди повторна употреба.      |
|      | ES       | Y lavarlas antes de volver a usarlas.       |
|      | CS       | A před opětovným použitím vyperte.          |
|      | DA       | Og vaskes inden genanvendelse.              |
|      | DE       | Und vor erneutem Tragen waschen.            |
|      | ET       | Ja pesta enne korduskasutust.               |
|      | EL       | Και πλύντε τα πριν τα ξαναχρησιμοποιήσετε.  |
|      | EN       | And wash it before reuse.                   |
|      | FR       | Et les laver avant réutilisation.           |
|      | GA       | Agus nigh iad sula ndéanfar iad a athúsáid. |

▼ **M8**

|  |    |                                    |
|--|----|------------------------------------|
|  | HR | I oprati je prije ponovne uporabe. |
|--|----|------------------------------------|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | E lavarli prima di indossarli nuovamente. |
|  | LV | Un pirms atkārtotas lietošanas izmazgāt.  |
|  | LT | Taip pat išskalbti prieš vėl apsivelkant. |

▼ **M4**

| P364 | Language |   |
|------|----------|---|
|      | HU       | És újbóli használat előtt ki kell mosni.      |
|      | MT       | U aħslu qabel terġa' tużah.                   |
|      | NL       | En wassen alvorens deze opnieuw te gebruiken. |
|      | PL       | I wyprać przed ponownym użyciem.              |
|      | PT       | E lavar antes de voltar a usar.               |
|      | RO       | Și spălați înainte de reutilizare.            |
|      | SK       | A pred ďalším použitím vyperte.               |
|      | SL       | In jih oprati pred ponovno uporabo.           |
|      | FI       | Ja pese ennen uudelleenkäyttöä.               |
|      | SV       | Och tvätta dem innan de används igen.         |

▼ **B**

| P370 | Language |                         |
|------|----------|-------------------------|
|      | BG       | При пожар:              |
|      | ES       | En caso de incendio:    |
|      | CS       | V případě požáru:       |
|      | DA       | Ved brand:              |
|      | DE       | Bei Brand:              |
|      | ET       | Tulekahju korral:       |
|      | EL       | Σε περίπτωση πυρκαγιάς: |
|      | EN       | In case of fire:        |
|      | FR       | En cas d'incendie:      |
|      | GA       | I gcás dóiteáin:        |

▼ **M5**

|  |    |                   |
|--|----|-------------------|
|  | HR | U slučaju požara: |
|--|----|-------------------|

▼ **B**

|  |    |                      |
|--|----|----------------------|
|  | IT | In caso di incendio: |
|  | LV | Ugunsgrēka gadījumā: |
|  | LT | Gaisro atveju:       |
|  | HU | Tűz esetén:          |
|  | MT | F'każ ta' nar:       |
|  | NL | In geval van brand:  |
|  | PL | W przypadku pożaru:  |
|  | PT | Em caso de incêndio: |
|  | RO | În caz de incendiu:  |

▼ **B**

| P370 | Language |                       |
|------|----------|-----------------------|
|      | SK       | V prípade požiaru:    |
|      | SL       | Ob požaru:            |
|      | FI       | Tulipalon sattuesssa: |
|      | SV       | Vid brand:            |

| P371 | Language |   |
|------|----------|---|
|      | BG       | При голям пожар и значителни количества:                                |
|      | ES       | En caso de incendio importante y en grandes cantidades:                 |
|      | CS       | V případě velkého požáru a velkého množství:                            |
|      | DA       | Ved større brand og store mængder:                                      |
|      | DE       | Bei Großbrand und großen Mengen:  |
|      | ET       | Suure tulekahju korral ning kui on tegemist suurte kogustega:           |
|      | EL       | Σε περίπτωση σοβαρής πυρκαγιάς και εάν πρόκειται για μεγάλες ποσότητες: |
|      | EN       | In case of major fire and large quantities:                             |
|      | FR       | En cas d'incendie important et s'il s'agit de grandes quantités:        |
|      | GA       | I gcás mórdhóiteáin agus má tá cainníochtaí móra i gceist:              |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | U slučaju velikog požara i velikih količina: |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | In caso di incendio grave e di quantità rilevanti:              |
|  | LV | Ugunsgrēka un lielu apjomu gadījumā:                            |
|  | LT | Didelio gaisro ir didelių kiekių atveju:                        |
|  | HU | Nagyobb tűz és nagy mennyiség esetén:                           |
|  | MT | F'każ ta' nar kbir u kwantitajiet kbar:                         |
|  | NL | In geval van grote brand en grote hoeveelheden:                 |
|  | PL | W przypadku poważnego pożaru i dużych ilości:                   |
|  | PT | Em caso de incêndio importante e de grandes quantidades:        |
|  | RO | În caz de incendiu de proporții și de cantități mari de produs: |
|  | SK | V prípade veľkého požiaru a veľkého množstva:                   |
|  | SL | Ob velikem požaru in velikih količinah:                         |
|  | FI | Jos tulipalo ja ainemäärät ovat suuret:                         |
|  | SV | Vid större brand och stora mängder:                             |

▼ **M12**

| P372 | Language |                         |
|------|----------|-------------------------|
|      | BG       | Опасност от експлозия.  |
|      | ES       | Riesgo de explosión.    |
|      | CS       | Nebezpečí výbuchu.      |
|      | DA       | Eksplodingsfare.        |
|      | DE       | Explosionsgefahr.       |
|      | ET       | Plahvatusoht.           |
|      | EL       | Κίνδυνος έκρηξης.       |
|      | EN       | Explosion risk.         |
|      | FR       | Risque d'explosion.     |
|      | GA       | Baol pléasctha.         |
|      | HR       | Opasnost od eksplozije. |
|      | IT       | Rischio di esplosione.  |
|      | LV       | Eksplōzijas risks.      |
|      | LT       | Sprogimo pavojus.       |
|      | HU       | Robbanásveszély.        |
|      | MT       | Riskju ta' splużjoni.   |
|      | NL       | Ontploffingsgevaar.     |
|      | PL       | Zagrożenie wybuchem.    |
|      | PT       | Risco de explosão.      |
|      | RO       | Risc de explozie.       |
|      | SK       | Riziko výbuchu.         |
|      | SL       | Nevarnost eksplozije.   |
|      | FI       | Räjähdysvaara.          |
|      | SV       | Explosionsrisk.         |

▼ **B**

| P373 | Language |   |
|------|----------|---|
|      | BG       | НЕ се опитвайте да гасите пожара, ако огънят наближи експлозиви.                      |
|      | ES       | NO luchar contra el incendio cuando el fuego llega a los explosivos.                  |
|      | CS       | Požár NEHASTE, dostane-li se k výbušninám.  |
|      | DA       | BEKÆMP IKKE branden, hvis denne når eksplosiverne.                                    |
|      | DE       | KEINE Brandbekämpfung, wenn das Feuer explosive Stoffe/Gemische/Erzeugnisse erreicht. |
|      | ET       | Kui tuli jõuab lõhkeaineteni, MITTE teha kustutustõid.                                |
|      | EL       | ΜΗΝ προσπαθείτε να σβήσετε την πυρκαγιά, όταν η φωτιά πλησιάζει σε εκρηκτικά.         |
|      | EN       | DO NOT fight fire when fire reaches explosives.                                       |
|      | FR       | NE PAS combattre l'incendie lorsque le feu atteint les explosifs.                     |

**▼ B**

| P373        | Language |   |
|-------------|----------|---|
|             | GA       | NÁ DÉAN an dóiteán a chomhrac má shroicheann sé pléascáin.                    |
| <b>▼ M5</b> | HR       | NE gasiti vatru kada plamen može zahvatiti eksplozive.                        |
| <b>▼ B</b>  | IT       | NON utilizzare mezzi estinguenti se l'incendio raggiunge materiali esplosivi. |
|             | LV       | NECENSTIES dzēst ugunsgrēku, ja uguns piekļūst sprādzienbīstamām vielām.      |
|             | LT       | NEGESINTI gaisro, jeigu ugnis pasiekia sprogmenis.                            |
|             | HU       | TILOS a tüz oltása, ha az robbanóanyagra áttérjedt.                           |
|             | MT       | TIPPRUVAX TITFI n-nar meta n-nar jilhaq l-isplussivi.                         |
|             | NL       | NIET blussen wanneer het vuur de ontplofbare stoffen bereikt.                 |
|             | PL       | NIE gasić pożaru, jeżeli ogień dosięgnie materiały wybuchowe                  |
|             | PT       | Se o fogo atingir os explosivos, NÃO tentar combatê-lo.                       |
|             | RO       | NU încercați să stingeți incendiul atunci când focul a ajuns la exploziv.     |
|             | SK       | Požiar NEHASTE, ak sa oheň priblížil k výbušnínám.                            |
|             | SL       | NE gasiti, ko ogenj doseže eksploziv.   |
|             | FI       | Tulta EI SAA yrittää sammuttaa sen saavutettua räjähteet.                     |
|             | SV       | Försök INTE bekämpa branden när den når explosiva varor.                      |

**▼ M12****▼ B**

| P375 | Language |  |
|------|----------|--|
|      | BG       | Гасете пожара от разстояние поради опасност от експлозия.                          |
|      | ES       | Luchar contra el incendio a distancia, dado el riesgo de explosión.                |
|      | CS       | Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti.                            |
|      | DA       | Bekæmp branden på afstand på grund af eksplosionsfare.                             |
|      | DE       | Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.                         |
|      | ET       | Plahvatusohu tõttu teha kustutustõid eemalt.                                       |
|      | EL       | Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης. |
|      | EN       | Fight fire remotely due to the risk of explosion.                                  |

▼ B

| P375 | Language |   |
|------|----------|---|
|      | FR       | Combattre l'incendie à distance à cause du risque d'explosion.        |
|      | GA       | Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléasctha. |

▼ M5

|  |    |   |
|--|----|---|
|  | HR | Gasiti s veće udaljenosti zbog opasnosti od eksplozije. |
|--|----|---|

▼ B

|  |    |  |
|--|----|--|
|  | IT | Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza. |
|  | LV | Dzēst ugunsgrēku no attāluma eksplozijas riska dēļ.                      |
|  | LT | Gaisrą gesinti iš toli dėl sprogimo pavojaus.                            |
|  | HU | A tűz oltását robbanásveszély miatt távolból kell végezni.               |
|  | MT | Itfi n-nar mill-bogħod minhabba r-riskju ta' splużjoni.                  |
|  | NL | Op afstand blussen omwille van ontploffingsgevaar.                       |
|  | PL | Z powodu ryzyka wybuchu gasić pożar z odległości.                        |
|  | PT | Combater o incêndio à distância, devido ao risco de explosão.            |
|  | RO | Stingeți incendiul de la distanță din cauza pericolului de explozie.     |
|  | SK | Z dôvodu nebezpečenstva výbuchu požiar haste z diaľky.                   |
|  | SL | Gasiti z večje razdalje zaradi nevarnosti eksplozije.                    |
|  | FI | Sammuta palo etäältä räjähdysvaaran takia.                               |
|  | SV | Bekämpa branden på avstånd på grund av explosionsrisken.                 |

| P376 | Language |   |
|------|----------|---|
|      | BG       | Спрете теча, ако е безопасно.                                     |
|      | ES       | Detener la fuga, si no hay peligro en hacerlo.                    |
|      | CS       | Zastavte únik, můžete-li tak učinit bez rizika.                   |
|      | DA       | Stands lækagen, hvis dette er sikkert.                            |
|      | DE       | Undichtigkeit beseitigen, wenn gefahrlos möglich.                 |
|      | ET       | Leke peatada, kui seda on võimalik teha ohutult.                  |
|      | EL       | Σταματήστε τη διαρροή, εφόσον δεν υπάρχει κίνδυνος.               |
|      | EN       | Stop leak if safe to do so.                                       |
|      | FR       | Obturer la fuite si cela peut se faire sans danger.               |
|      | GA       | Cuir stop leis an sceitheadh má tá sé sábháilte é sin a dhéanamh. |

▼ B

| P376 | Language |   |
|------|----------|---|
|      | HR       | Ako je sigurno, zaustaviti istjecanje.                          |
|      | IT       | Bloccare la perdita se non c'è pericolo.                        |
|      | LV       | Apstādināt noplūdi, ja to var izdarīt drošā veidā.              |
|      | LT       | Sustabdyti nuotėkį, jeigu galima saugiai tai padaryti.          |
|      | HU       | Meg kell szüntetni a szivárgást, ha ez biztonságosan megtehető. |
|      | MT       | Waqqaf it-tnixxija jekk ma jkunx hemm periklu.                  |
|      | NL       | Het lek dichten als dat veilig gedaan kan worden.               |
|      | PL       | Jeżeli jest to bezpieczne zahamować wyciek.                     |
|      | PT       | Deter a fuga se tal puder ser feito em segurança.               |
|      | RO       | Oprîți scurgerea, dacă acest lucru se poate face în siguranță.  |
|      | SK       | Zastavte únik, ak je to bezpečné.                               |
|      | SL       | Zaustaviti puščanje, če je varno.                               |
|      | FI       | Sulje vuoto, jos sen voi tehdä turvallisesti.                   |
|      | SV       | Stoppa läckan om det kan göras på ett säkert sätt.              |

| P377 | Language |  |
|------|----------|--|
|      | BG       | Пожар от изтекъл газ:<br>Не гасете освен при възможност за безопасно отстраняване на теча.                 |
|      | ES       | Fuga de gas en llamas:<br>No apagar, salvo si la fuga puede detenerse sin peligro.                         |
|      | CS       | Požár unikajícího plynu:<br>Nehaste, nelze-li unik bezpečně zastavit.                                      |
|      | DA       | Brand fra udsivende gas:<br>Sluk ikke, medmindre det er sikkert at stoppe lækagen.                         |
|      | DE       | Brand von ausströmendem Gas:<br>Nicht löschen, bis Undichtigkeit gefahrlos beseitigt werden kann.          |
|      | ET       | Lekkiva gaasi põlemise korral mitte kustutada, välja arvatud juhul, kui leket on võimalik ohutult peatada. |
|      | EL       | Διαρροή φλεγόμενου αερίου:<br>Μην την σβήσετε, εκτός εάν μπορείτε να σταματήσετε τη διαρροή χωρίς κίνδυνο. |
|      | EN       | Leaking gas fire:<br>Do not extinguish, unless leak can be stopped safely.                                 |
|      | FR       | Fuite de gaz enflammé:<br>Ne pas éteindre si la fuite ne peut pas être arrêtée sans danger.                |

▼ B

| P377 | Language |  |
|------|----------|--|
|      | GA       | Tine gháis ag sceitheadh:<br>Ná múch, mura i ndán agus gur féidir stop a chur leis an sceitheadh go sábháilte. |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | Požar zbog istjecanja plina:<br>ne gasiti ako nije moguće sa sigurnošću zaustaviti istjecanje. |
|--|----|--|

▼ B

|  |    |   |
|--|----|---|
|  | IT | In caso d'incendio dovuto a perdita di gas, non estinguere a meno che non sia possibile bloccare la perdita senza pericolo. |
|--|----|---|

|  |    |   |
|--|----|---|
|  | LV | Degšanas gāzes noplūde:<br>Nedzēst, ja vien noplūdi var apstādināt drošā veidā. |
|--|----|---|

|  |    |  |
|--|----|--|
|  | LT | Dujų nuotėkio sukeltas gaisras:<br>Negesinti, nebent nuotėkį būtų galima saugiai sustabdyti. |
|--|----|--|

|  |    |   |
|--|----|---|
|  | HU | Égő szivárgó gáz:<br>Csak akkor szabad a tüzet oltani, ha a szivárgás biztonságosan megszüntethető. |
|--|----|---|

|  |    |  |
|--|----|--|
|  | MT | Tnixxija ta' gass tan-nar:<br>Tippruvax titfiha, sakemm it-tnixxija ma tkunx tista' titwaqqaf bla periklu. |
|--|----|--|

|  |    |  |
|--|----|--|
|  | NL | Brand door lekkend gas:<br>niet blussen, tenzij het lek veilig gedicht kan worden. |
|--|----|--|

|  |    |   |
|--|----|---|
|  | PL | W przypadku płonięcia wyciekającego gazu:<br>Nie gasić, jeżeli nie można bezpiecznie zahamować wycieku. |
|--|----|---|

|  |    |   |
|--|----|---|
|  | PT | Incêndio por fuga de gás: não apagar, a menos que se possa deter a fuga em segurança. |
|--|----|---|

|  |    |  |
|--|----|--|
|  | RO | Incendiu cauzat de o scurgere de gaz: nu încercați să stingeți, decât dacă scurgerea poate fi oprită în siguranță. |
|--|----|--|

|  |    |   |
|--|----|---|
|  | SK | Požiar unikajúceho plynu: Nehaste, pokiaľ únik nemožno bezpečne zastaviť. |
|--|----|---|

|  |    |  |
|--|----|--|
|  | SL | Požar zaradi uhajanja plina:<br>Ne gasiti, če puščanja ni mogoče varno zaustaviti. |
|--|----|--|

|  |    |   |
|--|----|---|
|  | FI | Vuotavasta kaasusta johtuva palo:<br>Ei saa sammuttaa, jollei vuotoa voida pysäyttää turvallisesti. |
|--|----|---|

|  |    |  |
|--|----|--|
|  | SV | Läckande gas som brinner:<br>Försök inte släcka branden om inte läckan kan stoppas på ett säkert sätt. |
|--|----|--|

▼ M4

| P378 | Language |                                 |
|------|----------|---------------------------------|
|      | BG       | Използвайте..., за да загасите. |
|      | ES       | Utilizar... para la extinción.  |
|      | CS       | K uhašení použijte...           |
|      | DA       | Anvend...til brandslukning.     |



▼ **M4**

| P378 | Language |  |
|------|----------|--|
|      | DE       | ... zum Löschen verwenden.             |
|      | ET       | Kustutamiseks kasutada...              |
|      | EL       | Χρησιμοποιείστε... για να κατασβήσετε. |
|      | EN       | Use... to extinguish.                  |
|      | FR       | Utiliser... pour l'extinction.         |
|      | GA       | Úsáid ... le haghaidh múchta.          |

▼ **M8**

|  |    |                       |
|--|----|-----------------------|
|  | HR | Za gašenje rabiti ... |
|--|----|-----------------------|

▼ **M4**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Utilizzare...per estinguere.     |
|  | LV | Dzēšanai izmantojiet ....        |
|  | LT | Gesinimui naudoti ...            |
|  | HU | Oltásra ...használandó.          |
|  | MT | Uża... biex titfi.               |
|  | NL | Blussen met ...                  |
|  | PL | Użyć... do gaszenia.             |
|  | PT | Para extinguir utilizar....      |
|  | RO | A se utiliza... pentru a stinge. |
|  | SK | Na hasenie použite...            |
|  | SL | Za gašenje se uporabi...         |
|  | FI | Käytä palon sammuttamiseen...    |
|  | SV | Släck med...                     |

▼ **B**

| P380 | Language |  |
|------|----------|--|
|      | BG       | Евакуирайте зоната.                    |
|      | ES       | Evacuar la zona.                       |
|      | CS       | Vyklid'te _roctor.                     |
|      | DA       | Evakuer området.                       |
|      | DE       | Umgebung räumen.                       |
|      | ET       | Ala evakueerida.                       |
|      | EL       | Εκκενώστε την περιοχή.                 |
|      | EN       | Evacuate area.                         |
|      | FR       | Évacuer la zone.                       |
|      | GA       | Aslonnaigh gach duine as an limistéar. |

▼ **M5**

|  |    |                      |
|--|----|----------------------|
|  | HR | Evakuirati područje. |
|--|----|----------------------|

▼ **B**

|  |    |                              |
|--|----|------------------------------|
|  | IT | Evacuare la zona.            |
|  | LV | Evakuēt zonu.                |
|  | LT | Evakuoti zoną.               |
|  | HU | A területet ki kell üríteni. |
|  | MT | Evakwa ż-zona.               |

▼ **B**

| P380 | Language |                      |
|------|----------|----------------------|
|      | NL       | Evacueren.           |
|      | PL       | Ewakuować teren.     |
|      | PT       | Evacuar a zona.      |
|      | RO       | Evacuați zona.       |
|      | SK       | Priestory evakuujte. |
|      | SL       | Izprazniti območje.  |
|      | FI       | Evakuoi alue.        |
|      | SV       | Utrym området.       |

▼ **M12**

| P381 | Language |  |
|------|----------|--|
|      | BG       | В случай на изтичане премахнете всички източници на запалване. |
|      | ES       | En caso de fuga, eliminar todas las fuentes de ignición.       |
|      | CS       | V případě úniku odstraňte všechny zdroje zapálení.             |
|      | DA       | I tilfælde af lækage fjernes alle antændelseskilder.           |
|      | DE       | Bei Undichtigkeit alle Zündquellen entfernen.                  |
|      | ET       | Lekke korral eemaldada kõik süüteallikad.                      |
|      | EL       | Σε περίπτωση διαρροής, εξαλείψτε όλες τις πηγές ανάφλεξης.     |
|      | EN       | In case of leakage, eliminate all ignition sources.            |
|      | FR       | En cas de fuite, éliminer toutes les sources d'ignition.       |
|      | GA       | I gcás sceite, díothaigh gach foinse adhainte.                 |
|      | HR       | U slučaju istjecanja ukloniti sve izvore paljenja.             |
|      | IT       | In caso di perdita, eliminare ogni fonte di accensione.        |
|      | LV       | Noplūdes gadījumā novērst visus uzliesmošanas avotus.          |
|      | LT       | Nuotėkio atveju, pašalinti visus uždegimo šaltinius.           |
|      | HU       | Szivárgás esetén meg kell szüntetni az összes gyújtóforrást.   |
|      | MT       | F'każ ta' tnixxija, elimina s-sorsi kollha li jqabbdu.         |
|      | NL       | In geval van lekkage alle ontstekingsbronnen wegnemen.         |
|      | PL       | W przypadku wycieku wyeliminować wszystkie źródła zapłonu.     |
|      | PT       | Em caso de fuga, eliminar todas as fontes de ignição.          |

▼ **M12**

| P381 | Language |   |
|------|----------|---|
|      | RO       | În caz de scurgeri, eliminați toate sursele de aprindere. |
|      | SK       | V prípade úniku odstráňte všetky zdroje zapálenia.        |
|      | SL       | V primeru uhajanja odstraniti vse vire vžiga.             |
|      | FI       | Vuototapauksessa poista kaikki sytytyslähteet.            |
|      | SV       | Vid läckage, avlägsna alla antändningskällor.             |

▼ **B**

| P390 | Language |   |
|------|----------|---|
|      | BG       | Попийте разлятото, за да се предотвратят материални вреди.                                |
|      | ES       | Absorber el vertido para que no dañe otros materiales.                                    |
|      | CS       | Uniklý produkt absorbujte, aby se zabránilo materiálním škodám.                           |
|      | DA       | Absorber udslip for at undgå materielskade.   |
|      | DE       | Verschüttete Mengen aufnehmen, um Materialschäden zu vermeiden.                           |
|      | ET       | Mahavoolanud toode absorbeerida, et see ei kahjustaks teisi materjale.                    |
|      | EL       | Σκουπίστε τη χυμένη ποσότητα για να προλάβετε υλικές ζημιές.                              |
|      | EN       | Absorb spillage to prevent material damage.   |
|      | FR       | Absorber toute substance répandue pour éviter qu'elle attaque les matériaux environnants. |
|      | GA       | Ionsúigh doirteadh chun damáiste d'ábhar a chosc.   |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Apsorbirati proliveno kako bi se spriječila materijalna šteta. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Assorbire la fuoriuscita per evitare danni materiali.                                      |
|  | LV | Uzsūkt izšļakstījumus, lai novērstu materiālus zaudējumus.                                 |
|  | LT | Absorbuoti išsiliejusią medžiagą, siekiant išvengti materialinės žalos.                    |
|  | HU | A kiömlött anyagot fel kell itatni a körülvévő anyagok károsodásának megelőzése érdekében. |
|  | MT | Assorbi t-tixrid biex tipprevjeni hsara fil-materjal.                                      |
|  | NL | Gelekte/gemorste stof opnemen om materiële schade te vermijden.                            |
|  | PL | Usunąć wyciek, aby zapobiec szkodom materialnym.   |
|  | PT | Absorver o produto derramado a fim de evitar danos materiais.                              |

**▼ B**

| P390 | Language |   |
|------|----------|---|
|      | RO       | Absorbiți scurgerile de produs, pentru a nu afecta materialele din apropiere. |
|      | SK       | Absorbujte uniknutý produkt, aby sa zabránilo materiálnym škodám.             |
|      | SL       | Odpraviti razlitje, da se prepreči materialna škoda.                          |
|      | FI       | Imeytä valumat vahinkojen estämiseksi.  |
|      | SV       | Sug upp spill för att undvika materiella skador.                              |

| P391 | Language |                                  |
|------|----------|----------------------------------|
|      | BG       | Съберете разлятото.              |
|      | ES       | Recoger el vertido.              |
|      | CS       | Uniklý produkt seberte.          |
|      | DA       | Udslip opsaml.                   |
|      | DE       | Verschüttete Mengen aufnehmen.   |
|      | ET       | Mahavoolanud toode kokku koguda. |
|      | EL       | Μαζέψτε τη χυμένη ποσότητα.      |
|      | EN       | Collect spillage.                |
|      | FR       | Recueillir le produit répandu.   |
|      | GA       | Bailigh doirteadh.               |

**▼ M5**

|  |    |                            |
|--|----|----------------------------|
|  | HR | Sakupiti proliveno/rasuto. |
|--|----|----------------------------|

**▼ B**

|  |    |   |
|--|----|---|
|  | IT | Raccogliere il materiale fuoriuscito.   |
|  | LV | Savākt izšļakstīto šķidrumu.            |
|  | LT | Surinkti ištekėjusią medžiagą.          |
|  | HU | A kiömlött anyagot össze kell gyűjteni. |
|  | MT | Iġbor it-tixrid.                        |
|  | NL | Gelekte/gemorste stof opruimen.         |
|  | PL | Zebrać wyciek.                          |
|  | PT | Recolher o produto derramado.           |
|  | RO | Colectați scurgerile de produs.         |
|  | SK | Zozbierajte uniknutý produkt.           |
|  | SL | Prestreči razlito tekočino.             |
|  | FI | Valumat on kerättävä.                   |
|  | SV | Samla upp spill.                        |

▼ **M4**

| P301 + P310 | Language |   |
|-------------|----------|---|
|             | BG       | ПРИ ПОГЛЪЩАНЕ: Незабавно се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...         |
|             | ES       | EN CASO DE INGESTIÓN: Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA/médico/... |
|             | CS       | PŘI POŽITÍ: Okamžitě volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO/lékaře/....       |
|             | DA       | I TILFÆLDE AF INDTAGELSE: Ring omgående til en GIFTINFORMATION/læge/...           |
|             | DE       | BEI VERSCHLUCKEN: Sofort GIFTINFORMATIONSZENTRUM/Arzt/.../anrufen.                |
|             | ET       | ALLANEELAMISE KORRAL: võtta viivitamata ühendust MÜRGISTUSTEABEKESKUSE/arstiga... |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΟΣΗΣ: καλέστε αμέσως το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ/γιατρό/...         |
|             | EN       | IF SWALLOWED: Immediately call a POISON CENTER/doctor/...                         |
|             | FR       | EN CAS D'INGESTION: Appeler immédiatement un CENTRE ANTIPOISON/un médecin/...     |
|             | GA       | MÁ SHLOGTAR: Cuir glao láithreach ar IONAD NIMHE/ar dhoctúir/...                  |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | AKO SE PROGUTA: odmah nazvati CENTAR ZA KONTROLU OTROVANJA/liječnika/... |
|--|----|--|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | IN CASO DI INGESTIONE: contattare immediatamente un CENTRO ANTIVELENI/un medico/...                    |
|  | LV | NORIŠANAS GADĪJUMĀ: Nekavējoties sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/...              |
|  | LT | PRARIJUS: nedelsiant skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ/kreiptis į gydytoją/... |
|  | HU | LENYELÉS ESETÉN: Azonnal forduljon TOXIKOLÓGIAI KÖZPONTHOZ/orvoshoz/....                               |
|  | MT | JEKK JINBELA': Sejjah minnufih ĊENTRU TAL-AVVELENAMENT/tabib/...                                       |
|  | NL | NA INSLIKKEN: onmiddellijk een ANTIGIFCENTRUM/arts/... raadplegen.                                     |
|  | PL | W PRZYPADKU POŁKNIECIA: Natychmiast skontaktować się z OŚRODKIEM ZATRUĆ/lekarzem/...                   |
|  | PT | EM CASO DE INGESTÃO: contacte imediatamente um CENTRO DE INFORMAÇÃO ANTIVENENOS/médico/...             |
|  | RO | ÎN CAZ DE ÎNGHIȚIRE: sunați imediat la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic/...                |
|  | SK | PO POŽITÍ: Okamžite volajte TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/...                                |

▼ **M4**

| P301 + P310 | Language |   |
|-------------|----------|---|
|             | SL       | PRI ZAUŽITJU: Takoj pokličite CENTER ZA ZASTRUPITVE/zdravnika/...                       |
|             | FI       | JOS KEMIKAALIA ON NIELTY: Ota välittömästi yhteys MYRKYTYSTIETOKESKUKSEEN/lääkäriin/... |
|             | SV       | VID FÖRTÄRING: Kontakta genast GIFTINFORMATIONSCENTRALEN/läkare/...                     |

▼ **M12**

| P301 + P312 | Language |   |
|-------------|----------|---|
|             | BG       | ПРИ ПОГЛЪЩАНЕ: при неразположение се обадете в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...                                |
|             | ES       | EN CASO DE INGESTIÓN: Llamar a un CENTRO DE TOXICOLOGÍA / médico /... si la persona se encuentra mal.             |
|             | CS       | PŘI POŽITÍ: Necítíte-li se dobře, volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO / lékaře / ... .                     |
|             | DA       | I TILFÆLDE AF INDTAGELSE: Kontakt GIFTLINJEN/læge/... i tilfælde af ubehag.                                       |
|             | DE       | BEI VERSCHLUCKEN: Bei Unwohlsein GIFTINFORMATIONSZENTRUM/Arzt/... anrufen.  |
|             | ET       | ALLANEELAMISE KORRAL: halva enesetunde korral võtta ühendust MÜRGIKUSTEABEKESKUSEGA/arstiga/.../.                 |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΟΣΗΣ: Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ/γιατρό/..., αν αισθανθείτε αδιαθεσία.                     |
|             | EN       | IF SWALLOWED: Call a POISON CENTRE/doctor/... if you feel unwell.   |
|             | FR       | EN CAS D'INGESTION: Appeler un CENTRE ANTIPOISON/un médecin/.../ en cas de malaise.                               |
|             | GA       | MÁ SHLOGTAR: Cuir glao ar IONAD NIMHE/dochtúir/... má bhraitheann tú tinn.  |
|             | HR       | AKO SE PROGUTA: u slučaju zdravstvenih tegoba nazvati CENTAR ZA KONTROLU OTROVANJA / liječnika / ...              |
|             | IT       | IN CASO DI INGESTIONE: in presenza di malessere, contattare un CENTRO ANTIVELENI/un medico/... .                  |
|             | LV       | NORĪŠANAS GADĪJUMĀ: Sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/..., ja jums ir slikta pašsajūta.        |
|             | LT       | PRARIJUS: pasijutus blogai, skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ / kreiptis į gydytoją / ... |
|             | HU       | LENYELÉS ESETÉN: Rosszullét esetén forduljon TOXIKOLÓGIAI KÖZPONTHOZ/orvoshoz/....                                |
|             | MT       | JEKK JINBELA': Ikkuntattja ĊENTRU TAL-AVVELENAMENT / tabib /... jekk thossok ma tiflahx.                          |

## ▼ M12

| P301 + P312 | Language |  |
|-------------|----------|--|
|             | NL       | NA INSLIKKEN: bij onwel voelen een ANTI-GIFCENTRUM/arts/... raadplegen.                                    |
|             | PL       | W PRZYPADKU POŁKNIĘCIA: W przypadku złego samopoczucia skontaktować się z OŚRODKIEM ZATRUCÍ/ lekarzem/.... |
|             | PT       | EM CASO DE INGESTÃO: Caso sinta indisposição, contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS/médico/... .    |
|             | RO       | ÎN CAZ DE ÎNGHIȚIRE: Sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic/... dacă nu vă simțiți bine.   |
|             | SK       | PO POŽITÍ: Pri zdravotných problémoch volajte NÁRODNÉ TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/... .        |
|             | SL       | PRI ZAUŽITJU: Ob slabem počutju pokličite CENTER ZA ZASTRUPITVE/zdravnika/... .                            |
|             | FI       | JOS KEMIKAALIA ON NIELTY: Ota yhteys MYRKYTYSTIETOKESKUKSEEN/lääkäriin/..., jos ilmenee pahoinvointia.     |
|             | SV       | VID FÖRTÄRING: Vid obehag, kontakta GIFTINFORMATIONSCENTRALEN/läkare... .                                  |

| P302 + P334 | Language |  |
|-------------|----------|--|
|             | BG       | ПРИ КОНТАКТ С КОЖАТА: потопете в хладка вода или сложете мокри компреси.                     |
|             | ES       | EN CASO DE CONTACTO CON LA PIEL: Sumergir en agua fría o envolver en vendas húmedas.         |
|             | CS       | PŘI STYKU S KŮŽÍ: Ponořte do studené vody nebo zabalte do vlhkého obvazu.                    |
|             | DA       | VED KONTAKT MED HUDEN: Hold under koldt vand eller anvend våde omslag.                       |
|             | DE       | BEI BERÜHRUNG MIT DER HAUT: In kaltes Wasser tauchen oder nassen Verband anlegen.            |
|             | ET       | NAHALE SATTUMISE KORRAL: hoida jahedas vees või panna peale niiske kompress.                 |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ: Βυθίστε σε δροσερό νερό ή τυλίξτε με βρεγμένους επίδεσμους. |
|             | EN       | IF ON SKIN: Immerse in cool water or wrap in wet bandages.                                   |
|             | FR       | EN CAS DE CONTACT AVEC LA PEAU: Rincer à l'eau fraîche ou poser une compresse humide.        |
|             | GA       | I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN: Tum in uisce fionnuar nó cuir bréid fliuch air.         |
|             | HR       | U SLUČAJU DODIRA S KOŽOM: uroniti u hladnu vodu ili omotati vlažnim zavojem.                 |

▼ **M12**

| P302 + P334 | Language |   |
|-------------|----------|---|
|             | IT       | IN CASO DI CONTATTO CON LA PELLE: immergere in acqua fredda o avvolgere con un bendaggio umido. |
|             | LV       | SASKARĒ AR ĀDU: Iegremdēt vēsā ūdenī vai ietīt mitros apsējos.                                  |
|             | LT       | PATEKUS ANT ODOS: įmerkti į vėsą vandenį arba apvynioti šlapiais tvarščiais.                    |
|             | HU       | HA BŐRRE KERÜL: Hideg vízzel vagy nedves kötéssel kell hűteni.                                  |
|             | MT       | JEKK FUQ IL-ĠILDA: Dahhal fl-ilma frisk jew kebbeb f'faxex imxarrbin.                           |
|             | NL       | BIJ CONTACT MET DE HUID: in koud water onderdompelen of nat verband aanbrengen.                 |
|             | PL       | W PRZYPADKU KONTAKTU ZE SKÓRĄ: Zanurzyć w zimnej wodzie lub owinąć mokrym bandażem.             |
|             | PT       | SE ENTRAR EM CONTACTO COM A PELE: Mergulhar em água fria ou aplicar compressas húmidas.         |
|             | RO       | ÎN CAZ DE CONTACT CU PIELEA: Introduceți în apă rece sau acoperiți cu o compresă umedă.         |
|             | SK       | PRI KONTAKTE S POKOŽKOU: Ponorte do studenej vody alebo obviažte mokrými obväzmi.               |
|             | SL       | PRI STIKU S KOŽO: Potopiti v hladno vodo ali zaviti v mokre povoje.                             |
|             | FI       | JOS KEMIKAALIA JOUTUU IHOLLE: Upota kylmään veteen tai kääri märkiin siteisiin.                 |
|             | SV       | VID HUDKONTAKT: Skölj under kallt vatten eller använd våta omslag.                              |

▼ **M4**

| P302 + P352 | Language |   |
|-------------|----------|---|
|             | BG       | ПРИ КОНТАКТ С КОЖАТА: Измийте обилно с вода/...               |
|             | ES       | EN CASO DE CONTACTO CON LA PIEL: Lavar con abundante agua/... |
|             | CS       | PŘI STYKU S KŮŽÍ: Omyjte velkým množstvím vody/...            |
|             | DA       | VED KONTAKT MED HUDEN: Vask med rigeligt vand/...             |
|             | DE       | BEI BERÜHRUNG MIT DER HAUT: Mit viel Wasser/.../waschen.      |
|             | ET       | NAHALE SATTUMISE KORRAL: pesta rohke veega/...                |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ: Πλύντε με άφθονο νερό/...    |
|             | EN       | IF ON SKIN: Wash with plenty of water/...                     |



▼ **M4**

| P302 + P352 | Language |   |
|-------------|----------|---|
|             | FR       | EN CAS DE CONTACT AVEC LA PEAU:<br>Laver abondamment à l'eau/...                |
|             | GA       | I gCÁS TEAGMHÁLA LEIS AN<br>gCRAICEANN: Nigh le neart gallúnaí agus<br>uisce é. |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | U SLUČAJU DODIRA S KOŽOM: oprati<br>velikom količinom vode/... |
|--|----|--|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | IN CASO DI CONTATTO CON LA PELLE:<br>lavare abbondantemente con acqua/... |
|  | LV | SASKARĒ AR ĀDU: nomazgāt ar lielu ūdens/<br>.. daudzumu.                  |
|  | LT | PATEKUS ANT ODOS: plauti dideliu vandens<br>kiekiu/...                    |
|  | HU | HA BŐRRE KERÜL: Lemosás bő vízzel/...                                     |
|  | MT | JEKK JIĠI FUQ IL-ĠILDA: Bahbah b'ħafna<br>ilma/...                        |
|  | NL | BIJ CONTACT MET DE HUID: met veel<br>water/... wassen.                    |
|  | PL | W PRZYPADKU KONTAKTU ZE SKÓRĄ:<br>Umyć dużą ilością wody/...              |
|  | PT | SE ENTRAR EM CONTACTO COM A<br>PELE: lavar abundantemente com água/...    |
|  | RO | ÎN CAZ DE CONTACT CU PIELEA: spălați<br>cu multă apă/...                  |
|  | SK | PRI KONTAKTE S POKOŽKOU: Umyte<br>veľkým množstvom vody/...               |
|  | SL | PRI STIKU S KOŽO: Umiti z veliko vode/...                                 |
|  | FI | JOS KEMIKAALIA JOUTUU IHOLLE: Pese<br>runsaalla vedellä/...               |
|  | SV | VID HUDKONTAKT: Tvätta med mycket<br>vatten/...                           |

▼ **M12**▼ **M4**

| P304 + P340 | Language |  |
|-------------|----------|--|
|             | BG       | ПРИ ВДИШВАНЕ: Изведете лицето на чист<br>въздух и го поставете в позиция, улесняваща<br>дишането.                                |
|             | ES       | EN CASO DE INHALACIÓN: Transportar a la<br>persona al aire libre y mantenerla en una<br>posición que le facilite la respiración. |
|             | CS       | PŘI VDECHNUTÍ: Přeneste osobu na čerstvý<br>vzduch a ponechte ji v poloze usnadňující<br>dýchání.                                |
|             | DA       | VED INDÅNDING: Flyt personen til et sted<br>med frisk luft og sørg for, at vejtrækningen<br>lettes.                              |
|             | DE       | BEI EINATMEN: Die Person an die frische<br>Luft bringen und für ungehinderte Atmung<br>sorgen.                                   |
|             | ET       | SISSEHINGAMISE KORRAL: toimetada isik<br>värske õhu kätte ja hoida asendis, mis<br>võimaldab kergesti hingata.                   |

▼ **M4**

| P304 + P340 | Language |   |
|-------------|----------|---|
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΙΣΠΝΟΗΣ: Μεταφέρατε τον παθόντα στον καθαρό αέρα και αφήστε τον να ξεκουραστεί σε στάση που διευκολύνει την αναπνοή.  |
|             | EN       | IF INHALED: Remove person to fresh air and keep comfortable for breathing.  |
|             | FR       | EN CAS D'INHALATION: transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer. |
|             | GA       | MÁ IONANÁILTEAR: Tabhair an duine amach faoin aer úr agus coinnigh é compordach.  |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | AKO SE UDIŠE: premjestiti osobu na svježi zrak i postaviti ju u položaj koji olakšava disanje. |
|--|----|--|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | IN CASO DI INALAZIONE: trasportare l'infortunato all'aria aperta e mantenerlo a riposo in posizione che favorisca la respirazione.                       |
|  | LV | IEELPOŠANAS GADĪJUMĀ: nogādāt cietušo svaigā gaisā un nodrošināt netraucētu elpošanu.  |
|  | LT | ĮKVĖPUS: išnešti nukentėjusį į gryną orą; jam būtina patogi padėtis, leidžianti laisvai kvėpuoti.  |
|  | HU | BELÉLEGZÉS ESETÉN: Az érintett személyt friss levegőre kell vinni, és olyan nyugalmi testhelyzetbe kell helyezni, hogy könnyen tudjon lélegezni.         |
|  | MT | JEKK JINGĪBED MAN-NIFS: Qiegħed lill-persuna għall-arja friska f'pożizzjoni komda biex tieħu n-nifs.   |
|  | NL | NA INADEMING: de persoon in de frisse lucht brengen en ervoor zorgen dat deze gemakkelijk kan ademen.  |
|  | PL | W PRZYPADKU DOSTANIA SIĘ DO DRÓG ODDECHOWYCH: wyprowadzić lub wynieść poszkodowanego na świeże powietrze i zapewnić mu warunki do swobodnego oddychania. |
|  | PT | EM CASO DE INALAÇÃO: retirar a pessoa para uma zona ao ar livre e mantê-la numa posição que não dificulte a respiração.                                  |
|  | RO | ÎN CAZ DE INHALARE: transportați persoana la aer liber și mențineți-o într-o poziție confortabilă pentru respirație.                                     |
|  | SK | PO VDÝCHNUTÍ: Presuňte osobu na čerstvý vzduch a umožnite jej pohodlne dýchať.   |
|  | SL | PRI VDIHAVANJU: Prenesti osebo na svež zrak in jo pustiti v udobnem položaju, ki olajša dihanje.   |

▼ **M4**

| P304 + P340 | Language |  |
|-------------|----------|--|
|             | FI       | JOS KEMIKAALIA ON HENGITETTY: Siirrä henkilö raittiiseen ilmaan ja varmista vaivaton hengitys. |
|             | SV       | VID INANDNING: Flytta personen till frisk luft och se till att andningen underlättas.          |

▼ **M12**▼ **B**

| P306 + P360 | Language |   |
|-------------|----------|---|
|             | BG       | ПРИ ПОПАДАНЕ ВЪРХУ ОБЛЕКЛОТО: незабавно облейте замърсеното облекло и кожата обилно с вода, преди да свалите дрехите.                             |
|             | ES       | EN CASO DE CONTACTO CON LA ROPA: Aclarar inmediatamente con agua abundante las prendas y la piel contaminadas antes de quitarse la ropa.          |
|             | CS       | PŘI STYKU S ODĚVEM: Kontaminovaný oděv a kůži oklamžitě omyjte velkým množstvím vody a potom oděv odložte.  |
|             | DA       | VED KONTAKT MED TØJET: Skyl omgående tilsmudset tøj og hud med rigeligt vand, før tøjet fjernes.  |
|             | DE       | BEI KONTAKT MIT DER KLEIDUNG: Kontaminierte Kleidung und Haut sofort mit viel Wasser abwaschen und danach Kleidung ausziehen.                     |
|             | ET       | RÕIVASTELE SATTUMISE KORRAL: saastunud rõivad ja nahk loputada viivitamata rohke veega ning alles seejärel rõivad eemaldada.                      |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΡΟΥΧΑ: Ξεπλύντε αμέσως τα μολυσμένα ρούχα και την επιδερμίδα με άφθονο νερό πριν αφαιρέσετε τα ρούχα.                   |
|             | EN       | IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.                                    |
|             | FR       | EN CAS DE CONTACT AVEC LES VÊTEMENTS: rincer immédiatement et abondamment avec de l'eau les vêtements contaminés et la peau avant de les enlever. |
|             | GA       | I gCÁS TEAGMHÁLA LE hÉADAÍ: sruthlaítear éadaí éillithe agus an craiceann láithreach le neart uisce sula ndéantar na héadaí a bhaint den duine.   |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | U SLUČAJU DODIRA S ODJEĆOM: odmah isprati zagađenu odjeću i kožu velikom količinom vode prije uklanjanja odjeće. |
|--|----|--|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | IN CASO DI CONTATTO CON GLI INDUMENTI: sciacquare immediatamente e abbondantemente gli indumenti contaminati e la pelle prima di togliersi gli indumenti. |
|--|----|---|

▼ **B**

| P306 + P360 | Language |  |
|-------------|----------|--|
|             | LV       | SASKARĒ AR APĢĒRBŪ: nekavējoties izskalot piesārņoto apģērbu un ādu ar lielu daudzumu ūdeni, pirms apģērba novilkšanas.                    |
|             | LT       | PATEKUS ANT DRABUŽIŲ: Prieš nuvelkant užterštus drabužius, nedelsiant juos ir odą nuplauti dideliu kiekiu vandens.                         |
|             | HU       | HA RUHÁRA KERÜL: A ruhák levetése előtt a szennyezett ruházatot és a bőrt bő vízzel azonnal le kell öblíteni.                              |
|             | MT       | JEKK FUQ L-ILBIES: laħlah mall-ewwel l-ilbies ikkontaminat u l-ġilda b'hafna ilma qabel ma tneħhi l-ilbies.                                |
|             | NL       | NA MORSEN OP KLEDING: verontreinigde kleding en huid onmiddellijk met veel water afspoelen en pas daarna kleding uittrekken.               |
|             | PL       | W PRZYPADKU KONTAKTU Z ODZIEŻĄ: natychmiast spłukać zanieczyszczoną odzież i skórę dużą ilością wody przed zdjęciem odzieży.               |
|             | PT       | SE ENTRAR EM CONTACTO COM A ROUPA: enxaguar imediatamente com muita água a roupa e a pele contaminadas antes de se despir.                 |
|             | RO       | ÎN CAZ DE CONTACT CU ÎMBRĂCĂ-MINTEA: clătiți imediat îmbrăcămintea contaminată și pielea cu multă apă, înainte de scoaterea îmbrăcămintei. |
|             | SK       | PRI KONTAKTE S ODEVOM: kontaminovaný odev a pokožku opláchnite veľkým množstvom vody a potom odev odstráňte.                               |
|             | SL       | PRI STIKU Z OBLAČILI: takoj izprati kontaminirana oblačila in kožo z veliko vode pred odstranitvijo oblačil.                               |
|             | FI       | JOS KEMIKAALIA JOUTUU VAATTEISIIN: Huuho saastunut vaatetus ja iho välittömästi runsaalla vedellä ennen vaatetuksen riisumista.            |
|             | SV       | VID KONTAKT MED KLÄDERNA: Skölj omedelbart nedstänkta kläder och hud med mycket vatten innan du tar av dig kläderna.                       |

▼ **M4**

| P308 + P311 | Language |   |
|-------------|----------|---|
|             | BG       | ПРИ явна или предполагаема експозиция: Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...   |
|             | ES       | EN CASO DE exposición manifiesta o presunta: Llamar a un CENTRO DE TOXICOLOGÍA/médico/... |
|             | CS       | PŘI expozici nebo podezření na ni: Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO/lékaře/.... |
|             | DA       | VED eksponering eller mistanke om eksponering: Ring til en GIFTINFORMATION/læge/...       |
|             | DE       | BEI Exposition oder falls betroffen: GIFTINFORMATIONSZENTRUM/Arzt/.../anrufen.            |

▼ **M4**

| P308 + P311 | Language |  |
|-------------|----------|--|
|             | ET       | Kokkupuute korral: võtta ühendust MÜRGIS-TUSTEABEKESKUSE/arstiga...                          |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή πιθανής έκθεσης: Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ/γιατρό/...           |
|             | EN       | IF exposed or concerned: Call a POISON CENTER/doctor/...                                     |
|             | FR       | EN CAS d'exposition prouvée ou suspectée: Appeler un CENTRE ANTIPOISON/un médecin/...        |
|             | GA       | I gCÁS nochta nó má mheastar a bheith noch-taithe: Cuir glao ar IONAD NIMHE/ar dhochtúir/... |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | U SLUČAJU izloženosti ili sumnje na izloženost: nazvati CENTAR ZA KONTROLU OTROVANJA/liječnika/... |
|--|----|--|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | In caso di esposizione o di possibile esposizione: contattare un CENTRO ANTIVELENI/un medico/...                                 |
|  | LV | JA saskaras vai saistīts ar: sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/...  |
|  | LT | Esant poveikiui arba jeigu numanomas poveikis: skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ/kreiptis į gydytoją/... |
|  | HU | Expozíció vagy annak gyanúja esetén: Forduljon TOXIKOLÓGIAI KÖZPONTHOZ/orvoshoz/...  |
|  | MT | JEKK espost jew koncernat: Sejjah ĊENTRU TAL-AVVELENAMENT/tabib/...  |
|  | NL | NA (mogelijke) blootstelling: Een ANTIGIF-CENTRUM/arts/... raadplegen.   |
|  | PL | W przypadku narażenia lub styczności: Skontaktować się z OŚRODKIEM ZATRUĆ/lekarzem/...   |
|  | PT | EM CASO DE exposição ou suspeita de exposição: contacte um CENTRO DE INFORMAÇÃO ANTIVENENOS/médico/...                           |
|  | RO | ÎN CAZ de expunere sau de posibilă expunere: sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic/...                          |
|  | SK | PO expozícii alebo podozrení z nej: Volajte TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/...  |
|  | SL | Pri izpostavljenosti ali sumu izpostavljenosti: Pokličite CENTER ZA ZASTRUPITVE/zdravnika/...                                    |
|  | FI | Altistumisen tapahduttua tai jos epäillään altistumista: Ota yhteys MYRKYTYSTIETOKESKUKSEEN/lääkäriin/...                        |
|  | SV | Vid exponering eller misstanke om exponering: Kontakta GIFTINFORMATIONSCENTRALEN/läkare/...                                      |

▼ **B**

| P308 + P313 | Language |   |
|-------------|----------|---|
|             | BG       | ПРИ явна или предполагаема експозиция: Потърсете медицински съвет/помощ.                  |
|             | ES       | EN CASO DE exposición manifiesta o presunta: Consultar a un médico.                       |
|             | CS       | PŘI expozici nebo podezření na ni: Vyhleďte lékařskou pomoc/ošetření.                     |
|             | DA       | VED eksponering eller mistanke om eksponering: Søg lægehjælp.                             |
|             | DE       | BEI Exposition oder falls betroffen: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen. |
|             | ET       | Kokkupuute või kokkupuutekahtluse korral: pöörduda arsti poole.                           |
|             | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ έκθεσης ή πιθανότητας έκθεσης: Συμβουλευθείτε/Επισκεφθείτε γιατρό.           |
|             | EN       | IF exposed or concerned: Get medical advice/attention.                                    |
|             | FR       | EN CAS d'exposition prouvée ou suspectée: consulter un médecin.                           |
|             | GA       | I gCÁS nochta nó má mheastar a bheith noch-taithe: Faigh comhairle/cúram liachta.         |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | U SLUČAJU izloženosti ili sumnje na izloženost: zatražiti savjet/pomoć liječnika. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | IN CASO di esposizione o di possibile esposizione, consultare un medico.               |
|  | LV | Ja nokļūst saskarē vai saistīts ar to: lūdziet medicīnu palīdzību.                     |
|  | LT | Esant sąlyčiui arba jeigu numanomas sąlytis: kreiptis į gydytoją.                      |
|  | HU | Expozíció vagy annak gyanúja esetén: orvosi ellátást kell kérni.                       |
|  | MT | Jekk espost jew konċernat: Ikkonsulta tabib.   |
|  | NL | NA (mogelijke) blootstelling: een arts raadplegen.                                     |
|  | PL | W przypadku narażenia lub styczności: Zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|  | PT | EM CASO DE exposição ou suspeita de exposição: consulte um médico.                     |
|  | RO | ÎN CAZ DE expunere sau de posibilă expunere: consultați medicul.                       |
|  | SK | Po expozícii alebo podozrení z nej: Vyhľadajte lekársku pomoc/starostlivosť.           |
|  | SL | PRI izpostavljenosti ali sumu izpostavljenosti: poiščite zdravniško pomoč/oskrbo.      |
|  | FI | Altistumisen tapahduttua tai jos epäillään altistumista: Hakeudu lääkäriin.            |
|  | SV | Vid exponering eller misstanke om exponering: Sök läkarhjälp.                          |

▼ **M4**▼ **B**

| P332 + P313 | Language |   |
|-------------|----------|---|
|             | BG       | При поява на кожно дразнене: Потърсете медицински съвет/помощ.              |
|             | ES       | En caso de irritación cutánea: Consultar a un médico.                       |
|             | CS       | Při podráždění kůže: Vyhledejte lékařskou pomoc/ošetření.                   |
|             | DA       | Ved hudirritation: Søg lægehjælp.   |
|             | DE       | Bei Hautreizung: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.       |
|             | ET       | Nahaärrituse korral: pöörduda arsti poole.                                  |
|             | EL       | Εάν παρατηρηθεί ερεθισμός του δέρματος: Συμβουλευθείτε/Επισκεφθείτε γιατρό. |
|             | EN       | If skin irritation occurs: Get medical advice/attention.                    |
|             | FR       | En cas d'irritation cutanée: consulter un médecin.                          |
|             | GA       | I gcás greannú craicinn: Faigh comhairle/cúram liachta.                     |

▼ **M5**▼ **B**

|  |    |  |
|--|----|--|
|  | HR | U slučaju nadražaja kože: zatražiti savjet/pomoć liječnika.                                  |
|  | IT | In caso di irritazione della pelle: consultare un medico.                                    |
|  | LV | Ja rodas ādas iekaisums: lūdziet medicīnu palīdzību.   |
|  | LT | Jeigu sudirginama oda: kreiptis į gydytoją.  |
|  | HU | Bőrirritáció esetén: orvosi ellátást kell kérni.   |
|  | MT | Jekk ikun hemm irritazzjoni tal-gilda: Ikkonsulta tabib.                                     |
|  | NL | Bij huidirritatie: een arts raadplegen.  |
|  | PL | W przypadku wystąpienia podrażnienia skóry: Zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|  | PT | Em caso de irritação cutânea: consulte um médico.  |
|  | RO | În caz de iritare a pielii: consultați medicul.  |
|  | SK | Ak sa objaví podráždenie pokožky, vyhľadajte lekársku pomoc/starostlivosť.                   |
|  | SL | Če nastopi draženje kože: poiščite zdravniško pomoč/oskrbo.                                  |
|  | FI | Jos ilmenee ihoärsytystä: Hakeudu lääkäriin.   |
|  | SV | Vid hudirritation: Sök läkarhjälp.   |

▼ **B**

| P333 + P313 | Language |   |
|-------------|----------|---|
|             | BG       | При поява на кожно дразнене или обрив на кожата: Потърсете медицински съвет/помощ.                |
|             | ES       | En caso de irritación o erupción cutánea: Consultar a un médico.                                  |
|             | CS       | Při podráždění kůže nebo vyrážce: Vyhleďte lékařskou pomoc/ošetření.                              |
|             | DA       | Ved hudirritation eller udslet: Søg lægehjælp.  |
|             | DE       | Bei Hautreizung oder -ausschlag: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen.             |
|             | ET       | Nahaärrituse või _obe korral: pöörduda arsti poole.   |
|             | EL       | Εάν παρατηρηθεί ερεθισμός του δέρματος ή εμφανιστεί εξάνθημα: Συμβουλευθείτε/Επισκεφθείτε γιατρό. |
|             | EN       | If skin irritation or rash occurs: Get medical advice/attention.                                  |
|             | FR       | En cas d'irritation ou d'éruption cutanée: consulter un médecin.                                  |
|             | GA       | Má tharlaíonn greannú nó gríos craicinn: Faigh comhairle/cúram liachta.                           |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | U slučaju nadražaja ili osipa na koži: zatražiti savjet/pomoć liječnika. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | In caso di irritazione o eruzione della pelle: consultare un medico.                                     |
|  | LV | Ja rodas ādas iekaisums vai izsitumi: lūdziet medicīnu palīdzību.  |
|  | LT | Jeigu sudirginama oda arba ją išberia: kreiptis į gydytoją.  |
|  | HU | Bőrirritáció vagy kiütések megjelenése esetén: orvosi ellátást kell kérni.                               |
|  | MT | Jekk ikun hemm irritazzjoni jew raxx tal-ġilda: Ikkonsulta tabib.  |
|  | NL | Bij huidirritatie of uitslag: een arts raadplegen.   |
|  | PL | W przypadku wystąpienia podrażnienia skóry lub wysypki: Zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|  | PT | Em caso de irritação ou erupção cutânea: consulte um médico.   |
|  | RO | În caz de iritare a pielii sau de erupție cutanată: consultați medicul.                                  |
|  | SK | Ak sa prejaví podráždenie pokožky alebo sa vytvorí vyrážka: vyhľadajte lekársku pomoc/starostlivosť.     |
|  | SL | Če nastopi draženje kože ali se pojavi izpuščaj: poiščite zdravniško pomoč/oskrbo.                       |
|  | FI | Jos ilmenee ihoärsytystä tai ihottumaa: Hakeudu lääkäriin.   |
|  | SV | Vid hudirritation eller utslag: Sök läkarhjälp.  |



## ▼ M12

| P336 + P315 | Language |  |
|-------------|----------|--|
|             | BG       | Размразете замръзналите части в хладка вода. Не разтривайте засегнатото място. Незабавно потърсете медицински съвет/помощ.                     |
|             | ES       | Descongelar las partes congeladas con agua tibia. No frotar la parte afectada. Buscar asistencia médica inmediata.                             |
|             | CS       | Omrzlá místa ošetřete vlažnou vodou. Postižené místo netřete. Okamžitě vyhledejte lékařskou pomoc/ošetření.                                    |
|             | DA       | Opvarm forsigtigt af frostskaadede legemsdele i lunkent vand. Gnid ikke det angrebne område. Søg omgående lægehjælp.                           |
|             | DE       | Vereiste Bereiche mit lauwarmem Wasser auftauen. Betroffenen Bereich nicht reiben. Sofort ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen. |
|             | ET       | Sulatada külmunud piirkonnad leige veega. Kannatada saanud piirkonda mitte hõõruda. Pöörduda viivitamata arsti poole.                          |
|             | EL       | Ξεπαγώστε τα παγωμένα μέρη με χλιαρό νερό. Μην τρίβετε την περιοχή που πάγωσε. Συμβουλευθείτε/Επισκεφθείτε αμέσως γιατρό.                      |
|             | EN       | Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.                                      |
|             | FR       | Dégeler les parties gelées avec de l'eau tiède. Ne pas frotter les zones touchées. Consulter immédiatement un médecin.                         |
|             | GA       | Leáigh codanna siotha le huisce alabhog. Ná cuimil an réimse lena mbaineann. Faigh comhairle/cúram liachta láithreach.                         |
|             | HR       | Zamrznute dijelove odmrznuti mlakom vodom. Ne trljati oštećeno mjesto. Hitno zatražiti savjet/pomoć liječnika.                                 |
|             | IT       | Sgelare le parti congelate usando acqua tiepida. Non sfregare la parte interessata. Consultare immediatamente un medico.                       |
|             | LV       | Atkausēt sasalušās daļas ar remdenu ūdeni. Skarto zonu neberzt. Nekavējoties lūgt palīdzību mediķiem.  |
|             | LT       | Prišalusias daleles atitirpinti drungnu vandeniu. Netrinti paveiktos zonos. Nedelsiant kreiptis į gydytoją.                                    |
|             | HU       | A fagyott részeket langyos vízzel fel kell melegíteni. Tilos az érintett terület dörzsölése. Azonnal orvosi ellátást kell kérni.               |
|             | MT       | Holl il-partijiet kiesha bl-ilma fietel. Toghroxx il-parti affettwata. Ikkonsulta tabib minnufih.  |
|             | NL       | Bevroren lichaamsdelen met lauw water ontdooien. Niet wrijven. Onmiddellijk een arts raadplegen.   |

▼ **M12**

| P336 + P315 | Language |  |
|-------------|----------|--|
|             | PL       | Rozmrozić oszronione obszary letnią wodą. Nie trzeć oszronionego obszaru. Natychmiast zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|             | PT       | Derreter as zonas congeladas com água morna. Não friccionar a zona afetada. Consulte imediatamente um médico.                          |
|             | RO       | Dezghețați părțile degerate cu apă caldă. Nu frecați zona afectată. Consultați imediat medicul.  |
|             | SK       | Zmrznuté časti ošetríte vlažnou vodou. Postihnuté miesto netrite. Okamžite vyhľadajte lekársku pomoc/starostlivosť.                    |
|             | SL       | Zamrznjene dele odtaliti z mlačno vodo. Ne drgniti prizadetega mesta. Takoj poiščite zdravniško pomoč/oskrbo.                          |
|             | FI       | Sulata jäätyneet alueet haalealla vedellä. Vahingoittunutta aluetta ei saa hangata. Hakeudu välittömästi lääkäriin.                    |
|             | SV       | Värm det köldskadade området med ljummet vatten. Gnid inte det skadade området. Sök omedelbart läkarhjälp.                             |

▼ **B**

| P337 + P313 | Language |  |
|-------------|----------|--|
|             | BG       | При продължително дразнене на очите: Потърсете медицински съвет/помощ.             |
|             | ES       | Si persiste la irritación ocular: Consultar a un médico.                           |
|             | CS       | Přetrvává-li podráždění očí: Vyhledejte lékařskou pomoc/ošetření.                  |
|             | DA       | Ved vedvarende øjenirritation: Søg lægehjælp.                                      |
|             | DE       | Bei anhaltender Augenreizung: Ärztlichen Rat einholen/ärztliche Hilfe hinzuziehen. |
|             | ET       | Kui silmade ärritus ei möödu: pöörduda arsti poole.                                |
|             | EL       | Εάν δεν υποχωρεί ο οφθαλμικός ερεθισμός: Συμβουλευθείτε/Επισκεφθείτε γιατρό.       |
|             | EN       | If eye irritation persists: Get medical advice/attention.                          |
|             | FR       | Si l'irritation oculaire persiste: consulter un médecin.                           |
|             | GA       | Má mhaireann an greannú súile: Faigh comhairle/cúram liachta.                      |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Ako nadražaj oka ne prestaje: zatražiti savjet/pomoć liječnika. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Se l'irritazione degli occhi persiste, consultare un medico. |
|--|----|--|

▼ **B**

| P337 + P313 | Language |  |
|-------------|----------|--|
|             | LV       | Ja acu iekaisums nepāriet: lūdziet mediķu palīdzību.   |
|             | LT       | Jei akių dirginimas nepaėina: kreiptis į gydytoją.   |
|             | HU       | Ha a szemirritáció nem múlik el: orvosi ellátást kell kérni.   |
|             | MT       | Jekk l-irritazzjoni ta' l-għajnejn tippersisti: Ikkonsulta tabib.  |
|             | NL       | Bij aanhoudende oogirritatie: een arts raadplegen.   |
|             | PL       | W przypadku utrzymywania się działania drażniącego na oczy: Zasięgnąć porady/zgłosić się pod opiekę lekarza. |
|             | PT       | Caso a irritação ocular persista: consulte um médico.  |
|             | RO       | Dacă iritarea ochilor persistă: consultați medicul.  |
|             | SK       | Ak podráždenie očí pretrváva: vyhľadajte lekársku pomoc/starostlivosť.                                       |
|             | SL       | Če draženje oči ne preneha: poiščite zdravniško pomoč/oskrbo.  |
|             | FI       | Jos silmä-ärsytys jatkuu: Hakeudu lääkäriin.   |
|             | SV       | Vid bestående ögonirritation: Sök läkarhjälp.  |

▼ **M4**

| P342 + P311 | Language |   |
|-------------|----------|---|
|             | BG       | При симптоми на затруднено дишане: Обадете се в ЦЕНТЪР ПО ТОКСИКОЛОГИЯ/на лекар/...         |
|             | ES       | En caso de síntomas respiratorios: Llamar a un CENTRO DE TOXICOLOGÍA/médico/...             |
|             | CS       | Při dýchacích potížích: Volejte TOXIKOLOGICKÉ INFORMAČNÍ STŘEDISKO/lékaře/...               |
|             | DA       | Ved luftvejssymptomer: Ring til en GIFTINFORMATION/læge/...                                 |
|             | DE       | Bei Symptomen der Atemwege: GIFTINFORMATIONSZENTRUM/Arzt/.../anrufen.                       |
|             | ET       | Hingamisteede probleemide ilmnemise korral: võtta ühendust MÜRGISTUSTEABEKESKUSE/arstiga... |
|             | EL       | Εάν παρουσιάζονται αναπνευστικά συμπτώματα: Καλέστε το ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ/γιατρό/...      |
|             | EN       | If experiencing respiratory symptoms: Call a POISON CENTER/doctor/...                       |
|             | FR       | En cas de symptômes respiratoires: Appeler un CENTRE ANTIPOISON/un médecin/...              |

▼ **M4**

| P342 + P311 | Language |  |
|-------------|----------|--|
|             | GA       | I gCÁS siomtóm riospráide: Cuir glao ar IONAD NIMHE/ar dhochtúir/...   |
|             | HR       | Pri otežanom disanju: nazvati CENTAR ZA KONTROLU OTROVANJA/liječnika/...   |
|             | IT       | In caso di sintomi respiratori: contattare un CENTRO ANTIVELENI/un medico/...  |
|             | LV       | Ja rodas elpas trūkuma simptomi: sazinieties ar SAINDĒŠANĀS INFORMĀCIJAS CENTRU/ārstu/...                                    |
|             | LT       | Jeigu pasireiškia respiraciniai simptomai: skambinti į APSINUODIJIMŲ KONTROLĖS IR INFORMACIJOS BIURĄ/kreiptis į gydytoją/... |
|             | HU       | Légzései problémák esetén: Forduljon TOXIKOLÓGIAI KÖZPONTHOZ/orvoshoz/...  |
|             | MT       | Jekk ikollok sintomi respiratorji: Sejjah ĊENTRU TAL-AVVELENAMENT/tabib/...  |
|             | NL       | Bij ademhalingssymptomen: Een ANTIGIF-CENTRUM/arts/... raadplegen.   |
|             | PL       | W przypadku wystąpienia objawów ze strony układu oddechowego: Skontaktować się z OŚRODKIEM ZATRUĆ/lekarzem/...               |
|             | PT       | Em caso de sintomas respiratórios: contacte um CENTRO DE INFORMAÇÃO ANTI-VELENOS/médico/...                                  |
|             | RO       | În caz de simptome respiratorii: sunați la un CENTRU DE INFORMARE TOXICOLOGICĂ/un medic/...                                  |
|             | SK       | Pri sťaženom dýchaní: Volajte TOXIKOLOGICKÉ INFORMAČNÉ CENTRUM/lekára/...  |
|             | SL       | Pri respiratornih simptomih: Pokličite CENTER ZA ZASTRUPITVE/zdravnika/...   |
|             | FI       | Jos ilmenee hengitysoireita: Ota yhteyks MYRKYTYSTIETOKESKUKSEEN/lääkäriin/...   |
|             | SV       | Vid besvär i luftvägarna: Kontakta GIFTINFORMATIONSCENTRALEN/läkare/...  |

| P361 + P364 | Language |  |
|-------------|----------|--|
|             | BG       | Незабавно свалете цялото замърсено облекло и го изперете преди повторна употреба.          |
|             | ES       | Quitar inmediatamente todas las prendas contaminadas y lavarlas antes de volver a usarlas. |
|             | CS       | Veškeré kontaminované části oděvu okamžitě svlékněte a před opětovným použitím vyperte.    |

▼ **M4**

| P361 + P364 | Language |   |
|-------------|----------|---|
|             | DA       | Alt tilsmudset tøj tages straks af og vaskes inden genanvendelse.                     |
|             | DE       | Alle kontaminierten Kleidungsstücke sofort ausziehen und vor erneutem Tragen waschen. |
|             | ET       | Võtta viivitamata seljast kõik saastunud rõivad ja pesta enne korduskasutust.         |
|             | EL       | Βγάλτε αμέσως όλα τα μολυσμένα ρούχα και πλύντε τα πριν τα ξαναχρησιμοποιήσετε.       |
|             | EN       | Take off immediately all contaminated clothing and wash it before reuse.              |
|             | FR       | Enlever immédiatement tous les vêtements contaminés et les laver avant réutilisation. |
|             | GA       | Bain díot láithreach na héadaí éillithe go léir agus nigh iad roimh iad a athúsáid.   |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | Odmah skinuti svu zagađenu odjeću i oprati je prije ponovne uporabe. |
|--|----|--|

▼ **M4**

|  |    |   |
|--|----|---|
|  | IT | Togliere immediatamente tutti gli indumenti contaminati e lavarli prima di indossarli nuovamente. |
|  | LV | Nekavējoties novilkta visu piesārņoto apģērbu un pirms atkārtotas lietošanas izmazgāt.            |
|  | LT | Nedelsiant nusivilkti visus užterštus drabužius ir išskalbti prieš vėl apsivelkant.               |
|  | HU | Az összes szennyezett ruhadarabot azonnal le kell vetni és újbóli használat előtt ki kell mosni.  |
|  | MT | Nehhi minnufih il-hwejjeg kontaminati kollha u aħsilhom qabel terġa' tilbishom.                   |
|  | NL | Verontreinigde kleding onmiddellijk uittrekken en wassen alvorens deze opnieuw te gebruiken.      |
|  | PL | Natychmiast zdjąć całą zanieczyszczoną odzież i wyprać przed ponownym użyciem.                    |
|  | PT | Retirar imediatamente a roupa contaminada e lavá-la antes de a voltar a usar.                     |
|  | RO | Scoateți imediat toată îmbrăcămintea contaminată și spălați-o înainte de reutilizare.             |
|  | SK | Všetky kontaminované části odevu okamžitě vyzlečte a před d'alším použitím vyperte.               |
|  | SL | Takoj sleči vsa kontaminirana oblačila in jih oprati pred ponovno uporabo.                        |
|  | FI | Riisu saastunut vaateetus välittömästi ja pese ennen uudelleenkäyttöä.                            |
|  | SV | Ta omedelbart av alla nedstänkta kläder och tvätta dem innan de används igen.                     |

▼ **M4**

| P362 + P364 | Language |   |
|-------------|----------|---|
|             | BG       | Свалете замърсеното облекло и го изперете преди повторна употреба.    |
|             | ES       | Quitar las prendas contaminadas y lavarlas antes de volver a usarlas. |
|             | CS       | Kontaminovaný oděv svlékněte a před opětovným použitím vyperte.       |
|             | DA       | Alt tilsmudset tøj tages af og vaskes inden genanvendelse.            |
|             | DE       | Kontaminierte Kleidung ausziehen und vor erneutem Tragen waschen.     |
|             | ET       | Võtta seljast saastunud rõivad ja pesta enne korduskasutust.          |
|             | EL       | Βγάλτε τα μολυσμένα ρούχα και πλύντε τα πριν τα ξαναχρησιμοποιήσετε.  |
|             | EN       | Take off contaminated clothing and wash it before reuse.              |
|             | FR       | Enlever les vêtements contaminés et les laver avant réutilisation.    |
|             | GA       | Bain díot aon éadaí éillithe agus nigh iad roimh iad a athúsáid.      |

▼ **M8**

|  |    |  |
|--|----|--|
|  | HR | Skinuti zagađenu odjeću i oprati je prije ponovne uporabe. |
|--|----|--|

▼ **M4**

|  |    |  |
|--|----|--|
|  | IT | Togliere tutti gli indumenti contaminati e lavarli prima di indossarli nuovamente. |
|  | LV | Novilkt piesārņoto apģērbu un pirms atkārtotas lietošanas izmazgāt.                |
|  | LT | Nusivilkti užterštus drabužius ir išskalbti prieš vėl apsivelkant.                 |
|  | HU | A szennyezett ruhadarabot le kell vetni és újbóli használat előtt ki kell mosni.   |
|  | MT | Nehhi l-hwejjeġ kontaminati kollha u aħsilhom qabel terġa' tilbishom.              |
|  | NL | Verontreinigde kleding uittrekken en wassen alvorens deze opnieuw te gebruiken.    |
|  | PL | Zanieczyszczoną odzież zdjąć i wyprać przed ponownym użyciem.                      |
|  | PT | Retirar a roupa contaminada e lavá-la antes de a voltar a usar.                    |
|  | RO | Scoateți îmbrăcămintea contaminată și spălați-o înainte de reutilizare.            |
|  | SK | Kontaminovaný odev vyzlečte a pred ďalším použitím vyperte.                        |
|  | SL | Sleči kontaminirana oblačila in jih oprati pred ponovno uporabo.                   |
|  | FI | Riisu saastunut vaatetus ja pese ennen uudelleenkäyttöä.                           |
|  | SV | Ta av nedstänkta kläder och tvätta dem innan de används igen.                      |

▼ B

| P370 + P376 | Language |  |
|-------------|----------|--|
|             | BG       | При пожар: Спрете теча, ако е безопасно.   |
|             | ES       | En caso de incendio: Detener la fuga, si no hay peligro en hacerlo.                |
|             | CS       | V případě požáru: Zastavte únik, můžete-li tak učinit bez rizika.                  |
|             | DA       | Ved brand: Stands lækagen, hvis dette er sikkert.                                  |
|             | DE       | Bei Brand: Undichtigkeit beseitigen, wenn gefahrlos möglich.                       |
|             | ET       | Tulekahju korral: leke peatada, kui seda on võimalik teha ohutult.                 |
|             | EL       | Σε περίπτωση πυρκαγιάς: Σταματήστε τη διαρροή, εφόσον δεν υπάρχει κίνδυνος.        |
|             | EN       | In case of fire: Stop leak if safe to do so.                                       |
|             | FR       | En cas d'incendie: obturer la fuite si cela peut se faire sans danger.             |
|             | GA       | I gcás dóiteáin: Cuir stop leis an sceitheadh má tá sé sábháilte é sin a dhéanamh. |

▼ M5

|  |    |  |
|--|----|--|
|  | HR | U slučaju požara: ako je sigurno, zaustaviti istjecanje. |
|--|----|--|

▼ B

|  |    |  |
|--|----|--|
|  | IT | In caso di incendio: bloccare la perdita se non c'è pericolo.                      |
|  | LV | Ugunsgrēka gadījumā: apturiet noplūdi, ja to darīt ir droši.                       |
|  | LT | Gaisro atveju: sustabdyti nuotėkį, jeigu galima saugiai tai padaryti.              |
|  | HU | Tűz esetén: Meg kell szüntetni a szivárgást, ha ez biztonságosan megtehető.        |
|  | MT | F'każ ta' nar: Waqqaf it-tnixxija sakemm ma jkunx ta' periklu.                     |
|  | NL | In geval van brand: het lek dichten als dat veilig gedaan kan worden.              |
|  | PL | W przypadku pożaru: Jeżeli jest to bezpieczne zahamować wyciek.                    |
|  | PT | Em caso de incêndio: deter a fuga se tal puder ser feito em segurança.             |
|  | RO | În caz de incendiu: opriți scurgerea, dacă acest lucru se poate face în siguranță. |
|  | SK | V prípade požiaru: ak je to bezpečné, zastavte únik.                               |
|  | SL | Ob požaru: zaustaviti puščanje, če je varno.                                       |
|  | FI | Tulipalon sattuessa: Sulje vuoto, jos sen voi tehdä turvallisesti.                 |
|  | SV | Vid brand: Stoppa läckan om det kan göras på ett säkert sätt.                      |

▼ M4

| P370 + P378 | Language |   |
|-------------|----------|---|
|             | BG       | При пожар: Използвайте..., за да загасите.                    |
|             | ES       | En caso de incendio: Utilizar... para la extinción.           |
|             | CS       | V případě požáru: K uhašení použijte...                       |
|             | DA       | Ved brand: Anvend... til brandslukning.                       |
|             | DE       | Bei Brand: ... zum Löschen verwenden.                         |
|             | ET       | Tulekahju korral: kasutada kustutamiseks...                   |
|             | EL       | Σε περίπτωση πυρκαγιάς: Χρησιμοποιήστε... για να κατασβήσετε. |
|             | EN       | In case of fire: Use... to extinguish.                        |
|             | FR       | En cas d'incendie: Utiliser... pour l'extinction.             |
|             | GA       | I gcás dóiteáin: Úsáid ... le haghaidh múchta.                |
|             | HR       | U slučaju požara: za gašenje rabiti ...                       |
|             | IT       | In caso d'incendio: utilizzare...per estinguere.              |
|             | LV       | Ugunsgrēka gadījumā: dzēšanai izmantojiet ...                 |
|             | LT       | Gaisro atveju: gesinimui naudoti ...                          |
|             | HU       | Tűz esetén: oltásra ...használandó.                           |
|             | MT       | F'każ ta' nar: Uża... biex titfi.                             |
|             | NL       | In geval van brand: blussen met ...                           |
|             | PL       | W przypadku pożaru: Użyć... do gaszenia.                      |
|             | PT       | Em caso de incêndio: para extinguir utilizar...               |
|             | RO       | În caz de incendiu: a se utiliza... pentru a stinge.          |
|             | SK       | V prípade požiaru: Na hasenie použite...                      |
|             | SL       | Ob požaru: Za gašenje se uporabi ...                          |
|             | FI       | Tulipalon sattuessa: Käytä palon sammuttamiseen...            |
|             | SV       | Vid brand: Släck med...                                       |

▼ M8▼ M4



## ▼ M12

| P301 + P330<br>+ P331 | Language |  |
|-----------------------|----------|--|
|                       | BG       | ПРИ ПОГЛЪЩАНЕ: изплакнете устата. НЕ предизвиквайте повръщане.           |
|                       | ES       | EN CASO DE INGESTIÓN: Enjuagar la boca. NO provocar el vómito.           |
|                       | CS       | PŘI POŽITÍ: Vypláchněte ústa. NEVYVOL-<br>ÁVEJTE zvracení.               |
|                       | DA       | I TILFÆLDE AF INDTAGELSE: Skyl<br>munden. Fremkald IKKE opkastning.      |
|                       | DE       | BEI VERSCHLUCKEN: Mund ausspülen.<br>KEIN Erbrechen herbeiführen.        |
|                       | ET       | ALLANEELAMISE KORRAL: loputada suud.<br>MITTE kutsuda esile oksendamist. |
|                       | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΚΑΤΑΠΙΟΣΗΣ: Ξεπλύνετε το<br>στόμα. ΜΗΝ προκαλέσετε εμετό.   |
|                       | EN       | IF SWALLOWED: Rinse mouth. Do NOT<br>induce vomiting.                    |
|                       | FR       | EN CAS D'INGESTION: Rincer la bouche. NE<br>PAS faire vomir.             |
|                       | GA       | MÁ SHLOGTAR: Sruthlaítear an béal. NÁ<br>spreagtar urlacan.              |
|                       | HR       | AKO SE PROGUTA: isprati usta. NE izazivati<br>povraćanje.                |
|                       | IT       | IN CASO DI INGESTIONE: sciacquare la<br>bocca. NON provocare il vomito.  |
|                       | LV       | NORIŠANAS GADĪJUMĀ: Izskalot muti.<br>NEIZRAISĪT vemšanu.                |
|                       | LT       | PRARIJUS: išskalauti burną. NESKATINTI<br>vėmimo.                        |
|                       | HU       | LENYELÉS ESETÉN: A szájat ki kell öblíteni.<br>TILOS hánytatni.          |
|                       | MT       | JEKK JINBELA': Lahlah il-halq.<br>TIPPROVOKAX ir-remettar.               |
|                       | NL       | NA INSLIKKEN: de mond spoelen. GEEN<br>braken opwekken.                  |
|                       | PL       | W PRZYPADKU POŁKNIĘCIA: wypłukać<br>usta. NIE wywoływać wymiotów.        |
|                       | PT       | EM CASO DE INGESTÃO: Enxaguar a boca.<br>NÃO provocar o vómito.          |
|                       | RO       | ÎN CAZ DE ÎNGHIȚIRE: Clătiți gura. NU<br>provocați voma.                 |
|                       | SK       | PO POŽITÍ: vypláchnite ústa. NEVYVOL-<br>ÁVAJTE zvracanie.               |
|                       | SL       | PRI ZAUŽITJU: Izprati usta. Ne izzivati<br>bruhanja.                     |

## ▼ M12

| P301 + P330<br>+ P331 | Language |   |
|-----------------------|----------|---|
|                       | FI       | JOS KEMIKAALIA ON NIELTY: Huuhdo suu. EI saa oksennuttaa.   |
|                       | SV       | VID FÖRTÄRING: Skölj munnen. Framkalla INTE kräkning.   |
| P302 + P335<br>+ P334 | Language |   |
|                       | BG       | ПРИ КОНТАКТ С КОЖАТА: отстранете от кожата посипаните частици. Потопете в хладка вода [или сложете мокри компреси].   |
|                       | ES       | EN CASO DE CONTACTO CON LA PIEL: Cepillar las partículas sueltas depositadas en la piel; sumergir en agua fría [o envolver en vendas húmedas].                              |
|                       | CS       | PŘI STYKU S KŮŽÍ: Volné částičky odstraňte z kůže. Ponořte do studené vody [nebo zabalte do vlhkého obvazu].  |
|                       | DA       | VED KONTAKT MED HUDEN: Børst løse partikler bort fra huden. Hold under koldt vand [eller anvend våde omslag].   |
|                       | DE       | BEI BERÜHRUNG MIT DER HAUT: Lose Partikel von der Haut abbürsten. In kaltes Wasser tauchen [oder nassen Verband anlegen].   |
|                       | ET       | NAHALE SATTUMISE KORRAL: pühkida lahtised osakesed nahalt maha. Hoida jahedas vees [või panna peale niiske kompress].   |
|                       | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ: Αφαιρέστε προσεκτικά τα σωματίδια που έχουν μείνει στο δέρμα με μια βούρτσα. Βυθίστε σε δροσερό νερό [ή τυλίξτε με βρεγμένους επίδεσμους]. |
|                       | EN       | IF ON SKIN: Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].   |
|                       | FR       | EN CAS DE CONTACT AVEC LA PEAU: Enlever avec précaution les particules déposées sur la peau. Rincer à l'eau fraîche [ou poser une compresse humide].                        |
|                       | GA       | I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN: Glan cáithníní scaoilte den chraiceann. Tum in uisce fionnuar [nó cuir bréid fliuch air].  |
|                       | HR       | U SLUČAJU DODIRA S KOŽOM: izmesti zaostale čestice s kože. Uroniti u hladnu vodu [ili omotati vlažnim zavojem].   |
|                       | IT       | IN CASO DI CONTATTO CON LA PELLE: rimuovere le particelle depositate sulla pelle. Immergere in acqua fredda [o avvolgere con un bendaggio umido].                           |

## ▼ M12

| P302 + P335<br>+ P334 | Language |  |
|-----------------------|----------|--|
|                       | LV       | SASKARĒ AR ĀDU: Noslaucīt brīvās daļiņas no ādas. Iegremdēt vēsā ūdenī [vai iefīt mitros apsējos].                                   |
|                       | LT       | PATEKUS ANT ODOS: neprilipusias daleles nuvalyti nuo odos. Įmerkti į vėsų vandenį [arba apvynioti šlapiais tvarsčiais].              |
|                       | HU       | HA BÖRRE KERÜL: A bőrre lazán tapadó szemcséket óvatosan le kell kefélni. Hideg vízzel [vagy nedves kötészel] kell hűteni.           |
|                       | MT       | JEKK FUQ IL-ĠILDA: Farfar il-frac mhux imwahhal minn mal-ġilda. Dahhal fl-ilma frisk [jew kebbeb ffaxex imxarrbin].                  |
|                       | NL       | BIJ CONTACT MET DE HUID: losse deeltjes van de huid afvegen. In koud water onderdompelen [of nat verband aanbrengen].                |
|                       | PL       | W PRZYPADKU KONTAKTU ZE SKÓRĄ: Niezwiązaną pozostałość strzepnąć ze skóry. Zanurzyć w zimnej wodzie [lub owinąć mokrym bandażem].    |
|                       | PT       | SE ENTRAR EM CONTACTO COM A PELE: Sacudir da pele as partículas soltas. Mergulhar em água fria [ou aplicar compressas húmidas].      |
|                       | RO       | ÎN CAZ DE CONTACT CU PIELEA: Îndepărtați particulele depuse pe piele. Introduceți în apă rece [sau acoperiți cu o compresă umedă].   |
|                       | SK       | PRI KONTAKTE S POKOŽKOU: Z pokožky oprášte sypké častičky. Ponorte do studenej vody [alebo obviažte mokrými obväzmi].                |
|                       | SL       | PRI STIKU S KOŽO: S krtačo odstraniti razsute delce s kože. Potopiti v hladno vodo [ali zaviti v mokre povoje].                      |
|                       | FI       | JOS KEMIKAALIA JOUTUU IHOLLE: Poista irtohiukkaset iholta. Upota kylmään veteen [tai kääri märkiin siteisiin].                       |
|                       | SV       | VID HUDKONTAKT: Borsta bort lösa partiklar från huden. Skölj under kallt vatten [eller använd våta omslag].                          |
| P303 + P361<br>+ P353 | Language |  |
|                       | BG       | ПРИ КОНТАКТ С КОЖАТА (или косата): незабавно свалете цялото замърсено облекло. Облейте кожата с вода [или вземете душ].              |
|                       | ES       | EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente toda la ropa contaminada. Enjuagar la piel con agua [o ducharse]. |

## ▼ M12

| P303 + P361<br>+ P353 | Language |  |
|-----------------------|----------|--|
|                       | CS       | PŘI STYKU S KŮŽÍ (nebo s vlasy): Veškeré kontaminované části oděvu okamžitě svlékněte. Opláchněte kůži vodou [nebo osprchujte].                                  |
|                       | DA       | VED KONTAKT MED HUDEN (eller håret): Tilmudset tøj tages straks af/fjernes. Skyl [eller brus] huden med vand.  |
|                       | DE       | BEI BERÜHRUNG MIT DER HAUT (oder dem Haar): Alle kontaminierten Kleidungsstücke sofort ausziehen. Haut mit Wasser abwaschen [oder duschen].                      |
|                       | ET       | NAHALE (või juustele) SATTUMISE KORRAL: kõik saastunud rõivad viivitamata seljast võtta. Loputada nahka veega [või loputada duši all].                           |
|                       | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΟ ΔΕΡΜΑ (ή με τα μαλλιά): Βγάλτε αμέσως όλα τα μολυσμένα ρούχα. Ξεπλύνετε την επιδερμίδα με νερό [ή στο ντους].                          |
|                       | EN       | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].   |
|                       | FR       | EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux): Enlever immédiatement tous les vêtements contaminés. Rincer la peau à l'eau [ou se doucher].                    |
|                       | GA       | I gCÁS TEAGMHÁLA LEIS AN gCRAICEANN (nó le gruaig): Bain díot láithreach na héadaí éillithe go léir. Sruthlaítear an craiceann le huisce [nó glac cithfholcadh]. |
|                       | HR       | U SLUČAJU DODIRA S KOŽOM (ili kosom): odmah skinuti svu zagađenu odjeću. Isprati kožu vodom [ili tuširanjem].  |
|                       | IT       | IN CASO DI CONTATTO CON LA PELLE (o con i capelli): togliersi di dosso immediatamente tutti gli indumenti contaminati. Sciacquare la pelle [o fare una doccia].  |
|                       | LV       | SASKARĒ AR ĀDU (vai matiem): Nekavējoties novilkt visu piesārņoto apģērbu. Noskalot ādu ar ūdeni [vai iet dušā].   |
|                       | LT       | PATEKUS ANT ODOS (arba plauką): nedelsiant nuvilkti visus užterštus drabužius. Odą nuplauti vandeniu [arba čiurkšle].  |
|                       | HU       | HA BŐRRE (vagy hajra) KERÜL: Az összes szennyezett ruhadarabot azonnal le kell vetni. A bőrt le kell öblíteni vízzel [vagy zuhanyozás].                          |
|                       | MT       | JEKK FUQ IL-ĠILDA (jew ix-xagħar): Inża' minnufih l-ilbies kontaminat. Lahlah il-ġilda bl-ilma [jew bix-xawer].  |

## ▼ M12

| P303 + P361<br>+ P353 | Language |   |
|-----------------------|----------|---|
|                       | NL       | BIJ CONTACT MET DE HUID (of het haar): verontreinigde kleding onmiddellijk uittrekken. Huid met water afspoelen [of afdouchen].                     |
|                       | PL       | W PRZYPADKU KONTAKTU ZE SKÓRĄ (lub z włosami): Natychmiast zdjąć całą zanieczyszczoną odzież. Spłukać skórę pod strumieniem wody [lub przysznicem]. |
|                       | PT       | SE ENTRAR EM CONTACTO COM A PELE (ou o cabelo): Retirar imediatamente toda a roupa contaminada. Enxaguar a pele com água [ou tomar um duche].       |
|                       | RO       | ÎN CAZ DE CONTACT CU PIELEA (sau cu părul): Scoateți imediat toată îmbrăcămintea contaminată. Clătiți pielea cu apă [sau faceți duș].               |
|                       | SK       | PRI KONTAKTE S POKOŽKOU (alebo vlasmi): Vyzlečte všetky kontaminované časti odevu. Pokožku ihneď opláchnite vodou [alebo sprchou].                  |
|                       | SL       | PRI STIKU S KOŽO (ali lasmi): Takoj sleči vsa kontaminirana oblačila. Kožo izprati z vodo [ali prho].   |
|                       | FI       | JOS KEMIKAALIA JOUTUU IHOLLE (tai hiuksiin): Riisu saastunut vaatetus välittömästi. Huuhdo iho vedellä [tai suihkuta].                              |
|                       | SV       | VID HUDKONTAKT (även håret): Ta omedelbart av alla nedstänkta kläder. Skölj huden med vatten [eller duscha].  |

| P305 + P351<br>+ P338 | Language |   |
|-----------------------|----------|---|
|                       | BG       | ПРИ КОНТАКТ С ОЧИТЕ: промивайте внимателно с вода в продължение на няколко минути. Свалете контактните лещи, ако има такива и доколкото това е възможно. Продължете с изплакването.                     |
|                       | ES       | EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. |
|                       | CS       | PŘI ZASAŽENÍ OČÍ: Několik minut opatrně vyplachujte vodou. Vyjměte kontaktní čočky, jsou-li nasazeny a pokud je lze vyjmout snadno. Pokračujte ve vyplachování.   |
|                       | DA       | VED KONTAKT MED ØJNENE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let. Fortsæt skylning.  |
|                       | DE       | BEI KONTAKT MIT DEN AUGEN: Einige Minuten lang behutsam mit Wasser spülen. Eventuell vorhandene Kontaktlinsen nach Möglichkeit entfernen. Weiter spülen.  |

## ▼ M12

| P305 + P351<br>+ P338 | Language |  |
|-----------------------|----------|--|
|                       | ET       | SILMA SATTUMISE KORRAL: loputada mitme minuti jooksul ettevaatlikult veega. Eemaldada kontaktläätsed, kui neid kasutatakse ja kui neid on kerge eemaldada. Loputada veel kord.                                       |
|                       | EL       | ΣΕ ΠΕΡΙΠΤΩΣΗ ΕΠΑΦΗΣ ΜΕ ΤΑ ΜΑΤΙΑ: Ξεπλύνετε προσεκτικά με νερό για αρκετά λεπτά. Αν υπάρχουν φακοί επαφής, αφαιρέστε τους, αν είναι εύκολο. Συνεχίστε να ξεπλένετε.   |
|                       | EN       | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.   |
|                       | FR       | EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. |
|                       | GA       | I gCÁS TEAGMHÁLA LEIS NA SÚILE: Sruthlaítear go cúramach le huisce ar feadh roinnt nóiméad. Tóg amach na tadhall-lionsaí, más ann dóibh agus más furasta é sin a dhéanamh. Lean den sruthlú.                         |
|                       | HR       | U SLUČAJU DODIRA S OČIMA: oprezno ispirati vodom nekoliko minuta. Ukloniti kontaktne leće ako ih nosite i ako se one lako uklanjaju. Nastaviti ispirati.   |
|                       | IT       | IN CASO DI CONTATTO CON GLI OCCHI: sciacquare accuratamente per parecchi minuti. Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciacquare.   |
|                       | LV       | SASKARĒ AR ACĪM: Uzmanīgi izskalot ar ūdeni vairākas minūtes. Izņemt kontaktlēcas, ja tās ir ievietotas un ja to var vienkārši izdarīt. Turpināt skalot.   |
|                       | LT       | PATEKUS Į AKIS: atsargiai plauti vandeniu kelias minutes. Išimti kontaktinius lęšius, jeigu jie yra ir jeigu lengvai galima tai padaryti. Toliau plauti akis.  |
|                       | HU       | SZEMBE KERÜLÉS ESETÉN: Több percig tartó óvatos öblítés vízzel. Adott esetben a kontaktlencsék eltávolítása, ha könnyen megoldható. Az öblítés folytatása.   |
|                       | MT       | JEKK JIDHOL FL-GHAJNEJN: Lahlah b'at-tenzjoni bl-ilma għal diversi minuti. Neħhi l-lentijiet tal-kuntatt, jekk ikun hemm u jkunu faċli biex meħħihom. Komplli laħlah.  |
|                       | NL       | BIJ CONTACT MET DE OGEN: voorzichtig afspoelen met water gedurende een aantal minuten; contactlenzen verwijderen, indien mogelijk; blijven spoelen.  |

▼ **M12**

| P305 + P351<br>+ P338 | Language |  |
|-----------------------|----------|--|
|                       | PL       | W PRZYPADKU DOSTANIA SIĘ DO OCZU:<br>Ostrożnie płukać wodą przez kilka minut.<br>Wyjąć soczewki kontaktowe, jeżeli są i można je łatwo usunąć. Nadal płukać.   |
|                       | PT       | SE ENTRAR EM CONTACTO COM OS OLHOS: Enxaguar cuidadosamente com água durante vários minutos. Se usar lentes de contacto, retire-as, se tal lhe for possível. Continue a enxaguar.                    |
|                       | RO       | ÎN CAZ DE CONTACT CU OCHII: Clătiți cu atenție cu apă timp de mai multe minute. Scoateți lentilele de contact, dacă este cazul și dacă acest lucru se poate face cu ușurință. Continuați să clătiți. |
|                       | SK       | PO ZASIAHNUTÍ OČÍ: Niekoľko minút ich opatrne vyplachujte vodou. Ak používate kontaktné šošovky a je to možné, odstráňte ich. Pokračujte vo vyplachovaní.  |
|                       | SL       | PRI STIKU Z OČMI: Previdno izpirati z vodo nekaj minut. Odstranite kontaktne leče, če jih imate in če to lahko storite brez težav. Nadaljujte z izpiranjem.  |
|                       | FI       | JOS KEMIKAALIA JOUTUU SILMIIN: Huuhto huolellisesti vedellä usean minuutin ajan. Poista mahdolliset piilolinssit, jos sen voi tehdä helposti. Jatka huuhtomista.                                     |
|                       | SV       | VID KONTAKT MED ÖGONEN: Skölj försiktigt med vatten i flera minuter. Ta ur eventuella kontaktlinser om det går lätt. Fortsätt att skölja.  |

▼ **B**

| P370 + P380<br>+ P375 | Language |   |
|-----------------------|----------|---|
|                       | BG       | При пожар: Евакуирайте зоната. Гасете пожара от разстояние поради опасност от експлозия.                  |
|                       | ES       | En caso de incendio: Evacuar la zona. Luchar contra el incendio a distancia, dado el riesgo de explosión. |
|                       | CS       | V případě požáru: Vyklidte prostor. Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti.               |
|                       | DA       | Ved brand: Evakuer området. Bekæmp branden på afstand på grund af eksplosionsfare.                        |
|                       | DE       | Bei Brand: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.                    |
|                       | ET       | Tulekahju korral: ala evakueerida. Plahvatusohu tõttu teha kustutustööid eemalt.                          |

**▼ B**

| P370 + P380<br>+ P375 | Language |   |
|-----------------------|----------|---|
|                       | EL       | Σε περίπτωση πυρκαγιάς: Εκκενώστε την περιοχή. Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης. |
|                       | EN       | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.   |
|                       | FR       | En cas d'incendie: évacuer la zone. Combattre l'incendie à distance à cause du risque d'explosion.                                |
|                       | GA       | I gcás dóiteáin: Aslonnaigh gach duine as an limistéar. Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléasctha.     |

**▼ M5**

|  |    |  |
|--|----|--|
|  | HR | U slučaju požara: evakuirati područje. Gasiti s veće udaljenosti zbog opasnosti od eksplozije. |
|--|----|--|

**▼ B**

|  |    |   |
|--|----|---|
|  | IT | In caso di incendio: evacuare la zona. Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza. |
|  | LV | Ugunsgrēka gadījumā: evakuēt zonu. Dzēst uguni no attāluma eksplozijas riska dēļ.                               |
|  | LT | Gaisro atveju: evakuoti zoną. Gaisrą gesinti iš toli dėl sprogimo pavojaus.                                     |
|  | HU | Tűz esetén: Ki kell üríteni a területet. A tűz oltását robbanásveszély miatt távolból kell végezni.             |
|  | MT | F'każ ta' nar: Evakwa ż-zona. Itfi n-nar mill-bogħod minhabba r-riskju ta' splużjoni.                           |
|  | NL | In geval van brand: evacueren. Op afstand blussen omwille van ontploffingsgevaar.                               |
|  | PL | W przypadku pożaru: Ewakuować teren. Z powodu ryzyka wybuchu gasić pożar z odległości.                          |
|  | PT | Em caso de incêndio: evacuar a zona. Combater o incêndio à distância, devido ao risco de explosão.              |
|  | RO | În caz de incendiu: evacuați zona. Stingeti incendiul de la distanță din cauza pericolului de explozie.         |
|  | SK | V prípade požiaru: priestory evakuujte. Z dôvodu nebezpečenstva výbuchu požiar haste z diaľky.                  |
|  | SL | Ob požaru: izprazniti območje. Gasiti z večje razdalje zaradi nevarnosti eksplozije.                            |
|  | FI | Tulipalon sattuessa: Evakuoi alue. Sammuta palo etäältä räjähdysvaaran takia.                                   |
|  | SV | Vid brand: Utrym området. Bekämpa branden på avstånd på grund av explosionsrisken.                              |



▼ **B**

| P371 + P380<br>+ P375 | Language |   |
|-----------------------|----------|---|
|                       | BG       | При голям пожар и значителни количества: Евакуирайте зоната. Гасете пожара от разстояние поради опасност от експлозия.  |
|                       | ES       | En caso de incendio importante y en grandes cantidades: Evacuar la zona. Luchar contra el incendio a distancia, dado el riesgo de explosión.                                      |
|                       | CS       | V případě velkého požáru a velkého množství: Vykliďte prostor. Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti.  |
|                       | DA       | Ved større brand og store mængder: Evakuer området. Bekæmp branden på afstand på grund af eksplosionsfare.  |
|                       | DE       | Bei Großbrand und großen Mengen: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen.  |
|                       | ET       | Suure tulekahju korral ning kui on tegemist suurte kogustega: ala evakueerida. Plahvatusohu tõttu teha kustutustööid eemalt.  |
|                       | EL       | Σε περίπτωση σοβαρής πυρκαγιάς και εάν πρόκειται για μεγάλες ποσότητες: Εκκενώστε την περιοχή. Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης. |
|                       | EN       | In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.  |
|                       | FR       | En cas d'incendie important et s'il s'agit de grandes quantités: évacuer la zone. Combattre l'incendie à distance à cause du risque d'explosion.                                  |
|                       | GA       | I gcás mórdhóiteáin agus mórchainníochtaí: Aslonnaigh gach duine as an limistéar. Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléastha.                            |
|                       | HR       | U slučaju velikog požara i velikih količina: evakuirati područje. Gasiti s veće udaljenosti zbog opasnosti od eksplozije.   |
|                       | IT       | In caso di incendio grave e di grandi quantità: evacuare la zona. Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza.  |
|                       | LV       | Ugunsgrēka vai liela apjoma gadījumā: evakuēt zonu. Dzēst uguni no attāluma eksplozijas riska dēļ.  |
|                       | LT       | Didelio gaisro ir didelių kiekių atveju: evakuoti zona. Gaisrą gesinti iš toli dėl sprogimo pavojaus.   |
|                       | HU       | Nagyobb tűz és nagy mennyiség esetén: Ki kell üríteni a területet. A tűz oltását robbanásveszély miatt távolból kell végezni.   |
|                       | MT       | F'każ ta' nar kbir u kwantitajiet kbar: Evakwa ż-zona. Itfi n-nar mill-boghod minhabba r-riskju ta' splużjoni.  |

▼ **M5**▼ **B**

▼ **B**

| P371 + P380 + P375 | Language |   |
|--------------------|----------|---|
|                    | NL       | In geval van grote brand en grote hoeveelheden: evacueren. Op afstand blussen omwille van ontploffingsgevaar.                                       |
|                    | PL       | W przypadku poważnego pożaru i dużych ilości: Ewakuować teren. Z powodu ryzyka wybuchu gasić pożar z odległości.                                    |
|                    | PT       | Em caso de incêndio importante e de grandes quantidades: evacuar a zona. Combater o incêndio à distância, devido ao risco de explosão.              |
|                    | RO       | În caz de incendiu de proporții și de cantități mari de produs: evacuați zona. Stingeti incendiul de la distanță din cauza pericolului de explozie. |
|                    | SK       | V prípade veľkého požiaru a značného množstva: priestory evakuujte. Z dôvodu nebezpečenstva výbuchu požiar haste z diaľky.                          |
|                    | SL       | Ob velikem požaru in velikih količinah: izprazniti območje. Gasiti z večje razdalje zaradi nevarnosti eksplozije.                                   |
|                    | FI       | Jos tulipalo ja ainemäärät ovat suuret: Evakuoi alue. Sammuta palo etäältä räjähdysvaaran takia.  |
|                    | SV       | Vid större brand och stora mängder: Utrym området. Bekämpa branden på avstånd på grund av explosionsrisken.   |

▼ **M12**

| P370 + P372 + P380 + P373 | Language |  |
|---------------------------|----------|--|
|                           | BG       | При пожар: опасност от експлозия. Евакуирайте зоната. НЕ се опитвайте да гасите пожара, ако огънят наближи експлозивни.                        |
|                           | ES       | En caso de incendio: Riesgo de explosión. Evacuar la zona. NO combatir el incendio cuando este afecte a la carga.                              |
|                           | CS       | V případě požáru: Nebezpečí výbuchu. Vyklid'te prostor. Požár NEHASTE, dostane-li se k výbušninám.   |
|                           | DA       | Ved brand: Explosionsfare. Evakuer området. BEKÆMP IKKE branden, hvis denne når eksplosiverne.   |
|                           | DE       | Bei Brand: Explosionsgefahr. Umgebung räumen. KEINE Brandbekämpfung, wenn das Feuer explosive Stoffe/Gemische/Erzeugnisse erreicht.            |
|                           | ET       | Tulekahju korral: plahvatusoht. Ala evakueerida. Kui tuli jõuab lõhkeaineteni, MITTE teha kustutustöid.  |
|                           | EL       | Σε περίπτωση πυρκαγιάς: Κίνδυνος έκρηξης. Εκκενώστε την περιοχή. ΜΗΝ προσπαθείτε να σβήσετε την πυρκαγιά, όταν η φωτιά πλησιάζει σε εκρηκτικά. |

## ▼ M12

| P370 + P372<br>+ P380 +<br>P373 | Language |  |
|---------------------------------|----------|--|
|                                 | EN       | In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.  |
|                                 | FR       | En cas d'incendie: Risque d'explosion. Évacuer la zone. NE PAS combattre l'incendie lorsque le feu atteint les explosifs.                  |
|                                 | GA       | I gcás dóiteáin: Baol pléasctha. Aslonnaigh gach duine as an limistéar. NÁ DÉAN an dóiteán a chomhrac má shroicheann sé pléascáin.         |
|                                 | HR       | U slučaju požara: opasnost od eksplozije. Evakuirati područje. NE gasiti vatru kada plamen zahvati eksplozive.                             |
|                                 | IT       | Rischio di esplosione in caso di incendio. Evacuare la zona. NON utilizzare mezzi estinguenti se l'incendio raggiunge materiali esplosivi. |
|                                 | LV       | Ugunsgrēka gadījumā: Eksplozijas risks. Evakuēt zonu. NECENSTIES dzēst ugunsgrēku, ja uguns piekļūst sprādzienbīstamām vielām.             |
|                                 | LT       | Gaisro atveju: sprogimo pavojus. Evakuoti zona. NEGESINTI gaisro, jeigu ugnis pasiekia sprogmenis.   |
|                                 | HU       | Tűz esetén: Robbanásveszély. A területet ki kell üríteni. TILOS a tűz oltása, ha az robbanóanyagra átkerjedt.                              |
|                                 | MT       | F'każ ta' nar: Riskju ta' splużjoni. Evakwa ż-zona. TIPPRUVAX TITFI n-nar meta n-nar jilhaq l-isplussivi.                                  |
|                                 | NL       | In geval van brand: ontploffingsgevaar. Evacueren. NIET blussen wanneer het vuur de ontplofbare stoffen bereikt.                           |
|                                 | PL       | W przypadku pożaru: Zagrożenie wybuchem. Ewakuować teren. NIE gasić pożaru, jeżeli ogień dosięgnie materiały wybuchowe.                    |
|                                 | PT       | Em caso de incêndio: Risco de explosão. Evacuar a zona. Se o fogo atingir os explosivos, NÃO tentar combatê-lo.                            |
|                                 | RO       | În caz de incendiu: Risc de explozie. Evacuați zona. NU încercați să stingeți incendiul atunci când focul a ajuns la explozivi.            |
|                                 | SK       | V prípade požiaru: Riziko výbuchu. Priestory evakuujte. Požiar NEHASTE, ak sa oheň priblížil k výbušnínám.                                 |
|                                 | SL       | Ob požaru: Nevarnost eksplozije. Izprazniti območje. NE gasiti, ko ogenj doseže eksploziv.   |
|                                 | FI       | Tulipalon sattuesssa: Räjähdyksvaara. Evakuoi alue. Tulta EI SAA yrittää sammuttaa sen saavutettua räjähteet.                              |
|                                 | SV       | Vid brand: Explosionsrisk. Utrym området. Försök INTE bekämpa branden när den når explosiva varor.   |

## ▼ M12

| P370 + P380<br>+ P375[+<br>P378] | Language |  |
|----------------------------------|----------|--|
|                                  | BG       | При пожар: евакуирайте зоната. Гасете пожара от разстояние поради опасност от експлозия. [Използвайте..., за да загасите].   |
|                                  | ES       | En caso de incendio: Evacuar la zona. Combatir el incendio a distancia, debido al riesgo de explosión. [Utilizar ... en la extinción].                                   |
|                                  | CS       | V případě požáru: Vyklid'te prostor. Kvůli nebezpečí výbuchu haste z dostatečné vzdálenosti. [K uhašení použijte ...].   |
|                                  | DA       | Ved brand: Evakuer området. Bekæmp branden på afstand på grund af eksplosionsfare. [Anvend ... til brandslukning].   |
|                                  | DE       | Bei Brand: Umgebung räumen. Wegen Explosionsgefahr Brand aus der Entfernung bekämpfen. [... zum Löschen verwenden.]  |
|                                  | ET       | Tulekahju korral: ala evakueerida. Plahvatusohu tõttu teha kustutustõid eemalt. [Kustutamiseks kasutada ....].   |
|                                  | EL       | Σε περίπτωση πυρκαγιάς: Εκκενώστε την περιοχή. Προσπαθήστε να σβήσετε την πυρκαγιά από απόσταση, επειδή υπάρχει κίνδυνος έκρηξης [Χρησιμοποιήστε ... για την κατάσβεση]. |
|                                  | EN       | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. [Use ... to extinguish].   |
|                                  | FR       | En cas d'incendie: Évacuer la zone. Combattre l'incendie à distance à cause du risque d'explosion. [Utiliser ... pour l'extinction].                                     |
|                                  | GA       | I gcás dóiteáin: Aslonnaigh gach duine as an limistéar. Téigh i gcianghleic leis an dóiteán mar gheall ar an mbaol pléasctha. [Úsáid ... le haghaidh múchta].            |
|                                  | HR       | U slučaju požara: evakuirati područje. Gasiti s veće udaljenosti zbog opasnosti od eksplozije. [Za gašenje rabiti...].   |
|                                  | IT       | In caso di incendio: evacuare la zona. Rischio di esplosione. Utilizzare i mezzi estinguenti a grande distanza. [Estinguere con...].                                     |
|                                  | LV       | Ugunsgrēka gadījumā: Evakuēt zonu. Dzēst uguni no attāluma eksplozijas riska dēļ. [Dzēšanai lietot ...].   |
|                                  | LT       | Gaisro atveju: evakuoti zoną. Gaisrą gesinti iš toli dėl sprogimo pavojaus. [Gesinimui naudoti ...].   |
|                                  | HU       | Tűz esetén: A területet ki kell üríteni. A tűz oltását robbanásveszély miatt távolból kell végezni. [Az oltáshoz ... használandó].                                       |
|                                  | MT       | F'każ ta' nar: Evakwa ż-zona. Itfi n-nar mill-bogħod minhabba r-riskju ta' splużjoni. [Uża ... biex titfi].  |

▼ **M12**

| P370 + P380<br>+ P375[+<br>P378] | Language |  |
|----------------------------------|----------|--|
|                                  | NL       | In geval van brand: evacueren. Op afstand blussen in verband met ontploffingsgevaar. [Blussen met ...].                                  |
|                                  | PL       | W przypadku pożaru: Ewakuować teren. Z powodu ryzyka wybuchu gasić pożar z odległości. [Użyć ... do gaszenia].                           |
|                                  | PT       | Em caso de incêndio: Evacuar a zona. Combater o incêndio à distância, devido ao risco de explosão. [Para extinguir utilizar...].         |
|                                  | RO       | În caz de incendiu: Evacuați zona. Stingeti incendiul de la distanță din cauza pericolului de explozie. [Utilizați ... pentru stingere]. |
|                                  | SK       | V prípade požiaru: Priestory evakuujte. Z dôvodu nebezpečenstva výbuchu požiar haste z diaľky. [Na hasenie použite...].                  |
|                                  | SL       | Ob požaru: Izprazniti območje. Gasiti z večje razdalje zaradi nevarnosti eksplozije. [Za gašenje uporabiti ...].                         |
|                                  | FI       | Tulipalon sattuessa: Evakuoï alue. Sammuta palo etäältä räjähdysvaaran takia. [Käytä palon sammuttamiseen ...].                          |
|                                  | SV       | Vid brand: Utrym området. Bekämpa branden på avstånd på grund av explosionsrisken. [Släck med ...].                                      |

▼ **B**

Table 1.4

**Precautionary statements — Storage**▼ **M12**

| P401 | Language |  |
|------|----------|--|
|      | BG       | Да се съхранява съгласно...            |
|      | ES       | Almacenar conforme a ... .             |
|      | CS       | Skladujte v souladu s ... .            |
|      | DA       | Opbevares i overensstemmelse med ... . |
|      | DE       | Aufbewahren gemäß ... .                |
|      | ET       | Hoida kooskõlas ... .                  |
|      | EL       | Αποθηκεύεται σύμφωνα με... .           |
|      | EN       | Store in accordance with... .          |
|      | FR       | Stocker conformément à... .            |
|      | GA       | Stóráil i gcomhréir le... .            |
|      | HR       | Skladištiti u skladu s...              |
|      | IT       | Conservare secondo... .                |
|      | LV       | Glabāt saskaņā ar ... .                |
|      | LT       | Laikyti, vadovaujantis...              |
|      | HU       | A ... -nak/-nek megfelelően tárolandó. |

▼ **M12**

| P401 | Language |                                       |
|------|----------|---------------------------------------|
|      | MT       | Aħżen skont... .                      |
|      | NL       | Overeenkomstig ... bewaren.           |
|      | PL       | Przechowywać zgodnie z ... .          |
|      | PT       | Armazenar em conformidade com... .    |
|      | RO       | A se depozita în conformitate cu... . |
|      | SK       | Skladujte v súlade s... .             |
|      | SL       | Hraniti v skladi s/z... .             |
|      | FI       | Varastoi ... mukaisesti.              |
|      | SV       | Förvaras enligt ... .                 |

▼ **B**

| P402 | Language |                                     |
|------|----------|-------------------------------------|
|      | BG       | Да се съхранява на сухо място.      |
|      | ES       | Almacenar en un lugar seco.         |
|      | CS       | Skladujte na suchém místě.          |
|      | DA       | Opbevares et tørt sted.             |
|      | DE       | An einem trockenen Ort aufbewahren. |
|      | ET       | Hoida kuivas.                       |
|      | EL       | Αποθηκεύεται σε στεγνό μέρος.       |
|      | EN       | Store in a dry place.               |
|      | FR       | Stocker dans un endroit sec.        |
|      | GA       | Stóráil in áit thirim.              |

▼ **M5**

|  |    |                              |
|--|----|------------------------------|
|  | HR | Skladištiti na suhom mjestu. |
|--|----|------------------------------|

▼ **B**

|  |    |                                  |
|--|----|----------------------------------|
|  | IT | Conservare in luogo asciutto.    |
|  | LV | Glabāt sausā vietā.              |
|  | LT | Laikyti sausoje vietoje.         |
|  | HU | Száraz helyen tárolandó.         |
|  | MT | Aħżen f'post niexef.             |
|  | NL | Op een droge plaats bewaren.     |
|  | PL | Przechowywać w suchym miejscu.   |
|  | PT | Armazenar em local seco.         |
|  | RO | A se depozita într-un loc uscat. |
|  | SK | Uchovávať na suchom mieste.      |
|  | SL | Hraniti na suhem.                |
|  | FI | Varastoi kuivassa paikassa.      |
|  | SV | Förvaras torr.                   |

**▼B**

| P403 | Language |  |
|------|----------|--|
|      | BG       | Да се съхранява на добре проветриво място. |
|      | ES       | Almacenar en un lugar bien ventilado.      |
|      | CS       | Skladujte na dobře větraném místě.         |
|      | DA       | Opbevares på et godt ventileret sted.      |
|      | DE       | An einem gut belüfteten Ort aufbewahren.   |
|      | ET       | Hoida hästi ventileeritavas kohas.         |
|      | EL       | Αποθηκεύεται σε καλά αεριζόμενο χώρο.      |
|      | EN       | Store in a well-ventilated place.          |
|      | FR       | Stocker dans un endroit bien ventilé.      |
|      | GA       | Stóráil in áit dhea-aeráilte.              |

**▼M5**

|  |    |  |
|--|----|--|
|  | HR | Skladištiti na dobro prozračenom mjestu. |
|--|----|--|

**▼B**

|  |    |   |
|--|----|---|
|  | IT | Conservare in luogo ben ventilato.            |
|  | LV | Glabāt labi vēdināmā vietā.                   |
|  | LT | Laikyti gerai vėdinamoje vietoje.             |
|  | HU | Jól szellőző helyen tárolandó.                |
|  | MT | Ahżen f'post b'ventilazzjoni tajba.           |
|  | NL | Op een goed geventileerde plaats bewaren.     |
|  | PL | Przechowywać w dobrze wentylowanym miejscu.   |
|  | PT | Armazenar em local bem ventilado.             |
|  | RO | A se depozita într-un spațiu bine ventilat.   |
|  | SK | Uchovávať na dobre vetranom mieste.           |
|  | SL | Hraniti na dobro prezračevanem mestu.         |
|  | FI | Varastoi paikassa, jossa on hyvä ilmanvaihto. |
|  | SV | Förvaras på väl ventilerad plats.             |

| P404 | Language |  |
|------|----------|--|
|      | BG       | Да се съхранява в затворен съд.              |
|      | ES       | Almacenar en un recipiente cerrado.          |
|      | CS       | Skladujte v uzavřeném obalu.                 |
|      | DA       | Opbevares i en lukket beholder.              |
|      | DE       | In einem geschlossenen Behälter aufbewahren. |
|      | ET       | Hoida suletud mahutis.                       |
|      | EL       | Φυλάσσεται σε κλειστό περιέκτη.              |
|      | EN       | Store in a closed container.                 |
|      | FR       | Stocker dans un récipient fermé.             |

**▼ B**

| P404 | Language |                            |
|------|----------|----------------------------|
|      | GA       | Stóráil i gcoimeádán iata. |

**▼ M5**

|  |    |                                     |
|--|----|-------------------------------------|
|  | HR | Skladištiti u zatvorenom spremniku. |
|--|----|-------------------------------------|

**▼ B**

|  |    |   |
|--|----|---|
|  | IT | Conservare in un recipiente chiuso.     |
|  | LV | Glabāt slēgtā tvertnē.                  |
|  | LT | Laikyti uždaroje talpykloje.            |
|  | HU | Zárt edényben tárolandó.                |
|  | MT | Ahžen f'kontenitur maghluq.             |
|  | NL | In gesloten verpakking bewaren.         |
|  | PL | Przechowywać w zamkniętym pojemniku.    |
|  | PT | Armazenar em recipiente fechado.        |
|  | RO | A se depozita într-un recipient închis. |
|  | SK | Uchovávať v uzavretej nádobe.           |
|  | SL | Hraniti v zaprti posodi.                |
|  | FI | Varastoi suljettuna.                    |
|  | SV | Förvaras i sluten behållare.            |

| P405 | Language |                               |
|------|----------|-------------------------------|
|      | BG       | Да се съхранява под ключ.     |
|      | ES       | Guardar bajo llave.           |
|      | CS       | Skladujte uzamčené.           |
|      | DA       | Opbevares under lås.          |
|      | DE       | Unter Verschluss aufbewahren. |
|      | ET       | Hoida lukustatult.            |
|      | EL       | Φυλάσσεται κλειδομένο.        |
|      | EN       | Store locked up.              |
|      | FR       | Garder sous clef.             |
|      | GA       | Stóráil faoi ghlas.           |

**▼ M5**

|  |    |                          |
|--|----|--------------------------|
|  | HR | Skladištiti pod ključem. |
|--|----|--------------------------|

**▼ B**

|  |    |                          |
|--|----|--------------------------|
|  | IT | Conservare sotto chiave. |
|  | LV | Glabāt slēgtā veidā.     |
|  | LT | Laikyti užrakintą.       |
|  | HU | Elzárva tárolandó.       |
|  | MT | Ahžen f'post imsakkar.   |
|  | NL | Achter slot bewaren.     |



▼ **B**

| P405 | Language |                                     |
|------|----------|-------------------------------------|
|      | PL       | Przechowywać pod zamknięciem.       |
|      | PT       | Armazenar em local fechado à chave. |
|      | RO       | A se depozita sub cheie.            |
|      | SK       | Uchovávať uzamknuté.                |
|      | SL       | Hraniti zaklenjeno.                 |
|      | FI       | Varastoi lukitussa tilassa.         |
|      | SV       | Förvaras inlåst.                    |

▼ **M12**

| P406 | Language |   |
|------|----------|---|
|      | BG       | Да се съхранява в устойчив на разяждане съд/... съд с устойчива вътрешна облицовка.                               |
|      | ES       | Almacenar en un recipiente resistente a la corrosión /... en un recipiente con revestimiento interior resistente. |
|      | CS       | Skladujte v obalu odolném proti korozi/... s odolnou vnitřní vrstvou.   |
|      | DA       | Opbevares i ætsningsbestandig/... beholder med modstandsdygtig foring.  |
|      | DE       | In korrosionsbeständigem/... Behälter mit korrosionsbeständiger Innenauskleidung aufbewahren.                     |
|      | ET       | Hoida sõõbekindlas/...sõõbekindla sisevoorderdisega mahutis.  |
|      | EL       | Αποθηκεύεται σε ανθεκτικό στη διάβρωση/... περιέκτη με ανθεκτική εσωτερική επένδυση.                              |
|      | EN       | Store in a corrosion-resistant/... container with a resistant inner liner.  |
|      | FR       | Stocker dans un récipient résistant à la corrosion/... avec doublure intérieure.                                  |
|      | GA       | Stóráil i gcoimeádán/ ... frithchreimneach le líneáil fhrithchreimneach laistigh.                                 |
|      | HR       | Skladištiti u spremniku otpornom na nagrizanje/ ... s otpornom unutarnjom oblogom.                                |
|      | IT       | Conservare in recipiente resistente alla corrosione/... provvisto di rivestimento interno resistente.             |
|      | LV       | Glabāt korozijizturīgā/... tvertnē ar iekšējo pretkorozijas izolāciju.  |
|      | LT       | Laikyti korozijai atsparioje talpykloje/..., turinčioje atsparią vidinę dangą.                                    |
|      | HU       | Saválló/saválló bélésű ... edényben tárolandó.  |

▼ **M12**

| P406 | Language |  |
|------|----------|--|
|      | MT       | Aħżen fpost rezistenti għall-korrużjoni /... kontenitur li huwa infurrat minn ġewwa b'ma-terjal rezistenti.        |
|      | NL       | In corrosiebestendige/... houder met corrosiebestendige binnenbekleding bewaren.                                   |
|      | PL       | Przechowywać w pojemniku odpornym na korozję /... o odpornej powłoce wewnętrznej.                                  |
|      | PT       | Armazenar num recipiente resistente à corrosão/... com um revestimento interior resistente.                        |
|      | RO       | A se depozita într-un recipient rezistent la corozie/recipient din... cu dublură interioară rezistentă la corozie. |
|      | SK       | Uchovávať v nádobe odolnej proti korózii/... nádobe s odolnou vnútornou vrstvou.                                   |
|      | SL       | Hraniti v posodi, odporni proti koroziji/..., z odporno notranjo oblogo.   |
|      | FI       | Varastoi syöpymättömässä/... säiliössä, jossa on kestävä sisävuoraus.  |
|      | SV       | Förvaras i korrosionsbeständig/... behållare med beständigt innerhölje.  |
| P407 | Language |  |
|      | BG       | Да се остави въздушно пространство между купчините или палетите.   |
|      | ES       | Dejar un espacio de aire entre las pilas o bandejas.   |
|      | CS       | Mezi stohy nebo paletami ponechte vzduchovou mezeru.   |
|      | DA       | Opbevarer med luftmellelrum mellem stakkene/pallerne.  |
|      | DE       | Luftspalt zwischen Stapeln oder Paletten lassen.   |
|      | ET       | Jätta virnade või kaubaaluste vahele õhuvahe.  |
|      | EL       | Να υπάρχει κενό αέρος μεταξύ των σωρών ή παλετών.  |
|      | EN       | Maintain air gap between stacks or pallets.  |
|      | FR       | Maintenir un intervalle d'air entre les piles ou les palettes.   |
|      | GA       | Coimeád bearna aeir idir cruacha nó idir pailéid.  |
|      | HR       | Osigurati razmak između polica ili paleta.   |
|      | IT       | Mantenere uno spazio libero tra gli scaffali o i pallet.   |

▼ **M12**

| P407 | Language |  |
|------|----------|--|
|      | LV       | Saglabāt gaisa spraugu starp krāvumiem vai paletēm.          |
|      | LT       | Palikti oro tarpą tarp eilių arba palečių.                   |
|      | HU       | A rakatok vagy raklapok között térközt kell hagyni.          |
|      | MT       | Ħalli l-arja tgħaddi bejn l-imniezel jew il-palits.          |
|      | NL       | Ruimte laten tussen stapels of pallets.                      |
|      | PL       | Zachować szczelinę powietrzną pomiędzy stosami lub paletami. |
|      | PT       | Respeitar as distâncias mínimas entre pilhas ou paletes.     |
|      | RO       | Păstrați un spațiu gol între stive sau paleți.               |
|      | SK       | Medzi regálmi alebo paletami ponechajte vzduchovú medzeru.   |
|      | SL       | Ohraniti zračno režo med skladi ali paletami.                |
|      | FI       | Jätä pinojen tai kuormalavojen väliin ilmarako.              |
|      | SV       | Se till att det finns luft mellan staplar eller pallar.      |

▼ **B**

| P410 | Language |   |
|------|----------|---|
|      | BG       | Да се пази от пряка слънчева светлина.    |
|      | ES       | Proteger de la luz del sol.               |
|      | CS       | Chraňte před slunečním zářením.           |
|      | DA       | Beskyttes mod sollys.                     |
|      | DE       | Vor Sonnenbestrahlung schützen.           |
|      | ET       | Hoida päikesevalguse eest.                |
|      | EL       | Να προστατεύεται από τις ηλιακές ακτίνες. |
|      | EN       | Protect from sunlight.                    |
|      | FR       | Protéger du rayonnement solaire.          |
|      | GA       | Cosain ó sholas na gréine.                |

▼ **M5**

|  |    |                              |
|--|----|------------------------------|
|  | HR | Zaštiti od sunčevog svjetla. |
|--|----|------------------------------|

▼ **B**

|  |    |                              |
|--|----|------------------------------|
|  | IT | Proteggere dai raggi solari. |
|  | LV | Aizsargāt no saules gaismas. |

▼ **B**

| P410 | Language |                                    |
|------|----------|------------------------------------|
|      | LT       | Saugoti nuo saulės šviesos.        |
|      | HU       | Napfénytől védendő.                |
|      | MT       | Ipproteġi mid-dawl tax-xemx.       |
|      | NL       | Tegen zonlicht beschermen.         |
|      | PL       | Chronić przed światłem słonecznym. |
|      | PT       | Manter ao abrigo da luz solar.     |
|      | RO       | A se proteja de lumina solară.     |
|      | SK       | Chránite pred slnečným žiarením.   |
|      | SL       | Zaščititi pred sončno svetlobo.    |
|      | FI       | Suojaa auringonvalolta.            |
|      | SV       | Skyddas från solljus.              |

| P411 | Language |  |
|------|----------|--|
|      | BG       | Да се съхранява при температури, не по-високи от ... °C/...°F.       |
|      | ES       | Almacenar a temperaturas no superiores a ... °C/...°F.               |
|      | CS       | Składujte při teplotě nepřesahující ... °C/...°F.                    |
|      | DA       | Opbevares ved en temperatur, som ikke overstiger ... °C/...°F.       |
|      | DE       | ► <b>C3</b> Bei Temperaturen nicht über ... °C/... °F aufbewahren. ◀ |
|      | ET       | Hoida temperatuuril mitte üle ... °C/... °F.                         |
|      | EL       | Αποθηκεύεται σε θερμοκρασίες που δεν υπερβαίνουν τους ... °C/...°F.  |
|      | EN       | Store at temperatures not exceeding ... °C/...°F.                    |
|      | FR       | Stocker à une température ne dépassant pas ... °C/... °F.            |
|      | GA       | Stóráil ag teocht nach airde ná ... °C/...°F.                        |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Skладиštiti na temperaturi koja ne prelazi ...°C/...°F. |
|--|----|---|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Conservare a temperature non superiori a ... °C/...°F.  |
|  | LV | Uzglabāt temperatūrā, kas nepārsniedz ... °C/...°F.     |
|  | LT | Laikyti ne aukštesnėje kaip ... °C/...°F temperatūroje. |
|  | HU | A tárolási hőmérséklet legfeljebb ... °C/...°F lehet.   |

▼B

| P411 | Language |   |
|------|----------|---|
|      | MT       | Aħżen f'temperaturi li ma jeċċedux ... °C/...°F.                |
|      | NL       | Bij maximaal ... °C/...°F bewaren.                              |
|      | PL       | Przechowywać w temperaturze nieprzekraczającej ... °C/...°F.    |
|      | PT       | Armazenar a uma temperatura não superior a ... °C/...°F.        |
|      | RO       | A se depozita la temperaturi care sã nu depãşescã ... °C/...°F. |
|      | SK       | Uchovávajte pri teplotách do ... °C/...°F                       |
|      | SL       | Hraniti pri temperaturi do ... °C/... °F.                       |
|      | FI       | Varastoi alle ... °C/...°F lämpötilassa.                        |
|      | SV       | Förvaras vid högst ... °C/...°F.                                |

| P412 | Language |  |
|------|----------|--|
|      | BG       | Да не се излага на температури, по-високи от 50 °C/122°F.          |
|      | ES       | No exponer a temperaturas superiores a 50 °C/122°F.                |
|      | CS       | Nevystavujte teplotě přesahující 50 °C/122 °F.                     |
|      | DA       | Må ikke udsættes for en temperatur, som overstiger 50 °C/122°F.    |
|      | DE       | ► <b>C3</b> Nicht Temperaturen über 50 °C/122 °F aussetzen. ◀      |
|      | ET       | Mitte hoida temperatuuril üle 50 °C/122 °F.                        |
|      | EL       | Να μην εκτίθεται σε θερμοκρασίες που υπερβαίνουν τους 50 °C/122°F. |
|      | EN       | Do not expose to temperatures exceeding 50 °C/122°F.               |
|      | FR       | Ne pas exposer à une température supérieure à 50 °C/122 °F.        |
|      | GA       | Ná nocht do theocht níos airde ná 50 °C/122°F.                     |

▼M5

|  |    |  |
|--|----|--|
|  | HR | Ne izlagati temperaturi višoj od 50 °C/122 °F. |
|--|----|--|

▼B

|  |    |   |
|--|----|---|
|  | IT | Non esporre a temperature superiori a 50 °C/122°F.    |
|  | LV | Nepakļaut temperatūrai, kas pārsniedz 50 °C/122°F.    |
|  | LT | Nelaikyti aukštesnėje kaip 50 °C/122°F temperatūroje. |
|  | HU | Nem érheti 50 °C/122°F hőmérsékletet meghaladó hő.    |

▼ **B**

| P412 | Language |  |
|------|----------|--|
|      | MT       | Tesponix għal temperaturi li jeċċedu 1-50 °C/122°F.                  |
|      | NL       | Niet blootstellen aan temperaturen boven 50 °C/122°F.                |
|      | PL       | Nie wystawiać na działanie temperatury przekraczającej 50 °C/122 °F. |
|      | PT       | Não expor a temperaturas superiores a 50 °C/122°F.                   |
|      | RO       | Nu expuneți la temperaturi care depășesc 50 °C/122 °F.               |
|      | SK       | Nevystavujte teplotám nad 50 °C/122 °F.                              |
|      | SL       | Ne izpostavljati temperaturam nad 50 °C/122 °F.                      |
|      | FI       | Ei saa altistaa yli 50 °C/122 °F lämpötiloille.                      |
|      | SV       | Får inte utsättas för temperaturer över 50 °C/122 °F.                |

| P413 | Language |   |
|------|----------|---|
|      | BG       | При насипни количества, по-големи от ... kg/... фунта, да се съхранява при температури, не по-високи от ... °C/...°F. |
|      | ES       | Almacenar las cantidades a granel superiores a ... kg/... lbs a temperaturas no superiores a ... °C/...°F.            |
|      | CS       | Množství větší než ... kg/... liber skladujte při teplotě nepřesahující ... °C/...°F.                                 |
|      | DA       | Bulkmængder på over ... kg/...lbs opbevares ved en temperatur, som ikke overstiger ... °C/...°F.                      |
|      | DE       | ► <b>C3</b> Schüttgut in Mengen von mehr als ... kg/... lbs bei Temperaturen nicht über ... °C/... °F aufbewahren. ◀  |
|      | ET       | Kogust, mis on suurem kui ... kg/... naela, hoida temperatuuril mitte üle ... °C/... °F.                              |
|      | EL       | Οι σωροί χύδην με βάρος άνω των ... kg/... lbs αποθηκεύονται σε θερμοκρασίες που δεν υπερβαίνουν τους ... °C/...°F.   |
|      | EN       | Store bulk masses greater than ... kg/... lbs at temperatures not exceeding ... °C/...°F.                             |
|      | FR       | Stocker les quantités en vrac de plus de ... kg/... lb à une température ne dépassant pas ... °C/... °F.              |
|      | GA       | Stóráil bulcmhaiseanna os cionn ... kg/... lb ag teocht nach airde ná ... °C/...°F.                                   |
|      | HR       | Skladištiti količine veće od ... kg/ ... lbs na temperaturi koja ne prelazi ... °C/... °F.                            |

▼ **M5**

▼ **B**

| P413 | Language |  |
|------|----------|--|
|      | IT       | Conservare le rinfuse di peso superiore a ...kg/...lb a temperature non superiori a ... °C/°F.               |
|      | LV       | Lielus apjomus, kas pārsniedz ... kg/... lbs, uzglabāt temperatūrā, kas nepārsniedz ... °C/...°F.            |
|      | LT       | Didesnius kaip ... kg/... lbs medžiagos kiekius laikyti ne aukštesnėje kaip ... °C/...°F temperatūroje.      |
|      | HU       | A ... kg/... lb tömeget meghaladó ömlesztett anyag tárolási hőmérséklete legfeljebb ... °C/...°F lehet.      |
|      | MT       | Ahżen il-kwantitajiet f'massa ta' akbar minn ... kg/... lbs f'temperaturi ta' mhux aktar minn ... °C/...°F.  |
|      | NL       | Bulkmateriaal, indien meer dan ... kg/... lbs, bij temperaturen van maximaal ... °C bewaren.                 |
|      | PL       | Przechowywać luzem masy przekraczające ... kg/... funtów w temperaturze nieprzekraczającej ... °C/...°F.     |
|      | PT       | Armazenar quantidades a granel superiores a ... kg/... lbs a uma temperatura não superior a ... °C/...°F.    |
|      | RO       | Depozitați cantitățile în vrac mai mari de ... kg/... lbs la temperaturi care să nu depășească ... °C/...°F. |
|      | SK       | Veľké množstvo s hmotnosťou nad ... kg/... lbs uchovávať pri teplote do ... °C/...°F.                        |
|      | SL       | Razsute količine, večje od ... kg/... lbs, hraniti pri temperaturi do ... °C/... °F.                         |
|      | FI       | Säilytä yli ... kg/...lbs painoinen irtotavara enintään ... °C/...°F lämpötilassa.                           |
|      | SV       | Bulkprodukter som väger mer än ... kg/... lbs förvaras vid högst ... °C/...°F.                               |

▼ **M12**

| P420 | Language |                          |
|------|----------|--------------------------|
|      | BG       | Да се съхранява отделно. |
|      | ES       | Almacenar separadamente. |
|      | CS       | Skladujte odděleně.      |
|      | DA       | Opbevares separat.       |
|      | DE       | Getrennt aufbewahren.    |
|      | ET       | Hoida eraldi.            |
|      | EL       | Αποθηκεύεται χωριστά.    |
|      | EN       | Store separately.        |
|      | FR       | Stocker séparément.      |
|      | GA       | Stóráil as féin.         |
|      | HR       | Skladištiti odvojeno.    |

▼ **M12**

| P420 | Language |                           |
|------|----------|---------------------------|
|      | IT       | Conservare separatamente. |
|      | LV       | Glabāt atsevišķi.         |
|      | LT       | Laikyti atskirai.         |
|      | HU       | Elkülönítve tárolandó.    |
|      | MT       | Ahžen separatament.       |
|      | NL       | Gescheiden bewaren.       |
|      | PL       | Przechowywać oddzielnie.  |
|      | PT       | Armazenar separadamente.  |
|      | RO       | A se depozita separat.    |
|      | SK       | Skladujte jednotlivo.     |
|      | SL       | Hraniti ločeno.           |
|      | FI       | Varastoi erillään.        |
|      | SV       | Förvaras separat.         |

▼ **B**

| P402 + P404 | Language |  |
|-------------|----------|--|
|             | BG       | Да се съхранява на сухо място. Да се съхранява в затворен съд.                                 |
|             | ES       | Almacenar en un lugar seco. Almacenar en un recipiente cerrado.                                |
|             | CS       | Skladujte na suchém místě. Skladujte v uzavřeném obalu.  |
|             | DA       | Opbevares et tørt sted. Opbevares i en lukket beholder.  |
|             | DE       | ► <b>C3</b> An einem trockenen Ort aufbewahren. In einem geschlossenen Behälter aufbewahren. ◀ |
|             | ET       | Hoida kuivas. Hoida suletud mahutis.   |
|             | EL       | Αποθηκεύεται σε στεγνό μέρος. Φυλάσσεται σε κλειστό περιέκτη.                                  |
|             | EN       | Store in a dry place. Store in a closed container.   |
|             | FR       | Stocker dans un endroit sec. Stocker dans un récipient fermé.                                  |
|             | GA       | Stóráil in áit thirim. Stóráil i gcoimeádán iata.  |

▼ **M5**

|  |    |  |
|--|----|--|
|  | HR | Skladištiti na suhom mjestu. Skladištiti u zatvorenom spremniku. |
|--|----|--|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Conservare in luogo asciutto e in recipiente chiuso. |
|  | LV | Glabāt sausā vietā. Glabāt aizvērtā tvertnē.         |



▼ **B**

| P402 + P404 | Language |   |
|-------------|----------|---|
|             | LT       | Laikyti sausoje vietoje. Laikyti uždaroje talpykloje.               |
|             | HU       | Száraz helyen tárolandó. Zárt edényben tárolandó.                   |
|             | MT       | Aħżen f'post niexef. Aħżen f'kontenitur magħluq.                    |
|             | NL       | Op een droge plaats bewaren. In gesloten verpakking bewaren.        |
|             | PL       | Przechowywać w suchym miejscu. Przechowywać w zamkniętym pojemniku. |
|             | PT       | Armazenar em local seco. Armazenar em recipiente fechado.           |
|             | RO       | A se depozita într-un loc uscat, într-un recipient închis.          |
|             | SK       | Uchovávať na suchom mieste. Uchovávať v uzavretej nádobe.           |
|             | SL       | Hraniti na suhem. Hraniti v zaprti posodi.                          |
|             | FI       | Varastoi kuivassa paikassa. Varastoi suljettuna.                    |
|             | SV       | Förvaras torr. Förvaras i sluten behållare.                         |

| P403 + P233 | Language |  |
|-------------|----------|--|
|             | BG       | Да се съхранява на добре проветриво място. Съдът да се съхранява плътно затворен.          |
|             | ES       | Almacenar en un lugar bien ventilado. Mantener el recipiente cerrado herméticamente.       |
|             | CS       | Skladujte na dobře větraném místě. Uchovávejte obal těsně uzavřený.                        |
|             | DA       | Opbevares på et godt ventileret sted. Hold beholderen tæt lukket.                          |
|             | DE       | ► <b>C3</b> An einem gut belüfteten Ort aufbewahren. Behälter dicht verschlossen halten. ◀ |
|             | ET       | Hoida hästi ventileeritavas kohas. Hoida mahuti tihedalt suletuna.                         |
|             | EL       | Αποθηκεύεται σε καλά αεριζόμενο χώρο. Ο περιέκτης διατηρείται ερμητικά κλειστός.           |
|             | EN       | Store in a well-ventilated place. Keep container tightly closed.                           |
|             | FR       | Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.     |
|             | GA       | Stóráil in áit dhea-aeráilte. Coimeád an coimeádán dúnta go docht.                         |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Skladištiti na dobro prozračenom mjestu. Čuvati u dobro zatvorenom spremniku. |
|--|----|---|

## ▼B

| P403 + P233 | Language |  |
|-------------|----------|--|
|             | IT       | Tenere il recipiente ben chiuso e in luogo ben ventilato.                              |
|             | LV       | Glabāt labi vēdināmās telpās. Tvertni turēt cieši noslēgtu.                            |
|             | LT       | Laikyti gerai vėdinamoje vietoje. Talpyklą laikyti sandariai uždarytą.                 |
|             | HU       | Jól szellőző helyen tárolandó. Az edény szorosan lezárva tartandó.                     |
|             | MT       | Ahżen fpost b'ventilazzjoni tajba. Żomm il-kontenitur magħluq sew.                     |
|             | NL       | Op een goed geventileerde plaats bewaren. In goed gesloten verpakking bewaren.         |
|             | PL       | Przechowywać w dobrze wentylowanym miejscu. Przechowywać pojemnik szczelnie zamknięty. |
|             | PT       | Armazenar em local bem ventilado. Manter o recipiente bem fechado.                     |
|             | RO       | A se depozita într-un spațiu bine ventilat. Păstrați recipientul închis etanș.         |
|             | SK       | Uchovávať na dobre vetranom mieste. Nádobu uchovávať tesne uzavretú.                   |
|             | SL       | Hraniti na dobro prezračevanem mestu. Hraniti v tesno zaprti posodi.                   |
|             | FI       | Varastoi paikassa, jossa on hyvä ilmanvaihto. Säilytä tiiviisti suljettuna.            |
|             | SV       | Förvaras på väl ventilerad plats. Förpackningen ska förvaras väl tillsluten.           |
| P403 + P235 | Language |  |
|             | BG       | Да се съхранява на добре проветриво място. Да се съхранява на хладно.                  |
|             | ES       | Almacenar en un lugar bien ventilado. Mantener en lugar fresco.                        |
|             | CS       | Skladujte na dobře větraném místě. Uchovávejte v chladu.                               |
|             | DA       | Opbevares på et godt ventileret sted. Opbevares køligt.                                |
|             | DE       | ►C3 An einem gut belüfteten Ort aufbewahren. Kühl halten. ◄                            |
|             | ET       | Hoida hästi ventileeritavas kohas. Hoida jahedas.                                      |
|             | EL       | Αποθηκεύεται σε καλά αεριζόμενο χώρο. Διατηρείται δροσερό.                             |
|             | EN       | Store in a well-ventilated place. Keep cool.   |

▼ **B**

| P403 + P235 | Language |   |
|-------------|----------|---|
|             | FR       | Stocker dans un endroit bien ventilé. Tenir au frais. |
|             | GA       | Stóráil in áit dhea-aeráilte. Coimeád fionnuar.       |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Skladištiti na dobro prozračenom mjestu. Održavati hladnim. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Conservare in luogo fresco e ben ventilato.                                  |
|  | LV | Glabāt labi vēdināmās telpās. Turēt vēsumā.                                  |
|  | LT | Laikyti gerai vėdinamoje vietoje. Laikyti vėsioje vietoje.                   |
|  | HU | Jól szellőző helyen tárolandó. Hűvös helyen tartandó.                        |
|  | MT | Ahżen fpost b'ventilazzjoni tajba. Żomm frisk.                               |
|  | NL | Op een goed geventileerde plaats bewaren. Koel bewaren.                      |
|  | PL | Przechowywać w dobrze wentylowanym miejscu. Przechowywać w chłodnym miejscu. |
|  | PT | Armazenar em local bem ventilado. Conservar em ambiente fresco.              |
|  | RO | A se depozita într-un spațiu bine ventilat. A se păstra la rece.             |
|  | SK | Uchovávať na dobre vetranom mieste. Uchovávať v chlade.                      |
|  | SL | Hraniti na dobro prezračevanem mestu. Hraniti na hladnem.                    |
|  | FI | Varastoi paikassa, jossa on hyvä ilmanvaihto. Säilytä viileässä.             |
|  | SV | Förvaras på väl ventilerad plats. Förvaras svalt.                            |

| P410 + P403 | Language |  |
|-------------|----------|--|
|             | BG       | Да се пази от пряка слънчева светлина. Да се съхранява на добре проветриво място.      |
|             | ES       | Proteger de la luz del sol. Almacenar en un lugar bien ventilado.                      |
|             | CS       | Chraňte před slunečním zářením. Skladujte na dobře větraném místě.                     |
|             | DA       | Beskyttes mod sollys. Opbevares på et godt ventileret sted.                            |
|             | DE       | ► <b>C3</b> Vor Sonnenbestrahlung schützen. An einem gut belüfteten Ort aufbewahren. ◀ |

▼ **B**

| P410 + P403 | Language |   |
|-------------|----------|---|
|             | ET       | Hoida päikesevalguse eest. Hoida hästi ventileeritavas kohas.                   |
|             | EL       | Να προστατεύεται από τις ηλιακές ακτίνες. Αποθηκεύεται σε καλά αεριζόμενο χώρο. |
|             | EN       | Protect from sunlight. Store in a well-ventilated place.                        |
|             | FR       | Protéger du rayonnement solaire. Stocker dans un endroit bien ventilé.          |
|             | GA       | Cosain ó sholas na gréine. Stóráil in áit dhea-aeráilte.                        |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Zaštítiti od sunčevog svjetla. Skladištiti na dobro prozračenom mjestu. |
|--|----|---|

▼ **B**

|  |    |  |
|--|----|--|
|  | IT | Proteggere dai raggi solari. Conservare in luogo ben ventilato.                |
|  | LV | Aizsargāt no saules gaismas. Glabāt labi vēdināmās telpās.                     |
|  | LT | Saugoti nuo saulės šviesos. Laikyti gerai vėdinamoje vietoje.                  |
|  | HU | Napfénytől védendő. Jól szellőző helyen tárolandó.                             |
|  | MT | Ipproteġi mid-dawl tax-xemx. Ahżen f'post b'ventilazzjoni tajba.               |
|  | NL | Tegen zonlicht beschermen. Op een goed geventileerde plaats bewaren.           |
|  | PL | Chronić przed światłem słonecznym. Przechowywać w dobrze wentylowanym miejscu. |
|  | PT | Manter ao abrigo da luz solar. Armazenar em local bem ventilado.               |
|  | RO | A se proteja de lumina solară. A se depozita într-un spațiu bine ventilat.     |
|  | SK | Chránite pred slnečným žiarením. Uchovávajte na dobre vetranom mieste.         |
|  | SL | Zaščítiti pred sončno svetlobo. Hraniti na dobro prezračevanem mestu.          |
|  | FI | Suojaa auringonvalolta. Varastoi paikassa, jossa on hyvä ilmanvaihto.          |
|  | SV | Skyddas från solljus. Förvaras på väl ventilerad plats.                        |

| P410 + P412 | Language |  |
|-------------|----------|--|
|             | BG       | Да се пази от пряка слънчева светлина. Да не се излага на температури, по-високи от 50 °C/122°F. |
|             | ES       | Proteger de la luz del sol. No exponer a temperaturas superiores a 50 °C/122°F.                  |
|             | CS       | Chraňte před slunečním zářením. Nevystavujte teplotě přesahující 50 °C/122°F.                    |

▼ **B**

| P410 + P412 | Language |  |
|-------------|----------|--|
|             | DA       | Beskyttes mod sollys. Må ikke udsættes for en temperatur, som overstiger 50 °C/122°F.                        |
|             | DE       | ► <b>C3</b> Vor Sonnenbestrahlung schützen und nicht Temperaturen über 50 °C/122 °F aussetzen. ◀             |
|             | ET       | Hoida päikesevalguse eest. Mitte hoida temperatuuril üle 50 °C/122 °F.                                       |
|             | EL       | Να προστατεύεται από τις ηλιακές ακτίνες. Να μην εκτίθεται σε θερμοκρασίες που υπερβαίνουν τους 50 °C/122°F. |
|             | EN       | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.                                  |
|             | FR       | Protéger du rayonnement solaire. Ne pas exposer à une température supérieure à 50 °C/122 °F.                 |
|             | GA       | Cosain ó sholas na gréine. Ná nocht do theocht níos airde ná 50 °C/122°F.                                    |

▼ **M5**

|  |    |   |
|--|----|---|
|  | HR | Zaštiti od sunčevog svjetla. Ne izlagati temperaturi višoj od 50 °C/122 °F. |
|--|----|---|

▼ **B**

|  |    |   |
|--|----|---|
|  | IT | Proteggere dai raggi solari. Non esporre a temperature superiori a 50 °C/122°F.                         |
|  | LV | Aizsargāt no saules gaismas. Nepakļaut temperatūrai, kas pārsniedz 50 °C/122°F.                         |
|  | LT | Saugoti nuo saulės šviesos. Nelaikyti aukštesnėje kaip 50 °C/122°F temperatūroje.                       |
|  | HU | Napfénytől védendő. Nem érheti 50 °C/122°F hőmérsékletet meghaladó hő.                                  |
|  | MT | Ipproteġi mid-dawl tax-xemx. Tesponix għal temperatura li teċċedi l-50 °C/122°F.                        |
|  | NL | Tegen zonlicht beschermen. Niet blootstellen aan temperaturen boven 50 °C/122°F.                        |
|  | PL | Chronić przed światłem słonecznym. Nie wystawiać na działanie temperatury przekraczającej 50 °C/122 °F. |
|  | PT | Manter ao abrigo da luz solar. Não expor a temperaturas superiores a 50 °C/122°F.                       |
|  | RO | A se proteja de lumina solară. Nu expuneți la temperaturi care depășesc 50 °C/122 °F.                   |
|  | SK | Chránite pred slnečným žiarením. Nevystavujte teplotám nad 50 °C/122 °F.                                |
|  | SL | Zaščititi pred sončno svetlobo. Ne izpostavljati temperaturam nad 50 °C/122 °F.                         |
|  | FI | Suojaa auringonvalolta. Ei saa altistaa yli 50 °C/122 °F lämpötiloilta.                                 |
|  | SV | Skyddas från solljus. Får inte utsättas för temperaturer över 50 °C/122 °F.                             |

▼ **M12**

▼ **B**

Table 1.5

**Precautionary statements — Disposal**

| P501 | Language |   |
|------|----------|---|
|      | BG       | Съдържанието/съдът да се изхвърли в ...       |
|      | ES       | Eliminar el contenido/el recipiente en ...    |
|      | CS       | Odstraňte obsah/obal ...                      |
|      | DA       | Indholdet/holderen bortskaffes i ...          |
|      | DE       | Inhalt/Behälter ... zuführen.                 |
|      | ET       | Sisu/mahuti kõrvaldada ...                    |
|      | EL       | Διάθεση του περιεχομένου/περιέκτη σε ...      |
|      | EN       | Dispose of contents/container to ...          |
|      | FR       | Éliminer le contenu/récipient dans ...        |
|      | GA       | Diúscair an t-ábhar/an coimeádán i ...        |
|      | HR       | Odložiti sadržaj/spremnik u/na ...            |
|      | IT       | Smaltire il prodotto/recipiente in ...        |
|      | LV       | Atbrīvoties no satura/tvertnes...             |
|      | LT       | Turinį/talpyklą išpilti (išmesti) į ...       |
|      | HU       | A tartalom/edény elhelyezése hulladéként: ... |
|      | MT       | Armi l-kontenut/il-kontenitur fi ...          |
|      | NL       | Inhoud/verpakking afvoeren naar ...           |
|      | PL       | Zawartość/pojemnik usuwać do ...              |
|      | PT       | Eliminar o conteúdo/recipiente em ...         |
|      | RO       | Aruncați conținutul/recipientul la ...        |
|      | SK       | Zneškodnite obsah/nádobu ...                  |
|      | SL       | Odstraniti vsebino/posodo ...                 |
|      | FI       | Hävitä sisältö/pakkaus ...                    |
|      | SV       | Innehållet/behållaren lämnas till...          |

▼ **M5**▼ **B**▼ **M12**

| P502 | Language |   |
|------|----------|---|
|      | BG       | Обърнете се към производителя или доставчика за информация относно оползотворяването или рециклирането. |
|      | ES       | Pedir información al fabricante o proveedor sobre la recuperación o el reciclado.                       |
|      | CS       | Informujte se u výrobce nebo dodavatele o regeneraci nebo recyklaci.                                    |

## ▼ M12

| P502 | Language |  |
|------|----------|--|
|      | DA       | Indhent oplysninger om genindvinding/genanvendelse hos fabrikanten/leverandøren.                                 |
|      | DE       | Informationen zur Wiederverwendung oder Wiederverwertung beim Hersteller oder Lieferanten erfragen.              |
|      | ET       | Hankida valmistajalt või tarnijalt teavet kemikaali taaskasutamise või ringlussevõtu kohta.                      |
|      | EL       | Ανατρέξτε στον παρασκευαστή ή τον προμηθευτή για πληροφορίες όσον αφορά την ανάκτηση ή την ανακύκλωση.           |
|      | EN       | Refer to manufacturer or supplier for information on recovery or recycling.                                      |
|      | FR       | Consulter le fabricant ou le fournisseur pour des informations relatives à la récupération ou au recyclage.      |
|      | GA       | Téigh i dteagmháil leis an monaróir nó leis an soláthróir chun faisnéis a fháil faoi aisghabháil nó athchúrsáil. |
|      | HR       | Za informacije o uporabi ili recikliranju obratiti se proizvođaču ili dobavljaču.                                |
|      | IT       | Chiedere informazioni al produttore o fornitore per il recupero o il riciclaggio.                                |
|      | LV       | Informācija par rekuperāciju vai pārstrādi saņemama pie ražotāja vai piegādātāja.                                |
|      | LT       | Kreiptis į gamintoją arba tiekėją dėl informacijos apie surinkimą arba recirkulavimą.                            |
|      | HU       | A gyártó vagy a szállító határozza meg a hasznosításra vagy az újrafeldolgozásra vonatkozó információkat.        |
|      | MT       | Irreferi għall-manifattur jew il-fornitur għal informazzjoni dwar l-irkupru jew ir-riċiklaġġ.                    |
|      | NL       | Raadpleeg fabrikant of leverancier voor informatie over terugwinning of recycling.                               |
|      | PL       | Przestrzegać wskazówek producenta lub dostawcy dotyczących odzysku lub wtórnego wykorzystania.                   |
|      | PT       | Solicitar ao fabricante ou fornecedor informações relativas à recuperação ou reciclagem.                         |
|      | RO       | Adresați-vă producătorului sau furnizorului pentru informații privind recuperarea/reciclarea.                    |
|      | SK       | Obráťte sa na výrobcu alebo dodávateľa s požiadavkou o informácie týkajúce sa obnovenia alebo recyklácie.        |
|      | SL       | Za podatke glede predelave ali reciklaže se obrnite na proizvajalca ali dobavitelja.                             |
|      | FI       | Hanki valmistajalta tai toimittajalta tietoja uudelleenkäytöstä tai kierrätyksestä.                              |
|      | SV       | Rådfråga tillverkare eller leverantör om återvinning eller återanvändning.                                       |

**▼ B**

## ANNEX V

## HAZARD PICTOGRAMS

## INTRODUCTION


**▼ M2**

The hazard pictograms for each hazard class, differentiation of a hazard class and hazard category shall satisfy the provisions of this Annex and Annex I, section 1.2 and conform in terms of symbols and general format, to the specimens shown.


**▼ B**

## 1. PART 1: PHYSICAL HAZARDS


## 1.1. Symbol: exploding bomb

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)   |
|--|---|
| GHS01<br> | Section 2.1<br>Unstable explosives<br>Explosives of Divisions 1.1, 1.2, 1.3, 1.4<br>Section 2.8<br>Self reactive substances and mixtures, Types A, B<br>Section 2.15<br>Organic peroxides, Types A, B |

## 1.2. Symbol: flame


| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)  |
|--|--|
| GHS02<br> | Section 2.2<br>Flammable gases, hazard category 1<br>Section 2.3<br>► <b>M4</b> Aerosols, hazard categories 1, 2 ◀<br>Section 2.6<br>Flammable liquids, hazard categories 1, 2, 3<br>Section 2.7<br>Flammable solids, hazard categories 1, 2<br>Section 2.8<br>Self-reactive substances and mixtures, Types B, C, D, E, F<br>Section 2.9<br>Pyrophoric liquids, hazard category 1<br>Section 2.10<br>Pyrophoric solids, hazard category 1<br>Section 2.11<br>Self-heating substances and mixtures, hazard categories 1, 2<br>Section 2.12<br>Substances and mixtures, which in contact with water, emit flammable gases, hazard categories 1, 2, 3<br>Section 2.15<br>Organic peroxides, Types B, C, D, E, F |

## 1.3. Symbol: flame over circle


| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)  |
|--|--|
| GHS03<br> | Section 2.4<br>Oxidising gases, hazard category 1<br>Section 2.13<br>Oxidising liquids, hazard categories 1, 2, 3<br>Section 2.14<br>Oxidising solids, hazard categories 1, 2, 3 |



**▼ B**1.4. **Symbol: gas cylinder**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)   |
|--|---|
| GHS04<br> | Section 2.5<br>Gases under pressure:<br>Compressed gases;<br>Liquefied gases;<br>Refrigerated liquefied gases;<br>Dissolved gases |

1.5. **Symbol: corrosion**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)                |
|--|--|
| GHS05<br> | Section 2.16<br>Corrosive to metals, hazard category 1 |

1.6. **A pictogram is not required for the following physical hazard classes and hazard categories:**

Section 2.1: Explosives of Division 1.5

Section 2.1: Explosives of Division 1.6

Section 2.2: Flammable gases, hazard Category 2

**▼ M4**

Section 2.3: Aerosols, hazard Category 3


**▼ B**

Section 2.8: Self-reactive substances and mixtures, Type G


Section 2.15: Organic peroxides, Type G

## 2. PART 2: HEALTH HAZARDS


2.1. **Symbol: skull and crossbones**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)   |
|--|---|
| GHS06<br> | Section 3.1<br>Acute toxicity (oral, dermal, inhalation), hazard categories 1, 2, 3 |


**▼ M12**2.2. **Symbol: corrosion**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)  |
|--|--|
| GHS05<br> | <u>Section 3.2</u><br>Skin corrosion, hazard category 1 and sub-categories 1A, 1B, 1C<br><u>Section 3.3</u><br>Serious eye damage, hazard category 1 |

**▼B****2.3. Symbol: exclamation mark**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)  |
|--|--|
| <p>► <b>M2</b> GHS07</p>  | <p>Section 3.1<br/>Acute toxicity (oral, dermal, inhalation), hazard category 4<br/>Section 3.2<br/>Skin irritation, hazard category 2<br/>Section 3.3<br/>Eye irritation, hazard category 2<br/>Section 3.4<br/>► <b>M2</b> Skin sensitisation, hazard categories 1, 1A, 1B ◀<br/>Section 3.8<br/>Specific Target Organ Toxicity — Single exposure, hazard category 3<br/>Respiratory tract irritation<br/>Narcotic effects</p> |


**2.4. Symbol: health hazard**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)   |
|--|---|
| <p>GHS08</p>  | <p>Section 3.4<br/>► <b>M2</b> Respiratory sensitisation, hazard categories 1, 1A, 1B ◀<br/>Section 3.5<br/>Germ cell mutagenicity, hazard categories 1A, 1B, 2<br/>Section 3.6<br/>Carcinogenicity, hazard categories 1A, 1B, 2<br/>Section 3.7<br/>Reproductive toxicity, hazard categories 1A, 1B, 2<br/>Section 3.8<br/>Specific Target Organ Toxicity — Single exposure, hazard categories 1, 2<br/>Section 3.9<br/>Specific Target Organ Toxicity — Repeated exposure, hazard categories 1, 2<br/>Section 3.10<br/>Aspiration hazard, hazard category 1</p> |

**2.5. A pictogram is not required for the following health hazard categories:**

Section 3.7: Reproductive toxicity, Effects on or via lactation, additional hazard category

**3. PART 3: ENVIRONMENTAL HAZARDS****▼M4****3.1. Symbol: environment**

| Pictogram<br>(1)   | Hazard class and hazard category<br>(2)  |
|--|--|
| <p>GHS09</p>  | <p>Section 4.1<br/>Hazardous to the aquatic environment<br/>— Acute hazard category: Acute 1<br/>— Long-term hazard categories: Chronic 1, Chronic 2</p> |

**▼ M4**


A pictogram is not required for the following environmental hazard classes and hazard categories:

Section 4.1: Hazardous to the aquatic environment — Long-term hazard categories: Chronic 3, Chronic 4.

**▼ M2**

## 4. PART 4: ADDITIONAL HAZARDS

4.1. **Symbol: exclamation mark**

| Pictogram  | Hazard class and hazard category                               |
|--|--|
| (1)  | (2)  |
| GHS07<br> | Section 5.1<br>Hazardous to the ozone layer, hazard category 1 |

**▼B***ANNEX VI***Harmonised classification and labelling for certain hazardous substances****▼M14**

Part 1 of this Annex provides an introduction to the list of harmonised classification and labelling, including information listed for each entry and related classifications and hazard statements in Table 3.

Part 2 of this Annex lays down general principles for preparing dossiers to propose and justify harmonised classification and labelling of substances at Union level.

Part 3 of this Annex lists hazardous substances for which harmonised classification and labelling have been established at Union level. In Table 3 the classification and labelling are based on the criteria in Annex I to this Regulation.

**▼B**

1. PART 1: INTRODUCTION TO THE LIST OF HARMONISED CLASSIFICATIONS AND LABELLING

1.1. **Information listed for each entry**

1.1.1. *Numbering of entries and identification of a substance*

1.1.1.1. *Index numbers*

Entries in Part 3 are listed according to the atomic number of the element most characteristic of the properties of the substance. Organic substances, because of their variety, have been placed in classes. The Index number for each substance is in the form of a digit sequence of the type ABC-RST-VW-Y. ABC corresponds to the atomic number of the most characteristic element or the most characteristic organic group in the molecule. RST is the consecutive number of the substance in the series ABC. VW denotes the form in which the substance is produced or placed on the market. Y is the check-digit calculated in accordance with the 10-digit ISBN method. This number is indicated in the column entitled 'Index No'.

1.1.1.2. *EC numbers*

The EC number, i.e. EINECS, ELINCS or NLP, is the official number of the substance within the European Union. The EINECS number can be obtained from the European Inventory of Existing Commercial Chemical Substance (EINECS)<sup>(1)</sup>. The ELINCS number can be obtained from the European List of Notified Substances (as amended) (EUR 22543 EN, Office for Official Publications of the European Communities, 2006, ISSN 1018-5593). The NLP number can be obtained from the list of 'No-longer-polymers' (as amended) (Document, Office for Official Publications of the European Communities, 1997, ISBN 92-827-8995-0). The EC number is a seven-digit system of the type XXX-XXX-X which starts at 200-001-8 (EINECS), at 400-010-9 (ELINCS) and at 500-001-0 (NLP). This number is indicated in the column entitled 'EC No'.

1.1.1.3. *CAS number*

The Chemical Abstracts Service (CAS) number is also included to assist identification of the entry. It should be noted that the EINECS number includes both anhydrous and hydrated forms of a substance, and there are frequently different CAS numbers for anhydrous and hydrated forms. The CAS number included is for the anhydrous form only, and therefore the CAS number shown does not always describe the entry as accurately as the EINECS number. This number is indicated in the column entitled 'CAS No'.

<sup>(1)</sup> OJ C 146A, 15.6.1990.

**▼B**1.1.1.4. *International Chemical Identification*

Wherever possible, hazardous substances are designated by their IUPAC names. Substances listed in EINECS, ELINCS or the list of 'No-longer-polymers' are designated using the names in these lists. Other names, such as usual or common names, are included in some cases. Whenever possible, plant protection products and biocides are designated by their ISO names.

Impurities, additives and minor components are normally not mentioned unless they contribute significantly to the classification of the substance.

Some substances are described with a specific percentage of purity. Substances containing a higher content of active material (e.g. organic peroxide) than this percentage are not included in the entry in Part 3 and may have other hazardous properties (e.g. explosive) and should be classified and labelled accordingly.

Where specific concentration limits are shown, these apply to the substance or substances shown in the entry. In particular, in the case of entries which are mixtures of substances or substances described with a specific percentage of purity, the limits apply to the substance as described in Part 3 and not the pure substance.

Without prejudice to Article 17(2), for substances appearing in Part 3, the name of the substance to be used on the label shall be one of the designations given there. For certain substances, additional information has been added in square brackets in order to help identify the substance. This additional information need not be included on the label.

Certain entries contain a reference to impurities; in these cases the name of the substance is followed by the text: '(containing  $\geq$  xx % impurity)'. The reference in brackets is then to be considered as a part of the name, and must be included on the label.

1.1.1.5. *Entries for groups of substances*

A number of group entries are included in Part 3. In these cases, the classification and labelling requirements will apply to all substances covered by the description.

In some cases, there are classification and labelling requirements for specific substances that would be covered by the group entry. In such cases a specific entry is included in Part 3 for the substance and the group entry will be annotated with the phrase 'except those specified elsewhere in this Annex'.

In some cases, individual substances may be covered by more than one group entry. In these cases, the classification of the substance reflects the classification for each of the two group entries. In cases where different classifications for the same hazard are given, the most severe classification shall be applied.

Entries in Part 3 for salts (under any denomination) cover both anhydrous and hydrous forms, unless specified otherwise.

EC or CAS numbers are not usually included for entries which comprise more than four individual substances.

**▼ M14**

1.1.2. *Information related to the classification and labelling of each entry in Table 3*

**▼ B**

1.1.2.1. *Classification codes*

1.1.2.1.1. Hazard class and category codes

The classification for each entry is based on the criteria set out in Annex I, in accordance with Article 13(a) and is presented in the form of a code representing the hazard class and the category or categories/divisions/types within this hazard class.

The Hazard class and category codes used for each of the hazard categories/divisions/types included in a class are shown in Table 1.1.

*Table 1.1*

| Hazard Class   | Hazard Class and Category Code  |
|--|---|
| Explosive  | Unst. Expl.<br>Expl. 1.1<br>Expl. 1.2<br>Expl. 1.3<br>Expl. 1.4<br>Expl. 1.5<br>Expl. 1.6 |
| Flammable gas  | Flam. Gas 1<br>Flam. Gas 2<br>Chem. Unst. Gas A<br>Chem. Unst. Gas B                      |
| Aerosol  | Aerosol 1<br>Aerosol 2<br>Aerosol 3   |
| Oxidising gas  | Ox. Gas 1   |
| Gases under pressure   | Press. Gas <sup>(1)</sup>   |
| Flammable liquid   | Flam. Liq. 1<br>Flam. Liq. 2<br>Flam. Liq. 3  |
| Flammable solid  | Flam. Sol. 1<br>Flam. Sol. 2  |
| Self-reactive substance or mixture                                   | Self-react. A<br>Self-react. B<br>Self-react. CD<br>Self-react. EF<br>Self-react. G       |
| Pyrophoric liquid  | Pyr. Liq. 1   |
| Pyrophoric solid   | Pyr. Sol. 1   |
| Self-heating substance or mixture                                    | Self-heat. 1<br>Self-heat. 2  |
| Substance or mixture which in contact with water emits flammable gas | Water-react. 1<br>Water-react. 2<br>Water-react. 3  |
| Oxidising liquid   | Ox. Liq. 1<br>Ox. Liq. 2<br>Ox. Liq. 3  |
| Oxidising solid  | Ox. Sol. 1<br>Ox. Sol. 2<br>Ox. Sol. 3  |

**▼ M4****▼ B**

**▼B**

| Hazard Class                             | Hazard Class and Category Code  |
|--|---|
| Organic peroxide                         | Org. Perox. A<br>Org. Perox. B<br>Org. Perox. CD<br>Org. Perox. EF<br>Org. Perox. G |
| Substance or mixture corrosive to metals | Met. Corr. 1  |
| Acute toxicity                           | Acute Tox. 1<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 4                        |

**▼M12**

|                           |  |
|---------------------------|--|
| Skin corrosion/irritation | Skin Corr. 1<br>Skin Corr. 1A<br>Skin Corr. 1B<br>Skin Corr. 1C<br>Skin Irrit. 2 |
|---------------------------|--|

**▼B**

|  |   |
|--|---|
| Serious eye damage/eye irritation                  | Eye Dam. 1<br>Eye Irrit. 2  |
| Respiratory/skin sensitization                     | ► <b>M2</b> Resp. Sens. 1, 1A, 1B ◀<br>► <b>M2</b> Skin. Sens. 1, 1A, 1B ◀                          |
| Germ cell mutagenicity                             | Muta. 1A<br>Muta. 1B<br>Muta. 2   |
| Carcinogenicity                                    | Carc. 1A<br>Carc. 1B<br>Carc. 2   |
| Reproductive toxicity                              | Repr. 1A<br>Repr. 1B<br>Repr. 2<br>Lact.  |
| Specific target organ toxicity — single exposure   | STOT SE 1<br>STOT SE 2<br>STOT SE 3   |
| Specific target organ toxicity — repeated exposure | STOT RE 1<br>STOT RE 2  |
| Aspiration hazard                                  | Asp. Tox. 1   |
| Hazardous to the aquatic environment               | Aquatic Acute 1<br>Aquatic Chronic 1<br>Aquatic Chronic 2<br>Aquatic Chronic 3<br>Aquatic Chronic 4 |
| Hazardous for the ozone layer                      | ► <b>M2</b> Ozone 1 ◀   |

(<sup>1</sup>) see Note U in 1.1.3.

## 1.1.2.1.2. Hazard statement codes

**▼M4**

The hazard statements assigned in accordance with Article 13(b) are indicated in accordance with Annex III. In addition, for certain hazard statements, letters are added to the 3-digit hazard statement code for further differentiations. The following additional codes are used:

**▼ B**

|        |  |
|--------|--|
| H350i  | May cause cancer by inhalation.  |
| H360F  | May damage fertility.  |
| H360D  | May damage the unborn child.   |
| H361f  | Suspected of damaging fertility.   |
| H361d  | Suspected of damaging the unborn child.                                  |
| H360FD | May damage fertility. May damage the unborn child.                       |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H360Fd | May damage fertility. Suspected of damaging the unborn child.            |
| H360Df | May damage the unborn child. Suspected of damaging fertility.            |

1.1.2.2. *Labelling codes*

In the labelling column, the following elements are listed:

- (i) the hazard pictogram codes as specified in Annex V, in accordance with the precedence rules in Article 26;
- (ii) the signal word code 'Dgr' for 'Danger' or 'Wng' for 'Warning', in accordance with the precedence rule in Article 20(3);
- (iii) the hazard statement codes as specified in Annex III, in accordance with the classification;
- (iv) the codes for the supplemental statements assigned in accordance with Article 25(1) and the rules specified in Annex II, part 1.

**▼ M14**1.1.2.3. *Specific concentration limits, M-factors and Acute Toxicity Estimates (ATE)*

Specific concentration limits (SCL), where different from the generic concentration limits given in Annex I for a certain category, are given in a separate column together with the classification concerned using the same codes as under 1.1.2.1.1. Also harmonised ATEs are listed in the same column of table 3. The SCLs and harmonised ATEs must be used by the manufacturer, importer or downstream user for the classification of a mixture containing this substance. When applying an ATE, the additivity formula as described in 3.1.3.6 of Annex I shall be used. Where no specific concentration limits are given in this Annex for a certain category, the generic concentration limits given in Annex I must be applied for the classification of substances containing impurities, additives or individual constituents or for mixtures. If harmonised ATE values are missing for acute toxicity the correct value has to be established by using the available data.

Unless otherwise shown, the concentration limits are a percentage by weight of the substance calculated with reference to the total weight of the mixture.



**▼M14**

In case an M-factor has been harmonised for substances classified as hazardous to the aquatic environment in the categories Aquatic Acute 1 or Aquatic Chronic 1, that M-factor is given in Table 3 in the same column as the specific concentration limits. In case an M-factor for Aquatic Acute 1 and an M-factor for Aquatic Chronic 1 have been harmonised, each M-factor shall be listed in the same line as its corresponding differentiation. Where a single M-factor is given in Table 3 and the substance is classified as Aquatic Acute 1 and Aquatic Chronic 1, that M-factor shall be used by the manufacturer, importer or downstream user for the classification of a mixture containing this substance for acute and long-term aquatic hazards using the summation method. Where no M-factor is given in Table 3, M-factor(s) based on available data for the substance shall be set by the manufacturer, importer or downstream user. For the setting and use of M-factors, see Section 4.1.3.5.5.5 of Annex I.

**▼B**1.1.3. *Notes assigned to an entry*

The note(s) assigned to an entry are listed in the column entitled 'Notes'. The meaning of the notes is as follows:

1.1.3.1. *Notes relating to the identification, classification and labelling of substances*

## Note A:

Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3.

In Part 3, use is sometimes made of a general description such as '... compounds' or '... salts'. In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

## Note B:

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

## Note C:

Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers.

In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

## Note D:

Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

**▼B**

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

**Note E (Table 3.2):**

Substances with specific effects on human health (see Chapter 4 of Annex VI to Directive 67/548/EEC) that are classified as carcinogenic, mutagenic and/or toxic for reproduction in categories 1 or 2 are ascribed Note E if they are also classified as very toxic (T+), toxic (T) or harmful (Xn). For these substances, the risk phrases R20, R21, R22, R23, R24, R25, R26, R27, R28, R39, R68 (harmful), R48 and R65 and all combinations of these risk phrases shall be preceded by the word 'Also'.

**Note F:**

This substance may contain a stabiliser. If the stabiliser changes the hazardous properties of the substance, as indicated by the classification in Part 3, classification and labelling should be provided in accordance with the rules for classification and labelling of hazardous mixtures.

**Note G:**

This substance may be marketed in an explosive form in which case it must be evaluated using the appropriate test methods. The classification and labelling provided shall reflect the explosive properties.

**▼M2**

\_\_\_\_\_

**▼B****Note J:**

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). This note applies only to certain complex coal- and oil-derived substances in Part 3.

**Note K:**

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102)-P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

**Note L:**

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

**Note M:**

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 0,005 % w/w benzo[a]-pyrene (EINECS No 200-028-5). This note applies only to certain complex coal-derived substances in Part 3.

**▼B**

## Note N:

The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Part 3.

## Note P:

The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7).

When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply.

This note applies only to certain complex oil-derived substances in Part 3.

## Note Q:

The classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions:

- a short term biopersistence test by inhalation has shown that the fibres longer than 20 µm have a weighted half-life less than 10 days; or
- a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20 µm have a weighted half-life less than 40 days; or
- an appropriate intra-peritoneal test has shown no evidence of excess carcinogenicity; or
- absence of relevant pathogenicity or neoplastic changes in a suitable long term inhalation test.

## Note R:

The classification as a carcinogen need not apply to fibres with a length weighted geometric mean diameter less two standard geometric errors greater than 6 µm.

## Note S:

This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1).

This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).

## Note T:

This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

**▼ M12**

Note U (Table 3.1):

When put on the market gases have to be classified as ‘Gases under pressure’, in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)

Press. Gas (Liq.)

Press. Gas (Ref. Liq.)

Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

**▼ B**

1.1.3.2. *Notes relating to the classification and labelling of mixtures*

**▼ M14**

Note 1:

The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.

**▼ B**

Note 2:

The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Note 3:

The concentration stated is the percentage by weight of chromate ions dissolved in water calculated with reference to the total weight of the mixture.

Note 5:

The concentration limits for gaseous mixtures are expressed as volume per volume percentage.

Note 7:

Alloys containing nickel are classified for skin sensitisation when the release rate of 0,5 µg Ni/cm<sup>2</sup>/week, as measured by the European Standard reference test method EN 1811, is exceeded.

**▼ M14**

Note 8:

The classification as a carcinogen need not apply if it can be shown that the maximum theoretical concentration of releasable formaldehyde, irrespective of the source, in the mixture as placed on the market is less than 0,1 %.

Note 9:

The classification as a mutagen need not apply if it can be shown that the maximum theoretical concentration of releasable formaldehyde, irrespective of the source, in the mixture as placed on the market is less than 1 %.

---

1.2. **Classifications and hazard statements in Table 3 arising from translation of classifications listed in Annex I to directive 67/548/EEC**

**▼ M14**1.2.1. ***Minimum classification***

For certain hazard classes, including acute toxicity and STOT repeated exposure, the classification according to the criteria in Directive 67/548/EEC does not correspond directly to the classification in a hazard class and category under this Regulation. In these cases the classification in this Annex shall be considered as a minimum classification. This classification shall be applied if none of the following conditions are fulfilled:

- the manufacturer or importer has access to data or other information, as specified in Part 1 of Annex I, that lead to classification in a more severe category compared to the minimum classification. Classification in the more severe category must then be applied,
- the minimum classification can be further refined based on the translation table in Annex VII when the physical state of the substance used in the acute inhalation toxicity test is known to the manufacturer or importer. The classification as obtained from Annex VII shall then substitute the minimum classification indicated in this Annex if it differs from it.

Minimum classification for a category is indicated by the reference \* in the column 'Classification' in Table 3.

The reference \* can also be found in the column 'Specific Conc. Limits and M-factors and Acute Toxicity Estimates (ATE)' where it indicates that the entry concerned had specific concentration limits under Directive 67/548/EEC for acute toxicity. These concentration limits cannot be 'translated' into concentration limits under this Regulation, especially when a minimum classification is given. However, when the reference \* is shown, the classification for acute toxicity for this entry may be of special concern.

1.2.2. ***Route of exposure cannot be excluded***

For certain hazard classes, e.g. STOT, the route of exposure should be indicated in the hazard statement only if it is conclusively proven that no other route of exposure can cause the hazard in accordance to the criteria in Annex I. Under Directive 67/548/EEC the route of exposure was indicated for classifications with R48 when there was data justifying the classification for this route of exposure. The classification under 67/548/EEC indicating the route of exposure has been translated into the corresponding class and category according to this Regulation, but with a general hazard statement not specifying the route of exposure as the necessary information is not available.

These hazard statements are indicated by the reference \*\* in Table 3.

1.2.3. ***Hazard statements for reproductive toxicity***

Hazard statements H360 and H361 indicate a general concern for effects on fertility and/or development: 'May damage/Suspected of damaging fertility or the unborn child'. According to the criteria, the general hazard statement can be replaced by the hazard statement indicating the specific effect of concern in accordance with

**▼ M14**

Section 1.1.2.1.2. When the other differentiation is not mentioned, this is due to evidence proving no such effect, inconclusive data or no data and the obligations in Article 4(3) shall apply for that differentiation.

In order not to lose information from the harmonised classifications for fertility and developmental effects under Directive 67/548/EEC, the classifications have been translated only for those effects classified under that Directive.

These hazard statements are indicated by the reference \*\*\* in Table 3.

1.2.4. ***Correct classification for physical hazards could not be established***

For some entries the correct classification for physical hazards could not be established because sufficient data are not available for the application of the classification criteria in this Regulation. The entry might be assigned to a different (also higher) category or even another hazard class than indicated. The correct classification shall be confirmed by testing.

The entries with physical hazards that need to be confirmed by testing are indicated by the reference \*\*\*\* in Table 3.

**▼ B**

2. PART 2: DOSSIERS FOR HARMONISED CLASSIFICATION AND LABELLING

This Part lays down general principles for preparing dossiers to propose and justify harmonised classification and labelling.

The relevant parts of sections 1, 2 and 3 of Annex I to Regulation (EC) No 1907/2006 shall be used for the methodology and format of any dossier.

For all dossiers any relevant information from registration dossiers shall be considered and other available information may be used. For hazard information which has not been previously submitted to the Agency, a robust study summary shall be included in the dossier.

A dossier for harmonised classification and labelling shall contain the following:

— Proposal

The proposal shall include the identity of the substance or substances concerned and the harmonised classification and labelling proposed.

— Justification for the proposed harmonised classification and labelling

A comparison of the available information with the criteria contained in Parts 2 to 5, taking into account the general principles in Part 1, of Annex I to this Regulation shall be completed and documented in the format set out in Part B of the Chemical Safety Report in Annex I to Regulation (EC) No 1907/2006.

**▼B**

— Justification for other effects at Community level

For other effects than carcinogenicity, mutagenicity, reprotoxicity and respiratory sensitisation a justification shall be provided that there is a need for action demonstrated at Community level. This does not apply for an active substance in the meaning of Directive 91/414/EEC or Directive 98/8/EC.

**▼M14**

3. PART 3: HARMONISED CLASSIFICATION AND LABELLING TABLE

---

▼B

Table 3.1

List of harmonised classification and labelling of hazardous substances

| Index No     | International Chemical Identification       | EC No     | CAS No     | Classification  |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 001-001-00-9 | hydrogen                                    | 215-605-7 | 1333-74-0  | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr                   | H220                                 |                                 |                                  | U     |
| ▼ <u>M1</u>  |   |           |            |   |  |   |                                      |                                 |                                  |       |
| 001-002-00-4 | aluminium lithium hydride                   | 240-877-9 | 16853-85-3 | Water-react. 1<br>Skin Corr. 1A   | H260<br>H314                                 | GHS02<br>GHS05<br>Dgr                   | H260<br>H314                         |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |            |   |  |   |                                      |                                 |                                  |       |
| 001-003-00-X | sodium hydride                              | 231-587-3 | 7646-69-7  | Water-react. 1  | H260   | GHS02<br>Dgr                            | H260                                 |                                 |                                  |       |
| 001-004-00-5 | calcium hydride                             | 232-189-2 | 7789-78-8  | Water-react. 1  | H260   | GHS02<br>Dgr                            | H260                                 |                                 |                                  |       |
| 003-001-00-4 | lithium                                     | 231-102-5 | 7439-93-2  | Water-react. 1<br>Skin Corr. 1B   | H260<br>H314                                 | GHS02<br>GHS05<br>Dgr                   | H260<br>H314                         | EUH014                          |                                  |       |
| 003-002-00-X | n-hexyllithium                              | 404-950-0 | 21369-64-2 | Water-react. 1<br>Pyr. Sol. 1<br>Skin Corr. 1A  | H260<br>H250<br>H314                         | GHS02<br>GHS05<br>Dgr                   | H260<br>H250<br>H314                 | EUH014                          |                                  |       |
| ▼ <u>M1</u>  |   |           |            |   |  |   |                                      |                                 |                                  |       |
| 003-003-00-5 | (2-methylpropyl)lithium;<br>isobutyllithium | 440-620-2 | 920-36-5   | Water-react. 1<br>Pyr. Liq. 1<br>Skin Corr. 1A<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H260<br>H250<br>H314<br>H336<br>H400<br>H410 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H260<br>H250<br>H314<br>H336<br>H410 | EUH014                          |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 004-001-00-7 | beryllium   | 231-150-7 | 7440-41-7 | Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1                      | H350i<br>H330<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H317         | GHS06<br>GHS08<br>Dgr          | H350i<br>H330<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H317         |                                 |                                  |       |
| 004-002-00-2 | beryllium compounds with the exception of aluminium beryllium silicates, and with those specified elsewhere in this Annex | —         | —         | Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350i<br>H330<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350i<br>H330<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H317<br>H411 |                                 | A                                |       |
| 004-003-00-8 | beryllium oxide   | 215-133-1 | 1304-56-9 | Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1                      | H350i<br>H330<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H317         | GHS06<br>GHS08<br>Dgr          | H350i<br>H330<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H317         |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification | EC No     | CAS No     | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---------------------------------------|-----------|------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|                     |                                       |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 005-001-00-X        | boron trifluoride                     | 231-569-5 | 7637-07-2  | Press. Gas<br>Acute Tox. 2 *<br>Skin Corr. 1A  | H330<br>H314   | GHS04<br>GHS06<br>GHS05<br>Dgr          | H330<br>H314   | EUH014                          |                                  | U     |
| 005-002-00-5        | boron trichloride                     | 233-658-4 | 10294-34-5 | Press. Gas<br>Acute Tox. 2 *<br>Acute Tox. 2 *<br>Skin Corr. 1B  | H330<br>H300<br>H314   | GHS04<br>GHS06<br>GHS05<br>Dgr          | H330<br>H300<br>H314   | EUH014                          |                                  | U     |
| 005-003-00-0        | boron tribromide                      | 233-657-9 | 10294-33-4 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Skin Corr. 1A  | H330<br>H300<br>H314   | GHS06<br>GHS05<br>Dgr                   | H330<br>H300<br>H314   | EUH014                          |                                  |       |
| 005-004-00-6        | trialkylboranes, solid                | —         | —          | Pyr. Sol. 1<br>Skin Corr. 1B   | H250<br>H314   | GHS02<br>GHS05<br>Dgr                   | H250<br>H314   |                                 |                                  | A     |
| 005-004-01-3        | trialkylboranes, liquid               | —         | —          | Pyr. Liq. 1<br>Skin Corr. 1B   | H250<br>H314   | GHS02<br>GHS05<br>Dgr                   | H250<br>H314   |                                 |                                  | A     |
| 005-005-00-1        | trimethyl borate                      | 204-468-9 | 121-43-7   | Flam. Liq. 3<br>Acute Tox. 4 *   | H226<br>H312   | GHS02<br>GHS07<br>Wng                   | H226<br>H312   |                                 |                                  |       |
| ▼M6<br>005-006-00-7 | dibutyltin hydrogen borate            | 401-040-5 | 75113-37-0 | Repr. 1B<br>Muta. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360FD<br>H341<br>H372**<br>H312<br>H302<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H360FD<br>H341<br>H372**<br>H312<br>H302<br>H318<br>H317<br>H410 |                                 |                                  |       |

▼ **B**

| Index No                    | International Chemical Identification  | EC No   | CAS No  | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors  | Notes |
|-----------------------------|--|---|---|--|------------------------------|--------------------------------|------------------------------|---------------------------------|-----------------------------------|-------|
|                             |  |   |   | Hazard Class and Category Code(s)                        | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                   |       |
| ▼ <b>M6</b><br>005-007-00-2 | boric acid; [1]<br>boric acid; [2]   | 233-139-2 [1]<br>234-343-4 [2]                  | 10043-35-3 [1]<br>11113-50-1 [2]                  | Repr. 1B   | H360FD                       | GHS08<br>Dgr                   | H360FD                       |                                 | Repr. 1B;<br>H360FD: C ≥<br>5,5 % |       |
| ▼ <b>M1</b><br>005-008-00-8 | diboron trioxide;<br>boric oxide   | 215-125-8                                       | 1303-86-2   | Repr. 1B   | H360FD                       | GHS08<br>Dgr                   | H360FD                       |                                 | Repr. 1B;<br>H360FD: C ≥<br>3,1 % |       |
| ▼ <b>B</b><br>005-009-00-3  | tetrabutylammonium butyltrip-<br>henylborate   | 418-080-4                                       | 120307-06-4                                       | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H317<br>H410                 |                                 |                                   |       |
| 005-010-00-9                | <i>N,N</i> -dimethylanilinium tetra-<br>kis(pentafluorophenyl)borate   | 422-050-6                                       | 118612-00-3                                       | Carc. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1 | H351<br>H302<br>H315<br>H318 | GHS08<br>GHS05<br>GHS07<br>Dgr | H351<br>H302<br>H315<br>H318 |                                 |                                   |       |
| ▼ <b>M1</b><br>005-011-00-4 | disodium tetraborate,<br>anhydrous;<br>boric acid, disodium salt; [1]<br>tetraboron disodium heptaoxide,<br>hydrate; [2]<br>orthoboric acid, sodium salt [3] | 215-540-4 [1]<br>235-541-3 [2]<br>237-560-2 [3] | 1330-43-4 [1]<br>12267-73-1 [2]<br>13840-56-7 [3] | Repr. 1B   | H360FD                       | GHS08<br>Dgr                   | H360FD                       |                                 | Repr. 1B;<br>H360FD: C ≥<br>4,5 % |       |
| 005-011-01-1                | disodium tetraborate decahy-<br>drate;<br>borax decahydrate  | 215-540-4                                       | 1303-96-4   | Repr. 1B   | H360FD                       | GHS08<br>Dgr                   | H360FD                       |                                 | Repr. 1B;<br>H360FD: C ≥<br>8,5 % |       |
| 005-011-02-9                | disodium tetraborate pentahy-<br>drate;<br>borax pentahydrate  | 215-540-4                                       | 12179-04-3  | Repr. 1B   | H360FD                       | GHS08<br>Dgr                   | H360FD                       |                                 | Repr. 1B;<br>H360FD: C ≥<br>6,5 % |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                       | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                       | Suppl. Hazard statement Code(s) |                                  |       |
| 005-012-00-X | diethyl{4-[1,5,5-tris(4-diethylaminophenyl)penta-2,4-dienylidene]cyclohexa-2,5-dienylidene}ammonium butyltriphenylborate | 418-070-1 | 141714-54-7 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H317<br>H400<br>H410   | GHS07<br>GHS09<br>Wng                   | H317<br>H410   |                                 |                                  |       |
| 005-013-00-5 | diethylmethoxyborane   | 425-380-9 | 7397-46-8   | Pyr. Liq. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 4 | H250<br>H332<br>H312<br>H302<br>H373**<br>H314<br>H317<br>H413 | GHS02<br>GHS05<br>GHS08<br>GHS07<br>Dgr | H250<br>H332<br>H312<br>H302<br>H373**<br>H314<br>H317<br>H413 |                                 |                                  |       |
| 005-014-00-0 | 4-formylphenylboronic acid   | 438-670-5 | 87199-17-5  | Skin Sens. 1   | H317   | GHS07<br>Wng                            | H317   |                                 |                                  |       |
| 005-015-00-6 | 1-chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate)  | 414-380-4 | 140681-55-6 | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3  | H302<br>H318<br>H317<br>H412                                   | GHS05<br>GHS07<br>Dgr                   | H302<br>H318<br>H317<br>H412                                   |                                 |                                  |       |
| 005-016-00-1 | tetrabutylammonium butyl tris-(4- <i>tert</i> -butylphenyl)borate  | 431-370-5 | —           | Aquatic Chronic 4  | H413   | —                                       | H413   |                                 |                                  |       |

## ▼M1

## ▼ M1

| Index No     | International Chemical Identification  | EC No                              | CAS No                              | Classification  |  | Labelling   |  |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|------------------------------------|-------------------------------------|---|--|---|--|---------------------------------|--|-------|
|              |  |                                    |                                     | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |  |       |
| 005-017-00-7 | sodium perborate; [1]  | 239-172-9 [1]                      | 15120-21-5 [1]                      | Ox. Sol. 2  | H272   | GHS03   | H272   |                                 | Repr. 1B;<br>H360Df: C ≥ 9 %   |       |
|              | sodium peroxometaborate; [2]<br><br>sodium peroxoborate;<br><br>[containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm]                              | 231-556-4 [2]                      | 7632-04-4 [2]                       | Repr. 1B<br><br>Acute Tox. 4 *<br><br>STOT SE 3<br><br>Eye Dam. 1   | H360Df<br><br>H302<br><br>H335<br><br>H318                         | GHS05<br><br>GHS08<br><br>GHS07<br><br>Dgr              | H360Df<br><br>H302<br><br>H335<br><br>H318                         |                                 | Repr. 1B;<br>H360D: 6,5 % ≤ C < 9 %<br><br>Eye Dam. 1;<br>H318: C ≥ 22 %<br><br>Eye Irrit. 2;<br>H319: 14 % ≤ C < 22 %                                     |       |
| 005-017-01-4 | sodium perborate; [1]<br><br>sodium peroxometaborate; [2]<br><br>sodium peroxoborate;<br><br>[containing ≥ 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm] | 239-172-9 [1]<br><br>231-556-4 [2] | 15120-21-5 [1]<br><br>7632-04-4 [2] | Ox. Sol. 2<br><br>Repr. 1B<br><br>Acute Tox. 3 *<br><br>Acute Tox. 4 *<br><br>STOT SE 3<br><br>Eye Dam. 1 | H272<br><br>H360Df<br><br>H331<br><br>H302<br><br>H335<br><br>H318 | GHS03<br><br>GHS06<br><br>GHS05<br><br>GHS08<br><br>Dgr | H272<br><br>H360Df<br><br>H331<br><br>H302<br><br>H335<br><br>H318 |                                 | Repr. 1B;<br>H360Df: C ≥ 9 %<br><br>Repr. 1B;<br>H360D: 6,5 % ≤ C < 9 %<br><br>Eye Dam. 1;<br>H318: C ≥ 22 %<br><br>Eye Irrit. 2;<br>H319: 14 % ≤ C < 22 % |       |

▼ **M6**

| Index No     | International Chemical Identification   | EC No         | CAS No         | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|---------------|----------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|---|-------|
|              |   |               |                | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |   |       |
| 005-018-00-2 | perboric acid (H3BO2(O2)), monosodium salt trihydrate; [1]  | 239-172-9 [1] | 13517-20-9 [1] | Repr. 1B                          | H360Df                   | GHS05                          | H360Df                   |                                 | Repr. 1B;<br>H360Df: C ≥ 14 %<br><br>Repr. 1B;<br>H360D: 10 % ≤ C < 14 %<br><br>Eye Dam. 1;<br>H318: C ≥ 36 %<br><br>Eye Irrit. 2;<br>H319: 22 % ≤ C < 36 % |       |
|              | perboric acid, sodium salt, tetrahydrate; [2]   | 234-390-0 [2] | 37244-98-7 [2] | STOT SE 3                         | H335                     | GHS08                          | H335                     |                                 |   |       |
|              | perboric acid (HBO(O2)), sodium salt, tetrahydrate [3]  | 231-556-4 [3] | 10486-00-7 [3] | Eye Dam. 1                        | H318                     | GHS07                          | H318                     |                                 |   |       |
|              | sodium peroxoborate hexahydrate;<br><br>[containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm] |               |                |                                   |                          | Dgr                            |                          |                                 |   |       |
| 005-018-01-X | perboric acid (H3BO2(O2)), monosodium salt, trihydrate; [1]   | 239-172-9 [1] | 13517-20-9 [1] | Repr. 1B                          | H360Df                   | GHS05                          | H360Df                   |                                 | Repr. 1B; H360Df: C ≥ 14 %<br><br>Repr. 1B;<br>H360D: 10 % ≤ C < 14 %<br><br>Eye Dam. 1;<br>H318: C ≥ 36 %<br><br>Eye Irrit. 2;<br>H319: 22 % ≤ C < 36 %    |       |
|              | perboric acid, sodium salt, tetrahydrate; [2]   | 234-390-0 [2] | 37244-98-7 [2] | Acute Tox. 4 *                    | H332                     | GHS08                          | H332                     |                                 |   |       |
|              | perboric acid (HBO(O2)), sodium salt, tetrahydrate; [3]   | 231-556-4 [3] | 10486-00-7 [3] | STOT SE 3                         | H335                     | GHS07                          | H335                     |                                 |   |       |
|              | sodium peroxoborate hexahydrate;<br><br>[containing ≥ 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm] |               |                | Eye Dam. 1                        | H318                     | Dgr                            | H318                     |                                 |   |       |

▼ **M1**

▼ M6

| Index No     | International Chemical Identification   | EC No         | CAS No         | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|---|---------------|----------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|--|-------|
|              |   |               |                | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |  |       |
| 005-019-00-8 | perboric acid, sodium salt; [1]   | 234-390-0 [1] | 11138-47-9 [1] | Ox. Sol. 3                        | H272                     | GHS03                          | H272                     |                                 | Repr. 1B;<br>H360Df: C ≥ 9 %<br><br>Repr. 1B;<br>H360D: 6,5 % ≤ C < 9 %<br><br>Eye Dam. 1;<br>H318: C ≥ 22 %<br><br>Eye Irrit. 2;<br>H319: 14 % ≤ C < 22 % |       |
|              | perboric acid, sodium salt, monohydrate; [2]  | 234-390-0 [2] | 12040-72-1 [2] | Repr. 1B                          | H360Df                   | GHS05                          | H360Df                   |                                 |  |       |
|              | perboric acid (HBO(O2)), sodium salt, monohydrate; [3]  | 231-556-4 [3] | 10332-33-9 [3] | Acute Tox. 4 *                    | H302                     | GHS08                          | H302                     |                                 |  |       |
|              | sodium peroxoborate;<br><br>[containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm] |               |                | STOT SE 3                         | H335                     | GHS07                          | H335                     |                                 |  |       |
| 005-019-01-5 | perboric acid, sodium salt; [1]   | 234-390-0 [1] | 11138-47-9 [1] | Ox. Sol. 3                        | H272                     | GHS03                          | H272                     |                                 | Repr. 1B;<br>H360Df: C ≥ 9 %<br><br>Repr. 1B;<br>H360D: 6,5 % ≤ C < 9 %<br><br>Eye Dam. 1;<br>H318: C ≥ 22 %<br><br>Eye Irrit. 2;<br>H319: 14 % ≤ C < 22 % |       |
|              | perboric acid, sodium salt, monohydrate; [2]  | 234-390-0 [2] | 12040-72-1 [2] | Repr. 1B                          | H360Df                   | GHS06                          | H360Df                   |                                 |  |       |
|              | perboric acid (HBO(O2)), sodium salt, monohydrate [3]   | 231-556-4 [3] | 10332-33-9 [3] | Acute Tox. 3 *                    | H331                     | GHS05                          | H331                     |                                 |  |       |
|              | sodium peroxoborate;<br><br>[containing ≥ 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm] |               |                | Acute Tox. 4 *                    | H302                     | GHS08                          | H302                     |                                 |  |       |
|              |   |               |                | STOT SE 3                         | H335                     | Dgr                            | H335                     |                                 |  |       |
|              |   |               |                | Eye Dam. 1                        | H318                     |                                | H318                     |                                 |  |       |

## ▼B

| Index No             | International Chemical Identification                                      | EC No                          | CAS No                           | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|----------------------|--|--------------------------------|----------------------------------|--|---|---|---|---------------------------------|---|-------|
|                      |  |                                |                                  | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |   |       |
| ▼M13<br>005-020-00-3 | disodium octaborate anhydrous; [1]<br>disodium octaborate tetrahydrate [2] | 234-541-0 [1]<br>234-541-0 [2] | 12008-41-2 [1]<br>12280-03-4 [2] | Repr. 1B   | H360FD  | GHS08<br>Dgr                            | H360FD  |                                 |   |       |
| ▼B<br>006-001-00-2   | carbon monoxide  | 211-128-3                      | 630-08-0                         | Flam. Gas 1<br>Press. Gas<br>Repr. 1A<br>Acute Tox. 3 *<br>STOT RE 1   | H220<br>H360D ***<br>H331<br>H372 **                            | GHS02<br>GHS04<br>GHS06<br>GHS08<br>Dgr | H220<br>H360D ***<br>H331<br>H372 **                    |                                 |   | U     |
| 006-002-00-8         | phosgene;<br>carbonyl chloride   | 200-870-3                      | 75-44-5                          | Press. Gas<br>Acute Tox. 2 *<br>Skin Corr. 1B  | H330<br>H314  | GHS04<br>GHS06<br>GHS05<br>Dgr          | H330<br>H314  |                                 |   | U     |
| 006-003-00-3         | carbon disulphide  | 200-843-6                      | 75-15-0                          | Flam. Liq. 2<br>Repr. 2<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Irrit. 2  | H225<br>H361fd<br>H372 **<br>H319<br>H315                       | GHS02<br>GHS08<br>GHS07<br>Dgr          | H225<br>H361fd<br>H372 **<br>H319<br>H315               |                                 | Repr. 2;<br>H361fd: C ≥ 1 %<br>STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,2 % ≤ C < 1 % |       |
| 006-004-00-9         | calcium carbide  | 200-848-3                      | 75-20-7                          | Water-react. 1   | H260  | GHS02<br>Dgr                            | H260  |                                 |   | T     |
| 006-005-00-4         | thiram (ISO);<br>tetramethylthiuram disulphide                             | 205-286-2                      | 137-26-8                         | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H373 **<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H373 **<br>H319<br>H315<br>H317<br>H410 |                                 | M = 10  |       |



▼B

| Index No                    | International Chemical Identification   | EC No     | CAS No   | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|----------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                             |   |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 006-006-00-X                | hydrogen cyanide;<br>hydrocyanic acid   | 200-821-6 | 74-90-8  | Flam. Liq. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H224<br>H330<br>H400<br>H410         | GHS02<br>GHS06<br>GHS09<br>Dgr | H224<br>H330<br>H410         |                                 |                                  |       |
| 006-006-01-7                | hydrogen cyanide ... %;<br>hydrocyanic acid ... %   | 200-821-6 | 74-90-8  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H410 |                                 |                                  | B     |
| ▼ <u>M1</u><br>006-007-00-5 | salts of hydrogen cyanide with the exception of complex cyanides such as ferrocyanides, ferricyanides and mercuric oxycyanide and those specified elsewhere in this Annex | —         | —        | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H410 | EUH032                          |                                  | A     |
| ▼ <u>B</u><br>006-008-00-0  | antu (ISO);<br>1-(1-naphthyl)-2-thiourea  | 201-706-3 | 86-88-4  | Acute Tox. 2 *<br>Carc. 2  | H300<br>H351                         | GHS06<br>GHS08<br>Dgr          | H300<br>H351                 |                                 |                                  |       |
| 006-009-00-6                | 1-isopropyl-3-methylpyrazol-5-yl dimethylcarbamate;<br>isolan   | 204-318-2 | 119-38-0 | Acute Tox. 1<br>Acute Tox. 2 *   | H310<br>H300                         | GHS06<br>Dgr                   | H310<br>H300                 |                                 |                                  |       |
| 006-010-00-1                | 5,5-dimethyl-3-oxocyclohex-1-enyl dimethylcarbamate 5,5-dimethyldihydroresorcinol dimethylcarbamate;<br>dimetan   | 204-525-8 | 122-15-6 | Acute Tox. 3 *   | H301                                 | GHS06<br>Dgr                   | H301                         |                                 |                                  |       |

## ▼ M1

| Index No             | International Chemical Identification                      | EC No     | CAS No   | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|--|-----------|----------|--|---|---|---|---------------------------------|----------------------------------|-------|
|                      |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                  |       |
| 006-011-00-7         | carbaryl (ISO);<br>1-naphthyl methylcarbamate              | 200-555-0 | 63-25-2  | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1   | H351<br>H332<br>H302<br>H400                                    | GHS08<br>GHS07<br>GHS09<br>Wng          | H351<br>H332<br>H302<br>H400                            |                                 | M=100                            |       |
| ▼ B<br>006-012-00-2  | ziram (ISO);<br>zinc bis dimethyldithiocarbamate           | 205-288-3 | 137-30-4 | Acute Tox. 2 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H302<br>H373 **<br>H335<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H330<br>H302<br>H373 **<br>H335<br>H318<br>H317<br>H410 |                                 | M = 100                          |       |
| 006-013-00-8         | metam-sodium (ISO);<br>sodium methyldithiocarbamate        | 205-293-0 | 137-42-8 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H314<br>H317<br>H400<br>H410                            | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H314<br>H317<br>H410                            | EUH031                          |                                  |       |
| 006-014-00-3         | nabam (ISO);<br>disodium ethylenebis(N,N'-dithiocarbamate) | 205-547-0 | 142-59-6 | Acute Tox. 4 *<br>STOT SE 3<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H335<br>H317<br>H410                                    | GHS07<br>GHS09<br>Wng                   | H302<br>H335<br>H317<br>H410                            |                                 |                                  |       |
| ▼ M6<br>006-015-00-9 | diuron (ISO);<br>3-(3,4-dichlorophenyl)-1,1-dimethylurea   | 206-354-4 | 330-54-1 | Carc. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H302<br>H373**<br>H400<br>H410                          | GHS08<br>GHS07<br>GHS09<br>Wng          | H351<br>H302<br>H373**<br>H410                          |                                 | M = 10                           |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 006-016-00-4 | propoxur (ISO);<br>2-isopropoxyloxyphenyl <i>N</i> -methylcarbamate;<br>2-isopropoxyphenyl methylcarbamate | 204-043-8 | 114-26-1  | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                       | H301<br>H400<br>H410                              | GHS06<br>GHS09<br>Dgr          | H301<br>H410                              |                                 |                                  |       |
| 006-017-00-X | aldicarb (ISO);<br>2-methyl-2-(methylthio)propanal- <i>O</i> -( <i>N</i> -methylcarbamoyl)oxime            | 204-123-2 | 116-06-3  | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H330<br>H300<br>H311<br>H400<br>H410              | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H311<br>H410              |                                 |                                  |       |
| 006-018-00-5 | aminocarb (ISO);<br>4-dimethylamino-3-tolyl methylcarbamate  | 217-990-7 | 2032-59-9 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H311<br>H301<br>H400<br>H410                      | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410                      |                                 |                                  |       |
| 006-019-00-0 | di-allate (ISO);<br><i>S</i> -(2,3-dichloroallyl)- <i>N,N</i> -diisopropylthiocarbamate                    | 218-961-1 | 2303-16-4 | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H351<br>H302<br>H400<br>H410                      | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410                      |                                 |                                  |       |
| 006-020-00-6 | barban (ISO);<br>4-chlorbut-2-ynyl <i>N</i> -(3-chlorophenyl)carbamate                                     | 202-930-4 | 101-27-9  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H302<br>H317<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                      |                                 |                                  |       |
| 006-021-00-1 | linuron (ISO);<br>3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea  | 206-356-5 | 330-55-2  | Repr. 1B<br>Carc. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H351<br>H302<br>H373 **<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360Df<br>H351<br>H302<br>H373 **<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No                                  | CAS No   | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--|--|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 006-022-00-7 | decarbofuran (ISO);<br>2,3-dihydro-2-methylbenzo-<br>furan-7-yl methylcarbamate  | —                                      | 1563-67-3  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *                       | H331<br>H311<br>H301         | GHS06<br>Dgr                   | H331<br>H311<br>H301     |                                 |                                  |       |
| 006-023-00-2 | mercaptodimethur (ISO);<br>methiocarb (ISO);<br>3,5-dimethyl-4-methyl-<br>thiophenyl <i>N</i> -methylcarbamate   | 217-991-2                              | 2032-65-7  | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H301<br>H410             |                                 |                                  |       |
| 006-024-00-8 | proxan-sodium (ISO);<br>sodium <i>O</i> -isopropylidithiocar-<br>bonate  | 205-443-5                              | 140-93-2   | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Chronic 2                     | H302<br>H315<br>H411         | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H411     |                                 |                                  |       |
| 006-025-00-3 | allethrin;<br>( <i>RS</i> )-3-allyl-2-methyl-4-<br>oxocyclopent-2-enyl<br>( <i>1RS,3RS</i> ; <i>1RS,3SR</i> )-2,2-<br>dimethyl-3-(2-methylprop-1-<br>enyl)cyclopropanecarboxylate;<br>bioallethrin;<br>( <i>RS</i> )-3-allyl-2-methyl-4-<br>oxocyclopent-2-enyl ( <i>1R,3R</i> )-<br>2,2-dimethyl-3-(2-methylprop-<br>1-enyl)cyclopropanecarboxylate;<br>[1]<br>S-bioallethrin;<br>( <i>S</i> )-3-allyl-2-methyl-4-<br>oxocyclopent-2-enyl ( <i>1R,3R</i> )-<br>2,2-dimethyl-3-(2-methylprop-<br>1-enyl)cyclopropanecarboxylate;<br>[2]<br>esbiothrin; | 209-542-4 [1]<br>249-013-5 [2]-<br>[3] | 584-79-2 [1]<br>28434-00-6 [2]<br>84030-86-4 [3] | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H410     |                                 | C                                |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
|              | ( <i>RS</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl ( <i>1R,3R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate [3] |           |            |  |                                      |                                |                              |                                 |                                  |       |
| 006-026-00-9 | carbofuran (ISO);<br>2,3-dihydro-2,2-dimethylbenzofuran-7-yl <i>N</i> -methylcarbamate  | 216-353-0 | 1563-66-2  | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H330<br>H300<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H410         |                                 |                                  |       |
| 006-028-00-X | dinobuton (ISO);<br>2-(1-methylpropyl)-4,6-dinitrophenyl isopropyl carbonate  | 213-546-1 | 973-21-7   | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H301<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H301<br>H410                 |                                 |                                  |       |
| 006-029-00-5 | dioxacarb (ISO);<br>2-(1,3-dioxolan-2-yl)phenyl <i>N</i> -methylcarbamate   | 230-253-4 | 6988-21-2  | Acute Tox. 3 *<br>Aquatic Chronic 2  | H301<br>H411                         | GHS06<br>GHS09<br>Dgr          | H301<br>H411                 |                                 |                                  |       |
| 006-030-00-0 | EPTC (ISO);<br><i>S</i> -ethyl dipropylthiocarbamate  | 212-073-8 | 759-94-4   | Acute Tox. 4 *   | H302                                 | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 006-031-00-6 | formetanate (ISO);<br>3-[( <i>EZ</i> )-dimethylaminomethyl-eneamino]phenyl methylcarbamate  | 244-879-0 | 22259-30-9 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H317<br>H410 |                                 |                                  |       |
| 006-032-00-1 | monolinuron (ISO);<br>3-(4-chlorophenyl)-1-methoxy-1-methylurea   | 217-129-5 | 1746-81-2  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H302<br>H373 **<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H410      |                                 |                                  |       |
| 006-033-00-7 | metoxuron (ISO);<br>3-(3-chloro-4-methoxyphenyl)-1,1-dimethylurea   | 243-433-2 | 19937-59-8 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                         |                                 |                                  |       |

▼ **B**

| Index No                     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|--|-----------|------------|---|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|                              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 006-034-00-2                 | pebulate (ISO);<br><i>N</i> -butyl- <i>N</i> -ethyl- <i>S</i> -propylthiocarbamate | 214-215-4 | 1114-71-2  | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                                 | GHS07<br>GHS09<br>Wng          | H302<br>H411                         |                                 |                                  |       |
| ▼ <b>M13</b><br>006-035-00-8 | pirimicarb (ISO); 2-(dimethylamino)-5,6-dimethylpyrimidin-4-yl dimethylcarbamate   | 245-430-1 | 23103-98-2 | Carc. 2<br>Acute Tox. 3<br>Acute Tox. 3<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H301<br>H317<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr | H351<br>H331<br>H301<br>H317<br>H410 |                                 | M = 10<br>M = 100                |       |
| ▼ <b>B</b><br>006-036-00-3   | benzthiazuron (ISO);<br>1-benzothiazol-2-yl-3-methylurea                           | 217-685-9 | 1929-88-0  | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302                                 |                                 |                                  |       |
| 006-037-00-9                 | promecarb (ISO);<br>3-isopropyl-5-methylphenyl <i>N</i> -methylcarbamate           | 220-113-0 | 2631-37-0  | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H301<br>H400<br>H410                         | GHS06<br>GHS09<br>Dgr          | H301<br>H410                         |                                 |                                  |       |
| 006-038-00-4                 | sulfallate (ISO);<br>2-chloroallyl <i>N,N</i> -dimethyl-dithiocarbamate            | 202-388-9 | 95-06-7    | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H350<br>H302<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410                 |                                 |                                  |       |
| 006-039-00-X                 | tri-allate (ISO);<br><i>S</i> -2,3,3-trichloroallyl diisopropylthiocarbamate       | 218-962-7 | 2303-17-5  | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H302<br>H373 **<br>H317<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H317<br>H410      |                                 |                                  |       |
| 006-040-00-5                 | 3-methylpyrazol-5-yl-dimethylcarbamate;<br>monometilan                             | —         | 2532-43-6  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *  | H331<br>H311<br>H301                         | GHS06<br>Dgr                   | H331<br>H311<br>H301                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification                                   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|-----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                   |       |
| 006-041-00-0 | dimethylcarbamoyl chloride  | 201-208-6 | 79-44-7    | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H350<br>H331<br>H302<br>H319<br>H335<br>H315 | GHS06<br>GHS08<br>Dgr          | H350<br>H331<br>H302<br>H319<br>H335<br>H315 |                                 | Carc. 1B;<br>H350: C ≥<br>0,001 % |       |
| 006-042-00-6 | monuron (ISO);<br>3-(4-chlorophenyl)-1,1-dimethylurea                   | 205-766-1 | 150-68-5   | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                          | H351<br>H302<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410                         |                                 |                                   |       |
| 006-043-00-1 | 3-(4-chlorophenyl)-1,1-dimethyluronium trichloroacetate;<br>monuron-TCA | —         | 140-41-0   | Carc. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H351<br>H319<br>H315<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H319<br>H315<br>H410                 |                                 |                                   |       |
| 006-044-00-7 | isoproturon (ISO);<br>3-(4-isopropylphenyl)-1,1-dimethylurea            | 251-835-4 | 34123-59-6 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H400<br>H410                         | GHS08<br>GHS09<br>Wng          | H351<br>H410                                 |                                 | M = 10                            |       |
| ▼M1          |   |           |            |  |  |                                |  |                                 |                                   |       |
| 006-045-00-2 | methomyl (ISO);<br>1-(methylthio)ethylideneamino<br>N-methylcarbamate   | 240-815-0 | 16752-77-5 | Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H300<br>H400<br>H410                         | GHS06<br>GHS09<br>Dgr          | H300<br>H410                                 |                                 | M=100                             |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 006-046-00-8 | bendiocarb (ISO);<br>2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate   | 245-216-8 | 22781-23-3 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H410         | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H312<br>H410 |                                 |                                  |       |
| 006-047-00-3 | bufencarb (ISO);<br>reaction mass of 3-(1-methylbutyl)phenyl N-methylcarbamate and 3-(1-ethylpropyl)phenyl N-methylcarbamate | —         | 8065-36-9  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H311<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410         |                                 |                                  |       |
| 006-048-00-9 | ethiofencarb (ISO);<br>2-(ethylthiomethyl)phenyl N-methylcarbamate   | 249-981-9 | 29973-13-5 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 006-049-00-4 | dixanthogen;<br>O,O-diethyl dithiobis(thioformate)   | 207-944-4 | 502-55-6   | Acute Tox. 4 *   | H302                                 | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 006-050-00-X | 1,1-dimethyl-3-phenyluronium trichloroacetate;<br>fenuron-TCA  | —         | 4482-55-7  | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H315<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H315<br>H410                 |                                 |                                  |       |
| 006-051-00-5 | ferbam (ISO);<br>iron tris(dimethylthiocarbamate)  | 238-484-2 | 14484-64-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1         | H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H410 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 006-052-00-0 | formetanate hydrochloride;<br>3-( <i>N,N</i> -dimethylaminomethyl-eneamino)phenyl <i>N</i> -methylcarbamate | 245-656-0 | 23422-53-9 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H317<br>H410 |                                 |                                  |       |
| 006-053-00-6 | isoproc carb (ISO);<br>2-isopropylphenyl <i>N</i> -methylcarbamate  | 220-114-6 | 2631-40-5  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 006-054-00-1 | mexacarbate (ISO);<br>3,5-dimethyl-4-dimethylamino-phenyl <i>N</i> -methylcarbamate                         | 206-249-3 | 315-18-4   | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H300<br>H312<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H300<br>H312<br>H410         |                                 |                                  |       |
| 006-055-00-7 | xylylcarb (ISO);<br>3,4-dimethylphenyl <i>N</i> -methylcarbamate;<br>3,4-xylyl methylcarbamate;<br>MPMC     | 219-364-9 | 2425-10-7  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 006-056-00-2 | metolcarb (ISO);<br><i>m</i> -tolyl methylcarbamate;<br>MTMC  | 214-446-0 | 1129-41-5  | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |
| 006-057-00-8 | nitrapyrin (ISO);<br>2-chloro-6-trichloromethylpyridine   | 217-682-2 | 1929-82-4  | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                                       | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 006-058-00-3 | noruron (ISO);<br>1,1-dimethyl-3-(perhydro-4,7-methanoinden-5-yl)urea                                   | —         | 2163-79-3  | Acute Tox. 4 *  | H302                         | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 006-059-00-9 | oxamyl (ISO);<br><i>N,N</i> -dimethylcarbamoyl(methylthio)methylenamine<br><i>N</i> -methylcarbamate;   | 245-445-3 | 23135-22-0 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2 | H330<br>H300<br>H312<br>H411 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H312<br>H411 |                                 |                                  |       |
| 006-060-00-4 | oxycarboxin (ISO);<br>2,3-dihydro-6-methyl-5-( <i>N</i> -phenylcarbamoyl)-1,4-oxothiine<br>4,4-dioxide  | 226-066-2 | 5259-88-1  | Acute Tox. 4 *<br>Aquatic Chronic 3                                     | H302<br>H412                 | GHS07<br>Wng                   | H302<br>H412                 |                                 |                                  |       |
| 006-061-00-X | <i>S</i> -ethyl <i>N</i> -(dimethylaminopropyl)thiocarbamatehydrochloride;<br>prothiocarb hydrochloride | 243-193-9 | 19622-19-6 | Acute Tox. 4 *<br>Aquatic Chronic 2                                     | H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |
| 006-062-00-5 | methyl 3,4-dichlorophenylcarbamilate;<br>SWEP.  | —         | 1918-18-9  | Acute Tox. 4 *  | H302                         | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 006-063-00-0 | thiobencarb (ISO);<br><i>S</i> -4-chlorobenzyl diethylthiocarbamate                                     | 248-924-5 | 28249-77-6 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 006-064-00-6 | thiofanox (ISO);<br>3,3-dimethyl-1-(methylthio)butanone- <i>O</i> -( <i>N</i> -methylcarbamoyl)oxime    | 254-346-4 | 39196-18-4 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 006-065-00-1 | 3-chloro-6-cyano-bicyclo(2,2,1)heptan-2-one- <i>O</i> -( <i>N</i> -methylcarbamoyl)oxime; triamid | —         | 15271-41-7 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2                             | H300<br>H311<br>H411                 | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H411         |                                 |                                  |       |
| 006-066-00-7 | vernolate (ISO);<br><i>S</i> -propyl dipropylthiocarbamate  | 217-681-7 | 1929-77-7  | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |
| 006-067-00-2 | XMC;<br>3,5-xylyl methylcarbamate   | —         | 2655-14-3  | Acute Tox. 4 *  | H302                                 | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 006-068-00-8 | diazomethane  | 206-382-7 | 334-88-3   | Carc. 1B  | H350                                 | GHS08<br>Dgr                   | H350                         |                                 |                                  |       |
| 006-069-00-3 | thiophanate-methyl (ISO);<br>1,2-di-(3-methoxycarbonyl-2-thioureido)benzene                       | 245-740-7 | 23564-05-8 | Muta. 2<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H332<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H332<br>H317<br>H410 |                                 |                                  |       |
| 006-070-00-9 | furmecyclox (ISO);<br><i>N</i> -cyclohexyl- <i>N</i> -methoxy-2,5-dimethyl-3-furamide             | 262-302-0 | 60568-05-0 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H351<br>H400<br>H410                 | GHS08<br>GHS09<br>Wng          | H351<br>H410                 |                                 |                                  |       |
| 006-071-00-4 | cyclooct-4-en-1-yl methyl carbonate   | 401-620-8 | 87731-18-8 | Skin Sens. 1  | H317                                 | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 006-072-00-X | prosulfocarb (ISO);<br><i>S</i> -benzyl <i>N,N</i> -dipropylthiocarbamate                         | 401-730-6 | 52888-80-9 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2                               | H302<br>H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411         |                                 |                                  |       |

▼ B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 006-073-00-5 | 3-(dimethylamino)propylurea   | 401-950-2 | 31506-43-1 | Eye Dam. 1  | H318  | GHS05<br>Dgr                            | H318  |                                 |                                  |       |
| 006-074-00-0 | 2-(3-(prop-1-en-2-yl)phenyl)prop-2-yl isocyanate  | 402-440-2 | 2094-99-7  | Acute Tox. 2 *<br>Skin Corr. 1B<br>STOT RE 2 *<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H314<br>H373 **<br>H334<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H330<br>H314<br>H373 **<br>H334<br>H317<br>H410 |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |            |   |   |   |   |                                 |                                  |       |
| 006-076-00-1 | mancozeb (ISO); manganese ethylenebis(dithiocarbamate) (polymeric) complex with zinc salt | —         | 8018-01-7  | Repr. 2<br>Skin Sens. 1<br>Aquatic Acute 1  | H361d***<br>H317<br>H400                                | GHS08<br>GHS07<br>GHS09<br>Wng          | H361d***<br>H317<br>H400                        |                                 | M=10                             |       |
| 006-077-00-7 | maneb (ISO); manganese ethylenebis(dithiocarbamate) (polymeric)                           | 235-654-8 | 12427-38-2 | Repr. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H361d***<br>H332<br>H319<br>H317<br>H400<br>H410        | GHS08<br>GHS07<br>GHS09<br>Wng          | H361d***<br>H332<br>H319<br>H317<br>H410        |                                 | M=10                             |       |
| ▼ <u>B</u>   |   |           |            |   |   |   |   |                                 |                                  |       |
| 006-078-00-2 | zineb (ISO); zinc ethylenebis(dithiocarbamate) (polymeric)                                | 235-180-1 | 12122-67-7 | STOT SE 3<br>Skin Sens. 1   | H335<br>H317  | GHS07<br>Wng                            | H335<br>H317                                    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 006-079-00-8 | disulfiram;<br>tetraethylthiuramdisulfide   | 202-607-8 | 97-77-8    | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H302<br>H373 **<br>H317<br>H400<br>H410              | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H317<br>H410              |                                 |                                  |       |
| 006-080-00-3 | tetramethylthiuram monosulphide   | 202-605-7 | 97-74-5    | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2  | H302<br>H317<br>H411                                 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411                         |                                 |                                  |       |
| 006-081-00-9 | zinc bis(dibutyldithiocarbamate)  | 205-232-8 | 136-23-2   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H319<br>H335<br>H315<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H317<br>H410         |                                 |                                  |       |
| 006-082-00-4 | zinc bis(diethyldithiocarbamate)  | 238-270-9 | 14324-55-1 | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H302<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H335<br>H315<br>H317<br>H410 |                                 |                                  |       |
| 006-083-00-X | butocarboxim (ISO);<br>3-(methylthio)-2-butanone O-<br>[(methylamino)carbonyl]oxime | 252-139-3 | 34681-10-2 | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H331<br>H311<br>H301<br>H319<br>H400<br>H410 | GHS02<br>GHS06<br>GHS09<br>Dgr | H226<br>H331<br>H311<br>H301<br>H319<br>H410 |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| 006-084-00-5 | carbosulfan (ISO);<br>2,3-dihydro-2,2-dimethyl-7-benzofuryl [(dibutylamino)thio]methylcarbamate                               | 259-565-9 | 55285-14-8 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H330<br>H301<br>H317<br>H400<br>H410                           | GHS06<br>GHS09<br>Dgr          | H330<br>H301<br>H317<br>H410                           |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |            |  |  |                                |  |                                 |                                  |       |
| 006-085-00-0 | fenobucarb (ISO);<br>2-butylphenyl methylcarbamate  | 223-188-8 | 3766-81-2  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410   | GHS07<br>GHS09<br>Wng          | H302<br>H410   |                                 |                                  |       |
| ▼ <b>M8</b>  |   |           |            |  |  |                                |  |                                 |                                  |       |
| 006-086-00-6 | fenoxycarb (ISO); ethyl [2-(4-phenoxyphenoxy)ethyl]carbamate  | 276-696-7 | 72490-01-8 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H400<br>H410   | GHS08<br>GHS09<br>Wng          | H351<br>H410   |                                 | M = 1<br>M = 10 000              |       |
| ▼ <b>M6</b>  |   |           |            |  |  |                                |  |                                 |                                  |       |
| 006-087-00-1 | furathiocarb (ISO);<br>2,3-dihydro-2,2-dimethyl-7-benzofuryl 2,4-dimethyl-6-oxa-5-oxo-3-thia-2,4-diazadecanoate               | 265-974-3 | 65907-30-4 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H373**<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H301<br>H373**<br>H319<br>H315<br>H317<br>H410 |                                 | M = 100                          |       |
| ▼ <b>M1</b>  |   |           |            |  |  |                                |  |                                 |                                  |       |
| 006-088-00-7 | benfuracarb (ISO);<br>ethyl N-[2,3-dihydro-2,2-dimethylbenzofuran-7-ylloxycarbonyl(methyl)aminothio]-N-isopropyl- β-alaninate | —         | 82560-54-1 | Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H361f***<br>H331<br>H302<br>H400<br>H410                       | GHS06<br>GHS08<br>GHS09<br>Dgr | H361f***<br>H331<br>H302<br>H410                       |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| ▼M1          |   |           |             |  |  |   |  |                                 |                                  |       |
| ▼B           |   |           |             |  |  |   |  |                                 |                                  |       |
| 006-090-00-8 | 2-(3-iodoprop-2-yn-1-yloxy)ethyl phenylcarbamate  | 408-010-0 | 88558-41-2  | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3  | H332<br>H318<br>H412                                   | GHS05<br>GHS07<br>Dgr                   | H332<br>H318<br>H412                                   |                                 |                                  |       |
| ▼M1          |   |           |             |  |  |   |  |                                 |                                  |       |
| 006-091-00-3 | propineb (ISO); polymeric zinc propylenebis(dithiocarbamate)                                      | —         | 9016-72-2   | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1   | H332<br>H373**<br>H317<br>H400                         | GHS08<br>GHS07<br>GHS09<br>Wng          | H332<br>H373**<br>H317<br>H400                         |                                 |                                  |       |
| 006-092-00-9 | <i>tert</i> -butyl (1 <i>S</i> )- <i>N</i> -[1-((2 <i>S</i> )-2-oxiranyl)-2-phenylethyl]carbamate | 425-420-5 | 98737-29-2  | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410   | GHS09<br>Wng                            | H410   |                                 |                                  |       |
| 006-093-00-4 | 2,2'-dithio di(ethylammonium)-bis(dibenzylthiocarbamate)  | 427-180-7 | —           | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H317<br>H400<br>H410                           | GHS07<br>GHS09<br>Wng                   | H302<br>H317<br>H410                                   |                                 |                                  |       |
| 006-094-00-X | <i>O</i> -isobutyl- <i>N</i> -ethoxy carbonylthiocarbamate  | 434-350-4 | 103122-66-3 | Flam. Liq. 3<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H226<br>H350<br>H340<br>H302<br>H373**<br>H317<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H350<br>H340<br>H302<br>H373**<br>H317<br>H411 |                                 |                                  |       |
| 006-095-00-5 | fosetyl-aluminium (ISO); aluminium triethyl triphosphate  | 254-320-2 | 39148-24-8  | Eye Dam. 1   | H318   | GHS05<br>Dgr                            | H318   |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s) |                                  |       |
| 006-096-00-0 | chlorpropham (ISO); isopropyl 3-chlorocarbanilate   | 202-925-7 | 101-21-3    | Carc. 2<br>STOT RE 2 *<br>Aquatic Chronic 2  | H351<br>H373**<br>H411                         | GHS08<br>GHS09<br>Wng          | H351<br>H373**<br>H411                         |                                 |                                  |       |
| 006-097-00-6 | 1-phenyl-3-( <i>p</i> -toluenesulfonyl)urea   | 424-620-1 | 13909-63-2  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 3   | H302<br>H373**<br>H412                         | GHS08<br>GHS07<br>Wng          | H302<br>H373**<br>H412                         |                                 |                                  |       |
| ▼ <b>M6</b>  |   |           |             |  |  |                                |  |                                 |                                  |       |
| 006-098-00-1 | <i>tert</i> -butyl (1 <i>R</i> ,5 <i>S</i> )-3-azabicyclo[3.1.0]hex-6-ylcarbamate   | 429-170-8 | 134575-17-0 | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1                                | H302<br>H373**<br>H318<br>H317                 | GHS05<br>GHS08<br>GHS07<br>Dgr | H302<br>H373**<br>H318<br>H317                 |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |  |  |                                |  |                                 |                                  |       |
| 006-099-00-7 | <i>N</i> -( <i>p</i> -toluenesulfonyl)- <i>N'</i> -(3-( <i>p</i> -toluenesulfonyloxy)phenyl)urea; 3-({}) (4-methylphenyl)sulfonyl { } carbamoyl { } amino)phenyl 4-methylbenzenesulfonate   | 520-2     | 232938-43-1 | Aquatic Chronic 2  | H411   | GHS09                          | H411   |                                 |                                  |       |
| 006-101-00-6 | reaction mass of: <i>N,N'</i> -(methylenedi-4,1-phenylene)bis[ <i>N'</i> -phenylurea]; <i>N</i> -(4-[[4-[(phenylamino)carbonyl]amino]phenylmethyl]phenyl)- <i>N'</i> -cyclohexylurea; <i>N,N'</i> -(methylenedi-4,1-phenylene)bis[ <i>N'</i> -cyclohexylurea] | 423-070-8 | —           | Aquatic Chronic 4  | H413   | —                              | H413   |                                 |                                  |       |
| 006-102-00-1 | <i>O</i> -hexyl- <i>N</i> -ethoxycarbonylthiocarbamate  | 432-750-3 | —           | Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H340<br>H302<br>H373**<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H340<br>H302<br>H373**<br>H317<br>H411 |                                 |                                  |       |



▼ M1

| Index No     | International Chemical Identification                                       | EC No                          | CAS No                           | Classification  |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors      | Notes |
|--------------|---|--------------------------------|----------------------------------|---|------------------------------|---|------------------------------|---------------------------------|---------------------------------------|-------|
|              |   |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                       |       |
| 006-103-00-7 | <i>N,N'</i> -(methylenedi-4,1-phenylene)bis[ <i>N'</i> -octyl]urea          | 445-760-8                      | —                                | Eye Dam. 1<br>Resp. Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H318<br>H334<br>H400<br>H410 | GHS05<br>GHS08<br>GHS09<br>Dgr          | H318<br>H334<br>H410         |                                 | M=100                                 |       |
| ▼ <u>B</u>   |   |                                |                                  |   |                              |   |                              |                                 |                                       |       |
| 007-001-00-5 | ammonia, anhydrous  | 231-635-3                      | 7664-41-7                        | Flam. Gas 2<br>Press. Gas<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H221<br>H331<br>H314<br>H400 | GHS04<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H221<br>H331<br>H314<br>H400 |                                 |                                       | U     |
| 007-001-01-2 | ammonia ....%   | 215-647-6                      | 1336-21-6                        | Skin Corr. 1B<br>Aquatic Acute 1  | H314<br>H400                 | GHS05<br>GHS09<br>Dgr                   | H314<br>H400                 |                                 | STOT SE 3;<br>H335: C ≥ 5 %           | B     |
| ▼ <u>M1</u>  |   |                                |                                  |   |                              |   |                              |                                 |                                       |       |
| 007-002-00-0 | nitrogen dioxide; [1]<br>dinitrogen tetraoxide [2]                          | 233-272-6 [1]<br>234-126-4 [2] | 10102-44-0 [1]<br>10544-72-6 [2] | Press. Gas<br>Ox. Gas 1<br>Acute Tox. 2 *<br>Skin Corr. 1B                      | H270<br>H330<br>H314         | GHS04<br>GHS03<br>GHS06<br>GHS05<br>Dgr | H270<br>H330<br>H314         |                                 | *<br>STOT SE 3;<br>H335: C ≥<br>0,5 % | 5     |
| ▼ <u>B</u>   |   |                                |                                  |   |                              |   |                              |                                 |                                       |       |
| 007-003-00-6 | chlormequat chloride (ISO);<br>2-chloroethyltrimethyl-<br>ammonium chloride | 213-666-4                      | 999-81-5                         | Acute Tox. 4 *<br>Acute Tox. 4 *  | H312<br>H302                 | GHS07<br>Wng                            | H312<br>H302                 |                                 |                                       |       |

▼B

| Index No                     | International Chemical Identification | EC No     | CAS No    | Classification  |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|------------------------------|---------------------------------------|-----------|-----------|---|--|--|--|---------------------------------|---|-------|
|                              |                                       |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |   |       |
| ▼ <u>M11</u><br>007-004-00-1 | nitric acid ... %                     | 231-714-2 | 7697-37-2 | Ox. Liq. 2<br>Skin Corr. 1A   | H272<br>H314   | GHS03<br>GHS05<br>Dgr                            | H272<br>H314   | EUH071                          | Skin Corr. 1A;<br>H314: C ≥ 20 %<br>Skin Corr. 1B;<br>H314: 5 % ≤ C < 20 %<br>Ox. Liq. 2;<br>H272: C ≥ 99 %<br>Ox. Liq. 3;<br>H272: 99 % > C ≥ 65 % | B     |
| ▼ <u>B</u><br>007-006-00-2   | ethyl nitrite                         | 203-722-6 | 109-95-5  | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H220<br>H332<br>H312<br>H302   | GHS02<br>GHS04<br>GHS07<br>Dgr                   | H220<br>H332<br>H312<br>H302                                 |                                 |   | U     |
| ▼ <u>M6</u><br>007-007-00-8  | ethyl nitrate                         | 210-903-3 | 625-58-1  | Unst. Expl.   | H200   | GHS01<br>Dgr                                     | H200   |                                 |   |       |
| ▼ <u>B</u><br>007-008-00-3   | hydrazine                             | 206-114-9 | 302-01-2  | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317<br>H410 |                                 | Skin Corr. 1B;<br>H314: C ≥ 10 %<br>Skin Irrit. 2;<br>H315: 3 % ≤ C < 10 %<br>Eye Irrit. 2;<br>H319: 3 % ≤ C < 10 %                                 |       |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No    | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|-----------|--|--|--|--|---------------------------------|----------------------------------|-------|
|              |                                       |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 007-009-00-9 | dicyclohexylammonium nitrite          | 221-515-9 | 3129-91-7 | Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H302   | GHS07<br>Wng                                     | H332<br>H302                                 |                                 | *                                |       |
| 007-010-00-4 | sodium nitrite                        | 231-555-9 | 7632-00-0 | Ox. Sol. 3<br>Acute Tox. 3 *<br>Aquatic Acute 1  | H272<br>H301<br>H400                                 | GHS03<br>GHS06<br>GHS09<br>Dgr                   | H272<br>H301<br>H400                         |                                 | *                                |       |
| 007-011-00-X | potassium nitrite                     | 231-832-4 | 7758-09-0 | Ox. Sol. 2<br>Acute Tox. 3 *<br>Aquatic Acute 1  | H272<br>H301<br>H400                                 | GHS03<br>GHS06<br>GHS09<br>Dgr                   | H272<br>H301<br>H400                         |                                 | *                                |       |
| 007-012-00-5 | <i>N,N</i> -dimethylhydrazine         | 200-316-0 | 57-14-7   | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Chronic 2                     | H225<br>H350<br>H331<br>H301<br>H314<br>H411         | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H331<br>H301<br>H314<br>H411 |                                 |                                  |       |
| 007-013-00-0 | 1,2-dimethylhydrazine                 | —         | 540-73-8  | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2                                    | H350<br>H331<br>H311<br>H301<br>H411                 | GHS06<br>GHS08<br>GHS09<br>Dgr                   | H350<br>H331<br>H311<br>H301<br>H411         |                                 | Carc. 1B;<br>H350: C ≥<br>0,01 % |       |
| 007-014-00-6 | salts of hydrazine                    | —         | —         | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H311<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr                   | H350<br>H331<br>H311<br>H301<br>H317<br>H410 |                                 |                                  | A     |

## ▼B

| Index No     | International Chemical Identification                       | EC No                          | CAS No                       | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|------------------------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |                                |                              | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 007-015-00-1 | <i>O</i> -ethylhydroxylamine                                | 402-030-3                      | 624-86-2                     | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H225<br>H331<br>H311<br>H301<br>H372 **<br>H319<br>H317<br>H400 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H225<br>H331<br>H311<br>H301<br>H372 **<br>H319<br>H317<br>H400 |                                 |                                  |       |
| 007-016-00-7 | butyl nitrite   | 208-862-1                      | 544-16-1                     | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *   | H225<br>H331<br>H301  | GHS02<br>GHS06<br>Dgr                   | H225<br>H331<br>H301  |                                 |                                  |       |
| 007-017-00-2 | isobutyl nitrite  | 208-819-7                      | 542-56-3                     | Flam. Liq. 2<br>Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H225<br>H350<br>H341<br>H332<br>H302                            | GHS02<br>GHS08<br>GHS07<br>Dgr          | H225<br>H350<br>H341<br>H332<br>H302                            |                                 |                                  |       |
| 007-018-00-8 | <i>sec</i> -butyl nitrite                                   | 213-104-8                      | 924-43-6                     | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H225<br>H332<br>H302  | GHS02<br>GHS07<br>Dgr                   | H225<br>H332<br>H302  |                                 |                                  |       |
| 007-019-00-3 | <i>tert</i> -butyl nitrite                                  | 208-757-0                      | 540-80-7                     | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H225<br>H332<br>H302  | GHS02<br>GHS07<br>Dgr                   | H225<br>H332<br>H302  |                                 |                                  |       |
| 007-020-00-9 | pentyl nitrite; [1]<br>'amyl nitrite', mixed isomers<br>[2] | 207-332-7 [1]<br>203-770-8 [2] | 463-04-7 [1]<br>110-46-3 [2] | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H225<br>H332<br>H302  | GHS02<br>GHS07<br>Dgr                   | H225<br>H332<br>H302  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 007-021-00-4 | hydrazobenzene;<br>1,2-diphenylhydrazine                                     | 204-563-5 | 122-66-7    | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H350<br>H302<br>H400<br>H410                    | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410                    |                                 |                                  |       |
| 007-022-00-X | hydrazine bis(3-carboxy-4-hydroxybenzenesulfonate)                           | 405-030-1 | —           | Carc. 1B<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3               | H350<br>H302<br>H314<br>H317<br>H412            | GHS08<br>GHS05<br>GHS07<br>Dgr | H350<br>H302<br>H314<br>H317<br>H412    |                                 |                                  |       |
| 007-023-00-5 | sodium 3,5-bis(3-(2,4-di-tert-pentylphenoxy)propylcarbamoyl)benzenesulfonate | 405-510-0 | —           | Skin Irrit. 2<br>Skin Sens. 1  | H315<br>H317                                    | GHS07<br>Wng                   | H315<br>H317                            |                                 |                                  |       |
| 007-024-00-0 | 2-(decylthio)ethylammonium chloride  | 405-640-8 | 36362-09-1  | STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H373 **<br>H315<br>H318<br>H400<br>H410         | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 **<br>H315<br>H318<br>H410         |                                 |                                  |       |
| 007-025-00-6 | (4-hydrazinophenyl)-N-methylmethanesulfonamide hydrochloride                 | 406-090-1 | 81880-96-8  | Muta. 2<br>Acute Tox. 3 *<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H301<br>H372 **<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H301<br>H372 **<br>H317<br>H410 |                                 |                                  |       |
| 007-026-00-1 | oxo-((2,2,6,6-tetramethylpiperidin-4-yl)amino)carbonylacetohydrazide         | 413-230-5 | 122035-71-6 | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317                                    | GHS05<br>GHS07<br>Dgr          | H318<br>H317                            |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification                          | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 007-027-00-7 | 1,6-bis(3,3-bis((1-methylpentylideneimino)propyl)ureido)hexane | 420-190-2 | 771478-66-1 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H312<br>H302<br>H373 **<br>H314<br>H317<br>H400<br>H410                | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 **<br>H314<br>H317<br>H410                        |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |             |  |  |   |  |                                 |                                  |       |
| 007-028-00-2 | hydroxylammonium nitrate                                       | 236-691-2 | 13465-08-2  | Expl. 1.1 ****<br>Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H201<br>H351<br>H311<br>H302<br>H373**<br>H319<br>H315<br>H317<br>H400 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H351<br>H311<br>H302<br>H373**<br>H319<br>H315<br>H317<br>H400 |                                 |                                  |       |
| 007-029-00-8 | diethyldimethylammonium hydroxide                              | 419-400-5 | 95500-19-9  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A  | H312<br>H302<br>H314   | GHS05<br>GHS07<br>Dgr                   | H312<br>H302<br>H314   |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |             |  |  |   |  |                                 |                                  |       |
| 008-001-00-8 | oxygen   | 231-956-9 | 7782-44-7   | Ox. Gas 1<br>Press. Gas  | H270   | GHS03<br>GHS04<br>Dgr                   | H270   |                                 | U                                |       |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No    | Classification  |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|---------------------------------------|-----------|-----------|---|------------------------------|---|------------------------------|---------------------------------|--|-------|
|              |                                       |           |           | Hazard Class and Category Code(s)                               | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |  |       |
| 008-003-00-9 | hydrogen peroxide solution ... %      | 231-765-0 | 7722-84-1 | Ox. Liq. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A | H271<br>H332<br>H302<br>H314 | GHS03<br>GHS05<br>GHS07<br>Dgr          | H271<br>H332<br>H302<br>H314 |                                 | Ox. Liq. 1;<br>H271: C ≥ 70 %****<br>Ox. Liq. 2;<br>H272: 50 % ≤ C < 70 % ****<br>*<br>Skin Corr. 1A;<br>H314: C ≥ 70 %<br>Skin Corr. 1B;<br>H314: 50 % ≤ C < 70 %<br>Skin Irrit. 2;<br>H315: 35 % ≤ C < 50 %<br>Eye Dam. 1;<br>H318: 8 % ≤ C < 50 %<br>Eye Irrit. 2;<br>H319: 5 % ≤ C < 8 %<br>STOT SE 3;<br>H335; C ≥ 35 % | B     |
| 009-001-00-0 | fluorine                              | 231-954-8 | 7782-41-4 | Press. Gas<br>Ox. Gas 1<br>Acute Tox. 2 *<br>Skin Corr. 1A      | H270<br>H330<br>H314         | GHS04<br>GHS03<br>GHS06<br>GHS05<br>Dgr | H270<br>H330<br>H314         |                                 |  |       |

## ▼M1

## ▼B

| Index No     | International Chemical Identification            | EC No     | CAS No     | Classification  |                              | Labelling                      |                              |   | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|------------------------------|--------------------------------|------------------------------|---|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s)   |                                  |       |
| 009-002-00-6 | hydrogen fluoride                                | 231-634-8 | 7664-39-3  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Skin Corr. 1A | H330<br>H310<br>H300<br>H314 | GHS06<br>GHS05<br>Dgr          | H330<br>H310<br>H300<br>H314 |   |                                  |       |
| 009-003-00-1 | hydrofluoric acid ... %                          | 231-634-8 | 7664-39-3  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Skin Corr. 1A | H330<br>H310<br>H300<br>H314 | GHS06<br>GHS05<br>Dgr          | H330<br>H310<br>H300<br>H314 | Skin Corr. 1A;<br>H314: C ≥ 7 %<br>Skin Corr. 1B;<br>H314: 1 % ≤ C < 7 %<br>Eye Irrit. 2;<br>H319: 0,1 % ≤ C < 1 %        | B                                |       |
| 009-004-00-7 | sodium fluoride                                  | 231-667-8 | 7681-49-4  | Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Irrit. 2                   | H301<br>H319<br>H315         | GHS06<br>Dgr                   | H301<br>H319<br>H315         | EUH032  |                                  |       |
| 009-005-00-2 | potassium fluoride                               | 232-151-5 | 7789-23-3  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *                | H331<br>H311<br>H301         | GHS06<br>Dgr                   | H331<br>H311<br>H301         |   |                                  |       |
| 009-006-00-8 | ammonium fluoride                                | 235-185-9 | 12125-01-8 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *                | H331<br>H311<br>H301         | GHS06<br>Dgr                   | H331<br>H311<br>H301         |   |                                  |       |
| 009-007-00-3 | sodium bifluoride;<br>sodium hydrogen difluoride | 215-608-3 | 1333-83-1  | Acute Tox. 3 *<br>Skin Corr. 1B                                   | H301<br>H314                 | GHS06<br>GHS05<br>Dgr          | H301<br>H314                 | *<br>Skin Corr. 1B;<br>H314: C ≥ 1 %<br>Skin Irrit. 2;<br>H315: 0,1 % ≤ C < 1 %<br>Eye Irrit. 2;<br>H319: 0,1 % ≤ C < 1 % |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification                                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|---|--|--|--------------------------|--------------------------------|--------------------------|---------------------------------|---|-------|
|              |  |   |  | Hazard Class and Category Code(s)                  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |   |       |
| 009-008-00-9 | potassium bifluoride;<br>potassium hydrogen difluoride   | 232-156-2                                       | 7789-29-9  | Acute Tox. 3 *<br>Skin Corr. 1B                    | H301<br>H314             | GHS06<br>GHS05<br>Dgr          | H301<br>H314             |                                 | *<br>Skin Corr. 1B;<br>H314: C ≥ 1 %<br>Skin Irrit. 2;<br>H315: 0,1 % ≤<br>C < 1 %<br>Eye Irrit. 2;<br>H319: 0,1 % ≤<br>C < 1 % |       |
| 009-009-00-4 | ammonium bifluoride;<br>ammonium hydrogen difluoride   | 215-676-4                                       | 1341-49-7  | Acute Tox. 3 *<br>Skin Corr. 1B                    | H301<br>H314             | GHS06<br>GHS05<br>Dgr          | H301<br>H314             |                                 | *<br>Skin Corr. 1B;<br>H314: C ≥ 1 %<br>Skin Irrit. 2;<br>H315: 0,1 % ≤<br>C < 1 %<br>Eye Irrit. 2;<br>H319: 0,1 % ≤<br>C < 1 % |       |
| 009-010-00-X | fluoroboric acid ... %   | 240-898-3                                       | 16872-11-0   | Skin Corr. 1B                                      | H314                     | GHS05<br>Dgr                   | H314                     |                                 | Skin Corr. 1B;<br>H314: C ≥<br>25 %<br>Skin Irrit. 2;<br>H315: 10 % ≤<br>C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤<br>C < 25 %  | B     |
| 009-011-00-5 | fluorosilicic acid ... %   | 241-034-8                                       | 16961-83-4   | Skin Corr. 1B                                      | H314                     | GHS05<br>Dgr                   | H314                     |                                 |   | B     |
| 009-012-00-0 | alkali fluorosilicates(Na); [1]<br>alkali fluorosilicates(K); [2]<br>alkali fluorosilicates(NH4) [3] | 240-934-8 [1]<br>240-896-2 [2]<br>240-968-3 [3] | 16893-85-9 [1]<br>16871-90-2 [2]<br>16919-19-0 [3] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 * | H331<br>H311<br>H301     | GHS06<br>Dgr                   | H331<br>H311<br>H301     |                                 | *   | A     |

## ▼B

| Index No     | International Chemical Identification   | EC No                                      | CAS No                               | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |   |
|--------------|---|--|--------------------------------------|---|---|---|---|---------------------------------|----------------------------------|-------|---|
|              |   |  |                                      | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |   |
| 009-013-00-6 | fluorosilicates, with the exception of those specified elsewhere in this Annex        | —  | —                                    | Acute Tox. 4 *  | H302  | GHS07<br>Wng                            | H302                                      |                                 | *                                | A     |   |
| 009-014-00-1 | lead hexafluorosilicate   | 247-278-1                                  | 25808-74-6                           | Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H332<br>H302<br>H373 **<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Dgr          | H360Df<br>H332<br>H302<br>H373 **<br>H410 |                                 |                                  | 1     |   |
| 009-015-00-7 | sulphuryl difluoride  | 220-281-5                                  | 2699-79-8                            | Press. Gas<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1                                      | H331<br>H373 **<br>H400   | GHS04<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H373 **<br>H400                   |                                 |                                  | U     |   |
| ▼M3          | trisodium hexafluoroaluminate [1]<br><br>trisodium hexafluoroaluminate (cryolite) [2] | 237-410-6 [1]<br><br>239-148-8 [2]         | 13775-53-6 [1]<br><br>15096-52-3 [2] | STOT RE 1<br>Acute Tox. 4<br>Aquatic Chronic 2  | H372<br>H332<br>H411  | GHS07<br>GHS08<br>GHS09<br>Dgr          | H372<br>H332<br>H411                      |                                 |                                  |       |   |
| ▼B           | 009-017-00-8  | potassium mu-fluoro-bis(triethylaluminium) | 400-040-2                            | 12091-08-6  | Flam. Sol. 1<br>Water-react. 1<br>Skin Corr. 1A<br>Acute Tox. 4 * | H228<br>H270<br>H314<br>H332            | GHS02<br>GHS05<br>GHS07<br>Dgr            | H228<br>H270<br>H314<br>H332    | EUH014                           |       | T |
| 009-018-00-3 | magnesium hexafluorosilicate  | 241-022-2                                  | 16949-65-8                           | Acute Tox. 3 *  | H301  | GHS06<br>Dgr                            | H301                                      |                                 | *                                |       |   |
| 011-001-00-0 | sodium  | 231-132-9                                  | 7440-23-5                            | Water-react. 1<br>Skin Corr. 1B   | H260<br>H314  | GHS02<br>GHS05<br>Dgr                   | H260<br>H314                              | EUH014                          |                                  |       |   |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No      | Classification   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---------------------------------------|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|---|-------|
|              |                                       |           |             | Hazard Class and Category Code(s)                      | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |   |       |
| 011-002-00-6 | sodium hydroxide;<br>caustic soda     | 215-185-5 | 1310-73-2   | Skin Corr. 1A  | H314                     | GHS05<br>Dgr                   | H314                     |                                 | Skin Corr. 1A;<br>H314: C ≥ 5 %<br>Skin Corr. 1B;<br>H314: 2 % ≤ C < 5 %<br>Skin Irrit. 2;<br>H315: 0,5 % ≤ C < 2 %<br>Eye Irrit. 2;<br>H319: 0,5 % ≤ C < 2 % |       |
| 011-003-00-1 | sodium peroxide                       | 215-209-4 | 1313-60-6   | Ox. Sol. 1<br>Skin Corr. 1A                            | H271<br>H314             | GHS03<br>GHS05<br>Dgr          | H271<br>H314             |                                 |   |       |
| 011-004-00-7 | sodium azide                          | 247-852-1 | 26628-22-8  | Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H400<br>H410     | GHS06<br>GHS09<br>Dgr          | H300<br>H400<br>H410     | EUH032                          |   |       |
| 011-005-00-2 | sodium carbonate                      | 207-838-8 | 497-19-8    | Eye Irrit. 2   | H319                     | GHS07<br>Wng                   | H319                     |                                 |   |       |
| 011-006-00-8 | sodium cyanate                        | 213-030-6 | 917-61-3    | Acute Tox. 4 *<br>Aquatic Chronic 3                    | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |   |       |
| 011-007-00-3 | propoxycarbazone-sodium               | —         | 181274-15-7 | Aquatic Acute 1<br>Aquatic Chronic 1                   | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 | M = 10  |       |
| 012-001-00-3 | magnesium powder (pyrophoric)         | 231-104-6 | 7439-95-4   | Water-react. 1<br>Pyr. Sol. 1                          | H260<br>H250             | GHS02<br>Dgr                   | H260<br>H250             |                                 |   | T     |

▼B

| Index No     | International Chemical Identification                       | EC No     | CAS No     | Classification                                 |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)              | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 012-002-00-9 | magnesium, powder or turnings                               | 231-104-6 | —          | Flam. Sol. 1<br>Water-react. 2<br>Self-heat. 1 | H228<br>H261<br>H252     | GHS02<br>Dgr                   | H228<br>H261<br>H252     |                                 |                                  | T     |
| 012-003-00-4 | magnesium alkyls  | —         | —          | Pyr. Liq. 1<br>Water-react. 1<br>Skin Corr. 1B | H250<br>H260<br>H314     | GHS02<br>GHS05<br>Dgr          | H250<br>H260<br>H314     | EUH014                          |                                  | A     |
| ▼ <u>M1</u>  |   |           |            |  |                          |                                |                          |                                 |                                  |       |
| 012-004-00-X | aluminium-magnesium-carbonate-hydroxide-perchlorate-hydrate | 422-150-1 | —          | Aquatic Acute 1<br>Aquatic Chronic 1           | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |            |  |                          |                                |                          |                                 |                                  |       |
| 013-001-00-6 | aluminium powder (pyrophoric)                               | 231-072-3 | 7429-90-5  | Water-react. 2<br>Pyr. Sol. 1                  | H261<br>H250             | GHS02<br>Dgr                   | H261<br>H250             |                                 |                                  | T     |
| ▼ <u>M1</u>  |   |           |            |  |                          |                                |                          |                                 |                                  |       |
| 013-002-00-1 | aluminium powder (stabilised)                               | 231-072-3 | 7429-90-5  | Water-react. 2<br>Flam. Sol. 1                 | H261<br>H228             | GHS02<br>Dgr                   | H261<br>H228             |                                 |                                  | T     |
| ▼ <u>B</u>   |   |           |            |  |                          |                                |                          |                                 |                                  |       |
| 013-003-00-7 | aluminium chloride, anhydrous                               | 231-208-1 | 7446-70-0  | Skin Corr. 1B                                  | H314                     | GHS05<br>Dgr                   | H314                     |                                 |                                  |       |
| 013-004-00-2 | aluminium alkyls  | —         | —          | Pyr. Liq. 1<br>Water-react. 1<br>Skin Corr. 1B | H250<br>H260<br>H314     | GHS02<br>GHS05<br>Dgr          | H250<br>H260<br>H314     | EUH014                          |                                  | A     |
| 013-005-00-8 | diethyl(ethyltrimethylsilyloxy)aluminium                    | 401-160-8 | 55426-95-4 | Water-react. 1<br>Pyr. Liq. 1<br>Skin Corr. 1A | H260<br>H250<br>H314     | GHS02<br>GHS05<br>Dgr          | H260<br>H250<br>H314     | EUH014                          |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 013-006-00-3 | (ethyl-3-oxobutanoato- <i>O</i> '1, <i>O</i> '3)(2-dimethylaminoethanolato)(1-methoxypropan-2-olato)aluminium(III), dimerised        | 402-370-2 | —           | Flam. Liq. 3<br>Eye Dam. 1   | H226<br>H318                         | GHS02<br>GHS05<br>Dgr          | H226<br>H318                         |                                 |                                  |       |
| 013-007-00-9 | poly(oxo(2-butoxyethyl-3-oxobutanoato- <i>O</i> '1, <i>O</i> '3)aluminium)   | 403-430-0 | —           | Eye Dam. 1   | H318                                 | GHS05<br>Dgr                   | H318                                 |                                 |                                  |       |
| 013-008-00-4 | di- <i>n</i> -octylaluminium iodide  | 408-190-0 | 7585-14-0   | Pyr. Liq. 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H250<br>H314<br>H400<br>H410         | GHS02<br>GHS05<br>GHS09<br>Dgr | H250<br>H314<br>H410                 | EUH014                          |                                  |       |
| 013-009-00-X | sodium (n-butyl)x(ethyl)y-1,5-dihydro)aluminate x = 0,5 y = 1,5  | 418-720-2 | —           | Flam. Sol. 1<br>Water-react. 1<br>Pyr. Sol. 1<br>Acute Tox. 4 *<br>Skin Corr. 1A | H228<br>H260<br>H250<br>H332<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H228<br>H260<br>H250<br>H332<br>H314 | EUH014                          |                                  | T     |
| ▼ <b>M1</b>  |  |           |             |  |                                      |                                |                                      |                                 |                                  |       |
| 013-010-00-5 | hydroxy aluminium bis(2,4,8,10-tetra- <i>tert</i> -butyl-6-hydroxy-12 <i>H</i> -dibenzo[ <i>d,g</i> ][1.3.2]dioxaphosphocin-6-oxide) | 430-650-4 | 151841-65-5 | Aquatic Chronic 2  | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |             |  |                                      |                                |                                      |                                 |                                  |       |
| 014-001-00-9 | trichlorosilane  | 233-042-5 | 10025-78-2  | Flam. Liq. 1<br>Pyr. Liq. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A | H224<br>H250<br>H332<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H224<br>H250<br>H332<br>H302<br>H314 | EUH014<br>EUH029                | *<br>STOT SE 3;<br>H335: C ≥ 1 % | T     |
| 014-002-00-4 | silicon tetrachloride  | 233-054-0 | 10026-04-7  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2                                       | H319<br>H335<br>H315                 | GHS07<br>Wng                   | H319<br>H335<br>H315                 | EUH014                          |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|--|-------|
|              |  |           |             | Hazard Class and Category Code(s)                           | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |  |       |
| 014-003-00-X | dimethyldichlorosilane   | 200-901-0 | 75-78-5     | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2  | H225<br>H319<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H335<br>H315 |                                 |  |       |
| 014-004-00-5 | trichloro(methyl)silane;<br>methyltrichlorosilane                                | 200-902-6 | 75-79-6     | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2  | H225<br>H319<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H335<br>H315 | EUH014                          | Skin Irrit. 2;<br>H315: C ≥ 1 %<br>Eye Irrit. 2;<br>H319: C ≥ 1 %<br>STOT SE 3;<br>H335: C ≥ 1 % |       |
| 014-005-00-0 | tetraethyl silicate;<br>ethyl silicate   | 201-083-8 | 78-10-4     | Flam. Liq. 3<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H332<br>H319<br>H335 | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H319<br>H335 |                                 |  |       |
| 014-006-00-6 | bis(4-fluorophenyl)-methyl-<br>(1,2,4-triazol-4-ylmethyl)silane<br>hydrochloride | 401-380-4 | —           | Eye Irrit. 2<br>Aquatic Chronic 2                           | H319<br>H411                 | GHS07<br>GHS09<br>Wng          | H319<br>H411                 |                                 |  |       |
| 014-007-00-1 | triethoxyisobutylsilane  | 402-810-3 | 17980-47-1  | Skin Irrit. 2   | H315                         | GHS07<br>Wng                   | H315                         |                                 |  |       |
| 014-008-00-7 | (chloromethyl)bis(4-fluorophe-<br>nyl)methylsilane                               | 401-200-4 | 85491-26-5  | Aquatic Chronic 2   | H411                         | GHS09                          | H411                         |                                 |  |       |
| 014-009-00-2 | isobutylisopropyldimethoxy-<br>silane  | 402-580-4 | 111439-76-0 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Skin Irrit. 2             | H226<br>H332<br>H315         | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H315         |                                 |  |       |
| 014-010-00-8 | disodium metasilicate  | 229-912-9 | 6834-92-0   | Skin Corr. 1B<br>STOT SE 3                                  | H314<br>H335                 | GHS05<br>GHS07<br>Dgr          | H314<br>H335                 |                                 |  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 014-011-00-3 | cyclohexyldimethoxymethylsilane   | 402-140-1 | 17865-32-6 | Skin Irrit. 2<br>Aquatic Chronic 2                                     | H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H315<br>H411                 |                                 |                                  |       |
| 014-012-00-9 | bis(3-(trimethoxysilyl)propyl)amine   | 403-480-3 | —          | Eye Dam. 1<br>Aquatic Chronic 2  | H318<br>H411                 | GHS05<br>GHS09<br>Dgr          | H318<br>H411                 |                                 |                                  |       |
| 014-013-00-4 | $\alpha$ -hydroxypoly(methyl-(3-(2,2,6,6-tetramethylpiperidin-4-yl)oxy)propyl)siloxane)   | 404-920-7 | —          | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H312<br>H302<br>H314<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H411 |                                 |                                  |       |
| 014-014-00-X | etacelasil (ISO);<br>6-(2-chloroethyl)-6-(2-methoxyethoxy)-2,5,7,10-tetraoxa-6-silaundecane   | 253-704-7 | 37894-46-5 | Repr. 1B<br>Acute Tox. 4 *<br>STOT RE 2 *                              | H360D ***<br>H302<br>H373 ** | GHS08<br>GHS07<br>Dgr          | H360D ***<br>H302<br>H373 ** |                                 |                                  |       |
| 014-015-00-5 | $\alpha$ -trimethylsilylanyl- $\omega$ -trimethylsiloxy poly[oxy(methyl-3-(2-(2-methoxypropoxy)propoxy)propylsilyl)diyl]-co-oxy(dimethylsilyl) silane)) | 406-420-4 | 69430-40-6 | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |
| 014-016-00-0 | reaction mass of: 1,3-dihex-5-en-1-yl-1,1,3,3-tetramethyldisiloxane;<br>1,3-dihex-n-en-1-yl-1,1,3,3-tetramethyldisiloxane                               | 406-490-6 | —          | Aquatic Chronic 2  | H411                         | GHS09                          | H411                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 014-017-00-6 | flusilazole (ISO); bis(4-fluorophenyl)(methyl)(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)silane   | —         | 85509-19-9  | Carc. 2<br>Repr. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2                      | H351<br>H360D ***<br>H302<br>H411       | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360D ***<br>H302<br>H411       |                                 |                                  |       |
| 014-018-00-1 | octamethylcyclotetrasiloxane   | 209-136-7 | 556-67-2    | Repr. 2<br>Aquatic Chronic 4  | H361f ***<br>H413                       | GHS08<br>Wng                   | H361f ***<br>H413                       |                                 |                                  |       |
| 014-019-00-7 | reaction mass of: 4-[[bis-(4-fluorophenyl)methylsilyl]methyl]-4 <i>H</i> -1,2,4-triazole; 1-[[bis-(4-fluorophenyl)methylsilyl]methyl]-1 <i>H</i> -1,2,4-triazole | 403-250-2 | —           | Carc. 2<br>Repr. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2                      | H351<br>H360D ***<br>H302<br>H411       | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360D ***<br>H302<br>H411       |                                 |                                  |       |
| 014-020-00-2 | bis(1,1-dimethyl-2-propynyl)dimethylsilane   | 414-960-7 | 53863-99-3  | Acute Tox. 4 *  | H332                                    | GHS07<br>Wng                   | H332                                    |                                 |                                  |       |
| 014-021-00-8 | tris(isopropenyloxy)phenyl silane  | 411-340-8 | 52301-18-5  | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                            | GHS09<br>Wng                   | H400<br>H410                            |                                 |                                  |       |
| 014-022-00-3 | reaction product of: (2-hydroxy-4-(3-propenoxy)benzophenone and triethoxysilane) with (hydrolysis product of silica and methyltrimethoxysilane)                  | 401-530-9 | —           | Flam. Sol. 1<br>STOT SE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 * | H228<br>H370 **<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H228<br>H370 **<br>H332<br>H312<br>H302 |                                 |                                  | T     |
| 014-023-00-9 | $\alpha$ , $\omega$ -dihydroxypoly(hex-5-en-1-ylmethylsiloxane)hoxysilane with (hydrolysis product of silica and methyltrimethoxysilane)iazole                   | 408-160-7 | 125613-45-8 | Aquatic Chronic 2   | H411                                    | GHS09                          | H411                                    |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 014-024-00-4 | 1-((3-(3-chloro-4-fluorophenyl)propyl)dimethylsilyl)-4-ethoxybenzene  | 412-620-2 | 121626-74-2 | Aquatic Chronic 2   | H411                                    | GHS09                          | H411                                    |                                 |                                  |       |
| 014-025-00-X | 4-[3-(diethoxymethylsilylpropoxy)-2,2,6,6-tetramethyl]piperidine  | 411-400-3 | 102089-33-8 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H373 **<br>H315<br>H318<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 **<br>H315<br>H318<br>H412 |                                 |                                  |       |
| 014-026-00-5 | dichloro-(3-(3-chloro-4-fluorophenyl)propyl)methylsilane  | 407-180-3 | 770722-36-6 | Skin Corr. 1A   | H314                                    | GHS05<br>Dgr                   | H314                                    |                                 |                                  |       |
| 014-027-00-0 | chloro(3-(3-chloro-4-fluorophenyl)propyl)dimethylsilane   | 410-270-5 | 770722-46-8 | Skin Corr. 1A   | H314                                    | GHS05<br>Dgr                   | H314                                    |                                 |                                  |       |
| 014-028-00-6 | $\alpha$ -[3-(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyloxy- $\omega$ -[3(1-oxoprop-2-enyl)-1-oxypropyl]dimethoxysilyl poly(dimethylsiloxane) | 415-290-8 | 193159-06-7 | Skin Sens. 1  | H317                                    | GHS07<br>Wng                   | H317                                    |                                 |                                  |       |
| 014-029-00-1 | <i>O,O'</i> -(ethenylmethylsilylene)di[(4-methylpentan-2-one)oxime]   | 421-870-1 | 156145-66-3 | Repr. 2<br>Acute Tox. 4 *<br>STOT RE 2 *  | H361f ***<br>H302<br>H373 **            | GHS08<br>GHS07<br>Wng          | H361f ***<br>H302<br>H373 **            |                                 |                                  |       |
| 014-030-00-7 | [(dimethylsilylene)bis((1,2,3,3a,7a- $\eta$ )-1 <i>H</i> -inden-1-ylidene)dimethyl]hafnium  | 422-060-0 | 137390-08-0 | Acute Tox. 2 *  | H300                                    | GHS06<br>Dgr                   | H300                                    |                                 |                                  |       |
| 014-031-00-2 | bis(1-methylethyl)-dimethoxysilane  | 421-540-7 | 18230-61-0  | Flam. Liq. 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                | H226<br>H315<br>H317<br>H412            | GHS02<br>GHS07<br>Wng          | H226<br>H315<br>H317<br>H412            |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 014-032-00-8 | dicyclopentyl dimethoxysilane  | 404-370-8 | 126990-35-0 | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr          | H315<br>H318<br>H410     |                                 |                                  |       |
| 014-033-00-3 | 2-methyl-3-(trimethoxysilyl)propyl-2-propenoate hydrolysis product with silica | 419-030-4 | 125804-20-8 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                           | H225<br>H319<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336     |                                 |                                  |       |
| 014-034-00-9 | 3-hexylheptamethyltrisiloxane  | 428-700-5 | 1873-90-1   | Acute Tox. 4 *<br>Aquatic Chronic 4                                 | H332<br>H413                 | GHS07<br>Wng                   | H332<br>H413             |                                 |                                  |       |
| 014-035-00-4 | 2-(3,4-epoxycyclohexyl)ethyltriethoxy silane                                   | 425-050-4 | 10217-34-2  | Skin Sens. 1<br>Aquatic Chronic 3                                   | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 014-036-00-X | (4-ethoxyphenyl)(3-(4-fluoro-3-phenoxyphenyl)propyl)dimethylsilane             | 405-020-7 | 105024-66-6 | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H360F***<br>H400<br>H410     | GHS08<br>GHS09<br>Dgr          | H360F***<br>H410         |                                 | M=1000                           |       |
| 014-037-00-5 | 2-butanone- <i>O,O',O''</i> -(phenylsilylylidene)trioxime                      | 433-360-6 | 34036-80-1  | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3                    | H373**<br>H317<br>H412       | GHS08<br>GHS07<br>Wng          | H373**<br>H317<br>H412   |                                 |                                  |       |
| 014-038-00-0 | <i>S</i> -(3-(triethoxysilyl)propyl) octanethioate                             | 436-690-9 | 220727-26-4 | Skin Sens. 1  | H317                         | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 014-039-00-6 | (2,3-dimethylbut-2-yl)-trimethoxysilane  | 439-360-2 | 142877-45-0 | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3                    | H315<br>H318<br>H412         | GHS05<br>Dgr                   | H315<br>H318<br>H412     |                                 |                                  |       |
| 014-041-00-7 | <i>N,N</i> -bis(trimethylsilyl)aminopropylmethyldiethoxysilane                 | 445-890-5 | 201290-01-9 | Acute Tox. 4 *<br>Skin Sens. 1                                      | H302<br>H317                 | GHS07<br>Wng                   | H302<br>H317             |                                 |                                  |       |

## ▼M1

▼ **M1**

| Index No                     | International Chemical Identification  | EC No     | CAS No | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|--|-----------|--------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                              |  |           |        | Hazard Class and Category Code(s)                             | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 014-042-00-2                 | reaction mass of: <i>O,O',O'',O'''</i> -silanetetrayl tetrakis(4-methyl-2-pentanone oxime) (3 stereoisomers)   | 423-010-0 | —      | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                         |                                 |                                  |       |
| ▼ <b>M6</b><br>014-043-00-8  | reaction product of amorphous silica (50-85 %), butyl (1-methylpropyl) magnesium (3-15 %), tetraethyl orthosilicate (5-15 %) and titanium tetrachloride (5-20 %)   | 432-200-2 | —      | STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H335<br>H315<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr          | H335<br>H315<br>H318<br>H412 |                                 |                                  |       |
| ▼ <b>M1</b><br>014-044-00-3  | 3-[(4'-acetoxy-3'-methoxyphenyl) propyl]trimethoxysilane   | 433-050-0 | —      | Aquatic Chronic 2   | H411                         | GHS09                          | H411                         |                                 |                                  |       |
| 014-045-00-9                 | magnesium sodium fluoride silicate   | 442-650-1 | —      | STOT RE 2 *   | H373**                       | GHS08<br>Wng                   | H373**                       |                                 |                                  |       |
| ▼ <b>M13</b><br>014-046-00-4 | e-glass microfibres of representative composition; [Calcium-aluminium-silicate fibres with random orientation with the following representative composition (% given by weight): SiO <sub>2</sub> 50,0-56,0 %, Al <sub>2</sub> O <sub>3</sub> 13,0-16,0 %, B <sub>2</sub> O <sub>3</sub> 5,8-10,0 %, Na <sub>2</sub> O < 0,6 %, K <sub>2</sub> O < 0,4 %, CaO 15,0-24,0 %, MgO < 5,5 %, Fe <sub>2</sub> O <sub>3</sub> < 0,5 %, F <sub>2</sub> < 1,0 %. Process: typically produced by flame attenuation | —         | —      | Carc. 1B  | H350i                        | GHS08<br>Dgr                   | H350i                        |                                 |                                  | A     |

## ▼ M13

| Index No            | International Chemical Identification   | EC No     | CAS No     | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|------------|---|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
|                     | and rotary process. (Additional individual elements may be present at low levels; the process list does not preclude innovation).]  |           |            |   |                                      |   |                                      |                                 |                                  |       |
| 014-047-00-X        | glass microfibres of representative composition; [Calcium-aluminium-silicate fibres with random orientation with the following composition (% given by weight): SiO <sub>2</sub> 55,0-60,0 %, Al <sub>2</sub> O <sub>3</sub> 4,0-7,0 %, B <sub>2</sub> O <sub>3</sub> 8,0-11,0 %, ZrO <sub>2</sub> 0,0-4,0 %, Na <sub>2</sub> O 9,5-13,5 %, K <sub>2</sub> O 0,0-4,0 %, CaO 1,0-5,0 %, MgO 0,0-2,0 %, Fe <sub>2</sub> O <sub>3</sub> < 0,2 %, ZnO 2,0-5,0 %, BaO 3,0-6,0 %, F <sub>2</sub> < 1,0 %. Process: typically produced by flame attenuation and rotary process. (Additional individual elements may be present at low levels; the process list does not preclude innovation).] | —         | —          | Carc. 2   | H351 (inhalation)                    | GHS08<br>Wng                            | H351 (inhalation)                    |                                 |                                  | A     |
|                     |   |           |            |   |                                      |   |                                      |                                 |                                  |       |
| ▼ B<br>015-001-00-1 | white phosphorus  | 231-768-7 | 12185-10-3 | Pyr. Sol. 1<br>Acute Tox. 2 *<br>Acute Tox. 2 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H250<br>H330<br>H300<br>H314<br>H400 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H250<br>H330<br>H300<br>H314<br>H400 |                                 |                                  |       |
| 015-002-00-7        | red phosphorus  | 231-768-7 | 7723-14-0  | Flam. Sol. 1<br>Aquatic Chronic 3   | H228<br>H412                         | GHS02<br>Dgr                            | H228<br>H412                         |                                 |                                  |       |

▼**B**

| Index No                     | International Chemical Identification         | EC No     | CAS No     | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|---|-----------|------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|                              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M11</b><br>015-003-00-2 | calcium phosphide; tricalcium diphosphide     | 215-142-0 | 1305-99-3  | Water-react. 1<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 1<br>Eye Dam. 1<br>Aquatic Acute 1 | H260<br>H300<br>H311<br>H330<br>H318<br>H400 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H260<br>H300<br>H311<br>H330<br>H318<br>H400 | EUH029<br>EUH032                | M = 100                          |       |
| ▼ <b>M7</b><br>015-004-00-8  | aluminium phosphide                           | 244-088-0 | 20859-73-8 | Water-react. 1<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 1<br>Aquatic Acute 1               | H260<br>H300<br>H311<br>H330<br>H400         | GHS02<br>GHS06<br>GHS09<br>Dgr          | H260<br>H300<br>H311<br>H330<br>H400         | EUH029<br>EUH032                | M = 100                          |       |
| 015-005-00-3                 | magnesium phosphide; trimagnesium diphosphide | 235-023-7 | 12057-74-8 | Water-react. 1<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 1<br>Aquatic Acute 1               | H260<br>H300<br>H311<br>H330<br>H400         | GHS02<br>GHS06<br>GHS09<br>Dgr          | H260<br>H300<br>H311<br>H330<br>H400         | EUH029<br>EUH032                | M = 100                          |       |
| ▼ <b>M1</b><br>015-006-00-9  | trizinc diphosphide; zinc phosphide           | 215-244-5 | 1314-84-7  | Water-react. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H260<br>H300<br>H400<br>H410                 | GHS02<br>GHS06<br>GHS09<br>Dgr          | H260<br>H300<br>H410                         | EUH029<br>EUH032                | M=100                            | T     |
| ▼ <b>B</b><br>015-007-00-4   | phosphorus trichloride                        | 231-749-3 | 7719-12-2  | Acute Tox. 2 *<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Skin Corr. 1A                                | H330<br>H300<br>H373 **<br>H314              | GHS06<br>GHS08<br>GHS05<br>Dgr          | H330<br>H300<br>H373 **<br>H314              | EUH014<br>EUH029                |                                  |       |
| 015-008-00-X                 | phosphorus pentachloride                      | 233-060-3 | 10026-13-8 | Acute Tox. 2 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B                                | H330<br>H302<br>H373 **<br>H314              | GHS06<br>GHS08<br>GHS05<br>Dgr          | H330<br>H302<br>H373 **<br>H314              | EUH014<br>EUH029                |                                  |       |

## ▼B

| Index No     | International Chemical Identification                    | EC No     | CAS No     | Classification  |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-----------|------------|---|---------------------------------|--------------------------------|---------------------------------|---------------------------------|---|-------|
|              |  |           |            | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |   |       |
| 015-009-00-5 | phosphoryl trichloride                                   | 233-046-7 | 10025-87-3 | Acute Tox. 2 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Skin Corr. 1A      | H330<br>H372 **<br>H302<br>H314 | GHS06<br>GHS08<br>GHS05<br>Dgr | H330<br>H372 **<br>H302<br>H314 | EUH014<br>EUH029                |   |       |
| 015-010-00-0 | phosphorus pentoxide                                     | 215-236-1 | 1314-56-3  | Skin Corr. 1A   | H314                            | GHS05<br>Dgr                   | H314                            |                                 |   |       |
| 015-011-00-6 | phosphoric acid ... %, ortho-phosphoric acid ... %       | 231-633-2 | 7664-38-2  | Skin Corr. 1B   | H314                            | GHS05<br>Dgr                   | H314                            |                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 % | B     |
| 015-012-00-1 | tetraphosphorus trisulphide;<br>phosphorus sesquisulphid | 215-245-0 | 1314-85-8  | Flam. Sol. 2<br>Water-react. 1<br>Acute Tox. 4 *<br>Aquatic Acute 1 | H228<br>H260<br>H302<br>H400    | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H260<br>H302<br>H400    |                                 |   | T     |
| 015-013-00-7 | triethyl phosphate                                       | 201-114-5 | 78-40-0    | Acute Tox. 4 *  | H302                            | GHS07<br>Wng                   | H302                            |                                 |   |       |
| 015-014-00-2 | tributyl phosphate                                       | 204-800-2 | 126-73-8   | Carc. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2                          | H351<br>H302<br>H315            | GHS08<br>GHS07<br>Wng          | H351<br>H302<br>H315            |                                 |   |       |

▼B

| Index No                    | International Chemical Identification   | EC No     | CAS No    | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                                   | Notes |
|-----------------------------|---|-----------|-----------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|--|-------|
|                             |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |  |       |
| 015-015-00-8                | tricresyl phosphate ( <i>o-o-o-</i> , <i>o-o-m-</i> , <i>o-o-p-</i> , <i>o-m-m-</i> , <i>o-m-p-</i> , <i>o-p-p-</i> );<br>tritolyl phosphate ( <i>o-o-o-</i> , <i>o-o-m-</i> , <i>o-o-p-</i> , <i>o-m-m-</i> , <i>o-m-p-</i> , <i>o-p-p-</i> ); | 201-103-5 | 78-30-8   | STOT SE 1<br>Aquatic Chronic 2  | H370 **<br>H411                      | GHS08<br>GHS09<br>Dgr          | H370 **<br>H411                      |                                 | STOT SE 1;<br>H370: C ≥ 1 %<br>STOT SE 2;<br>H371: 0,2 % ≤ C < 1 % | C     |
| 015-016-00-3                | tricresyl phosphate ( <i>m-m-m-</i> , <i>m-m-p-</i> , <i>m-p-p-</i> , <i>p-p-p-</i> );<br>tritolyl phosphate ( <i>m-m-m-</i> , <i>m-m-p-</i> , <i>m-p-p-</i> , <i>p-p-p-</i> );   | 201-105-6 | 78-32-0   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2                                 | H312<br>H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H411                 |                                 | *  | C     |
| ▼ <u>M1</u><br>015-019-00-X | dichlorvos (ISO);<br>2,2-dichlorovinyl dimethyl phosphate   | 200-547-7 | 62-73-7   | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1 | H330<br>H311<br>H301<br>H317<br>H400 | GHS06<br>GHS09<br>Dgr          | H330<br>H311<br>H301<br>H317<br>H400 |                                 | M=1000   |       |
| ▼ <u>B</u><br>015-020-00-5  | mevinphos (ISO);<br>2-methoxycarbonyl-1-methylvinyl dimethyl phosphate  | 232-095-1 | 7786-34-7 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H310<br>H300<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410                 |                                 | M = 10000  |       |
| 015-021-00-0                | trichlorfon (ISO);<br>dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate  | 200-149-3 | 52-68-6   | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H400<br>H410         |                                 | M = 1000   |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-022-00-6 | phosphamidon (ISO);<br>2-chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate                       | 236-116-5 | 13171-21-6 | Muta. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H300<br>H311<br>H410 |                                 |                                  |       |
| 015-023-00-1 | pyrazoxon;<br>diethyl 3-methylpyrazol-5-yl phosphate  | —         | 108-34-9   | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *                                    | H330<br>H310<br>H300                 | GHS06<br>Dgr                   | H330<br>H310<br>H300         |                                 |                                  |       |
| 015-024-00-7 | triamiphos (ISO);<br>5-amino-3-phenyl-1,2,4-triazol-1-yl- <i>N,N,N',N'</i> -tetramethylphosphonic diamide | —         | 1031-47-6  | Acute Tox. 1<br>Acute Tox. 2 *  | H310<br>H300                         | GHS06<br>Dgr                   | H310<br>H300                 |                                 |                                  |       |
| 015-025-00-2 | TEPP (ISO);<br>tetraethyl pyrophosphate   | 203-495-3 | 107-49-3   | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1                                   | H310<br>H300<br>H400                 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H400         |                                 |                                  |       |
| 015-026-00-8 | schradan (ISO);<br>octamethylpyrophosphoramidate  | 205-801-0 | 152-16-9   | Acute Tox. 1<br>Acute Tox. 2 *  | H310<br>H300                         | GHS06<br>Dgr                   | H310<br>H300                 |                                 |                                  |       |
| 015-027-00-3 | sulfotep (ISO);<br><i>O,O,O,O</i> -tetraethyl dithiopyrophosphate   | 222-995-2 | 3689-24-5  | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H310<br>H300<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410         |                                 | M = 1000                         |       |
| 015-028-00-9 | demeton- <i>O</i> (ISO);<br><i>O,O</i> -diethyl- <i>O</i> -2-ethylthioethyl phosphorothioate              | 206-053-8 | 298-03-3   | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1                                   | H310<br>H300<br>H400                 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H400         |                                 |                                  |       |
| 015-029-00-4 | demeton- <i>S</i> (ISO);<br>diethyl- <i>S</i> -2-ethylthioethyl phosphorothioate                          | 204-801-8 | 126-75-0   | Acute Tox. 1<br>Acute Tox. 2 *  | H310<br>H300                         | GHS06<br>Dgr                   | H310<br>H300                 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 015-030-00-X | demeton- <i>O</i> -methyl (ISO);<br><i>O</i> -2-ethylthioethyl <i>O</i> , <i>O</i> -<br>dimethyl phosphorothioate | 212-758-1 | 867-27-6  | Acute Tox. 3 *  | H301  | GHS06<br>Dgr                            | H301  |                                 |                                  |       |
| 015-031-00-5 | demeton- <i>S</i> -methyl (ISO);<br><i>S</i> -2-ethylthioethyl dimethyl<br>phosphorothioate                       | 213-052-6 | 919-86-8  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2   | H311<br>H301<br>H411                                    | GHS06<br>GHS09<br>Dgr                   | H311<br>H301<br>H411                            |                                 |                                  |       |
| 015-032-00-0 | prothoate (ISO);<br><i>O</i> , <i>O</i> -diethyl isopropylcarba-<br>moylmethyl phosphorodithioate                 | 218-893-2 | 2275-18-5 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Chronic 3   | H310<br>H300<br>H412                                    | GHS06<br>Dgr                            | H310<br>H300<br>H412                            |                                 |                                  |       |
| 015-033-00-6 | phorate (ISO);<br><i>O</i> , <i>O</i> -diethyl ethylthiomethyl<br>phosphorodithioate                              | 206-052-2 | 298-02-2  | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H310<br>H300<br>H400<br>H410                            | GHS06<br>GHS09<br>Dgr                   | H310<br>H300<br>H410                            |                                 | M = 1000                         |       |
| 015-034-00-1 | parathion (ISO);<br><i>O</i> , <i>O</i> -diethyl <i>O</i> -4-nitrophenyl<br>phosphorothioate                      | 200-271-7 | 56-38-2   | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H330<br>H300<br>H311<br>H372 **<br>H400<br>H410         | GHS06<br>GHS08<br>GHS09<br>Dgr          | H330<br>H300<br>H311<br>H372 **<br>H410         |                                 | M = 100                          |       |
| 015-035-00-7 | parathion — methyl (ISO);<br><i>O</i> , <i>O</i> -dimethyl <i>O</i> -4-nitrophenyl<br>phosphorothioate            | 206-050-1 | 298-00-0  | Flam. Liq. 3<br>Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H330<br>H300<br>H311<br>H373 **<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H226<br>H330<br>H300<br>H311<br>H373 **<br>H410 |                                 | M = 100                          |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 015-036-00-2 | <i>O</i> -ethyl <i>O</i> -4-nitrophenyl phenylphosphonothioate;<br>EPN   | 218-276-8 | 2104-64-5 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H310<br>H300<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410                 |                                 |                                  |       |
| 015-037-00-8 | phenkapton (ISO);<br><i>S</i> -(2,5-dichlorophenylthio-<br>methyl) <i>O,O</i> -diethyl phospho-<br>rodithioate | 218-892-7 | 2275-14-1 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H331<br>H311<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410         |                                 |                                  |       |
| 015-038-00-3 | coumaphos (ISO);<br><i>O</i> -3-chloro-4-methylcoumarin-<br>7-yl <i>O,O</i> -diethyl phosphoro-<br>thioate     | 200-285-3 | 56-72-4   | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H300<br>H312<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H300<br>H312<br>H410                 |                                 |                                  |       |
| 015-039-00-9 | azinphos-methyl (ISO);<br><i>O,O</i> -dimethyl-4-oxobenzo-<br>triazin-3-ylmethyl phosphorodi-<br>thioate       | 201-676-1 | 86-50-0   | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H311<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H311<br>H317<br>H410 |                                 |                                  |       |
| 015-040-00-4 | diazinon (ISO);<br><i>O,O</i> -diethyl <i>O</i> -2-isopropyl-6-<br>methylpyrimidin-4-yl phospho-<br>rothioate  | 206-373-8 | 333-41-5  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H400<br>H410                 |                                 |                                  |       |

▼ M1

| Index No                   | International Chemical Identification   | EC No     | CAS No    | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------------|---|-----------|-----------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                            |   |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-041-00-X               | malathion (ISO);<br>1,2-bis(ethoxycarbonyl)ethyl<br><i>O,O</i> -dimethyl phosphorodithioate;<br>[containing ≤ 0,03 % isomalthion] | 204-497-7 | 121-75-5  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H302<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410         |                                 | M=1000                           |       |
| ▼ <u>B</u><br>015-042-00-5 | chlorthion<br><i>O</i> -(3-chloro-4-nitrophenyl) <i>O,O</i> -<br>dimethyl phosphorothioate  | 207-902-5 | 500-28-7  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 | M = 100                          |       |
| 015-043-00-0               | phosnichlor (ISO);<br><i>O</i> -4-chloro-3-nitrophenyl <i>O,O</i> -<br>dimethyl phosphorothioate                                  | —         | 5826-76-6 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H312<br>H302                 | GHS07<br>Wng                   | H332<br>H312<br>H302         |                                 |                                  |       |
| 015-044-00-6               | carbophenothion (ISO);<br>4-chlorophenylthiomethyl <i>O,O</i> -<br>diethyl phosphorodithioate                                     | 212-324-1 | 786-19-6  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H311<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410         |                                 |                                  |       |
| 015-045-00-1               | mecarbam (ISO);<br><i>N</i> -ethoxycarbonyl- <i>N</i> -methylcarbamoylmethyl <i>O,O</i> -diethyl<br>phosphorodithioate            | 219-993-9 | 2595-54-2 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H311<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H400<br>H410 |                                 |                                  |       |

▼B

| Index No                    | International Chemical Identification  | EC No     | CAS No    | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-----------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                             |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s) |                                  |       |
| 015-046-00-7                | oxydemeton-methyl;<br><i>S</i> -2-(ethylsulphinyl)ethyl <i>O,O</i> -dimethyl phosphorothioate            | 206-110-7 | 301-12-2  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1  | H311<br>H301<br>H400                                   | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H400                           |                                 |                                  |       |
| 015-047-00-2                | ethion (ISO);<br><i>O,O,O',O'</i> -tetraethyl <i>S,S</i> -methylene di (phosphorodithioate);<br>diethion | 209-242-3 | 563-12-2  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H301<br>H312<br>H400<br>H410                           | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H410                           |                                 | M = 10000                        |       |
| ▼ <u>M1</u><br>015-048-00-8 | fenthion (ISO);<br><i>O,O</i> -dimethyl- <i>O</i> -(4-methylthion- <i>m</i> -tolyl) phosphorothioate     | 200-231-9 | 55-38-9   | Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H331<br>H312<br>H302<br>H372**<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H312<br>H302<br>H372**<br>H410 |                                 | M=100                            |       |
| ▼ <u>B</u><br>015-049-00-3  | endothion (ISO);<br><i>S</i> -5-methoxy-4-oxopyran-2-ylmethyl dimethyl phosphorothioate                  | 220-472-3 | 2778-04-3 | Acute Tox. 3 *<br>Acute Tox. 3 *   | H311<br>H301   | GHS06<br>Dgr                   | H311<br>H301                                   |                                 |                                  |       |
| 015-050-00-9                | thiometon (ISO);<br><i>S</i> -2-ethylthioethyl <i>O,O</i> -dimethyl phosphorodithioate                   | 211-362-6 | 640-15-3  | Acute Tox. 3 *<br>Acute Tox. 4 *   | H301<br>H312   | GHS06<br>Dgr                   | H301<br>H312                                   |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 015-051-00-4 | dimethoate (ISO);<br><i>O,O</i> -dimethyl methylcarbamoylmethyl phosphorodithioate                             | 200-480-3 | 60-51-5   | Acute Tox. 4 *<br>Acute Tox. 4 *   | H312<br>H302                         | GHS07<br>Wng                   | H312<br>H302                         |                                 |                                  |       |
| 015-052-00-X | fenchlorphos (ISO);<br><i>O,O</i> -dimethyl <i>O</i> -2,4,5-trichlorophenyl phosphorothioate                   | 206-082-6 | 299-84-3  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410                 |                                 |                                  |       |
| 015-053-00-5 | menazon (ISO);<br>S-[(4,6-diamino-1,3,5-triazin-2-yl)methyl] <i>O,O</i> -dimethyl phosphorodithioate           | 201-123-4 | 78-57-9   | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412                         | GHS07<br>Wng                   | H302<br>H412                         |                                 |                                  |       |
| 015-054-00-0 | fenitrothion (ISO);<br><i>O,O</i> -dimethyl <i>O</i> -4-nitro- <i>m</i> -tolyl phosphorothioate                | 204-524-2 | 122-14-5  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                               | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 |                                  |       |
| 015-055-00-6 | naled (ISO);<br>1,2-dibromo-2,2-dichloroethyl dimethyl phosphate   | 206-098-3 | 300-76-5  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1 | H312<br>H302<br>H319<br>H315<br>H400 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H319<br>H315<br>H400 |                                 | M = 1000                         |       |
| ▼ <b>M1</b>  |  |           |           |  |                                      |                                |                                      |                                 |                                  |       |
| 015-056-00-1 | azinphos-ethyl (ISO);<br><i>O,O</i> -diethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate                   | 220-147-6 | 2642-71-9 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H300<br>H311<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410                 |                                 | M=100                            |       |
| ▼ <b>B</b>   |  |           |           |  |                                      |                                |                                      |                                 |                                  |       |
| 015-057-00-7 | formothion (ISO);<br><i>N</i> -formyl- <i>N</i> -methylcarbamoylmethyl <i>O,O</i> -dimethyl phosphorodithioate | 219-818-6 | 2540-82-1 | Acute Tox. 4 *<br>Acute Tox. 4 *   | H312<br>H302                         | GHS07<br>Wng                   | H312<br>H302                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-058-00-2 | morphothion (ISO);<br><i>O,O</i> -dimethyl- <i>S</i> -(morpholino-carbonylmethyl) phosphorodithioate      | 205-628-0 | 144-41-2  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410 |                                 |                                  |       |
| 015-059-00-8 | vamidotion (ISO);<br><i>O,O</i> -dimethyl <i>S</i> -2-(1-methylcarbamoylethylthio) ethyl phosphorothioate | 218-894-8 | 2275-23-2 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1  | H301<br>H312<br>H400                 | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H400         |                                 |                                  |       |
| 015-060-00-3 | disulfoton (ISO);<br><i>O,O</i> -diethyl 2-ethylthioethyl phosphorodithioate                              | 206-054-3 | 298-04-4  | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H310<br>H300<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410         |                                 |                                  |       |
| 015-061-00-9 | dimefox (ISO);<br>tetramethylphosphorodiamidic fluoride   | 204-076-8 | 115-26-4  | Acute Tox. 1<br>Acute Tox. 2 *   | H310<br>H300                         | GHS06<br>Dgr                   | H310<br>H300                 |                                 |                                  |       |
| 015-062-00-4 | mipafox (ISO);<br><i>N,N'</i> - di-isopropylphosphorodiamidic fluoride                                    | 206-742-3 | 371-86-8  | STOT SE 1  | H370 **                              | GHS08<br>Dgr                   | H370 **                      |                                 |                                  |       |
| 015-063-00-X | dioxathion (ISO);<br>1,4-dioxan-2,3-diyl- <i>O,O,O',O'</i> -tetraethyl di(phosphorodithioate)             | 201-107-7 | 78-34-2   | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H311<br>H410 |                                 | M = 1000                         |       |
| 015-064-00-5 | bromophos-ethyl (ISO);<br><i>O</i> -4-bromo-2,5-dichlorophenyl<br><i>O,O</i> -diethyl phosphorothioate    | 225-399-0 | 4824-78-6 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H301<br>H312<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H410         |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 015-065-00-0 | <i>S</i> -[2-(ethylsulphinyl)ethyl] <i>O,O</i> -dimethyl phosphorodithioate  | —         | 2703-37-9 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Chronic 2                                      | H330<br>H310<br>H300<br>H411                 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H411         |                                 |                                  |       |
| 015-066-00-6 | omethoate (ISO);<br><i>O,O</i> -dimethyl <i>S</i> -methylcarbamoylmethyl phosphorothioate                              | 214-197-8 | 1113-02-6 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1  | H301<br>H312<br>H400                         | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H400                 |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |           |  |  |                                |                                      |                                 |                                  |       |
| 015-067-00-1 | phosalone (ISO);<br><i>S</i> -(6-chloro-2-oxobenzoxazolin-3-ylmethyl) <i>O,O</i> -diethyl phosphorodithioate           | 218-996-2 | 2310-17-0 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H332<br>H312<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H301<br>H332<br>H312<br>H317<br>H410 | M=1000                          |                                  |       |
| ▼ <u>B</u>   |  |           |           |  |  |                                |                                      |                                 |                                  |       |
| 015-068-00-7 | dichlofenthion (ISO);<br><i>O</i> -2,4-dichlorophenyl <i>O,O</i> -diethyl phosphorothioate                             | 202-564-5 | 97-17-6   | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H400<br>H410                 |                                 |                                  |       |
| 015-069-00-2 | methidathion (ISO);<br>2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl- <i>O,O</i> -dimethylphosphorodithioate | 213-449-4 | 950-37-8  | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H300<br>H312<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H300<br>H312<br>H410                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|---|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 015-070-00-8 | cyanthoate (ISO);<br><i>S</i> -( <i>N</i> -(1-cyano-1-methyl-ethyl)carbamoylmethyl) <i>O,O</i> -diethyl phosphorothioate | 223-099-4 | 3734-95-0 | Acute Tox. 2 *<br>Acute Tox. 3 *  | H300<br>H311                                 | GHS06<br>Dgr                   | H300<br>H311                         |                                 |                                  |       |
| 015-071-00-3 | chlorfenvinphos (ISO);<br>2-chloro-1-(2,4 dichlorophenyl) vinyl diethyl phosphate  | 207-432-0 | 470-90-6  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H300<br>H311<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410                 |                                 |                                  |       |
| 015-072-00-9 | monocrotophos (ISO);<br>dimethyl-1-methyl-2-(methyl-carbamoyl)vinyl phosphate  | 230-042-7 | 6923-22-4 | Muta. 2<br>Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H330<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H330<br>H300<br>H311<br>H410 |                                 |                                  |       |
| 015-073-00-4 | dicrotophos (ISO);<br>( <i>Z</i> )-2-dimethylcarbamoyl-1-methylvinyl dimethyl phosphate                                  | 205-494-3 | 141-66-2  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H300<br>H311<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410                 |                                 |                                  |       |
| 015-074-00-X | crufomate (ISO);<br>4-tert-butyl-2-chlorophenyl methyl methylphosphoramidate   | 206-083-1 | 299-86-5  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H312<br>H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410                 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-075-00-5 | <i>S</i> -[2-(isopropylsulphinyl)ethyl] <i>O,O</i> -dimethyl phosphorothioate                        | —         | 2635-50-9  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *                                       | H331<br>H311<br>H301                 | GHS06<br>Dgr                   | H331<br>H311<br>H301         |                                 |                                  |       |
| 015-076-00-0 | potasan;<br><i>O,O</i> -diethyl <i>O</i> -(4-methylcoumarin-7-yl) phosphorothioate                   | —         | 299-45-6   | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H410 | M = 1000                        |                                  |       |
| 015-077-00-6 | 2,2-dichlorovinyl 2-ethylsulphinylethyl methyl phosphate   | —         | 7076-53-1  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *                                       | H331<br>H311<br>H301                 | GHS06<br>Dgr                   | H331<br>H311<br>H301         |                                 |                                  |       |
| 015-078-00-1 | demeton- <i>S</i> -methylsulphon (ISO);<br><i>S</i> -2-ethylsulphonylethyl dimethyl phosphorothioate | 241-109-5 | 17040-19-6 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2                                    | H301<br>H312<br>H411                 | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H411         |                                 |                                  |       |
| 015-079-00-7 | acephate (ISO);<br><i>O,S</i> -dimethyl acetylphosphoramidothioate                                   | 250-241-2 | 30560-19-1 | Acute Tox. 4 *   | H302                                 | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 015-080-00-2 | amidithion (ISO);<br>2-methoxyethylcarbamoylmethyl <i>O,O</i> -dimethyl phosphorodithioate           | —         | 919-76-6   | Acute Tox. 4 *   | H302                                 | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 015-081-00-8 | <i>O,O,O',O'</i> -tetrapropyl dithiopyrophosphate  | 221-817-0 | 3244-90-4  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-082-00-3 | azothoate (ISO);<br><i>O</i> -4-(4-chlorophenylazo)phenyl<br><i>O,O</i> -dimethyl phosphorothioate                               | 227-419-3 | 5834-96-8  | Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H302                 | GHS07<br>Wng                   | H332<br>H302                 |                                 |                                  |       |
| 015-083-00-9 | bensulide (ISO);<br><i>O,O</i> -diisopropyl 2-phenylsul-<br>phonylaminoethyl phosphorodi-<br>thioate                             | 212-010-4 | 741-58-2   | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 015-084-00-4 | chlorpyrifos (ISO);<br><i>O,O</i> -diethyl <i>O</i> -3,5,6-trichloro-2-<br>pyridyl phosphorothioate                              | 220-864-4 | 2921-88-2  | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H301<br>H400<br>H410         |                                 | M = 10000                        |       |
| 015-085-00-X | chlorphonium chloride (ISO);<br>tributyl (2,4-dichlorobenzyl)<br>phosphonium chloride  | 204-105-4 | 115-78-6   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2        | H301<br>H312<br>H319<br>H315 | GHS06<br>Dgr                   | H301<br>H312<br>H319<br>H315 |                                 |                                  |       |
| 015-086-00-5 | coumithoate (ISO);<br><i>O,O</i> -diethyl <i>O</i> -7,8,9,10-<br>tetrahydro-6-oxo-<br>benzo(c)chromen-3-yl phospho-<br>rothioate | —         | 572-48-5   | Acute Tox. 3 *   | H301                         | GHS06<br>Dgr                   | H301                         |                                 |                                  |       |
| 015-087-00-0 | cyanophos (ISO);<br><i>O</i> -4-cyanophenyl <i>O,O</i> -dimethyl<br>phosphorothioate   | 220-130-3 | 2636-26-2  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410         |                                 |                                  |       |
| 015-088-00-6 | dialifos (ISO);<br>2-chloro-1-phthalimidoethyl<br><i>O,O</i> -diethyl phosphorodithioate   | 233-689-3 | 10311-84-9 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H400<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |   | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|---|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 015-089-00-1 | ethoate-methyl (ISO);<br>ethylcarbamoylmethyl <i>O,O</i> -<br>dimethyl phosphorodithioate                | 204-121-1 | 116-01-8   | Acute Tox. 4 *<br>Acute Tox. 4 *  | H312<br>H302                            | GHS07<br>Wng                   | H312<br>H302                    |                                 |                                  |       |
| 015-090-00-7 | fensulfothion (ISO);<br><i>O,O</i> -diethyl <i>O</i> -4-methylsulfi-<br>nylphenyl phosphorothioate       | 204-114-3 | 115-90-2   | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H310<br>H300<br>H400<br>H410            | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410            |                                 |                                  |       |
| 015-091-00-2 | fonofos (ISO);<br><i>O</i> -ethyl phenyl ethylphospho-<br>nodithioate                                    | 213-408-0 | 944-22-9   | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H310<br>H300<br>H400<br>H410            | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410            |                                 |                                  |       |
| 015-092-00-8 | phosacetim (ISO);<br><i>O,O</i> -bis(4-chlorophenyl) <i>N</i> -acet-<br>imidoylphosphoramidothioate      | 223-874-7 | 4104-14-7  | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H310<br>H300<br>H400<br>H410            | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410            |                                 |                                  |       |
| 015-093-00-3 | leptophos (ISO);<br><i>O</i> -4-bromo-2,5-dichlorophenyl<br><i>O</i> -methyl phenylphosphoro-<br>thioate | 244-472-8 | 21609-90-5 | Acute Tox. 3 *<br>STOT SE 1<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H370 **<br>H312<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H370 **<br>H312<br>H410 |                                 |                                  |       |
| 015-094-00-9 | mephosfolan (ISO);<br>diethyl 4-methyl-1,3-dithiolan-<br>2-ylidenephosphoramidate                        | 213-447-3 | 950-10-7   | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Chronic 2                                   | H310<br>H300<br>H411                    | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H411            |                                 |                                  |       |
| 015-095-00-4 | methamidophos (ISO);<br><i>O,S</i> -dimethyl phosphoramid-<br>othioate                                   | 233-606-0 | 10265-92-6 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1                 | H330<br>H300<br>H311<br>H400            | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H311<br>H400    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |  | Labelling                      |                                  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                 | Pictogram, Signal Word Code(s) | Hazard statement Code(s)         | Suppl. Hazard statement Code(s) |                                  |       |
| 015-096-00-X | oxydisulfoton (ISO);<br><i>O,O</i> -diethyl <i>S</i> -2-ethylsulphinyethyl phosphorodithioate                   | 219-679-1 | 2497-07-6  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H300<br>H311<br>H400<br>H410             | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410             |                                 | M = 10                           |       |
| 015-097-00-5 | phenthoate (ISO);<br>ethyl 2-(dimethoxyphosphinothioylthio)-2-phenylacetate                                     | 219-997-0 | 2597-03-7  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H312<br>H302<br>H400<br>H410             | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410             |                                 | M = 100                          |       |
| 015-098-00-0 | trichloronate (ISO);<br><i>O</i> -ethyl <i>O</i> -2,4,5-trichlorophenylethylphosphonothioate                    | 206-326-1 | 327-98-0   | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H300<br>H311<br>H400<br>H410             | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410             |                                 |                                  |       |
| 015-099-00-6 | pirimiphos-ethyl (ISO);<br><i>O,O</i> -diethyl <i>O</i> -2-diethylamino-6-methylpyrimidin-4-yl phosphorothioate | 245-704-0 | 23505-41-1 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H301<br>H312<br>H400<br>H410             | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H410             |                                 |                                  |       |
| 015-100-00-X | phoxim (ISO);<br>$\alpha$ -(diethoxyphosphinothioylimino) phenylacetone nitrile                                 | 238-887-3 | 14816-18-3 | Repr. 2<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f***<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361f***<br>H302<br>H317<br>H410 |                                 | M=1000                           |       |

## ▼M1

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                                  | Notes |
|--------------|--|-----------|-----------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|---|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |   |       |
| 015-101-00-5 | phosmet (ISO);<br><i>O,O</i> -dimethyl phthalimid-<br>omethyl <i>S</i> -phosphorodithioate | 211-987-4 | 732-11-6  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410                 |                                 | M = 100   |       |
| ▼ <u>M1</u>  |  |           |           |   |                                      |                                |                                      |                                 |   |       |
| 015-102-00-0 | tris(2-chloroethyl)phosphate   | 204-118-5 | 115-96-8  | Carc. 2<br>Repr. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2                            | H351<br>H360F***<br>H302<br>H411     | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360F***<br>H302<br>H411     |                                 |   |       |
| ▼ <u>B</u>   |  |           |           |   |                                      |                                |                                      |                                 |   |       |
| 015-103-00-6 | phosphorus tribromide  | 232-178-2 | 7789-60-8 | Skin Corr. 1B<br>STOT SE 3  | H314<br>H335                         | GHS05<br>GHS07<br>Dgr          | H314<br>H335                         | EUH014                          |   |       |
| 015-104-00-1 | diphosphorus pentasulphide;<br>phosphorus pentasulphide                                    | 215-242-4 | 1314-80-3 | Flam. Sol. 1<br>Water-react. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1 | H228<br>H260<br>H332<br>H302<br>H400 | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H260<br>H332<br>H302<br>H400 | EUH029                          |   | T     |
| 015-105-00-7 | triphenyl phosphite  | 202-908-4 | 101-02-0  | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H319<br>H315<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H410                 |                                 | Skin Irrit. 2;<br>H315: C ≥ 5 %<br>Eye Irrit. 2;<br>H319: C ≥ 5 % |       |

## ▼B

| Index No     | International Chemical Identification                                       | EC No     | CAS No     | Classification   |  | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 015-106-00-2 | hexamethylphosphoric triamide; hexamethylphosphoramidate                    | 211-653-8 | 680-31-9   | Carc. 1B<br>Muta. 1B   | H350<br>H340                                 | GHS08<br>Dgr                   | H350<br>H340                            |                                 | Carc. 1B;<br>H350: C ≥<br>0,01 % |       |
| 015-107-00-8 | ethoprophos (ISO); ethyl-S,S-dipropyl phosphorodithioate                    | 236-152-1 | 13194-48-4 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H301<br>H317<br>H410    |                                 |                                  |       |
| 015-108-00-3 | bromophos (ISO); O-4-bromo-2,5-dichlorophenyl O,O-dimethyl phosphorothioate | 218-277-3 | 2104-96-3  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H410                            |                                 | M = 100                          |       |
| 015-109-00-9 | crotoxyphos (ISO); 1-phenylethyl 3-(dimethoxyphosphinyloxy) isocrotonate    | 231-720-5 | 7700-17-6  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H311<br>H301<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410                    |                                 | M = 10                           |       |
| 015-110-00-4 | cyanofenphos (ISO); O-4-cyanophenyl O-ethyl phenylphosphonothioate          | —         | 13067-93-1 | Acute Tox. 3 *<br>STOT SE 1<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2                       | H301<br>H370 **<br>H312<br>H319<br>H411      | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H370 **<br>H312<br>H319<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 015-111-00-X | phosfolan (ISO);<br>diethyl 1,3-dithiolan-2-ylidene-<br>phosphoramidate   | 213-423-2 | 947-02-4   | Acute Tox. 1<br>Acute Tox. 2 *   | H310<br>H300                 | GHS06<br>Dgr                   | H310<br>H300             |                                 |                                  |       |
| 015-112-00-5 | thionazin (ISO);<br><i>O,O</i> -diethyl <i>O</i> -pyrazin-2-yl<br>phosphorothioate;   | 206-049-6 | 297-97-2   | Acute Tox. 1<br>Acute Tox. 2 *   | H310<br>H300                 | GHS06<br>Dgr                   | H310<br>H300             |                                 |                                  |       |
| ▼M1          |   |           |            |  |                              |                                |                          |                                 |                                  |       |
| 015-113-00-0 | tolclofos-methyl (ISO);<br><i>O</i> -(2,6-dichloro- <i>p</i> -tolyl)- <i>O,O</i> -<br>dimethyl thiophosphate  | 260-515-3 | 57018-04-9 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| ▼M6          |   |           |            |  |                              |                                |                          |                                 |                                  |       |
| 015-114-00-6 | chlormephos (ISO);<br><i>S</i> -chloromethyl <i>O,O</i> -diethyl<br>phosphorodithioate  | 246-538-1 | 24934-91-6 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410     |                                 | M = 10                           |       |
| 015-115-00-1 | chlorthiophos (ISO);<br>[isomeric reaction mass in<br>which <i>O</i> -2,5-dichlorophenyl-4-<br>methylthiophenyl <i>O,O</i> -diethyl<br>phosphorothioate predominates] | 244-663-6 | 21923-23-9 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H311<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410     |                                 | M = 1000                         |       |
| ▼B           |   |           |            |  |                              |                                |                          |                                 |                                  |       |
| 015-116-00-7 | demephion- <i>O</i> (ISO);<br><i>O,O</i> -dimethyl <i>O</i> -2-methyl-<br>thioethyl phosphorothioate  | 211-666-9 | 682-80-4   | Acute Tox. 2 *<br>Acute Tox. 3 *   | H300<br>H311                 | GHS06<br>Dgr                   | H300<br>H311             |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|------------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 015-117-00-2        | demephion- <i>S</i> (ISO);<br><i>O,O</i> -dimethyl <i>S</i> -2-methylthioethyl phosphorothioate  | 219-971-9 | 2587-90-8  | Acute Tox. 2 *<br>Acute Tox. 3 *   | H300<br>H311                                 | GHS06<br>Dgr                   | H300<br>H311                         |                                 |                                  |       |
| 015-118-00-8        | demeton  | —         | 8065-48-3  | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1  | H310<br>H300<br>H400                         | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H400                 |                                 |                                  |       |
| 015-119-00-3        | dimethyl 4-(methylthio)phenyl phosphate  | —         | 3254-63-5  | Acute Tox. 1<br>Acute Tox. 2 *   | H310<br>H300                                 | GHS06<br>Dgr                   | H310<br>H300                         |                                 |                                  |       |
| 015-120-00-9        | ditalimfos (ISO);<br><i>O,O</i> -diethyl phthalimidophosphonothioate                             | 225-875-8 | 5131-24-8  | Skin Irrit. 2<br>Skin Sens. 1  | H315<br>H317                                 | GHS07<br>Wng                   | H315<br>H317                         |                                 |                                  |       |
| 015-121-00-4        | edifenfos (ISO);<br><i>O</i> -ethyl <i>S,S</i> -diphenyl phosphorodithioate                      | 241-178-1 | 17109-49-8 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H312<br>H317<br>H410 |                                 |                                  |       |
| 015-122-00-X        | etrimfos (ISO);<br><i>O</i> -6-ethoxy-2-ethylpyrimidin-4-yl <i>O,O</i> -dimethylphosphorothioate | 253-855-9 | 38260-54-7 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 | M = 10                           |       |
| ▼M7<br>015-123-00-5 | fenamiphos (ISO);<br>ethyl-4-methylthio- <i>m</i> -tolyl isopropyl phosphoramidate               | 244-848-1 | 22224-92-6 | Acute Tox. 2<br>Acute Tox. 2<br>Acute Tox. 2<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H300<br>H310<br>H330<br>H319<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H300<br>H310<br>H330<br>H319<br>H410 |                                 | M = 100<br>M = 100               |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 015-124-00-0 | fosthietan (ISO);<br>diethyl 1,3-dithietan-2-ylidene-phosphoramidate                                    | 244-437-7 | 21548-32-3 | Acute Tox. 1<br>Acute Tox. 2 *   | H310<br>H300                 | GHS06<br>Dgr                   | H310<br>H300             |                                 |                                  |       |
| 015-125-00-6 | glyphosine (ISO);<br><i>N,N</i> -bis(phosphonomethyl)glycine  | 219-468-4 | 2439-99-8  | Eye Dam. 1   | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 015-126-00-1 | heptenophos (ISO);<br>7-chlorobicyclo(3.2.0)hepta-2,6-dien-6-yl dimethyl phosphate                      | 245-737-0 | 23560-59-0 | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H301<br>H410             |                                 | M = 100                          |       |
| 015-127-00-7 | iprobenfos(ISO);<br><i>S</i> -benzyl diisopropyl phosphorothioate                                       | 247-449-0 | 26087-47-8 | Acute Tox. 4 *<br>Aquatic Chronic 2                                      | H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |
| 015-128-00-2 | IPSP;<br><i>S</i> -ethylsulphinylmethyl <i>O,O</i> -diisopropylphosphorodithioate                       | —         | 5827-05-4  | Acute Tox. 1<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H310<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H310<br>H301<br>H410     |                                 | M = 100                          |       |
| 015-129-00-8 | isofenphos (ISO);<br><i>O</i> -ethyl <i>O</i> -2-isopropoxycarbonylphenyl-isopropylphosphoramidothioate | 246-814-1 | 25311-71-1 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410     |                                 | M = 100                          |       |
| 015-130-00-3 | isothioate (ISO);<br><i>S</i> -2-isopropylthioethyl <i>O,O</i> -dimethyl phosphorodithioate;            | —         | 36614-38-7 | Acute Tox. 3 *<br>Acute Tox. 3 *   | H311<br>H301                 | GHS06<br>Dgr                   | H311<br>H301             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-131-00-9 | isoxathion (ISO);<br><i>O,O</i> -diethyl <i>O</i> -5-phenylisoxazol-3-ylphosphorothioate   | 242-624-8 | 18854-01-8 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H311<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410         |                                 |                                  |       |
| 015-132-00-4 | <i>S</i> -(chlorophenylthiomethyl) <i>O,O</i> -dimethylphosphorodithioate;<br>methylcarbophenothione   | —         | 953-17-3   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H311<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410         |                                 | M = 1000                         |       |
| 015-133-00-X | piperophos (ISO);<br><i>S</i> -2-methylpiperidinocarbonyl-methyl- <i>O,O</i> -dipropyl phosphorodithioate  | —         | 24151-93-7 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 | M = 10                           |       |
| 015-134-00-5 | pirimiphos-methyl (ISO);<br><i>O</i> -(2-diethylamino-6-methylpyrimidin-4-yl) <i>O,O</i> -dimethyl phosphorothioate  | 249-528-5 | 29232-93-7 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 015-135-00-0 | profenofos (ISO)<br><i>O</i> -(4-bromo-2-chlorophenyl) <i>O</i> -ethyl <i>S</i> -propyl phosphorothioate;  | 255-255-2 | 41198-08-7 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 | M = 1000                         |       |
| 015-136-00-6 | <i>trans</i> -isopropyl-3-[[[(ethylamino)methoxyfosfiothioyl]oxy]crotonate;<br>isopropyl 3-[[[(ethylamino)methoxyphosphinothioyl]oxy]isocrotonate;<br>propetamphos (ISO) | 250-517-2 | 31218-83-4 | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H301<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H301<br>H410                 |                                 | M = 100                          |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-137-00-1 | pyrazophos (ISO);<br><i>O,O</i> -diethyl <i>O</i> -(6-ethoxycarbonyl-5-methylpyrazolo[2,3- <i>a</i> ]pyrimidin-2-yl) phosphorothioate | 236-656-1 | 13457-18-6 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H332<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H410         |                                 |                                  |       |
| 015-138-00-7 | quinalphos (ISO);<br><i>O,O</i> -diethyl- <i>O</i> -quinoxalin-2-yl phosphorothioate  | 237-031-6 | 13593-03-8 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H301<br>H312<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H410         |                                 | M = 1000                         |       |
| 015-139-00-2 | terbufos (ISO);<br><i>S-tert</i> -butylthiomethyl <i>O,O</i> -diethylphosphorodithioate;  | 235-963-8 | 13071-79-9 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H310<br>H300<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410         |                                 | M = 1000                         |       |
| ▼ <u>M1</u>  |   |           |            |  |                                      |                                |                              |                                 |                                  |       |
| 015-140-00-8 | triazophos (ISO);<br><i>O,O</i> -diethyl- <i>O</i> -1-phenyl-1 <i>H</i> -1,2,4-triazol-3-yl phosphorothioate                          | 245-986-5 | 24017-47-8 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H312<br>H410 |                                 | M=100                            |       |
| ▼ <u>B</u>   |   |           |            |  |                                      |                                |                              |                                 |                                  |       |
| 015-141-00-3 | ethylenediammonium <i>O,O</i> -bis(octyl) phosphorodithioate, mixed isomers   | 400-520-1 | —          | Skin Corr. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H314<br>H302<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H410         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                                | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 015-142-00-9 | butyl (dialkyloxy(dibutoxyphosphoryloxy))titanium (trialkyloxy)titanium phosphate  | 401-100-0 | —          | Flam. Liq. 2<br>Eye Irrit. 2<br>Aquatic Chronic 2                | H225<br>H319<br>H411         | GHS02<br>GHS07<br>GHS09<br>Dgr | H225<br>H319<br>H411         |                                 |                                  | T     |
| 015-143-00-4 | reaction mass of 2-chloroethyl chloropropyl 2-chloroethylphosphonate, reaction mass of isomers and 2-chloroethyl chloropropyl 2-chloropropylphosphonate, reaction mass of isomers  | 401-740-0 | —          | Acute Tox. 4 *   | H302                         | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 015-144-00-X | reaction mass of pentyl methylphosphinate and 2-methylbutyl methylphosphinate  | 402-090-0 | 87025-52-3 | Skin Corr. 1B  | H314                         | GHS05<br>Dgr                   | H314                         |                                 |                                  |       |
| 015-145-00-5 | reaction mass of copper(I) <i>O,O</i> -diisopropyl phosphorodithioate and copper(I) <i>O</i> -isopropyl <i>O</i> -(4-methylpent-2-yl) phosphorodithioate and copper(I) <i>O,O</i> -bis(4-methylpent-2-yl) phosphorodithioate | 401-520-4 | —          | Aquatic Acute 1<br>Aquatic Chronic 1                             | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 015-146-00-0 | <i>S</i> -(tricyclo(5.2.1.0 <sup>2,6</sup> )deca-3-en-8(or 9)-yl <i>O</i> -(isopropyl or isobutyl or 2-ethylhexyl) <i>O</i> -(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate                                      | 401-850-9 | —          | Aquatic Acute 1<br>Aquatic Chronic 1                             | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 015-147-00-6 | reaction mass of C <sub>12-14</sub> -tertiary ammonium diphenyl phosphorothioate and dinonyl sulphide (or disulphide)  | 400-930-0 | —          | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 015-148-00-1 | 2-(diphosphonomethyl)succinic acid  | 403-070-4 | 51395-42-7 | Skin Corr. 1B<br>Skin Sens. 1   | H314<br>H317  | GHS05<br>GHS07<br>Dgr          | H314<br>H317                                    |                                 |                                  |       |
| 015-149-00-7 | reaction mass of: hexyldioctylphosphineoxide;<br>dihexyloctylphosphineoxide;<br>trioctylphosphineoxide      | 403-470-9 | —          | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H314<br>H400<br>H410                                    | GHS05<br>GHS09<br>Dgr          | H314<br>H410                                    |                                 |                                  |       |
| 015-150-00-2 | (2-(1,3-dioxolan-2-yl)ethyl)triphenylphosphonium bromide  | 404-940-6 | 86608-70-0 | Acute Tox. 4 *<br>Eye Dam. 1<br>STOT RE 2 *<br>Aquatic Chronic 3  | H302<br>H318<br>H373 **<br>H412                         | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H318<br>H373 **<br>H412                 |                                 |                                  |       |
| 015-151-00-8 | tris(isopropyl/ <i>tert</i> -butylphenyl) phosphate   | 405-010-2 | —          | Aquatic Chronic 2   | H411  | GHS09                          | H411  |                                 |                                  |       |
| 015-152-00-3 | dioxabenzofos (ISO);<br>2-methoxy-4 <i>H</i> -1,3,2-benzodioxaphosphorin 2-sulphide                         | 223-292-3 | 3811-49-2  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT SE 1<br>Aquatic Chronic 2  | H311<br>H301<br>H370 **<br>H411                         | GHS06<br>GHS08<br>GHS09<br>Dgr | H311<br>H301<br>H370 **<br>H411                 |                                 |                                  |       |
| 015-153-00-9 | isazofos (ISO);<br><i>O</i> -(5-chloro-1-isopropyl-1,2,4-triazol-3-yl) <i>O,O</i> -diethyl phosphorothioate | 255-863-8 | 42509-80-8 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H311<br>H301<br>H373 **<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H311<br>H301<br>H373 **<br>H317<br>H410 |                                 |                                  |       |

▼**B**

| Index No                    | International Chemical Identification   | EC No                             | CAS No                           | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------------------------------|----------------------------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                             |   |                                   |                                  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                 | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                 | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M8</b><br>015-154-00-4 | ethephon; 2-chloroethylphosphonic acid  | 240-718-3                         | 16672-87-0                       | Acute Tox. 3<br>Acute Tox. 4<br>Acute Tox. 4<br>Skin Corr. 1C<br>Aquatic Chronic 2 | H311<br>H332<br>H302<br>H314<br>H411     | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H332<br>H302<br>H314<br>H411     | EUH071                          |                                  |       |
| ▼ <b>M1</b><br>015-155-00-X | glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate  | 278-636-5                         | 77182-82-2                       | Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *      | H360Fd<br>H332<br>H312<br>H302<br>H373** | GHS08<br>GHS07<br>Dgr          | H360Fd<br>H332<br>H312<br>H302<br>H373** |                                 |                                  |       |
| ▼ <b>B</b><br>015-156-00-5  | methyl 3-[(dimethoxyphosphinothioyl)oxy]methacrylate; [1] methacrifos (ISO); methyl (E)-3-[(dimethoxyphosphinothioyl)oxy]methacrylate [2] | 250-366-9 [1]-<br>[2]             | 30864-28-9 [1]<br>62610-77-9 [2] | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H302<br>H317<br>H400<br>H410             | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                     |                                 |                                  |       |
| 015-157-00-0                | phosphonic acid; [1] phosphorous acid [2]   | 237-066-7 [1]<br>233-663-1<br>[2] | 13598-36-2 [1]<br>10294-56-1 [2] | Acute Tox. 4 *<br>Skin Corr. 1A  | H302<br>H314                             | GHS05<br>GHS07<br>Dgr          | H302<br>H314                             |                                 |                                  |       |
| 015-158-00-6                | (η-cyclopentadienyl)(η-cumenyl)iron(1+)hexafluorophosphate(1-)  | 402-340-9                         | 32760-80-8                       | Aquatic Chronic 3  | H412                                     | —                              | H412                                     |                                 |                                  |       |
| 015-159-00-1                | hydroxyphosphonoacetic acid   | 405-710-8                         | 23783-26-8                       | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1                     | H302<br>H373 **<br>H314<br>H317          | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 **<br>H314<br>H317          |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                                 | Labelling                               |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---------------------------------|---|---------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 015-160-00-7 | vanadyl pyrophosphate  | 406-260-5 | 58834-75-6  | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                 | H319<br>H317<br>H412            | GHS07<br>Wng                            | H319<br>H317<br>H412            |                                 |                                  |       |
| 015-161-00-2 | divanadyl pyrophosphate  | 407-130-0 | 65232-89-5  | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411    | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H318<br>H317<br>H411    |                                 |                                  |       |
| 015-162-00-8 | vanadium(IV) oxide hydrogen phosphate hemihydrate, lithium, zinc, molybdenum, iron and chlorine-doped  | 407-350-7 | —           | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Chronic 2  | H332<br>H373 **<br>H318<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H373 **<br>H318<br>H411 |                                 |                                  |       |
| 015-163-00-3 | bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphin-oxide  | 412-010-6 | 145052-34-2 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H317<br>H400<br>H410            | GHS07<br>GHS09<br>Wng                   | H317<br>H410                    |                                 |                                  |       |
| 015-164-00-9 | calcium <i>P,P'</i> -(1-hydroxyethylene)bis(hydrogen phosphonate)dihydrate   | 400-480-5 | 36669-85-9  | Aquatic Chronic 3   | H412                            | —                                       | H412                            |                                 |                                  |       |
| 015-165-00-4 | reaction mass of: thiobis(4,1-phenylene)- <i>S,S,S',S'</i> -tetraphenylsulfonium bishexafluorophosphate; diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate | 404-986-7 | —           | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H318<br>H400<br>H410            | GHS05<br>GHS09<br>Dgr                   | H318<br>H410                    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 015-166-00-X | 3,9-bis(2,6-di- <i>tert</i> -butyl-4-methylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane  | 410-290-4 | 80693-00-1 | Aquatic Chronic 4  | H413  | —                                       | H413                                    |                                 |                                  |       |
| 015-167-00-5 | 3-(hydroxyphenylphosphinyl)propanoic acid  | 411-200-6 | 14657-64-8 | Eye Dam. 1   | H318  | GHS05<br>Dgr                            | H318                                    |                                 |                                  |       |
| 015-168-00-0 | fosthiazate (ISO);<br>( <i>RS</i> )- <i>S</i> - <i>sec</i> -butyl- <i>O</i> -ethyl-2-oxo-1,3-thiazolidin-3-ylphosphonothioate  | —         | 98886-44-3 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H312<br>H317<br>H400<br>H410    | GHS06<br>GHS09<br>Dgr                   | H331<br>H301<br>H312<br>H317<br>H410    | EUH070                          |                                  |       |
| 015-169-00-6 | tributyltetradecylphosphonium tetrafluoroborate  | 413-520-1 | —          | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H302<br>H373 **<br>H314<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 **<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 015-170-00-1 | reaction mass of: di-(1-octane- <i>N,N,N</i> -trimethylammonium) octylphosphate;<br>1-octane- <i>N,N,N</i> -trimethylammonium di-octylphosphate;<br>1-octane- <i>N,N,N</i> -trimethylammonium octylphosphate | 407-490-9 | —          | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B  | H312<br>H302<br>H314                            | GHS05<br>GHS07<br>Dgr                   | H312<br>H302<br>H314                    |                                 |                                  |       |
| 015-171-00-7 | <i>O,O,O</i> -tris(2(or 4)- <i>C</i> <sub>9-10</sub> -isookylphenyl) phosphorothioate  | 406-940-1 | —          | Aquatic Chronic 2  | H411  | GHS09                                   | H411                                    |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 015-172-00-2 | reaction mass of: bis(isotridecylammonium)mono(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate;<br>isotridecylammonium bis(di-(4-methylpent-2-yloxy)thiophosphorothionylisopropyl)phosphate | 406-240-6 | —           | Flam. Liq. 3<br>Skin Corr. 1B<br>Aquatic Chronic 2                                 | H226<br>H314<br>H411                    | GHS02<br>GHS05<br>GHS09<br>Dgr | H226<br>H314<br>H411                    |                                 |                                  |       |
| 015-173-00-8 | methyl [2-(1,1-dimethylethyl)-6-methoxypyrimidin-4-yl]ethylphosphonothioate  | 414-080-3 | 117291-73-3 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H302<br>H400<br>H410                    | GHS07<br>GHS09<br>Wng          | H302<br>H410                            |                                 |                                  |       |
| 015-174-00-3 | 1-chloro- <i>N,N</i> -diethyl-1,1-diphenyl-1-(phenylmethyl)phosphoramine   | 411-370-1 | 82857-68-9  | Acute Tox. 3 *<br>Eye Dam. 1<br>Aquatic Chronic 2                                  | H301<br>H318<br>H411                    | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H411                    |                                 |                                  |       |
| 015-175-00-9 | <i>tert</i> -butyl (triphenylphosphoranylidene) acetate  | 412-880-7 | 35000-38-5  | Acute Tox. 3 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H301<br>H373 **<br>H319<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 **<br>H319<br>H317<br>H411 |                                 |                                  |       |
| 015-176-00-4 | <i>P,P,P',P'</i> -tetrakis-( <i>o</i> -methoxyphenyl)propane-1,3-diphosphine   | 413-430-2 | 116163-96-3 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                            | GHS09<br>Wng                   | H410                                    |                                 |                                  |       |
| 015-177-00-X | ((4-phenylbutyl)hydroxyphosphoryl)acetic acid  | 412-170-7 | 83623-61-4  | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1  | H373 **<br>H318<br>H317                 | GHS08<br>GHS05<br>Dgr          | H373 **<br>H318<br>H317                 |                                 |                                  |       |
| 015-178-00-5 | ( <i>R</i> )- $\alpha$ -phenylethylammonium (-)-(1 <i>R</i> , 2 <i>S</i> )-(1,2-epoxypropyl)phosphonate monohydrate  | 418-570-8 | 25383-07-7  | Repr. 2<br>Aquatic Chronic 2   | H361f ***<br>H411                       | GHS08<br>GHS09<br>Wng          | H361f ***<br>H411                       |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling  |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---|--|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 015-179-00-0 | UVCB condensation product of: tetrakis-hydroxymethylphosphonium chloride, urea and distilled hydrogenated C <sub>16-18</sub> tallow alkylamine | 422-720-8 | 166242-53-1 | Carc. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H373 **<br>H314<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr          | H351<br>H302<br>H373 **<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 015-180-00-6 | [ <i>R</i> -( <i>R</i> *, <i>S</i> *)]-[[2-methyl-1-(1-oxopropoxy)propoxy]-(4-phenylbutyl)phosphinyl] acetic acid, (-)-cinchonidine (1:1) salt | 415-820-8 | 137590-32-0 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3   | H318<br>H317<br>H412                                    | GHS05<br>GHS07<br>Dgr                            | H318<br>H317<br>H412                            |                                 |                                  |       |
| 015-181-00-1 | phosphine  | 232-260-8 | 7803-51-2   | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 2 *<br>Skin Corr. 1B<br>Aquatic Acute 1                                   | H220<br>H330<br>H314<br>H400                            | GHS02<br>GHS04<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H220<br>H330<br>H314<br>H400                    |                                 |                                  | U     |
| ▼ <b>M6</b>  |  |           |             |   |   |  |   |                                 |                                  |       |
| 015-182-00-7 | tetrapropan-2-yl (dichloromethanediyl)bis(phosphonate)   | 430-630-5 | 10596-22-2  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1  | H302<br>H319<br>H317                                    | GHS07<br>Wng                                     | H302<br>H319<br>H317                            |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |             |   |   |  |   |                                 |                                  |       |
| 015-183-00-2 | (1-hydroxydodecylidene)diphosphonic acid   | 425-230-2 | 16610-63-2  | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H314<br>H400<br>H410                                    | GHS05<br>GHS09<br>Dgr                            | H314<br>H410                                    |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 015-184-00-8 | Salts of glyphosate, with the exception of those specified elsewhere in this Annex   | —         | —           | Aquatic Chronic 2                                    | H411                     | GHS09                          | H411                     |                                 |                                  | A     |
| 015-186-00-9 | chlorpyrifos-methyl (ISO)<br><i>O,O</i> -dimethyl <i>O</i> -3,5,6-trichloro-2-pyridyl phosphorothioate   | 227-011-5 | 5598-13-0   | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 | M = 10000                        |       |
| 015-187-00-4 | reaction mass of: tetrasodium(((2-hydroxyethyl)imino)bis(methylene))bisphosphonate, <i>N</i> -oxide; trisodium ((tetrahydro-2-hydroxy-4 <i>H</i> -1,4,2-oxazaphosphorin-4-yl)-methyl)phosphonate, <i>N</i> -oxide, <i>P</i> -oxide | 417-540-1 | —           | Eye Dam. 1<br>Aquatic Chronic 2                      | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| ▼ <b>M8</b>  |  |           |             |  |                          |                                |                          |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |             |  |                          |                                |                          |                                 |                                  |       |
| 015-189-00-5 | phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide   | 423-340-5 | 162881-26-7 | Skin Sens. 1<br>Aquatic Chronic 4                    | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |             |  |                          |                                |                          |                                 |                                  |       |
| 015-190-00-0 | bis(2,4-dicumylphenyl) neopentyl diphosphite; 3,9-bis[2,4-bis(1-methyl-1-phenylethyl)phenoxy]-2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane  | 421-920-2 | 154862-43-8 | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 015-191-00-6 | dodecyldiphenyl phosphate  | 431-760-5 | 27460-02-2  | Skin Irrit. 2<br>Aquatic Chronic 3                   | H315<br>H412             | GHS07<br>Wng                   | H315<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 015-192-00-1 | tetrakis(2,6-dimethylphenyl)- <i>m</i> -phenylene biphosphate  | 432-770-2 | 139189-30-3 | Skin Sens. 1   | H317                                 | GHS07<br>Wng                            | H317                                 |                                 |                                  |       |
| 015-193-00-7 | triphenyl(phenylmethyl)phosphonium 1,1,2,2,3,3,4,4,4-nonafluoro- <i>N</i> -methyl-1-butanesulfonamide (1:1)  | 442-960-7 | 332350-93-3 | Acute Tox. 3 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H301<br>H318<br>H400<br>H410         | GHS05<br>GHS06<br>GHS09<br>Dgr          | H301<br>H318<br>H410                 |                                 |                                  |       |
| 015-194-00-2 | tetrabutyl-phosphonium nonafluoro-butane-1-sulfonate   | 444-440-5 | 220689-12-3 | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412                         | GHS07<br>Wng                            | H302<br>H412                         |                                 |                                  |       |
| 015-195-00-8 | reaction mass of: potassium <i>o</i> -toluenephosphonate;<br>potassium <i>m</i> -toluenephosphonate;<br>potassium <i>p</i> -toluenephosphonate   | 433-860-4 | —           | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                                      | H319<br>H317<br>H412                 | GHS07<br>Wng                            | H319<br>H317<br>H412                 |                                 |                                  |       |
| 015-196-00-3 | reaction mass of: dimethyl (2-(hydroxymethylcarbamoyl)ethyl)phosphonate;<br>diethyl (2-(hydroxymethylcarbamoyl)ethyl)phosphonate;<br>methyl ethyl (2-(hydroxymethylcarbamoyl)ethyl)phosphonate | 435-960-3 | —           | Carc. 1B<br>Muta. 1B<br>Skin Sens. 1   | H350<br>H340<br>H317                 | GHS08<br>GHS07<br>Dgr                   | H350<br>H340<br>H317                 |                                 |                                  |       |
| 015-197-00-9 | bis(2,4,4-trimethylpentyl)di-thiophosphonic acid   | 420-160-9 | 107667-02-7 | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H226<br>H331<br>H302<br>H314<br>H411 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H226<br>H331<br>H302<br>H314<br>H411 |                                 |                                  |       |
| 015-198-00-4 | (4-phenylbutyl)phosphinic acid   | 420-450-5 | 86552-32-1  | Carc. 2<br>Eye Dam. 1  | H351<br>H318                         | GHS05<br>GHS08<br>Dgr                   | H351<br>H318                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification           | EC No     | CAS No     | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|---|-----------|------------|--|--|---|--|---------------------------------|--|-------|
|              |   |           |            | Hazard Class and Category Code(s)                              | Hazard statement Code(s)                 | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                 | Suppl. Hazard statement Code(s) |  |       |
| 015-199-00-X | tris[2-chloro-1-chloro-methyl)ethyl] phosphate  | 237-159-2 | 13674-87-8 | Carc. 2  | H351                                     | GSH08<br>Wng                            | H351                                     |                                 |  |       |
| 015-200-00-3 | indium phosphide                                | 244-959-5 | 22398-80-7 | Carc. 1B<br>Repr. 2<br>STOT RE 1                               | H350<br>H361f<br>H372 (lungs)            | GHS08<br>Dgr                            | H350<br>H361f<br>H372 (lungs)            |                                 | STOT RE 1;<br>H372: C<br>≥0,1 %<br>Carc 1B;<br>H350: C<br>≥0,01 %<br>STOT RE 2;<br>H373: 0,01 %<br>≤ C < 0,1 % |       |
| 015-201-00-9 | trixyllyl phosphate                             | 246-677-8 | 25155-23-1 | Repr. 1B   | H360F                                    | GHS08<br>Dgr                            | H360F                                    |                                 |  |       |
| 015-202-00-4 | tris(nonylphenyl) phosphite                     | 247-759-6 | 26523-78-4 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H317<br>H400<br>H410                     | GHS07<br>GHS09<br>Wng                   | H317<br>H410                             |                                 |  |       |
| 015-203-00-X | diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 278-355-8 | 75980-60-8 | Repr. 2  | H361f<br>(causing atrophy of the testes) | GHS08<br>Wng                            | H361f<br>(causing atrophy of the testes) |                                 |  |       |
| 016-001-00-4 | hydrogen sulphide                               | 231-977-3 | 7783-06-4  | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 2 *<br>Aquatic Acute 1 | H220<br>H330<br>H400                     | GHS02<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H220<br>H330<br>H400                     |                                 |  | U     |
| 016-002-00-X | barium sulphide                                 | 244-214-4 | 21109-95-5 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1            | H332<br>H302<br>H400                     | GHS07<br>GHS09<br>Wng                   | H332<br>H302<br>H400                     | EUH031                          |  |       |

## ▼M3

## ▼B

## ▼B

| Index No     | International Chemical Identification       | EC No     | CAS No     | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                             | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 016-003-00-5 | barium polysulphides                        | 256-814-3 | 50864-67-0 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H400 | EUH031                          |                                  |       |
| 016-004-00-0 | calcium sulphide                            | 243-873-5 | 20548-54-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H400 | EUH031                          |                                  |       |
| 016-005-00-6 | calcium polysulphides                       | 215-709-2 | 1344-81-6  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H319<br>H335<br>H315<br>H400 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H400 | EUH031                          |                                  |       |
| 016-006-00-1 | dipotassium sulphide;<br>potassium sulphide | 215-197-0 | 1312-73-8  | Skin Corr. 1B<br>Aquatic Acute 1                              | H314<br>H400                 | GHS05<br>GHS09<br>Dgr          | H314<br>H400                 | EUH031                          |                                  |       |
| 016-007-00-7 | potassium polysulphides                     | 253-390-1 | 37199-66-9 | Skin Corr. 1B<br>Aquatic Acute 1                              | H314<br>H400                 | GHS05<br>GHS09<br>Dgr          | H314<br>H400                 | EUH031                          |                                  |       |
| 016-008-00-2 | ammonium polysulphides                      | 232-989-1 | 9080-17-5  | Skin Corr. 1B<br>Aquatic Acute 1                              | H314<br>H400                 | GHS05<br>GHS09<br>Dgr          | H314<br>H400                 | EUH031                          | EUH031: C ≥ 1 %                  |       |

▼B

| Index No     | International Chemical Identification        | EC No     | CAS No     | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 016-009-00-8 | disodium sulfide;<br>sodium sulfide          | 215-211-5 | 1313-82-2  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H311<br>H302<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H302<br>H314<br>H400 |                                 |                                  |       |
| 016-010-00-3 | sodium polysulphides                         | 215-686-9 | 1344-08-7  | Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Acute 1                   | H301<br>H314<br>H400         | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H314<br>H400         | EUH031                          |                                  |       |
| 016-011-00-9 | sulphur dioxide                              | 231-195-2 | 7446-09-5  | Press. Gas<br>Acute Tox. 3 *<br>Skin Corr. 1B                        | H331<br>H314                 | GHS04<br>GHS06<br>GHS05<br>Dgr | H331<br>H314                 |                                 | *                                | U5    |
| 016-012-00-4 | disulphur dichloride;<br>sulfur monochloride | 233-036-2 | 10025-67-9 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H301<br>H332<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H332<br>H314<br>H400 | EUH014<br>EUH029                | STOT SE 3;<br>H335: C ≥ 1 %      |       |
| 016-013-00-X | sulphur dichloride                           | 234-129-0 | 10545-99-0 | Skin Corr. 1B<br>STOT SE 3<br>Aquatic Acute 1                        | H314<br>H335<br>H400         | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H335<br>H400         | EUH014                          | STOT SE 3;<br>H335: C ≥ 5 %      |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|---|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |   |       |
| 016-014-00-5 | sulphur tetrachloride                   | —         | 13451-08-6 | Skin Corr. 1B<br>Aquatic Acute 1                  | H314<br>H400             | GHS05<br>GHS09<br>Dgr          | H314<br>H400             | EUH014                          | STOT SE 3;<br>H335: C ≥ 5 %   |       |
| 016-015-00-0 | thionyl dichloride;<br>thionyl chloride | 231-748-8 | 7719-09-7  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A | H332<br>H302<br>H314     | GHS05<br>GHS07<br>Dgr          | H332<br>H302<br>H314     | EUH014<br>EUH029                | STOT SE 3;<br>H335: C ≥ 1 %   |       |
| 016-016-00-6 | sulphuryl chloride                      | 232-245-6 | 7791-25-5  | Skin Corr. 1B<br>STOT SE 3                        | H314<br>H335             | GHS05<br>GHS07<br>Dgr          | H314<br>H335             | EUH014                          |   |       |
| 016-017-00-1 | chlorosulphonic acid                    | 232-234-6 | 7790-94-5  | Skin Corr. 1A<br>STOT SE 3                        | H314<br>H335             | GHS05<br>GHS07<br>Dgr          | H314<br>H335             | EUH014                          |   |       |
| 016-018-00-7 | fluorosulphonic acid                    | 232-149-4 | 7789-21-1  | Acute Tox. 4 *<br>Skin Corr. 1A                   | H332<br>H314             | GHS05<br>GHS07<br>Dgr          | H332<br>H314             |                                 |   |       |
| 016-019-00-2 | oleum ... % SO <sub>3</sub>             | —         | —          | Skin Corr. 1A<br>STOT SE 3                        | H314<br>H335             | GHS05<br>GHS07<br>Dgr          | H314<br>H335             | EUH014                          |   | B     |
| 016-020-00-8 | sulphuric acid ... %                    | 231-639-5 | 7664-93-9  | Skin Corr. 1A                                     | H314                     | GHS05<br>Dgr                   | H314                     |                                 | Skin Corr. 1A;<br>H314: C ≥ 15 %<br>Skin Irrit. 2;<br>H315: 5 % ≤ C < 15 %<br>Eye Irrit. 2;<br>H319: 5 % ≤ C < 15 % | B     |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-----------|-----------|--|--|---|--|---------------------------------|---|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |   |       |
| 016-021-00-3 | methanethiol;<br>methyl mercaptan  | 200-822-1 | 74-93-1   | Flam. Gas. 1<br>Press. Gas<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H220<br>H331<br>H400<br>H410                 | GHS02<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H220<br>H331<br>H410                         |                                 |   | U     |
| 016-022-00-9 | ethanethiol;<br>ethyl mercaptan  | 200-837-3 | 75-08-1   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H225<br>H332<br>H400<br>H410                 | GHS02<br>GHS07<br>GHS09<br>Dgr          | H225<br>H332<br>H410                         |                                 |   |       |
| 016-023-00-4 | dimethyl sulphate  | 201-058-1 | 77-78-1   | Carc. 1B<br>Muta. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1 | H350<br>H341<br>H330<br>H301<br>H314<br>H317 | GHS06<br>GHS08<br>GHS05<br>Dgr          | H350<br>H341<br>H330<br>H301<br>H314<br>H317 |                                 | Carc. 1B;<br>H350: C ≥<br>0,01 %<br>Muta. 2; H341:<br>C ≥ 0,01 %<br>STOT SE 3;<br>H335: C ≥ 5 % |       |
| 016-024-00-X | dimexano(ISO);<br>bis(methoxythiocarbonyl)<br>disulphide                     | 215-993-8 | 1468-37-7 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng                   | H302<br>H410                                 |                                 |   |       |
| 016-025-00-5 | disul (ISO);<br>2-(2,4-dichlorophenoxy)ethyl<br>hydrogensulphate;<br>2,4-DES | 205-259-5 | 149-26-8  | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1  | H302<br>H315<br>H318                         | GHS05<br>GHS07<br>Dgr                   | H302<br>H315<br>H318                         |                                 |   |       |
| 016-026-00-0 | sulphamic acid;<br>sulphamic acid;<br>sulfamic acid                          | 226-218-8 | 5329-14-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3                                       | H319<br>H315<br>H412                         | GHS07<br>Wng                            | H319<br>H315<br>H412                         |                                 |   |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------|------------|---|--|--------------------------------|--|---------------------------------|---|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |   |       |
| 016-027-00-6 | diethyl sulphate  | 200-589-6 | 64-67-5    | Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B | H350<br>H340<br>H332<br>H312<br>H302<br>H314 | GHS05<br>GHS08<br>GHS07<br>Dgr | H350<br>H340<br>H332<br>H312<br>H302<br>H314 |                                 |   |       |
| 016-028-00-1 | sodium dithionite;<br>sodium hydrosulphite  | 231-890-0 | 7775-14-6  | Self-heat. 1<br>Acute Tox. 4 *  | H251<br>H302                                 | GHS02<br>GHS07<br>Dgr          | H251<br>H302                                 | EUH031                          |   |       |
| 016-029-00-7 | <i>p</i> -toluenesulphonic acid, containing more than 5 % H <sub>2</sub> SO <sub>4</sub>      | —         | —          | Skin Corr. 1B   | H314   | GHS05<br>Dgr                   | H314   |                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 % |       |
| 016-030-00-2 | <i>p</i> -toluenesulphonic acid (containing a maximum of 5 % H <sub>2</sub> SO <sub>4</sub> ) | 203-180-0 | 104-15-4   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2  | H319<br>H335<br>H315                         | GHS07<br>Wng                   | H319<br>H335<br>H315                         |                                 | STOT SE 3;<br>H335: C ≥ 20 %  |       |
| 016-031-00-8 | tetrahydrothiophene-1,1-dioxide;<br>sulpholane  | 204-783-1 | 126-33-0   | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302   |                                 |   |       |
| 016-032-00-3 | 1,3-propanesultone;<br>1,2-oxathiolane 2,2-dioxide  | 214-317-9 | 1120-71-4  | Carc. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H350<br>H312<br>H302                         | GHS08<br>GHS07<br>Dgr          | H350<br>H312<br>H302                         |                                 | Carc. 1B;<br>H350: C ≥ 0,01 %   |       |
| 016-033-00-9 | dimethylsulfamoylchloride   | 236-412-4 | 13360-57-1 | Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B             | H350<br>H330<br>H312<br>H302<br>H314         | GHS06<br>GHS05<br>GHS08<br>Dgr | H350<br>H330<br>H312<br>H302<br>H314         |                                 |   |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 016-034-00-4 | tetrasodium 3,3'-(piperazine-1,4-diylbis((6-chloro-1,3,5-triazine-2,4-diyl)imino(2-acetamido)-4,1-phenyleneazo))bis(naphthalene-1,5-disulphonate)                                | 400-010-9 | 81898-60-4 | Skin Sens. 1                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 016-035-00-X | pentasodium 5-anilino-3-(4-(4-(6-chloro-4-(3-sulphonatoanilino)-1,3,5-triazin-2-ylamino)-2,5-dimethylphenylazo)-2,5-disulphonatophenylazo)-4-hydroxynaphthalene-2,7-disulphonate | 400-120-7 | —          | Eye Irrit. 2                       | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| 016-036-00-5 | tetrasodium 5-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-4-hydroxy-2,3-azodinaphthalene-1,2,5,7-disulphonate  | 400-130-1 | —          | Resp. Sens. 1<br>Aquatic Chronic 2 | H334<br>H411             | GHS08<br>GHS09<br>Dgr          | H334<br>H411             |                                 |                                  |       |
| 016-037-00-0 | disodium 1-amino-4-(4-benzenesulphonamido-3-sulphonatoanilino)anthraquinone-2-sulphonate   | 400-350-8 | 85153-93-1 | Eye Dam. 1<br>Aquatic Chronic 3    | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 016-038-00-6 | disodium 6-((4-chloro-6-(N-methyl)-2-toluidino)-1,3,5-triazin-2-ylamino)-1-hydroxy-2-(4-methoxy-2-sulphonatophenylazo)naphthalene-3-sulphonate                                   | 400-380-1 | 86393-35-3 | Skin Sens. 1                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 016-039-00-1 | tetrasodium 2-(6-chloro-4-(4-(2,5-dimethyl-4-(2,5-disulphonatophenylazo)phenylazo)-3-ureidoanilino)-1,3,5-triazin-2-ylamino)benzene-1,4-disulphonate                             | 400-430-2 | —          | Skin Sens. 1                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)             | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 016-040-00-7 | reaction mass of disodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(2,4-dihydroxyphenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and disodium 6-(2,4-diaminophenylazo)-3-(4-(4-(2,4-diaminophenylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate and trisodium 6-(2,4-dihydroxyphenylazo)-3-(4-(4-(7-(2,4-dihydroxyphenylazo)-1-hydroxy-3-sulphonato-2-naphthylazo)anilino)-3-sulphonatophenylazo)-4-hydroxynaphthalene-2-sulphonate | 400-570-4 | —          | Eye Irrit. 2                                  | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| 016-041-00-2 | calcium 2,5-dichloro-4-(4-(5-chloro-4-methyl-2-sulphonatophenyl)azo)-5-hydroxy-3-methylpyrazol-1-yl)benzenesulphonate  | 400-710-4 | —          | Acute Tox. 4 *                                | H332                     | GHS07<br>Wng                   | H332                     |                                 |                                  |       |
| 016-042-00-8 | tetrasodium 5-benzamido-3-(5-(4-fluoro-6-(1-sulphonato-2-naphthylamino)-1,3,5-triazin-2-ylamino)-2-sulphonatophenylazo)-4-hydroxynaphthalene-2,7- disulphonate   | 400-790-0 | 85665-97-0 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H319<br>H315<br>H317     | GHS07<br>Wng                   | H319<br>H315<br>H317     |                                 |                                  |       |
| 016-043-00-3 | dilithium 6-acetamido-4-hydroxy-3-(4-((2-sulphonatoxy)ethylsulphonyl)phenylazo)naphthalene-2-sulphonate  | 401-010-1 | —          | Skin Sens. 1                                  | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 016-044-00-9 | disodium S,S-hexane-1,6-diyldi(thiosulphate) dihydrate   | 401-320-7 | —          | Skin Sens. 1<br>Aquatic Chronic 3             | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 016-045-00-4 | lithium sodium hydrogen 4-amino-6-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-sulphonatophenylazo)-5-hydroxy-3-(4-(2-(sulphonatooxy)ethylsulphonyl)phenylazo)naphthalene-2,7-disulphonate   | 401-560-2 | 108624-00-6 | Skin Sens. 1                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 016-046-00-X | sodium hydrogensulphate   | 231-665-7 | 7681-38-1   | Eye Dam. 1                         | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 016-047-00-5 | hexasodium 7-(4-(4-(4-(2,5-disulphonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)-2-methylphenylazo)-7-sulphonatonaphthylazo)naphthalene-1,3,5-trisulphonate  | 401-650-1 | 85665-96-9  | Skin Sens. 1                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 016-048-00-0 | sodium 3,5-dichloro-2-(5-cyano-2,6-bis(3-hydroxypropylamino)-4-methylpyridin-3-ylazo)benzenesulphonate  | 401-870-8 | —           | Eye Dam. 1<br>Aquatic Chronic 3    | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 016-049-00-6 | calcium octadecylxylenesulphonate   | 402-040-8 | —           | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411             | GHS05<br>GHS09<br>Dgr          | H314<br>H411             |                                 |                                  |       |
| 016-050-00-1 | potassium sodium 5-(4-chloro-6-(N-(4-(4-chloro-6-(5-hydroxy-2,7-disulphonato-6-(2-sulphonatophenylazo)-4-naphthylamino)-1,3,5-triazin-2-ylamino)phenyl-N-methylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(2-sulphonatophenylazo)naphthalene-2,7-disulphonat | 402-150-6 | —           | Eye Irrit. 2<br>Skin Sens. 1       | H319<br>H317             | GHS07<br>Wng                   | H319<br>H317             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 016-051-00-7 | trisodium 7-(4-(6-fluoro-4-(2-(2-vinylsulphonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6-trisulphonate  | 402-170-5 | 106359-91-5 | Skin Sens. 1   | H317  | GHS07<br>Wng                   | H317  |                                 |                                  |       |
| 016-052-00-2 | benzyltributylammonium 4-hydroxynaphthalene-1-sulphonate  | 402-240-5 | 102561-46-6 | Acute Tox. 4 *<br>Aquatic Chronic 2  | H332<br>H411                                    | GHS07<br>GHS09<br>Wng          | H332<br>H411                                    |                                 |                                  |       |
| 016-053-00-8 | (C <sub>16</sub> or C <sub>18</sub> -n-alkyl)(C <sub>16</sub> or C <sub>18</sub> -n-alkyl)ammonium 2-((C <sub>16</sub> or C <sub>18</sub> -n-alkyl)(C <sub>16</sub> or C <sub>18</sub> -n-alkyl)carbamoyl)benzenesulphonate | 402-460-1 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4   | H315<br>H317<br>H413                            | GHS07<br>Wng                   | H315<br>H317<br>H413                            |                                 |                                  |       |
| 016-054-00-3 | sodium 4-(2,4,4-trimethylpentylcarbonyloxy)benzenesulphonate  | 400-030-8 | —           | Acute Tox. 3 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Sens. 1 | H331<br>H372 **<br>H302<br>H319<br>H335<br>H317 | GHS06<br>GHS08<br>Dgr          | H331<br>H372 **<br>H302<br>H319<br>H335<br>H317 |                                 |                                  |       |
| 016-055-00-9 | tetrasodium 4-amino-3,6-bis(5-(6-chloro-4-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-sulfonate (containing > 35 % sodium chloride and sodium acetate)                    | 400-510-7 | —           | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317                                    | GHS05<br>GHS07<br>Dgr          | H318<br>H317                                    |                                 |                                  |       |
| 016-056-00-4 | potassium hydrogensulphate  | 231-594-1 | 7646-93-7   | Skin Corr. 1B<br>STOT SE 3   | H314<br>H335                                    | GHS05<br>GHS07<br>Dgr          | H314<br>H335                                    |                                 |                                  |       |
| 016-057-00-X | styrene-4-sulfonyl chloride   | 404-770-2 | 2633-67-2   | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1  | H315<br>H318<br>H317                            | GHS05<br>GHS07<br>Dgr          | H315<br>H318<br>H317                            |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 016-058-00-5 | thionyl chloride, reaction products with 1,3,4-thiadiazol-2,5-dithiol, <i>tert</i> -nonanethiol and C <sub>12-14</sub> - <i>tert</i> -alkylamine | 404-820-3 | —          | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3  | H315<br>H317<br>H412                                 | GHS07<br>Wng                   | H315<br>H317<br>H412                                 |                                 |                                  |       |
| 016-059-00-0 | <i>N,N,N,N</i> -tetramethyldithio-bis(ethylene)diamine dihydrochloride   | 405-300-9 | 17339-60-5 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                      | H302<br>H319<br>H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H317<br>H410                         |                                 |                                  |       |
| 016-060-00-6 | diammonium peroxodisulphate; ammonium persulphate  | 231-786-5 | 7727-54-0  | Ox. Sol. 3<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS03<br>GHS08<br>GHS07<br>Dgr | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 |                                 |                                  |       |
| 016-061-00-1 | dipotassium peroxodisulphate; potassium persulphate  | 231-781-8 | 7727-21-1  | Ox. Sol. 3<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS03<br>GHS08<br>GHS07<br>Dgr | H272<br>H302<br>H319<br>H335<br>H315<br>H334<br>H317 |                                 |                                  |       |
| 016-062-00-7 | bensultap (ISO); 1,3-bis(phenylsulfonylthio)-2-( <i>N,N</i> -dimethylamino)propane   | —         | 17606-31-4 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                                 | GHS07<br>GHS09<br>Wng          | H302<br>H410   |                                 |                                  |       |
| 016-063-00-2 | sodium metabisulphite  | 231-673-0 | 7681-57-4  | Acute Tox. 4 *<br>Eye Dam. 1  | H302<br>H318   | GHS05<br>GHS07<br>Dgr          | H302<br>H318   | EUH031                          |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 016-064-00-8 | sodium hydrogensulphite . . . %;<br>sodium bisulphite . . . %   | 231-548-0 | 7631-90-5   | Acute Tox. 4 *                                  | H302                     | GHS07<br>Wng                   | H302                     | EUH031                          |                                  | B     |
| 016-065-00-3 | sodium 1-amino-4-[2-methyl-5-(4-methylphenylsulfonylamino)phenylamino]anthraquinone-2-sulfonate   | 400-100-8 | 84057-97-6  | Aquatic Chronic 2                               | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 016-066-00-9 | tetrasodium [5-((4-amino-6-chloro-1,3,5-triazin-2-yl)amino)-2-((2-hydroxy-3,5-disulfonatophenylazo)-2-sulfonatobenzylidenehydrazino)benzoate]copper(II) | 404-070-7 | 116912-62-0 | Aquatic Chronic 3                               | H412                     | —                              | H412                     |                                 |                                  |       |
| 016-067-00-4 | (4-methylphenyl)mesitylene sulfonate  | 407-530-5 | 67811-06-7  | Aquatic Chronic 4                               | H413                     | —                              | H413                     |                                 |                                  |       |
| 016-068-00-X | sodium 3,5-bis(tetradecyloxy-carbonyl)benzenesulfinate  | 407-720-8 | 155160-86-4 | Skin Sens. 1<br>Aquatic Chronic 2               | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 016-069-00-5 | 3,5-bis-(tetradecyloxy-carbonyl)benzenesulfinic acid  | 407-990-7 | 141915-64-2 | Skin Sens. 1<br>Aquatic Chronic 2               | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 016-070-00-0 | 4-benzyloxy-4'-(2,3-epoxy-2-methylprop-1-yloxy)diphenylsulfone  | 408-220-2 | —           | Aquatic Chronic 4                               | H413                     | —                              | H413                     |                                 |                                  |       |
| 016-071-00-6 | trisodium 3-amino-6,13-dichloro-10-((3-((4-chloro-6-(2-sulfophenylamino)-1,3,5-triazin-2-yl)amino)propyl)amino)-4,11-triphenoxydioxazinedisulfonate     | 410-130-3 | 136248-03-8 | Skin Sens. 1                                    | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 016-072-00-1 | 3-amino-4-hydroxy-N-(2-methoxyethyl)-benzenesulfonamide   | 411-520-6 | 112195-27-4 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 016-073-00-7 | tetrakis(phenylmethyl)thioperoxydi(carbothioamide)   | 404-310-0 | 10591-85-2  | Aquatic Chronic 4  | H413                                 | —                              | H413                                 |                                 |                                  |       |
| 016-074-00-2 | 6-fluoro-2-methyl-3-(4-methylthiobenzyl)indene   | 405-410-7 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2               | H315<br>H318<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H411         |                                 |                                  |       |
| 016-075-00-8 | 2,2'-diallyl-4,4'-sulfonyldiphenol   | 411-570-9 | 41481-66-7  | Skin Sens. 1<br>Aquatic Chronic 2  | H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H317<br>H411                         |                                 |                                  |       |
| 016-076-00-3 | 2,3-bis((2-mercaptoethyl)thio)-1-propanethiol  | 411-290-7 | 131538-00-6 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H302<br>H373 **<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H410              |                                 |                                  |       |
| 016-077-00-9 | 2-chloro- <i>p</i> -toluenesulfochloride   | 412-890-1 | 42413-03-6  | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3                             | H314<br>H317<br>H412                 | GHS05<br>GHS07<br>Dgr          | H314<br>H317<br>H412                 |                                 |                                  |       |
| 016-078-00-4 | 4-methyl- <i>N,N</i> -bis(2-((4-methylphenyl)sulfonylamino)ethyl)benzenesulfonamide  | 413-300-5 | 56187-04-3  | Aquatic Chronic 4  | H413                                 | —                              |                                      |                                 |                                  |       |
| 016-079-00-X | <i>N,N</i> -bis(2-( <i>p</i> -toluenesulfonyloxy)ethyl)- <i>p</i> -toluenesulfonamide  | 412-920-3 | 16695-22-0  | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                         | GHS07<br>Wng                   | H317<br>H413                         |                                 |                                  |       |
| 016-080-00-5 | sodium 2-anilino-5-(2-nitro-4-( <i>N</i> -phenylsulfamoyl)anilino)benzenesulfonate   | 412-320-1 | 31361-99-6  | Eye Dam. 1<br>Aquatic Chronic 3  | H318<br>H412                         | GHS05<br>Dgr                   | H318<br>H412                         |                                 |                                  |       |
| 016-081-00-0 | hexahydrocyclopenta[ <i>c</i> ]pyrrole-1-(1 <i>H</i> )-ammonium <i>N</i> -ethoxycarbonyl- <i>N</i> -( <i>p</i> -tolylsulfonyl)az-anide | 418-350-1 | —           | Muta. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H341<br>H302<br>H319<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H302<br>H319<br>H317<br>H411 |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 016-082-00-6 | ethoxysulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethoxyphenoxysulfonyl)urea   | —         | 126801-58-9 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                                 | GHS09<br>Wng                   | H410                                 |                                 |                                  |       |
| 016-083-00-1 | acibenzolar- <i>S</i> -methyl;<br>benzo[1,2,3]thiadiazole-7-carbo-<br>thioic acid <i>S</i> -methyl ester   | 420-050-0 | 135158-54-2 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H317<br>H410 |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |             |  |  |                                |                                      |                                 |                                  |       |
| 016-084-00-7 | prosulfuron (ISO);<br>1-(4-methoxy-6-methyl-1,3,5-<br>triazin-2-yl)-3-[2-(3,3,3-trifluor-<br>opropyl)phenylsulfonyl]urea   | —         | 94125-34-5  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 | M=100                            |       |
| ▼ <u>B</u>   |  |           |             |  |  |                                |                                      |                                 |                                  |       |
| 016-085-00-2 | flazasulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-<br>yl)-3-(3-trifluoromethyl-2-pyri-<br>dylsulfonyl)urea   | —         | 104040-78-0 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                                 | GHS09<br>Wng                   | H410                                 |                                 |                                  |       |
| 016-086-00-8 | tetrasodium 10-amino-6,13-<br>dichloro-3-(3-(4-(2,5-disulfon-<br>atoanilino)-6-fluoro-1,3,5-<br>triazin-2-ylamino)prop-3-<br>ylamino)-5,12-dioxa-7,14-diaza-<br>pentacene-4,11-disulfonate | 402-590-9 | 109125-56-6 | Eye Dam. 1   | H318   | GHS05<br>Dgr                   | H318                                 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification   |                                       | Labelling                      |                               |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|--|---------------------------------------|--------------------------------|-------------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)              | Pictogram, Signal Word Code(s) | Hazard statement Code(s)      | Suppl. Hazard statement Code(s) |                                  |       |
| 016-087-00-3        | reaction mass of: thiobis(4,1-phenylene)-S,S,S',S'-tetraphenyldisulfonium bishexafluorophosphate;<br>diphenyl(4-phenylthiophenyl)sulfonium hexafluorophosphate;<br>propylene carbonate                     | 403-490-8 | 104558-95-4 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H319<br>H317<br>H400<br>H410          | GHS07<br>GHS09<br>Wng          | H319<br>H317<br>H410          |                                 |                                  |       |
| 016-088-00-9        | 4-(bis(4-(diethylamino)phenyl)methyl)benzene-1,2-dimethanesulfonic acid  | 407-280-7 | 71297-11-5  | Aquatic Chronic 3  | H412                                  | —                              | H412                          |                                 |                                  |       |
| 016-089-00-4        | reaction mass of esters of 5,5',6,6',7,7'-hexahydroxy-3,3',3',3'-tetramethyl-1,1'-spirobiindan and 2-diazo-1,2-dihydro-1-oxo-5-sulfonaphthalene  | 413-840-1 | —           | Self-react. C ****<br>Aquatic Chronic 4  | H242<br>H413                          | GHS02<br>Dgr                   | H242<br>H413                  |                                 |                                  |       |
| 016-090-00-X        | 4-methyl-N-(methylsulfonyl)benzenesulfonamide  | 415-040-8 | 14653-91-9  | Acute Tox. 4 *<br>STOT SE 3<br>Eye Dam. 1  | H302<br>H335<br>H318                  | GHS05<br>GHS07<br>Dgr          | H302<br>H335<br>H318          |                                 |                                  |       |
| 016-091-00-5        | C <sub>12-14</sub> -tert-alkyl ammonium 1-amino-9,10-dihydro-9,10-dioxo-4-(2,4,6-trimethylanilino)-anthracen-2-sulfonate   | 414-110-5 | —           | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                               | H318<br>H400<br>H410                  | GHS05<br>GHS09<br>Dgr          | H318<br>H410                  |                                 |                                  |       |
| ▼M6<br>016-092-00-0 | reaction mass of: 4,7-bis(mercaptomethyl)-3,6,9-trithia-1,11-undecanedithiol;<br>4,8-bis(mercaptomethyl)-3,6,9-trithia-1,11-undecanedithiol;<br>5,7-bis(mercaptomethyl)-3,6,9-trithia-1,11-undecanedithiol | 427-050-1 | —           | Repr. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361f<br>H315<br>H317<br>H410 |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 016-093-00-6 | reaction mass of: 4-(7-hydroxy-2,4,4-trimethyl-2-chromanyl)resorcinol-4-yl-tris(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate);<br>4-(7-hydroxy-2,4,4-trimethyl-2-chromanyl)resorcinolbis(6-diazo-5,6-dihydro-5-oxonaphthalen-1-sulfonate) (2:1)   | 414-770-4 | 140698-96-0 | Self-react. C ****<br>Carc. 2        | H242<br>H351             | GHS02<br>GHS08<br>Dgr          | H242<br>H351             |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 016-094-00-1 | sulfur   | 231-722-6 | 7704-34-9   | Skin Irrit. 2                        | H315                     | GHS07<br>Wng                   | H315                     |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 016-095-00-7 | reaction mass of: reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalene-sulfonate (1:2);<br>Reaction product of 4,4'-methylenebis[2-(4-hydroxybenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxo-naphthalenesulfonate (1:3) | 417-980-4 | —           | Self-react. C ****<br>Carc. 2        | H242<br>H351             | GHS02<br>GHS08<br>Dgr          | H242<br>H351             |                                 |                                  |       |
| 016-096-00-2 | thifensulfuron-methyl (ISO); methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl)thiophene-2-carboxylate   | —         | 79277-27-3  | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

▼ **M1**

| Index No                    | International Chemical Identification         | EC No     | CAS No     | Classification   |  | Labelling                               |  |   | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|------------|--|--|---|--|---|----------------------------------|-------|
|                             |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s)   |                                  |       |
| 016-097-00-8                | 1-amino-2-methyl-2-propanethiol hydrochloride | 434-480-1 | 32047-53-3 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3                                       | H302<br>H314<br>H317<br>H412                 | GHS05<br>GHS07<br>Dgr                   | H302<br>H314<br>H317<br>H412                 |   |                                  |       |
| ▼ <b>M6</b><br>017-001-00-7 | chlorine                                      | 231-959-5 | 7782-50-5  | Ox. Gas 1<br>Press. Gas<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H270<br>H331<br>H319<br>H335<br>H315<br>H400 | GHS03<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H270<br>H331<br>H319<br>H335<br>H315<br>H400 | M = 100   | U                                |       |
| ▼ <b>B</b><br>017-002-00-2  | hydrogen chloride                             | 231-595-7 | 7647-01-0  | Press. Gas<br>Acute Tox. 3 *<br>Skin Corr. 1A  | H331<br>H314                                 | GHS04<br>GHS06<br>GHS05<br>Dgr          | H331<br>H314                                 |   | U5                               |       |
| 017-002-01-X                | hydrochloric acid ... %                       | 231-595-7 | —          | Skin Corr. 1B<br>STOT SE 3   | H314<br>H335                                 | GHS05<br>GHS07<br>Dgr                   | H314<br>H335                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 %<br>STOT SE 3;<br>H335: C ≥ 10 % | B                                |       |
| 017-003-00-8                | barium chlorate                               | 236-760-7 | 13477-00-4 | Ox. Sol. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2  | H271<br>H332<br>H302<br>H411                 | GHS03<br>GHS07<br>GHS09<br>Dgr          | H271<br>H332<br>H302<br>H411                 |   |                                  |       |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No     | Classification  |                              | Labelling                      |                              |  | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|------------|---|------------------------------|--------------------------------|------------------------------|--|----------------------------------|-------|
|              |                                       |           |            | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s)  |                                  |       |
| 017-004-00-3 | potassium chlorate                    | 223-289-7 | 3811-04-9  | Ox. Sol. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2 | H271<br>H332<br>H302<br>H411 | GHS03<br>GHS07<br>GHS09<br>Dgr | H271<br>H332<br>H302<br>H411 |  |                                  |       |
| 017-005-00-9 | sodium chlorate                       | 231-887-4 | 7775-09-9  | Ox. Sol. 1<br>Acute Tox. 4 *<br>Aquatic Chronic 2                   | H271<br>H302<br>H411         | GHS03<br>GHS07<br>GHS09<br>Dgr | H271<br>H302<br>H411         |  |                                  |       |
| 017-006-00-4 | perchloric acid ... %                 | 231-512-4 | 7601-90-3  | Ox. Liq. 1<br>Skin Corr. 1A   | H271<br>H314                 | GHS03<br>GHS05<br>Dgr          | H271<br>H314                 | Skin Corr. 1A;<br>H314: C ≥ 50 %<br>Skin Corr. 1B;<br>H314: 10 % ≤ C < 50 %<br>Skin Irrit. 2;<br>H315: 1 % ≤ C < 10 %<br>Eye Irrit. 2;<br>H319: 1 % ≤ C < 10 %<br>Ox. Liq. 1;<br>H271: C > 50 %<br>Ox. Liq. 2;<br>H272: C ≤ 50 % | B                                |       |
| 017-007-00-X | barium perchlorate                    | 236-710-4 | 13465-95-7 | Ox. Sol. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *                      | H271<br>H332<br>H302         | GHS03<br>GHS07<br>Dgr          | H271<br>H332<br>H302         |  |                                  |       |
| 017-008-00-5 | potassium perchlorate                 | 231-912-9 | 7778-74-7  | Ox. Sol. 1<br>Acute Tox. 4 *  | H271<br>H302                 | GHS03<br>GHS07<br>Dgr          | H271<br>H302                 |  |                                  |       |

▼ **B**

| Index No                    | International Chemical Identification                    | EC No     | CAS No     | Classification   |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors   | Notes |
|-----------------------------|--|-----------|------------|--|------------------------------|---|------------------------------|---------------------------------|--|-------|
|                             |  |           |            | Hazard Class and Category Code(s)                                | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |  |       |
| ▼ <b>M1</b><br>017-009-00-0 | ammonium perchlorate                                     | 232-235-1 | 7790-98-9  | Expl. 1.1<br>Ox. Sol. 1  | H201<br>H271                 | GHS01<br>Dgr                            | H201<br>H271                 |                                 |  | T     |
| ▼ <b>B</b><br>017-010-00-6  | sodium perchlorate                                       | 231-511-9 | 7601-89-0  | Ox. Sol. 1<br>Acute Tox. 4 *                                     | H271<br>H302                 | GHS03<br>GHS07<br>Dgr                   | H271<br>H302                 |                                 |  |       |
| 017-011-00-1                | sodium hypochlorite, solution ...<br>% Cl active         | 231-668-3 | 7681-52-9  | Skin Corr. 1B<br>Aquatic Acute 1                                 | H314<br>H400                 | GHS05<br>GHS09<br>Dgr                   | H314<br>H400                 | EUH031                          | EUH031: C ≥ 5 %  | B     |
| ▼ <b>M6</b><br>017-012-00-7 | calcium hypochlorite                                     | 231-908-7 | 7778-54-3  | Ox. Sol. 2<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H272<br>H302<br>H314<br>H400 | GHS03<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H314<br>H400 | EUH031                          | Skin Corr. 1B;<br>H314: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: 1 % ≤ C < 5 %<br>Eye Dam. 1;<br>H318: 3 % ≤ C < 5 %<br>Eye Irrit. 2;<br>H319: 0,5 % ≤ C < 3 %<br>M = 10 | T     |
| ▼ <b>B</b><br>017-013-00-2  | calcium chloride   | 233-140-8 | 10043-52-4 | Eye Irrit. 2   | H319                         | GHS07<br>Wng                            | H319                         |                                 |  |       |
| 017-014-00-8                | ammonium chloride  | 235-186-4 | 12125-02-9 | Acute Tox. 4 *<br>Eye Irrit. 2                                   | H302<br>H319                 | GHS07<br>Wng                            | H302<br>H319                 |                                 |  |       |
| 017-015-00-3                | (2-(aminomethyl)phenyl)acetyl-<br>chloride hydrochloride | 417-410-4 | 61807-67-8 | Acute Tox. 4 *<br>Skin Corr. 1A<br>Skin Sens. 1                  | H302<br>H314<br>H317         | GHS05<br>GHS07<br>Dgr                   | H302<br>H314<br>H317         |                                 |  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 017-016-00-9 | methyltriphenylphosphonium chloride  | 418-400-2 | 1031-15-8   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H315<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H315<br>H318<br>H411 |                                 |                                  |       |
| 017-017-00-4 | (Z)-13-docosenyl- <i>N,N</i> -bis(2-hydroxyethyl)- <i>N</i> -methylammonium-chloride | 426-210-6 | 120086-58-0 | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                                | H314<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H314<br>H410                         |                                 |                                  |       |
| 017-018-00-X | <i>N,N,N</i> -trimethyl-2,3-bis(stearoyloxy)propylammonium chloride                  | 405-660-7 | —           | Aquatic Chronic 2  | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |
| 017-019-00-5 | ( <i>R</i> )-1,2,3,4-tetrahydro-6,7-dimethoxy-1-veratrylisoquinoline hydrochloride   | 415-110-8 | 54417-53-7  | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412                         | GHS07<br>Wng                   | H302<br>H412                         |                                 |                                  |       |
| 017-020-00-0 | ethyl propoxy aluminium chloride   | 421-790-7 | 13014-29-4  | Water-react. 1<br>Skin Corr. 1A  | H260<br>H314                         | GHS02<br>GHS05<br>Dgr          | H260<br>H314                         | EUH014                          |                                  |       |



## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling  |                              |  | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|---|------------------------------|--|------------------------------|--|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)     | Suppl. Hazard statement Code(s)  |                                  |       |
| 017-021-00-6        | behenamidopropyl-dimethyl-(dihydroxypropyl) ammonium chloride  | 423-420-1 | 136920-10-0 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr                   | H318<br>H317<br>H410         |  |                                  |       |
| ▼M1<br>017-023-00-7 | [phosphinyldynetr(oxy)] tris[3-aminopropyl-2-hydroxy- <i>N,N</i> -dimethyl- <i>N</i> -(C <sub>6-18</sub> )-alkyl] trichlorides | 425-520-9 | 197179-61-6 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H318<br>H400<br>H410         | GHS05<br>GHS09<br>Dgr                            | H318<br>H410                 |  |                                  |       |
| ▼M6<br>017-026-00-3 | chlorine dioxide   | 233-162-8 | 10049-04-4  | Press. Gas<br>Ox. Gas 1<br>Acute Tox. 2 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H270<br>H330<br>H314<br>H400 | GHS04<br>GHS03<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H270<br>H330<br>H314<br>H400 | M = 10   | 5                                |       |
| 017-026-01-0        | chlorine dioxide ... %   | 233-162-8 | 10049-04-4  | Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Acute 1                            | H301<br>H314<br>H400         | GHS06<br>GHS05<br>GHS09<br>Dgr                   | H301<br>H314<br>H400         | Skin Corr. 1B;<br>H314: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: 1 % ≤<br>C < 5 %<br>Eye Dam. 1;<br>H318: 3 % ≤<br>C < 5 %<br>Eye Irrit. 2;<br>H319: 0,3 % ≤<br>C < 3 %<br>STOT SE 3;<br>H335: C ≥ 3 %<br>M = 10 | B                                |       |

▼B

| Index No                     | International Chemical Identification  | EC No     | CAS No     | Classification   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors  | Notes |
|------------------------------|--|-----------|------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|---|-------|
|                              |  |           |            | Hazard Class and Category Code(s)                      | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |   |       |
| 019-001-00-2                 | potassium  | 231-119-8 | 7440-09-7  | Water-react. 1<br>Skin Corr. 1B                        | H260<br>H314             | GHS02<br>GHS05<br>Dgr          | H260<br>H314             | EUH014                          |   |       |
| 019-002-00-8                 | potassium hydroxide;<br>caustic potash   | 215-181-3 | 1310-58-3  | Acute Tox. 4 *<br>Skin Corr. 1A                        | H302<br>H314             | GHS05<br>GHS07<br>Dgr          | H302<br>H314             |                                 | Skin Corr. 1A;<br>H314: C ≥ 5 %<br>Skin Corr. 1B;<br>H314: 2 % ≤ C < 5 %<br>Skin Irrit. 2;<br>H315: 0,5 % ≤ C < 2 %<br>Eye Irrit. 2;<br>H319: 0,5 % ≤ C < 2 % |       |
| ▼ <u>M11</u><br>019-003-00-3 | potassium (E,E)-hexa-2,4-dienoate  | 246-376-1 | 24634-61-5 | Eye Irrit. 2   | H319                     | GSH07<br>Wng                   | H319                     |                                 |   |       |
| ▼ <u>B</u><br>020-001-00-X   | calcium  | 231-179-5 | 7440-70-2  | Water-react. 2   | H261                     | GHS02<br>Dgr                   | H261                     |                                 |   |       |
| 020-002-00-5                 | calcium cyanide  | 209-740-0 | 592-01-8   | Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H400<br>H410     | GHS06<br>GHS09<br>Dgr          | H300<br>H410             | EUH032                          |   |       |
| 020-003-00-0                 | reaction mass of: dicalcium (bis(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)dihydroxide; tri-calcium (tris(2-hydroxy-5-tetra-propenylphenylmethyl)methylamine)tri-hydroxide; poly[calcium ((2-hydroxy-5-tetra-propenyl-phenylmethyl)methylamine)hydroxide] | 420-470-4 | —          | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1          | H319<br>H315<br>H317     | GHS07<br>Wng                   | H319<br>H315<br>H317     |                                 |   |       |
| 022-001-00-5                 | titanium tetrachloride   | 231-441-9 | 7550-45-0  | Skin Corr. 1B  | H314                     | GHS05<br>Dgr                   | H314                     | EUH014                          |   |       |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 022-002-00-0        | titanium(4+) oxalate   | 403-260-7 | —           | Eye Dam. 1  | H318   | GHS05<br>Dgr                   | H318   |                                 |                                  |       |
| 022-003-00-6        | bis(η <sup>5</sup> -cyclopentadienyl)-bis(2,6-difluoro-3-[pyrrol-1-yl]-phenyl)titanium   | 412-000-1 | 125051-32-3 | Flam. Sol. 1<br>Repr. 2<br>STOT RE 2 *<br>Aquatic Chronic 2   | H228<br>H361f ***<br>H373 **<br>H411                         | GHS02<br>GHS08<br>GHS09<br>Dgr | H228<br>H361f ***<br>H373 **<br>H411                         |                                 |                                  | T     |
| ▼M6<br>022-004-00-1 | potassium titanium oxide (K <sub>2</sub> Ti <sub>6</sub> O <sub>13</sub> )   | 432-240-0 | 12056-51-8  | Carc. 2   | H351   | GHS08<br>Wng                   | H351   |                                 |                                  |       |
| ▼M1<br>022-005-00-7 | [N-(1,1-dimethylethyl)-1,1-dimethyl-1-[(1,2,3,4,5-η)-2,3,4,5-tetramethyl-2,4-cyclopentadien-1-yl]silanaminato(2-)-κN][(1,2,3,4-η)-1,3-pentadiene]-titanium | 419-840-8 | 169104-71-6 | Flam. Sol. 1****<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 4                                | H228<br>H314<br>H317<br>H413                                 | GHS02<br>GHS05<br>GHS07<br>Dgr | H228<br>H314<br>H317<br>H413                                 |                                 |                                  |       |
| ▼B<br>023-001-00-8  | divanadium pentaoxide;<br>vanadium pentoxide   | 215-239-8 | 1314-62-1   | Muta. 2<br>Repr. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Aquatic Chronic 2 | H341<br>H361d ***<br>H372 **<br>H332<br>H302<br>H335<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H341<br>H361d ***<br>H372 **<br>H332<br>H302<br>H335<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No    | Classification  |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|-----------|---|--|--|--|---------------------------------|----------------------------------|-------|
|              |                                       |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 024-001-00-0 | chromium (VI) trioxide                | 215-607-8 | 1333-82-0 | Ox. Sol. 1<br>Carc. 1A<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Skin Corr. 1A<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H271<br>H350<br>H340<br>H361f ***<br>H330<br>H311<br>H301<br>H372 **<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H271<br>H350<br>H340<br>H361f ***<br>H330<br>H311<br>H301<br>H372 **<br>H314<br>H334<br>H317<br>H410 |                                 | STOT SE 3;<br>H335: C ≥ 1 %      |       |
| 024-002-00-6 | potassium dichromate                  | 231-906-6 | 7778-50-9 | Ox. Sol. 2<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410    | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H312<br>H314<br>H334<br>H317<br>H410    |                                 | STOT SE 3;<br>H335: C ≥ 5 %      | 3     |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No     | Classification   |   | Labelling  |   |  | Specific Conc. Limits, M-factors   | Notes |
|--------------|---------------------------------------|-----------|------------|--|---|--|---|--|--|-------|
|              |                                       |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)  | Suppl. Hazard statement Code(s)  |  |       |
| 024-003-00-1 | ammonium dichromate                   | 232-143-1 | 7789-09-5  | Ox. Sol. 2 ****<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H312<br>H314<br>H334<br>H317<br>H410 |  | STOT SE 3;<br>H335: C ≥ 5 %<br>Resp. Sens.;<br>H334: C ≥ 0,2 %<br>Skin Sens.;<br>H317: C ≥ 0,2 % | G3    |
| 024-004-00-7 | sodium dichromate                     | 234-190-3 | 10588-01-9 | Ox. Sol. 2<br>Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 1<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H312<br>H372**<br>H314<br>H334<br>H317<br>H400<br>H410  | GHS03<br>GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H272<br>H350<br>H340<br>H360FD<br>H330<br>H301<br>H312<br>H372**<br>H314<br>H334<br>H317<br>H410  | Resp. Sens. 1;<br>H334: C ≥ 0,2 %<br>Skin Sens. 1;<br>H317: C ≥ 0,2 %<br>STOT SE 3;<br>H335: C ≥ 5 % | 3  |       |

## ▼M6

▼B

| Index No     | International Chemical Identification      | EC No     | CAS No     | Classification   |   | Labelling  |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|-----------|------------|--|---|--|---|---------------------------------|--|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                      | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s) |  |       |
|              |  |           |            |  |   |  |   |                                 |  |       |
| 024-005-00-2 | chromyl dichloride;<br>chromic oxychloride | 239-056-8 | 14977-61-8 | Ox. Liq. 1<br>Carc. 1B<br>Muta. 1B<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H271<br>H350i<br>H340<br>H314<br>H317<br>H400<br>H410         | GHS03<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H271<br>H350i<br>H340<br>H314<br>H317<br>H410         |                                 | Skin Corr. 1A;<br>H314: C ≥ 10 %<br>Skin Corr. 1B;<br>H314: 5 % ≤ C < 10 %<br>Skin Irrit. 2;<br>H315: 0,5 % ≤ C < 5 %<br>Eye Irrit. 2;<br>H319: 0,5 % ≤ C < 5 %<br>STOT SE 3;<br>H335: 0,5 % ≤ C < 5 %<br>Skin Sens. 1;<br>H317: C ≥ 0,5 % | T3    |
| 024-006-00-8 | potassium chromate                         | 232-140-5 | 7789-00-6  | Carc. 1B<br>Muta. 1B<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H340<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H350i<br>H340<br>H319<br>H335<br>H315<br>H317<br>H410 |                                 | Skin Sens. 1;<br>H317: C ≥ 0,5 %   | 3     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling  |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 024-007-00-3 | zinc chromates including zinc potassium chromate   | —         | —           | Carc. 1A<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H350<br>H302<br>H317<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H350<br>H302<br>H317<br>H410         |                                 |                                  | A     |
| 024-008-00-9 | calcium chromate   | 237-366-8 | 13765-19-0  | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H350<br>H302<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H350<br>H302<br>H410                 |                                 |                                  |       |
| 024-009-00-4 | strontium chromate   | 232-142-6 | 7789-06-2   | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H350<br>H302<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H350<br>H302<br>H400<br>H410         |                                 |                                  |       |
| 024-010-00-X | dichromium tris(chromate); chromium III chromate; chromic chromate   | 246-356-2 | 24613-89-6  | Ox. Sol. 1<br>Carc. 1B<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H271<br>H350<br>H314<br>H317<br>H400<br>H410 | GHS03<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H271<br>H350<br>H314<br>H317<br>H410 |                                 |                                  | T     |
| 024-011-00-5 | ammonium bis(1-(3,5-dinitro-2-oxidophenylazo)-3-( <i>N</i> -phenylcarbamoyl)-2-naphtholato)chromate(1-)                            | 400-110-2 | 109125-51-1 | Self-react. C ****<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H242<br>H400<br>H410                         | GHS02<br>GHS09<br>Dgr                            | H242<br>H410                         |                                 |                                  |       |
| 024-012-00-0 | trisodium bis(7-acetamido-2-(4-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)chromate(1-)                                     | 400-810-8 | —           | Muta. 2   | H341   | GHS08<br>Wng                                     | H341                                 |                                 |                                  |       |
| 024-013-00-6 | trisodium (6-anilino-2-(5-nitro-2-oxidophenylazo)-3-sulphonato-1-naphtholato)(4-sulphonato-1,1'-azodi-2,2'naphtholato)chromate(1-) | 402-500-8 | —           | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411                                 | GHS05<br>GHS09<br>Dgr                            | H318<br>H411                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |   | Labelling                               |   |   | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|---|---|---|---|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s)                                   |                                  |       |
| 024-014-00-1 | trisodium bis(2-(5-chloro-4-nitro-2-oxidophenylazo)-5-sulphonato-1-naphtholato)chromate(1-)   | 402-870-0 | 93952-24-0 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412  | GHS05<br>Dgr                            | H318<br>H412  |   |                                  |       |
| 024-015-00-7 | disodium (3-methyl-4-(5-nitro-2-oxidophenylazo)-1-phenylpyrazololato)(1-(3-nitro-2-oxido-5-sulfonatophenylazo)-2-naphtholato)chromate(1-) | 404-930-1 | —          | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2   | H332<br>H318<br>H411  | GHS05<br>GHS07<br>GHS09<br>Dgr          | H332<br>H318<br>H411  |   |                                  |       |
| 024-016-00-2 | tetradecylammonium bis(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-)   | 405-110-6 | 88377-66-6 | STOT RE 2 *<br>Aquatic Chronic 4  | H373 **<br>H413   | GHS08<br>Wng                            | H373 **<br>H413   |   |                                  |       |
| 024-017-00-8 | Chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex                         | —         | —          | Carc. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H350i<br>H317<br>H400<br>H410   | GHS08<br>GHS07<br>GHS09<br>Dgr          | H350i<br>H317<br>H410   |   |                                  | A     |
| 024-018-00-3 | sodium chromate   | 231-889-5 | 7775-11-3  | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H312<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H312<br>H314<br>H334<br>H317<br>H410 | Resp. Sens.;<br>H334: C ≥ 0,2 %<br>Skin Sens.;<br>H317: C ≥ 0,2 % | 3                                |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 024-019-00-9 | Main component: acetoacetic acid anilide/3-amino-1-hydroxybenzene (ATAN-MAP): trisodium {6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}-{6"-[1-(phenylcarbamoyl)ethylazo]-5'''-(phenylsulfamoyl)-3"-sulfonatonaphthalene-2"-azobenzene-1",2'''-diolato}chromate (III);<br>by-product 1: acetoacetic acid anilide/acetoacetic acid anilide (ATAN-ATAN): trisodium bis{6-[1-(phenylcarbamoyl)ethylazo]-5'-(phenylsulfonyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III);<br>by-product 2: 3-amino-1-hydroxybenzene/3-amino-1-hydroxybenzene (MAP-MAP): trisodium bis{6-[(2 or 3 or 4)-amino-(4 or 5 or 6)-hydroxyphenylazo]-5'-(phenylsulfamoyl)-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato}chromate (III) | 419-230-1 | —      | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 024-020-00-4 | trisodium bis[(3'-nitro-5'-sulfonato(6-amino-2-[4-(2-hydroxy-1-naphthylazo)phenylsulfonylamino]pyrimidin-5-azo)benzene-2',4'-diolato)]chromate(III)  | 418-220-4 | —      | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 024-021-00-X | potassium tetrasodium bis[( <i>N,N'</i> - <i>n</i> -1'-(phenylcarbamoyl)-3,5-disulfonatobenzeneazo-1'-prop-1'-ene-2,2'-diolato)]chromate(III)   | 425-830-4 | —           | Eye Dam. 1   | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 025-001-00-3 | manganese dioxide   | 215-202-6 | 1313-13-9   | Acute Tox. 4 *<br>Acute Tox. 4 *                                     | H332<br>H302                 | GHS07<br>Wng                   | H332<br>H302             |                                 |                                  |       |
| 025-002-00-9 | potassium permanganate  | 231-760-3 | 7722-64-7   | Ox. Sol. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H410     |                                 |                                  |       |
| 025-003-00-4 | manganese sulphate  | 232-089-9 | 7785-87-7   | STOT RE 2 *<br>Aquatic Chronic 2                                     | H373 **<br>H411              | GHS08<br>GHS09<br>Wng          | H373 **<br>H411          |                                 |                                  |       |
| 025-004-00-X | bis( <i>N,N,N'</i> -trimethyl-1,4,7-triazacyclononane)-trioxo-dimanganese (IV) di(hexafluorophosphate) monohydrate  | 411-760-1 | 116633-53-5 | Aquatic Chronic 2  | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 025-005-00-5 | reaction mass of: tri-sodium [29 <i>H</i> , 31 <i>H</i> -phthalocyanine- <i>C,C,C</i> -trisulfonato (6-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32] manganate (3-); tetrasodium [29 <i>H</i> ,31 <i>H</i> -phthalocyanine- <i>C,C,C,C</i> -tetrasulfonato (6-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32], manganate (3-); pentasodium [29 <i>H</i> ,31 <i>H</i> -phthalocyanine- <i>C,C,C,C,C</i> -pentasulfonato (6-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32] manganate (3-) | 417-660-4 | —           | Aquatic Acute 1<br>Aquatic Chronic 1                                 | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

▼ **B**

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors    | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|-------------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                     |       |
| 026-001-00-6 | (η-cumene)-(η-cyclopentadienyl)iron(II) hexafluoroantimonate   | 407-840-0 | 100011-37-8 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                      | H302<br>H318<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412     |                                 |                                     |       |
| 026-002-00-1 | (η-cumene)-(η-cyclopentadienyl)iron(II) trifluoromethanesulfonate  | 407-880-9 | 117549-13-0 | Acute Tox. 4 *<br>Aquatic Chronic 3                                    | H302<br>H412                 | GHS07<br>Wng                   | H302<br>H412             |                                 |                                     |       |
| ▼ <u>M1</u>  |  |           |             |  |                              |                                |                          |                                 |                                     |       |
| 026-003-00-7 | iron (II) sulfate  | 231-753-5 | 7720-78-7   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2                        | H302<br>H319<br>H315         | GHS07<br>Wng                   | H302<br>H319<br>H315     |                                 |                                     |       |
| 026-003-01-4 | iron (II) sulfate (1:1) heptahydrate;<br>sulfuric acid, iron(II) salt (1:1), heptahydrate;<br>ferrous sulfate heptahydrate | 231-753-5 | 7782-63-0   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2                        | H302<br>H319<br>H315         | GHS07<br>Wng                   | H302<br>H319<br>H315     |                                 | Skin Irrit. 2;<br>H315: C ≥<br>25 % |       |
| 026-004-00-2 | potassium ferrite  | 430-010-4 | 12160-44-0  | Skin Corr. 1B<br>Skin Sens. 1  | H314<br>H317                 | GHS05<br>GHS07<br>Dgr          | H314<br>H317             |                                 |                                     |       |
| ▼ <u>B</u>   |  |           |             |  |                              |                                |                          |                                 |                                     |       |
| 027-001-00-9 | cobalt   | 231-158-0 | 7440-48-4   | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 4                     | H334<br>H317<br>H413         | GHS08<br>Dgr                   | H334<br>H317<br>H413     |                                 |                                     |       |
| ▼ <u>M1</u>  |  |           |             |  |                              |                                |                          |                                 |                                     |       |
| 027-002-00-4 | cobalt oxide   | 215-154-6 | 1307-96-6   | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410     |                                 | M=10                                |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors            | Notes |
|--------------|---|-----------|------------|--|---|--------------------------------|---|---------------------------------|---|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |   |       |
| 027-003-00-X | cobalt sulfide  | 215-273-3 | 1317-42-6  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H317<br>H400<br>H410  | GHS07<br>GHS09<br>Wng          | H317<br>H410  |                                 | M=10  |       |
| 027-004-00-5 | cobalt dichloride   | 231-589-4 | 7646-79-9  | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 4 *<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360F***<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360F***<br>H302<br>H334<br>H317<br>H410 |                                 | Carc. 1B;<br>H350i: C ≥<br>0,01 %<br>M=10   | 1     |
| 027-005-00-0 | cobalt sulfate  | 233-334-2 | 10124-43-3 | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 4 *<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360F***<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360F***<br>H302<br>H334<br>H317<br>H410 |                                 | Carc. 1B;<br>H350i: C ≥<br>0,01 %<br>M=10   | 1     |
| ▼ <b>M6</b>  |   |           |            |  |   |                                |   |                                 |   |       |
| 027-006-00-6 | cobalt di(acetate)  | 200-755-8 | 71-48-7    | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H350i<br>H341<br>H360F***<br>H334<br>H317<br>H400<br>H410         | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360F***<br>H334<br>H317<br>H410         |                                 | Carc. 1B;<br>H350i: C ≥<br>0,01 %<br>M = 10 | 1     |
| ▼ <b>M1</b>  |   |           |            |  |   |                                |   |                                 |   |       |
| 027-007-00-1 | zinc hexacyanocobaltate(III), tertiary butyl alcohol/polypropylene glycol complex | 425-240-7 | —          | Eye Dam. 1<br>Aquatic Chronic 2  | H318<br>H411  | GHS05<br>GHS09<br>Dgr          | H318<br>H411  |                                 |   |       |

▼ **M1**

| Index No                    | International Chemical Identification  | EC No     | CAS No     | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors            | Notes |
|-----------------------------|--|-----------|------------|--|---|---|---|---------------------------------|---|-------|
|                             |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                          | Suppl. Hazard statement Code(s) |   |       |
| 027-008-00-7                | complex of cobalt(III)-bis( <i>N</i> -phenyl-4-(5-ethylsulfonyl-2-hydroxyphenylazo)-3-hydroxy-naphthylamide), hydrated (n H <sub>2</sub> O, 2 < n < 3) | 427-390-9 | —          | Skin Sens. 1   | H317  | GHS07<br>Wng                            | H317  |                                 |   |       |
| ▼ <b>M6</b><br>027-009-00-2 | cobalt dinitrate   | 233-402-1 | 10141-05-6 | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360F***<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr                   | H350i<br>H341<br>H360F***<br>H334<br>H317<br>H410 |                                 | Carc. 1B;<br>H350i: C ≥<br>0,01 %<br>M = 10 | 1     |
| ▼ <b>M1</b><br>027-010-00-8 | cobalt carbonate   | 208-169-4 | 513-79-1   | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360F***<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr                   | H350i<br>H341<br>H360F***<br>H334<br>H317<br>H410 |                                 | Carc. 1B;<br>H350i: C ≥<br>0,01 %<br>M=10   | 1     |
| ▼ <b>B</b><br>028-001-00-1  | tetracarbonylnickel;<br>nickel tetracarbonyl   | 236-669-2 | 13463-39-3 | Flam. Liq. 2<br>Carc. 2<br>Repr. 1B<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H225<br>H351<br>H360D ***<br>H330<br>H400<br>H410         | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H225<br>H351<br>H360D ***<br>H330<br>H410         |                                 |   |       |
| ▼ <b>M1</b><br>028-002-00-7 | nickel   | 231-111-4 | 7440-02-0  | Carc. 2<br>STOT RE 1<br>Skin Sens. 1   | H351<br>H372**<br>H317                                    | GHS08<br>GHS07<br>Dgr                   | H351<br>H372**<br>H317                            |                                 |   | S7    |

## ▼ M1

| Index No     | International Chemical Identification                            | EC No                                   | CAS No  | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|---|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |   |   | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 028-002-01-4 | nickel powder;<br>[particle diameter < 1 mm]                     | 231-111-4                               | 7440-02-0   | Carc. 2<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 3                                | H351<br>H372**<br>H317<br>H412                  | GHS08<br>GHS07<br>Dgr          | H351<br>H372**<br>H317<br>H412          |                                 |                                  |       |
| 028-003-00-2 | nickel monoxide; [1]<br>nickel oxide; [2]<br>bunsenite [3]       | 215-215-7 [1]<br>234-323-5 [2]<br>- [3] | 1313-99-1 [1]<br>11099-02-8 [2]<br>34492-97-2 [3] | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 4                               | H350i<br>H372**<br>H317<br>H413                 | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317<br>H413         |                                 |                                  |       |
| 028-004-00-8 | nickel dioxide   | 234-823-3                               | 12035-36-8  | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 4                               | H350i<br>H372**<br>H317<br>H413                 | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317<br>H413         |                                 |                                  |       |
| 028-005-00-3 | dinickel trioxide  | 215-217-8                               | 1314-06-3   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 4                               | H350i<br>H372**<br>H317<br>H413                 | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317<br>H413         |                                 |                                  |       |
| 028-006-00-9 | nickel (II) sulfide; [1]<br>nickel sulfide; [2]<br>millerite [3] | 240-841-2 [1]<br>234-349-7 [2]<br>- [3] | 16812-54-7 [1]<br>11113-75-0 [2]<br>1314-04-1 [3] | Carc. 1A<br>Muta. 2<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H372**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H372**<br>H317<br>H410 |                                 |                                  |       |

▼ **M1**

| Index No                    | International Chemical Identification                               | EC No                          | CAS No                           | Classification   |   | Labelling                      |   |   | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|--------------------------------|----------------------------------|--|---|--------------------------------|---|---|----------------------------------|-------|
|                             |   |                                |                                  | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s)   |                                  |       |
| 028-007-00-4                | trinickel disulfide;<br>nickel subsulfide; [1]<br>heazlewoodite [2] | 234-829-6 [1]<br>- [2]         | 12035-72-2 [1]<br>12035-71-1 [2] | Carc. 1A<br>Muta. 2<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350i<br>H341<br>H372**<br>H317<br>H400<br>H410   | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H372**<br>H317<br>H410   |   |                                  |       |
| 028-008-00-X                | nickel dihydroxide; [1]<br>nickel hydroxide [2]                     | 235-008-5 [1]<br>234-348-1 [2] | 12054-48-7 [1]<br>11113-74-9 [2] | Carc. 1A<br>Repr. 1B<br>Muta. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H360D***<br>H341<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H360D***<br>H341<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H410 |   |                                  |       |
| ▼ <b>M6</b><br>028-009-00-5 | nickel sulfate  | 232-104-9                      | 7786-81-4                        | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H410 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Irrit. 2;<br>H315: C ≥<br>20 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M = 1 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No  | CAS No  | Classification   |   | Labelling                      |   |   | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|---|--|---|--------------------------------|---|---|----------------------------------|-------|
|              |   |  |   | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s)   |                                  |       |
| 028-010-00-0 | nickel carbonate;<br>basic nickel carbonate;<br>carbonic acid, nickel (2+) salt; [1]<br>carbonic acid, nickel salt; [2]<br>[μ-[carbonato(2-)-O:O']]<br>dihydroxy trinickel; [3]<br>[carbonato(2-)] tetrahydroxytri-<br>nickel [4] | 222-068-2 [1]<br>240-408-8 [2]<br>265-748-4 [3]<br>235-715-9 [4] | 3333-67-3 [1]<br>16337-84-1 [2]<br>65405-96-1 [3]<br>12607-70-4 [4] | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H410 |   |                                  |       |
| 028-011-00-6 | nickel dichloride   | 231-743-0  | 7718-54-9   | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H331<br>H301<br>H372**<br>H315<br>H334<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H331<br>H301<br>H372**<br>H315<br>H334<br>H317<br>H410 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % <<br>C < 1 %<br>Skin Irrit. 2;<br>H315: C ≥<br>20 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M = 1 |                                  |       |

▼ **M6**



▼ **M6**

| Index No     | International Chemical Identification                 | EC No                          | CAS No                           | Classification   |   | Labelling  |   |                                 | Specific Conc. Limits, M-factors  | Notes         |
|--------------|---|--------------------------------|----------------------------------|--|---|--|---|---------------------------------|---|---------------|
|              |   |                                |                                  | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |   |               |
| 028-012-00-1 | nickel dinitrate; [1]<br>nitric acid, nickel salt [2] | 236-068-5 [1]<br>238-076-4 [2] | 13138-45-9 [1]<br>14216-75-2 [2] | Ox. Sol. 2<br>Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H318<br>H334<br>H317<br>H400<br>H410 | GHS03<br>GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H272<br>H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H318<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % <<br>C < 1 %<br>Skin Irrit. 2;<br>H315: C ≥<br>20 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M = 1 |               |
| 028-013-00-7 | nickel matte  | 273-749-6                      | 69012-50-6                       | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H350i<br>H372**<br>H317<br>H400<br>H410   | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H350i<br>H372**<br>H317<br>H410   |                                 |   | ► <b>M2</b> ◀ |

▼ **M1**

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes    |
|--------------|--|-----------|------------|--|---|--------------------------------|---|---------------------------------|--|----------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |  |          |
| 028-014-00-2 | slimes and sludges, copper electrolytic refining, decopperised, nickel sulfate | 295-859-3 | 92129-57-2 | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H315<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 |          |
| 028-015-00-8 | slimes and sludges, copper electrolyte refining, decopperised                  | 305-433-1 | 94551-87-8 | Carc. 1A<br>Muta. 2<br>Repr. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410                         | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410                         |                                 |  | ► M2 — ◀ |
| 028-016-00-3 | nickel diperchlorate;<br>perchloric acid, nickel(II) salt                      | 237-124-1 | 13637-71-3 | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H350i<br>H341<br>H360D***<br>H372**<br>H314<br>H334<br>H317<br>H400<br>H410                 | GHS05<br>GHS08<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H314<br>H334<br>H317<br>H410                 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► M2 — ◀ |

## ▼ M1

| Index No     | International Chemical Identification                                      | EC No                          | CAS No                           | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes           |
|--------------|--|--------------------------------|----------------------------------|---|---|--------------------------------|---|---------------------------------|--|-----------------|
|              |  |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |  |                 |
| 028-017-00-9 | nickel dipotassium bis(sulfate); [1]<br>diammonium nickel bis(sulfate) [2] | 237-563-9 [1]<br>239-793-2 [2] | 13842-46-1 [1]<br>15699-18-0 [2] | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |
| 028-018-00-4 | nickel bis(sulfamidate);<br>nickel sulfamate                               | 237-396-1                      | 13770-89-3                       | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410                 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410                 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |
| 028-019-00-X | nickel bis(tetrafluoroborate)  | 238-753-4                      | 14708-14-6                       | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410                 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410                 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |

▼ M1

| Index No     | International Chemical Identification   | EC No   | CAS No  | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes           |
|--------------|---|---|---|---|---|--------------------------------|---|---------------------------------|--|-----------------|
|              |   |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |  |                 |
| 028-021-00-0 | nickel diformate; [1]<br>formic acid, nickel salt; [2]<br>formic acid, copper nickel salt [3] | 222-101-0 [1]<br>239-946-6 [2]<br>268-755-0 [3] | 3349-06-2 [1]<br>15843-02-4 [2]<br>68134-59-8 [3] | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410                 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410                 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1   | ► <u>M2</u> — ◀ |
| 028-022-00-6 | nickel di(acetate); [1]<br>nickel acetate [2]   | 206-761-7 [1]<br>239-086-1 [2]                  | 373-02-4 [1]<br>14998-37-9 [2]                    | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H332<br>H302<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M = 1 |                 |
| 028-024-00-7 | nickel dibenzoate   | 209-046-8                                       | 553-71-9  | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410                 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410                 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1   | ► <u>M2</u> — ◀ |

▼ M6▼ M1

## ▼ M1

| Index No     | International Chemical Identification            | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes           |
|--------------|--|-----------|------------|---|---|--------------------------------|---|---------------------------------|--|-----------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                    | Suppl. Hazard statement Code(s) |  |                 |
| 028-025-00-2 | nickel bis(4-cyclohexylbutyrate)                 | 223-463-2 | 3906-55-6  | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 |                 |
| 028-026-00-8 | nickel(II) stearate;<br>nickel(II) octadecanoate | 218-744-1 | 2223-95-2  | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |
| 028-027-00-3 | nickel dilactate                                 | —         | 16039-61-5 | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |

## ▼ M1

| Index No     | International Chemical Identification  | EC No  | CAS No   | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes    |
|--------------|--|--|--|--|---|--------------------------------|---|---------------------------------|--|----------|
|              |  |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |  |          |
| 028-028-00-9 | nickel(II) octanoate   | 225-656-7  | 4995-91-9  | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Skin Corr. 1A<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H314<br>H334<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS09<br>Dgr | H350i<br>H341<br>H360D***<br>H372**<br>H314<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► M2 — ◀ |
| 028-029-00-4 | nickel difluoride; [1]<br>nickel dibromide; [2]<br>nickel diiodide; [3]<br>nickel potassium fluoride [4] | 233-071-3 [1]<br>236-665-0 [2]<br>236-666-6 [3]<br>- [4] | 10028-18-9 [1]<br>13462-88-9 [2]<br>13462-90-3 [3]<br>11132-10-8 [4] | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410         | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410         |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► M2 — ◀ |
| 028-030-00-X | nickel hexafluorosilicate  | 247-430-7  | 26043-11-8   | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410         | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410         |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► M2 — ◀ |

## ▼ M1

| Index No     | International Chemical Identification  | EC No  | CAS No   | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes           |
|--------------|--|--|--|---|---|--------------------------------|---|---------------------------------|--|-----------------|
|              |  |  |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                    | Suppl. Hazard statement Code(s) |  |                 |
| 028-031-00-5 | nickel selenate  | 239-125-2  | 15060-62-5   | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |
| 028-032-00-0 | nickel hydrogen phosphate; [1]<br>nickel bis(dihydrogen phosphate); [2]<br>trinickel bis(orthophosphate); [3]<br>dinickel diphosphate; [4]<br>nickel bis(phosphinate); [5]<br>nickel phosphinate; [6]<br>phosphoric acid, calcium nickel salt; [7]<br>diphosphoric acid, nickel(II) salt [8] | 238-278-2 [1]<br>242-522-3 [2]<br>233-844-5 [3]<br>238-426-6 [4]<br>238-511-8 [5]<br>252-840-4 [6]<br>- [7]<br>- [8] | 14332-34-4 [1]<br>18718-11-1 [2]<br>10381-36-9 [3]<br>14448-18-1 [4]<br>14507-36-9 [5]<br>36026-88-7 [6]<br>17169-61-8 [7]<br>19372-20-4 [8] | Carc. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H350i<br>H372**<br>H334<br>H317<br>H400<br>H410                     | GHS08<br>GHS09<br>Dgr          | H350i<br>H372**<br>H334<br>H317<br>H410                     |                                 |  | ► <b>M2</b> — ◀ |
| 028-033-00-6 | diammonium nickel hexacyanoferrate   | —  | 74195-78-1   | Carc. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H350i<br>H372**<br>H334<br>H317<br>H400<br>H410                     | GHS08<br>GHS09<br>Dgr          | H350i<br>H372**<br>H334<br>H317<br>H410                     |                                 |  | ► <b>M2</b> — ◀ |

## ▼ M1

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|---|--|--|---|--------------------------------|---|---------------------------------|----------------------------------|-----------------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |                 |
| 028-034-00-1 | nickel dicyanide   | 209-160-8   | 557-19-7   | Carc. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H372**<br>H334<br>H317<br>H410 | EUH032                          |                                  | ► <b>M2</b> — ◀ |
| 028-035-00-7 | nickel chromate  | 238-766-5   | 14721-18-7   | Carc. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H372**<br>H334<br>H317<br>H410 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-036-00-2 | nickel(II) silicate; [1]<br>dinickel orthosilicate; [2]<br>nickel silicate (3:4); [3]<br>silicic acid, nickel salt; [4]<br>trihydrogen hydroxybis[ortho-silicato(4-)]trinicelate(3-) [5] | 244-578-4 [1]<br>237-411-1 [2]<br>250-788-7 [3]<br>253-461-7 [4]<br>235-688-3 [5] | 21784-78-1 [1]<br>13775-54-7 [2]<br>31748-25-1 [3]<br>37321-15-6 [4]<br>12519-85-6 [5] | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350i<br>H372**<br>H317<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410         |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-037-00-8 | dinickel hexacyanoferrate  | 238-946-3   | 14874-78-3   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350i<br>H372**<br>H317<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410         |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-038-00-3 | trinickel bis(arsenate);<br>nickel(II) arsenate  | 236-771-7   | 13477-70-8   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350<br>H372**<br>H317<br>H400<br>H410          | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H372**<br>H317<br>H410          |                                 |                                  | ► <b>M2</b> — ◀ |



## ▼ M1

| Index No     | International Chemical Identification   | EC No                                   | CAS No   | Classification  |   | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|---|--|---|---|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |                 |
| 028-039-00-9 | nickel oxalate; [1]<br>oxalic acid, nickel salt [2]   | 208-933-7 [1]<br>243-867-2 [2]          | 547-67-1 [1]<br>20543-06-0 [2]                     | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-040-00-4 | nickel telluride  | 235-260-6                               | 12142-88-0   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-041-00-X | trinickel tetrasulfide  | —                                       | 12137-12-1   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-042-00-5 | trinickel bis(arsenite)   | —                                       | 74646-29-0   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-043-00-0 | cobalt nickel gray periclase;<br>C.I. Pigment Black 25;<br>C.I. 77332; [1]<br>cobalt nickel dioxide; [2]<br>cobalt nickel oxide [3] | 269-051-6 [1]<br>261-346-8 [2]<br>- [3] | 68186-89-0 [1]<br>58591-45-0 [2]<br>12737-30-3 [3] | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1   | H350i<br>H372**<br>H317                 | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317         |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-044-00-6 | nickel tin trioxide;<br>nickel stannate   | 234-824-9                               | 12035-38-0   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1   | H350i<br>H372**<br>H317                 | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317         |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼ M1

| Index No     | International Chemical Identification | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes           |
|--------------|---------------------------------------|-----------|------------|---|---|--------------------------------|---|---------------------------------|--|-----------------|
|              |                                       |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                    | Suppl. Hazard statement Code(s) |  |                 |
| 028-045-00-1 | nickel triuranium decaoxide           | 239-876-6 | 15780-33-3 | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1   | H350i<br>H372**<br>H317   | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317                                     |                                 |  | ► <b>M2</b> — ◀ |
| 028-046-00-7 | nickel dithiocyanate                  | 237-205-1 | 13689-92-4 | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 | EUH032                          | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |
| 028-047-00-2 | nickel dichromate                     | 239-646-5 | 15586-38-6 | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀ |
| 028-048-00-8 | nickel(II) selenite                   | 233-263-7 | 10101-96-9 | Carc. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H350i<br>H372**<br>H334<br>H317<br>H400<br>H410                     | GHS08<br>GHS09<br>Dgr          | H350i<br>H372**<br>H334<br>H317<br>H410                     |                                 |  | ► <b>M2</b> — ◀ |

▼ **M1**

| Index No     | International Chemical Identification   | EC No   | CAS No   | Classification  |   | Labelling                      |   |  | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|---|---|--------------------------------|---|--|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                    | Suppl. Hazard statement Code(s)  |                                  |       |
| 028-049-00-3 | nickel selenide   | 215-216-2                                       | 1314-05-2  | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350i<br>H372**<br>H317<br>H400<br>H410                             | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410                             |  | ► <b>M2</b> — ◀                  |       |
| 028-050-00-9 | silicic acid, lead nickel salt  | —   | 68130-19-8   | Carc. 1A<br>Repr. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H350i<br>H360Df<br>H372**<br>H317<br>H400<br>H410                   | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H360Df<br>H372**<br>H317<br>H410                   |  | ► <b>M2</b> — ◀                  |       |
| 028-051-00-4 | nickel diarsenide; [1]<br>nickel arsenide [2]   | 235-103-1 [1]<br>248-169-1 [2]                  | 12068-61-0 [1]<br>27016-75-7 [2]                   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350i<br>H372**<br>H317<br>H400<br>H410                             | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410                             |  | ► <b>M2</b> — ◀                  |       |
| ▼ <b>M6</b>  |   |   |  |   |   |                                |   |  |                                  |       |
| 028-052-00-X | nickel barium titanium primrose priderite;<br>C.I. Pigment Yellow 157;<br>C.I. 77900              | 271-853-6                                       | 68610-24-2   | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1   | H350i<br>H372**<br>H317   | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317                                     |  |                                  |       |
| ▼ <b>M1</b>  |   |   |  |   |   |                                |   |  |                                  |       |
| 028-053-00-5 | nickel dichlorate; [1]<br>nickel dibromate; [2]<br>ethyl hydrogen sulfate,<br>nickel(II) salt [3] | 267-897-0 [1]<br>238-596-1 [2]<br>275-897-7 [3] | 67952-43-6 [1]<br>14550-87-9 [2]<br>71720-48-4 [3] | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 1 %<br>Skin Sens. 1;<br>H317: C ≥<br>0,01 %<br>M=1 | ► <b>M2</b> — ◀                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No   | CAS No  | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes    |
|--------------|---|---|---|---|---|--------------------------------|---|---------------------------------|--|----------|
|              |   |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                    | Suppl. Hazard statement Code(s) |  |          |
| 028-054-00-0 | nickel(II) trifluoroacetate; [1]<br>nickel(II) propionate; [2]<br>nickel bis(benzenesulfonate); [3]<br>nickel(II) hydrogen citrate; [4]<br>citric acid, ammonium nickel salt; [5]<br>citric acid, nickel salt; [6]<br>nickel bis(2-ethylhexanoate); [7]<br>2-ethylhexanoic acid, nickel salt; [8]<br>dimethylhexanoic acid nickel salt; [9]<br>nickel(II) isooctanoate; [10]<br>nickel isooctanoate; [11]<br>nickel bis(isononanoate); [12]<br>nickel(II) neononanoate; [13]<br>nickel(II) isodecanoate; [14]<br>nickel(II) neodecanoate; [15]<br>neodecanoic acid, nickel salt; [16]<br>nickel(II) neoundecanoate; [17]<br>bis(d-gluconato- <i>O</i> <sup>1</sup> , <i>O</i> <sup>2</sup> )nickel; [18]<br>nickel 3,5-bis( <i>tert</i> -butyl)-4-hydroxybenzoate (1:2); [19]<br>nickel(II) palmitate; [20]<br>(2-ethylhexanoato- <i>O</i> )(isononanoato- <i>O</i> )nickel; [21]<br>(isononanoato- <i>O</i> )(isooctanoato- <i>O</i> )nickel; [22]<br>(isooctanoato- <i>O</i> )(neodecanoato- <i>O</i> )nickel; [23]<br>(2-ethylhexanoato- <i>O</i> )(isodecanoato- <i>O</i> )nickel; [24] | 240-235-8 [1]<br>222-102-6 [2]<br>254-642-3 [3]<br>242-533-3 [4]<br>242-161-1 [5]<br>245-119-0 [6]<br>224-699-9 [7]<br>231-480-1 [8]<br>301-323-2 [9]<br>249-555-2 [10]<br>248-585-3 [11]<br>284-349-6 [12]<br>300-094-6 [13]<br>287-468-1 [14]<br>287-469-7 [15]<br>257-447-1 [16]<br>300-093-0 [17]<br>276-205-6 [18]<br>258-051-1 [19]<br>237-138-8 [20]<br>287-470-2 [21]<br>287-471-8 [22]<br>284-347-5 [23]<br>284-351-7 [24]<br>285-698-7 [25]<br>285-909-2 [26]<br>284-348-0 [27]<br>287-592-6 [28]<br>294-302-1 [29]<br>283-972-0 [30]<br>- [31] | 16083-14-0 [1]<br>3349-08-4 [2]<br>39819-65-3 [3]<br>18721-51-2 [4]<br>18283-82-4 [5]<br>22605-92-1 [6]<br>4454-16-4 [7]<br>7580-31-6 [8]<br>93983-68-7 [9]<br>29317-63-3 [10]<br>27637-46-3 [11]<br>84852-37-9 [12]<br>93920-10-6 [13]<br>85508-43-6 [14]<br>85508-44-7 [15]<br>51818-56-5 [16]<br>93920-09-3 [17]<br>71957-07-8 [18]<br>52625-25-9 [19]<br>13654-40-5 [20]<br>85508-45-8 [21]<br>85508-46-9 [22]<br>84852-35-7 [23]<br>84852-39-1 [24]<br>85135-77-9 [25]<br>85166-19-4 [26]<br>84852-36-8 [27]<br>85551-28-6 [28]<br>91697-41-5 [29]<br>84776-45-4 [30]<br>72319-19-8 [31] | Carc. 1A<br>Muta. 2<br>Repr. 1B<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H341<br>H360D***<br>H372**<br>H334<br>H317<br>H410 |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,1 % ≤ C < 1 %<br>Skin Sens. 1;<br>H317: C ≥ 0,01 %<br>M=1 | ► M2 — ◀ |

## ▼ M1

| Index No     | International Chemical Identification  | EC No  | CAS No   | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|--|--|--|---|--------------------------------|---|---------------------------------|----------------------------------|-----------------|
|              |  |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |                 |
|              | (2-ethylhexanoato- <i>O</i> )(neodecanoato- <i>O</i> )nickel; [25]<br>(isodecanoato- <i>O</i> )(isooctanoato- <i>O</i> )nickel; [26]<br>(isodecanoato- <i>O</i> )(isononanoato- <i>O</i> )nickel; [27]<br>(isononanoato- <i>O</i> )(neodecanoato- <i>O</i> )nickel; [28]<br>fatty acids, C <sub>6-19</sub> -branched, nickel salts; [29]<br>fatty acids, C <sub>8-18</sub> and C <sub>18</sub> -unsaturated, nickel salts; [30]<br>2,7-naphthalenedisulfonic acid, nickel(II) salt; [31] |  |  |  |   |                                |   |                                 |                                  |                 |
| 028-055-00-6 | nickel(II) sulfite; [1]<br>nickel tellurium trioxide; [2]<br>nickel tellurium tetraoxide; [3]<br>molybdenum nickel hydroxide oxide phosphate [4]   | 231-827-7 [1]<br>239-967-0 [2]<br>239-974-9 [3]<br>268-585-7 [4]   | 7757-95-1 [1]<br>15851-52-2 [2]<br>15852-21-8 [3]<br>68130-36-9 [4]  | Carc. 1A<br>STOT RE 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H372**<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr          | H350i<br>H372**<br>H334<br>H317<br>H410 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-056-00-1 | nickel boride (NiB); [1]<br>dinickel boride; [2]<br>trinickel boride; [3]<br>nickel boride; [4]<br>dinickel silicide; [5]<br>nickel disilicide; [6]<br>dinickel phosphide; [7]<br>nickel boron phosphide [8]   | 234-493-0 [1]<br>234-494-6 [2]<br>234-495-1 [3]<br>235-723-2 [4]<br>235-033-1 [5]<br>235-379-3 [6]<br>234-828-0 [7]<br>- [8] | 12007-00-0 [1]<br>12007-01-1 [2]<br>12007-02-2 [3]<br>12619-90-8 [4]<br>12059-14-2 [5]<br>12201-89-7 [6]<br>12035-64-2 [7]<br>65229-23-4 [8] | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350i<br>H372**<br>H317<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350i<br>H372**<br>H317<br>H410         |                                 |                                  | ► <b>M2</b> — ◀ |

▼ **M1**

| Index No     | International Chemical Identification   | EC No   | CAS No   | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|---|--|---|---|--------------------------------|---|---------------------------------|----------------------------------|-----------------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |                 |
| 028-057-00-7 | dialuminium nickel tetraoxide; [1]<br>nickel titanium trioxide; [2]<br>nickel titanium oxide; [3]<br>nickel divanadium hexaoxide; [4]<br>cobalt dimolybdenum nickel octaoxide; [5]<br>nickel zirkonium trioxide; [6]<br>molybdenum nickel tetraoxide; [7]<br>nickel tungsten tetraoxide; [8]<br>olivine, nickel green; [9]<br>lithium nickel dioxide; [10]<br>molybdenum nickel oxide; [11] | 234-454-8 [1]<br>234-825-4 [2]<br>235-752-0 [3]<br>257-970-5 [4]<br>268-169-5 [5]<br>274-755-1 [6]<br>238-034-5 [7]<br>238-032-4 [8]<br>271-112-7 [9]<br>- [10]<br>- [11] | 12004-35-2 [1]<br>12035-39-1 [2]<br>12653-76-8 [3]<br>52502-12-2 [4]<br>68016-03-5 [5]<br>70692-93-2 [6]<br>14177-55-0 [7]<br>14177-51-6 [8]<br>68515-84-4 [9]<br>12031-65-1 [10]<br>12673-58-4 [11] | Carc. 1A<br>STOT RE 1<br>Skin Sens. 1   | H350i<br>H372**<br>H317                         | GHS08<br>GHS07<br>Dgr          | H350i<br>H372**<br>H317                 |                                 |                                  | ► <b>M2</b> — ◀ |
| 028-058-00-2 | cobalt lithium nickel oxide   | 442-750-5   | —  | Carc. 1A<br>Acute Tox. 2 *<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350i<br>H330<br>H372**<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350i<br>H330<br>H372**<br>H317<br>H410 |                                 |                                  |                 |
| ▼ <b>B</b>   |   |   |  |   |   |                                |   |                                 |                                  |                 |
| 029-001-00-4 | copper chloride;<br>copper (I) chloride;<br>cuprous chloride  | 231-842-9   | 7758-89-6  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                            | GHS07<br>GHS09<br>Wng          | H302<br>H400<br>H410                    |                                 |                                  |                 |
| ▼ <b>M13</b> |   |   |  |   |   |                                |   |                                 |                                  |                 |
| 029-002-00-X | dicopper oxide;<br>copper (I) oxide   | 215-270-7   | 1317-39-1  | Acute Tox. 4<br>Acute Tox. 4<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H332<br>H302<br>H318<br>H400<br>H410            | GHS07<br>GHS05<br>GHS09<br>Dgr | H332<br>H302<br>H318<br>H410            | M = 100                         |                                  |                 |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 029-003-00-5 | Naphthenic acids, copper salts; copper naphthenate  | 215-657-0 | 1338-02-9  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H226<br>H302<br>H400<br>H410         | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H302<br>H410         |                                 |                                  |       |
| 029-004-00-0 | copper sulphate   | 231-847-6 | 7758-98-7  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H315<br>H410 |                                 |                                  |       |
| 029-005-00-6 | (tris(chloromethyl)phthalocyaninato)copper(II), reaction products with <i>N</i> -methylpiperazine and methoxyacetic acid  | 401-260-1 | —          | Eye Irrit. 2  | H319                                 | GHS07<br>Wng                   | H319                         |                                 |                                  |       |
| 029-006-00-1 | tris(octadec-9-enylammonium) (trisulfonatophthalocyaninato)copper(II)   | 403-210-4 | —          | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411                         | GHS05<br>GHS09<br>Dgr          | H318<br>H411                 |                                 |                                  |       |
| 029-007-00-7 | (trisodium (2-((3-(6-(2-chloro-5-sulfonato)anilino)-4-(3-carboxypyridinio)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)phenylmethylazo)-4-sulfonatobenzoato)copper(3-)) hydroxide | 404-670-9 | 89797-01-3 | Skin Sens. 1  | H317                                 | GHS07<br>Wng                   | H317                         |                                 |                                  | G     |
| 029-008-00-2 | copper(II) methanesulfonate   | 405-400-2 | 54253-62-2 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H302<br>H318<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410         |                                 |                                  |       |
| 029-009-00-8 | phthalocyanine- <i>N</i> -[3-(diethylamino)propyl]sulfonamide copper complex  | 413-650-9 | 93971-95-0 | Aquatic Chronic 3   | H412                                 | —                              | H412                         |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 029-010-00-3        | reaction mass of compounds from (dodecakis( <i>p</i> -tolylthio)phthalocyaninato)copper(II) to (hexadecakis( <i>p</i> -tolylthio)phthalocyaninato)copper(II)   | 407-700-9 | 101408-30-4 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 029-011-00-9        | sodium [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato-(2-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32]-((3-( <i>N</i> -methyl- <i>N</i> -(2-hydroxyethyl)amino)propyl)amino)sulfonyl-sulfonato, copper complex   | 412-730-0 | 150522-10-4 | Skin Corr. 1B                     | H314                     | GHS05<br>Dgr                   | H314                     |                                 |                                  |       |
| 029-012-00-4        | sodium (( <i>N</i> -(3-trimethylammonio)propyl)sulfamoyl)methylsulfonatophthalocyaninato)copper(II)  | 407-340-2 | 124719-24-0 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| ▼M1<br>029-013-00-X | trisodium(2-( $\alpha$ -(3-(4-chloro-6-(2-(2-(vinylsulfonyl)ethoxy)ethylamino)-1,3,5-triazin-2-ylamino)-2-oxido-5-sulfonatophenylazo)benzylidenehydrazino)-4-sulfonatobenzoato)copper(II)  | 407-580-8 | 130201-51-3 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 029-014-00-5        | reaction mass of: 2,2'-[[ <i>cis</i> -1,2-cyclohexanediylbis(nitrilomethylidene)]bis[phenolate]](2-) <i>N,N',O,O'</i> -copper complex; 2,2'-[[ <i>trans</i> -1,2-cyclohexanediylbis(nitrilomethylidene)]bis[phenolate]](2-) <i>N,N',O,O'</i> -copper complex | 419-610-7 | 171866-24-3 | STOT RE 2 *<br>Aquatic Chronic 2  | H373**<br>H411           | GHS08<br>GHS09<br>Wng          | H373**<br>H411           |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                          | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|---------------------------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                                 | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 029-015-00-0 | copper thiocyanate  | 214-183-1                      | 1111-67-7                       | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                         | EUH032                          | M = 10                           |       |
| 029-016-00-6 | copper(II) oxide  | 215-269-1                      | 1317-38-0                       | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                         |                                 | M = 100                          |       |
| 029-017-00-1 | dicopper chloride trihydroxide  | 215-572-9                      | 1332-65-6                       | Acute Tox. 4<br>Acute Tox. 3<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H332<br>H301<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H332<br>H301<br>H410         |                                 | M = 10                           |       |
| 029-018-00-7 | tetracopper hexahydroxide sulphate; [1]<br>tetracopper hexahydroxide sulphate hydrate [2] | 215-582-3 [1]<br>215-582-3 [2] | 1333-22-8 [1]<br>12527-76-3 [2] | Acute Tox. 4<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 | M = 10                           |       |
| 029-019-01-X | copper flakes (coated with aliphatic acid)  | —                              | —                               | Acute Tox. 3<br>Acute Tox. 4<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H319<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H302<br>H319<br>H410 |                                 | M = 10                           |       |
| 029-020-00-8 | copper(II) carbonate–copper(II) hydroxide (1:1)   | 235-113-6                      | 12069-69-1                      | Acute Tox. 4<br>Acute Tox. 4<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H319<br>H410 |                                 | M = 10                           |       |
| 029-021-00-3 | copper dihydroxide;<br>copper(II) hydroxide   | 243-815-9                      | 20427-59-2                      | Acute Tox. 2<br>Acute Tox. 4<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H330<br>H302<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H302<br>H318<br>H410 |                                 | M = 10                           |       |

## ▼M13

▼ **M13**

| Index No                   | International Chemical Identification  | EC No                          | CAS No                         | Classification   |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------------|--|--------------------------------|--------------------------------|--|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|                            |  |                                |                                | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 029-022-00-9               | bordeaux mixture; reaction products of copper sulphate with calcium dihydroxide                | —                              | 8011-63-0                      | Acute Tox. 4<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H332<br>H318<br>H400<br>H410         | GHS07<br>GHS05<br>GHS09<br>Dgr          | H332<br>H318<br>H410                 |                                 | M = 10                           |       |
| 029-023-00-4               | copper sulphate pentahydrate   | 231-847-6                      | 7758-99-8                      | Acute Tox. 4<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H302<br>H318<br>H400<br>H410         | GHS07<br>GHS05<br>GHS09<br>Dgr          | H302<br>H318<br>H410                 |                                 | M = 10                           |       |
| ▼ <b>B</b><br>030-001-00-1 | zinc powder — zinc dust (pyrophoric)   | 231-175-3                      | 7440-66-6                      | Water-react. 1<br>Pyr. Sol. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H260<br>H250<br>H400<br>H410         | GHS02<br>GHS09<br>Dgr                   | H260<br>H250<br>H410                 |                                 |                                  | T     |
| 030-001-01-9               | zinc powder — zinc dust (stabilised)   | 231-175-3                      | 7440-66-6                      | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                            | H410                                 |                                 |                                  |       |
| 030-003-00-2               | zinc chloride  | 231-592-0                      | 7646-85-7                      | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H314<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H314<br>H410                 |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 030-004-00-8               | dimethylzinc; [1]<br>diethylzinc [2]   | 208-884-1 [1]<br>209-161-3 [2] | 544-97-8 [1]<br>557-20-0 [2]   | Pyr. Liq. 1<br>Water-react. 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H250<br>H260<br>H314<br>H400<br>H410 | GHS02<br>GHS05<br>GHS09<br>Dgr          | H250<br>H260<br>H314<br>H410         | EUH014                          |                                  |       |
| 030-005-00-3               | diamminediisocyanatozinc   | 401-610-3                      | —                              | Acute Tox. 4 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1       | H302<br>H318<br>H334<br>H317<br>H400 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H334<br>H317<br>H400 |                                 |                                  |       |
| 030-006-00-9               | zinc sulphate (hydrous) (mono-, hexa- and hepta hydrate); [1]<br>zinc sulphate (anhydrous) [2] | 231-793-3 [1]<br>231-793-3 [2] | 7446-19-7 [1]<br>7733-02-0 [2] | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H302<br>H318<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H318<br>H410                 |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 030-007-00-4 | bis(3,5-di- <i>tert</i> -butylsalicylato- <i>O</i> <sup>1</sup> , <i>O</i> <sup>2</sup> )zinc | 403-360-0 | 42405-40-3  | Flam. Sol. 1<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H228<br>H302<br>H400<br>H410                                      | GHS02<br>GHS07<br>GHS09<br>Dgr | H228<br>H302<br>H410  |                                 |                                  | T     |
| 030-008-00-X | hydroxo(2-(benzenesulfonamido)benzoato)zinc(II)   | 403-750-0 | 113036-91-2 | Acute Tox. 4 *<br>Aquatic Chronic 2                                    | H332<br>H411  | GHS07<br>GHS09<br>Wng          | H332<br>H411  |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |  |   |                                |   |                                 |                                  |       |
| 030-009-00-5 | zinc-bis(4-( <i>n</i> -octyloxycarbonylamino)salicylate) dihydrate                            | 417-130-2 | —           | Eye Dam. 1<br>Aquatic Chronic 2  | H318<br>H411  | GHS05<br>GHS09<br>Dgr          | H318<br>H411  |                                 |                                  |       |
| 030-010-00-0 | 2-dodec-1-enylbutanedioic acid, 4-methyl ester zinc salt                                      | 430-740-3 | —           | Aquatic Chronic 2  | H411  | GHS09                          | H411  |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |             |  |   |                                |   |                                 |                                  |       |
| 030-011-00-6 | trizinc bis(orthophosphate)   | 231-944-3 | 7779-90-0   | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410  | GHS09<br>Wng                   | H410  |                                 |                                  |       |
| ▼ <b>M7</b>  |   |           |             |  |   |                                |   |                                 |                                  |       |
| 030-012-00-1 | aluminium-magnesium-zinc-carbonate-hydroxide  | 423-570-6 | 169314-88-9 | Aquatic Chronic 4  | H413  |                                | H413  |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |             |  |   |                                |   |                                 |                                  |       |
| 030-013-00-7 | zinc oxide  | 215-222-5 | 1314-13-2   | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410  | GHS09<br>Wng                   | H410  |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |  |   |                                |   |                                 |                                  |       |
| 030-015-00-8 | tetrazinc(2+)bis(hexacyanocobalt(3+))diacetate  | 440-060-9 | —           | Aquatic Chronic 2  | H411  | GHS09                          | H411  |                                 |                                  |       |
| ▼ <b>M11</b> |   |           |             |  |   |                                |   |                                 |                                  |       |
| 031-001-00-4 | gallium arsenide  | 215-114-8 | 1303-00-0   | Repr. 1B<br>Carc. 1B<br>STOT RE 1                                      | H360F<br>H350<br>H372<br>(respiratory and haematopoietic systems) | GHS08<br>Dgr                   | H360F<br>H350<br>H372<br>(respiratory and haematopoietic systems) |                                 |                                  |       |

▼B

| Index No                    | International Chemical Identification  | EC No     | CAS No    | Classification   |   | Labelling  |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-----------|--|---|--|---------------------------------|---------------------------------|----------------------------------|-------|
|                             |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 033-001-00-X                | arsenic  | 231-148-6 | 7440-38-2 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H331<br>H301<br>H400<br>H410            | GHS06<br>GHS09<br>Dgr                            | H331<br>H301<br>H410            |                                 |                                  |       |
| 033-002-00-5                | arsenic compounds, with the exception of those specified elsewhere in this Annex         | —         | —         | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H331<br>H301<br>H400<br>H410            | GHS06<br>GHS09<br>Dgr                            | H331<br>H301<br>H410            | *                               | A1                               |       |
| 033-003-00-0                | diarsenic trioxide;<br>arsenic trioxide  | 215-481-4 | 1327-53-3 | Carc. 1A<br>Acute Tox. 2 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H350<br>H300<br>H314<br>H400<br>H410    | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr          | H350<br>H300<br>H314<br>H410    |                                 |                                  |       |
| 033-004-00-6                | diarsenic pentaoxide;<br>arsenic pentoxide;<br>arsenic oxide                             | 215-116-9 | 1303-28-2 | Carc. 1A<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H350<br>H331<br>H301<br>H400<br>H410    | GHS06<br>GHS08<br>GHS09<br>Dgr                   | H350<br>H331<br>H301<br>H410    |                                 |                                  |       |
| ▼ <u>M1</u><br>033-005-00-1 | arsenic acid and its salts with the exception of those specified elsewhere in this Annex | —         | —         | Carc. 1A<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H350<br>H331<br>H301<br>H400<br>H410    | GHS06<br>GHS08<br>GHS09<br>Dgr                   | H350<br>H331<br>H301<br>H410    |                                 | A                                |       |
| ▼ <u>B</u><br>033-006-00-7  | arsine   | 232-066-3 | 7784-42-1 | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H220<br>H330<br>H373 **<br>H400<br>H410 | GHS02<br>GHS04<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H220<br>H330<br>H373 **<br>H410 |                                 | U                                |       |

▼B

| Index No                    | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|------------|---|--|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|                             |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 033-007-00-2                | <i>tert</i> -butylarsine   | 423-320-6 | 4262-43-5  | Pyr. Liq. 1<br>Acute Tox. 2 *   | H250<br>H330                           | GHS02<br>GHS06<br>Dgr          | H250<br>H330                    |                                 |                                  |       |
| 034-001-00-2                | selenium   | 231-957-4 | 7782-49-2  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 4                  | H331<br>H301<br>H373 **<br>H413        | GHS06<br>GHS08<br>Dgr          | H331<br>H301<br>H373 **<br>H413 |                                 |                                  |       |
| ▼ <u>M1</u><br>034-002-00-8 | selenium compounds with the exception of cadmium sulpho-selenide and those specified elsewhere in this Annex | —         | —          | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H373**<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H373**<br>H410  |                                 |                                  | A     |
| ▼ <u>B</u><br>034-003-00-3  | sodium selenite  | 233-267-9 | 10102-18-8 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Chronic 2                 | H300<br>H331<br>H317<br>H411           | GHS06<br>GHS09<br>Dgr          | H300<br>H331<br>H317<br>H411    | EUH031                          |                                  |       |
| 035-001-00-5                | bromine  | 231-778-1 | 7726-95-6  | Acute Tox. 2 *<br>Skin Corr. 1A<br>Aquatic Acute 1                                    | H330<br>H314<br>H400                   | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H314<br>H400            |                                 |                                  |       |
| 035-002-00-0                | hydrogen bromide   | 233-113-0 | 10035-10-6 | Press. Gas<br>Skin Corr. 1A<br>STOT SE 3  | H314<br>H335                           | GHS04<br>GHS05<br>GHS07<br>Dgr | H314<br>H335                    |                                 |                                  | U     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-----------|-----------|---|--------------------------------------|---|--------------------------------------|---------------------------------|---|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |   |       |
| 035-002-01-8 | hydrobromic acid ... %                 | —         | —         | Skin Corr. 1B<br>STOT SE 3  | H314<br>H335                         | GHS05<br>GHS07<br>Dgr                   | H314<br>H335                         |                                 | Skin Corr. 1B;<br>H314: C ≥<br>40 %<br>Skin Irrit. 2;<br>H315: 10 % ≤<br>C < 40 %<br>Eye Irrit. 2;<br>H319: 10 % ≤<br>C < 40 %<br>STOT SE 3;<br>H335: C ≥<br>10 % | B     |
| 035-003-00-6 | potassium bromate                      | 231-829-8 | 7758-01-2 | Ox. Sol. 1<br>Carc. 1B<br>Acute Tox. 3 *  | H271<br>H350<br>H301                 | GHS03<br>GHS06<br>GHS08<br>Dgr          | H271<br>H350<br>H301                 |                                 |   |       |
| 035-004-00-1 | 2-hydroxyethylammonium perbromide      | 407-440-6 | —         | Ox. Sol. 2 ****<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1 | H272<br>H302<br>H314<br>H317<br>H400 | GHS03<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H314<br>H317<br>H400 |                                 |   |       |
| 040-001-00-3 | zirconium powder (pyrophoric)          | 231-176-9 | 7440-67-7 | Water-react. 1<br>Pyr. Sol. 1   | H260<br>H250                         | GHS02<br>Dgr                            | H260<br>H250                         |                                 |   | T     |
| 040-002-00-9 | zirconium powder, dry (non pyrophoric) | —         | —         | Self-heat. 1  | H251                                 | GHS02<br>Dgr                            | H251                                 |                                 |   | T     |

▼ **M1**

| Index No                    | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                             |  |           |             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 040-003-00-4                | reaction product of 3,5-di- <i>tert</i> -butylsalicylic acid and zirconium oxychloride, dehydrated, basic Zr: DTBS= 1,0: 1,0 to 1,0: 1,5   | 430-610-6 | 226996-19-6 | Aquatic Acute 1<br>Aquatic Chronic 1                               | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 042-001-00-9                | molybdenum trioxide  | 215-204-7 | 1313-27-5   | Carc. 2<br>Eye Irrit. 2<br>STOT SE 3                               | H351<br>H319<br>H335         | GHS08<br>GHS07<br>Wng          | H351<br>H319<br>H335     |                                 |                                  |       |
| 042-002-00-4                | tetrakis(dimethylditetradecylammonium) hexa- $\mu$ -oxotetra- $\mu$ 3-oxodi- $\mu$ 5-oxotetradecaooctamolybdate(4-)  | 404-760-8 | 117342-25-3 | Acute Tox. 3 *<br>Eye Dam. 1                                       | H331<br>H318                 | GHS06<br>GHS05<br>Dgr          | H331<br>H318             |                                 |                                  |       |
| ▼ <b>B</b><br>042-003-00-X  | tetrakis(trimethylhexadecylammonium) hexa- $\mu$ -oxotetra- $\mu$ 3-oxodi- $\mu$ 5-oxotetradecaooctamolybdate(4-)  | 404-860-1 | 116810-46-9 | Flam. Sol. 1<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H228<br>H318<br>H400<br>H410 | GHS02<br>GHS05<br>GHS09<br>Dgr | H228<br>H318<br>H410     |                                 |                                  | T     |
| 042-004-00-5                | Reaction product of ammonium molybdate and C <sub>12</sub> -C <sub>24</sub> -diethoxylated alkylamine (1:5-1:3)  | 412-780-3 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                 | H315<br>H317<br>H411         | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H411     |                                 |                                  |       |
| ▼ <b>M1</b><br>042-005-00-0 | reaction mass of: mono- and diglycerols of canola oil; canola oil acid amide of branched 1,3-propanediamine, <i>N</i> -[3-(tridecyloxy)-propyl]; <i>N,N</i> -diorgano dithiocarbamate molybdenum complex | 434-240-6 | —           | Skin Sens. 1<br>Aquatic Chronic 2                                  | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No                          | CAS No                         | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|--------------------------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |                                |                                | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                          | Suppl. Hazard statement Code(s) |                                  |       |
| 046-001-00-X | tetraammine palladium (II) hydrogen carbonate   | 425-270-0                      | 134620-00-1                    | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H373**<br>H318<br>H317<br>H400<br>H410            | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H302<br>H373**<br>H318<br>H317<br>H410            |                                 |                                  |       |
| 047-001-00-2 | silver nitrate  | 231-853-9                      | 7761-88-8                      | Ox. Sol. 2<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H272<br>H314<br>H400<br>H410                              | GHS03<br>GHS05<br>GHS09<br>Dgr          | H272<br>H314<br>H410                              |                                 |                                  |       |
| 047-002-00-8 | polyphosphoric acid, copper, sodium, magnesium, calcium, silver and zinc salt   | 416-850-4                      | —                              | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410  | GHS09<br>Wng                            | H410  |                                 |                                  |       |
| 048-001-00-5 | cadmium compounds, with the exception of cadmium sulpho-selenide (xCdS.yCdSe), reaction mass of cadmium sulphide with zinc sulphide (xCdS.yZnS), reaction mass of cadmium sulphide with mercury sulphide (xCdS.yHgS), and those specified elsewhere in this Annex | —                              | —                              | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H332<br>H312<br>H302<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng                   | H332<br>H312<br>H302<br>H410                      | *                               | A1                               |       |
| 048-002-00-0 | cadmium (non-pyrophoric); [1]<br>cadmium oxide (non-pyrophoric) [2]   | 231-152-8 [1]<br>215-146-2 [2] | 7440-43-9 [1]<br>1306-19-0 [2] | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 2 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H361fd<br>H330<br>H372 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H350<br>H341<br>H361fd<br>H330<br>H372 **<br>H410 |                                 |                                  |       |

▼ **B**



## ▼B

| Index No     | International Chemical Identification                  | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-----------|------------|---|---|--------------------------------|---|---------------------------------|---|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |   |       |
| 048-003-00-6 | cadmium diformate;<br>cadmiumformate                   | 224-729-0 | 4464-23-7  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Carc. 2<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H331<br>H301<br>H351<br>H373 **<br>H400<br>H410                   | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H351<br>H373 **<br>H410                   |                                 | *<br>STOT RE 2;<br>H373: C ≥<br>0,25 %  |       |
| 048-004-00-1 | cadmium cyanide  | 208-829-1 | 542-83-6   | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Carc. 2<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1        | H330<br>H310<br>H300<br>H351<br>H373 **<br>H400<br>H410           | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H351<br>H373 **<br>H410           | EUH032                          | STOT RE 2;<br>H373: C ≥ 0,1<br>%<br>EUH032: C ≥<br>1 %  |       |
| 048-005-00-7 | cadmiumhexafluorosilicate(2-);<br>cadmium fluorosilica | 241-084-0 | 17010-21-8 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Carc. 2<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H331<br>H301<br>H351<br>H373 **<br>H400<br>H410                   | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H351<br>H373 **<br>H410                   |                                 | *<br>STOT RE 2;<br>H373: C ≥ 0,1<br>%   |       |
| 048-006-00-2 | cadmium fluoride                                       | 232-222-0 | 7790-79-6  | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H410 |                                 | Carc. 1B;<br>H350: C ≥<br>0,01 %<br>* oral<br>STOT RE 1;<br>H372: C ≥ 7 %<br>STOT RE 2:<br>0,1 % ≤ C <<br>7 % |       |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---------------------------------------|-----------|------------|---|---|--------------------------------|---|---------------------------------|---|-------|
|              |                                       |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |   |       |
| 048-007-00-8 | cadmium iodide                        | 232-223-6 | 7790-80-9  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Carc. 2<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H331<br>H301<br>H351<br>H373 **<br>H400<br>H410                   | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H351<br>H373 **<br>H410                   |                                 | *<br>STOT RE 2;<br>H373: C ≥ 0,1 %  |       |
| 048-008-00-3 | cadmium chloride                      | 233-296-7 | 10108-64-2 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H410 |                                 | Carc. 1B;<br>H350: C ≥ 0,01 %<br>* oral<br>STOT RE 1;<br>H372: C ≥ 7 %<br>STOT RE 2;<br>H373: 0,1 % ≤ C < 7 % |       |
| 048-009-00-9 | cadmium sulphate                      | 233-331-6 | 10124-36-4 | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H330<br>H301<br>H372 **<br>H410 |                                 | Carc. 1B;<br>H350: C ≥ 0,01 %<br>* oral<br>STOT RE 1;<br>H372: C ≥ 7 %<br>STOT RE 2;<br>H373: 0,1 % ≤ C < 7 % |       |

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------|------------|--|---|---|---|---------------------------------|---|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |   |       |
| 048-010-00-4 | cadmium sulphide  | 215-147-8 | 1306-23-6  | Carc. 1B<br>Muta. 2<br>Repr. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Aquatic Chronic 4                                   | H350<br>H341<br>H361fd<br>H372 **<br>H302<br>H413                 | GHS08<br>GHS07<br>Dgr                   | H350<br>H341<br>H361fd<br>H372 **<br>H302<br>H413         |                                 | *<br>STOT RE 1;<br>H372: C ≥<br>10 %<br>STOT RE 2;<br>H373: 0,1 % ≤<br>C < 10 % | 1     |
| 048-011-00-X | cadmium (pyrophoric)  | 231-152-8 | 7440-43-9  | Pyr. Sol. 1<br>Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 2 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H250<br>H350<br>H341<br>H361fd<br>H330<br>H372 **<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H250<br>H350<br>H341<br>H361fd<br>H330<br>H372 **<br>H410 |                                 |   |       |
| 050-001-00-5 | tin tetrachloride;<br>stannic chloride  | 231-588-9 | 7646-78-8  | Skin Corr. 1B<br>Aquatic Chronic 3   | H314<br>H412  | GHS05<br>Dgr                            | H314<br>H412  |                                 | STOT SE 3;<br>H335: C ≥ 5 %   |       |
| 050-002-00-0 | cyhexatin (ISO);<br>hydroxytricyclohexylstannane;<br>tri(cyclohexyl)tin hydroxide | 236-049-1 | 13121-70-5 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H332<br>H312<br>H302<br>H400<br>H410                              | GHS07<br>GHS09<br>Wng                   | H332<br>H312<br>H302<br>H410                              |                                 | M=1000  |       |

▼**M1**

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 050-003-00-6 | fentin acetate (ISO);<br>triphenyltin acetate  | 212-984-0 | 900-95-8 | Carc. 2<br>Repr. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361d***<br>H330<br>H311<br>H301<br>H372**<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H351<br>H361d***<br>H330<br>H311<br>H301<br>H372**<br>H335<br>H315<br>H318<br>H410 |                                 | M=10                             |       |
| 050-004-00-1 | fentin hydroxide (ISO);<br>triphenyltin hydroxide  | 200-990-6 | 76-87-9  | Carc. 2<br>Repr. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361d***<br>H330<br>H311<br>H301<br>H372**<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H351<br>H361d***<br>H330<br>H311<br>H301<br>H372**<br>H335<br>H315<br>H318<br>H410 |                                 | M=10                             |       |
| 050-005-00-7 | trimethyltin compounds, with<br>the exception of those<br>specified elsewhere in this<br>Annex | —         | —        | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H330<br>H310<br>H300<br>H400<br>H410   | GHS06<br>GHS09<br>Dgr                   | H330<br>H310<br>H300<br>H410   |                                 | *                                | A1    |

▼ **B**

## ▼B

| Index No             | International Chemical Identification   | EC No                          | CAS No                           | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors   | Notes  |
|----------------------|---|--------------------------------|----------------------------------|---|--|--------------------------------|--|---------------------------------|--|--------|
|                      |   |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                 | Suppl. Hazard statement Code(s) |  |        |
| 050-006-00-2         | triethyltin compounds, with the exception of those specified elsewhere in this Annex  | —                              | —                                | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H330<br>H310<br>H300<br>H400<br>H410                             | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H410                             |                                 | *  | A1     |
| 050-007-00-8         | tripropyltin compounds, with the exception of those specified elsewhere in this Annex | —                              | —                                | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H331<br>H311<br>H301<br>H400<br>H410                             | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410                             |                                 | *  | A1     |
| ▼M11<br>050-008-00-3 | tributyltin compounds, with the exception of those specified elsewhere in this annex  | —                              | —                                | Repr. 1B<br>Acute Tox. 3<br>Acute Tox. 4*<br>STOT RE 1<br>Skin Irrit. 2<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360FD<br>H301<br>H312<br>H372**<br>H315<br>H319<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr | H360FD<br>H301<br>H312<br>H372**<br>H315<br>H319<br>H410 |                                 | *<br>STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,25 %<br>≤ C < 1 %<br>Skin Irrit. 2;<br>H315:C ≥ 1 %<br>Eye Irrit. 2;<br>H319:C ≥ 1 %<br>M = 10 | A<br>1 |
| ▼B<br>050-009-00-9   | fluorotripentylstannane; [1]<br>hexapentylstannoxane [2]                              | 243-546-7 [1]<br>247-143-7 [2] | 20153-49-5 [1]<br>25637-27-8 [2] | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H332<br>H312<br>H302<br>H400<br>H410                             | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410                             |                                 | *  | 1      |

▼**B**

| Index No     | International Chemical Identification  | EC No   | CAS No  | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|---|---|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|--|-------|
|              |  |   |   | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |  |       |
| 050-010-00-4 | fluorotrihexylstannane   | 243-547-2                                       | 20153-50-8                                      | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 | *  | 1     |
| ▼ <b>M1</b>  |  |   |   |  |                                      |                                |                              |                                 |  |       |
| 050-011-00-X | triphenyltin compounds, with the exception of those specified elsewhere in this Annex              | —   | —   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410 |                                 | *<br>M=100   | A1    |
| ▼ <b>B</b>   |  |   |   |  |                                      |                                |                              |                                 |  |       |
| 050-012-00-5 | tetracyclohexylstannane; [1]<br>chlorotricyclohexylstannane; [2]<br>butyltricyclohexylstannane [3] | 215-910-5 [1]<br>221-437-5 [2]<br>230-358-5 [3] | 1449-55-4 [1]<br>3091-32-5 [2]<br>7067-44-9 [3] | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 | *  | A1    |
| 050-013-00-0 | trioctyltin compounds, with the exception of those specified elsewhere in this Annex               | —   | —   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 4                            | H319<br>H335<br>H315<br>H413         | GHS07<br>Wng                   | H319<br>H335<br>H315<br>H413 |                                 | Skin Irrit. 2;<br>H315: C ≥ 1 %<br>Eye Irrit. 2;<br>H319: C ≥ 1 %<br>STOT SE 3;<br>H335: C ≥ 1 % | A1    |

▼B

| Index No     | International Chemical Identification                                  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 050-017-00-2 | fenbutatin oxide (ISO); bis(tris(2-methyl-2-phenylpropyl)tin)oxide     | 236-407-7 | 13356-08-6 | Acute Tox. 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H330<br>H319<br>H315<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H330<br>H319<br>H315<br>H410                 |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |            |  |  |                                |  |                                 |                                  |       |
| 050-018-00-8 | tin(II) methanesulphonate  | 401-640-7 | 53408-94-9 | Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2   | H314<br>H302<br>H317<br>H411                         | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H317<br>H411                 |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |            |  |  |                                |  |                                 |                                  |       |
| 050-019-00-3 | azocyclotin (ISO); 1-(tricyclohexylstannyl)-1 <i>H</i> -1,2,4-triazole | 255-209-1 | 41083-11-8 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H301<br>H335<br>H315<br>H318<br>H410 |                                 |                                  |       |
| 050-020-00-9 | trioctylstannane   | 413-320-4 | 869-59-0   | STOT RE 1<br>Skin Irrit. 2<br>Aquatic Chronic 4  | H372 **<br>H315<br>H413                              | GHS08<br>GHS07<br>Dgr          | H372 **<br>H315<br>H413                      |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |            |  |  |                                |  |                                 |                                  |       |
| 050-021-00-4 | dichlorodioctyl stannane   | 222-583-2 | 3542-36-7  | Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Chronic 3   | H331<br>H372**<br>H412                               | GHS06<br>GHS08<br>Dgr          | H331<br>H372**<br>H412                       |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------|----------|---|--|---|--|---------------------------------|---|-------|
|              |   |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |   |       |
| 050-022-00-X | dibutyltin dichloride;<br>(DBTC)  | 211-670-0 | 683-18-1 | Muta. 2<br>Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H360FD<br>H330<br>H301<br>H312<br>H372**<br>H314<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H341<br>H360FD<br>H330<br>H301<br>H312<br>H372**<br>H314<br>H410 |                                 | Skin Corr. 1B;<br>H314: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: 0,01 %<br>≤ C < 5 %<br>Eye Dam. 1;<br>H318: 3 % ≤<br>C < 5 %<br>Eye Irrit. 2;<br>H319: 0,01 %<br>≤ C < 3 %<br>M=10 |       |
| 050-023-00-5 | reaction mass of: bis[(2-ethyl-1-oxohexyl)oxy]dioctyl stannane;<br>bis[((2-ethyl-1-oxohexyl)oxy)dioctylstannyl]oxide;<br>bis(1-phenyl-1,3-decanedio-nyl)dioctyl stannane;<br>((2-ethyl-1-oxohexyl)oxy)-(1-phenyl-1,3-decanedio-nyl)dioctyl stannane | 422-920-5 | —        | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H373**<br>H400<br>H410   | GHS08<br>GHS09<br>Wng                   | H373**<br>H410   |                                 | M=10  |       |
| 050-024-00-0 | reaction mass of: tri- <i>p</i> -tolyltin hydroxide;<br>hexa- <i>p</i> -tolyl-distannoxane  | 432-230-6 | —        | STOT RE 1<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H372**<br>H302<br>H315<br>H318<br>H317<br>H400<br>H410                   | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H372**<br>H302<br>H315<br>H318<br>H317<br>H410                   |                                 |   |       |
| ▼ M7         |   |           |          |   |  |   |  |                                 |   |       |
| 050-025-00-6 | trichloromethylstannane   | 213-608-8 | 993-16-8 | Repr. 2   | H361d  | GHS08<br>Wng                            | H361d  |                                 |   |       |



▼ **M7**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 050-026-00-1 | 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate | 260-828-5 | 57583-34-3 | Repr. 2                           | H361d                    | GHS08<br>Wng                   | H361d                    |                                 |                                  |       |
| 050-027-00-7 | 2-ethylhexyl 10-ethyl-4,4-diethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate   | 239-622-4 | 15571-58-1 | Repr. 1B                          | H360D                    | GHS08<br>Dgr                   | H360D                    |                                 |                                  |       |

▼ **M8**

|              |  |           |            |   |  |                                |  |        |  |  |
|--------------|--|-----------|------------|---|--|--------------------------------|--|--------|--|--|
| 050-028-00-2 | 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate | 260-829-0 | 57583-35-4 | Repr. 2<br>Acute Tox. 4<br>STOT RE 1<br>Skin Sens. 1A                                 | H361d<br>H302<br>H372<br>(nervous system, immune system)<br>H317                 | GHS08<br>GHS07<br>Dgr          | H361d<br>H302<br>H372<br>(nervous system, immune system)<br>H317                 |        |  |  |
| 050-029-00-8 | dimethyltin dichloride   | 212-039-2 | 753-73-1   | Repr. 2<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 3<br>STOT RE 1<br>Skin Corr. 1B | H361d<br>H330<br>H301<br>H311<br>H372<br>(nervous system, immune system)<br>H314 | GHS08<br>GHS06<br>GHS05<br>Dgr | H361d<br>H330<br>H301<br>H311<br>H372<br>(nervous system, immune system)<br>H314 | EUH071 |  |  |

▼ **B**

|              |                        |           |            |                                    |              |                       |              |  |                             |  |
|--------------|------------------------|-----------|------------|------------------------------------|--------------|-----------------------|--------------|--|-----------------------------|--|
| 051-001-00-8 | antimony trichloride   | 233-047-2 | 10025-91-9 | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 |  | STOT SE 3;<br>H335: C ≥ 5 % |  |
| 051-002-00-3 | antimony pentachloride | 231-601-8 | 7647-18-9  | Skin Corr. 1B<br>Aquatic Chronic 2 | H314<br>H411 | GHS05<br>GHS09<br>Dgr | H314<br>H411 |  | STOT SE 3;<br>H335: C ≥ 5 % |  |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                                       | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 051-003-00-9 | antimony compounds, with the exception of the tetroxide (Sb <sub>2</sub> O <sub>4</sub> ), pentoxide (Sb <sub>2</sub> O <sub>5</sub> ), trisulphide (Sb <sub>2</sub> S <sub>3</sub> ), pentasulphide (Sb <sub>2</sub> S <sub>5</sub> ) and those specified elsewhere in this Annex | —         | —          | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2                   | H332<br>H302<br>H411         | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H411         |                                 | *                                | A1    |
| 051-004-00-4 | antimony trifluoride   | 232-009-2 | 7783-56-4  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H411 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H411 |                                 |                                  |       |
| 051-005-00-X | antimony trioxide  | 215-175-0 | 1309-64-4  | Carc. 2   | H351                         | GHS08<br>Wng                   | H351                         |                                 |                                  |       |
| 051-006-00-5 | diphenyl(4-phenylthiophenyl)sulfonium hexafluoroantimonate   | 403-500-0 | —          | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H317<br>H410                 |                                 |                                  |       |
| 051-007-00-0 | bis(4-dodecylphenyl)iodonium hexafluoroantimonate  | 404-420-9 | 71786-70-4 | Skin Sens. 1<br>Aquatic Chronic 3                                       | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412                 |                                 |                                  |       |
| 053-001-00-3 | iodine   | 231-442-4 | 7553-56-2  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1                     | H332<br>H312<br>H400         | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H400         |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-----------|-------------|---|---|--------------------------------|---------------------------------|---------------------------------|---|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |   |       |
| 053-002-00-9 | hydrogen iodide  | 233-109-9 | 10034-85-2  | Press. Gas<br>Skin Corr. 1A   | H314                                    | GHS04<br>GHS05<br>Dgr          | H314                            |                                 | Skin Corr. 1A;<br>H314: C ≥ 10 %<br>Skin Corr. 1B;<br>H314: 0,2 % ≤ C < 10 %<br>Skin Irrit. 2;<br>H315: 0,02 % ≤ C < 0,2 %<br>Eye Irrit. 2;<br>H319: 0,02 % ≤ C < 0,2 %<br>STOT SE 3;<br>H335: C ≥ 0,02 % | U5    |
| 053-002-01-6 | hydriodic acid ... %   | —         | —           | Skin Corr. 1B   | H314                                    | GHS05<br>Dgr                   |                                 |                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 %   | B     |
| ▼ <b>M6</b>  |  |           |             |   |   |                                |                                 |                                 |   |       |
| 053-003-00-4 | iodoxybenzene  | —         | 696-33-3    | Expl. ****  | ****                                    | ****                           | ****                            |                                 |   |       |
| 053-004-00-X | calcium iodoxybenzoate   | —         | —           | Expl. ****  | ****                                    | ****                           | ****                            |                                 |   | C     |
| ▼ <b>B</b>   |  |           |             |   |   |                                |                                 |                                 |   |       |
| 053-005-00-5 | (4-(1-methylethyl)phenyl)-(4-methylphenyl)iodonium tetra-kis(pentafluorophenyl)borate (1-) | 422-960-3 | 178233-72-2 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 **<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H312<br>H302<br>H373 **<br>H410 |                                 |   |       |

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 056-001-00-1 | barium peroxide   | 215-128-4 | 1304-29-6  | Ox. Sol. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *    | H272<br>H332<br>H302     | GHS03<br>GHS07<br>Dgr          | H272<br>H332<br>H302     |                                 |                                  |       |
| 056-002-00-7 | barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid, and of salts specified elsewhere in this Annex | —         | —          | Acute Tox. 4 *<br>Acute Tox. 4 *                  | H332<br>H302             | GHS07<br>Wng                   | H332<br>H302             |                                 | *                                | A1    |
| 056-003-00-2 | barium carbonate  | 208-167-3 | 513-77-9   | Acute Tox. 4 *                                    | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 056-004-00-8 | barium chloride   | 233-788-1 | 10361-37-2 | Acute Tox. 3 *<br>Acute Tox. 4 *                  | H301<br>H332             | GHS06<br>Dgr                   | H301<br>H332             |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 064-001-00-8 | gadolinium(III)sulfite trihydrate   | 456-900-2 | 51285-81-5 | Aquatic Chronic 2                                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 072-001-00-4 | hafnium tetra- <i>n</i> -butoxide   | 411-740-2 | 22411-22-9 | Eye Dam. 1<br>Skin Sens. 1                        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 074-001-00-X | hexasodium tungstate hydrate  | 412-770-9 | 12141-67-2 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412     | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 074-002-00-5 | Reaction products of tungsten hexachloride with 2-methylpropan-2-ol, nonylphenol and pentane-2,4-dione | 408-250-6 | —          | Flam. Liq. 2<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H332<br>H314<br>H317<br>H400<br>H410 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 076-001-00-5 | osmium tetroxide;<br>osmic acid  | 244-058-7 | 20816-12-0 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Skin Corr. 1B                                       | H330<br>H310<br>H300<br>H314                 | GHS06<br>GHS05<br>Dgr                   | H330<br>H310<br>H300<br>H314         |                                 |                                  |       |
| 078-001-00-0 | tetrachloroplatinates with the exception of those specified elsewhere in this Annex                    | —         | —          | Acute Tox. 3 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1   | H301<br>H318<br>H334<br>H317                 | GHS06<br>GHS05<br>GHS08<br>Dgr          | H301<br>H318<br>H334<br>H317         |                                 |                                  | A     |
| 078-002-00-6 | diammonium tetrachloroplatinate  | 237-499-1 | 13820-41-2 | Acute Tox. 3 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1                          | H301<br>H315<br>H318<br>H334<br>H317         | GHS06<br>GHS05<br>GHS08<br>Dgr          | H301<br>H315<br>H318<br>H334<br>H317 |                                 |                                  |       |
| 078-003-00-1 | disodium tetrachloroplatinate  | 233-051-4 | 10026-00-3 | Acute Tox. 3 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1                          | H301<br>H315<br>H318<br>H334<br>H317         | GHS06<br>GHS05<br>GHS08<br>Dgr          | H301<br>H315<br>H318<br>H334<br>H317 |                                 |                                  |       |
| 078-004-00-7 | dipotassium tetrachloroplatinate   | 233-050-9 | 10025-99-7 | Acute Tox. 3 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1                          | H301<br>H315<br>H318<br>H334<br>H317         | GHS06<br>GHS05<br>GHS08<br>Dgr          | H301<br>H315<br>H318<br>H334<br>H317 |                                 |                                  |       |

▼**B**

| Index No                    | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                             |  |           |             | Hazard Class and Category Code(s)                                | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 078-005-00-2                | hexachloroplatinates with the exception of those specified elsewhere in this Annex | —         | —           | Acute Tox. 3 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1    | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 |                                 |                                  | A     |
| 078-006-00-8                | disodium hexachloroplatinate   | 240-983-5 | 16923-58-3  | Acute Tox. 3 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1    | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 |                                 |                                  |       |
| 078-007-00-3                | dipotassium hexachloroplatinate  | 240-979-3 | 16921-30-5  | Acute Tox. 3 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1    | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 |                                 |                                  |       |
| 078-008-00-9                | diammonium hexachloroplatinate   | 240-973-0 | 16919-58-7  | Acute Tox. 3 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1    | H301<br>H318<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H318<br>H334<br>H317 |                                 |                                  |       |
| 078-009-00-4                | hexachloroplatinic acid  | 241-010-7 | 16941-12-1  | Acute Tox. 3 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1 | H301<br>H314<br>H334<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H301<br>H314<br>H334<br>H317 |                                 |                                  |       |
| ▼ <b>M1</b><br>078-010-00-X | tetraammine platinum (II) hydrogen carbonate                                       | 426-730-3 | 123439-82-7 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                | H302<br>H318<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412         |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |   | Labelling                      |  |                                    | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|---|--------------------------------|--|------------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s)    |                                  |       |
| 078-011-00-5 | hydroxydisulfito platinum(II) acid   | 423-310-1 | 61420-92-6 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1A<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3    | H302<br>H373<br>H314<br>H334<br>H317<br>H412    | GHS05<br>GHS08<br>GHS07<br>Dgr | H302<br>H373<br>H314<br>H334<br>H317<br>H412 |                                    |                                  |       |
| 078-012-00-0 | platinum(IV) nitrate/nitric acid solution  | 432-400-1 | —          | Skin Corr. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H314<br>H400<br>H410                            | GHS05<br>GHS09<br>Dgr          | H314<br>H410                                 |                                    |                                  |       |
| 080-001-00-0 | mercury  | 231-106-7 | 7439-97-6  | Repr. 1B<br>Acute Tox. 2 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H360D***<br>H330<br>H372**<br>H400<br>H410      | GHS06<br>GHS08<br>GHS09<br>Dgr | H360D***<br>H330<br>H372**<br>H410           |                                    |                                  |       |
| 080-002-00-6 | inorganic compounds of mercury with the exception of mercuric sulphide and those specified elsewhere in this Annex | —         | —          | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H310<br>H300<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 **<br>H410      | *<br>STOT RE 2;<br>H373: C ≥ 0,1 % | A1                               |       |
| 080-003-00-1 | dimercury dichloride; mercurous chloride; calomel  | 233-307-5 | 10112-91-1 | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H302<br>H319<br>H335<br>H315<br>H400<br>H410    | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H335<br>H315<br>H410         |                                    |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|-----------|-----------|--|---|---|---|---------------------------------|------------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                    |       |
| 080-004-00-7 | organic compounds of mercury with the exception of those specified elsewhere in this Annex | —         | —         | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H330<br>H310<br>H300<br>H373 **<br>H400<br>H410         | GHS06<br>GHS08<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H373 **<br>H410                 |                                 | *<br>STOT RE 2;<br>H373: C ≥ 0,1 % | A1    |
| 080-005-00-2 | mercury difulminate;<br>mercuric fulminate;<br>fulminate of mercury                        | 211-057-8 | 628-86-4  | Unst. Expl.<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H200<br>H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H200<br>H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 |                                 |                                    |       |
| 080-005-01-X | mercury difulminate;<br>mercuric fulminate;<br>fulminate of mercury [≥ 20 % phlegmatiser]  | 211-057-8 | 628-86-4  | Expl. 1.1<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H201<br>H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 |                                 |                                    |       |
| 080-006-00-8 | dimercy dicyanide oxide;<br>mercuric oxycyanide  | 215-629-8 | 1335-31-5 | Expl. 1.1<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H201<br>H331<br>H311<br>H301<br>H373**<br>H400<br>H410  | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373**<br>H410          |                                 |                                    |       |

## ▼M1



## ▼B

| Index No     | International Chemical Identification   | EC No                                  | CAS No                                       | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors       | Notes |
|--------------|---|--|--|--|--|---|--|---------------------------------|--|-------|
|              |   |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                           | Suppl. Hazard statement Code(s) |  |       |
| 080-007-00-3 | dimethylmercury; [1]<br>diethylmercury [2]  | 209-805-3 [1]<br>211-000-7 [2]         | 593-74-8 [1]<br>627-44-1 [2]                 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H330<br>H310<br>H300<br>H373 **<br>H400<br>H410            | GHS06<br>GHS08<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H373 **<br>H410            |                                 | *<br>STOT RE 2;<br>H373: C ≥<br>0,05 % | 1     |
| 080-008-00-9 | phenylmercury nitrate; [1]<br>phenylmercury hydroxide; [2]<br>basic phenylmercury nitrate [3] | 200-242-9 [1]<br>202-866-7 [2]<br>-[3] | 55-68-5 [1]<br>100-57-2 [2]<br>8003-05-2 [3] | Acute Tox. 3 *<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H301<br>H372 **<br>H314<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H301<br>H372 **<br>H314<br>H410                    |                                 |  |       |
| 080-009-00-4 | 2-methoxyethylmercury chloride  | 204-659-7                              | 123-88-6                                     | Acute Tox. 3 *<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H301<br>H372 **<br>H314<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H301<br>H372 **<br>H314<br>H410                    |                                 |  |       |
| 080-010-00-X | mercury dichloride;<br>mercuric chloride  | 231-299-8                              | 7487-94-7                                    | Muta. 2<br>Repr. 2<br>Acute Tox. 2 *<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H361f***<br>H300<br>H372**<br>H314<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H341<br>H361f***<br>H300<br>H372**<br>H314<br>H410 |                                 |  |       |

## ▼M1

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification  |   | Labelling                               |   |   | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|---|---|---|---|---|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s)                                       |                                  |       |
| 080-011-00-5 | phenylmercury acetate   | 200-532-5 | 62-38-4   | Acute Tox. 3 *<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H301<br>H372 **<br>H314<br>H400<br>H410           | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H301<br>H372 **<br>H314<br>H410           |   |                                  |       |
| 081-001-00-3 | thallium  | 231-138-1 | 7440-28-0 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 4                                | H330<br>H300<br>H373 **<br>H413                   | GHS06<br>GHS08<br>Dgr                   | H330<br>H300<br>H373 **<br>H413           |   |                                  |       |
| 081-002-00-9 | thallium compounds, with the exception of those specified elsewhere in this Annex | —         | —         | Acute Tox. 2 *<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 2                                | H330<br>H300<br>H373 **<br>H411                   | GHS06<br>GHS08<br>GHS09<br>Dgr          | H330<br>H300<br>H373 **<br>H411           |   |                                  | A     |
| 081-003-00-4 | dithallium sulphate;<br>thallic sulphate  | 231-201-3 | 7446-18-6 | Acute Tox. 2 *<br>STOT RE 1<br>Skin Irrit. 2<br>Aquatic Chronic 2                                   | H300<br>H372 **<br>H315<br>H411                   | GHS06<br>GHS08<br>GHS09<br>Dgr          | H300<br>H372 **<br>H315<br>H411           |   |                                  |       |
| 082-001-00-6 | lead compounds with the exception of those specified elsewhere in this Annex      | —         | —         | Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H332<br>H302<br>H373 **<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr          | H360Df<br>H332<br>H302<br>H373 **<br>H410 | Repr. 2; H361f:<br>C ≥ 2,5 %<br>*<br>STOT RE 2;<br>H373: C ≥<br>0,5 % | A1                               |       |

## ▼B

| Index No            | International Chemical Identification                  | EC No     | CAS No     | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|---------------------|--|-----------|------------|---|---|---|---|---------------------------------|--|-------|
|                     |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                          | Suppl. Hazard statement Code(s) |  |       |
| 082-002-00-1        | lead alkyls  | —         | —          | Repr. 1A<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H330<br>H310<br>H300<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H360Df<br>H330<br>H310<br>H300<br>H373 **<br>H410 |                                 | Repr. 1A;<br>H360D: C ≥<br>0,1 %<br>*<br>STOT RE 2;<br>H373: C ≥<br>0,05 % | A1    |
| 082-003-00-7        | lead diazide;<br>lead azide                            | 236-542-1 | 13424-46-9 | Unst. Expl.<br>Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H200<br>H360Df<br>H332<br>H302<br>H373 **<br>H400<br>H410 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H200<br>H360Df<br>H332<br>H302<br>H373 **<br>H410 |                                 |  | 1     |
| 082-003-01-4        | lead diazide;<br>lead azide [≥ 20 % phlegma-<br>tiser] | 236-542-1 | 13424-46-9 | Expl. 1.1<br>Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H201<br>H360Df<br>H332<br>H302<br>H373 **<br>H400<br>H410 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H201<br>H360Df<br>H332<br>H302<br>H373 **<br>H410 |                                 |  | 1     |
| ▼M1<br>082-004-00-2 | lead chromate  | 231-846-0 | 7758-97-6  | Carc. 1B<br>Repr. 1A<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H360Df<br>H373**<br>H400<br>H410                  | GHS08<br>GHS09<br>Dgr                   | H350<br>H360Df<br>H373**<br>H410                  |                                 |  | 1     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                          | Suppl. Hazard statement Code(s) |                                  |       |
| 082-005-00-8 | lead di(acetate)   | 206-104-4 | 301-04-2   | Repr. 1A<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H360Df<br>H373 **<br>H400<br>H410                 | GHS08<br>GHS09<br>Dgr          | H360Df<br>H373 **<br>H410                         |                                 |                                  | 1     |
| 082-006-00-3 | trilead bis(orthophosphate)  | 231-205-5 | 7446-27-7  | Repr. 1A<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H360Df<br>H373 **<br>H400<br>H410                 | GHS08<br>GHS09<br>Dgr          | H360Df<br>H373 **<br>H410                         |                                 |                                  | 1     |
| 082-007-00-9 | lead acetate, basic  | 215-630-3 | 1335-32-6  | Carc. 2<br>Repr. 1A<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H351<br>H360Df<br>H373 **<br>H400<br>H410         | GHS08<br>GHS09<br>Dgr          | H351<br>H360Df<br>H373 **<br>H410                 |                                 |                                  | 1     |
| 082-008-00-4 | lead(II) methanesulphonate   | 401-750-5 | 17570-76-2 | Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1 | H360Df<br>H332<br>H302<br>H373 **<br>H315<br>H318 | GHS08<br>GHS05<br>GHS07<br>Dgr | H360Df<br>H332<br>H302<br>H373 **<br>H315<br>H318 |                                 |                                  | 1     |
| 082-009-00-X | lead sulfochromate yellow;<br>C.I. Pigment Yellow 34;<br>[This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77603.] | 215-693-7 | 1344-37-2  | Carc. 1B<br>Repr. 1A<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H350<br>H360Df<br>H373**<br>H400<br>H410          | GHS08<br>GHS09<br>Dgr          | H350<br>H360Df<br>H373**<br>H410                  |                                 |                                  | 1     |

## ▼M1

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-----------|-------------|---|---|--------------------------------|---|---------------------------------|-----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                          | Suppl. Hazard statement Code(s) |                                   |       |
| 082-010-00-5 | lead chromate molybdate sulfate red;<br>C.I. Pigment Red 104;<br>[This substance is identified in the Colour Index by Colour Index Constitution Number, C.I. 77605.] | 235-759-9 | 12656-85-8  | Carc. 1B<br>Repr. 1A<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                       | H350<br>H360Df<br>H373**<br>H400<br>H410                  | GHS08<br>GHS09<br>Dgr          | H350<br>H360Df<br>H373**<br>H410                  |                                 |                                   | 1     |
| ▼ <b>B</b>   |  |           |             |   |   |                                |   |                                 |                                   |       |
| 082-011-00-0 | lead hydrogen arsenate   | 232-064-2 | 7784-40-9   | Carc. 1A<br>Repr. 1A<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H360Df<br>H331<br>H301<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H360Df<br>H331<br>H301<br>H373 **<br>H410 |                                 |                                   | 1     |
| ▼ <b>M1</b>  |  |           |             |   |   |                                |   |                                 |                                   |       |
| 082-012-00-6 | barium calcium cesium lead samarium strontium bromide chloride fluoride iodide europium doped  | 431-780-4 | 199876-46-5 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2  | H302<br>H373**<br>H411                                    | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H411                            |                                 |                                   |       |
| ▼ <b>M13</b> |  |           |             |   |   |                                |   |                                 |                                   |       |
| 082-013-00-1 | lead powder;<br>[particle diameter < 1 mm]   | 231-100-4 | 7439-92-1   | Repr. 1A<br>Lact.   | H360FD<br>H362  | GHS08<br>Dgr                   | H360FD<br>H362                                    |                                 | Repr. 1A;<br>H360D: C<br>≥ 0,03 % |       |
| 082-014-00-7 | lead massive:<br>[particle diameter ≥ 1 mm]  | 231-100-4 | 7439-92-1   | Repr. 1A<br>Lact.   | H360FD<br>H362  | GHS08<br>Dgr                   | H360FD<br>H362                                    |                                 |                                   |       |
| ▼ <b>B</b>   |  |           |             |   |   |                                |   |                                 |                                   |       |
| 092-001-00-8 | uranium  | 231-170-6 | 7440-61-1   | Acute Tox. 2 *<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 4  | H330<br>H300<br>H373 **<br>H413                           | GHS06<br>GHS08<br>Dgr          | H330<br>H300<br>H373 **<br>H413                   |                                 |                                   |       |

## ▼M1

| Index No     | International Chemical Identification  | EC No                          | CAS No                      | Classification   |                                | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|-----------------------------|--|--------------------------------|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |  |                                |                             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 092-002-00-3 | uranium compounds with the exception of those specified elsewhere in this Annex  | —                              | —                           | Acute Tox. 2 *<br>Acute Tox. 2 *<br>STOT RE 2<br>Aquatic Chronic 2 | H330<br>H300<br>H373**<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H300<br>H373**<br>H411 |                                 |                                  | A     |
| 601-001-00-4 | methane  | 200-812-7                      | 74-82-8                     | Flam. Gas 1<br>Press. Gas  | H220                           | GHS02<br>GHS04<br>Dgr          | H220                           |                                 |                                  | U     |
| 601-002-00-X | ethane   | 200-814-8                      | 74-84-0                     | Flam. Gas 1<br>Press. Gas  | H220                           | GHS02<br>GHS04<br>Dgr          | H220                           |                                 |                                  | U     |
| 601-003-00-5 | propane  | 200-827-9                      | 74-98-6                     | Flam. Gas 1<br>Press. Gas  | H220                           | GHS02<br>GHS04<br>Dgr          | H220                           |                                 |                                  | U     |
| 601-004-00-0 | butane; [1]<br>and isobutane [2]   | 203-448-7 [1]<br>200-857-2 [2] | 106-97-8 [1]<br>75-28-5 [2] | Flam. Gas 1<br>Press. Gas  | H220                           | GHS02<br>GHS04<br>Dgr          | H220                           |                                 |                                  | C U   |
| 601-004-01-8 | butane (containing ≥ 0,1 %<br>butadiene (203-450-8)); [1]<br>isobutane (containing ≥ 0,1 %<br>butadiene (203-450-8)) [2] | 203-448-7 [1]<br>200-857-2 [2] | 106-97-8 [1]<br>75-28-5 [2] | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B                  | H220<br>H350<br>H340           | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340           |                                 |                                  | C S U |
| 601-005-00-6 | 2,2-dimethylpropane;<br>neopentane   | 207-343-7                      | 463-82-1                    | Flam. Gas 1<br>Press. Gas<br>Aquatic Chronic 2                     | H220<br>H411                   | GHS02<br>GHS04<br>GHS09<br>Dgr | H220<br>H411                   |                                 |                                  | U     |

## ▼B

## ▼B

| Index No            | International Chemical Identification   | EC No   | CAS No  | Classification  |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|---|---|---|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|                     |   |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 601-006-00-1        | pentane   | 203-692-4   | 109-66-0  | Flam. Liq. 2<br>Asp. Tox. 1<br>STOT SE 3<br>Aquatic Chronic 2                                     | H225<br>H304<br>H336<br>H411                 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H336<br>H411         | EUH066                          |                                  | C     |
| ▼M1<br>601-007-00-7 | hexane (containing < 5 % <i>n</i> -hexane (203-777-6));<br>2-methylpentane; [1]<br>3-methylpentane; [2]<br>2,2-dimethylbutane; [3]<br>2,3-dimethylbutane [4]  | 203-523-4 [1]<br>202-481-4 [2]<br>200-906-8 [3]<br>201-193-6 [4]  | 107-83-5 [1]<br>96-14-0 [2]<br>75-83-2 [3]<br>79-29-8 [4]   | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2                    | H225<br>H304<br>H315<br>H336<br>H411         | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H411 |                                 |                                  | C     |
| 601-008-00-2        | heptane;<br><i>n</i> -heptane; [1]<br>2,4-dimethylpentane; [2]<br>2,2,3-trimethylbutane; [3]<br>3,3-dimethylpentane; [4]<br>2,3-dimethylpentane; [5]<br>3-methylhexane; [6]<br>2,2-dimethylpentane; [7]<br>2-methylhexane; [8]<br>3-ethylpentane; [9]<br>isoheptane; [10] | 205-563-8 [1]<br>203-548-0 [2]<br>207-346-3 [3]<br>209-230-8 [4]<br>209-280-0 [5]<br>209-643-3 [6]<br>209-680-5 [7]<br>209-730-6 [8]<br>210-529-0 [9]<br>250-610-8 [10] | 142-82-5 [1]<br>108-08-7 [2]<br>464-06-2 [3]<br>562-49-2 [4]<br>565-59-3 [5]<br>589-34-4 [6]<br>590-35-2 [7]<br>591-76-4 [8]<br>617-78-7 [9]<br>31394-54-4 [10] | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H304<br>H315<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H410 |                                 |                                  | C     |

▼ **M1**

| Index No     | International Chemical Identification  | EC No   | CAS No  | Classification  |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|---|---|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 601-009-00-8 | octane;<br><i>n</i> -octane; [1]<br>2,2,4-trimethylpentane; [2]<br>2,3,3-trimethylpentane; [3]<br>3,3-dimethylhexane; [4]<br>2,2,3-trimethylpentane; [5]<br>2,3,4-trimethylpentane; [6]<br>3,4-dimethylhexane; [7]<br>2,3-dimethylhexane; [8]<br>2,4-dimethylhexane; [9]<br>4-methylheptane; [10]<br>3-methylheptane; [11]<br>2,2-dimethylhexane; [12]<br>2,5-dimethylhexane; [13]<br>2-methylheptane; [14]<br>2,2,3,3-tetramethylbutane; [15]<br>3-ethyl-2-methylpentane; [16]<br>3-ethylhexane; [17]<br>3-ethyl-3-methylpentane; [18]<br>isooctane; [19] | 203-892-1 [1]<br>208-759-1 [2]<br>209-207-2 [3]<br>209-243-9 [4]<br>209-266-4 [5]<br>209-292-6 [6]<br>209-504-7 [7]<br>209-547-1 [8]<br>209-649-6 [9]<br>209-650-1 [10]<br>209-660-6 [11]<br>209-689-4 [12]<br>209-745-8 [13]<br>209-747-9 [14]<br>209-855-6 [15]<br>210-187-2 [16]<br>210-621-0 [17]<br>213-923-0 [18]<br>247-861-0 [19] | 111-65-9 [1]<br>540-84-1 [2]<br>560-21-4 [3]<br>563-16-6 [4]<br>564-02-3 [5]<br>565-75-3 [6]<br>583-48-2 [7]<br>584-94-1 [8]<br>589-43-5 [9]<br>589-53-7 [10]<br>589-81-1 [11]<br>590-73-8 [12]<br>592-13-2 [13]<br>592-27-8 [14]<br>594-82-1 [15]<br>609-26-7 [16]<br>619-99-8 [17]<br>1067-08-9 [18]<br>26635-64-3 [19] | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H304<br>H315<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H410 |                                 | C                                |       |
| 601-010-00-3 | ethylene   | 200-815-3   | 74-85-1   | Flam. Gas 1<br>Press. Gas<br>STOT SE 3  | H220<br>H336                                 | GHS02<br>GHS04<br>GHS07<br>Dgr          | H220<br>H336                         |                                 | U                                |       |
| 601-011-00-9 | propene;<br>propylene  | 204-062-1   | 115-07-1  | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr                   | H220                                 |                                 | U                                |       |

▼ **B**



## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No   | Classification  |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|---|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 601-012-00-4 | but-1-ene; [1]<br>butene, mixed-1-and-2-isomers; [2]<br>2-methylpropene; [3]<br>(Z)-but-2-ene; [4]<br>(E)-but-2-ene [5] | 203-449-2 [1]<br>203-452-9 [2]<br>204-066-3 [3]<br>209-673-7 [4]<br>210-855-3 [5] | 106-98-9 [1]<br>107-01-7 [2]<br>115-11-7 [3]<br>590-18-1 [4]<br>624-64-6 [5] | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr                   | H220                                 |                                 |                                  | C U   |
| 601-013-00-X | 1,3-butadiene;<br>buta-1,3-diene  | 203-450-8   | 106-99-0   | Flam. Gas 1<br>Press. Gas<br>Carc. 1A<br>Muta. 1B   | H220<br>H350<br>H340                         | GHS02<br>GHS04<br>GHS08<br>Dgr          | H220<br>H350<br>H340                 |                                 |                                  | D U   |
| 601-014-00-5 | isoprene (stabilised)<br>2-methyl-1,3-butadiene   | 201-143-3   | 78-79-5  | Flam. Liq. 1<br>Carc. 1B<br>Muta. 2<br>Aquatic Chronic 3  | H224<br>H350<br>H341<br>H412                 | GHS02<br>GHS08<br>Dgr                   | H224<br>H350<br>H341<br>H412         |                                 |                                  | D     |
| 601-015-00-0 | acetylene;<br>ethyne  | 200-816-9   | 74-86-2  | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr                   | H220                                 | ►M4 — ◀                         |                                  | U     |
| 601-016-00-6 | cyclopropane  | 200-847-8   | 75-19-4  | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr                   | H220                                 |                                 |                                  | U     |
| 601-017-00-1 | cyclohexane   | 203-806-2   | 110-82-7   | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H304<br>H315<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No  | CAS No   | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|--|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |  |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                  |       |
| 601-018-00-7 | methylcyclohexane   | 203-624-3  | 108-87-2   | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2                    | H225<br>H304<br>H315<br>H336<br>H411                    | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H411                    |                                 |                                  |       |
| 601-019-00-2 | 1,4-dimethylcyclohexane   | 209-663-2  | 589-90-2   | Flam. Liq. 2<br>Asp. Tox. 1<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2                    | H225<br>H304<br>H315<br>H336<br>H411                    | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H304<br>H315<br>H336<br>H411                    |                                 |                                  |       |
| 601-020-00-8 | benzene   | 200-753-7  | 71-43-2  | Flam. Liq. 2<br>Carc. 1A<br>Muta. 1B<br>STOT RE 1<br>Asp. Tox. 1<br>Eye Irrit. 2<br>Skin Irrit. 2 | H225<br>H350<br>H340<br>H372 **<br>H304<br>H319<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr          | H225<br>H350<br>H340<br>H372 **<br>H304<br>H319<br>H315 |                                 |                                  | E     |
| 601-021-00-3 | toluene   | 203-625-9  | 108-88-3   | Flam. Liq. 2<br>Repr. 2<br>Asp. Tox. 1<br>STOT RE 2 *<br>Skin Irrit. 2<br>STOT SE 3               | H225<br>H361d ***<br>H304<br>H373 **<br>H315<br>H336    | GHS02<br>GHS08<br>GHS07<br>Dgr          | H225<br>H361d ***<br>H304<br>H373 **<br>H315<br>H336    |                                 |                                  |       |
| 601-022-00-9 | <i>o</i> -xylene; [1]<br><i>p</i> -xylene; [2]<br><i>m</i> -xylene; [3]<br>xylene [4] | 202-422-2 [1]<br>203-396-5 [2]<br>203-576-3 [3]<br>215-535-7 [4] | 95-47-6 [1]<br>106-42-3 [2]<br>108-38-3 [3]<br>1330-20-7 [4] | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2                                 | H226<br>H332<br>H312<br>H315                            | GHS02<br>GHS07<br>Wng                   | H226<br>H332<br>H312<br>H315                            | *                               |                                  | C     |

▼ **B**

| Index No                    | International Chemical Identification | EC No                          | CAS No                      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---------------------------------------|--------------------------------|-----------------------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|                             |                                       |                                |                             | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M8</b><br>601-023-00-4 | ethylbenzene                          | 202-849-4                      | 100-41-4                    | Flam. Liq. 2<br>Acute Tox. 4*<br>STOT RE 2<br>Asp. Tox. 1                              | H225<br>H332<br>H373<br>(hearing organs)<br>H304                  | GHS02<br>GHS07<br>GHS08<br>Dgr          | H225<br>H332<br>H373<br>(hearing organs)<br>H304                  |                                 |                                  |       |
| ▼ <b>B</b><br>601-024-00-X  | cumene; [1]<br>propylbenzene [2]      | 202-704-5 [1]<br>203-132-9 [2] | 98-82-8 [1]<br>103-65-1 [2] | Flam. Liq. 3<br>Asp. Tox. 1<br>STOT SE 3<br>Aquatic Chronic 2                          | H226<br>H304<br>H335<br>H411                                      | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H304<br>H335<br>H411                                      |                                 | C                                |       |
| 601-025-00-5                | mesitylene;<br>1,3,5-trimethylbenzene | 203-604-4                      | 108-67-8                    | Flam. Liq. 3<br>STOT SE 3<br>Aquatic Chronic 2   | H226<br>H335<br>H411  | GHS02<br>GHS07<br>GHS09<br>Wng          | H226<br>H335<br>H411  | STOT SE 3;<br>H335: C ≥<br>25 % |                                  |       |
| ▼ <b>M8</b><br>601-026-00-0 | styrene                               | 202-851-5                      | 100-42-5                    | Flam. Liq. 3<br>Repr. 2<br>Acute Tox. 4*<br>STOT RE 1<br>Skin Irrit. 2<br>Eye Irrit. 2 | H226<br>H361d<br>H332<br>H372<br>(hearing organs)<br>H315<br>H319 | GHS02<br>GHS08<br>GHS07<br>Dgr          | H226<br>H361d<br>H332<br>H372<br>(hearing organs)<br>H315<br>H319 | *                               | D                                |       |
| ▼ <b>B</b><br>601-027-00-6  | 2-phenylpropene;<br>α-methylstyrene   | 202-705-0                      | 98-83-9                     | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2                         | H226<br>H319<br>H335<br>H411                                      | GHS02<br>GHS07<br>GHS09<br>Wng          | H226<br>H319<br>H335<br>H411                                      | STOT SE 3;<br>H335: C ≥<br>25 % |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes                            |
|--------------|--|---|--|--|--|--------------------------------|--|---------------------------------|----------------------------------|----------------------------------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |                                  |
| 601-028-00-1 | 2-methylstyrene;<br>2-vinyltoluene   | 210-256-7   | 611-15-4   | Acute Tox. 4 *<br>Aquatic Chronic 2  | H332<br>H411                                   | GHS07<br>GHS09<br>Wng          | H332<br>H411                           |                                 |                                  |                                  |
| 601-029-00-7 | dipentene;<br>limonene; [1]<br>( <i>R</i> )- <i>p</i> -mentha-1,8-diene;<br><i>d</i> -limonene; [2]<br>( <i>S</i> )- <i>p</i> -mentha-1,8-diene;<br>l-limonene; [3]<br><i>trans</i> -1-methyl-4-(1-methyl-<br>vinyl)cyclohexene; [4]<br>(±)-1-methyl-4-(1-methyl-<br>vinyl)cyclohexene [5] | 205-341-0 [1]<br>227-813-5 [2]<br>227-815-6 [3]<br>229-977-3 [4]<br>231-732-0 [5] | 138-86-3 [1]<br>5989-27-5 [2]<br>5989-54-8 [3]<br>6876-12-6 [4]<br>7705-14-8 [5] | Flam. Liq. 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H226<br>H315<br>H317<br>H400<br>H410           | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H315<br>H317<br>H410           |                                 |                                  | C                                |
| 601-030-00-2 | cyclopentane   | 206-016-6   | 287-92-3   | Flam. Liq. 2<br>Aquatic Chronic 3  | H225<br>H412                                   | GHS02<br>Dgr                   | H225<br>H412                           |                                 |                                  |                                  |
| 601-031-00-8 | 2,4,4-trimethylpent-1-ene  | 203-486-4   | 107-39-1   | Flam. Liq. 2<br>Aquatic Chronic 2  | H225<br>H411                                   | GHS02<br>GHS09<br>Dgr          | H225<br>H411                           |                                 |                                  |                                  |
| 601-032-00-3 | benzo[ <i>a</i> ]pyrene;<br>benzo[ <i>def</i> ]chrysene  | 200-028-5   | 50-32-8  | Carc. 1B<br>Muta. 1B<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H340<br>H360FD<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H340<br>H360FD<br>H317<br>H410 |                                 |                                  | Carc. 1B;<br>H350: C ≥<br>0,01 % |
| 601-033-00-9 | benz[ <i>a</i> ]anthracene   | 200-280-6   | 56-55-3  | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410                           | GHS08<br>GHS09<br>Dgr          | H350<br>H410                           |                                 |                                  | M=100                            |

## ▼M1

## ▼B

| Index No            | International Chemical Identification | EC No     | CAS No   | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors          | Notes |
|---------------------|---------------------------------------|-----------|----------|--|--|---|--|---------------------------------|---|-------|
|                     |                                       |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |   |       |
| 601-034-00-4        | benz[e]acephenanthrylene              | 205-911-9 | 205-99-2 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410   | GHS08<br>GHS09<br>Dgr                   | H350<br>H410   |                                 |   |       |
| 601-035-00-X        | benzo[j]fluoranthene                  | 205-910-3 | 205-82-3 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410   | GHS08<br>GHS09<br>Dgr                   | H350<br>H410   |                                 |   |       |
| 601-036-00-5        | benzo[k]fluoranthene                  | 205-916-6 | 207-08-9 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410   | GHS08<br>GHS09<br>Dgr                   | H350<br>H410   |                                 |   |       |
| 601-037-00-0        | n-hexane                              | 203-777-6 | 110-54-3 | Flam. Liq. 2<br>Repr. 2<br>Asp. Tox. 1<br>STOT RE 2 *<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 2 | H225<br>H361f ***<br>H304<br>H373 **<br>H315<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H361f ***<br>H304<br>H373 **<br>H315<br>H336<br>H411 | STOT RE 2;<br>H373: C ≥ 5 %     |   |       |
| ▼M1<br>601-041-00-2 | dibenz[a,h]anthracene                 | 200-181-8 | 53-70-3  | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410   | GHS08<br>GHS09<br>Dgr                   | H350<br>H410   |                                 | Carc. 1B;<br>H350: C ≥<br>0,01 %<br>M=100 |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 601-042-00-8 | biphenyl;<br>diphenyl                  | 202-163-5 | 92-52-4  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H319<br>H335<br>H315<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H410                         |                                 |                                  |       |
| 601-043-00-3 | 1,2,4-trimethylbenzene                 | 202-436-9 | 95-63-6  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2                   | H226<br>H332<br>H319<br>H335<br>H315<br>H411         | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H332<br>H319<br>H335<br>H315<br>H411         |                                 |                                  |       |
| 601-044-00-9 | 3a,4,7,7a-tetrahydro-4,7-methanoindene | 201-052-9 | 77-73-6  | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H225<br>H332<br>H302<br>H319<br>H335<br>H315<br>H411 | GHS02<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H302<br>H319<br>H335<br>H315<br>H411 |                                 |                                  |       |
| 601-045-00-4 | 1,2,3,4-tetrahydronaphthalene          | 204-340-2 | 119-64-2 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H319<br>H315<br>H411                                 | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H411                                 | EUH019                          |                                  |       |

## ▼B

| Index No     | International Chemical Identification           | EC No                          | CAS No                           | Classification   |  | Labelling                               |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|----------------------------------|--|--|---|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                                  | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 601-046-00-X | 7-methylocta-1,6-diene                          | 404-210-7                      | 42152-47-6                       | Flam. Liq. 3<br>Aquatic Acute 1<br>Aquatic Chronic 1                               | H226<br>H400<br>H410                   | GHS02<br>GHS09<br>Wng                   | H226<br>H410                   |                                 |                                  |       |
| 601-047-00-5 | <i>m</i> -mentha-1,3(8)-diene                   | 404-150-1                      | 17092-80-7                       | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411                           | GHS07<br>GHS09<br>Wng                   | H315<br>H411                   |                                 |                                  |       |
| 601-048-00-0 | chrysene  | 205-923-4                      | 218-01-9                         | Carc. 1B<br>Muta. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H350<br>H341<br>H400<br>H410           | GHS08<br>GHS09<br>Dgr                   | H350<br>H341<br>H410           |                                 |                                  |       |
| 601-049-00-6 | benzo[ <i>e</i> ]pyrene                         | 205-892-7                      | 192-97-2                         | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H350<br>H400<br>H410                   | GHS08<br>GHS09<br>Dgr                   | H350<br>H410                   |                                 |                                  |       |
| 601-051-00-7 | 4-phenylbut-1-ene                               | 405-980-7                      | 768-56-9                         | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411                           | GHS07<br>GHS09<br>Wng                   | H315<br>H411                   |                                 |                                  |       |
| 601-052-00-2 | naphthalene                                     | 202-049-5                      | 91-20-3                          | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H351<br>H302<br>H400<br>H410           | GHS07<br>GHS08<br>GHS09<br>Wng          | H351<br>H302<br>H410           |                                 |                                  |       |
| 601-053-00-8 | nonylphenol; [1]<br>4-nonylphenol, branched [2] | 246-672-0 [1]<br>284-325-5 [2] | 25154-52-3 [1]<br>84852-15-3 [2] | Repr. 2<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361fd<br>H302<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H361fd<br>H302<br>H314<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 601-054-00-3 | reaction mass of isomers of: dibenzylbenzene; dibenzyl(methyl)benzene; dibenzyl(dimethyl)benzene; dibenzyl(trimethyl)benzene | 405-570-8 | —           | Aquatic Acute 1<br>Aquatic Chronic 1                                  | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 601-055-00-9 | reaction mass of isomers of: mono-(2-tetradecyl)naphthalenes; di-(2-tetradecyl)naphthalenes; tri-(2-tetradecyl)naphthalenes  | 410-190-0 | 132983-41-6 | Eye Irrit. 2<br>Aquatic Chronic 4                                     | H319<br>H413                 | GHS07<br>Wng                   | H319<br>H413             |                                 |                                  |       |
| 601-056-00-4 | reaction mass of isomers of: methyldiphenylmethane; dimethyldiphenylmethane  | 405-470-4 | 73807-39-3  | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H315<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H315<br>H410             |                                 |                                  |       |
| 601-057-00-X | <i>N</i> -dodecyl-[3-(4-(dimethylamino)benzamido)-propyl]dimethylammonium tosylate   | 421-130-8 | 156679-41-3 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410     |                                 |                                  |       |
| 601-058-00-5 | di- <i>L</i> -para-menthene  | 417-870-6 | 83648-84-4  | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410     |                                 |                                  |       |
| 601-059-00-0 | methyl 2-benzylidene-3-oxobutyrates  | 420-940-9 | 15768-07-7  | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2                    | H319<br>H315<br>H411         | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H411     |                                 |                                  |       |



## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification                                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)                  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 601-060-00-6        | 1,2-bis[4-fluoro-6-{4-sulfo-5-(2-(4-sulfonaphthalene-3-ylazo)-1-hydroxy-3,6-disulfo-8-aminonaphthalene-7-ylazo)phenylamino}-1,3,5-triazin-2ylamino]ethane; x-sodium, y-potassium salts x = 7,755 y = 0,245 | 417-610-1 | 155522-09-1 | Skin Sens. 1                                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 601-061-00-1        | (ethyl-1,2-ethanediyl)[-2-[[[(2-hydroxyethyl)methylamino]acetyl]-propyl]ω-(nonylp-henoxy)poly]oxy-(methyl-1,2-ethanediyl)  | 418-960-8 | —           | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H317<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411     |                                 |                                  |       |
| 601-062-00-7        | reaction mass of: branched triacontane;<br>branched dotriacontane;<br>branched tetratriacontane;<br>branched hexatriacontane   | 417-030-9 | 151006-59-6 | Aquatic Chronic 4                                  | H413                     | —                              | H413                     |                                 |                                  |       |
| 601-063-00-2        | reaction mass of isomers of branched tetracosane   | 417-060-2 | 151006-61-0 | Acute Tox. 4 *<br>Aquatic Chronic 4                | H332<br>H413             | GHS07<br>Wng                   | H332<br>H413             |                                 |                                  |       |
| 601-064-00-8        | branched hexatriacontane   | 417-070-7 | 151006-62-1 | Aquatic Chronic 4                                  | H413                     | —                              | H413                     |                                 |                                  |       |
| ▼M1<br>601-065-00-3 | reaction mass of: (1'α, 3'α, 6'α)-2,2,3', 7', 7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane);<br>(1'α, 3'β, 6'α)-2,2,3', 7', 7'-pentamethylspiro(1,3-dioxane-5,2'-norcarane)                              | 416-930-9 | —           | Skin Irrit. 2<br>Aquatic Chronic 2                 | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification                    | EC No  | CAS No      | Classification   |   | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--|-------------|--|---|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |  |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                              | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 601-066-00-9 | 1-(4-( <i>trans</i> -4-heptylcyclohexyl)phenyl) ethanone | 426-820-2  | 78531-60-9  | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413  | GHS07<br>Wng                   | H317<br>H413                 |                                 |                                  |       |
| 601-067-00-4 | triethyl arsenate  | 427-700-2  | 15606-95-8  | Carc. 1A<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H301<br>H400<br>H410                  | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H301<br>H410 |                                 |                                  |       |
| 601-068-00-X | 1,2-diacetoxybut-3-ene                                   | 421-720-5  | 18085-02-4  | Acute Tox. 4 *   | H302  | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 601-069-00-5 | 2-ethyl-1-(2-(1,3-dioxanyl)ethyl)-pyridinium bromide     | 422-680-1  | 287933-44-2 | Aquatic Chronic 3  | H412  | —                              | H412                         |                                 |                                  |       |
| ▼M1          | 601-070-00-0   | reaction mass of: branched icosane;<br>branched docosane;<br>branched tetracosane  | 417-050-8   | 151006-58-5  | Acute Tox. 4 *<br>Aquatic Chronic 4                   | H332<br>H413                   | GHS07<br>Wng                 | H332<br>H413                    |                                  |       |
| ▼B           | 601-071-00-6   | 1-dimethoxymethyl-2-nitrobenzene   | 423-830-9   | 20627-73-0   | Skin Sens. 1<br>Aquatic Chronic 2                     | H317<br>H411                   | GHS07<br>GHS09<br>Wng        | H317<br>H411                    |                                  |       |
| ▼M1          | 601-072-00-1   | reaction mass of: 1-(4-isopropylphenyl)-1-phenylethane;<br>1-(3-isopropylphenyl)-1-phenylethane;<br>1-(2-isopropylphenyl)-1-phenylethane | 430-690-2   | 52783-21-8   | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410           | GHS07<br>GHS09<br>Wng        | H315<br>H410                    |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 601-073-00-7 | 1-bromo-3,5-difluorobenzene   | 416-710-2 | 461-96-1    | Flam. Liq. 3<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H302<br>H373 **<br>H315<br>H317<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Wng | H226<br>H302<br>H373 **<br>H315<br>H317<br>H410 |                                 |                                  |       |
| 601-074-00-2 | reaction mass of: 4-(2,2,3-trimethylcyclopent-3-en-1-yl)-1-methyl-2-oxabicyclo[2.2.2]octane;<br>1-(2,2,3-trimethylcyclopent-3-en-1-yl)-5-methyl-6-oxabicyclo[3.2.1]octane;<br>spiro[cyclohex-3-en-1-yl-[(4,5,6,6a-tetrahydro-3,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]furan];<br>spiro[cyclohex-3-en-1-yl-[4,5,6,6a-tetrahydro-4,6',6',6'a-tetramethyl)-1,3'(3'aH)-[2H]cyclopenta[b]]furan] | 422-040-1 | —           | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2   | H319<br>H315<br>H411                                    | GHS07<br>GHS09<br>Wng                   | H319<br>H315<br>H411                            |                                 |                                  |       |
| 601-075-00-8 | 4,4'-bis( <i>N</i> -carbamoyl-4-methylbenzenesulfonamide)diphenylmethane  | 418-770-5 | 151882-81-4 | Carc. 2  | H351  | GHS08<br>Wng                            | H351  |                                 |                                  |       |
| 601-076-00-3 | ethynyl cyclopropane  | 425-430-1 | 6746-94-7   | Flam. Liq. 2<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3   | H225<br>H315<br>H318<br>H412                            | GHS02<br>GHS05<br>Dgr                   | H225<br>H315<br>H318<br>H412                    |                                 |                                  |       |

## ▼M1

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                     | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 601-077-00-9 | reaction mass of: 1-heptyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2]octane; 1-nonyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2]octane   | 426-510-7 | 196965-91-0 | Aquatic Acute 1<br>Aquatic Chronic 1                  | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 601-078-00-4 | reaction mass of: 1,7-dimethyl-2-[(3-methylbicyclo[2.2.1]hept-2-yl)methyl]bicyclo[2.2.1]heptane; 2,3-dimethyl-2-[(3-methylbicyclo[2.2.1]hept-2-yl)methyl]bicyclo[2.2.1]heptane                        | 427-040-5 | —           | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H400<br>H410     | GHS05<br>GHS09<br>Dgr          | H314<br>H410             |                                 |                                  |       |
| 601-079-00-X | reaction mass of: <i>trans-trans</i> -cyclohexadeca-1,9-diene; <i>cis-trans</i> -cyclohexadeca-1,9-diene  | 429-620-3 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4    | H315<br>H317<br>H413     | GHS07<br>Wng                   | H315<br>H317<br>H413     |                                 |                                  |       |
| 601-080-00-5 | reaction mass of: <i>sec</i> -butylphenyl(phenyl)methane, mixed isomers; 1-( <i>sec</i> -butylphenyl(phenyl)-2-phenylethane, mixed isomers; 1-( <i>sec</i> -butylphenyl-1-phenylethane, mixed isomers | 431-100-6 | —           | Aquatic Acute 1<br>Aquatic Chronic 1                  | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 601-081-00-0 | cyclohexadeca-1,9-diene   | 431-730-1 | 4277-06-9   | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4    | H315<br>H317<br>H413     | GHS07<br>Wng                   | H315<br>H317<br>H413     |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|------------------------------|---|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 601-082-00-6 | reaction mass of: endo-2-methyl-exo-3-methyl-exo-2-[(exo-3-methyl-bicyclo[2.2.1]hept-exo-2-yl)methyl]bicyclo[2.2.1]heptane; exo-2-methyl-exo-3-methyl-endo-2-[(endo-3-methyl-bicyclo[2.2.1]hept-exo-2-yl)methyl]bicyclo[2.2.1]heptane | 434-420-4 | —          | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr                   | H315<br>H318<br>H410         |                                 |                                  |       |
| 601-083-00-1 | 5-endo-hexyl-bicyclo[2.2.1]hept-2-ene   | 435-000-3 | 22094-83-3 | Asp. Tox. 1<br>Skin Irrit. 2<br>Aquatic Chronic 4                    | H304<br>H315<br>H413         | GHS08<br>GHS07<br>Dgr                   | H304<br>H315<br>H413         |                                 |                                  |       |
| 601-084-00-7 | reaction mass of: 5-endo-butyl-bicyclo[2.2.1]hept-2-ene; 5-exo-butyl-bicyclo[2.2.1]hept-2-ene (80:20)   | 435-180-3 | —          | Asp. Tox. 1<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H304<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr          | H304<br>H315<br>H410         |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |            |  |                              |   |                              |                                 |                                  |       |
| 601-085-00-2 | isopentane;<br>2-methylbutane   | 201-142-8 | 78-78-4    | Flam. Liq. 1<br>Asp. Tox. 1<br>STOT SE 3<br>Aquatic Chronic 2        | H224<br>H304<br>H336<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H224<br>H304<br>H336<br>H411 | EUH066                          |                                  |       |
| ▼ <b>M7</b>  |   |           |            |  |                              |   |                              |                                 |                                  |       |
| 601-087-00-3 | 2,4,4-trimethylpentene  | 246-690-9 | 25167-70-8 | Flam. Liq. 2<br>Asp. Tox. 1<br>STOT SE 3                             | H225<br>H304<br>H336         | GHS02<br>GHS07<br>GHS08<br>Dgr          | H225<br>H304<br>H336         |                                 |                                  | D     |
| ▼ <b>M8</b>  |   |           |            |  |                              |   |                              |                                 |                                  |       |
| 601-088-00-9 | 4-vinylcyclohexene  | 202-848-9 | 100-40-3   | Carc. 2  | H351                         | GHS08<br>Wng                            | H351                         |                                 |                                  |       |
| 601-089-00-4 | muscalure; cis-tricos-9-ene   | 248-505-7 | 27519-02-4 | Skin Sens. 1B  | H317                         | GHS07<br>Wng                            | H317                         |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification | EC No                                  | CAS No    | Classification                                      |  | Labelling  |   |   | Specific Conc. Limits, M-factors | Notes |   |
|--------------|---------------------------------------|--|-----------|---|--|--|---|---|----------------------------------|-------|---|
|              |                                       |  |           | Hazard Class and Category Code(s)                   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)   | Hazard statement Code(s)                | Suppl. Hazard statement Code(s)   |                                  |       |   |
| 602-001-00-7 | chloromethane;<br>methyl chloride     | 200-817-4                              | 74-87-3   | Flam. Gas 1<br>Press. Gas<br>Carc. 2<br>STOT RE 2 * | H220<br>H351<br>H373 **  | GHS02<br>GHS04<br>GHS08<br>Dgr   | H220<br>H351<br>H373 **                 |   |                                  | U     |   |
| ▼ <b>M2</b>  | 602-002-00-2                          | bromomethane;<br>methylbromide         | 200-813-2 | 74-83-9   | Press. Gas<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Ozone 1 | H341<br>H331<br>H301<br>H373<br>**<br>H319<br>H335<br>H315<br>H400<br>H420 | GHS04<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H301<br>H373 **<br>H319<br>H335<br>H315<br>H400<br>H420 |                                  |       | U |
| ▼ <b>B</b>   | 602-003-00-8                          | dibromomethane                         | 200-824-2 | 74-95-3   | Acute Tox. 4 *<br>Aquatic Chronic 3  | H332<br>H412   | GHS07<br>Wng                            | H332<br>H412  | *                                |       |   |
|              | 602-004-00-3                          | dichloromethane;<br>methylene chloride | 200-838-9 | 75-09-2   | Carc. 2  | H351   | GHS08<br>Wng                            | H351  |                                  |       |   |
|              | 602-005-00-9                          | methyl iodide;<br>iodomethane          | 200-819-5 | 74-88-4   | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT SE 3<br>Skin Irrit. 2  | H351<br>H312<br>H331<br>H301<br>H335<br>H315                               | GHS06<br>GHS08<br>Dgr                   | H351<br>H312<br>H331<br>H301<br>H335<br>H315                            |                                  |       |   |
| ▼ <b>M7</b>  | 602-006-00-4                          | chloroform;<br>trichloromethane        | 200-663-8 | 67-66-3   | Carc. 2<br>Repr. 2<br>Acute Tox. 3<br>Acute Tox. 4<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Irrit. 2   | H351<br>H361d<br>H331<br>H302<br>H372<br>H319<br>H315                      | GHS06<br>GHS08<br>Dgr                   | H351<br>H361d<br>H331<br>H302<br>H372<br>H319<br>H315                   |                                  |       |   |

▼ **M1**

| Index No                    | International Chemical Identification       | EC No     | CAS No   | Classification  |  | Labelling                      |  |   | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|----------|---|--|--------------------------------|--|---|----------------------------------|-------|
|                             |   |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s)   |                                  |       |
| 602-007-00-X                | bromoform;<br>tribromomethane               | 200-854-6 | 75-25-2  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H331<br>H302<br>H319<br>H315<br>H411                         | GHS06<br>GHS09<br>Dgr          | H331<br>H302<br>H319<br>H315<br>H411                         |   |                                  |       |
| ▼ <b>M2</b><br>602-008-00-5 | carbon tetrachloride;<br>tetrachloromethane | 200-262-8 | 56-23-5  | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic<br>Chronic 3<br>Ozone 1                     | H351<br>H331<br>H311<br>H301<br>H372<br>**<br>H412<br>H420   | GHS06<br>GHS08<br>Dgr          | H351<br>H331<br>H311<br>H301<br>H372 **<br>H412<br>H420      | *<br>STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,2 %<br>≤ C<br>< 1 % |                                  |       |
| ▼ <b>B</b><br>602-009-00-0  | chloroethane                                | 200-830-5 | 75-00-3  | Flam. Gas 1<br>Press. Gas<br>Carc. 2<br>Aquatic Chronic 3   | H220<br>H351<br>H412   | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H351<br>H412   |   | U                                |       |
| 602-010-00-6                | 1,2-dibromoethane                           | 203-444-5 | 106-93-4 | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H350<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H411 | *   |                                  |       |

▼B

| Index No     | International Chemical Identification       | EC No     | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 602-011-00-1 | 1,1-dichloroethane                          | 200-863-5 | 75-34-3  | Flam. Liq. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 3         | H225<br>H302<br>H319<br>H335<br>H412         | GHS02<br>GHS07<br>Dgr          | H225<br>H302<br>H319<br>H335<br>H412         |                                 | *                                |       |
| 602-012-00-7 | 1,2-dichloroethane;<br>ethylene dichloride  | 203-458-1 | 107-06-2 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H350<br>H302<br>H319<br>H335<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H302<br>H319<br>H335<br>H315 |                                 |                                  |       |
| ▼ <u>M2</u>  |   |           |          |  |  |                                |  |                                 |                                  |       |
| 602-013-00-2 | 1,1,1-trichloroethane;<br>methyl chloroform | 200-756-3 | 71-55-6  | Acute Tox. 4 *<br>Ozone 1  | H332<br>H420                                 | GHS07<br>Wng                   | H332<br>H420                                 |                                 |                                  | F     |
| ▼ <u>B</u>   |   |           |          |  |  |                                |  |                                 |                                  |       |
| 602-014-00-8 | 1,1,2-trichloroethane                       | 201-166-9 | 79-00-5  | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                            | H351<br>H332<br>H312<br>H302                 | GHS08<br>GHS07<br>Wng          | H351<br>H332<br>H312<br>H302                 | EUH066                          | *                                |       |
| 602-015-00-3 | 1,1,2,2-tetrachloroethane                   | 201-197-8 | 79-34-5  | Acute Tox. 2 *<br>Acute Tox. 1<br>Aquatic Chronic 2                                      | H330<br>H310<br>H411                         | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H411                         |                                 |                                  |       |
| 602-016-00-9 | 1,1,2,2-tetrabromoethane                    | 201-191-5 | 79-27-6  | Acute Tox. 2 *<br>Eye Irrit. 2<br>Aquatic Chronic 3                                      | H330<br>H319<br>H412                         | GHS06<br>Dgr                   | H330<br>H319<br>H412                         |                                 |                                  |       |



▼ **B**

| Index No     | International Chemical Identification        | EC No                          | CAS No                      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors                                   | Notes |
|--------------|--|--------------------------------|-----------------------------|--|---|--------------------------------|---|---------------------------------|--|-------|
|              |  |                                |                             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |  |       |
| 602-017-00-4 | pentachloroethane                            | 200-925-1                      | 76-01-7                     | Carc. 2<br>STOT RE 1<br>Aquatic Chronic 2  | H351<br>H372 **<br>H411                                   | GHS08<br>GHS09<br>Dgr          | H351<br>H372 **<br>H411                                   |                                 | STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,2 % ≤ C < 1 % |       |
| 602-018-00-X | 1-chloropropane; [1]<br>2-chloropropane [2]  | 208-749-7 [1]<br>200-858-8 [2] | 540-54-5 [1]<br>75-29-6 [2] | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                                 | H225<br>H332<br>H312<br>H302                              | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302                              |                                 |  | C     |
| 602-019-00-5 | 1-bromopropane;<br>n-propyl bromide          | 203-445-0                      | 106-94-5                    | Flam. Liq. 2<br>Repr. 1B<br>STOT RE 2 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>STOT SE 3 | H225<br>H360FD<br>H373 **<br>H319<br>H335<br>H315<br>H336 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H360FD<br>H373 **<br>H319<br>H335<br>H315<br>H336 |                                 |  |       |
| ▼ <b>M13</b> |  |                                |                             |  |   |                                |   |                                 |  |       |
| 602-020-00-0 | 1,2-dichloropropane;<br>propylene dichloride | 201-152-2                      | 78-87-5                     | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 4*<br>Acute Tox. 4*   | H225<br>H350<br>H332<br>H302                              | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H332<br>H302                              |                                 |  |       |
| ▼ <b>B</b>   |  |                                |                             |  |   |                                |   |                                 |  |       |
| 602-021-00-6 | 1,2-dibromo-3-chloropropane                  | 202-479-3                      | 96-12-8                     | Carc. 1B<br>Muta. 1B<br>Repr. 1A<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 3             | H350<br>H340<br>H360F ***<br>H301<br>H373 **<br>H412      | GHS06<br>GHS08<br>Dgr          | H350<br>H340<br>H360F ***<br>H301<br>H373 **<br>H412      |                                 |  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No                                       | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 602-022-00-1 | 1-chloropentane; [1]<br>2-chloropentane; [2]<br>3-chloropentane [3]                                  | 208-846-4 [1]<br>210-885-7 [2]<br>210-467-4 [3] | 543-59-9 [1]<br>625-29-6 [2]<br>616-20-6 [3] | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                     | H225<br>H332<br>H312<br>H302                 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302                 |                                 |                                  | C     |
| 602-023-00-7 | vinyl chloride;<br>chloroethylene  | 200-831-0                                       | 75-01-4                                      | Press. Gas<br>Flam. Gas 1<br>Carc. 1A  | H220<br>H350                                 | GHS02<br>GHS08<br>Dgr          | H220<br>H350                                 |                                 |                                  | D U   |
| 602-024-00-2 | bromoethylene  | 209-800-6                                       | 593-60-2                                     | Press. Gas<br>Flam. Gas 1<br>Carc. 1B  | H220<br>H350                                 | GHS02<br>GHS08<br>Dgr          | H220<br>H350                                 |                                 |                                  | U     |
| 602-025-00-8 | 1,1-dichloroethylene;<br>vinylidene chloride   | 200-864-0                                       | 75-35-4                                      | Flam. Liq. 1<br>Carc. 2<br>Acute Tox. 4 *  | H224<br>H351<br>H332                         | GHS02<br>GHS08<br>GHS07<br>Dgr | H224<br>H351<br>H332                         |                                 | *                                | D     |
| 602-026-00-3 | 1,2-dichloroethylene; [1]<br><i>cis</i> -dichloroethylene; [2]<br><i>trans</i> -dichloroethylene [3] | 208-750-2 [1]<br>205-859-7 [2]<br>205-860-2 [3] | 540-59-0 [1]<br>156-59-2 [2]<br>156-60-5 [3] | Flam. Liq. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 3                                    | H225<br>H332<br>H412                         | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H412                         |                                 | *                                | C     |
| 602-027-00-9 | trichloroethylene;<br>trichloroethene  | 201-167-4                                       | 79-01-6                                      | Carc. 1B<br>Muta. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 3 | H350<br>H341<br>H319<br>H315<br>H336<br>H412 | GHS08<br>GHS07<br>Dgr          | H350<br>H341<br>H319<br>H315<br>H336<br>H412 |                                 |                                  |       |
| 602-028-00-4 | tetrachloroethylene  | 204-825-9                                       | 127-18-4                                     | Carc. 2<br>Aquatic Chronic 2   | H351<br>H411                                 | GHS08<br>GHS09<br>Wng          | H351<br>H411                                 |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification                   | EC No                          | CAS No                         | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|--------------------------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |                                |                                | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 602-029-00-X | 3-chloropropene;<br>allyl chloride                      | 203-457-6                      | 107-05-1                       | Flam. Liq. 2<br>Carc. 2<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1                | H225<br>H351<br>H341<br>H332<br>H312<br>H302<br>H373 **<br>H319<br>H335<br>H315<br>H400 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H351<br>H341<br>H332<br>H312<br>H302<br>H373 **<br>H319<br>H335<br>H315<br>H400 |                                 |                                  | D     |
| ▼ <u>M1</u>  |   |                                |                                |   |   |   |   |                                 |                                  |       |
| 602-030-00-5 | 1,3-dichloropropene; [1]<br>(Z)-1,3-dichloropropene [2] | 208-826-5 [1]<br>233-195-8 [2] | 542-75-6 [1]<br>10061-01-5 [2] | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Asp. Tox. 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H311<br>H301<br>H332<br>H304<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410    | GHS02<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H226<br>H311<br>H301<br>H332<br>H304<br>H319<br>H335<br>H315<br>H317<br>H410            |                                 |                                  | C D   |
| ▼ <u>B</u>   |   |                                |                                |   |   |   |   |                                 |                                  |       |
| 602-031-00-0 | 1,1-dichloropropene                                     | 209-253-3                      | 563-58-6                       | Flam. Liq. 2<br>Acute Tox. 3 *<br>Aquatic Chronic 3   | H225<br>H301<br>H412  | GHS02<br>GHS06<br>Dgr                   | H225<br>H301<br>H412  |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification                            | EC No     | CAS No   | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 602-032-00-6 | 3-chloro-2-methylpropene   | 209-251-2 | 563-47-3 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2                    | H225<br>H332<br>H302<br>H314<br>H317<br>H411                    | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H302<br>H314<br>H317<br>H411                    |                                 |                                  |       |
| ▼ <b>M13</b> |  |           |          |   |   |   |   |                                 |                                  |       |
| 602-033-00-1 | chlorobenzene  | 203-628-5 | 108-90-7 | Flam. Liq. 3<br>Acute Tox. 4<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H226<br>H332<br>H315<br>H411                                    | GHS02<br>GHS07<br>GHS09<br>Wng          | H226<br>H332<br>H315<br>H411                                    |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |          |   |   |   |   |                                 |                                  |       |
| 602-034-00-7 | 1,2-dichlorobenzene;<br><i>o</i> -dichlorobenzene                | 202-425-9 | 95-50-1  | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                      | H302<br>H319<br>H335<br>H315<br>H400<br>H410                    | GHS07<br>GHS09<br>Wng                   | H302<br>H319<br>H335<br>H315<br>H410                            | *                               |                                  |       |
| 602-035-00-2 | 1,4-dichlorobenzene;<br><i>p</i> -dichlorobenzene                | 203-400-5 | 106-46-7 | Carc. 2<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H319<br>H400<br>H410                                    | GHS08<br>GHS09<br>Wng                   | H351<br>H319<br>H410  |                                 |                                  |       |
| 602-036-00-8 | chloroprene (stabilised);<br>2-chlorobuta-1,3-diene (stabilised) | 204-818-0 | 126-99-8 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H225<br>H350<br>H332<br>H302<br>H373 **<br>H319<br>H335<br>H315 | GHS02<br>GHS08<br>GHS07<br>Dgr          | H225<br>H350<br>H332<br>H302<br>H373 **<br>H319<br>H335<br>H315 |                                 |                                  | D     |

## ▼B

| Index No     | International Chemical Identification   | EC No  | CAS No  | Classification  |   | Labelling                      |   |   | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|---|---|---|--------------------------------|---|---|----------------------------------|-------|
|              |   |  |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s)         |                                  |       |
| 602-037-00-3 | $\alpha$ -chlorotoluene;<br>benzyl chloride   | 202-853-6  | 100-44-7  | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1   | H350<br>H331<br>H302<br>H373 **<br>H335<br>H315<br>H318 | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H331<br>H302<br>H373 **<br>H335<br>H315<br>H318 |   |                                  |       |
| 602-038-00-9 | $\alpha$ , $\alpha,\alpha$ -trichlorotoluene;<br>benzotrighloride                         | 202-634-5  | 98-07-7   | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1                  | H350<br>H331<br>H302<br>H335<br>H315<br>H318            | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H331<br>H302<br>H335<br>H315<br>H318            |   |                                  |       |
| 602-039-00-4 | polychlorobiphenyls;<br>PCB   | 215-648-1  | 1336-36-3   | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H373 **<br>H400<br>H410                                 | GHS08<br>GHS09<br>Wng          | H373 **<br>H410   | STOT RE 2;<br>H373: C $\geq$<br>0,005 % | C                                |       |
| 602-040-00-X | 2-chlorotoluene; [1]<br>3-chlorotoluene; [2]<br>4-chlorotoluene; [3]<br>chlorotoluene [4] | 202-424-3 [1]<br>203-580-5 [2]<br>203-397-0 [3]<br>246-698-2 [4] | 95-49-8 [1]<br>108-41-8 [2]<br>106-43-4 [3]<br>25168-05-2 [4] | Acute Tox. 4 *<br>Aquatic Chronic 2   | H332<br>H411  | GHS07<br>GHS09<br>Wng          | H332<br>H411  |   | C                                |       |
| 602-041-00-5 | pentachloronaphthalene  | 215-320-8  | 1321-64-8   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H319<br>H315<br>H400<br>H410            | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H319<br>H315<br>H410                    |   | C                                |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 602-042-00-0 | 1,2,3,4,5,6-hexachlorocyclohexanes with the exception of those specified elsewhere in this Annex                                    | —         | —         | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                | H351<br>H301<br>H312<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H312<br>H410                    |                                 |                                  | A C   |
| 602-043-00-6 | lindane (ISO);<br>γ-HCH or γ-BHC;<br>γ-1,2,3,4,5,6-hexachlorocyclohexane  | 200-401-2 | 58-89-9   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H332<br>H312<br>H373 **<br>H362<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H332<br>H312<br>H373 **<br>H362<br>H410 |                                 | M=10                             |       |
| 602-044-00-1 | camphechlor (ISO);<br>toxaphene;  | 232-283-3 | 8001-35-2 | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H301<br>H312<br>H335<br>H315<br>H400<br>H410    | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H312<br>H335<br>H315<br>H410    |                                 |                                  |       |
| 602-045-00-7 | DDT (ISO);<br>clofenotane (INN);<br>dicophane;<br>1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane;<br>dichlorodiphenyltrichloroethane | 200-024-3 | 50-29-3   | Carc. 2<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H351<br>H301<br>H372 **<br>H400<br>H410                 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H372 **<br>H410                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 602-046-00-2 | heptachlor (ISO);<br>1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene | 200-962-3 | 76-44-8  | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H311<br>H301<br>H373 **<br>H410 |                                 |                                  |       |
| 602-047-00-8 | chlordane (ISO);<br>1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetrahydro-4,7-methanoindan  | 200-349-0 | 57-74-9  | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H351<br>H312<br>H302<br>H400<br>H410            | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H312<br>H302<br>H410            |                                 |                                  |       |
| 602-048-00-3 | aldrin (ISO)  | 206-215-8 | 309-00-2 | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H311<br>H301<br>H372 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H311<br>H301<br>H372 **<br>H410 |                                 |                                  |       |
| 602-049-00-9 | dieldrin (ISO)  | 200-484-5 | 60-57-1  | Carc. 2<br>Acute Tox. 1<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H351<br>H310<br>H301<br>H372 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H310<br>H301<br>H372 **<br>H410 |                                 |                                  |       |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 602-050-00-4 | isodrin;<br>(1 $\alpha$ ,4 $\alpha$ ,4 $\alpha\beta$ , 5 $\beta$ ,8 $\beta$ ,8 $\alpha\beta$ )-<br>1,2,3,4,10,10-hexachloro-<br>1,4,4a,5,8,8a-hexahydro-1,4:5,8-<br>dimethanonaphthalene         | 207-366-2 | 465-73-6 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H330<br>H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H410 |                                 | M=100                            |       |
| ▼ <u>B</u>   |  |           |          |  |                                      |                                |                              |                                 |                                  |       |
| 602-051-00-X | endrin (ISO);<br>1,2,3,4,10,10-hexachloro-6,7-<br>epoxy-1,4,4a,5,6,7,8,8a-<br>octahydro-1,4:5,8-dimethanon-<br>aphthalene  | 200-775-7 | 72-20-8  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H300<br>H311<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H300<br>H311<br>H410         |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |          |  |                                      |                                |                              |                                 |                                  |       |
| 602-052-00-5 | endosulfan (ISO);<br>1,2,3,4,7,7-hexachloro-8,9,10-<br>trinorborn-2-en-5,6-ylenedi-<br>methylene sulfite;<br>1,4,5,6,7,7-hexachloro-8,9,10-<br>trinorborn-5-en-2,3-ylenedi-<br>methylene sulfite | 204-079-4 | 115-29-7 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H312<br>H410 |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |          |  |                                      |                                |                              |                                 |                                  |       |
| 602-053-00-0 | isobenzan (ISO);<br>1,3,4,5,6,7,8,8-octachloro-<br>1,3,3a,4,7,7a-hexahydro-4,7-<br>methanoisobenzofuran  | 206-045-4 | 297-78-9 | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1  | H310<br>H300<br>H400                 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H400         |                                 |                                  |       |



▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 602-054-00-6 | 3-iodpropene;<br>allyl iodide   | 209-130-4 | 556-56-9 | Flam. Liq. 2<br>Skin Corr. 1B   | H225<br>H314                                 | GHS02<br>GHS05<br>Dgr          | H225<br>H314                                 |                                 |                                  |       |
| 602-055-00-1 | bromoethane;<br>ethyl bromide   | 200-825-8 | 74-96-4  | Flam. Liq. 2<br>Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *                             | H225<br>H351<br>H332<br>H302                 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H351<br>H332<br>H302                 |                                 |                                  |       |
| 602-056-00-7 | $\alpha$ , $\alpha$ , $\alpha$ -trifluorotoluene;<br>benzotrifluoride             | 202-635-0 | 98-08-8  | Flam. Liq. 2<br>Aquatic Chronic 2   | H225<br>H411                                 | GHS02<br>GHS09<br>Dgr          | H225<br>H411                                 |                                 |                                  |       |
| 602-057-00-2 | $\alpha$ -bromotoluene;<br>benzyl bromide   | 202-847-3 | 100-39-0 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2  | H319<br>H335<br>H315                         | GHS07<br>Wng                   | H319<br>H335<br>H315                         |                                 |                                  |       |
| 602-058-00-8 | $\alpha$ , $\alpha$ -dichlorotoluene;<br>benzylidene chloride;<br>benzal chloride | 202-709-2 | 98-87-3  | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H351<br>H331<br>H302<br>H335<br>H315<br>H318 | GHS06<br>GHS08<br>GHS05<br>Dgr | H351<br>H331<br>H302<br>H335<br>H315<br>H318 |                                 |                                  |       |
| 602-059-00-3 | 1-chlorobutane;<br>butyl chloride   | 203-696-6 | 109-69-3 | Flam. Liq. 2  | H225   | GHS02<br>Dgr                   | H225   |                                 |                                  |       |
| 602-060-00-9 | bromobenzene  | 203-623-8 | 108-86-1 | Flam. Liq. 3<br>Skin Irrit. 2<br>Aquatic Chronic 2                                      | H226<br>H315<br>H411                         | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H315<br>H411                         |                                 |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 602-061-00-4 | hexafluoropropene;<br>hexafluoropropylene   | 204-127-4 | 116-15-4  | Press. Gas<br>Acute Tox. 4 *<br>STOT SE 3  | H332<br>H335                              | GHS07<br>Wng                   | H332<br>H335                              |                                 |                                  | U     |
| 602-062-00-X | 1,2,3-trichloropropane  | 202-486-1 | 96-18-4   | Carc. 1B<br>Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *       | H350<br>H360F ***<br>H332<br>H312<br>H302 | GHS08<br>GHS07<br>Dgr          | H350<br>H360F ***<br>H332<br>H312<br>H302 |                                 |                                  | D     |
| 602-063-00-5 | heptachlor epoxide;<br>2,3-epoxy-1,4,5,6,7,8,8-<br>heptachloro-3a,4,7,7a-<br>tetrahydro-4,7-methanoindane | 213-831-0 | 1024-57-3 | Carc. 2<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H301<br>H373 **<br>H400<br>H410   | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H301<br>H373 **<br>H410           |                                 |                                  |       |
| 602-064-00-0 | 1,3-dichloro-2-propanol   | 202-491-9 | 96-23-1   | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *                                     | H350<br>H301<br>H312                      | GHS06<br>GHS08<br>Dgr          | H350<br>H301<br>H312                      |                                 |                                  |       |
| 602-065-00-6 | hexachlorobenzene   | 204-273-9 | 118-74-1  | Carc. 1B<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H350<br>H372 **<br>H400<br>H410           | GHS08<br>GHS09<br>Dgr          | H350<br>H372 **<br>H410                   |                                 |                                  |       |
| 602-066-00-1 | tetrachloro- <i>p</i> -benzoquinone   | 204-274-4 | 118-75-2  | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H319<br>H315<br>H400<br>H410              | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H410                      |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |                                 | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|---------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 602-067-00-7 | 1,3-dichlorbenzene   | 208-792-1 | 541-73-1   | Acute Tox. 4 *<br>Aquatic Chronic 2                                 | H302<br>H411                    | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |
| 602-068-00-2 | ethylene bis(trichloroacetate)   | 219-732-9 | 2514-53-6  | Skin Irrit. 2   | H315                            | GHS07<br>Wng                   | H315                         |                                 |                                  |       |
| 602-069-00-8 | dichloroacetylene  | —         | 7572-29-4  | Unst. Expl.<br>Carc. 2<br>STOT RE 2 *                               | H200<br>H351<br>H373 **         | GHS01<br>GHS08<br>Wng          | H200<br>H351<br>H373 **      |                                 |                                  |       |
| 602-070-00-3 | 3-chloro-4,5,α, α,α-pentafluorotoluene   | 401-930-3 | 77227-99-7 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1 | H226<br>H332<br>H302<br>H400    | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H332<br>H302<br>H400 |                                 |                                  |       |
| 602-071-00-9 | bromobenzylbromotoluene, reaction mass of isomers  | 402-210-1 | 99688-47-8 | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 **<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 **<br>H317<br>H410      |                                 |                                  |       |
| 602-072-00-4 | dichloro [(dichlorophenyl)methyl]methylbenzene, reaction mass of isomers; (dichlorophenyl)(dichlorotolyl)methane, reaction mass of isomers (IUPAC) | 278-404-3 | 76253-60-6 | Aquatic Acute 1<br>Aquatic Chronic 1                                | H400<br>H410                    | GHS09<br>Wng                   | H410                         |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors                             | Notes |
|--------------|--|-----------|------------|---|--|---|--|---------------------------------|--|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |  |       |
| 602-073-00-X | 1,4-dichlorobut-2-ene  | 212-121-8 | 764-41-0   | Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H350<br>H330<br>H311<br>H301<br>H314<br>H400<br>H410         | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H330<br>H311<br>H301<br>H314<br>H410         |                                 | Carc. 1B;<br>H350: C ≥ 0,01 %<br>STOT SE 3;<br>H335: C ≥ 5 % |       |
| 602-074-00-5 | pentachlorobenzene   | 210-172-0 | 608-93-5   | Flam. Sol. 1<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H228<br>H302<br>H400<br>H410                                 | GHS02<br>GHS07<br>GHS09<br>Dgr          | H228<br>H302<br>H410                                 |                                 |  | T     |
| 602-075-00-0 | 4,4,5,5-tetrachloro-1,3-dioxolan-2-one   | 404-060-2 | 22432-68-4 | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Skin Corr. 1B   | H330<br>H302<br>H314   | GHS06<br>GHS05<br>Dgr                   | H330<br>H302<br>H314                                 |                                 |  |       |
| ▼ <u>M1</u>  |  |           |            |   |  |   |  |                                 |  |       |
| 602-076-00-6 | 2,3,4-trichlorobut-1-ene   | 219-397-9 | 2431-50-7  | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H351<br>H331<br>H302<br>H319<br>H335<br>H315<br>H410 |                                 | Carc. 2; H351: C ≥ 0,1 %                                     |       |
| ▼ <u>B</u>   |  |           |            |   |  |   |  |                                 |  |       |
| 602-077-00-1 | dodecachloropentacyclo[5.2.1.0 <sup>2,6</sup> .0 <sup>3,9</sup> .0 <sup>5,8</sup> ]decane; mirex | 219-196-6 | 2385-85-5  | Carc. 2<br>Repr. 2<br>Lact.<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H351<br>H361fd<br>H362<br>H312<br>H302<br>H400<br>H410       | GHS08<br>GHS07<br>GHS09<br>Wng          | H351<br>H361fd<br>H362<br>H312<br>H302<br>H410       |                                 |  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 602-078-00-7 | hexachlorocyclopentadiene  | 201-029-3 | 77-47-4     | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                                    | H330<br>H311<br>H302<br>H314<br>H400<br>H410                         | GHS06<br>GHS05<br>GHS09<br>Dgr          | H330<br>H311<br>H302<br>H314<br>H410                                 |                                 |                                  |       |
| 602-079-00-2 | 2,3-dichloropropene;<br>2,3-dichloropropylene                                      | 201-153-8 | 78-88-6     | Flam. Liq. 2<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H225<br>H341<br>H332<br>H312<br>H302<br>H335<br>H315<br>H318<br>H412 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H225<br>H341<br>H332<br>H312<br>H302<br>H335<br>H315<br>H318<br>H412 |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |             |  |  |   |  |                                 |                                  |       |
| 602-080-00-8 | alkanes, C <sub>10-13</sub> , chloro;<br>chlorinated paraffins, C <sub>10-13</sub> | 287-476-5 | 85535-84-8  | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H400<br>H410   | GHS08<br>GHS09<br>Wng                   | H351<br>H410   | EUH066                          |                                  |       |
| ▼ <u>B</u>   |  |           |             |  |  |   |  |                                 |                                  |       |
| 602-081-00-3 | 2-chloro-4,5-difluorobenzoic acid  | 405-380-5 | —           | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1   | H312<br>H302<br>H318<br>H317   | GHS05<br>GHS07<br>Dgr                   | H312<br>H302<br>H318<br>H317   |                                 |                                  |       |
| 602-082-00-9 | 2,2,6,6-tetrakis(bromomethyl)-4-oxaheptane-1,7-diol                                | 408-020-5 | 109678-33-3 | Skin Sens. 1<br>Aquatic Chronic 2  | H317<br>H411   | GHS07<br>GHS09<br>Wng                   | H317<br>H411   |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification                             | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|                     |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                          | Suppl. Hazard statement Code(s) |                                  |       |
| 602-083-00-4        | diphenyl ether, pentabromo derivative<br>pentabromodiphenyl ether | 251-084-2 | 32534-81-9 | STOT RE 2 *<br>Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H373 **<br>H362<br>H400<br>H410                   | GHS08<br>GHS09<br>Wng          | H373 **<br>H362<br>H410                           |                                 |                                  |       |
| ▼M2<br>602-084-00-X | 1,1-dichloro-1-fluoroethane                                       | 404-080-1 | 1717-00-6  | Aquatic Chronic 3<br>Ozone 1   | H412<br>H420                                      | ►C2 GHS07<br>Wng ◀             | H412<br>H420                                      |                                 |                                  |       |
| ▼B<br>602-085-00-5  | 2-bromopropane  | 200-855-1 | 75-26-3    | Flam. Liq. 2<br>Repr. 1A<br>STOT RE 2 *  | H225<br>H360F ***<br>H373 **                      | GHS02<br>GHS08<br>Dgr          | H225<br>H360F ***<br>H373 **                      | EUH066                          |                                  |       |
| 602-086-00-0        | trifluoroiodomethane;<br>trifluoromethyl iodide                   | 219-014-5 | 2314-97-8  | Muta. 2  | H341  | GHS08<br>Wng                   | H341  |                                 |                                  |       |
| 602-087-00-6        | 1,2,4-trichlorobenzene  | 204-428-0 | 120-82-1   | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H302<br>H315<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H410                              |                                 |                                  |       |
| 602-088-00-1        | 2,3-dibromopropan-1-ol;<br>2,3-dibromo-1-propanol                 | 202-480-9 | 96-13-9    | Carc. 1B<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3 | H350<br>H361f ***<br>H311<br>H332<br>H302<br>H412 | GHS08<br>GHS07<br>Dgr          | H350<br>H361f ***<br>H311<br>H332<br>H302<br>H412 |                                 |                                  |       |
| 602-089-00-7        | 4-bromo-2-chlorofluorobenzene                                     | 405-580-2 | 60811-21-4 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H302<br>H315<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H410                              |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 602-090-00-2 | 1-allyl-3-chloro-4-fluorobenzene  | 406-630-6 | 121626-73-1 | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411   | GHS07<br>GHS09<br>Wng                   | H315<br>H411   |                                 |                                  |       |
| 602-091-00-8 | 1,3-dichloro-4-fluorobenzene  | 406-160-1 | 1435-48-9   | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2   | H302<br>H373 **<br>H315<br>H411                              | GHS08<br>GHS07<br>Wng                   | H302<br>H373 **<br>H315<br>H411                              |                                 |                                  |       |
| 602-092-00-3 | 1-bromo-3,4,5-trifluorobenzene  | 418-480-9 | 138526-69-9 | Flam. Liq. 3<br>Carc. 2<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2                        | H226<br>H351<br>H315<br>H318<br>H411                         | GHS02<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H226<br>H351<br>H315<br>H318<br>H411                         |                                 |                                  |       |
| 602-093-00-9 | $\alpha$ , $\alpha$ , $\alpha$ ,4-tetrachlorotoluene;<br><i>p</i> -chlorobenzotrithloride | 226-009-1 | 5216-25-1   | Carc. 1B<br>Repr. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2 | H350<br>H361f ***<br>H372 **<br>H312<br>H302<br>H335<br>H315 | GHS08<br>GHS07<br>Dgr                   | H350<br>H361f ***<br>H372 **<br>H312<br>H302<br>H335<br>H315 |                                 |                                  |       |
| 602-094-00-4 | diphenylether;<br>derivate  | 251-087-9 | 32536-52-0  | Repr. 1B   | H360Df   | GHS08<br>Dgr                            | H360Df   |                                 |                                  |       |
| 602-095-00-X | alkanes, C <sub>14-17</sub> , chloro;<br>chlorinated paraffins, C <sub>14-17</sub>        | 287-477-0 | 85535-85-9  | Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H362<br>H400<br>H410   | GHS09<br>Wng                            | H362<br>H410   | EUH066                          |                                  |       |

## ▼M1

## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                        | Classification  |   | Labelling                               |                                   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|-------------------------------|---|---|---|-----------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                               | Hazard Class and Category Code(s)   | Hazard statement Code(s)                  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)          | Suppl. Hazard statement Code(s) |                                  |       |
| 602-096-00-5 | malachite green hydrochloride; [1]<br>malachite green oxalate [2]   | 209-322-8 [1]<br>219-441-7 [2] | 569-64-2 [1]<br>2437-29-8 [2] | Repr. 2<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d ***<br>H302<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H361d ***<br>H302<br>H318<br>H410 |                                 |                                  |       |
| 602-097-00-0 | 1-bromo-9-(4,4,5,5,5-pentafluoropentylthio)nonane   | 422-850-5                      | 148757-89-5                   | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H317<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng                   | H317<br>H410                      |                                 |                                  |       |
| ▼M1          |   |                                |                               |   |   |   |                                   |                                 |                                  |       |
| 602-098-00-6 | 2-(3-bromophenoxy)tetrahydro-2H-pyran   | 429-030-6                      | 57999-49-2                    | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                              | GHS07<br>GHS09<br>Wng                   | H317<br>H411                      |                                 |                                  |       |
| 602-099-00-1 | 3-(4-fluorophenyl)-2-methylpropionylchloride  | 426-370-7                      | —                             | Skin Corr. 1A<br>Acute Tox. 4 *<br>Aquatic Chronic 3                            | H314<br>H302<br>H412                      | GHS05<br>GHS07<br>Dgr                   | H314<br>H302<br>H412              | EUH014<br>EUH029                |                                  |       |
| 602-100-00-5 | reaction mass of: (R,R)-1,1,1,2,2,3,4,5,5,5-decafluoropentane;<br>(S,S)-1,1,1,2,2,3,4,5,5,5-decafluoropentane | 420-640-8                      | —                             | Aquatic Chronic 3   | H412                                      | —                                       | H412                              |                                 |                                  |       |
| 602-101-00-0 | 2-chloro-4-fluoro-5-nitrophenyl (isobutyl)carbonate   | 427-020-6                      | 141772-37-4                   | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H373**<br>H317<br>H400<br>H410            | GHS08<br>GHS07<br>GHS09<br>Wng          | H373**<br>H317<br>H410            |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification                   | EC No     | CAS No      | Classification  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                     | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 602-102-00-6 | 1,1,1,3,3-pentafluorobutane                             | 430-250-1 | 406-58-6    | Flam. Liq. 2  | H225                     | GHS02<br>Dgr                   | H225                     |                                 |                                  |       |
| 602-103-00-1 | 1-(chlorophenylmethyl)-2-methylbenzene                  | 431-450-1 | 41870-52-4  | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H315<br>H410             |                                 |                                  |       |
| 602-104-00-7 | 1,1,2,2,3,3,4-heptafluorocyclopentane                   | 430-710-1 | 15290-77-4  | Aquatic Chronic 3                                     | H412                     | —                              | H412                     |                                 |                                  |       |
| 602-105-00-2 | sodium 1,1,2,2,3,3,4,4,4-nonafluoro-1-butanedisulfinate | 422-100-7 | 102061-82-5 | Eye Dam. 1<br>Skin Sens. 1                            | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 602-106-00-8 | 2-bromo-4,6-difluoroaniline                             | 429-430-0 | 444-14-4    | Acute Tox. 4 *<br>Aquatic Chronic 2                   | H302<br>H411             | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |
| 602-107-00-3 | 3,3,4,4-tetrafluoro-4-iodo-1-butene                     | 439-500-2 | 33831-83-3  | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H302<br>H315<br>H411     | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H411     |                                 |                                  |       |
| 602-108-00-9 | (2,3,5,6-tetrafluorophenyl)methanol                     | 443-840-7 | 4084-38-2   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1        | H302<br>H319<br>H317     | GHS07<br>Wng                   | H302<br>H319<br>H317     |                                 |                                  |       |

▼B

| Index No                    | International Chemical Identification                                 | EC No                         | CAS No                        | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|-----------------------------|---|-------------------------------|-------------------------------|---|--|--------------------------------|--|---------------------------------|---|-------|
|                             |   |                               |                               | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |   |       |
| ▼ <u>M3</u><br>602-109-00-4 | Hexabromocyclododecane [1]<br>1,2,5,6,9,10-hexabromocyclododecane [2] | 247-148-4 [1]<br>221-695-9[2] | 25637-99-4[1]<br>3194-55-6[2] | Repr. 2<br>Lact.  | H361<br>H362                                 | GHS08<br>Wng                   | H361<br>H362                                 |                                 |   |       |
| ▼ <u>B</u><br>603-001-00-X  | methanol  | 200-659-6                     | 67-56-1                       | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT SE 1         | H225<br>H331<br>H311<br>H301<br>H370 **      | GHS02<br>GHS06<br>GHS08<br>Dgr | H225<br>H331<br>H311<br>H301<br>H370 **      |                                 | *<br>STOT SE 1;<br>H370: C ≥<br>10 %<br>STOT SE 2;<br>H371: 3 % ≤<br>C < 10 % |       |
| 603-002-00-5                | ethanol;<br>ethyl alcohol   | 200-578-6                     | 64-17-5                       | Flam. Liq. 2  | H225   | GHS02<br>Dgr                   | H225   |                                 |   |       |
| 603-003-00-0                | propan-1-ol;<br><i>n</i> -propanol                                    | 200-746-9                     | 71-23-8                       | Flam. Liq. 2<br>Eye Dam. 1<br>STOT SE 3   | H225<br>H318<br>H336                         | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H318<br>H336                         |                                 |   |       |
| 603-004-00-6                | butan-1-ol;<br><i>n</i> -butanol                                      | 200-751-6                     | 71-36-3                       | Flam. Liq. 3<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>STOT SE 3 | H226<br>H302<br>H335<br>H315<br>H318<br>H336 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H302<br>H335<br>H315<br>H318<br>H336 |                                 |   |       |
| ▼ <u>M1</u><br>603-005-00-1 | 2-methylpropan-2-ol;<br><i>tert</i> -butyl alcohol                    | 200-889-7                     | 75-65-0                       | Flam. Liq. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3                             | H225<br>H332<br>H319<br>H335                 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H319<br>H335                 |                                 |   |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)                              | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-006-00-7 | pentanol isomers, with the exception fo those specified elsewhere in this Annex | 250-378-8 |          | Flam. Liq. 3<br>Acute Tox. 4 *<br>STOT SE 3                    | H226<br>H332<br>H335         | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H335         | EUH066                          |                                  | C     |
| 603-007-00-2 | 2-methylbutan-2-ol;<br><i>tert</i> -pentanol                                    | 200-908-9 | 75-85-4  | Flam. Liq. 2<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2   | H225<br>H332<br>H335<br>H315 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H335<br>H315 |                                 |                                  |       |
| 603-008-00-8 | 4-methylpentan-2-ol;<br>methyl isobutyl carbinol                                | 203-551-7 | 108-11-2 | Flam. Liq. 3<br>STOT SE 3                                      | H226<br>H335                 | GHS02<br>GHS07<br>Wng          | H226<br>H335                 |                                 | STOT SE 3;<br>H335: C ≥<br>25 %  |       |
| 603-009-00-3 | cyclohexanol  | 203-630-6 | 108-93-0 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2 | H332<br>H302<br>H335<br>H315 | GHS07<br>Wng                   | H332<br>H302<br>H335<br>H315 |                                 |                                  |       |

▼B

| Index No                    | International Chemical Identification   | EC No   | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|---|--|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                             |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 603-010-00-9                | 2-methylcyclohexanol, mixed isomers; [1]<br><i>cis</i> -2-methylcyclohexanol; [2]<br><i>trans</i> -2-methylcyclohexanol [3] | 209-512-0 [1]<br>231-187-9 [2]<br>231-186-3 [3] | 583-59-5 [1]<br>7443-70-1 [2]<br>7443-52-9 [3] | Acute Tox. 4 *  | H332                                   | GHS07<br>Wng                   | H332                                   |                                 |                                  | C     |
| 603-011-00-4                | 2-methoxyethanol;<br>ethylene glycol monomethyl ether   | 203-713-7                                       | 109-86-4                                       | Flam. Liq. 3<br>Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *      | H226<br>H360FD<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H360FD<br>H332<br>H312<br>H302 |                                 |                                  |       |
| ▼ <u>M3</u><br>603-012-00-X | 2-ethoxyethanol;<br>ethylene glycol monoethyl ether   | 203-804-1                                       | 110-80-5                                       | Flam. Liq. 3<br>Repr. 1B<br>Acute Tox. 3<br>Acute Tox. 4                            | H226<br>H360FD<br>H331<br>H302         | GHS02<br>GHS08<br>GHS06<br>Dgr | H226<br>H360FD<br>H331<br>H302         |                                 |                                  |       |
| ▼ <u>B</u><br>603-013-00-5  | 2-isopropoxyethanol;<br>ethylene glycol monoisopropyl ether   | 203-685-6                                       | 109-59-1                                       | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2                                    | H332<br>H312<br>H319                   | GHS07<br>Wng                   | H332<br>H312<br>H319                   |                                 |                                  |       |
| 603-014-00-0                | 2-butoxyethanol;<br>ethylene glycol monobutyl ether;<br>butyl cellosolve  | 203-905-0                                       | 111-76-2                                       | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2 | H332<br>H312<br>H302<br>H319<br>H315   | GHS07<br>Wng                   | H332<br>H312<br>H302<br>H319<br>H315   |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification                | EC No     | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|-----------|----------|---|--|--------------------------------|--|---------------------------------|------------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                    |       |
| 603-015-00-6 | allyl alcohol  | 203-470-7 | 107-18-6 | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1 | H225<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400 | GHS02<br>GHS06<br>GHS09<br>Dgr | H225<br>H331<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400 |                                 |                                    |       |
| 603-016-00-1 | 4-hydroxy-4-methylpentan-2-one;<br>diacetone alcohol | 204-626-7 | 123-42-2 | Eye Irrit. 2  | H319   | GHS07<br>Wng                   | H319   |                                 | Eye Irrit. 2;<br>H319: C ≥<br>10 % |       |
| ▼ <u>M1</u>  |  |           |          |   |  |                                |  |                                 |                                    |       |
| 603-018-00-2 | furfuryl alcohol                                     | 202-626-1 | 98-00-0  | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>STOT SE 3                           | H351<br>H331<br>H312<br>H302<br>H373**<br>H319<br>H335       | GHS06<br>GHS08<br>Dgr          | H351<br>H331<br>H312<br>H302<br>H373**<br>H319<br>H335       |                                 |                                    |       |
| ▼ <u>B</u>   |  |           |          |   |  |                                |  |                                 |                                    |       |
| 603-019-00-8 | dimethyl ether                                       | 204-065-8 | 115-10-6 | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr          | H220   |                                 |                                    | U     |
| 603-020-00-3 | ethyl methyl ether                                   | —         | 540-67-0 | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr          | H220   |                                 |                                    | U     |

▼B

| Index No     | International Chemical Identification | EC No     | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors                                     | Notes |
|--------------|---------------------------------------|-----------|----------|---|--|---|--|---------------------------------|--|-------|
|              |                                       |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |  |       |
| 603-021-00-9 | methyl vinyl ether                    | 203-475-4 | 107-25-5 | Flam. Gas 1<br>Press. Gas   | H220   | GHS02<br>GHS04<br>Dgr                   | H220   |                                 |  | D U   |
| 603-022-00-4 | diethyl ether;<br>ether               | 200-467-2 | 60-29-7  | Flam. Liq. 1<br>Acute Tox. 4 *<br>STOT SE 3   | H224<br>H302<br>H336                                 | GHS02<br>GHS07<br>Dgr                   | H224<br>H302<br>H336                                 | EUH019<br>EUH066                |  |       |
| 603-023-00-X | ethylene oxide;<br>oxirane            | 200-849-9 | 75-21-8  | Press. Gas<br>Flam. Gas 1<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H220<br>H350<br>H340<br>H331<br>H319<br>H335<br>H315 | GHS02<br>GHS04<br>GHS06<br>GHS08<br>Dgr | H220<br>H350<br>H340<br>H331<br>H319<br>H335<br>H315 |                                 |  | U     |
| 603-024-00-5 | 1,4-dioxane                           | 204-661-8 | 123-91-1 | Flam. Liq. 2<br>Carc. 2<br>Eye Irrit. 2<br>STOT SE 3  | H225<br>H351<br>H319<br>H335                         | GHS02<br>GHS08<br>GHS07<br>Dgr          | H225<br>H351<br>H319<br>H335                         | EUH019<br>EUH066                |  | D     |
| 603-025-00-0 | tetrahydrofuran                       | 203-726-8 | 109-99-9 | Flam. Liq. 2<br>Carc. 2<br>Eye Irrit. 2<br>STOT SE 3  | H225<br>H351<br>H319<br>H335                         | GHS02<br>GHS07<br>GHS08<br>Dgr          | H225<br>H351<br>H319<br>H335                         | EUH019                          | STOT SE 3;<br>H335: C ≥<br>25 %<br>Eye Irrit.2;<br>H319: C ≥<br>25 % |       |

▼B

| Index No     | International Chemical Identification        | EC No     | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 603-026-00-6 | 1-chloro-2,3-epoxypropane;<br>epichlorhydrin | 203-439-8 | 106-89-8 | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 |                                 | *                                |       |
| 603-027-00-1 | ethanediol;<br>ethylene glycol               | 203-473-3 | 107-21-1 | Acute Tox. 4 *  | H302   | GHS07<br>Wng                            | H302   |                                 |                                  |       |
| 603-028-00-7 | 2-chloroethanol;<br>ethylene chlorohydrin    | 203-459-7 | 107-07-3 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *  | H330<br>H310<br>H300                                 | GHS06<br>Dgr                            | H330<br>H310<br>H300                                 |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |          |   |  |   |  |                                 |                                  |       |
| 603-029-00-2 | bis(2-chloroethyl) ether                     | 203-870-1 | 111-44-4 | Carc. 2<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *   | H351<br>H330<br>H310<br>H300                         | GHS06<br>GHS08<br>Dgr                   | H351<br>H330<br>H310<br>H300                         |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |          |   |  |   |  |                                 |                                  |       |
| 603-030-00-8 | 2-aminoethanol;<br>ethanolamine              | 205-483-3 | 141-43-5 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B   | H332<br>H312<br>H302<br>H314                         | GHS05<br>GHS07<br>Dgr                   | H332<br>H312<br>H302<br>H314                         |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 603-031-00-3 | 1,2-dimethoxyethane;<br>ethylene glycol dimethyl ether;<br>EGDME                                     | 203-794-9 | 110-71-4 | Flam. Liq. 2<br>Repr. 1B<br>Acute Tox. 4 *   | H225<br>H360FD<br>H332                          | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H360FD<br>H332                          | EUH019                          |                                  |       |
| ▼ <u>M1</u>  |  |           |          |  |   |                                |   |                                 |                                  |       |
| 603-032-00-9 | ethylene dinitrate;<br>ethylene glycol dinitrate   | 211-063-0 | 628-96-6 | Unst. Expl.<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2                       | H200<br>H330<br>H310<br>H300<br>H373**          | GHS01<br>GHS06<br>GHS08<br>Dgr | H200<br>H330<br>H310<br>H300<br>H373**          |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |          |  |   |                                |   |                                 |                                  |       |
| 603-033-00-4 | oxydiethylene dinitrate;<br>diethylene glycol dinitrate;<br>digol dinitrate                          | 211-745-8 | 693-21-0 | Unst. Expl<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 3 | H200<br>H330<br>H310<br>H300<br>H373 **<br>H412 | GHS01<br>GHS06<br>GHS08<br>Dgr | H200<br>H330<br>H310<br>H300<br>H373 **<br>H412 |                                 |                                  |       |
| 603-033-01-1 | oxydiethylene dinitrate;<br>diethylene glycol dinitrate;<br>digol dinitrate;<br>[>25 % phlegmatiser] | 211-745-8 | 693-21-0 | Expl. 1.1<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 3  | H201<br>H330<br>H310<br>H300<br>H373 **<br>H412 | GHS01<br>GHS06<br>GHS08<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 **<br>H412 |                                 |                                  |       |



## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No     | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|                     |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 603-034-00-X        | glycerol trinitrate;<br>nitroglycerine   | 200-240-8 | 55-63-0    | Unst. Expl.<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H200<br>H330<br>H310<br>H300<br>H373 **<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H200<br>H330<br>H310<br>H300<br>H373 **<br>H411 |                                 |                                  |       |
| 603-034-01-7        | glycerol trinitrate;<br>nitroglycerine;<br>[>40 % phlegmatiser]                                    | 200-240-8 | 55-63-0    | Expl. 1.1<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 2   | H201<br>H330<br>H310<br>H300<br>H373 **<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373 **<br>H411 |                                 |                                  |       |
| 603-035-00-5        | pentaerythritol tetranitrate;<br>pentaerythrite tetranitrate;<br>P.E.T.N.                          | 201-084-3 | 78-11-5    | Unst. Expl.   | H200  | GHS01<br>Dgr                            | H200  |                                 |                                  |       |
| 603-035-01-2        | pentaerythritol tetranitrate;<br>pentaerythrite tetranitrate;<br>P.E.T.N.;<br>[>20 % phlegmatiser] | 201-084-3 | 78-11-5    | Expl. 1.1   | H201  | GHS01<br>Dgr                            | H201  |                                 |                                  | T     |
| 603-036-00-0        | mannitol hexanitrate;<br>nitromannite  | 239-924-6 | 15825-70-4 | Unst. Expl.   | H200  | GHS01<br>Dgr                            | H200  |                                 |                                  |       |
| 603-036-01-8        | mannitol hexanitrate;<br>nitromannite;<br>[≥40 % phlegmatiser]                                     | 239-924-6 | 15825-70-4 | Expl. 1.1   | H201  | GHS01<br>Dgr                            | H201  |                                 |                                  |       |
| ▼M1<br>603-037-00-6 | cellulose nitrate;<br>nitrocellulose   | —         | —          | Expl. 1.1   | H201  | GHS01<br>Dgr                            | H201  |                                 |                                  | T     |

## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No                                       | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 603-038-00-1 | allyl glycidyl ether;<br>allyl 2,3-epoxypropyl ether;<br>prop-2-en-1-yl 2,3-epoxypropyl ether   | 203-442-4                                       | 106-92-3                                     | Flam. Liq. 3<br>Carc. 2<br>Muta. 2<br>Repr. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H226<br>H351<br>H341<br>H361f ***<br>H332<br>H302<br>H335<br>H315<br>H318<br>H317<br>H412 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H351<br>H341<br>H361f ***<br>H332<br>H302<br>H335<br>H315<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 603-039-00-7 | butyl glycidyl ether;<br>butyl 2,3-epoxypropyl ether  | 219-376-4                                       | 2426-08-6                                    | Flam. Liq. 3<br>Carc. 2<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Sens. 1<br>Aquatic Chronic 3   | H226<br>H351<br>H341<br>H332<br>H302<br>H335<br>H317<br>H412                              | GHS02<br>GHS08<br>GHS07<br>Wng          | H226<br>H351<br>H341<br>H332<br>H302<br>H335<br>H317<br>H412                              |                                 |                                  |       |
| 603-040-00-2 | sodium methanolate;<br>sodium methoxide; [1]<br>potassium methanolate;<br>potassium methoxide; [2]<br>lithium methanolate;<br>lithium methoxide [3] | 204-699-5 [1]<br>212-736-1 [2]<br>212-737-7 [3] | 124-41-4 [1]<br>865-33-8 [2]<br>865-34-9 [3] | Self-heat 1<br>Skin Corr. 1B   | H251<br>H314  | GHS02<br>GHS05<br>Dgr                   | H251<br>H314  | EUH014                          |                                  | T     |
| 603-041-00-8 | potassium ethanolate;<br>potassium ethoxide; [1]<br>sodium ethanolate;<br>sodium ethoxide [2]   | 213-029-0 [1]<br>205-487-5 [2]                  | 917-58-8 [1]<br>141-52-6 [2]                 | Self-heat 1<br>Skin Corr. 1B   | H251<br>H314  | GHS02<br>GHS05<br>Dgr                   | H251<br>H314  | EUH014                          |                                  | T     |

## ▼B

| Index No            | International Chemical Identification  | EC No                          | CAS No                       | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors       | Notes |
|---------------------|--|--------------------------------|------------------------------|---|--|--------------------------------|--------------------------------------|---------------------------------|--|-------|
|                     |  |                                |                              | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |  |       |
| 603-042-00-3        | aluminium-tri-isopropoxide   | 209-090-8                      | 555-31-7                     | Flam. Sol. 1  | H228   | GHS02<br>Dgr                   | H228                                 |                                 |  | T     |
| 603-043-00-9        | triarimol (ISO);<br>2,4-dichloro- $\alpha$ -(pyrimidin-5-yl)<br>benzhydryl alcohol | —                              | 26766-27-8                   | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302                                 |                                 |  |       |
| 603-044-00-4        | dicofol (ISO);<br>2,2,2-trichloro-1,1-bis(4-chloro-<br>phenyl)ethanol              | 204-082-0                      | 115-32-2                     | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H315<br>H317<br>H410 |                                 |  |       |
| 603-045-00-X        | diisopropyl ether; [1]<br>dipropyl ether [2]                                       | 203-560-6 [1]<br>203-869-6 [2] | 108-20-3 [1]<br>111-43-3 [2] | Flam. Liq. 2<br>STOT SE 3   | H225<br>H336                                 | GHS02<br>GHS07<br>Dgr          | H225<br>H336                         | EUH019<br>EUH066                |  | C     |
| ▼M1<br>603-046-00-5 | bis(chloromethyl) ether;<br>oxybis(chloromethane)                                  | 208-832-8                      | 542-88-1                     | Flam. Liq. 2<br>Carc. 1A<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *                            | H225<br>H350<br>H330<br>H311<br>H302         | GHS02<br>GHS06<br>GHS08<br>Dgr | H225<br>H350<br>H330<br>H311<br>H302 |                                 | Carc. 1A;<br>H350: C $\geq$<br>0,001 % |       |
| ▼B<br>603-047-00-0  | 2-dimethylaminoethanol;<br><i>N,N</i> -dimethylethanolamine                        | 203-542-8                      | 108-01-0                     | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                       | H226<br>H332<br>H312<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314 |                                 | STOT SE 3;<br>H335: C $\geq$ 5 %       |       |

## ▼B

| Index No     | International Chemical Identification                     | EC No     | CAS No     | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 603-048-00-6 | 2-diethylaminoethanol;<br><i>N,N</i> -diethylethanolamine | 202-845-2 | 100-37-8   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B | H226<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314 |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 603-049-00-1 | chlorfenethol (ISO);<br>1,1-bis (4-chlorophenyl) ethanol  | 201-246-3 | 80-06-8    | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                         | GHS07<br>GHS09<br>Wng                   | H302<br>H411                         |                                 |                                  |       |
| 603-050-00-7 | 1-(2-butoxypropoxy)propan-2-ol                            | 246-011-6 | 24083-03-2 | Acute Tox. 4 *<br>Acute Tox. 4 *  | H312<br>H302                         | GHS07<br>Wng                            | H312<br>H302                         |                                 |                                  |       |
| 603-051-00-2 | 2-ethylbutan-1-ol   | 202-621-4 | 97-95-0    | Acute Tox. 4 *<br>Acute Tox. 4 *  | H312<br>H302                         | GHS07<br>Wng                            | H312<br>H302                         |                                 |                                  |       |
| 603-052-00-8 | 3-butoxypropan-2-ol;<br>propylene glycol monobutyl ether  | 225-878-4 | 5131-66-8  | Eye Irrit. 2<br>Skin Irrit. 2   | H319<br>H315                         | GHS07<br>Wng                            | H319<br>H315                         |                                 |                                  |       |
| 603-053-00-3 | 2-methylpentane-2,4-diol                                  | 203-489-0 | 107-41-5   | Eye Irrit. 2<br>Skin Irrit. 2   | H319<br>H315                         | GHS07<br>Wng                            | H319<br>H315                         |                                 |                                  |       |
| 603-054-00-9 | di- <i>n</i> -butyl ether;<br>dibutyl ether               | 205-575-3 | 142-96-1   | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3     | H226<br>H319<br>H335<br>H315<br>H412 | GHS02<br>GHS07<br>Wng                   | H226<br>H319<br>H335<br>H315<br>H412 |                                 | STOT SE 3;<br>H335: C ≥ 10 %     |       |

## ▼B

| Index No     | International Chemical Identification  | EC No  | CAS No  | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--|---|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |  |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-055-00-4 | propylene oxide;<br>1,2-epoxypropane;<br>methyl-oxirane  | 200-879-2  | 75-56-9   | Flam. Liq. 1<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 3<br>Acute Tox. 3<br>Acute Tox. 4<br>STOT SE 3<br>Eye Irrit. 2 | H224<br>H350<br>H340<br>H331<br>H311<br>H302<br>H335<br>H319 | GHS02<br>GHS08<br>GHS06<br>Dgr | H224<br>H350<br>H340<br>H331<br>H311<br>H302<br>H335<br>H319 |                                 |                                  |       |
| 603-056-00-X | [( <i>p</i> -tolyl)oxy)methyl]oxirane; [1]<br>[( <i>m</i> -tolyl)oxy)methyl]oxirane; [2]<br>2,3-epoxypropyl <i>o</i> -tolyl ether; [3]<br>[(tolyl)oxy)methyl]oxirane;<br>cresyl glycidyl ether [4] | 218-574-8 [1]<br>218-575-3 [2]<br>218-645-3 [3]<br>247-711-4 [4] | 2186-24-5 [1]<br>2186-25-6 [2]<br>2210-79-9 [3]<br>26447-14-3 [4] | Muta. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2   | H341<br>H315<br>H317<br>H411                                 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H315<br>H317<br>H411                                 |                                 | C                                |       |
| 603-057-00-5 | benzyl alcohol   | 202-859-9  | 100-51-6  | Acute Tox. 4 *<br>Acute Tox. 4 *  | H332<br>H302   | GHS07<br>Wng                   | H332<br>H302   |                                 |                                  |       |
| 603-058-00-0 | 1,3-propylene oxide  | 207-964-3  | 503-30-0  | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H225<br>H332<br>H312<br>H302                                 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302                                 |                                 |                                  |       |
| 603-059-00-6 | hexan-1-ol   | 203-852-3  | 111-27-3  | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302   |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification                         | EC No     | CAS No    | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 603-060-00-1 | 2,2'-bioxirane;<br>1,2:3,4-diepoxybutane                      | 215-979-1 | 1464-53-5 | Carc. 1B<br>Muta. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B   | H350<br>H340<br>H330<br>H311<br>H301<br>H314                              | GHS06<br>GHS08<br>GHS05<br>Dgr | H350<br>H340<br>H330<br>H311<br>H301<br>H314                              |                                 |                                  |       |
| ▼ <b>M8</b>  |   |           |           |   |   |                                |   |                                 |                                  |       |
| 603-061-00-7 | tetrahydro-2-furylmethanol;<br>tetrahydrofurfuryl alcohol     | 202-625-6 | 97-99-4   | Repr. 1B<br>Eye Irrit. 2  | H360Df<br>H319  | GHS08<br>GHS07<br>Dgr          | H360Df<br>H319  |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |           |   |   |                                |   |                                 |                                  |       |
| 603-062-00-2 | tetrahydrofuran-2,5-dioldime-<br>thanol                       | 203-239-0 | 104-80-3  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2  | H319<br>H335<br>H315  | GHS07<br>Wng                   | H319<br>H335<br>H315  | STOT SE 3;<br>H335: C ≥<br>10 % |                                  |       |
| 603-063-00-8 | 2,3-epoxypropan-1-ol;<br>glycidol;<br>oxiranemethanol         | 209-128-3 | 556-52-5  | Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H350<br>H341<br>H360F ***<br>H331<br>H312<br>H302<br>H319<br>H335<br>H315 | GHS06<br>GHS08<br>Dgr          | H350<br>H341<br>H360F ***<br>H331<br>H312<br>H302<br>H319<br>H335<br>H315 |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |           |   |   |                                |   |                                 |                                  |       |
| 603-064-00-3 | 1-methoxy-2-propanol;<br>monopropylene glycol methyl<br>ether | 203-539-1 | 107-98-2  | Flam. Liq. 3<br>STOT SE 3   | H226<br>H336  | GHS02<br>GHS07<br>Wng          | H226<br>H336  |                                 |                                  |       |

▼**B**

| Index No                    | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                             |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-065-00-9                | resorcinol diglycidyl ether;<br>1,3-bis(2,3-epoxypropoxy)benzene                      | 202-987-5 | 101-90-6    | Carc. 2<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H351<br>H341<br>H312<br>H302<br>H319<br>H315<br>H317<br>H412 | GHS08<br>GHS07<br>Wng          | H351<br>H341<br>H312<br>H302<br>H319<br>H315<br>H317<br>H412 |                                 |                                  |       |
| ▼ <b>M1</b><br>603-066-00-4 | 1,2-epoxy-4-epoxyethylcyclohexane;<br>4-vinylcyclohexene diepoxide                    | 203-437-7 | 106-87-6    | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *  | H351<br>H331<br>H311<br>H301                                 | GHS06<br>GHS08<br>Dgr          | H351<br>H331<br>H311<br>H301                                 | *                               |                                  |       |
| ▼ <b>B</b><br>603-067-00-X  | phenyl glycidyl ether;<br>2,3-epoxypropyl phenyl ether;<br>1,2-epoxy-3-phenoxypropane | 204-557-2 | 122-60-1    | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                     | H350<br>H341<br>H332<br>H335<br>H315<br>H317<br>H412         | GHS08<br>GHS07<br>Dgr          | H350<br>H341<br>H332<br>H335<br>H315<br>H317<br>H412         |                                 |                                  |       |
| 603-068-00-5                | 2,3-epoxypropyl-2-ethylcyclohexyl ether;<br>ethylcyclohexylglycidyl ether             | —         | 130014-35-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1  | H319<br>H315<br>H317   | GHS07<br>Wng                   | H319<br>H315<br>H317   |                                 |                                  |       |
| 603-069-00-0                | 2,4,6-tris(dimethylamino-methyl)phenol  | 202-013-9 | 90-72-2     | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2  | H302<br>H319<br>H315   | GHS07<br>Wng                   | H302<br>H319<br>H315   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                                  | Notes |
|--------------|---|-----------|------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|---|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |   |       |
| 603-070-00-6 | 2-amino-2-methylpropanol  | 204-709-8 | 124-68-5   | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3                                | H319<br>H315<br>H412                 | GHS07<br>Wng                   | H319<br>H315<br>H412                 |                                 |   |       |
| 603-071-00-1 | 2,2'-iminodiethanol;<br>diethanolamine  | 203-868-0 | 111-42-2   | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1                      | H302<br>H373 **<br>H315<br>H318      | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 **<br>H315<br>H318      |                                 |   |       |
| 603-072-00-7 | 1,4-bis(2,3 epoxypro-<br>poxy)butane;<br>butanedioldiglycidyl ether   | 219-371-7 | 2425-79-8  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H332<br>H312<br>H319<br>H315<br>H317 | GHS07<br>Wng                   | H332<br>H312<br>H319<br>H315<br>H317 |                                 |   |       |
| 603-073-00-2 | bis-[4-(2,3-epoxipropoxi)phe-<br>nyl]propane  | 216-823-5 | 1675-54-3  | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                                     | H319<br>H315<br>H317                 | GHS07<br>Wng                   | H319<br>H315<br>H317                 |                                 | Eye Irrit. 2;<br>H319: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: C ≥ 5 % |       |
| 603-074-00-8 | reaction product: bisphenol-A-<br>(epichlorhydrin);<br>epoxy resin (number average<br>molecular weight ≤ 700) | 500-033-5 | 25068-38-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                | H319<br>H315<br>H317<br>H411         | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H317<br>H411         |                                 | Eye Irrit. 2;<br>H319: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: C ≥ 5 % |       |
| 603-075-00-3 | chlormethyl methyl ether;<br>chlorodimethyl ether   | 203-480-1 | 107-30-2   | Flam. Liq. 2<br>Carc. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *    | H225<br>H350<br>H332<br>H312<br>H302 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H350<br>H332<br>H312<br>H302 |                                 |   |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------|----------|--|---|---|---|---------------------------------|---|-------|
|              |   |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |   |       |
| 603-076-00-9 | but-2-yne-1,4-diol;<br>2-butyne-1,4-diol  | 203-788-6 | 110-65-6 | Skin Corr. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1       | H314<br>H331<br>H301<br>H312<br>H373 **<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr          | H314<br>H331<br>H301<br>H312<br>H373 **<br>H317 |                                 | Skin Corr. 1B;<br>H314: C ≥ 50 %<br>Skin Irrit. 2;<br>H315: 25 % ≤ C < 50 %<br>Eye Irrit. 2;<br>H319: 25 % ≤ C < 50 % | D     |
| 603-077-00-4 | 1-dimethylaminopropan-2-ol;<br>dimepranol (INN)   | 203-556-4 | 108-16-7 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Skin Corr. 1B  | H226<br>H302<br>H314                            | GHS02<br>GHS05<br>GHS07<br>Dgr          | H226<br>H302<br>H314                            |                                 |   |       |
| 603-078-00-X | prop-2-yn-1-ol;<br>propargyl alcohol  | 203-471-2 | 107-19-7 | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H226<br>H331<br>H311<br>H301<br>H314<br>H411    | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H226<br>H331<br>H311<br>H301<br>H314<br>H411    |                                 |   |       |
| 603-079-00-5 | 2,2'-(methylimino)diethanol;<br>N-methyldiethanolamine  | 203-312-7 | 105-59-9 | Eye Irrit. 2   | H319  | GHS07<br>Wng                            | H319  |                                 |   |       |
| 603-080-00-0 | 2-methylaminoethanol;<br>N-methylethanolamine;<br>N-methyl-2-ethanolamine;<br>N-methyl-2-amino ethanol;<br>2-(methylamino)ethanol | 203-710-0 | 109-83-1 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B  | H312<br>H302<br>H314                            | GHS05<br>GHS07<br>Dgr                   | H312<br>H302<br>H314                            |                                 | STOT SE 3;<br>H335: C ≥ 5 %   |       |
| 603-081-00-6 | 2,2'-thiodiethanol;<br>thiodiglycol   | 203-874-3 | 111-48-8 | Eye Irrit. 2   | H319  | GHS07<br>Wng                            | H319  |                                 |   |       |
| 603-082-00-1 | 1-aminopropan-2-ol;<br>isopropanolamine   | 201-162-7 | 78-96-6  | Skin Corr. 1B  | H314  | GHS05<br>Dgr                            | H314  |                                 |   |       |

▼ **B**

| Index No                    | International Chemical Identification                                | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                             |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-083-00-7                | 1,1'-iminodipropan-2-ol;<br>di-isopropanolamine                      | 203-820-9 | 110-97-4   | Eye Irrit. 2  | H319   | GHS07<br>Wng                   | H319   |                                 |                                  |       |
| 603-084-00-2                | styrene oxide;<br>(epoxyethyl)benzene;<br>phenyloxirane              | 202-476-7 | 96-09-3    | Carc. 1B<br>Acute Tox. 4 *<br>Eye Irrit. 2  | H350<br>H312<br>H319                         | GHS08<br>GHS07<br>Dgr          | H350<br>H312<br>H319                         |                                 |                                  |       |
| ▼ <b>M1</b><br>603-085-00-8 | bronopol (INN);<br>2-bromo-2-nitropropane-1,3-diol                   | 200-143-0 | 52-51-7    | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1 | H312<br>H302<br>H335<br>H315<br>H318<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H335<br>H315<br>H318<br>H400 | M=10                            |                                  |       |
| ▼ <b>B</b><br>603-086-00-3  | ethirimol (ISO);<br>5-butyl-2-ethylamino-6-methyl-<br>pyrimidin-4-ol | 245-949-3 | 23947-60-6 | Acute Tox. 4 *  | H312   | GHS07<br>Wng                   | H312   |                                 |                                  |       |
| 603-087-00-9                | 2-ethylhexane-1,3-diol;<br>octylene glycol;<br>ethoexadiol           | 202-377-9 | 94-96-2    | Eye Dam. 1  | H318   | GHS05<br>Dgr                   | H318   |                                 |                                  |       |
| 603-088-00-4                | 2-(octylthio)ethanol;<br>2-hydroxyethyl octyl sulphide               | 222-598-4 | 3547-33-9  | Eye Dam. 1  | H318   | GHS05<br>Dgr                   | H318   |                                 |                                  |       |
| 603-089-00-X                | 7,7-dimethyl-3-oxa-6-azaocan-<br>1-ol                                | 400-390-6 | —          | Skin Corr. 1A<br>Acute Tox. 4 *   | H314<br>H302                                 | GHS05<br>GHS07<br>Dgr          | H314<br>H302                                 |                                 |                                  |       |
| 603-090-00-5                | 2-(2-bromoethoxy)anisole   | 402-010-4 | 4463-59-6  | Acute Tox. 4 *<br>Aquatic Chronic 3   | H302<br>H412                                 | GHS07<br>Wng                   | H302<br>H412                                 |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-091-00-0 | <i>exo</i> -1-methyl-4-(1-methylethyl)-7-oxabicyclo[2.2.1]heptan-2-ol                                       | 402-470-6 | 87172-89-2 | Acute Tox. 4 *<br>Eye Dam. 1        | H302<br>H318             | GHS05<br>GHS07<br>Dgr          | H302<br>H318             |                                 |                                  |       |
| 603-092-00-6 | 2-methyl-4-phenylpentanol   | 402-770-7 | 92585-24-5 | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 603-093-00-1 | cinmethylin (ISO);<br><i>exo</i> -(±)-1-methyl-2-(2-methylbenzyloxy)-4-isopropyl-7-oxabicyclo(2.2.1)heptane | 402-410-9 | 87818-31-3 | Acute Tox. 4 *<br>Aquatic Chronic 2 | H332<br>H411             | GHS07<br>GHS09<br>Dgr          | H332<br>H411             |                                 |                                  |       |
| 603-094-00-7 | 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane   | 241-536-7 | 17557-23-2 | Skin Irrit. 2<br>Skin Sens. 1       | H315<br>H317             | GHS07<br>Wng                   | H315<br>H317             |                                 |                                  |       |
| 603-095-00-2 | 2-(propyloxy)ethanol;<br>EGPE   | 220-548-6 | 2807-30-9  | Acute Tox. 4 *<br>Eye Irrit. 2      | H312<br>H319             | GHS07<br>Wng                   | H312<br>H319             |                                 |                                  |       |
| 603-096-00-8 | 2-(2-butoxyethoxy)ethanol;<br>diethylene glycol monobutyl ether   | 203-961-6 | 112-34-5   | Eye Irrit. 2                        | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| ▼ <b>M7</b>  |   |           |            |                                     |                          |                                |                          |                                 |                                  |       |
| 603-097-00-3 | 1,1',1'-nitritotripropan-2-ol;<br>triisopropanolamine   | 204-528-4 | 122-20-3   | Eye Irrit. 2                        | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |            |                                     |                          |                                |                          |                                 |                                  |       |
| 603-098-00-9 | 2-phenoxyethanol  | 204-589-7 | 122-99-6   | Acute Tox. 4 *<br>Eye Irrit. 2      | H302<br>H319             | GHS07<br>Wng                   | H302<br>H319             |                                 |                                  |       |
| 603-099-00-4 | 3-( <i>N</i> -methyl- <i>N</i> -(4-methylamino-3-nitrophenyl)amino)propane-1,2-diol hydrochloride           | 403-440-5 | 93633-79-5 | Acute Tox. 4 *<br>Aquatic Chronic 3 | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-100-00-8 | 1,2-dimethoxypropane  | 404-630-0 | 7778-85-0 | Flam. Liq. 2                      | H225                     | GHS02<br>Dgr                   | H225                     | EUH019                          |                                  |       |
| 603-101-00-3 | tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers ( <i>cis</i> and <i>trans</i> ) | 405-040-6 | —         | Eye Irrit. 2                      | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |

▼ **M11**

|              |                 |           |          |  |  |                                |  |  |  |  |
|--------------|-----------------|-----------|----------|--|--|--------------------------------|--|--|--|--|
| 603-102-00-9 | 1,2-epoxybutane | 203-438-2 | 106-88-7 | Flam. Liq. 2<br>Carc. 2<br>Acute Tox. 4*<br>Acute Tox. 4*<br>Acute Tox. 4*<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Irrit. 2 | H225<br>H351<br>H302<br>H312<br>H332<br>H335<br>H315<br>H319 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H351<br>H302<br>H312<br>H332<br>H335<br>H315<br>H319 |  |  |  |
|--------------|-----------------|-----------|----------|--|--|--------------------------------|--|--|--|--|

▼ **B**

|              |   |           |            |  |   |                                |   |        |  |  |
|--------------|---|-----------|------------|--|---|--------------------------------|---|--------|--|--|
| 603-103-00-4 | oxirane, mono[(C <sub>12-14</sub> -alkyloxy)methyl] derivs.                     | 271-846-8 | 68609-97-2 | Skin Irrit. 2<br>Skin Sens. 1  | H315<br>H317  | GHS07<br>Wng                   | H315<br>H317  |        |  |  |
| 603-104-00-X | fenarimol (ISO);<br>2,4'-dichloro- $\alpha$ -(pyrimidin-5-yl)benzhydryl alcohol | 262-095-7 | 60168-88-9 | Repr. 2<br>Lact.<br>Aquatic Chronic 2  | H361fd<br>H362<br>H411  | GHS08<br>GHS09<br>Wng          | H361fd<br>H362<br>H411  |        |  |  |
| 603-105-00-5 | furan   | 203-727-3 | 110-00-9   | Flam. Liq. 1<br>Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H224<br>H350<br>H341<br>H332<br>H302<br>H373 **<br>H315<br>H412 | GHS02<br>GHS08<br>GHS07<br>Dgr | H224<br>H350<br>H341<br>H332<br>H302<br>H373 **<br>H315<br>H412 | EUH019 |  |  |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)                  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 603-106-00-0        | 2-methoxypropanol   | 216-455-5 | 1589-47-5   | Flam. Liq. 3<br>Repr. 1B<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1  | H226<br>H360D ***<br>H335<br>H315<br>H318 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H360D ***<br>H335<br>H315<br>H318 |                                 |                                  |       |
| 603-107-00-6        | 2-(2-methoxyethoxy)ethanol;<br>diethylene glycol monomethyl ether   | 203-906-6 | 111-77-3    | Repr. 2   | H361d ***                                 | GHS08<br>Wng                            | H361d ***                                 |                                 |                                  |       |
| 603-108-00-1        | 2-methylpropan-1-ol;<br>iso-butanol   | 201-148-0 | 78-83-1     | Flam. Liq. 3<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>STOT SE 3 | H226<br>H335<br>H315<br>H318<br>H336      | GHS02<br>GHS05<br>GHS07<br>Dgr          | H226<br>H335<br>H315<br>H318<br>H336      |                                 |                                  |       |
| ▼M1<br>603-109-00-7 | reaction mass of: 1-ethoxy-1,1,2,3,3,3-hexafluoro-2-(trifluoromethyl)propane;<br>1-ethoxy-1,1,2,2,3,3,4,4,4-nonafluorobutane              | 425-340-0 | —           | Aquatic Chronic 4   | H413                                      | —                                       | H413                                      |                                 |                                  |       |
| 603-110-00-2        | reaction mass of: <i>cis</i> -2-isobutyl-5-methyl 1,3-dioxane;<br><i>trans</i> -2-isobutyl-5-methyl 1,3-dioxane                           | 426-130-1 | 166301-21-9 | Skin Irrit. 2<br>Aquatic Chronic 3                                    | H315<br>H412                              | GHS07<br>Wng                            | H315<br>H412                              |                                 |                                  |       |
| 603-111-00-8        | reaction mass of: 1-(1,1-dimethylpropyl)-4-ethoxy- <i>cis</i> -cyclohexane;<br>1-(1,1-dimethylpropyl)-4-ethoxy- <i>trans</i> -cyclohexane | 426-530-6 | —           | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H315<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng                   | H315<br>H410                              |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 603-112-00-3 | cyclopentyl 2-phenylethyl ether  | 428-340-9 | —           | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H315<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H315<br>H410                         |                                 |                                  |       |
| 603-113-00-9 | 6-glycidyoxy-naphth-1-yl oxymethyloxirane  | 429-960-2 | 27610-48-6  | Muta. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H341<br>H312<br>H315<br>H317<br>H412 | GHS08<br>GHS07<br>Wng          | H341<br>H312<br>H315<br>H317<br>H412 |                                 |                                  |       |
| 603-114-00-4 | 9-(2-propenyloxy)tricyclo[5.2.1.0(2,6)]dec-3(or-4)-ene   | 430-830-2 | 26912-64-1  | Skin Irrit. 2<br>Aquatic Chronic 2  | H315<br>H411                         | GHS07<br>GHS09<br>Wng          | H315<br>H411                         |                                 |                                  |       |
| 603-115-00-X | reaction mass of: <i>O,O',O''</i> -(methylsilylanetriyl)tris(4-methyl-2-pentanone oxime) (3 stereoisomers) | 423-580-0 | —           | STOT RE 2 *<br>Aquatic Chronic 4  | H373**<br>H413                       | GHS08<br>Wng                   | H373**<br>H413                       |                                 |                                  |       |
| 603-116-00-5 | ( <i>Z</i> )-(2,4-difluorophenyl)pi-peridin-4-ylmethanone oxime monohydrochloride                          | 424-740-2 | 138271-16-6 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                               | H302<br>H318<br>H412                 | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412                 |                                 |                                  |       |
| 603-117-00-0 | propan-2-ol;<br>isopropyl alcohol;<br>isopropanol  | 200-661-7 | 67-63-0     | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                                       | H225<br>H319<br>H336                 | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336                 |                                 |                                  |       |
| 603-118-00-6 | 6-dimethylaminohexan-1-ol  | 404-680-3 | 1862-07-3   | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 3                            | H302<br>H314<br>H412                 | GHS05<br>GHS07<br>Dgr          | H302<br>H314<br>H412                 |                                 |                                  |       |
| 603-119-00-1 | 1,1'-(1,3-phenylenedioxy)bis(3-(2-(prop-2-enyl)phenoxy)propan-2-ol)  | 405-840-5 | —           | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H317<br>H410                         |                                 |                                  |       |

▼ **B**

▼**B**

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |  | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|--|--|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)                                | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-120-00-7 | 2-methyl-5-phenylpentanol  | 405-890-8   | 25634-93-9   | Eye Irrit. 2<br>Skin Irrit. 2                                    | H319<br>H315   | GHS07<br>Wng                   | H319<br>H315             |                                 |                                  |       |
| 603-121-00-2 | 4-[4-(1,3-dihydroxyprop-2-yl)phenylamino]-1,8-dihydroxy-5-nitroanthraquinone | 406-057-1   | 114565-66-1  | Carc. 2<br>Skin Sens. 1<br>Aquatic Chronic 4                     | H351<br>H317<br>H413                                   | GHS08<br>GHS07<br>Wng          | H351<br>H317<br>H413     |                                 |                                  |       |
| 603-122-00-8 | sodium 2-ethylhexanolate   | 406-150-7   | 38411-13-1   | Flam. Sol. 1<br>Skin Corr. 1B<br>Aquatic Chronic 3               | H228<br>H314<br>H412                                   | GHS02<br>GHS05<br>Dgr          | H228<br>H314<br>H412     |                                 |                                  | T     |
| 603-123-00-3 | 4-methyl-8-methylenetri-cyclo[3.3.1.1 <sup>3,7</sup> ]decan-2-ol             | 406-330-5   | 122760-84-3  | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2               | H315<br>H317<br>H411                                   | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H411     |                                 |                                  |       |
| 603-124-00-9 | 1,4-bis[2-(vinyloxy)ethoxy]benzene   | 406-900-3   | 84563-49-5   | Aquatic Acute 1<br>Aquatic Chronic 1                             | H400<br>H410   | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 603-125-00-4 | 2-(2,4-dichlorophenyl)-1-(1 <i>H</i> -1,2,4-triazol-1-yl)pent-4-en-2-ol      | 407-850-5   | 89544-40-1   | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2                | H302<br>H318<br>H411                                   | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| 603-126-00-X | 2-((4-methyl-2-nitrophenyl)amino)ethanol                                     | 408-090-7   | 100418-33-5  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3              | H302<br>H317<br>H412                                   | GHS07<br>Wng                   | H302<br>H317<br>H412     |                                 |                                  |       |
| ▼ <b>M1</b>  | 603-127-00-5   | butan-2-ol; [1]<br>( <i>S</i> )-butan-2-ol; [2]<br>( <i>R</i> )-butan-2-ol; [3]<br>(±)-butan-2-ol [4] | 201-158-5 [1]<br>224-168-1 [2]<br>238-967-8 [3]<br>240-029-8 [4] | 78-92-2 [1]<br>4221-99-2 [2]<br>14898-79-4 [3]<br>15892-23-6 [4] | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>STOT SE 3 | H226<br>H319<br>H335<br>H336   | GHS02<br>GHS07<br>Wng    | H226<br>H319<br>H335<br>H336    |                                  | C     |
| ▼ <b>B</b>   | 603-128-00-0   | 2-(phenylmethoxy)naphthalene  | 405-490-3  | 613-62-7   | Aquatic Chronic 4                                      | H413                           | —                        | H413                            |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-129-00-6 | 1- <i>tert</i> -butoxypropan-2-ol  | 406-180-0 | 57018-52-7 | Flam. Liq. 3<br>Eye Dam. 1                       | H226<br>H318             | GHS02<br>GHS05<br>Dgr          | H226<br>H318             |                                 |                                  |       |
| 603-130-00-1 | reaction mass of isomers of: $\alpha$ -((dimethyl)biphenyl)- $\omega$ -hydroxypoly(oxyethylene)  | 406-325-8 | —          | Acute Tox. 4 *<br>Aquatic Chronic 3              | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 603-131-00-7 | reaction mass of: 1-deoxy-1-[methyl-(1-oxododecyl)amino]-D-glucitol;<br>1-deoxy-1-[methyl-(1-oxotetradecyl)amino]-D-glucitol (3:1)   | 407-290-1 | —          | Eye Dam. 1                                       | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 603-132-00-2 | 2-hydroxymethyl-9-methyl-6-(1-methylethyl)-1,4-dioxaspiro[4.5]decane   | 408-200-3 | 63187-91-7 | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H315<br>H318<br>H412     | GHS05<br>Dgr                   | H315<br>H318<br>H412     |                                 |                                  |       |
| 603-133-00-8 | reaction mass of: 3-[(4-amino-2-chloro-5-nitrophenyl)amino]propane-1,2-diol;<br>3,3'-(2-chloro-5-nitro-1,4-phenylenediimino)bis(propan-1,2-diol)   | 408-240-1 | —          | Acute Tox. 4 *<br>Aquatic Chronic 3              | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 603-134-00-3 | reaction mass of substituted dodecyl and/or tetradecyl, diphenyl ethers. The substance is produced by the Friedel Crafts reaction. The catalyst is removed from the reaction product. Diphenyl ether is substituted by C <sub>1</sub> -C <sub>10</sub> alkyl groups. The alkyl groups are bonded randomly between C <sub>1</sub> and C <sub>6</sub> . Linear C <sub>12</sub> and C <sub>14</sub> , 50/50 used. | 410-450-3 | —          | Aquatic Chronic 4                                | H413                     | —                              | H413                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-135-00-9 | bis[[2,2',2"-nitrilotris-[ethanolato]]-1- <i>N,O</i> ]-bis[2-(2-methoxyethoxy)ethoxy]-titanium   | 410-500-4 | —           | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| 603-136-00-4 | 3-((4-(bis(2-hydroxyethyl)amino)-2-nitrophenyl)amino)-1-propanol   | 410-910-3 | 104226-19-9 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 603-137-00-X | reaction mass of: 1-deoxy-1-[methyl-(1-oxohexadecyl)amino]-D-glucitol; 1-deoxy-1-[methyl-(1-oxooctadecyl)amino]-D-glucitol                                 | 411-130-6 | —           | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 603-138-00-5 | 3-(2,2-dimethyl-3-hydroxypropyl)toluene;<br>(alt.): 2,2-dimethyl-3-(3-methylphenyl)propanol  | 403-140-4 | 103694-68-4 | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 603-139-00-0 | bis(2-methoxyethyl) ether  | 203-924-4 | 111-96-6    | Flam. Liq. 3<br>Repr. 1B          | H226<br>H360FD           | GHS02<br>GHS08<br>Dgr          | H226<br>H360FD           | EUH019                          |                                  |       |
| 603-140-00-6 | 2,2'-oxybisethanol;<br>diethylene glycol   | 203-872-2 | 111-46-6    | Acute Tox. 4 *                    | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 603-141-00-1 | reaction mass of: dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethoxy)]pentadecane; dodecyloxy-1-methyl-1-[oxy-poly-(2-hydroxymethylethoxy)]heptadecane | 413-780-6 | —           | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 603-142-00-7 | 2-(2-(2-hydroxyethoxy)ethyl)-2-aza-bicyclo[2.2.1]heptane   | 407-360-1 | 116230-20-7 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1   | H312<br>H302<br>H373 **<br>H315<br>H318                           | GHS06<br>GHS08<br>GHS05<br>Dgr          | H312<br>H302<br>H373 **<br>H315<br>H318                           |                                 |                                  |       |
| 603-143-00-2 | R—2,3-epoxy-1-propanol   | 404-660-4 | 57044-25-4  | Self-react. C ****<br>Carc. 1B<br>Muta. 2<br>Repr. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B | H242<br>H350<br>H341<br>H360F ***<br>H331<br>H312<br>H302<br>H314 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H242<br>H350<br>H341<br>H360F ***<br>H331<br>H312<br>H302<br>H314 |                                 |                                  |       |
| 603-144-00-8 | reaction mass of: 2,6,9-trimethyl-2,5,9-cyclododecatrien-1-ol;<br>6,9-dimethyl-2-methylen-5,9-cyclododecadien-1-ol | 413-530-6 | 111850-00-1 | Aquatic Chronic 2  | H411  | GHS09                                   | H411  |                                 |                                  |       |
| 603-145-00-3 | 2-isopropyl-2-(1-methylbutyl)-1,3-dimethoxypropane   | 406-970-5 | 129228-11-1 | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411  | GHS07<br>GHS09<br>Wng                   | H315<br>H411  |                                 |                                  |       |
| 603-146-00-9 | 2-[(2-[2-(dimethyl-amino)ethoxy]ethyl)methyl-amino]ethanol   | 406-080-7 | 83016-70-0  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 3   | H302<br>H314<br>H412  | GHS05<br>GHS07<br>Dgr                   | H302<br>H314<br>H412  |                                 |                                  |       |
| 603-147-00-4 | (-)-trans-4-(4'-fluorophenyl)-3-hydroxymethyl-N-methyl-piperidine  | 406-030-4 | 105812-81-5 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2  | H302<br>H318<br>H411  | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H318<br>H411  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                         | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 603-148-00-X | 1,4-bis[(vinyloxy)methyl]cyclohexane  | 413-370-7 | 17351-75-6  | Skin Sens. 1<br>Aquatic Chronic 2                         | H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H317<br>H411                         |                                 |                                  |       |
| 603-149-00-5 | reaction mass of diastereoisomers of 1-(1-hydroxyethyl)-4-(1-methylethyl)cyclohexane  | 407-640-3 | 63767-86-2  | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2        | H319<br>H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H411                 |                                 |                                  |       |
| 603-150-00-0 | (±) <i>trans</i> -3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)-pent-4-en-2-ol | 411-580-3 | 107898-54-4 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H315<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H315<br>H410                         |                                 |                                  |       |
| 603-151-00-6 | (±)-2-(2,4-dichlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)propan-1-ol              | 413-570-4 | —           | Aquatic Chronic 3   | H412                                 | —                              | H412                                 |                                 |                                  |       |
| 603-152-00-1 | 2-(4- <i>tert</i> -butylphenyl)ethanol  | 410-020-5 | 5406-86-0   | Repr. 2<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H361f ***<br>H373 **<br>H318<br>H411 | GHS08<br>GHS05<br>GHS09<br>Dgr | H361f ***<br>H373 **<br>H318<br>H411 |                                 |                                  |       |
| 603-153-00-7 | 3-((2-nitro-4-(trifluoromethyl)phenyl)amino)propane-1,2-diol                          | 410-010-0 | 104333-00-8 | Acute Tox. 4 *<br>Aquatic Chronic 3                       | H302<br>H412                         | GHS07<br>Wng                   | H302<br>H412                         |                                 |                                  |       |
| 603-154-00-2 | 1-[(2- <i>tert</i> -butyl)cyclohexyloxy]-2-butanol                                    | 412-300-2 | 139504-68-0 | Aquatic Chronic 2   | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              |   |           |             |   |                              |                                |                          |                                 |                                  |       |
|              |   |           |             |   |                              |                                |                          |                                 |                                  |       |
| 603-156-00-3 | 2-(2,4-dichlorophenyl)-2-(2-propenyl)oxirane  | 411-210-0 | 89544-48-9  | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410     |                                 |                                  |       |
| 603-157-00-9 | 6,9-bis(hexadecyloxymethyl)-4,7-dioxanonane-1,2,9-triol   | 411-450-6 | 143747-72-2 | Aquatic Chronic 4   | H413                         | —                              | H413                     |                                 |                                  |       |
| 603-158-00-4 | reaction mass of 4 diastereoisomers of 2,7-dimethyl-10-(1-methylethyl)-1-oxaspiro[4.5]deca-3,6-diene                    | 412-460-3 | —           | Skin Irrit. 2<br>Aquatic Chronic 2                                    | H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |
| 603-159-00-X | 2-cyclododecylpropan-1-ol   | 411-410-8 | 118562-73-5 | Aquatic Acute 1<br>Aquatic Chronic 1                                  | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 603-160-00-5 | 1,2-diethoxypropane   | 412-180-1 | 10221-57-5  | Flam. Liq. 2  | H225                         | GHS02<br>Dgr                   | H225                     | EUH019                          |                                  |       |
| 603-161-00-0 | 1,3-diethoxypropane   | 413-140-6 | 3459-83-4   | Flam. Liq. 3  | H226                         | GHS02<br>Wng                   | H226                     |                                 |                                  |       |
| 603-162-00-6 | $\alpha$ [2-[[[(2-hydroxyethyl)methylamino]acetyl]amino]propyl]- $\omega$ -nonylphenoxy]poly[oxo(methyl-1,2-ethanediy)] | 413-420-8 | 144736-29-8 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2                    | H314<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411     |                                 |                                  |       |
| 603-163-00-1 | 2-phenyl-1,3-propanediol  | 411-810-2 | 1570-95-2   | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 603-164-00-7 | 2-butyl-4-chloro-4,5-dihydro-5-hydroxymethyl-1-[2'-(2-triphenylmethyl-1,2,3,4-2H-tetrazol-5-yl)-1,1'-biphenyl-4-methyl]-1H-imidazole  | 412-420-5 | 133909-99-6 | Aquatic Chronic 4   | H413   | —                                       | H413   |                                 |                                  |       |
| 603-165-00-2 | reaction mass of: 4-allyl-2,6-bis(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol; 4-allyl-6-[3-[6-[3-(4-allyl-2,6-bis(2,3-epoxypropyl)phenoxy)-2-hydroxypropyl]-4-allyl-2-(2,3-epoxypropyl)phenoxy]-2-hydroxypropyl]-2-(2,3-epoxypropyl)phenol | 417-470-1 | —           | Muta. 2<br>Skin Sens. 1   | H341<br>H317   | GHS08<br>GHS07<br>Wng                   | H341<br>H317   |                                 |                                  |       |
| 603-166-00-8 | R-1-chloro-2,3-epoxypropane   | 424-280-2 | 51594-55-9  | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H226<br>H350<br>H331<br>H311<br>H301<br>H314<br>H317 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-167-00-3 | 3,3',5,5'-tetra- <i>tert</i> -butylbiphenyl-2,2'-diol   | 407-920-5 | 6390-69-8   | Aquatic Chronic 4                                 | H413                     | GHS05<br>Dgr                   | H413                     |                                 |                                  |       |
| 603-168-00-9 | 3-(2-ethylhexyloxy)propane-1,2-diol   | 408-080-2 | 70445-33-9  | Eye Dam. 1<br>Aquatic Chronic 3                   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 603-169-00-4 | (±)- <i>trans</i> -4-(4-fluorophenyl)-3-hydroxymethyl- <i>N</i> -methylpiperidine   | 415-550-0 | 109887-53-8 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| 603-170-00-X | reaction mass of: 2-methyl-1-(6-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol;<br>2-methyl-1-(1-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol;<br>2-methyl-1-(5-methylbicyclo[2.2.1]hept-5-en-2-yl)pent-1-en-3-ol | 415-990-3 | 67739-11-1  | Eye Irrit. 2<br>Aquatic Chronic 2                 | H319<br>H411             | GHS07<br>GHS09<br>Wng          | H319<br>H411             |                                 |                                  |       |
| 603-171-00-5 | 5-thiazolylmethanol   | 414-780-9 | 38585-74-9  | Eye Dam. 1<br>Aquatic Chronic 3                   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 603-172-00-0 | mono-2-[2-(4-dibenzo[ <i>b,f</i> ][1,4]thiazepin-11-yl)piperazinium-1-yl]ethoxyethanol <i>trans</i> -butenedioate   | 415-180-1 | 773058-82-5 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| 603-173-00-6 | 4,4-dimethyl-3,5,8-trioxabicyclo[5.1.0]octane   | 421-750-9 | 57280-22-5  | Eye Irrit. 2<br>Skin Sens. 1                      | H319<br>H317             | GHS07<br>Wng                   | H319<br>H317             |                                 |                                  |       |
| 603-174-00-1 | 4-cyclohexyl-2-methyl-2-butanol   | 420-630-3 | 83926-73-2  | Eye Dam. 1<br>Aquatic Chronic 2                   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No                          | CAS No                          | Classification  |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|---------------------------------|---|---------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |  |                                |                                 | Hazard Class and Category Code(s)                               | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 603-175-00-7 | 2-(2-hexyloxyethoxy)ethanol;<br>DEGHE;<br>diethylene glycol monoethyl ether;<br>3,6-dioxa-1-dodecanol;<br>hexyl carbitol;<br>3,6-dioxadodecan-1-ol | 203-988-3                      | 112-59-4                        | Acute Tox. 4 *<br>Eye Dam. 1                                    | H312<br>H318                    | GHS05<br>GHS07<br>Dgr          | H312<br>H318                    |                                 |                                  |       |
| 603-176-00-2 | 1,2-bis(2-methoxyethoxy)ethane;<br>TEGDME;<br>triethylene glycol dimethyl ether;<br>triglyme   | 203-977-3                      | 112-49-2                        | Repr. 1B  | H360Df                          | GHS08<br>Dgr                   | H360Df                          | EUH019                          |                                  |       |
| 603-177-00-8 | 1-ethoxypropan-2-ol;<br>2PG1EE;<br>1-ethoxy-2-propanol;<br>propylene glycol monoethyl ether; [1]<br>2-ethoxy-1-methylethyl acetate;<br>2PG1EEA [2] | 216-374-5 [1]<br>259-370-9 [2] | 1569-02-4 [1]<br>54839-24-6 [2] | Flam. Liq. 3<br>STOT SE 3                                       | H226<br>H336                    | GHS02<br>GHS07<br>Wng          | H226<br>H336                    |                                 |                                  |       |
| 603-178-00-3 | 2-hexyloxyethanol;<br>ethylene glycol monoethyl ether;<br>n-hexylglycol  | 203-951-1                      | 112-25-4                        | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B               | H312<br>H302<br>H314            | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314            |                                 |                                  |       |
| 603-179-00-9 | ergocalciferol (ISO);<br>Vitamin D2  | 200-014-9                      | 50-14-6                         | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1 | H330<br>H311<br>H301<br>H372 ** | GHS06<br>GHS08<br>Dgr          | H330<br>H311<br>H301<br>H372 ** |                                 |                                  |       |
| 603-180-00-4 | colecalfiferol;<br>Vitamin D3  | 200-673-2                      | 67-97-0                         | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1 | H330<br>H311<br>H301<br>H372 ** | GHS06<br>GHS08<br>Dgr          | H330<br>H311<br>H301<br>H372 ** |                                 |                                  |       |

▼B

| Index No                    | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors  | Notes |
|-----------------------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|---|-------|
|                             |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |   |       |
| 603-181-00-X                | <i>tert</i> -butyl methyl ether;<br>MTBE;<br>2-methoxy-2-methylpropane   | 216-653-1 | 1634-04-4   | Flam. Liq. 2<br>Skin Irrit. 2  | H225<br>H315                         | GHS02<br>GHS07<br>Dgr          | H225<br>H315                 |                                 |   |       |
| ▼ <u>M1</u><br>603-182-00-5 | reaction product of: saturated, monounsaturated and multiple unsaturated long-chained partly estrified alcohols of vegetable origin ( <i>Brassica napus</i> L., <i>Brassica rapa</i> L., <i>Helianthus annuus</i> L., <i>Glycine hispida</i> , <i>Gossypium hirsutum</i> L., <i>Cocos nucifera</i> L., <i>Elaeis guineensis</i> ) with <i>O,O</i> -diisobutyldithiophosphate and 2-ethylhexylamine and hydrogen peroxide | 428-630-5 | —           | Skin Sens. 1   | H317                                 | GHS07<br>Wng                   | H317                         |                                 |   |       |
| ▼ <u>B</u><br>603-183-00-0  | 2-[2-(2-butoxyethoxy)ethoxy]ethanol;<br>TEGBE;<br>triethylene glycol monobutyl ether;<br>butoxytriethylene glycol  | 205-592-6 | 143-22-6    | Eye Dam. 1   | H318                                 | GHS05<br>Dgr                   | H318                         |                                 | Eye Dam. 1;<br>H318: C ≥ 30 %<br>Eye Irrit. 2;<br>H319: 20 % ≤ C < 30 % |       |
| 603-184-00-6                | 2-(hydroxymethyl)-2-[[2-hydroxy-3-(isooctadecyloxy)propoxy]methyl]-1,3-propanediol   | 416-380-1 | 146925-83-9 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                         |                                 |   |       |
| 603-185-00-1                | 2,4-dichloro-3-ethyl-6-nitrophenol   | 420-740-1 | 99817-36-4  | Acute Tox. 3 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H317<br>H410 |                                 |   |       |



▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-186-00-7 | trans-(5 <i>RS</i> ,6 <i>SR</i> )-6-amino-2,2-dimethyl-1,3-dioxepan-5-ol   | 419-050-3 | 79944-37-9  | Skin Sens. 1                         | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 603-187-00-2 | 2-((4,6-bis(4-(2-(1-methylpyridinium-4-yl)vinyl)phenylamino)-1,3,5-triazin-2-yl)(2-hydroxyethyl)amino)ethanol dichloride   | 419-360-9 | 163661-77-6 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 603-188-00-8 | reaction mass of: 6,7-epoxy-1,2,3,4,5,6,7,8-octahydro-1,1,2,4,4,7-hexamethylnaphthalene;<br>7,8-epoxy-1,2,3,4,6,7,8,8a-octahydro-1,1,2,4,4,7-hexamethylnaphthalene | 426-970-9 | —           | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 603-189-00-3 | reaction mass of complexes of: titanium, 2,2'-oxydiethanol, ammonium lactate, nitrilotris(2-propanol) and ethylene glycol  | 405-250-8 | —           | Aquatic Chronic 2                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 603-190-00-9 | 8,8-dimethyl-7-isopropyl-6,10-dioxaspiro[4.5]decane  | 424-030-2 | 62406-73-9  | Skin Irrit. 2<br>Aquatic Chronic 3   | H315<br>H412             | GHS07<br>Wng                   | H315<br>H412             |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 603-191-00-4 | 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(3-((2-ethylhexyl)oxy)-2-hydroxypropoxy)phenol  | 419-740-4 | 137658-79-8 | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-192-00-X | ( <i>E,E</i> )-3,7,11-trimethyldodeca-1,4,6,10-tetraen-3-ol                                       | 423-240-1 | 125474-34-2 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 603-193-00-5 | disodium 9,10-anthracene-dioxide  | 426-030-8 | 46492-07-3  | Skin Corr. 1A   | H314                                 | GHS05<br>Dgr                   | H314                         |                                 |                                  |       |
| ▼ <b>M6</b>  |   |           |             |   |                                      |                                |                              |                                 |                                  |       |
| 603-194-00-0 | 2-(2-aminoethylamino)ethanol; (AEEA)  | 203-867-5 | 111-41-1    | Repr. 1B<br>Skin Corr. 1B<br>Skin Sens. 1   | H360Df<br>H314<br>H317               | GHS05<br>GHS08<br>GHS07<br>Dgr | H360Df<br>H314<br>H317       |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| ▼ <b>B</b>   |   |           |             |   |                                      |                                |                              |                                 |                                  |       |
| 603-195-00-6 | 2-[4-(4-methoxyphenyl)-6-phenyl-1,3,5-triazin-2-yl]-phenol  | 430-810-3 | 154825-62-4 | Aquatic Chronic 3   | H412                                 | —                              | H412                         |                                 |                                  |       |
| 603-196-00-1 | 2-(7-ethyl-1 <i>H</i> -indol-3-yl)ethanol   | 431-020-1 | 41340-36-7  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2                                  | H302<br>H373 **<br>H411              | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H411      |                                 |                                  |       |
| ▼ <b>M11</b> |   |           |             |   |                                      |                                |                              |                                 |                                  |       |
| 603-197-00-7 | tebuconazole (ISO); 1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl)pentan-3-ol       | 403-640-2 | 107534-96-3 | Repr. 2<br>Acute Tox. 4<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H361d***<br>H302<br>H400<br>H410     | GHS08<br>GHS07<br>GHS09<br>Wng | H361d***<br>H302<br>H410     |                                 | M = 1<br>M = 10                  |       |
| ▼ <b>B</b>   |   |           |             |   |                                      |                                |                              |                                 |                                  |       |
| 603-199-00-8 | etoxazol (ISO); (RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl]phenetole | —         | 153233-91-1 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                         | GHS09<br>Wng                   | H410                         |                                 | M = 100                          |       |

## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|-----------------------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |                                |                             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 603-200-00-1 | 1-pentanol; [1]<br>3-pentanol [2]   | 200-752-1 [1]<br>209-526-7 [2] | 71-41-0 [1]<br>584-02-1 [2] | Flam. Liq. 3<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2                   | H226<br>H332<br>H335<br>H315           | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H335<br>H315           |                                 |                                  |       |
| 603-201-00-7 | (E)-(7R, 11R)-3,7,11,15-tetramethylhexadec-2-ene-1-ol   | 416-120-5                      | —                           | Skin Irrit. 2<br>Aquatic Chronic 4   | H315<br>H413                           | GHS07<br>Wng                   | H315<br>H413                           |                                 |                                  |       |
| 603-202-00-2 | 4,4,5,5,5-pentafluoropentan-1-ol  | 421-360-9                      | 148043-73-6                 | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412                           | GHS07<br>Wng                   | H302<br>H412                           |                                 |                                  |       |
| 603-203-00-8 | (1R,3S,7R,8R,10R,13R)-5,5,7,9,9,13-hexamethyl-4,6-dioxatetra-cyclo[6.5.1.0 <sup>1,10</sup> .0 <sup>3,7</sup> ]tetradecane | 427-580-1                      | —                           | Skin Irrit. 2  | H315                                   | GHS07<br>Wng                   | H315                                   |                                 |                                  |       |
| 603-204-00-3 | reaction mass of: 2,2'-(heptane-1,7-diyl)bis-1,3-dioxolane;<br>2,2'-(heptane-1,6-diyl)bis-1,3-dioxolane                   | 428-110-8                      | —                           | Aquatic Chronic 3  | H412                                   | —                              | H412                                   |                                 |                                  |       |
| 603-205-00-9 | (1S-cis)-4-(2-amino-6-chloro-9H-purin-9-yl)-2-cyclopentene-1-methanol hydrochloride                                       | 426-200-1                      | 172015-79-1                 | STOT RE 1<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H372**<br>H302<br>H318<br>H317<br>H412 | GHS05<br>GHS08<br>GHS07<br>Dgr | H372**<br>H302<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 603-206-00-4 | 2,2-dichloro-1,3-benzodioxol  | 426-850-6                      | 2032-75-9                   | Flam. Liq. 3<br>Skin Corr. 1A<br>Acute Tox. 4 *<br>Skin Sens. 1                | H226<br>H314<br>H302<br>H317           | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H314<br>H302<br>H317           | EUH014                          |                                  |       |
| 603-207-00-X | 2-isobutyl-2-isopropyl-1,3-dimethoxypropane   | 430-800-9                      | 129228-21-3                 | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411                           | GHS07<br>GHS09<br>Wng          | H315<br>H411                           |                                 |                                  |       |

## ▼M1

## ▼ M1

| Index No     | International Chemical Identification  | EC No                   | CAS No                                      | Classification                           |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-------------------------|---|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |                         |   | Hazard Class and Category Code(s)        | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-208-00-5 | 1,2-diethoxyethane   | 211-076-1               | 629-14-1                                    | Flam. Liq. 2<br>Repr. 1A<br>Eye Irrit. 2 | H225<br>H360Df<br>H319   | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H360Df<br>H319   | EUH019                          |                                  |       |
| 603-209-00-0 | spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50);<br>reaction mass of 50-95 % of (2 <i>R</i> , 3 <i>aS</i> , 5 <i>aR</i> , 5 <i>bS</i> , 9 <i>S</i> , 13 <i>S</i> , 14 <i>R</i> , 16 <i>aS</i> , 16 <i>bR</i> )-2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- $\alpha$ -l-mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetraoxy- $\beta$ -d-erythropranosyloxy)-9-ethyl-2,3,3 <i>a</i> ,5 <i>a</i> ,5 <i>b</i> ,6,7,9,10,11,12,13,-14,15,16 <i>a</i> ,16 <i>b</i> -hexadecahydro-14-methyl-1 <i>H</i> -8-oxacyclopentadecan-7,15-dione and 50-5 % (2 <i>S</i> , 3 <i>aR</i> , 5 <i>aS</i> , 5 <i>bS</i> , 9 <i>S</i> , 13 <i>S</i> , 14 <i>R</i> , 16 <i>aS</i> , 16 <i>bS</i> )-2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- $\alpha$ -l-mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetraoxy- $\beta$ -d-erythropranosyloxy)-9-ethyl-2,3,3 <i>a</i> ,5 <i>a</i> ,5 <i>b</i> ,6,7,9,10,11,12,13,-14,15,16 <i>a</i> ,16 <i>b</i> -hexadecahydro-4,14-dimethyl-1 <i>H</i> -8-oxacyclopentadecan-7,15-dione; [1]<br>spinosyn A; [2]<br>spinosyn D [3] | - [1]<br>- [2]<br>- [3] | - [1]<br>131929-60-7 [2]<br>131929-63-0 [3] | Aquatic Acute 1<br>Aquatic Chronic 1     | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 | M=10                             |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 603-210-00-6 | 2,4-diethyl-1,5-pentanediol   | 429-310-8 | 57987-55-0  | Eye Dam. 1   | H318   | GHS05<br>Dgr                                     | H318   |                                 |                                  |       |
| 603-211-00-1 | 2,3-epoxypropyltrimethylammonium chloride ... %;<br>glycidyl trimethylammonium chloride ... % | 221-221-0 | 3033-77-0   | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H350<br>H341<br>H361F***<br>H312<br>H302<br>H373**<br>H318<br>H317<br>H412 | GHS05<br>GHS08<br>GHS07<br>Dgr                   | H350<br>H341<br>H361F***<br>H312<br>H302<br>H373**<br>H318<br>H317<br>H412 |                                 |                                  | B     |
| 603-212-00-7 | 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran;<br>galaxolide;<br>(HHCB)      | 214-946-9 | 1222-05-5   | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410   | GHS09<br>Wng                                     | H410   |                                 |                                  |       |
| 603-213-00-2 | 2-methoxy-2-methylbutane;<br><i>tert</i> -amyl methyl ether                                   | 213-611-4 | 994-05-8    | Flam. Liq. 2<br>Acute Tox. 4 *<br>STOT SE 3  | H225<br>H302<br>H336   | GHS02<br>GHS07<br>Dgr                            | H225<br>H302<br>H336   |                                 |                                  |       |
| 603-214-00-8 | 1,1-diisopropoxycyclohexane   | 413-740-8 | 1132-95-2   | Skin Corr. 1B  | H314   | GHS05<br>Dgr                                     | H314   |                                 |                                  |       |
| 603-215-00-3 | 1-hydroxy-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate)                    | 418-330-2 | 162241-33-0 | Expl. 1.1****<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H201<br>H302<br>H373**<br>H318<br>H317<br>H400<br>H410                     | GHS01<br>GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H201<br>H302<br>H373**<br>H318<br>H317<br>H410                             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|---|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-216-00-9 | <i>cis</i> -1-amino-2,3-dihydro-1 <i>H</i> -inden-2-ol  | 422-660-2 | 7480-35-5   | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                  | H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr                   | H318<br>H317<br>H412         |                                 |                                  |       |
| 603-217-00-4 | 2,4,6-tri- <i>tert</i> -butylphenyl 2-butyl-2-ethyl-1,3-propanediolphosphite  | 423-560-1 | 161717-32-4 | Skin Sens. 1<br>Aquatic Chronic 4                                | H317<br>H413                 | GHS07<br>Wng                            | H317<br>H413                 |                                 |                                  |       |
| 603-220-00-0 | 1- $\{$ benzyl $\}$ 2-(2-methoxyphenoxy)ethyl $\{$ amino $\}$ -3-(9 <i>H</i> -carbazol-4-yloxy)propan-2-ol  | 432-890-5 | 72955-94-3  | Aquatic Chronic 4  | H413                         | —                                       | H413                         |                                 |                                  |       |
| 603-221-00-6 | 1-(2-amino-5-chlorophenyl)-2,2,2-trifluoro-1,1-ethanediol, hydrochloride;<br>[containing < 0,1 % 4-chloroaniline (EC No 203-401-0)]   | 433-580-2 | 214353-17-0 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2             | H302<br>H314<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H314<br>H411         |                                 |                                  |       |
| 603-221-01-3 | 1-(2-amino-5-chlorophenyl)-2,2,2-trifluoro-1,1-ethanediol, hydrochloride;<br>[containing $\geq$ 0,1 % 4-chloroaniline (EC No 203-401-0)]  | 433-580-2 | 214353-17-0 | Carc. 1B<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H350<br>H302<br>H314<br>H411 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H314<br>H411 |                                 |                                  |       |
| 603-222-00-1 | (2 <i>R</i> , 3 <i>S</i> , 4 <i>R</i> , 5 <i>R</i> , 7 <i>R</i> , 9 <i>R</i> , 10 <i>R</i> , 11 <i>S</i> , 12 <i>S</i> , 13 <i>R</i> )-10-[(4-dimethylamino-3-hydroxy-6-methyltetrahydropyran-2-yl)oxy]-2-ethyl-3,4,12-trihydroxy-9-methoxy-3,5,7,9,11,13-hexamethyl-6,14-dioxo-1-oxacyclotetradecane | 433-820-6 | 118058-74-5 | Eye Irrit. 2   | H319                         | GHS07<br>Wng                            | H319                         |                                 |                                  |       |
| 603-223-00-7 | 2-cyclopentylidene cyclopentanol;<br>1,1'-bi(cyclopentyliden)-2-ol  | 434-270-1 | 6261-30-9   | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3                 | H315<br>H318<br>H412         | GHS05<br>Dgr                            | H315<br>H318<br>H412         |                                 |                                  |       |
| 603-224-00-2 | 3-ethoxy-1,1,1,2,3,4,4,5,5,6,6,6-dodecafluoro-2-(trifluoromethyl)-hexane  | 435-790-1 | 297730-93-9 | Aquatic Chronic 4  | H413                         | —                                       | H413                         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                               |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)            | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 603-225-00-8 | erythromycin A9-oxime (E); (3 <i>R</i> , 4 <i>S</i> , 5 <i>S</i> , 6 <i>R</i> , 7 <i>R</i> , 9 <i>R</i> , 11 <i>R</i> , 12 <i>R</i> , 13 <i>S</i> , 14 <i>R</i> )-4-((2,6-didesoxy-3- <i>C</i> -methyl-3- <i>O</i> -methyl- $\alpha$ - <i>L</i> -ribo-hexopiranosyl)oxy)-14-ethyl-7,12,13-trihydroxy-3,5,7,9,11,13-hexamethyl-6-((3,4,6-tridesoxy-3-dimethylamino- $\beta$ - <i>D</i> -xylohexapiranosyl)oxy)oxacyclotetradecan-2-ona-10-oxime (E) | 437-070-0 | 13127-18-9  | Aquatic Chronic 2                            | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 603-226-00-3 | 4,4'(4-(4-methoxyphenyl)-1,3,5-triazin-2,4-diyl)bisbenzene-1,3-diol  | 444-500-0 | 1440-00-2   | Aquatic Chronic 3                            | H412                     | —                              | H412                     |                                 |                                  |       |
| 603-227-00-9 | $\alpha$ -hydro- $\omega$ -[[[(1,1-dimethyl-ethyl)dioxy]carbonyl]oxy]-poly[oxy(methyl-1,2-ethanediy)] ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1);<br>reaction product of: $\alpha$ -hydro- $\omega$ -((chlorocarbonyl)oxy)-poly(oxy(methyl-1,2-ethanediy)) ether with 2,2-bis(hydroxymethyl)-1,3-propanediol with potassium 1,1-dimethyl-ethylperoxalate  | 445-060-2 | 203574-04-3 | ****<br>Aquatic Acute 1<br>Aquatic Chronic 1 | ****<br>H400<br>H410     | ****<br>GHS09<br>Wng           | ****<br>H410             |                                 |                                  |       |
| 603-228-00-4 | (+/-)-(R*, R*)-6-fluoro-3,4-dihydro-2-oxiranyl-2 <i>H</i> -1-benzopyran;<br>6-fluoro-2-(2-oxiranyl)chromane  | 419-620-1 | —           | Skin Sens. 1<br>Aquatic Chronic 2            | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 603-229-00-X | sodium (Z)-3-chloro-3-(4-chlorophenyl)-1-hydroxy-2-propene-1-sulfonate  | 420-800-7 | —      | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 603-230-00-5 | 2,6,6,7,8,8-hexamethyl-decahydro-2H-indeno[4,5-b]furan  | 440-030-5 | —      | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 4                                    | H315<br>H318<br>H413                 | GHS05<br>Dgr                   | H315<br>H318<br>H413         |                                 |                                  |       |
| 603-231-00-0 | (S)-1,1-diphenyl-1,2-propanediol  | 443-220-6 | —      | Aquatic Chronic 3   | H412                                 | —                              | H412                         |                                 |                                  |       |
| 603-232-00-6 | 3,3,8,8,10,10-hexamethyl-9-[1-(4-oxiranylethoxy-phenyl)-ethoxy]-1,5-dioxo-9-aza-spiro[5.5]undecane  | 444-420-6 | —      | Aquatic Chronic 4   | H413                                 | —                              | H413                         |                                 |                                  |       |
| 603-233-00-1 | reaction mass of: 4-(1,3a,4,6,7,7a-hexahydro-4,7-methanoinden-5-ylidene)-3-methylbutan-2-ol;<br>4-(3,3a,4,6,7,7a-hexahydro-4,7-methanoinden-5-ylidene)-3-methylbutan-2-ol;<br>1-(1,3a,4,6,7,7a-hexahydro-4,7-methanoinden-5-ylidene)pentan-3-ol;<br>1-(3,3a,4,6,7,7a-hexahydro-4,7-methanoinden-5-ylidene)pentan-3-ol;<br>(E)-4-(3a,4,5,6,7,7a-hexahydro-1H-4,7-methanoinden-5-yl)-3-methylbut-3-en-2-ol;<br>(E)-4-(3a,4,5,6,7,7a-hexahydro-3H-4,7-methanoinden-5-yl)-3-methylbut-3-en-2-ol | 444-430-0 | —      | Aquatic Chronic 2   | H411                                 | GHS09                          | H411                         |                                 |                                  |       |



## ▼M1

| Index No     | International Chemical Identification  | EC No                          | CAS No                        | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|--------------------------------|-------------------------------|---|--|--------------------------------|--|---------------------------------|---|-------|
|              |  |                                |                               | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |   |       |
| 603-234-00-7 | (1 <i>R</i> , 4 <i>R</i> )-4-methoxy-2,2,7,7-tetramethyltri-cyclo(6.2.1.0(1,6))undec-5-ene | 444-480-3                      | —                             | Skin Irrit. 2<br>Aquatic Chronic 2  | H315<br>H411   | GHS07<br>GHS09<br>Wng          | H315<br>H411   |                                 |   |       |
| 604-001-00-2 | phenol;<br>carbolic acid;<br>monohydroxybenzene;<br>phenylalcohol                          | 203-632-7                      | 108-95-2                      | Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Corr. 1B   | H341<br>H331<br>H311<br>H301<br>H373 **<br>H314                      | GHS06<br>GHS08<br>GHS05<br>Dgr | H341<br>H331<br>H311<br>H301<br>H373 **<br>H314              |                                 | *<br>Skin Corr. 1B;<br>H314: C ≥ 3 %<br>Skin Irrit. 2;<br>H315: 1 % ≤<br>C < 3 %<br>Eye Irrit. 2;<br>H319: 1 % ≤<br>C < 3 % |       |
| 604-002-00-8 | pentachlorophenol  | 201-778-6                      | 87-86-5                       | Carc. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H410 |                                 |   |       |
| 604-003-00-3 | sodium pentachlorophenolate;<br>[1]<br>potassium pentachlorophenolate<br>[2]               | 205-025-2 [1]<br>231-911-3 [2] | 131-52-2 [1]<br>7778-73-6 [2] | Carc. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H330<br>H311<br>H301<br>H319<br>H335<br>H315<br>H410 |                                 |   |       |

▼B

| Index No                    | International Chemical Identification   | EC No   | CAS No  | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|---|---|---|--|---|--|---------------------------------|----------------------------------|-------|
|                             |   |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 604-004-00-9                | <i>m</i> -cresol; [1]<br><i>o</i> -cresol; [2]<br><i>p</i> -cresol; [3]<br>mix-cresol [4]   | 203-577-9 [1]<br>202-423-8 [2]<br>203-398-6 [3]<br>215-293-2 [4]  | 108-39-4 [1]<br>95-48-7 [2]<br>106-44-5 [3]<br>1319-77-3 [4]  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B                                     | H311<br>H301<br>H314                         | GHS06<br>GHS05<br>Dgr                   | H311<br>H301<br>H314                         |                                 | *                                | C     |
| ▼ <u>M1</u><br>604-005-00-4 | 1,4-dihydroxybenzene;<br>hydroquinone;<br>quinol  | 204-617-8   | 123-31-9  | Carc. 2<br>Muta. 2<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H341<br>H302<br>H318<br>H317<br>H400 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H341<br>H302<br>H318<br>H317<br>H400 |                                 | M=10                             |       |
| ▼ <u>B</u><br>604-006-00-X  | 3,4-xylenol; [1]<br>2,5-xylenol; [2]<br>2,4-xylenol; [3]<br>2,3-xylenol; [4]<br>2,6-xylenol; [5]<br>xylenol; [6]<br>2,4(or 2,5)-xylenol [7] | 202-439-5 [1]<br>202-461-5 [2]<br>203-321-6 [3]<br>208-395-3 [4]<br>209-400-1 [5]<br>215-089-3 [6]<br>276-245-4 [7] | 95-65-8 [1]<br>95-87-4 [2]<br>105-67-9 [3]<br>526-75-0 [4]<br>576-26-1 [5]<br>1300-71-6 [6]<br>71975-58-1 [7] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Chronic 2                | H311<br>H301<br>H314<br>H411                 | GHS06<br>GHS05<br>GHS09<br>Dgr          | H311<br>H301<br>H314<br>H411                 |                                 |                                  | C     |
| 604-007-00-5                | 2-naphthol  | 205-182-7   | 135-19-3  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1                                   | H332<br>H302<br>H400                         | GHS07<br>GHS09<br>Wng                   | H332<br>H302<br>H400                         |                                 |                                  |       |
| 604-008-00-0                | 2-chlorophenol; [1]<br>4-chlorophenol; [2]<br>3-chlorophenol; [3]<br>chlorophenol [4]   | 202-433-2 [1]<br>203-402-6 [2]<br>203-582-6 [3]<br>246-691-4 [4]  | 95-57-8 [1]<br>106-48-9 [2]<br>108-43-0 [3]<br>25167-80-0 [4]   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2               | H332<br>H312<br>H302<br>H411                 | GHS07<br>GHS09<br>Wng                   | H332<br>H312<br>H302<br>H411                 |                                 |                                  | C     |

## ▼B

| Index No     | International Chemical Identification                                   | EC No     | CAS No    | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                                       | Notes |
|--------------|---|-----------|-----------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|--|-------|
|              |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |  |       |
| 604-009-00-6 | pyrogallol;<br>1,2,3-trihydroxybenzene                                  | 201-762-9 | 87-66-1   | Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3      | H341<br>H332<br>H312<br>H302<br>H412 | GHS08<br>GHS07<br>Wng          | H341<br>H332<br>H312<br>H302<br>H412 |                                 | *  |       |
| 604-010-00-1 | resorcinol;<br>1,3-benzenediol  | 203-585-2 | 108-46-3  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1                      | H302<br>H319<br>H315<br>H400         | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H315<br>H400         |                                 | *  |       |
| 604-011-00-7 | 2,4-dichlorophenol  | 204-429-6 | 120-83-2  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2                  | H311<br>H302<br>H314<br>H411         | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H302<br>H314<br>H411         |                                 |  |       |
| 604-012-00-2 | 4-chloro- <i>o</i> -cresol;<br>4-chloro-2-methyl phenol                 | 216-381-3 | 1570-64-5 | Acute Tox. 3 *<br>Skin Corr. 1A<br>Aquatic Acute 1                                      | H331<br>H314<br>H400                 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H314<br>H400                 |                                 | STOT SE 3;<br>H335: C ≥ 1 %  |       |
| 604-013-00-8 | 2,3,4,6-tetrachlorophenol   | 200-402-8 | 58-90-2   | Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H319<br>H315<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H301<br>H319<br>H315<br>H410         |                                 | *<br>Eye Irrit. 2;<br>H319: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: C ≥ 5 % |       |
| 604-014-00-3 | chlorocresol;<br>4-chloro- <i>m</i> -cresol;<br>4-chloro-3-methylphenol | 200-431-6 | 59-50-7   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1       | H312<br>H302<br>H318<br>H317<br>H400 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H318<br>H317<br>H400 |                                 | *  |       |

## ▼B

| Index No     | International Chemical Identification                        | EC No     | CAS No   | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                                       | Notes |
|--------------|--|-----------|----------|--|--|--------------------------------|--------------------------------------|---------------------------------|--|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |  |       |
| 604-015-00-9 | 2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene   | 200-733-8 | 70-30-4  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H311<br>H301<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H311<br>H301<br>H410                 |                                 | *  |       |
| 604-016-00-4 | 1,2-dihydroxybenzene; pyrocatechol                           | 204-427-5 | 120-80-9 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2                                  | H312<br>H302<br>H319<br>H315                 | GHS07<br>Wng                   | H312<br>H302<br>H319<br>H315         |                                 |  |       |
| 604-017-00-X | 2,4,5-trichlorophenol  | 202-467-8 | 95-95-4  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H302<br>H319<br>H315<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H315<br>H410         |                                 | *<br>Eye Irrit. 2;<br>H319: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: C ≥ 5 % |       |
| 604-018-00-5 | 2,4,6-trichlorophenol  | 201-795-9 | 88-06-2  | Carc. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H319<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H319<br>H315<br>H410 |                                 |  |       |
| 604-019-00-0 | dichlorophen (ISO)   | 202-567-1 | 97-23-4  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H302<br>H319<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H410                 |                                 |  |       |
| 604-020-00-6 | 2-phenylphenol (ISO)<br>biphenyl-2-ol;<br>2-hydroxybiphenyl; | 201-993-5 | 90-43-7  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1                                      | H319<br>H335<br>H315<br>H400                 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H400         |                                 |  |       |

## ▼B

| Index No     | International Chemical Identification                | EC No     | CAS No     | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 604-021-00-1 | sodium 2-biphenylate;<br>2-phenylphenol, sodium salt | 205-055-6 | 132-27-4   | Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1 | H302<br>H335<br>H315<br>H318<br>H400 | GHS05<br>GHS07<br>GHS09<br>Wng | H302<br>H335<br>H315<br>H318<br>H400 |                                 |                                  |       |
| 604-022-00-7 | 2,2-dimethyl-1,3-benzodioxol-4-ol                    | 400-900-7 | 22961-82-6 | Eye Dam. 1  | H318                                 | GHS05<br>Dgr                   | H318                                 |                                 |                                  |       |
| 604-023-00-2 | 2,4-dichloro-3-ethylphenol                           | 401-060-4 | —          | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H314<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H314<br>H410                         |                                 |                                  |       |
| 604-024-00-8 | 4,4-isobutylethylidenediphenol                       | 401-720-1 | 6807-17-6  | Repr. 1B<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H360F ***<br>H319<br>H400<br>H410    | GHS08<br>GHS09<br>Dgr          | H360F ***<br>H319<br>H410            |                                 |                                  |       |
| 604-025-00-3 | 2,5-bis(1,1-dimethylbutyl)hydroquinone               | 400-220-0 | —          | Aquatic Chronic 2   | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |
| 604-026-00-9 | 2,2-spirobi(6-hydroxy-4,4,7-trimethylchromane)       | 400-270-3 | —          | Aquatic Chronic 2   | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |
| 604-027-00-4 | 2-methyl-5-(1,1,3,3-tetramethylbutyl)hydroquinone    | 400-530-6 | —          | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                               | H318<br>H317<br>H411                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411                 |                                 |                                  |       |
| 604-028-00-X | 4-amino-3-fluorophenol                               | 402-230-0 | 399-95-1   | Carc. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2               | H350<br>H302<br>H317<br>H411         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H317<br>H411         |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification                                   | EC No     | CAS No     | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 604-029-00-5 | 1-naphtol   | 201-969-4 | 90-15-3    | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H312<br>H302<br>H335<br>H315<br>H318 | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H335<br>H315<br>H318 |                                 |                                  |       |
| ▼ <u>M13</u> |   |           |            |  |                                      |                                |                                      |                                 |                                  |       |
| 604-030-00-0 | bisphenol A;<br>4,4'-isopropylidenediphenol                             | 201-245-8 | 80-05-7    | Repr. 1B<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1                          | H360F<br>H335<br>H318<br>H317        | GHS08<br>GHS05<br>GHS07<br>Dgr | H360F<br>H335<br>H318<br>H317        |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |            |  |                                      |                                |                                      |                                 |                                  |       |
| 604-031-00-6 | guaiacol  | 201-964-7 | 90-05-1    | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2                              | H302<br>H319<br>H315                 | GHS07<br>Wng                   | H302<br>H319<br>H315                 |                                 |                                  |       |
| 604-032-00-1 | thymol  | 201-944-8 | 89-83-8    | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2                         | H302<br>H314<br>H411                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H411                 |                                 |                                  |       |
| 604-033-00-7 | isobutyl but-3-enoate   | 401-170-2 | 24342-03-8 | Flam. Liq. 3   | H226                                 | GHS02<br>Wng                   | H226                                 |                                 |                                  |       |
| 604-034-00-2 | 4,4'-thiodi- <i>o</i> -cresol   | 403-330-7 | 24197-34-0 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H318<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H318<br>H410                         |                                 |                                  |       |
| 604-035-00-8 | 4-nonylphenol, reaction products with formaldehyde and dodecane-1-thiol | 404-160-6 | —          | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                         | GHS07<br>Wng                   | H317<br>H413                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                           | Classification  |                                      | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|----------------------------------|---|--------------------------------------|---|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 604-036-00-3 | 4,4'-oxybis(ethylenethio) diphenol  | 404-590-4                      | 90884-29-0                       | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                         | GHS07<br>GHS09<br>Wng                   | H317<br>H411                 |                                 |                                  |       |
| 604-037-00-9 | 3,5-xylenol;<br>3,5-dimethylphenol  | 203-606-5                      | 108-68-9                         | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B                                     | H311<br>H301<br>H314                 | GHS06<br>GHS05<br>Dgr                   | H311<br>H301<br>H314         |                                 |                                  |       |
| 604-038-00-4 | 4-chloro-3,5-dimethylphenol;<br>[1]<br>chloroxylenol [2]  | 201-793-8 [1]<br>215-316-6 [2] | 88-04-0 [1]<br>1321-23-9 [2]     | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                       | H302<br>H319<br>H315<br>H317         | GHS07<br>Wng                            | H302<br>H319<br>H315<br>H317 |                                 |                                  |       |
| 604-039-00-X | ethyl 2-[4-[(6-chlorobenzoxazol-2-yl)oxy]phenoxy]propionate;<br>fenoxaprop-ethyl  | 266-362-9                      | 66441-23-4                       | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng                   | H317<br>H410                 |                                 |                                  |       |
| 604-040-00-5 | fomesafen (ISO);<br>5-[2-chloro-4-(trifluoromethyl)phenoxy]-N-(methylsulphonyl)-2-nitrobenzamide  | 276-439-9                      | 72178-02-0                       | Acute Tox. 4 *  | H302                                 | GHS07<br>Wng                            | H302                         |                                 |                                  |       |
| 604-041-00-0 | acifluorfen (ISO);<br>5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid [1]<br>sodium 5-[2-chloro-4-(trifluoromethyl) phenoxy]-2-nitrobenzoate;<br>acifluorfen-sodium [2] | 256-634-5 [1]<br>263-560-7 [2] | 50594-66-6 [1]<br>62476-59-9 [2] | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H315<br>H318<br>H410 |                                 |                                  |       |
| 604-042-00-6 | 4-nitrosophenol   | 203-251-6                      | 104-91-6                         | Muta. 2<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2                          | H341<br>H302<br>H318<br>H411         | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H341<br>H302<br>H318<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 604-043-00-1 | monobenzene;<br>4-hydroxyphenyl benzyl ether;<br>hydroquinone monobenzyl ether                    | 203-083-3 | 103-16-2    | Eye Irrit. 2<br>Skin Sens. 1   | H319<br>H317   | GHS07<br>Wng                   | H319<br>H317                                 |                                 |                                  |       |
| 604-044-00-7 | mequinol;<br>4-methoxyphenol;<br>hydroquinone monomethyl ether                                    | 205-769-8 | 150-76-5    | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1   | H302<br>H319<br>H317                                 | GHS07<br>Wng                   | H302<br>H319<br>H317                         |                                 |                                  |       |
| 604-045-00-2 | 2,3,5-trimethylhydroquinone   | 211-838-3 | 700-13-0    | Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H335<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H335<br>H315<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 604-046-00-8 | 4-(4-isopropoxyphenylsulfon-<br>yl)phenol   | 405-520-5 | 95235-30-6  | Aquatic Chronic 2  | H411   | GHS09                          | H411   |                                 |                                  |       |
| 604-047-00-3 | 4-(4-tolyloxy)biphenyl  | 405-730-7 | 51601-57-1  | STOT RE 2 *<br>Aquatic Chronic 4   | H373 **<br>H413                                      | GHS08<br>Wng                   | H373 **<br>H413                              |                                 |                                  |       |
| 604-048-00-9 | 4,4',4''-(ethan-1,1,1-triyl)<br>triphenol   | 405-800-7 | 27955-94-8  | Aquatic Chronic 2  | H411   | GHS09                          | H411   |                                 |                                  |       |
| 604-049-00-4 | 4-4'-methylenebis(oxyethylene-<br>thio)diphenol   | 407-480-4 | 93589-69-6  | Aquatic Chronic 2  | H411   | GHS09                          | H411   |                                 |                                  |       |
| 604-051-00-5 | 3,5-bis((3,5-di- <i>tert</i> -butyl-4-<br>hydroxy)benzyl)-2,4,6-<br>trimethylphenol               | 401-110-5 | 87113-78-8  | Aquatic Chronic 3  | H412   | —                              | H412   |                                 |                                  |       |
| 604-052-00-0 | 2,2'-methylenebis(6-(2 <i>H</i> -benzo-<br>triazol-2-yl)-4-(1,1,3,3-tetra-<br>methylbutyl)phenol) | 403-800-1 | 103597-45-1 | Aquatic Chronic 4  | H413   | —                              | H413   |                                 |                                  |       |



▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                           |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|---------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 604-053-00-6 | 2-methyl-4-(1,1-dimethylethyl)-6-(1-methyl-pentadecyl)-phenol   | 410-760-9 | 157661-93-3 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410      |                                 |                                  |       |
| 604-054-00-1 | reaction mass of: 2-methoxy-4-(tetrahydro-4-methylene-2H-pyran-2-yl)-phenol;<br>4-(3,6-dihydro-4-methyl-2H-pyran-2-yl)-2-methoxyphenol  | 412-020-0 | —           | Skin Sens. 1<br>Aquatic Chronic 3                                     | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412              |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |   |                              |                                |                           |                                 |                                  |       |
| 604-055-00-7 | 2,2'-(3,3', 5,5'-tetramethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(oxy-methylene))-bis-oxirane   | 413-900-7 | 85954-11-6  | Carc. 2<br>Skin Sens. 1   | H351<br>H317                 | GHS08<br>GHS07<br>Wng          | H351<br>H317              |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |   |                              |                                |                           |                                 |                                  |       |
| 604-056-00-2 | 2-(2-hydroxy-3,5-dinitroanilino)ethanol   | 412-520-9 | 99610-72-7  | Flam. Sol. 2<br>Repr. 2<br>Acute Tox. 4 *                             | H228<br>H361f ***<br>H302    | GHS02<br>GHS07<br>GHS08<br>Dgr | H228<br>H361f ***<br>H302 |                                 |                                  |       |
| 604-057-00-8 | reaction mass of: isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-dodecylphenol;<br>isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-(n)-tetracosylphenol;<br>isomers of 2-(2H-benzotriazol-2-yl)-4-methyl-5,6-didodecylphenol. n = 5 or 6 | 401-680-5 | —           | Aquatic Chronic 2   | H411                         | GHS09                          | H411                      |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|---------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 604-058-00-3 | 1,2-bis(3-methylphenoxy)ethane  | 402-730-9 | 54914-85-1  | Aquatic Acute 1<br>Aquatic Chronic 1                                  | H400<br>H410                    | GHS09<br>Wng                   | H410                            |                                 |                                  |       |
| 604-059-00-9 | 2- <i>n</i> -hexadecylhydroquinone  | 406-400-5 | —           | STOT RE 2 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4     | H373 **<br>H315<br>H317<br>H413 | GHS08<br>GHS07<br>Wng          | H373 **<br>H315<br>H317<br>H413 |                                 |                                  |       |
| 604-060-00-4 | 9,9-bis(4-hydroxyphenyl)fluorene  | 406-950-6 | 3236-71-3   | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H319<br>H315<br>H400<br>H410    | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H410            |                                 |                                  |       |
| 604-061-00-X | reaction mass of: 2-chloro-5- <i>sec</i> -tetradecylhydroquinones where <i>sec</i> -tetradecyl = 1-methyltridecyl;<br>1-ethyl-dodecyl;<br>1-propylundecyl;<br>1-butyldecyl;<br>1-pentyl-nonyl;<br>1-hexyl-octyl | 407-740-7 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                    | H315<br>H317<br>H412            | GHS07<br>Wng                   | H315<br>H317<br>H412            |                                 |                                  |       |
| 604-062-00-5 | 2,4-dimethyl-6-(1-methyl-pentadecyl)phenol  | 411-220-5 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410    | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410            |                                 |                                  |       |
| 604-063-00-0 | 5,6-dihydroxyindole   | 412-130-9 | 3131-52-0   | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2                     | H302<br>H318<br>H411            | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411            |                                 |                                  |       |
| 604-064-00-6 | 2-(4,6-diphenyl-1,3,5-triazin-2-yl)-5-((hexyl)oxy)-phenol   | 411-380-6 | 147315-50-2 | Aquatic Chronic 4   | H413                            | —                              | H413                            |                                 |                                  |       |

## ▼ B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 604-065-00-1 | 4,4',4''-(1-methylpropan-1-yl-3-ylidene)tris(2-cyclohexyl-5-methylphenol)   | 407-460-5 | 111850-25-0 | Aquatic Chronic 2   | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 604-066-00-7 | reaction mass of: phenol, 6-(1,1-dimethylethyl)-4-tetrapropyl-2-[(2-hydroxy-5-tetrapropylphenyl)methyl (C <sub>41</sub> -compound) and methane, 2,2'-bis[6-(1,1-dimethyl-ethyl)-1-hydroxy-4-tetrapropyl-phenyl)]-(C <sub>45</sub> -compound);<br>2,6-bis(1,1-dimethylethyl)-4-tetra-propyl-phenol and 2-(1,1-dimethylethyl)-4-tetrapropyl-phenol;<br>2,6-bis[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol and 2-[(6-(1,1-dimethylethyl)-1-hydroxy-4-tetrapropylphenylmethyl)-6-[1-hydroxy-4-tetrapropylphenyl)methyl]-4-(tetrapropyl)phenol | 414-550-8 | —           | Aquatic Acute 1<br>Aquatic Chronic 1                                | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 604-067-00-2 | reaction mass of: 2,2'-[[2-(2-hydroxyethyl)imino]bis(methylene)]bis[4-dodecylphenol];<br>formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 2);<br>formaldehyde, oligomer with 4-dodecyl phenol and 2-aminoethanol(n = 3, 4 and higher)  | 414-520-4 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr          | H315<br>H318<br>H410     |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |                                  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|---|--|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                 | Pictogram, Signal Word Code(s) | Hazard statement Code(s)         | Suppl. Hazard statement Code(s) |                                  |       |
| 604-068-00-8        | (±)-4-[2-[[3-(4-hydroxyphenyl)-1-methylpropyl]amino]-1-hydroxyethyl]phenol hydrochloride            | 415-170-5 | 90274-24-1  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1                            | H332<br>H302<br>H317                     | GHS07<br>Wng                   | H332<br>H302<br>H317             |                                 |                                  |       |
| 604-069-00-3        | 2-(1-methylpropyl)-4- <i>tert</i> -butylphenol  | 421-740-4 | 51390-14-8  | Skin Corr. 1B<br>Aquatic Chronic 2  | H314<br>H411                             | GHS05<br>GHS09<br>Dgr          | H314<br>H411                     |                                 |                                  |       |
| 604-070-00-9        | triclosan;<br>2,4,4'-trichloro-2'-hydroxy-diphenyl-ether;<br>5-chloro-2-(2,4-dichlorophenoxy)phenol | 222-182-2 | 3380-34-5   | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H319<br>H315<br>H400<br>H410             | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H410             |                                 | M = 100                          |       |
| ▼M1<br>604-071-00-4 | 4,4'-(1-{4-[1-(4-hydroxyphenyl)-1-methylethyl]phenyl}ethylidene)diphenol                            | 425-600-3 | 110726-28-8 | Aquatic Chronic 4   | H413                                     | —                              | H413                             |                                 |                                  |       |
| 604-072-00-X        | 1,2-bis(phenoxyethyl)benzene  | 428-620-0 | 10403-74-4  | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                             | GHS09<br>Wng                   | H410                             |                                 |                                  |       |
| 604-073-00-5        | ( <i>E</i> )-3-[1-[4-[2-(dimethylamino)ethoxy]phenyl]-2-phenylbut-1-enyl]phenol                     | 428-010-4 | 82413-20-5  | Carc. 2<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H360F***<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360F***<br>H317<br>H410 |                                 |                                  |       |
| 604-074-00-0        | tetrabromobisphenol-A;<br>2,2', 6,6'-tetrabromo-4,4'-isopropylidenediphenol                         | 201-236-9 | 79-94-7     | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                             | GHS09<br>Wng                   | H410                             |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification                               | EC No  | CAS No    | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|-----------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |  |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                         | Suppl. Hazard statement Code(s) |                                  |       |
| 604-075-00-6 | 4-(1,1,3,3-tetramethyl-butyl)phenol;<br>4- <i>tert</i> -octylphenol | 205-426-2  | 140-66-9  | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H315<br>H318<br>H400<br>H410   | GHS05<br>GHS09<br>Dgr                   | H315<br>H318<br>H410                             |                                 | M=10                             |       |
| ▼ <b>M6</b>  | 604-076-00-1  | phenolphthalein  | 201-004-7 | 77-09-8   | Carc. 1B<br>Muta. 2<br>Repr. 2                                       | H350<br>H341<br>H361f***                | GHS08<br>Dgr                                     | H350<br>H341<br>H361f***        | Carc. 1B;<br>H350: C ≥ 1 %       |       |
| ▼ <b>M1</b>  | 604-077-00-7  | 2-benzotriazol-2-yl-4-methyl-6-(2-methylallyl)phenol   | 419-750-9 | 98809-58-6  | Aquatic Chronic 4  | H413                                    | —  | H413                            |                                  |       |
| ▼ <b>M6</b>  | 604-079-00-8  | 4,4'-(1,3-phenylene-bis(1-methylethylidene))bis-phenol | 428-970-4 | 13595-25-0  | Repr. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                         | H361f***<br>H317<br>H411                | GHS08<br>GHS07<br>GHS09<br>Wng                   | H361f***<br>H317<br>H411        |                                  |       |
| ▼ <b>M1</b>  | 604-080-00-3  | 4-fluoro-3-trifluoromethyl-phenol                      | 432-560-0 | 61721-07-1  | Acute Tox. 4 *<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Chronic 2 | H332<br>H314<br>H317<br>H411            | GHS05<br>GHS07<br>GHS09<br>Dgr                   | H332<br>H314<br>H317<br>H411    |                                  |       |
| 604-081-00-9 | 1,1-bis(4-hydroxyphenyl)-1-phenylethane                             | 433-130-5  | 1571-75-1 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   | GHS09<br>Wng                            | H410   |                                 |                                  |       |
| 604-082-00-4 | 2-chloro-6-fluoro-phenol  | 433-890-8  | 2040-90-6 | Muta. 1B<br>Repr. 2<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H340<br>H361f***<br>H302<br>H314<br>H317<br>H411                     | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H340<br>H361f***<br>H302<br>H314<br>H317<br>H411 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 604-083-00-X | 4,4'-sulfonylbisphenol, polymer with ammonium chloride(NH <sub>4</sub> Cl), pentachlorophosphorane and phenol   | 439-270-3 | 260408-02-4 | Aquatic Chronic 4   | H413   | —                                       | H413   |                                 |                                  |       |
| 604-084-00-5 | 1-ethoxy-2,3-difluorobenzene  | 441-000-4 | 121219-07-6 | Acute Tox. 4 *<br>Aquatic Chronic 3   | H302<br>H412   | GHS07<br>Wng                            | H302<br>H412   |                                 |                                  |       |
| 604-087-00-1 | reaction mass of: 1,2-naphthoquinonediazide-5-sulfonylchloride (or sulfonic acid)monoester with 4,4'-(1-(4-(1-(4-hydroxyphenyl)-1-methyl-ethyl)phenyl)ethylidene)bisphenol;<br>1,2-naphthoquinonediazide-5-sulfonylchloride (or sulfonic acid)diester with 4,4'-(1-(4-(1-(4-hydroxyphenyl)-1-methyl-ethyl)phenyl)ethylidene)bisphenol;<br>1,2-naphthoquinonediazide-5-sulfonylchloride (or sulfonic acid)triester with 4,4'-(1-(4-(1-(4-hydroxyphenyl)-1-methyl-ethyl)phenyl)ethylidene)bisphenol | 433-640-8 | —           | Pyr. Sol. 1<br>Aquatic Chronic 4  | H250<br>H413   | GHS02<br>Dgr                            | H250<br>H413   | EUH044                          |                                  |       |
| 604-089-00-2 | 2-methyl-5- <i>tert</i> -butylthiophenol  | 444-970-7 | —           | Flam. Liq. 3<br>Repr. 2<br>STOT RE 2 *<br>Asp. Tox. 1<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H361d***<br>H373**<br>H304<br>H319<br>H315<br>H317<br>H336<br>H400<br>H410 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H361d***<br>H373**<br>H304<br>H319<br>H315<br>H317<br>H336<br>H410 |                                 |                                  |       |

▼ **B**

| Index No                     | International Chemical Identification   | EC No                                     | CAS No   | Classification  |  | Labelling                      |  |   | Specific Conc. Limits, M-factors | Notes |
|------------------------------|---|---|--|---|--|--------------------------------|--|---|----------------------------------|-------|
|                              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s)   |                                  |       |
| ▼ <b>M8</b><br>604-090-00-8  | 4-tert-butylphenol  | 202-679-0                                 | 98-54-4  | Repr. 2<br>Skin Irrit. 2<br>Eye Dam. 1  | H361f<br>H315<br>H318                                | GHS08<br>GHS05<br>Dgr          | H361f<br>H315<br>H318                                |   |                                  |       |
| 604-091-00-3                 | etofenprox (ISO); 2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether   | 407-980-2                                 | 80844-07-1   | Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H362<br>H400<br>H410                                 | GHS09<br>Wng                   | H362<br>H410   | M = 100<br>M = 1 000  |                                  |       |
| ▼ <b>M13</b><br>604-092-00-9 | phenol, dodecyl-, branched; [1]<br>phenol, 2-dodecyl-, branched; [2]<br>phenol, 3-dodecyl-, branched; [3]<br>phenol, 4-dodecyl-, branched; [4]<br>phenol, (tetrapropenyl) derivatives [5] | 310-154-3 [1]<br>[2]<br>[3]<br>[4]<br>[5] | 121158-58-5 [1]<br>[2]<br>[3]<br>210555-94-5 [4]<br>74499-35-7 [5] | Repr. 1B<br>Skin Corr. 1C<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H360F<br>H314<br>H318<br>H400<br>H410                | GHS08<br>GHS05<br>GHS09<br>Dgr | H360F<br>H314<br>H410                                | M = 10<br>M = 10  |                                  |       |
| ▼ <b>M8</b><br>605-001-00-5  | formaldehyde ...%   | 200-001-8                                 | 50-00-0  | Carc. 1B<br>Muta. 2<br>Acute Tox. 3*<br>Acute Tox. 3*<br>Acute Tox. 3*<br>Skin Corr. 1B<br>Skin Sens. 1 | H350<br>H341<br>H301<br>H311<br>H331<br>H314<br>H317 | GHS08<br>GHS06<br>GHS05<br>Dgr | H350<br>H341<br>H301<br>H311<br>H331<br>H314<br>H317 | *<br>Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 5 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 5 % ≤ C < 25 %<br>STOT SE 3;<br>H335: C ≥ 5 %<br>Skin Sens. 1;<br>H317: C ≤ 0,2 % | B, D                             |       |

▼ **B**

| Index No     | International Chemical Identification                           | EC No     | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors                         | Notes |
|--------------|---|-----------|----------|---|--|---|--|---------------------------------|--|-------|
|              |   |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |  |       |
| 605-002-00-0 | 1,3,5-trioxan;<br>trioxymethylene                               | 203-812-5 | 110-88-3 | Flam. Sol. 1<br>Repr. 2<br>STOT SE 3  | H228<br>H361d ***<br>H335                            | GHS02<br>GHS08<br>GHS07<br>Dgr          | H228<br>H361d ***<br>H335                    |                                 |  | T     |
| 605-003-00-6 | acetaldehyde;<br>ethanal  | 200-836-8 | 75-07-0  | Flam. Liq. 1<br>Carc. 2<br>Eye Irrit. 2<br>STOT SE 3  | H224<br>H351<br>H319<br>H335                         | GHS02<br>GHS08<br>GHS07<br>Dgr          | H224<br>H351<br>H319<br>H335                 |                                 |  |       |
| ▼ <b>M1</b>  |   |           |          |   |  |   |  |                                 |  |       |
| 605-004-00-1 | 2,4,6-trimethyl-1,3,5-trioxane;<br>paraldehyde                  | 204-639-8 | 123-63-7 | Flam. Liq. 3  | H226   | GHS02<br>Wng                            | H226   |                                 |  |       |
| ▼ <b>M6</b>  |   |           |          |   |  |   |  |                                 |  |       |
| 605-005-00-7 | 2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane;<br>metaldehyde | 203-600-2 | 108-62-3 | Flam. Sol. 2<br>Acute Tox. 4 *  | H228<br>H302   | GHS02<br>GHS07<br>Wng                   | H228<br>H302                                 |                                 |  |       |
| ▼ <b>B</b>   |   |           |          |   |  |   |  |                                 |  |       |
| 605-006-00-2 | butyraldehyde   | 204-646-6 | 123-72-8 | Flam. Liq. 2  | H225   | GHS02<br>Dgr                            | H225   |                                 |  |       |
| 605-007-00-8 | 1,1-dimethoxyethane;<br>dimethyl acetal                         | 208-589-8 | 534-15-6 | Flam. Liq. 2  | H225   | GHS02<br>Dgr                            | H225   |                                 |  |       |
| ▼ <b>M8</b>  |   |           |          |   |  |   |  |                                 |  |       |
| 605-008-00-3 | acrolein;<br>prop-2-enal;<br>acrylaldehyde                      | 203-453-4 | 107-02-8 | Flam. Liq. 2<br>Acute Tox. 1<br>Acute Tox. 2<br>Acute Tox. 3<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H330<br>H300<br>H311<br>H314<br>H400<br>H410 | GHS02<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H225<br>H330<br>H300<br>H311<br>H314<br>H410 | EUH071                          | Skin Corr. 1B;<br>H314: C ≥<br>0,1 %<br>M = 100<br>M = 1 | D     |



▼ **B**

| Index No     | International Chemical Identification   | EC No  | CAS No                        | Classification  |   | Labelling  |   |  | Specific Conc. Limits, M-factors | Notes |  |
|--------------|---|--|-------------------------------|---|---|--|---|--|----------------------------------|-------|--|
|              |   |  |                               | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)                       | Hazard statement Code(s)  | Suppl. Hazard statement Code(s)                      |                                  |       |  |
| 605-009-00-9 | crotonaldehyde;<br>2-butenal; [1]<br>( <i>E</i> )-2-butenal;<br>( <i>E</i> )-crotonaldehyde [2] | 224-030-0 [1]<br>204-647-1 [2]   | 4170-30-3 [1]<br>123-73-9 [2] | Flam. Liq. 2<br>Muta. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1 | H225<br>H341<br>H330<br>H311<br>H301<br>H373 **<br>H335<br>H315<br>H318<br>H400                             | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr     | H225<br>H341<br>H330<br>H311<br>H301<br>H373 **<br>H335<br>H315<br>H318<br>H400 |  |                                  |       |  |
| ▼ <b>M1</b>  | 605-010-00-4  | 2-furaldehyde  | 202-627-7                     | 98-01-1   | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H351<br>H331<br>H301<br>H312<br>H319<br>H335<br>H315 | GHS06<br>GHS08<br>Dgr   | H351<br>H331<br>H301<br>H312<br>H319<br>H335<br>H315 |                                  |       |  |
| ▼ <b>B</b>   | 605-011-00-X  | 2-chlorobenzaldehyde;<br><i>o</i> -chlorobenzaldehyde  | 201-956-3                     | 89-98-5   | Skin Corr. 1B   | H314   | GHS05<br>Dgr  | H314   |                                  |       |  |
|              | 605-012-00-5  | benzaldehyde   | 202-860-4                     | 100-52-7  | Acute Tox. 4 *  | H302   | GHS07<br>Wng  | H302   |                                  |       |  |
| ▼ <b>M13</b> | 605-013-00-0  | chloralose (INN);<br>( <i>R</i> )-1,2- <i>O</i> -(2,2,2-trichloroethylidene)- $\alpha$ -D-glucofuranose;<br>glucochloralose; anhydroglucochloral | 240-016-7                     | 15879-93-3  | Acute Tox. 4*<br>Acute Tox. 3<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1                          | H332<br>H301<br>H336<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr   | H332<br>H301<br>H336<br>H410                         | M = 10<br>M = 10                 | C     |  |
| ▼ <b>B</b>   | 605-014-00-6  | chloral hydrate;<br>2,2,2-trichloroethane-1,1-diol   | 206-117-5                     | 302-17-0  | Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Irrit. 2   | H301<br>H319<br>H315                                 | GHS06<br>Dgr  | H301<br>H319<br>H315                                 |                                  |       |  |

## ▼B

| Index No     | International Chemical Identification            | EC No     | CAS No     | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors                | Notes |
|--------------|--|-----------|------------|--|--|---|--|---------------------------------|---|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |   |       |
| 605-015-00-1 | 1,1-diethoxyethane; acetal                       | 203-310-6 | 105-57-7   | Flam. Liq. 2<br>Eye Irrit. 2<br>Skin Irrit. 2  | H225<br>H319<br>H315   | GHS02<br>GHS07<br>Dgr                   | H225<br>H319<br>H315                                 |                                 |   |       |
| 605-016-00-7 | glyoxal...%; ethandial...%                       | 203-474-9 | 107-22-2   | Muta. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1   | H341<br>H332<br>H319<br>H315<br>H317                         | GHS07<br>GHS08<br>Wng                   | H341<br>H332<br>H319<br>H315<br>H317                 |                                 | *   | B     |
| 605-017-00-2 | 1,3-dioxolane                                    | 211-463-5 | 646-06-0   | Flam. Liq. 2   | H225   | GHS02<br>Dgr                            | H225   |                                 |   |       |
| 605-018-00-8 | propanal; propionaldehyde                        | 204-623-0 | 123-38-6   | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2   | H225<br>H319<br>H335<br>H315                                 | GHS02<br>GHS07<br>Dgr                   | H225<br>H319<br>H335<br>H315                         |                                 |   |       |
| 605-019-00-3 | citral   | 226-394-6 | 5392-40-5  | Skin Irrit. 2<br>Skin Sens. 1  | H315<br>H317   | GHS07<br>Wng                            | H315<br>H317   |                                 |   |       |
| 605-020-00-9 | safrole; 5-allyl-1,3-benzodioxole                | 202-345-4 | 94-59-7    | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *  | H350<br>H341<br>H302   | GHS08<br>GHS07<br>Dgr                   | H350<br>H341<br>H302                                 |                                 |   |       |
| 605-021-00-4 | formaldehyde, reaction products with butylphenol | 294-145-9 | 91673-30-2 | Skin Sens. 1   | H317   | GHS07<br>Wng                            | H317   |                                 |   |       |
| 605-022-00-X | glutaral; glutaraldehyde; 1,5-pentanedial        | 203-856-5 | 111-30-8   | Acute Tox. 2<br>Acute Tox. 3<br>STOT SE 3<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 2 | H330<br>H301<br>H335<br>H314<br>H334<br>H317<br>H400<br>H411 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H330<br>H301<br>H335<br>H314<br>H334<br>H317<br>H410 | EUH071                          | STOT SE 3;<br>H335: 0,5 % ≤<br>C < 5 %<br>M = 1 |       |

## ▼M13

▼ **B**

| Index No                    | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|                             |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M1</b><br>605-023-00-5 | 5-chloro-2-(4-chlorophenoxy)phenol   | 429-290-0 | 3380-30-1   | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H318<br>H400<br>H410                         | GHS05<br>GHS09<br>Dgr                   | H318<br>H410                                 |                                 |                                  |       |
| 605-024-00-0                | 2-bromo-5-hydroxy-4-methoxybenzaldehyde  | 426-540-0 | 2973-59-3   | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                                 | GHS07<br>GHS09<br>Wng                   | H317<br>H411                                 |                                 |                                  |       |
| ▼ <b>B</b><br>605-025-00-6  | chloroacetaldehyde   | 203-472-8 | 107-20-0    | Carc. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H351<br>H330<br>H311<br>H301<br>H314<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H330<br>H311<br>H301<br>H314<br>H400 |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 605-026-00-1                | 2,5,7,7-tetramethyloctanal   | 405-690-0 | 114119-97-0 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2  | H315<br>H317<br>H411                         | GHS07<br>GHS09<br>Wng                   | H315<br>H317<br>H411                         |                                 |                                  |       |
| 605-027-00-7                | reaction mass of: 3a,4,5,6,7,7a-hexahydro-4,7-methano-1 <i>H</i> -indene-6-carboxaldehyde; 3a,4,5,6,7,7a-hexahydro-4,7-methano-1 <i>H</i> -indene-5-carboxaldehyde | 410-480-7 | —           | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                                 | GHS07<br>GHS09<br>Wng                   | H317<br>H411                                 |                                 |                                  |       |
| 605-028-00-2                | β-methyl-3-(1-methylethyl)benzenepropanal  | 412-050-4 | 125109-85-5 | Aquatic Chronic 2   | H411   | GHS09                                   | H411   |                                 |                                  |       |
| 605-029-00-8                | 2-cyclohexylpropanal   | 412-270-0 | 2109-22-0   | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                                 | GHS07<br>GHS09<br>Wng                   | H317<br>H411                                 |                                 |                                  |       |
| 605-030-00-3                | 1-( <i>p</i> -methoxyphenyl)acetaldehyde oxime   | 411-510-1 | 3353-51-3   | Skin Sens. 1  | H317   | GHS07<br>Wng                            | H317   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                     | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 605-031-00-9 | reaction mass of: 2,2-dimethoxyethanal [this component is considered to be anhydrous in terms of identity, structure and composition. However, 2,2-dimethoxyethanal will exist in a hydrated form. 60 % anhydrous is equivalent to 70,4 % hydrate; water(Including free water and water in hydrated 2,2-dimethoxyethanal)]  | 421-890-0 | —          | Skin Sens. 1  | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 605-032-00-4 | 3-[3-(4-fluorophenyl)-1-(1-methylethyl)-1 <i>H</i> -indol-2-yl]- <i>(E)</i> -2-propenal   | 425-370-4 | 93957-50-7 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 605-033-00-X | reaction mass of: 3,7,11-trimethyl- <i>cis</i> -6,10-dodecadienal; 3,7,11-trimethyl- <i>trans</i> -6,10-dodecadienal  | 425-910-9 | 32480-08-3 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H315<br>H410             |                                 |                                  |       |
| 605-034-00-5 | reaction mass of: (1 <i>RS</i> , 2 <i>RS</i> , 3 <i>SR</i> , 6 <i>RS</i> , 9 <i>SR</i> )-9-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1 <i>RS</i> , 2 <i>RS</i> , 3 <i>RS</i> , 6 <i>RS</i> , 8 <i>SR</i> )-8-methoxytricyclo[5.2.1.0(2,6)]decane-3-carbaldehyde; (1 <i>RS</i> , 2 <i>RS</i> , 4 <i>SR</i> , 6 <i>RS</i> , 8 <i>SR</i> )-8-methoxytricyclo[5.2.1.0(2,6)]decane-4-carbaldehyde | 429-860-9 | —          | Skin Sens. 1<br>Aquatic Chronic 2                     | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |

## ▼M1

▼ **M1**

| Index No                     | International Chemical Identification  | EC No                                   | CAS No  | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|--|---|---|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                              |  |   |   | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 605-035-00-0                 | (E)-3-(4-(4-fluorophenyl)-5-methoxymethyl-2,6-bis(1-methoxymethyl)pyridin-3-yl)prop-2-enal   | 426-330-9                               | 177964-68-0   | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4                    | H319<br>H317<br>H413         | GHS07<br>Wng                   | H319<br>H317<br>H413         |                                 |                                  |       |
| 605-036-00-6                 | 2-bromomalonaldehyde   | 430-470-6                               | 2065-75-0   | Acute Tox. 4 *<br>Eye Dam. 1   | H302<br>H318                 | GHS05<br>GHS07<br>Dgr          | H302<br>H318                 |                                 |                                  |       |
| 605-037-00-1                 | <i>trans</i> -3-[2-(7-chloro-2-quinolinyl)vinyl]benzaldehyde;<br>3-[(E)-2-(7-chloro-2-quinolinyl)vinyl]benzaldehyde  | 421-800-1                               | 120578-03-2   | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |
| 605-038-00-7                 | 3-methyl-5-phenylpentan-1-al   | 433-900-0                               | 55066-49-4  | Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H317<br>H411 |                                 |                                  |       |
| 605-039-00-2                 | 3,4-dihydroxy-5-nitrobenzaldehyde  | 441-810-8                               | 116313-85-0   | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1                         | H302<br>H318<br>H317         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317         |                                 |                                  |       |
| ▼ <b>M13</b><br>605-040-00-8 | hydroxyisohexyl 3-cyclohexene carboxaldehyde (INCI);<br>reaction mass of 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde and 3-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde; [1]<br>4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde; [2]<br>3-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde [3] | - [1]<br>250-863-4 [2]<br>257-187-9 [3] | 130066-44-3 [1]<br>31906-04-4 [2]<br>51414-25-6 [3] | Skin Sens. 1A  | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification           | EC No     | CAS No   | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 606-001-00-8 | acetone;<br>propan-2-one;<br>propanone          | 200-662-2 | 67-64-1  | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                          | H225<br>H319<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336         | EUH066                          |                                  |       |
| 606-002-00-3 | butanone;<br>ethyl methyl ketone                | 201-159-0 | 78-93-3  | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                          | H225<br>H319<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336         | EUH066                          |                                  |       |
| 606-003-00-9 | heptan-3-one;<br>butyl ethyl ketone             | 203-388-1 | 106-35-4 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Eye Irrit. 2                     | H226<br>H332<br>H319         | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H319         |                                 |                                  |       |
| 606-004-00-4 | 4-methylpentan-2-one;<br>isobutyl methyl ketone | 203-550-1 | 108-10-1 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3        | H225<br>H332<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H319<br>H335 | EUH066                          |                                  |       |
| 606-005-00-X | 2,6-dimethylheptan-4-one;<br>di-isobutyl ketone | 203-620-1 | 108-83-8 | Flam. Liq. 3<br>STOT SE 3  | H226<br>H335                 | GHS02<br>GHS07<br>Wng          | H226<br>H335                 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| 606-006-00-5 | pentan-3-one;<br>diethyl ketone                 | 202-490-3 | 96-22-0  | Flam. Liq. 2<br>STOT SE 3<br>STOT SE 3                             | H225<br>H335<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H335<br>H336         | EUH066                          |                                  |       |
| 606-007-00-0 | 3-methylbutan-2-one;<br>methyl isopropyl ketone | 209-264-3 | 563-80-4 | Flam. Liq. 2   | H225                         | GHS02<br>Dgr                   | H225                         |                                 |                                  |       |
| 606-009-00-1 | 4-methylpent-3-en-2-one;<br>mesityl oxide       | 205-502-5 | 141-79-7 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 * | H226<br>H332<br>H312<br>H302 | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H312<br>H302 |                                 | *                                |       |
| 606-010-00-7 | cyclohexanone                                   | 203-631-1 | 108-94-1 | Flam. Liq. 3<br>Acute Tox. 4 *                                     | H226<br>H332                 | GHS02<br>GHS07<br>Wng          | H226<br>H332                 |                                 |                                  |       |
| 606-011-00-2 | 2-methylcyclohexanone                           | 209-513-6 | 583-60-8 | Flam. Liq. 3<br>Acute Tox. 4 *                                     | H226<br>H332                 | GHS02<br>GHS07<br>Wng          | H226<br>H332                 |                                 |                                  |       |

▼B

| Index No                     | International Chemical Identification  | EC No     | CAS No    | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|------------------------------|--|-----------|-----------|---|---|--------------------------------|---|---------------------------------|--|-------|
|                              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                      | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s) |  |       |
| 606-012-00-8                 | 3,5,5-trimethylcyclohex-2-enone;<br>isophorone                                       | 201-126-0 | 78-59-1   | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3                                      | H351<br>H312<br>H302<br>H319<br>H335                          | GHS08<br>GHS07<br>Wng          | H351<br>H312<br>H302<br>H319<br>H335                  |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| ▼ <u>M1</u><br>606-013-00-3  | <i>p</i> -benzoquinone;<br>quinone   | 203-405-2 | 106-51-4  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1             | H331<br>H301<br>H319<br>H335<br>H315<br>H400                  | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H319<br>H335<br>H315<br>H400          |                                 | M=10   |       |
| ▼ <u>M13</u><br>606-014-00-9 | chlorophacinone (ISO);<br>2-[(4-chlorophenyl)(phenyl)acetyl]-1H-indene-1,3(2H)-dione | 223-003-0 | 3691-35-8 | Repr. 1B<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 1<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H410 |                                 | Repr. 1B;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,1 %<br>STOT RE 2;<br>H373 (blood):<br>0,01 % ≤ C<br>< 0,1 %<br>M = 1<br>M = 1 |       |
| ▼ <u>B</u><br>606-016-00-X   | pindone (ISO);<br>2-pivaloylindan-1,3-dione  | 201-462-8 | 83-26-1   | Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H301<br>H372 **<br>H400<br>H410                               | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H372 **<br>H410                               |                                 |  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No       | CAS No   | Classification  |                                      | Labelling                      |                                  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-------------|----------|---|--------------------------------------|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-------|
|              |  |             |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)         | Suppl. Hazard statement Code(s) |                                  |       |
| 606-017-00-5 | diketene;<br>diketen   | 211-617-1   | 674-82-8 | Flam. Liq. 3<br>Acute Tox. 4 *  | H226<br>H332                         | GHS02<br>GHS07<br>Wng          | H226<br>H332                     |                                 |                                  | D     |
| 606-018-00-0 | dichlone (ISO);<br>2,3-dichloro-1,4-naphtho-<br>quinone  | 204-210-5   | 117-80-6 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H315<br>H410     |                                 |                                  |       |
| 606-019-00-6 | chlordecone (ISO);<br>perchloropenta-<br>cyclo[5,3,0,0 <sup>2,6</sup> ,0 <sup>3,9</sup> ,0 <sup>4,8</sup> ]decan-<br>5-one;<br>decachloropenta-<br>cyclo[5,2,1,0 <sup>2,6</sup> ,0 <sup>3,9</sup> ,0 <sup>5,8</sup> ]decan-<br>4-one | 205-601-3   | 143-50-0 | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H351<br>H311<br>H301<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H311<br>H301<br>H410     |                                 |                                  |       |
| 606-020-00-1 | 5-methylheptan-3-one   | 208-793-7   | 541-85-5 | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3   | H226<br>H319<br>H335                 | GHS02<br>GHS07<br>Wng          | H226<br>H319<br>H335             |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| ▼M13         |  |             |          |   |                                      |                                |                                  |                                 |                                  |       |
| 606-021-00-7 | N-methyl-2-pyrrolidone;<br>methyl-2-pyrrolidone  | 1-212-828-1 | 872-50-4 | Repr. 1B<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Irrit. 2                                  | H360D***<br>H335<br>H315<br>H319     | GHS08<br>GHS07<br>Dgr          | H360D***<br>H335<br>H315<br>H319 |                                 | STOT SE 3;<br>H335: C<br>≥ 10 %  |       |
| ▼B           |  |             |          |   |                                      |                                |                                  |                                 |                                  |       |
| 606-022-00-2 | 1-phenyl-3-pyrazolidone  | 202-155-1   | 92-43-3  | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification                                    |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)                 | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 606-023-00-8 | 4-methoxy-4-methylpentan-2-one   | 203-512-4 | 107-70-0 | Flam. Liq. 3<br>Acute Tox. 4 *                    | H226<br>H332                         | GHS02<br>GHS07<br>Wng          | H226<br>H332                         |                                 |                                  |       |
| 606-024-00-3 | heptan-2-one;<br>methyl amyl ketone  | 203-767-1 | 110-43-0 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H226<br>H332<br>H302                 | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H302                 |                                 |                                  |       |
| 606-025-00-9 | cyclopentanone   | 204-435-9 | 120-92-3 | Flam. Liq. 3<br>Eye Irrit. 2<br>Skin Irrit. 2     | H226<br>H319<br>H315                 | GHS02<br>GHS07<br>Wng          | H226<br>H319<br>H315                 |                                 |                                  |       |
| 606-026-00-4 | 5-methylhexan-2-one;<br>isoamyl methyl ketone  | 203-737-8 | 110-12-3 | Flam. Liq. 3<br>Acute Tox. 4 *                    | H226<br>H332                         | GHS02<br>GHS07<br>Wng          | H226<br>H332                         |                                 |                                  |       |
| 606-027-00-X | heptan-4-one;<br>di- <i>n</i> -propyl ketone   | 204-608-9 | 123-19-3 | Flam. Liq. 3<br>Acute Tox. 4 *                    | H226<br>H332                         | GHS02<br>GHS07<br>Wng          | H226<br>H332                         |                                 |                                  |       |
| 606-028-00-5 | 2,4-dimethylpentan-3-one;<br>di-isopropyl ketone   | 209-294-7 | 565-80-0 | Flam. Liq. 2<br>Acute Tox. 4 *                    | H225<br>H332                         | GHS02<br>GHS07<br>Dgr          | H225<br>H332                         |                                 |                                  |       |
| 606-029-00-0 | pentane-2,4-dione;<br>acetylacetone  | 204-634-0 | 123-54-6 | Flam. Liq. 3<br>Acute Tox. 4 *                    | H226<br>H302                         | GHS02<br>GHS07<br>Wng          | H226<br>H302                         |                                 |                                  |       |
| 606-030-00-6 | hexan-2-one;<br>methyl butyl ketone;<br>butyl methyl ketone;<br>methyl- <i>n</i> -butyl ketone | 209-731-1 | 591-78-6 | Flam. Liq. 3<br>Repr. 2<br>STOT RE 1<br>STOT SE 3 | H226<br>H361f ***<br>H372 **<br>H336 | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H361f ***<br>H372 **<br>H336 |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 606-031-00-1 | 3-propanolide;<br>1,3-propiolactone   | 200-340-1 | 57-57-8    | Carc. 1B<br>Acute Tox. 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2                            | H350<br>H330<br>H319<br>H315         | GHS06<br>GHS08<br>Dgr          | H350<br>H330<br>H319<br>H315         |                                 |                                  |       |
| 606-032-00-7 | hexachloroacetone   | 204-129-5 | 116-16-5   | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                         |                                 |                                  |       |
| 606-033-00-2 | 2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazolidine-dione;<br>methazole  | 243-761-6 | 20354-26-1 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H312<br>H302<br>H319<br>H315<br>H411 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H319<br>H315<br>H411 |                                 |                                  |       |
| 606-034-00-8 | metribuzin (ISO);<br>4-amino-6- <i>tert</i> -butyl-3-methylthio-1,2,4-triazin-5(4 <i>H</i> )-one;<br>4-amino-4,5-dihydro-6-(1,1-dimethylethyl)-3-methylthio-1,2,4-triazin-5-one | 244-209-7 | 21087-64-9 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 | M=10                             |       |
| 606-035-00-3 | chloridazon (ISO);<br>5-amino-4-chloro-2-phenylpyridazine-3-(2 <i>H</i> )-one;<br>pyrazon   | 216-920-2 | 1698-60-8  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H317<br>H410                         |                                 |                                  |       |

▼M1▼B

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 606-036-00-9 | quinomethionate;<br>chinomethionat (ISO);<br>6-methyl-1,3-dithiolo(4,5- <i>b</i> )quinoxalin-2-one                      | 219-455-3 | 2439-01-2  | Repr. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f ***<br>H332<br>H312<br>H302<br>H373 **<br>H319<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361f ***<br>H332<br>H312<br>H302<br>H373 **<br>H319<br>H317<br>H410 |                                 |                                  |       |
| 606-037-00-4 | triadimefon (ISO);<br>1-(4-chlorophenoxy)-3,3-dimethyl-1-(1,2,4-triazol-1-yl)butanone                                   | 256-103-8 | 43121-43-3 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2  | H302<br>H317<br>H411   | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411   |                                 |                                  |       |
| 606-038-00-X | diphacinone (ISO);<br>2-diphenylacetylindan-1,3-dione   | 201-434-5 | 82-66-6    | Acute Tox. 2 *<br>STOT RE 1  | H300<br>H372 **  | GHS06<br>GHS08<br>Dgr          | H300<br>H372 **  |                                 |                                  |       |
| 606-039-00-5 | 5(or 6)- <i>tert</i> -butyl-2'-chloro-6'-ethylamino-3',7'-dimethylspiro(isobenzofuran-1(1 <i>H</i> ),9'-xanthene)-3-one | 400-680-2 | —          | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H332<br>H400<br>H410   | GHS07<br>GHS09<br>Wng          | H332<br>H410   |                                 |                                  |       |
| 606-040-00-0 | ( <i>N</i> -benzyl- <i>N</i> -ethyl)amino-3-hydroxyacetophenone hydrochloride   | 401-840-4 | 55845-90-4 | Eye Dam. 1<br>Aquatic Chronic 2  | H318<br>H411   | GHS05<br>GHS09<br>Dgr          | H318<br>H411   |                                 |                                  |       |
| 606-041-00-6 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one  | 400-600-6 | 71868-10-5 | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411   | GHS07<br>GHS09<br>Wng          | H302<br>H411   |                                 |                                  |       |
| 606-042-00-1 | acetophenone  | 202-708-7 | 98-86-2    | Acute Tox. 4 *<br>Eye Irrit. 2   | H302<br>H319   | GHS07<br>Wng                   | H302<br>H319   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-043-00-7 | 2,4-di- <i>tert</i> -butylcyclohexanone  | 405-340-7 | 13019-04-0  | Skin Irrit. 2<br>Aquatic Chronic 2                                     | H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |
| 606-044-00-2 | 2,4,6-trimethylbenzophenone  | 403-150-9 | 954-16-5    | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H410     |                                 |                                  |       |
| 606-045-00-8 | oxadiazon (ISO);<br>3-[2,4-dichloro-5-(1-methyl-ethoxy)phenyl]-5-(1,1-dimethyl-ethyl)-1,3,4-oxadiazol-2(3 <i>H</i> )-one | 243-215-7 | 19666-30-9  | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 606-046-00-3 | reaction mass of <i>cis</i> - and <i>trans</i> -cyclohexadec-8-en-1-one  | 401-700-2 | 3100-36-5   | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 606-047-00-9 | 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone   | 404-360-3 | 119313-12-1 | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 606-048-00-4 | 2'-anilino-3'-methyl-6'-dipentylaminospiro(isobenzofuran-1(1 <i>H</i> ),9'-xanthen)-3-one                                | 406-480-1 | —           | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 606-049-00-X | 4-( <i>trans</i> -4-propylcyclohexyl)acetophenone  | 406-700-6 | 78531-61-0  | Skin Sens. 1<br>Aquatic Chronic 4                                      | H317<br>H413                 | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 606-050-00-5 | 6-anilino-1-benzoyl-4-(4- <i>tert</i> -pentylphenoxy)naphtho[1,2,3- <i>de</i> ]quinoline-2,7-(3 <i>H</i> )-dione         | 412-480-2 | 72453-58-8  | Aquatic Chronic 2  | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 606-051-00-0 | 4-pentylcyclohexanone  | 406-670-4 | 61203-83-6  | Aquatic Chronic 2  | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 606-052-00-6 | 4-( <i>N,N</i> -dibutylamino)-2-hydroxy-2'-carboxybenzophenone   | 410-410-5 | 54574-82-2  | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |

## ▼B

| Index No             | International Chemical Identification   | EC No     | CAS No      | Classification                                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                      |   |           |             | Hazard Class and Category Code(s)                  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-053-00-1         | flurtamone (ISO);<br>( <i>RS</i> )-5-methylamino-2-phenyl-4-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl)furan-3(2 <i>H</i> )-one   | —         | 96525-23-4  | Aquatic Acute 1<br>Aquatic Chronic 1               | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| ▼M11<br>606-054-00-7 | isoxaflutole (ISO); 5-cyclopropyl-1,2-oxazol-4-yl $\alpha,\alpha,\alpha$ -trifluoro-2-mesyl- <i>p</i> -tolyl ketone   | —         | 141112-29-0 | Repr. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H361d***<br>H400<br>H410 | GHS08<br>GHS09<br>Wng          | H361d***<br>H410         |                                 | M = 10<br>M = 100                |       |
| ▼B<br>606-055-00-2   | 1-(2,3-dihydro-1,3,3,6-tetramethyl-1-(1-methylethyl)-1 <i>H</i> -inden-5-yl)ethanone  | 411-180-9 | 92836-10-7  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H302<br>H373 **<br>H411  | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H411  |                                 |                                  |       |
| 606-056-00-8         | 4-chloro-3',4'-dimethoxybenzophenone  | 404-610-1 | 116412-83-0 | Aquatic Acute 1<br>Aquatic Chronic 1               | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 606-057-00-3         | 4-propylcyclohexanone   | 406-810-4 | 40649-36-3  | Skin Irrit. 2<br>Aquatic Chronic 3                 | H315<br>H412             | GHS07<br>Wng                   | H315<br>H412             |                                 |                                  |       |
| 606-058-00-9         | 4'-fluoro-2,2-dimethoxyacetophenone   | 407-500-1 | 21983-80-2  | Skin Sens. 1<br>Aquatic Chronic 3                  | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 606-059-00-4         | 2,4-difluoro- $\alpha$ -(1 <i>H</i> -1,2,4-triazol-1-yl)acetophenone hydrochloride  | 412-390-3 | 86386-75-6  | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1       | H302<br>H318<br>H317     | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317     |                                 |                                  |       |
| 606-060-00-X         | reaction mass of: <i>trans</i> -2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-naphthalene-2-yl)-1,3-dioxolane;<br><i>cis</i> -2,4-dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-naphthalene-2-yl)-1,3-dioxolane | 412-950-7 | —           | Aquatic Acute 1<br>Aquatic Chronic 1               | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                  |                           | Labelling                      |                           |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---------------------------|--------------------------------|---------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)               | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 606-061-00-5 | (3-chlorophenyl)-(4-methoxy-3-nitrophenyl)methanone  | 423-290-4 | 66938-41-8  | Muta. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H400<br>H410      | GHS08<br>GHS09<br>Wng          | H341<br>H410              |                                 |                                  |       |
| 606-062-00-0 | tetrahydrothiopyran-3-carboxaldehyde   | 407-330-8 | 61571-06-0  | Repr. 1B<br>Eye Dam. 1<br>Aquatic Chronic 3     | H360D ***<br>H318<br>H412 | GHS08<br>GHS05<br>Dgr          | H360D ***<br>H318<br>H412 |                                 |                                  |       |
| 606-063-00-6 | (E)-3-(2-chlorophenyl)-2-(4-fluorophenyl)propenal  | 410-980-5 | 112704-51-5 | Eye Irrit. 2<br>Skin Sens. 1                    | H319<br>H317              | GHS07<br>Wng                   | H319<br>H317              |                                 |                                  |       |
| 606-064-00-1 | pregn-5-ene-3,20-dione bis(ethylene ketal)   | 407-450-0 | 7093-55-2   | Aquatic Chronic 4                               | H413                      | —                              | H413                      |                                 |                                  |       |
| 606-065-00-7 | 1-(4-morpholinophenyl)butan-1-one  | 413-790-0 | —           | Aquatic Chronic 2                               | H411                      | GHS09                          | H411                      |                                 |                                  |       |
| 606-066-00-2 | (E)-5[(4-chlorophenyl)methylene]-2,2-dimethylcyclopentanone  | 410-440-9 | 164058-20-2 | Aquatic Chronic 2                               | H411                      | GHS09                          | H411                      |                                 |                                  |       |
| 606-067-00-8 | reaction mass of: 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1 <i>H</i> -benz(g)inden-4-yl)ethanone; 1-(2,3,5,6,7,8-hexahydro-1,1-dimethyl-1 <i>H</i> -benz(f)inden-4-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-1,1-dimethyl-1 <i>H</i> -benz(g)inden-5-yl)ethanone; 1-(2,3,6,7,8,9-hexahydro-3,3-dimethyl-1 <i>H</i> -benz(g)inden-5-yl)ethanone | 414-870-8 | 96792-67-5  | Aquatic Acute 1<br>Aquatic Chronic 1            | H400<br>H410              | GHS09<br>Wng                   | H410                      |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 606-068-00-3 | 2,7,11-trimethyl-13-(2,6,6-trimethylcyclohex-1-en-1-yl)tridecahexaen-2,4,6,8,10,12-al   | 415-770-7 | 1638-05-7   | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3                                   | H373 **<br>H317<br>H412                | GHS08<br>GHS07<br>Wng          | H373 **<br>H317<br>H412        |                                 |                                  |       |
| 606-069-00-9 | spiro[1,3-dioxolane-2,5'-(4',4',8',8'-tetramethylhexahydro-3',9'-methanonaphthalene)]   | 415-460-1 | 154171-76-3 | Aquatic Chronic 2  | H411                                   | GHS09                          | H411                           |                                 |                                  |       |
| 606-070-00-4 | butoxydim (ISO);<br>5-(3-butyryl-2,4,6-trimethylphenyl)-2-[1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en-1-one  | 414-790-3 | 138164-12-2 | Repr. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361fd<br>H302<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361fd<br>H302<br>H315<br>H410 |                                 |                                  |       |
| 606-071-00-X | 17-spiro(5,5-dimethyl-1,3-dioxan-2-yl)androsta-1,4-diene-3-one  | 421-050-3 | 13258-43-0  | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                           | GHS09<br>Wng                   | H410                           |                                 |                                  |       |
| 606-072-00-5 | 3-acetyl-1-phenylpyrrolidine-2,4-dione  | 421-600-2 | 719-86-8    | STOT RE 2 *<br>Aquatic Chronic 2   | H373 **<br>H411                        | GHS08<br>GHS09<br>Wng          | H373 **<br>H411                |                                 |                                  |       |
| 606-073-00-0 | 4,4'-bis(dimethylamino)benzophenone;<br>Michler's ketone  | 202-027-5 | 90-94-8     | Carc. 1B<br>Muta. 2<br>Eye Dam. 1  | H350<br>H341<br>H318                   | GHS08<br>GHS05<br>Dgr          | H350<br>H341<br>H318           |                                 |                                  |       |
| 606-074-00-6 | reaction mass of: (1 <i>R</i> *, 2 <i>S</i> *)-2-acetyl-1,2,3,4,5,6,7,8-octahydro-1,2,8,8-tetramethylnaphthalene;<br>(2 <i>R</i> *, 3 <i>S</i> *)-2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphthalene | 425-570-1 | —           | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                           | GHS09<br>Wng                   | H410                           |                                 |                                  |       |

## ▼M1

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-075-00-1 | 1-benzyl-5-ethoxyimid-azolidine-2,4-dione   | 417-340-4 | 65855-02-9  | Acute Tox. 4 *  | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 606-076-00-7 | 1-((2-quinolinyl-carbonyl)oxy)-2,5-pyrrolidinedione   | 418-630-3 | 136465-99-1 | Eye Dam. 1<br>Skin Sens. 1  | H318<br>H317                 | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 606-077-00-2 | (3 <i>S</i> ,4 <i>S</i> )-3-hexyl-4-[( <i>R</i> )-2-hydroxytridecyl]-2-oxetanone              | 418-650-2 | 104872-06-2 | Aquatic Acute 1<br>Aquatic Chronic 1                                  | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 606-078-00-8 | 1-octylazepin-2-one   | 420-040-6 | 59227-88-2  | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2                    | H314<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411     |                                 |                                  |       |
| 606-079-00-3 | 2- <i>n</i> -butyl-benzo[ <i>d</i> ]isothiazol-3-one  | 420-590-7 | 4299-07-4   | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410     |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |   |                              |                                |                          |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |   |                              |                                |                          |                                 |                                  |       |
| 606-081-00-4 | (3β, 5α, 6β)-3-(acetyloxy)-5-bromo-6-hydroxy-androstan-17-one                                 | 419-790-7 | 4229-69-0   | Skin Sens. 1<br>Aquatic Chronic 3                                     | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 606-082-00-X | reaction mass of: butan-2-one oxime;<br>syn- <i>O,O'</i> -di(butan-2-one oxime)diethoxysilane | 406-930-7 |             | STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 3                        | H372 **<br>H317<br>H412      | GHS08<br>GHS07<br>Dgr          | H372 **<br>H317<br>H412  |                                 |                                  |       |



## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 606-083-00-5        | 2-chloro-5- <i>sec</i> -hexadecylhydroquinone  | 407-750-1 | 137193-60-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H315<br>H317<br>H412 | GHS07<br>Wng                   | H319<br>H315<br>H317<br>H412 |                                 |                                  |       |
| 606-084-00-0        | 1-(4-methoxy-5-benzofuranyl)-3-phenyl-1,3-propanedione   | 414-540-3 | 484-33-3    | Aquatic Acute 1<br>Aquatic Chronic 1                               | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 606-085-00-6        | (1 <i>R</i> ,4 <i>S</i> )-2-azabicyclo[2.2.1]hept-5-en-3-one   | 418-530-1 | 79200-56-9  | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1                       | H302<br>H318<br>H317         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317         |                                 |                                  |       |
| 606-086-00-1        | 1-(3,3-dimethylcyclohexyl)pent-4-en-1-one  | 422-330-8 | 56973-87-6  | Aquatic Chronic 2  | H411                         | GHS09                          | H411                         |                                 |                                  |       |
| 606-087-00-7        | 6-ethyl-5-fluoro-4(3 <i>H</i> )-pyrimidone   | 422-460-5 | 137234-87-8 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 606-088-00-2        | 2,4,4,7-tetramethyl-6-octen-3-one  | 422-520-0 | 74338-72-0  | Skin Irrit. 2<br>Aquatic Chronic 2                                 | H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H315<br>H411                 |                                 |                                  |       |
| 606-089-00-8        | reaction mass of: 1,4-diamino-2-chloro-3-phenoxyanthraquinone;<br>1,4-diamino-2,3-bis-phenoxyanthraquinone | 423-220-2 | 12223-77-7  | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |
| ▼M1<br>606-090-00-3 | 1-[3-[(dimethylamino)methyl]-4-hydroxyphenyl]ethanone  | 430-920-1 | 73096-98-7  | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                  | H302<br>H318<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412         |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-091-00-9        | 6-chloro-5-(2-chloroethyl)-1,3-dihydroindol-2-one   | 421-320-0 | 118289-55-7 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 606-092-00-4        | reaction mass of: ( <i>E</i> )-oxacyclohexadec-12-en-2-one;<br>( <i>E</i> )-oxacyclohexadec-13-en-2-one;<br>a) ( <i>Z</i> )-oxacyclohexadec-(12)-en-2-one and b) ( <i>Z</i> )-oxacyclohexadec-(13)-en-2-one | 422-320-3 |             | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| ▼M1<br>606-093-00-X | 5-ethyl-2,4-dihydro-4-(2-phenoxyethyl)-3 <i>H</i> -1,2,4-triazol-3-one  | 414-470-3 | 95885-13-5  | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 606-094-00-5        | <i>N</i> -[ethyl(3-methylbutyl)amino]-3-methyl-1-phenylspiro[[1]benzo-pyrano[2,3- <i>c</i> ]pyrazole-4(1 <i>H</i> ), 1'(3' <i>H</i> )-isobenzofuran]-3'-one   | 417-460-7 | —           | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 606-095-00-0        | ( <i>R,S</i> )-2-azabicyclo[2.2.1]hept-5-en-3-one   | 421-830-3 | 49805-30-3  | Acute Tox. 4 *<br>Skin Sens. 1       | H302<br>H317             | GHS07<br>Wng                   | H302<br>H317             |                                 |                                  |       |
| 606-096-00-6        | 3-(6- <i>O</i> -(6-desoxy- $\alpha$ -l-mannopyranosyl)- <i>O</i> -( $\alpha$ -d-glucopyranosyl)-( $\beta$ -d-glucopyranosyl)oxy)-2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-4 <i>H</i> -1-benzopyran-4-one       | 424-170-4 | 130603-71-3 | Skin Sens. 1<br>Aquatic Chronic 2    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 606-097-00-1        | 2,2"-dihydroxy-4,4"-(2-hydroxypropane-1,3-diylidioxy)dibenzophenone   | 424-210-0 | 23911-85-5  | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 606-098-00-7        | 1-benzyl-5-(hexadecyloxy)-2,4-imidazolidinedione  | 431-220-9 | 158574-65-3 | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                  | Labelling                      |                                  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|----------------------------------|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                               | Hazard statement Code(s)         | Pictogram, Signal Word Code(s) | Hazard statement Code(s)         | Suppl. Hazard statement Code(s) |                                  |       |
| 606-099-00-2 | 5-methoxy-4'-(trifluoromethyl)valerophenone   | 425-000-1 | 61718-80-7  | Aquatic Chronic 2   | H411                             | GHS09                          | H411                             |                                 |                                  |       |
| 606-100-00-6 | 2-butyryl-3-hydroxy-5-thio-cyclohexan-3-yl-cyclohex-2-en-1-one  | 425-150-8 | 94723-86-1  | Repr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3 | H360F***<br>H302<br>H317<br>H412 | GHS08<br>GHS07<br>Dgr          | H360F***<br>H302<br>H317<br>H412 |                                 |                                  |       |
| 606-101-00-1 | reaction mass of: 1,5-bis[(2-ethylhexyl)amino]-9,10-anthracenedione;<br>1-[(2-ethylhexyl)amino]-5-[3-[(2-ethylhexyl)oxy]propyl]amino-9,10-anthracenedione;<br>1,5-bis[3-[(2-ethylhexyl)oxy]propyl]amino-9,10-anthracenedione;<br>1-[(2-ethylhexyl)amino]-5-[(3-methoxypropyl)amino]-9,10-anthracene dione;<br>1-[3-[(2-ethylhexyl)oxy]propyl]amino-5-[(3-methoxypropyl)amino]-9,10-anthracenedione;<br>1,5-bis[(3-methoxypropyl)amino]-9,10-anthracenedione | 426-050-7 | 165038-51-7 | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                     | GHS09<br>Wng                   | H410                             |                                 |                                  |       |
| 606-102-00-7 | 4-(3-triethoxysilylpropoxy)-2-hydroxybenzophenone   | 431-490-8 | 79876-59-8  | Aquatic Chronic 2   | H411                             | GHS09                          | H411                             |                                 |                                  |       |
| 606-103-00-2 | 1-(4-(trans-4-ethylcyclohexyl)phenyl)ethanone   | 426-460-6 | —           | Skin Sens. 1  | H317                             | GHS07<br>Wng                   | H317                             |                                 |                                  |       |
| 606-104-00-8 | 1-(4-(trans-4-pentylcyclohexyl)phenyl)ethanone  | 426-830-7 | 78531-59-6  | Skin Sens. 1<br>Aquatic Chronic 4                               | H317<br>H413                     | GHS07<br>Wng                   | H317<br>H413                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 606-105-00-3 | 3,4,3', 4'-tetraphenyl-1,1'-ethandiylbispyrol-2,5-dione   | 431-500-0 | 226065-73-2 | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                           | GHS07<br>Wng                   | H317<br>H413                           |                                 |                                  |       |
| 606-106-00-9 | 1-(4-( <i>trans</i> -4-butylcyclohexyl)phenyl)ethanone  | 427-320-7 | 83626-30-6  | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                           | GHS07<br>Wng                   | H317<br>H413                           |                                 |                                  |       |
| 606-107-00-4 | 8-azaspiro[4.5]decane-7,9-dione   | 427-770-4 | 1075-89-4   | Acute Tox. 3 *<br>Aquatic Chronic 2  | H301<br>H411                           | GHS06<br>GHS09<br>Dgr          | H301<br>H411                           |                                 |                                  |       |
| 606-108-00-X | 1,1,1,2,2,4,5,5,5-nonafluoro-4-(trifluoromethyl)-3-pentanone  | 436-710-6 | 756-13-8    | Aquatic Chronic 3  | H412                                   | —                              | H412                                   |                                 |                                  |       |
| ▼ M6         |   |           |             |  |  |                                |  |                                 |                                  |       |
| 606-109-00-5 | 2-(4-methyl-3-pentenyl)anthraquinone  | 428-320-1 | 71308-16-2  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 4                              | H302<br>H317<br>H413                   | GHS07<br>Wng                   | H302<br>H317<br>H413                   |                                 |                                  |       |
| ▼ M1         |   |           |             |  |  |                                |  |                                 |                                  |       |
| 606-110-00-0 | 5-ethoxy-5 <i>H</i> -furan-2-one  | 428-330-4 | 2833-30-9   | Skin Corr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1 | H314<br>H312<br>H302<br>H373**<br>H317 | GHS05<br>GHS08<br>GHS07<br>Dgr | H314<br>H312<br>H302<br>H373**<br>H317 |                                 |                                  |       |
| 606-111-00-6 | 5-amino-6-methyl-1,3-dihydrobenzimidazol-2-one  | 428-410-9 | 67014-36-2  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2                              | H302<br>H317<br>H411                   | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411                   |                                 |                                  |       |
| 606-112-00-1 | (4 <i>aR</i> *, 8 <i>aR</i> *)-4 <i>a</i> ,5,9,10,11,12-hexahydro-3-methoxy-11-methyl-6 <i>H</i> -benzofuro[3 <i>a</i> ,3,2- <i>ef</i> ][2]benzazepin-6-one | 428-690-2 | 1668-86-6   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 3                              | H302<br>H319<br>H412                   | GHS07<br>Wng                   | H302<br>H319<br>H412                   |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-113-00-7 | 1-[4-(4-benzoylphenylsulfanyl)phenyl]-2-methyl-2-(4-methylphenylsulfonyl)propan-1-one  | 429-040-0 | 272460-97-6 | Eye Dam. 1<br>Aquatic Chronic 4    | H318<br>H413             | GHS05<br>Dgr                   | H318<br>H413             |                                 |                                  |       |
| 606-114-00-2 | 4,4', 5,5', 6,6', 7,7'-octachloro-(2,2')biisindolyl-1,1', 3,3'-tetraone  | 429-150-9 | 67887-47-2  | Aquatic Chronic 4                  | H413                     | —                              | H413                     |                                 |                                  |       |
| 606-115-00-8 | profoxydim (ISO);<br>2-{}(EZ)-1-{}(2RS)-2-(4-chlorophenoxy)propoxyimino {}butyl[]-3-hydroxy-5-(thian-3-yl)cyclohex-2-en-1-one  | —         | 139001-49-3 | Carc. 2<br>Repr. 2<br>Skin Sens. 1 | H351<br>H361d<br>H317    | GHS08<br>GHS07<br>Wng          | H351<br>H361d<br>H317    |                                 |                                  |       |
| 606-116-00-3 | tepraloxym (ISO);<br>(RS)-(EZ)-2-{}1-{}(2E)-3-chloroallyloxyimino {}propyl[]-3-hydroxy-5-perhydropyran-4-ylcyclohex-2-en-1-one | —         | 149979-41-9 | Carc. 2<br>Repr. 2                 | H351<br>H361fd           | GHS08<br>Wng                   | H351<br>H361fd           |                                 |                                  |       |
| 606-117-00-9 | 2,6-bis(1,1-dimethylethyl)-4-(phenylenemethyl-ene)cyclohexa-2,5-dien-1-one   | 429-460-4 | 7078-98-0   | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-118-00-4 | <i>N</i> -(1,3-dimethylbutyl)- <i>N'</i> -(phenyl)-1,4-benzoquinone-diimine  | 429-640-2 | 52870-46-9  | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H319<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H319<br>H410             |                                 |                                  |       |
| 606-119-00-X | ( <i>E</i> )-3-methyl-5-cyclopentadecen-1-one  | 429-900-5 | —           | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 606-120-00-5 | 2,5-dihydroxy-5-methyl-3-(morpholin-4-yl)-2-cyclopenten-1-one  | 430-170-5 | 114625-74-0 | Acute Tox. 4 *<br>Aquatic Chronic 3                                   | H302<br>H412                 | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 606-121-00-0 | (+)-(1 <i>S</i> , 2 <i>S</i> , 3 <i>S</i> , 5 <i>R</i> )-2,6,6-trimethylbicyclo[3.1.1]heptane-3-spiro-1'-(cyclohex-2'-en-4'-one) | 430-460-1 | 133636-82-5 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s) |                                  |       |
| 606-122-00-6 | 3-(2-bromopropionoyl)-4,4-dimethyl-1,3-oxazolan-2-one  | 430-820-8 | 114341-88-7 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373**<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H302<br>H373**<br>H315<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 606-123-00-1 | 4-hexadecyl-1-phenylpyrazolidin-3-one  | 430-840-7 | —           | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413   | GHS07<br>Wng                            | H317<br>H413                                   |                                 |                                  |       |
| 606-124-00-7 | 1-cyclopropyl-3-(2-methylthio-4-trifluoromethylphenyl)-1,3-propanedione  | 421-080-7 | 161462-35-7 | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H373**<br>H400<br>H410                                 | GHS08<br>GHS09<br>Wng                   | H373**<br>H410                                 |                                 |                                  |       |
| 606-125-00-2 | 1-benzylimidazolidine-2,4-dione  | 421-340-1 | 6777-05-5   | Acute Tox. 4 *   | H302   | GHS07<br>Wng                            | H302   |                                 |                                  |       |
| 606-126-00-8 | 1,4-bis(2,3-dihydroxypropylamino)anthraquinone   | 421-470-7 | 99788-75-7  | Aquatic Chronic 2  | H411   | GHS09                                   | H411   |                                 |                                  |       |
| 606-128-00-9 | 2,2'-(1,3-phenylene)bis[5-chloro-1 <i>H</i> -isoindole]-1,3(2 <i>H</i> )-dione   | 422-650-8 | 148935-94-8 | Aquatic Chronic 4  | H413   | —                                       | H413   |                                 |                                  |       |
| 606-129-00-4 | 5-amino-[2 <i>S</i> -di(methylphenyl)amino]-1,6-diphenyl-4 <i>Z</i> -hexen-3-one;<br>(2 <i>S</i> , 4 <i>Z</i> )-5-amino-2-(dibenzylamino)-1,6-diphenylhex-4-en-3-one | 423-090-7 | 156732-13-7 | Aquatic Chronic 4  | H413   | —                                       | H413   |                                 |                                  |       |
| 606-130-00-X | 4-(1,4-dioxo-spiro[4.5]dec-8-yl)-cyclohexanone   | 423-860-2 | 56309-94-5  | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412   | GHS07<br>Wng                            | H317<br>H412                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|--|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                       | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| 606-131-00-5 | cyclic 3-(1,2-ethanediyllacetale)-estra-5(10),9(11)-diene-3,17-dione   | 427-230-8 | 5571-36-8   | Repr. 1B<br>STOT RE 2 *<br>Aquatic Chronic 2   | H360F***<br>H373**<br>H411                                     | GHS08<br>GHS09<br>Dgr                            | H360F***<br>H373**<br>H411                             |                                 |                                  |       |
| 606-132-00-0 | (6β)-6,19-epoxyandrost-4-ene-3,17-dione  | 433-490-3 | 6563-83-3   | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412   | GHS07<br>Wng                                     | H317<br>H412   |                                 |                                  |       |
| 606-134-00-1 | androsta-1,4,9(11)-triene-3,17-dione   | 433-560-3 | 15375-21-0  | Repr. 2  | H361f***   | GHS08<br>Wng                                     | H361f***   |                                 |                                  |       |
| 606-135-00-7 | cyclohexadecanone  | 438-930-8 | 2550-52-9   | Aquatic Chronic 4  | H413   | —  | H413   |                                 |                                  |       |
| 606-136-00-2 | (3S, 6R, 9S, 12R, 15S, 18R, 21S, 24R)-6,18-dibenzyl-3,9,15,21-tetraisobutyl-4,10,12,16,22,24-hexamethyl-1,7,13,19-tetraoxa-4,10,16,22-tetraazacyclo-tetracosane-2,5,8,11,14,17,20,23-octaone | 444-350-6 | 133413-70-4 | Eye Irrit. 2<br>Aquatic Chronic 4  | H319<br>H413   | GHS07<br>Wng                                     | H319<br>H413   |                                 |                                  |       |
| 606-137-00-8 | <i>trans</i> -7,7'-dimethyl-(4 <i>H</i> , 4 <i>H'</i> )-(2,2')bi[benzo[1,4]thiazinyli-dene]-3,3'-dione   | 444-750-0 | 211387-26-7 | Aquatic Chronic 4  | H413   | —  | H413   |                                 |                                  |       |
| 606-138-00-3 | (2-butyl-5-nitrobenzofuran-3-yl)[4-(3-dibutylaminopropoxy)phenyl]methanone   | 444-800-1 | 141645-23-0 | Flam. Liq. 3<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H302<br>H373**<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS02<br>GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H302<br>H373**<br>H315<br>H318<br>H317<br>H410 | M=10                            |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-139-00-9 | (S)-4-(3,4-dichlorophenyl)-3,4-dihydro-2H-naphthalen-1-one  | 444-830-5 | 124379-29-9 | Aquatic Chronic 4                                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 606-140-00-4 | 2-hydroxy-1-(4-(4-(2-hydroxy-2-methylpropionyl)benzyl)phenyl)-2-methylpropan-1-one  | 444-860-9 | 474510-57-1 | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373**<br>H400<br>H410   | GHS08<br>GHS09<br>Wng          | H373**<br>H410           |                                 |                                  |       |
| 606-141-00-X | sodium 3-(methoxycarbonyl)-4-oxo-3,4,5,6-tetrahydro-2-pyridinolate  | 418-410-7 | —           | Eye Irrit. 2  | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| 606-142-00-5 | reaction mass of: (1RS, 2SR, 7SR, 8SR, E) 9 and 10-ethylidene-3-oxatri-cyclo[6.2.1.0 <sup>(2,7)</sup> ]undecan-4-one;<br><br>(1RS, 2SR, 7SR, 8SR, Z)-10-ethylidene-3-oxatri-cyclo[6.2.1.0 <sup>(2,7)</sup> ]undecan-4-one;<br><br>(1RS, 2SR, 7SR, 8SR, Z)-9-ethylidene-3-oxatri-cyclo[6.2.1.0 <sup>(2,7)</sup> ]undecan-4-one | 434-290-9 | —           | Acute Tox. 4 *<br>Aquatic Chronic 2                 | H302<br>H411             | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No         | CAS No         | Classification  |  | Labelling                          |  |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|---|---------------|----------------|---|--|------------------------------------|--|---------------------------------|--|-------|
|              |   |               |                | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)     | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |  |       |
| 606-143-00-0 | abamectin (combination of avermectin B1a and avermectin B1b) (ISO) [1]              | _ [1]         | 71751-41-2 [1] | Repr. 2<br>Acute Tox. 2<br>Acute Tox. 1<br>STOT RE 1                              | H361d<br>H300<br>H330<br>H372<br>(nervous system)                          | GHS06<br>GHS08<br>GHS09<br>Dgr     | H361d<br>H300<br>H330<br>H372<br>(nervous system)                  |                                 | STOT RE 1;<br>H372: C ≥ 5 %<br>STOT RE 2;<br>H373: 0,5 %<br>≤C<5 %<br>M = 10 000 |       |
|              | avermectin B1a (purity ≥80 %); [2]  | 265-610-3 [2] | 65195-55-3 [2] | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   |                                    | H410   |                                 |  |       |
| 606-144-00-6 | acequinocyl (ISO);<br>3-dodecyl-1,4-dioxo-1,4-dihydro-naphthalen-2-yl acetate       | —             | 57960-19-7     | Skin Sens. 1<br>STOT SE 1<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H317<br>H370 (lung)<br>(inhalation)<br>H373 (blood system)<br>H400<br>H410 | GHS07<br>GHS08<br>GHS09<br>Dgr     | H317<br>H370 (lung)<br>(inhalation)<br>H373 (blood system)<br>H410 |                                 | M = 1 000  |       |
| 606-145-00-1 | sulcotrione (ISO);<br>2-[2-chloro-4-(methylsulfonyl)benzoyl]cyclohexane-1,3-dione   |               | 99105-77-8     | Repr. 2<br>STOT RE 2<br><br>Skin Sens. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d<br>H373 (kidneys)<br>H317<br>H400<br>H410                            | GHS08<br>GHS07<br><br>GHS09<br>Wng | H361d<br>H373 (kidneys)<br>H317<br>H410                            |                                 | M = 1<br>M = 10  |       |
| 606-146-00-7 | tralkoxydim (ISO); 2-(N-ethoxypropanimidoyl)-3-hydroxy-5-mesitylcyclohex-2-en-1-one | -             | 87820-88-0     | Carc. 2<br>Acute Tox. 4<br>Aquatic Chronic 2                                      | H351<br>H302<br>H411   | GHS08<br>GHS07<br>GHS09<br>Wng     | H351<br>H302<br>H411   |                                 |  |       |

▼ **M3**▼ **M7**▼ **M8**

▼ **M8**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 606-147-00-2 | cycloxydim (ISO); 2-(N-ethoxybutanimidoyl)-3-hydroxy-5-(tetrahydro-2 <i>H</i> -thiopyran-3-yl)cyclohex-2-en-1-one | 405-230-9 | 101205-02-1 | Repr. 2                           | H361d                    | GHS08<br>Wng                   | H361d                    |                                 |                                  |       |

▼ **M11**

|              |  |   |   |  |  |                                |  |  |                   |  |
|--------------|--|---|---|--|--|--------------------------------|--|--|-------------------|--|
| 606-148-00-8 | carvone (ISO);<br>2-methyl-5-(prop-1-en-2-yl)cyclohex-2-en-1-one; [1]<br>d-carvone; (5 <i>S</i> )-2-methyl-5-(prop-1-en-2-yl)cyclohex-2-en-1-one; [2]<br>l-carvone; (5 <i>R</i> )-2-methyl-5-(prop-1-en-2-yl)cyclohex-2-en-1-one [3] | 202-759-5 [1]<br>218-827-2 [2]<br>229-352-5 [3] | 99-49-0 [1]<br>2244-16-8 [2]<br>6485-40-1 [3] | Skin Sens. 1   | H317   | GHS07<br>Wng                   | H317   |  |                   |  |
| 606-149-00-3 | tembotrione (ISO); 2-{2-chloro-4-(methylsulfonyl)-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl}cyclohexane-1,3-dione   | —   | 335104-84-2                                   | Repr. 2<br>STOT RE 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d<br>H373 (eyes, kidneys, liver)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d<br>H373 (eyes, kidneys, liver)<br>H317<br>H410 |  | M = 100<br>M = 10 |  |

▼ **B**

|              |                   |           |         |               |      |              |      |  |  |   |
|--------------|-------------------|-----------|---------|---------------|------|--------------|------|--|--|---|
| 607-001-00-0 | formic acid ... % | 200-579-1 | 64-18-6 | Skin Corr. 1A | H314 | GHS05<br>Dgr | H314 |  | Skin Corr. 1A;<br>H314: C ≥ 90 %<br>Skin Corr. 1B;<br>H314: 10 % ≤ C < 90 %<br>Skin Irrit. 2;<br>H315: 2 % ≤ C < 10 %<br>Eye Irrit. 2;<br>H319: 2 % ≤ C < 10 % | B |
|--------------|-------------------|-----------|---------|---------------|------|--------------|------|--|--|---|

▼B

| Index No                    | International Chemical Identification  | EC No     | CAS No   | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors   | Notes |
|-----------------------------|--|-----------|----------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|--|-------|
|                             |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |  |       |
| 607-002-00-6                | acetic acid ... %  | 200-580-7 | 64-19-7  | Flam. Liq. 3<br>Skin Corr. 1A  | H226<br>H314                         | GHS02<br>GHS05<br>Dgr          | H226<br>H314                         |                                 | Skin Corr. 1A;<br>H314: C ≥ 90 %<br>Skin Corr. 1B;<br>H314: 25 % ≤ C < 90 %<br>Skin Irrit. 2;<br>H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 % | B     |
| ▼ <u>M1</u><br>607-003-00-1 | chloroacetic acid  | 201-178-4 | 79-11-8  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H314<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H314<br>H400 |                                 | STOT SE 3;<br>H335: C ≥ 5 %  |       |
| ▼ <u>B</u><br>607-004-00-7  | TCA (ISO);<br>trichloroacetic acid   | 200-927-2 | 76-03-9  | Skin Corr. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H314<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H314<br>H410                         |                                 | STOT SE 3;<br>H335: C ≥ 1 %  |       |
| 607-005-00-2                | TCA-sodium (ISO);<br>sodium trichloroacetate                                       | 211-479-2 | 650-51-1 | STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H335<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H335<br>H410                         |                                 |  |       |
| 607-006-00-8                | oxalic acid  | 205-634-3 | 144-62-7 | Acute Tox. 4 *<br>Acute Tox. 4 *   | H312<br>H302                         | GHS07<br>Wng                   | H312<br>H302                         |                                 | *  |       |
| ▼ <u>M1</u><br>607-007-00-3 | salts of oxalic acid with the exception of those specified elsewhere in this Annex | —         | —        | Acute Tox. 4 *<br>Acute Tox. 4 *   | H312<br>H302                         | GHS07<br>Wng                   | H312<br>H302                         |                                 | *  | A     |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|---------------------------------------|-----------|----------|---|--|--------------------------------|--|---------------------------------|--|-------|
|              |                                       |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |  |       |
| 607-008-00-9 | acetic anhydride                      | 203-564-8 | 108-24-7 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                           | H226<br>H332<br>H302<br>H314                 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H302<br>H314                 |                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 5 % ≤ C < 25 %<br>Eye Dam. 1;<br>H318: 5 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 1 % ≤ C < 5 %<br>STOT SE 3;<br>H335: C ≥ 5 % |       |
| 607-009-00-4 | phthalic anhydride                    | 201-607-5 | 85-44-9  | Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1 | H302<br>H335<br>H315<br>H318<br>H334<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H335<br>H315<br>H318<br>H334<br>H317 |                                 |  |       |
| 607-010-00-X | propionic anhydride                   | 204-638-2 | 123-62-6 | Skin Corr. 1B   | H314   | GHS05<br>Dgr                   | H314   |                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H315: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 %  |       |
| 607-011-00-5 | acetyl chloride                       | 200-865-6 | 75-36-5  | Flam. Liq. 2<br>Skin Corr. 1B   | H225<br>H314                                 | GHS02<br>GHS05<br>Dgr          | H225<br>H314                                 | EUH014                          |  |       |

▼**B**

| Index No     | International Chemical Identification   | EC No   | CAS No                                       | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-012-00-0 | benzoyl chloride  | 202-710-8                                       | 98-88-4                                      | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1 | H332<br>H312<br>H302<br>H314<br>H317 | GHS05<br>GHS07<br>Dgr          | H332<br>H312<br>H302<br>H314<br>H317 |                                 |                                  |       |
| 607-013-00-6 | dimethyl carbonate  | 210-478-4                                       | 616-38-6                                     | Flam. Liq. 2  | H225                                 | GHS02<br>Dgr                   | H225                                 |                                 |                                  |       |
| 607-014-00-1 | methyl formate  | 203-481-7                                       | 107-31-3                                     | Flam. Liq. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3       | H224<br>H332<br>H302<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr          | H224<br>H332<br>H302<br>H319<br>H335 |                                 |                                  |       |
| 607-015-00-7 | ethyl formate   | 203-721-0                                       | 109-94-4                                     | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3       | H225<br>H332<br>H302<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H302<br>H319<br>H335 |                                 |                                  |       |
| 607-016-00-2 | propyl formate; [1]<br>isopropyl formate [2]                                  | 203-798-0 [1]<br>210-901-2 [2]                  | 110-74-7 [1]<br>625-55-8 [2]                 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>STOT SE 3                              | H225<br>H319<br>H335<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H335<br>H336         |                                 | C                                |       |
| 607-017-00-8 | butyl formate; [1]<br><i>tert</i> -butyl formate; [2]<br>isobutyl formate [3] | 209-772-5 [1]<br>212-105-0 [2]<br>208-818-1 [3] | 592-84-7 [1]<br>762-75-4 [2]<br>542-55-2 [3] | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3   | H225<br>H319<br>H335                 | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H335                 |                                 | C                                |       |
| 607-018-00-3 | isopentyl formate; [1]<br>2-methylbutyl formate [2]                           | 203-769-2 [1]<br>252-343-2 [2]                  | 110-45-2 [1]<br>35073-27-9 [2]               | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3   | H225<br>H319<br>H335                 | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H335                 |                                 | C                                |       |
| 607-019-00-9 | methyl chloroformate  | 201-187-3                                       | 79-22-1                                      | Flam. Liq. 2<br>Acute Tox. 2 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B | H225<br>H330<br>H312<br>H302<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H330<br>H312<br>H302<br>H314 |                                 |                                  |       |

▼**M1**▼**B**

## ▼B

| Index No            | International Chemical Identification  | EC No   | CAS No                                       | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|---|--|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                     |  |   |  | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-020-00-4        | ethyl chloroformate  | 208-778-5                                       | 541-41-3                                     | Flam. Liq. 2<br>Acute Tox. 2 *<br>Acute Tox. 4 *<br>Skin Corr. 1B | H225<br>H330<br>H302<br>H314 | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H330<br>H302<br>H314 |                                 |                                  |       |
| 607-021-00-X        | methyl acetate   | 201-185-2                                       | 79-20-9                                      | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                         | H225<br>H319<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336         | EUH066                          |                                  |       |
| 607-022-00-5        | ethyl acetate  | 205-500-4                                       | 141-78-6                                     | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                         | H225<br>H319<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336         | EUH066                          |                                  |       |
| ▼M7<br>607-023-00-0 | vinyl acetate  | 203-545-4                                       | 108-05-4                                     | Flam. Liq. 2<br>Carc. 2<br>Acute Tox. 4<br>STOT SE 3              | H225<br>H351<br>H332<br>H335 | GHS02<br>GHS08<br>GHS07<br>Dgr | H225<br>H351<br>H332<br>H335 |                                 |                                  | D     |
| ▼B<br>607-024-00-6  | propyl acetate; [1]<br>isopropyl acetate [2]   | 203-686-1 [1]<br>203-561-1 [2]                  | 109-60-4 [1]<br>108-21-4 [2]                 | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3                         | H225<br>H319<br>H336         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H336         | EUH066                          |                                  | C     |
| 607-025-00-1        | <i>n</i> -butyl acetate  | 204-658-1                                       | 123-86-4                                     | Flam. Liq. 3<br>STOT SE 3   | H226<br>H336                 | GHS02<br>GHS07<br>Wng          | H226<br>H336                 | EUH066                          |                                  |       |
| 607-026-00-7        | <i>sec</i> -butyl acetate; [1]<br>isobutyl acetate; [2]<br><i>tert</i> -butyl acetate [3]        | 203-300-1 [1]<br>203-745-1 [2]<br>208-760-7 [3] | 105-46-4 [1]<br>110-19-0 [2]<br>540-88-5 [3] | Flam. Liq. 2  | H225                         | GHS02<br>Dgr                   | H225                         | EUH066                          |                                  | C     |
| 607-027-00-2        | methyl propionate  | 209-060-4                                       | 554-12-1                                     | Flam. Liq. 2<br>Acute Tox. 4 *                                    | H225<br>H332                 | GHS02<br>GHS07<br>Dgr          | H225<br>H332                 |                                 |                                  |       |
| 607-028-00-8        | ethyl propionate   | 203-291-4                                       | 105-37-3                                     | Flam. Liq. 2  | H225                         | GHS02<br>Dgr                   | H225                         |                                 |                                  |       |
| 607-029-00-3        | <i>n</i> -butyl propionate; [1]<br><i>sec</i> -butyl propionate; [2]<br>iso-butyl propionate [3] | 209-669-5 [1]<br>- [2]<br>208-746-0 [3]         | 590-01-2 [1]<br>591-34-4 [2]<br>540-42-1 [3] | Flam. Liq. 3  | H226                         | GHS02<br>Wng                   | H226                         |                                 |                                  | C     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification   |  | Labelling                      |  |  | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|--|--|--------------------------------|--|--|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s)  |                                  |       |
| 607-030-00-9 | propyl propionate  | 203-389-7 | 106-36-5 | Flam. Liq. 3<br>Acute Tox. 4 *   | H226<br>H332   | GHS02<br>GHS07<br>Wng          | H226<br>H332   |  |                                  |       |
| 607-031-00-4 | butyl butyrate   | 203-656-8 | 109-21-7 | Flam. Liq. 3   | H226   | GHS02<br>Wng                   | H226   |  |                                  | C     |
| 607-032-00-X | ethyl acrylate   | 205-438-8 | 140-88-5 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | Skin Irrit. 2;<br>H315: C ≥ 5 %<br>Eye Irrit. 2;<br>H319: C ≥ 5 %<br>STOT SE 3;<br>H335: C ≥ 5 % | D                                |       |
| 607-033-00-5 | <i>n</i> -butyl methacrylate   | 202-615-1 | 97-88-1  | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1   | H226<br>H319<br>H335<br>H315<br>H317                         | GHS02<br>GHS07<br>Wng          | H226<br>H319<br>H335<br>H315<br>H317                         |  |                                  | D     |
| 607-034-00-0 | methyl acrylate;<br>methyl propenoate  | 202-500-6 | 96-33-3  | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1 | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H319<br>H335<br>H315<br>H317 |  |                                  | D     |
| 607-035-00-6 | methyl methacrylate;<br>methyl 2-methylprop-2-enoate;<br>methyl 2-methylpropenoate | 201-297-1 | 80-62-6  | Flam. Liq. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1   | H225<br>H335<br>H315<br>H317                                 | GHS02<br>GHS07<br>Dgr          | H225<br>H335<br>H315<br>H317                                 |  |                                  | D     |



▼**B**

| Index No     | International Chemical Identification                | EC No     | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 607-036-00-1 | 2-methoxyethyl acetate;<br>methylglycol acetate      | 203-772-9 | 110-49-6 | Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                                       | H360FD<br>H332<br>H312<br>H302               | GHS08<br>GHS07<br>Dgr          | H360FD<br>H332<br>H312<br>H302         |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |          |  |  |                                |  |                                 |                                  |       |
| 607-037-00-7 | 2-ethoxyethyl acetate;<br>ethylglycol acetate        | 203-839-2 | 111-15-9 | Flam. Liq. 3<br>Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                       | H226<br>H360FD<br>H332<br>H312<br>H302       | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H360FD<br>H332<br>H312<br>H302 |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |          |  |  |                                |  |                                 |                                  |       |
| 607-038-00-2 | 2-butoxyethyl acetate;<br>butylglycol acetate        | 203-933-3 | 112-07-2 | Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H312                                 | GHS07<br>Wng                   | H332<br>H312                           |                                 |                                  |       |
| 607-039-00-8 | 2,4-D (ISO);<br>2,4-dichlorophenoxyacetic acid       | 202-361-1 | 94-75-7  | Acute Tox. 4 *<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                       | H302<br>H335<br>H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H335<br>H318<br>H317<br>H412   |                                 |                                  |       |
| 607-040-00-3 | salts of 2,4-D                                       | —         | —        | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                                    | H302<br>H318<br>H317<br>H411                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411           |                                 | A                                |       |
| 607-041-00-9 | 2,4,5-T (ISO);<br>2,4,5-trichlorophenoxy acetic acid | 202-273-3 | 93-76-5  | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H335<br>H315<br>H410   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No                          | CAS No                          | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|---------------------------------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |                                |                                 | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-042-00-4 | salts and esters of 2,4,5-T;<br>salts and esters of 2,4,5-trichlorophenoxy acetic acid                                       | —                              | —                               | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H335<br>H315<br>H410 |                                 |                                  | A     |
| 607-043-00-X | dicamba (ISO);<br>2,5-dichloro-6-methoxybenzoic acid;<br>3,6-dichloro-2-methoxybenzoic acid                                  | 217-635-6                      | 1918-00-9                       | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3  | H302<br>H318<br>H412                         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412                 |                                 |                                  |       |
| 607-044-00-5 | 3,6-dichloro- <i>o</i> -anisic acid, compound with dimethylamine (1:1); [1]<br>potassium 3,6-dichloro- <i>o</i> -anisate [2] | 218-951-7 [1]<br>233-002-7 [2] | 2300-66-5 [1]<br>10007-85-9 [2] | Eye Irrit. 2<br>Aquatic Chronic 3  | H319<br>H412                                 | GHS07<br>Wng                   | H319<br>H412                         |                                 |                                  |       |
| 607-045-00-0 | dichlorprop (ISO);<br>2-(2,4-dichlorophenoxy) propionic acid   | 204-390-5                      | 120-36-5                        | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1                                      | H312<br>H302<br>H315<br>H318                 | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H315<br>H318         |                                 |                                  |       |
| 607-046-00-6 | salts of dichlorprop   | —                              | —                               | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H312<br>H302                         | GHS07<br>Wng                   | H332<br>H312<br>H302                 |                                 |                                  | A     |
| 607-047-00-1 | fenoprop (ISO);<br>2-(2,4,5-trichlorophenoxy)propionic acid  | 202-271-2                      | 93-72-1                         | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H302<br>H315<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H410                 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No                          | CAS No                        | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|--------------------------------|-------------------------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                     |   |                                |                               | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-048-00-7        | salts of fenoprop;<br>salts of 2-(2,4,5-trichlorophen-<br>oxy)propionic acid  | —                              | —                             | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 |                                  | A     |
| 607-049-00-2        | mecoprop (ISO);<br>2-(4-chloro- <i>o</i> -tolylxy)<br>propionic acid;<br>( <i>RS</i> )-2-(4-chloro- <i>o</i> -tolylxy)pro-<br>pionic acid; [1]<br>2-(4-chloro-2-methylphen-<br>oxy)propionic acid [2] | 230-386-8 [1]<br>202-264-4 [2] | 7085-19-0 [1]<br>708519-0 [2] | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H410 |                                 | M=100                            |       |
| 607-050-00-8        | salts of mecoprop   | —                              | —                             | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H410 |                                 |                                  | A     |
| ▼M1<br>607-051-00-3 | MCPA (ISO);<br>4-chloro- <i>o</i> -tolylxyacetic acid   | 202-360-6                      | 94-74-6                       | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H410 |                                 |                                  |       |
| 607-052-00-9        | salts and esters of MCPA  | —                              | —                             | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 |                                  | A     |

## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No   | Classification   |  | Labelling   |                                      |  | Specific Conc. Limits, M-factors   | Notes |
|--------------|---|---|--|--|--|---|--------------------------------------|--|--|-------|
|              |   |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                        | Hazard statement Code(s)             | Suppl. Hazard statement Code(s)                          |  |       |
| 607-053-00-4 | MCPB (ISO);<br>4-(4-chloro- <i>o</i> -tolylxy) butyric acid                               | 202-365-3   | 94-81-5  | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410   | GHS09<br>Wng  | H410                                 |  |  |       |
| 607-054-00-X | salts and esters of MCPB  | —   | —  | Acute Tox. 4 *   | H302   | GHS07<br>Wng  | H302                                 |  |  | A     |
| 607-055-00-5 | endothal-sodium (ISO);<br>disodium 7-oxabi-<br>cyclo(2,2,1)heptane-2,3-dicar-<br>boxylate | 204-959-8   | 129-67-9   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H301<br>H312<br>H319<br>H335<br>H315   | GHS06<br>Dgr  | H301<br>H312<br>H319<br>H335<br>H315 |  |  |       |
| ▼M13         | 607-056-00-0  | warfarin (ISO);<br>4-hydroxy-3-(3-oxo-1-<br>phenylbutyl)-2H-chromen-2-<br>one; [1]<br>(S)-4-hydroxy-3-(3-oxo-1-<br>phenylbutyl)-2-benzopyrone; [2]<br>(R)-4-hydroxy-3-(3-oxo-1-<br>phenylbutyl)-2-benzopyrone [3] | 201-377-6<br>[1]<br>226-907-3<br>[2]<br>226-908-9<br>[3] | 81-81-2 [1]<br>5543-57-7<br>[2]<br>5543-58-8<br>[3]                            | Repr. 1A<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 2<br>STOT RE 1<br>Aquatic Chronic 2 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H411 | GHS08<br>GHS06<br>GHS09<br>Dgr       | H360D<br>H330<br>H310<br>H300<br>H372<br>(blood)<br>H411 | Repr. 1A;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,5 %<br>STOT RE 2;<br>H373 (blood):<br>0,05 % ≤ C<br>< 0,5 % |       |
| ▼B           | 607-057-00-6  | coumachlor (ISO);<br>3-[1-(4-chlorophenyl)-3-<br>oxobutyl]-4-hydroxycoumarin  | 201-378-1  | 81-82-3  | STOT RE 2 *<br>Aquatic Chronic 3   | H373 **<br>H412                                       | GHS08<br>Wng                         | H373 **<br>H412  |  |       |
|              | 607-058-00-1  | coumafuryl (ISO);<br>fumarin;<br>( <i>RS</i> )-3-(1-(2-furyl)-3-oxobu-<br>tyl)4-hydroxycoumarin;<br>4-hydroxy-3-[3-oxo-1-(2-furyl)<br>butyl]coumarin  | 204-195-5  | 117-52-2   | Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Chronic 3   | H301<br>H372 **<br>H412                               | GHS06<br>GHS08<br>Dgr                | H301<br>H372 **<br>H412                                  |  |       |

▼B

| Index No     | International Chemical Identification                                    | EC No     | CAS No    | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|-----------|-----------|--|---|---|---|---------------------------------|--|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                              | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s) |  |       |
| 607-059-00-7 | coumatetralyl (ISO); 4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin | 227-424-0 | 5836-29-3 | Repr. 1B<br>Acute Tox. 2<br>Acute Tox. 3<br>Acute Tox. 2<br>STOT RE 1<br>Aquatic Chronic 1             | H360D<br>H330<br>H311<br>H300<br>H372 (blood)<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr          | H360D<br>H330<br>H311<br>H300<br>H372 (blood)<br>H410 |                                 | Repr. 1B;<br>H360D: C<br>≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 1,0 %<br>STOT RE 2;<br>H373 (blood)<br>0,1 % ≤ C<br>< 1,0 %<br>M = 10 |       |
| 607-060-00-2 | dicoumarol;<br>4,4'-dihydroxy-3,3'-methylene-bis(2H-chromen-2-one)       | 200-632-9 | 66-76-2   | STOT RE 1<br>Acute Tox. 4 *<br>Aquatic Chronic 2   | H372 **<br>H302<br>H411                               | GHS08<br>GHS07<br>GHS09<br>Dgr          | H372 **<br>H302<br>H411                               |                                 |  |       |
| 607-061-00-8 | acrylic acid;<br>prop-2-enoic acid                                       | 201-177-9 | 79-10-7   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H226<br>H332<br>H312<br>H302<br>H314<br>H400          | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314<br>H400          | STOT SE 3;<br>H335: C ≥ 1 %     | D  |       |
| 607-062-00-3 | n-butyl acrylate   | 205-480-7 | 141-32-2  | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1                             | H226<br>H319<br>H335<br>H315<br>H317                  | GHS02<br>GHS07<br>Wng                   | H226<br>H319<br>H335<br>H315<br>H317                  |                                 | D  |       |
| 607-063-00-9 | isobutyric acid  | 201-195-7 | 79-31-2   | Acute Tox. 4 *<br>Acute Tox. 4 *   | H312<br>H302  | GHS07<br>Wng                            | H312<br>H302  |                                 |  |       |

▼M13▼B

▼B

| Index No                    | International Chemical Identification | EC No     | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---------------------------------------|-----------|----------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                             |                                       |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-064-00-4                | benzyl chloroformate                  | 207-925-0 | 501-53-1 | Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H314<br>H400<br>H410                         | GHS05<br>GHS09<br>Dgr          | H314<br>H410                                 |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| ▼ <u>M1</u><br>607-065-00-X | bromoacetic acid                      | 201-175-8 | 79-08-3  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H314<br>H317<br>H400 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H314<br>H317<br>H400 |                                 |                                  |       |
| ▼ <u>B</u><br>607-066-00-5  | dichloroacetic acid                   | 201-207-0 | 79-43-6  | Skin Corr. 1A<br>Aquatic Acute 1   | H314<br>H400                                 | GHS05<br>GHS09<br>Dgr          | H314<br>H400                                 |                                 |                                  |       |
| 607-067-00-0                | dichloroacetyl chloride               | 201-199-9 | 79-36-7  | Skin Corr. 1A<br>Aquatic Acute 1   | H314<br>H400                                 | GHS05<br>GHS09<br>Dgr          | H314<br>H400                                 |                                 |                                  |       |
| 607-068-00-6                | iodoacetic acid                       | 200-590-1 | 64-69-7  | Acute Tox. 3 *<br>Skin Corr. 1A  | H301<br>H314                                 | GHS06<br>GHS05<br>Dgr          | H301<br>H314                                 |                                 |                                  |       |
| 607-069-00-1                | ethyl bromoacetate                    | 203-290-9 | 105-36-2 | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *   | H330<br>H310<br>H300                         | GHS06<br>Dgr                   | H330<br>H310<br>H300                         |                                 |                                  |       |
| 607-070-00-7                | ethyl chloroacetate                   | 203-294-0 | 105-39-5 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1                                  | H331<br>H311<br>H301<br>H400                 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H400                 |                                 |                                  |       |
| 607-071-00-2                | ethyl methacrylate                    | 202-597-5 | 97-63-2  | Flam. Liq. 2<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1                             | H225<br>H319<br>H335<br>H315<br>H317         | GHS02<br>GHS07<br>Dgr          | H225<br>H319<br>H335<br>H315<br>H317         |                                 |                                  | D     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors      | Notes |
|--------------|--|-----------|------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|---------------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                       |       |
| 607-072-00-8 | 2-hydroxyethyl acrylate  | 212-454-9 | 818-61-1   | Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1                      | H311<br>H314<br>H317<br>H400         | GHS06<br>GHS05<br>GHS09<br>Dgr | H311<br>H314<br>H317<br>H400 |                                 | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 % | D     |
| 607-073-00-3 | 4-CPA (ISO);<br>4-chlorophenoxyacetic acid   | 204-581-3 | 122-88-3   | Acute Tox. 4 *  | H302                                 | GHS07<br>Wng                   | H302                         |                                 |                                       |       |
| 607-074-00-9 | chlorfenac(ISO);<br>2,3,6-trichlorophenylacetic acid   | 201-599-3 | 85-34-7    | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                       |       |
| 607-075-00-4 | chlorfenprop-methyl;<br>methyl 2-chloro-3-(4-chlorophenyl)propionate   | 238-413-5 | 14437-17-3 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410         |                                 |                                       |       |
| 607-076-00-X | dodine(ISO);<br>dodecylguanidinium acetate   | 219-459-5 | 2439-10-3  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H315<br>H410 |                                 |                                       |       |
| 607-077-00-5 | erbon (ISO);<br>2-(2,4,5-trichlorophenoxy)ethyl<br>2,2-dichloropropionate  | —         | 136-25-4   | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                       |       |
| 607-078-00-0 | fluenetil (ISO);<br>2-fluoroethyl biphenyl-4-ylacetate   | —         | 4301-50-2  | Acute Tox. 1<br>Acute Tox. 2 *  | H310<br>H300                         | GHS06<br>Dgr                   | H310<br>H300                 |                                 |                                       |       |
| 607-079-00-6 | kelevan (ISO);<br>ethyl 5-(perchloro-5-hydroxypentacyclo[5,3,0,0 <sup>2,6</sup> ,0 <sup>3,9</sup> ,0 <sup>4,8</sup> ]decan-5-yl)-4-oxopentanoate;<br>ethyl 5-(1,2,3,5,6,7,8,9,10,10-decachloro-4-hydroxypentacyclo(5,2,1,0 <sup>2,6</sup> ,0 <sup>3,9</sup> ,0 <sup>5,8</sup> )dec-4-yl)-4-oxoalderate | —         | 4234-79-1  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2                                   | H311<br>H302<br>H411                 | GHS06<br>GHS09<br>Dgr          | H311<br>H302<br>H411         |                                 |                                       |       |

▼B

| Index No     | International Chemical Identification                | EC No     | CAS No   | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-080-00-1 | chloroacetyl chloride                                | 201-171-6 | 79-04-9  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Skin Corr. 1A<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H372 **<br>H314<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H372 **<br>H314<br>H400 | EUH014<br>EUH029                |                                  |       |
| 607-081-00-7 | fluoroacetic acid                                    | 205-631-7 | 144-49-0 | Acute Tox. 2 *<br>Aquatic Acute 1   | H300<br>H400                                    | GHS06<br>GHS09<br>Dgr                   | H300<br>H400                                    |                                 |                                  |       |
| 607-082-00-2 | fluoroacetates, soluble                              | —         | —        | Acute Tox. 2 *<br>Aquatic Acute 1   | H300<br>H400                                    | GHS06<br>GHS09<br>Dgr                   | H300<br>H400                                    |                                 |                                  | A     |
| 607-083-00-8 | 2,4-DB (ISO);<br>4-(2,4-dichlorophenoxy)butyric acid | 202-366-9 | 94-82-6  | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                                    | GHS07<br>GHS09<br>Wng                   | H302<br>H411                                    |                                 |                                  |       |
| 607-084-00-3 | salts of 2,4-DB                                      | —         | —        | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2   | H302<br>H318<br>H411                            | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H318<br>H411                            |                                 |                                  | A     |
| ▼ <u>M1</u>  |  |           |          |   |   |   |   |                                 |                                  |       |
| 607-085-00-9 | benzyl benzoate                                      | 204-402-9 | 120-51-4 | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                                    | GHS07<br>GHS09<br>Wng                   | H302<br>H411                                    |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |          |   |   |   |   |                                 |                                  |       |
| 607-086-00-4 | diallyl phthalate                                    | 205-016-3 | 131-17-9 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                            | GHS07<br>GHS09<br>Wng                   | H302<br>H410                                    |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No  | CAS No  | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|--|---|---|------------------------------|--------------------------------|------------------------------|---------------------------------|---|-------|
|              |   |  |   | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |   |       |
| 607-088-00-5 | methacrylic acid;<br>2-methylpropenoic acid   | 201-204-4  | 79-41-4   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A                   | H312<br>H302<br>H314         | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314         |                                 | STOT SE 3;<br>H335: C ≥ 1 %   | D     |
| 607-089-00-0 | propionic acid ... %  | 201-176-3  | 79-09-4   | Skin Corr. 1B   | H314                         | GHS05<br>Dgr                   | H314                         |                                 | Skin Corr. 1B;<br>H314: C ≥ 25 %<br>Skin Irrit. 2;<br>H319: 10 % ≤ C < 25 %<br>Eye Irrit. 2;<br>H319: 10 % ≤ C < 25 %<br>STOT SE 3;<br>H335: C ≥ 10 % | B     |
| 607-090-00-6 | thioglycolic acid   | 200-677-4  | 68-11-1   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B | H331<br>H311<br>H301<br>H314 | GHS06<br>GHS05<br>Dgr          | H331<br>H311<br>H301<br>H314 |                                 | *   |       |
| 607-091-00-1 | trifluoroacetic acid . . . %  | 200-929-3  | 76-05-1   | Acute Tox. 4 *  | H332                         | GHS05                          | H332                         |                                 | *   | B     |
|              |   |  |   | Skin Corr. 1A<br>Aquatic Chronic 3                                  | H314<br>H412                 | GHS07<br>Dgr                   | H314<br>H412                 |                                 |   |       |
| 607-092-00-7 | methyl lactate; [1]<br>methyl (±)-lactate; [2]<br>methyl (R)-lactate; [3]<br>methyl (S)-(-)-lactate [4] | 208-930-0 [1]<br>218-449-8 [2]<br>241-420-6 [3]<br>248-704-9 [4] | 547-64-8 [1]<br>2155-30-8 [2]<br>17392-83-5 [3]<br>27871-49-4 [4] | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3                           | H226<br>H319<br>H335         | GHS02<br>GHS07<br>Wng          | H226<br>H319<br>H335         |                                 |   | C     |
| 607-093-00-2 | propionyl chloride  | 201-170-0  | 79-03-8   | Flam. Liq. 2<br>Skin Corr. 1B                                       | H225<br>H314                 | GHS02<br>GHS05<br>Dgr          | H225<br>H314                 | EUH014                          |   | B D   |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No   | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors    | Notes |
|---------------------|--|-----------|----------|--|--|---|--|---------------------------------|-------------------------------------|-------|
|                     |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                     |       |
| 607-094-00-8        | peracetic acid . . . %   | 201-186-8 | 79-21-0  | Flam. Liq. 3<br>Org. Perox. D ****<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H226<br>H242<br>H332<br>H312<br>H302<br>H314<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H242<br>H332<br>H312<br>H302<br>H314<br>H400 |                                 | *<br>STOT SE 3;<br>H335: C ≥ 1 %    | B D   |
| ▼M1<br>607-095-00-3 | maleic acid  | 203-742-5 | 110-16-7 | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1   | H302<br>H319<br>H335<br>H315<br>H317                 | GHS07<br>Wng                            | H302<br>H319<br>H335<br>H315<br>H317                 |                                 | Skin Sens. 1;<br>H317: C ≥<br>0,1 % |       |
| ▼B<br>607-096-00-9  | maleic anhydride   | 203-571-6 | 108-31-6 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1   | H302<br>H314<br>H334<br>H317                         | GHS08<br>GHS05<br>GHS07<br>Dgr          | H302<br>H314<br>H334<br>H317                         |                                 |                                     |       |
| 607-097-00-4        | benzene-1,2,4-tricarboxylic acid<br>1,2-anhydride;<br>trimellitic anhydride  | 209-008-0 | 552-30-7 | STOT SE 3<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1   | H335<br>H318<br>H334<br>H317                         | GHS08<br>GHS05<br>GHS07<br>Dgr          | H335<br>H318<br>H334<br>H317                         |                                 |                                     |       |
| 607-098-00-X        | benzene-1,2,4,5-tetracarboxylic<br>dianhydride;<br>benzene-1,2,4,5-tetracarboxylic<br>dianhydride;<br>pyromellitic dianhydride | 201-898-9 | 89-32-7  | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1  | H318<br>H334<br>H317                                 | GHS08<br>GHS05<br>Dgr                   | H318<br>H334<br>H317                                 |                                 |                                     |       |

## ▼B

| Index No     | International Chemical Identification   | EC No  | CAS No   | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|---|--|--|--|------------------------------|--------------------------------|------------------------------|---------------------------------|--|-------|
|              |   |  |  | Hazard Class and Category Code(s)                                | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |  |       |
| 607-099-00-5 | 1,2,3,6-tetrahydrophthalic anhydride; [1]<br><i>cis</i> -1,2,3,6-tetrahydrophthalic anhydride; [2]<br>3,4,5,6-tetrahydrophthalic anhydride; [3]<br>tetrahydrophthalic anhydride [4] | 201-605-4 [1]<br>213-308-7 [2]<br>219-374-3 [3]<br>247-570-9 [4] | 85-43-8 [1]<br>935-79-5 [2]<br>2426-02-0 [3]<br>26266-63-7 [4] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H334<br>H317<br>H412 | GHS08<br>GHS05<br>Dgr          | H318<br>H334<br>H317<br>H412 |                                 |  | C     |
| 607-100-00-9 | benzophenone-3,3',4,4'-tetracarboxylic dianhydride;<br>4,4'-carbonyldi(phthalic anhydride)  | 219-348-1  | 2421-28-5  | Eye Irrit. 2<br>STOT SE 3  | H319<br>H335                 | GHS07<br>Wng                   | H319<br>H335                 |                                 | Eye Irrit. 2;<br>H319: C ≥ 1 %<br>STOT SE 3;<br>H335: C ≥ 1 %                                    |       |
| 607-101-00-4 | 1,4,5,6,7,7-hexachlorobicyclo [2,2,1]hept-5-ene-2,3-dicarboxylic anhydride chlorendic anhydride   | 204-077-3  | 115-27-5   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2                       | H319<br>H335<br>H315         | GHS07<br>Wng                   | H319<br>H335<br>H315         |                                 | Skin Irrit. 2;<br>H315: C ≥ 1 %<br>Eye Irrit. 2;<br>H319: C ≥ 1 %<br>STOT SE 3;<br>H335: C ≥ 1 % |       |
| 607-102-00-X | cyclohexane-1,2-dicarboxylic anhydride; [1]<br><i>cis</i> -cyclohexane-1,2-dicarboxylic anhydride; [2]<br><i>trans</i> -cyclohexane-1,2-dicarboxylic anhydride [3]                  | 201-604-9 [1]<br>236-086-3 [2]<br>238-009-9 [3]                  | 85-42-7 [1]<br>13149-00-3 [2]<br>14166-21-3 [3]                | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1                      | H318<br>H334<br>H317         | GHS08<br>GHS05<br>Dgr          | H318<br>H334<br>H317         |                                 |  | C     |
| 607-103-00-5 | succinic anhydride  | 203-570-0  | 108-30-5   | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3                      | H302<br>H319<br>H335         | GHS07<br>Wng                   | H302<br>H319<br>H335         |                                 | *<br>Eye Irrit. 2;<br>H319: C ≥ 1 %<br>STOT SE 3;<br>H335: C ≥ 1 %                               |       |

## ▼M1

▼B

| Index No     | International Chemical Identification  | EC No   | CAS No  | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                              | Notes |
|--------------|--|---|---|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|---|-------|
|              |  |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |   |       |
| 607-104-00-0 | cyclopentane-1,2,3,4-tetracarboxylic dianhydride   | 227-964-7                                       | 6053-68-5                                       | Eye Irrit. 2<br>STOT SE 3   | H319<br>H335                         | GHS07<br>Wng                   | H319<br>H335                         |                                 | Eye Irrit. 2;<br>H319: C ≥ 1 %<br>STOT SE 3;<br>H335: C ≥ 1 % |       |
| 607-105-00-6 | 8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride; [1]<br>1,2,3,6-tetrahydro-3,6-methanophthalic anhydride; [2]<br>(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,6 $\beta$ )-1,2,3,6-tetrahydro-3,6-methanophthalic anhydride [3] | 204-957-7 [1]<br>212-557-9 [2]<br>220-384-5 [3] | 129-64-6 [1]<br>826-62-0 [2]<br>2746-19-2 [3]   | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1   | H318<br>H334<br>H317                 | GHS08<br>GHS05<br>Dgr          | H318<br>H334<br>H317                 |                                 |   | C     |
| 607-106-00-1 | 8,9-dinorborn-5-ene-2,3-dicarboxylic anhydride   | —   | 123748-85-6                                     | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1       | H302<br>H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H302<br>H319<br>H335<br>H315<br>H334 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %                               | C     |
| 607-107-00-7 | 2-ethylhexyl acrylate  | 203-080-7                                       | 103-11-7  | STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1  | H335<br>H315<br>H317                 | GHS07<br>Wng                   | H335<br>H315<br>H317                 |                                 |   | D     |
| 607-108-00-2 | 2-hydroxy-1-methylethylacrylate; [1]<br>2-hydroxypropylacrylate; [2]<br>acrylic acid, monoester with propane-1,2-diol [3]  | 220-852-9 [1]<br>213-663-8 [2]<br>247-118-0 [3] | 2918-23-2 [1]<br>999-61-1 [2]<br>25584-83-2 [3] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1 | H331<br>H311<br>H301<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr          | H331<br>H311<br>H301<br>H314<br>H317 |                                 | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2 %                         | C D   |
| 607-109-00-8 | hexamethylene diacrylate;<br>hexane-1,6-diol diacrylate  | 235-921-9                                       | 13048-33-4                                      | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                                       | H319<br>H315<br>H317                 | GHS07<br>Wng                   | H319<br>H315<br>H317                 |                                 |   | D     |

## ▼B

| Index No     | International Chemical Identification                                       | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-110-00-3 | pentaerythritol triacrylate   | 222-540-8 | 3524-68-3  | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1   | H319<br>H315<br>H317                         | GHS07<br>Wng                   | H319<br>H315<br>H317                         |                                 |                                  | D     |
| 607-111-00-9 | 2,2-bis(acryloyloxymethyl)butyl acrylate;<br>trimethylolpropane triacrylate | 239-701-3 | 15625-89-5 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1   | H319<br>H315<br>H317                         | GHS07<br>Wng                   | H319<br>H315<br>H317                         |                                 |                                  | D     |
| 607-112-00-4 | 2,2-dimethyltrimethylene diacrylate;<br>neopentyl glycol diacrylate         | 218-741-5 | 2223-82-7  | Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                               | H311<br>H319<br>H315<br>H317                 | GHS06<br>Dgr                   | H311<br>H319<br>H315<br>H317                 |                                 | *                                | D     |
| 607-113-00-X | isobutyl methacrylate   | 202-613-0 | 97-86-9    | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H226<br>H319<br>H335<br>H315<br>H317<br>H400 | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H319<br>H335<br>H315<br>H317<br>H400 |                                 |                                  | D     |
| 607-114-00-5 | ethylene dimethacrylate   | 202-617-2 | 97-90-5    | STOT SE 3<br>Skin Sens. 1   | H335<br>H317                                 | GHS07<br>Wng                   | H335<br>H317                                 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  | D     |
| 607-115-00-0 | isobutyl acrylate   | 203-417-8 | 106-63-8   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1             | H226<br>H332<br>H312<br>H315<br>H317         | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H312<br>H315<br>H317         |                                 |                                  | D     |
| 607-116-00-6 | cyclohexyl acrylate   | 221-319-3 | 3066-71-5  | STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2   | H335<br>H315<br>H411                         | GHS07<br>GHS09<br>Wng          | H335<br>H315<br>H411                         |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  | D     |

## ▼B

| Index No     | International Chemical Identification                              | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors         | Notes |
|--------------|--|-----------|------------|---|--|--------------------------------|--|---------------------------------|--|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |  |       |
| 607-117-00-1 | 2,3-epoxypropyl acrylate;<br>glycidyl acrylate                     | 203-440-3 | 106-90-1   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1                 | H331<br>H311<br>H301<br>H314<br>H317         | GHS06<br>GHS05<br>Dgr          | H331<br>H311<br>H301<br>H314<br>H317         |                                 | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2<br>% | D     |
| 607-118-00-7 | 1-methyltrimethylene diacrylate;<br>1,3-butylene glycol diacrylate | 243-105-9 | 19485-03-1 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1   | H312<br>H314<br>H317                         | GHS05<br>GHS07<br>Dgr          | H312<br>H314<br>H317                         |                                 |  | D     |
| 607-119-00-2 | tetramethylene diacrylate;<br>1,4-buteneglycol diacrylate          | 213-979-6 | 1070-70-8  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1   | H312<br>H314<br>H317                         | GHS05<br>GHS07<br>Dgr          | H312<br>H314<br>H317                         |                                 |  | D     |
| 607-120-00-8 | 2,2'-oxydiethyl diacrylate;<br>diethylene glycol diacrylate        | 223-791-6 | 4074-88-8  | Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                                     | H311<br>H319<br>H315<br>H317                 | GHS06<br>Dgr                   | H311<br>H319<br>H315<br>H317                 |                                 | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2<br>% | D     |
| 607-121-00-3 | 8,9,10-trinorborn-2-yl acrylate                                    | —         | 10027-06-2 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1   | H312<br>H315<br>H317                         | GHS07<br>Wng                   | H312<br>H315<br>H317                         |                                 |  | D     |
| 607-122-00-9 | pentaerythritol tetraacrylate                                      | 225-644-1 | 4986-89-4  | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1   | H319<br>H315<br>H317                         | GHS07<br>Wng                   | H319<br>H315<br>H317                         |                                 |  | D     |
| 607-123-00-4 | 2,3-epoxypropyl methacrylate;<br>glycidyl methacrylate             | 203-441-9 | 106-91-2   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H332<br>H312<br>H302<br>H319<br>H315<br>H317 | GHS07<br>Wng                   | H332<br>H312<br>H302<br>H319<br>H315<br>H317 |                                 |  | D     |

## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No   | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)                               | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-124-00-X | 2-hydroxyethyl methacrylate   | 212-782-2   | 868-77-9   | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                   | H319<br>H315<br>H317         | GHS07<br>Wng                   | H319<br>H315<br>H317         |                                 |                                  | D     |
| 607-125-00-5 | 2-hydroxypropyl methacrylate; [1]<br>3-hydroxypropyl methacrylate [2]   | 213-090-3 [1]<br>220-426-2 [2]  | 923-26-2 [1]<br>2761-09-3 [2]  | Eye Irrit. 2<br>Skin Sens. 1                                    | H319<br>H317                 | GHS07<br>Wng                   | H319<br>H317                 |                                 |                                  | C D   |
| 607-126-00-0 | 2,2'-(ethylenedioxy)diethyl diacrylate;<br>triethylene glycol diacrylate  | 216-853-9   | 1680-21-3  | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                   | H319<br>H315<br>H317         | GHS07<br>Wng                   | H319<br>H315<br>H317         |                                 |                                  | D     |
| 607-127-00-6 | 2-diethylaminoethyl methacrylate  | 203-275-7   | 105-16-8   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H332<br>H319<br>H315<br>H317 | GHS07<br>Wng                   | H332<br>H319<br>H315<br>H317 |                                 |                                  | D     |
| 607-128-00-1 | 2-tert-butylaminoethyl methacrylate   | 223-228-4   | 3775-90-4  | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1                   | H319<br>H315<br>H317         | GHS07<br>Wng                   | H319<br>H315<br>H317         |                                 |                                  | D     |
| 607-129-00-7 | ethyl lactate;<br>ethyl DL-lactate; [1]<br>ethyl (S)-2-hydroxypropionate;<br>ethyl L-lactate;<br>ethyl-(S)-lactate [2]                      | 202-598-0 [1]<br>211-694-1 [2]  | 97-64-3 [1]<br>687-47-8 [2]  | Flam. Liq. 3<br>STOT SE 3<br>Eye Dam. 1                         | H226<br>H335<br>H318         | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H335<br>H318         |                                 |                                  | C     |
| 607-130-00-2 | pentyl acetate; [1]<br>isopentyl acetate; [2]<br>1-methylbutyl acetate; [3]<br>2-methylbutyl acetat; [4]<br>2(or 3)-methylbutyl acetate [5] | 211-047-3 [1]<br>204-662-3 [2]<br>210-946-8 [3]<br>210-843-8 [4]<br>282-263-3 [5] | 628-63-7 [1]<br>123-92-2 [2]<br>626-38-0 [3]<br>624-41-9 [4]<br>84145-37-9 [5] | Flam. Liq. 3  | H226                         | GHS02<br>Wng                   | H226                         | EUH066                          |                                  | C     |

## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No  | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|---|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-131-00-8 | isopentyl propionate; [1]<br>pentyl propionate; [2]<br>2-methylbutyl propionate [3]   | 203-322-1 [1]<br>210-852-7 [2]<br>219-449-0 [3] | 105-68-0 [1]<br>624-54-4 [2]<br>2438-20-2 [3] | Flam. Liq. 3  | H226                                 | GHS02<br>Wng                   | H226                                 |                                 |                                  | C     |
| 607-132-00-3 | 2-dimethylaminoethyl methacrylate   | 220-688-8                                       | 2867-47-2                                     | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H312<br>H302<br>H319<br>H315<br>H317 | GHS07<br>Wng                   | H312<br>H302<br>H319<br>H315<br>H317 |                                 |                                  | D     |
| 607-133-00-9 | monoalkyl or monoaryl or monoalkylaryl esters of acrylic acid with the exception of those specified elsewhere in this Annex     | —   | —   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2                   | H319<br>H335<br>H315<br>H411         | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H411         |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  | A     |
| 607-134-00-4 | monoalkyl or monoaryl or monoalkylaryl esters of methacrylic acid with the exception of those specified elsewhere in this Annex | —   | —   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2  | H319<br>H335<br>H315                 | GHS07<br>Wng                   | H319<br>H335<br>H315                 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  | A     |
| 607-135-00-X | butyric acid  | 203-532-3                                       | 107-92-6                                      | Skin Corr. 1B   | H314                                 | GHS05<br>Dgr                   | H314                                 |                                 |                                  |       |
| 607-136-00-5 | butyryl chloride  | 205-498-5                                       | 141-75-3                                      | Flam. Liq. 2<br>Skin Corr. 1B   | H225<br>H314                         | GHS02<br>GHS05<br>Dgr          | H225<br>H314                         |                                 |                                  |       |
| 607-137-00-0 | methyl acetoacetate   | 203-299-8                                       | 105-45-3                                      | Eye Irrit. 2  | H319                                 | GHS07<br>Wng                   | H319                                 |                                 |                                  |       |



▼B

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-138-00-6 | butyl chloroformate;<br>chloroformic acid butyl ester                                     | 209-750-5 | 592-34-7 | Flam. Liq. 3<br>Acute Tox. 3 *<br>Skin Corr. 1B                    | H226<br>H331<br>H314         | GHS02<br>GHS06<br>GHS05<br>Dgr | H226<br>H331<br>H314         |                                 |                                  |       |
| 607-139-00-1 | 2-chloropropionic acid  | 209-952-3 | 598-78-7 | Acute Tox. 4 *<br>Skin Corr. 1A                                    | H302<br>H314                 | GHS05<br>GHS07<br>Dgr          | H302<br>H314                 |                                 |                                  |       |
| 607-140-00-7 | isobutyryl chloride   | 201-194-1 | 79-30-1  | Flam. Liq. 2<br>Skin Corr. 1A                                      | H225<br>H314                 | GHS02<br>GHS05<br>Dgr          | H225<br>H314                 |                                 |                                  |       |
| 607-141-00-2 | oxydiethylene bis(chloroformate)  | 203-430-9 | 106-75-2 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H315<br>H318<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H411 |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |          |  |                              |                                |                              |                                 |                                  |       |
| 607-142-00-8 | propyl chloroformate;<br>chloroformic acid propylester;<br><i>n</i> -propyl chloroformate | 203-687-7 | 109-61-5 | Flam. Liq. 2<br>Acute Tox. 3 *<br>Skin Corr. 1B                    | H225<br>H331<br>H314         | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H331<br>H314         |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |          |  |                              |                                |                              |                                 |                                  |       |
| 607-143-00-3 | valeric acid  | 203-677-2 | 109-52-4 | Skin Corr. 1B<br>Aquatic Chronic 3                                 | H314<br>H412                 | GHS05<br>Dgr                   | H314<br>H412                 |                                 |                                  |       |
| 607-144-00-9 | adipic acid   | 204-673-3 | 124-04-9 | Eye Irrit. 2   | H319                         | GHS07<br>Wng                   | H319                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|--|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-145-00-4 | methanesulphonic acid  | 200-898-6 | 75-75-2   | Skin Corr. 1B  | H314   | GHS05<br>Dgr                            | H314                                 |                                 |                                  |       |
| 607-146-00-X | fumaric acid   | 203-743-0 | 110-17-8  | Eye Irrit. 2   | H319   | GHS07<br>Wng                            | H319                                 |                                 |                                  |       |
| 607-147-00-5 | oxalic acid diethylester;<br>diethyl oxalate   | 202-464-1 | 95-92-1   | Acute Tox. 4 *<br>Eye Irrit. 2   | H302<br>H319                                 | GHS07<br>Wng                            | H302<br>H319                         |                                 |                                  |       |
| 607-148-00-0 | guanidinium chloride;<br>guanadine hydrochloride   | 200-002-3 | 50-01-1   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2  | H302<br>H319<br>H315                         | GHS07<br>Wng                            | H302<br>H319<br>H315                 |                                 |                                  |       |
| 607-149-00-6 | urethane (INN);<br>ethyl carbamate   | 200-123-1 | 51-79-6   | Carc. 1B   | H350   | GHS08<br>Dgr                            | H350                                 |                                 |                                  |       |
| 607-150-00-1 | endothal (ISO);<br>7-oxabicyclo(2,2,1)heptane-2,3-<br>dicarboxylic acid                  | 205-660-5 | 145-73-3  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2                   | H301<br>H312<br>H319<br>H335<br>H315         | GHS06<br>Dgr                            | H301<br>H312<br>H319<br>H335<br>H315 |                                 |                                  |       |
| 607-151-00-7 | propargite (ISO);<br>2-(4- <i>tert</i> -butylphenoxy)<br>cyclohexyl prop-2-ynyl sulphite | 219-006-1 | 2312-35-8 | Carc. 2<br>Acute Tox. 3 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H331<br>H315<br>H318<br>H410 |                                 | M = 10                           |       |
| 607-152-00-2 | 2,3,6-TBA (ISO);<br>2,3,6-trichlorobenzoic acid  | 200-026-4 | 50-31-7   | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411                                 | GHS07<br>GHS09<br>Wng                   | H302<br>H411                         |                                 |                                  |       |
| 607-153-00-8 | benazolin (ISO);<br>4-chloro-2,3-dihydro-2-oxo-1,3-<br>benzothiazol-3-ylacetic acid      | 223-297-0 | 3813-05-6 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3   | H319<br>H315<br>H412                         | GHS07<br>Wng                            | H319<br>H315<br>H412                 |                                 |                                  |       |

## ▼B

| Index No             | International Chemical Identification   | EC No     | CAS No     | Classification  |   | Labelling                      |  |   | Specific Conc. Limits, M-factors | Notes |
|----------------------|---|-----------|------------|---|---|--------------------------------|--|---|----------------------------------|-------|
|                      |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                      | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                 | Suppl. Hazard statement Code(s)   |                                  |       |
| 607-154-00-3         | ethyl <i>N</i> -benzoyl- <i>N</i> -(3,4-dichlorophenyl)-DL-alaninate; benzoylprop-ethyl (ISO)   | 244-845-5 | 22212-55-1 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410  | GHS07<br>GHS09<br>Wng          | H302<br>H410   |   |                                  |       |
| 607-155-00-9         | 3-(3-amino-5-(1-methylguanidino)-1-oxopentylamino-6-(4-amino-2-oxo-2,3-dihydro-pyrimidin-1-yl)-2,3-dihydro-(6 <i>H</i> )-pyran-2-carboxylic acid; blasticidin-s | —         | 2079-00-7  | Acute Tox. 2 *  | H300  | GHS06<br>Dgr                   | H300   |   |                                  |       |
| 607-156-00-4         | chlorfenson (ISO); 4-chlorophenyl 4-chlorobenzenesulfonate  | 201-270-4 | 80-33-1    | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                       | H302<br>H315<br>H400<br>H410                                  | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H410                                     |   |                                  |       |
| ▼M13<br>607-157-00-X | difenacoum (ISO); 3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)-4-hydroxycoumarin   | 259-978-4 | 56073-07-5 | Repr. 1B<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 1<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr | H360D<br>H330<br>H310<br>H300<br>H372<br>(blood)<br>H410 | Repr. 1B;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,02 %<br>STOT RE 2;<br>H373 (blood):<br>0,002 % ≤ C<br>< 0,02 %<br>M = 10<br>M = 10 |                                  |       |
| ▼B<br>607-158-00-5   | sodium salt of chloroacetic acid; sodium chloroacetate  | 223-498-3 | 3926-62-3  | Acute Tox. 3 *<br>Skin Irrit. 2<br>Aquatic Acute 1  | H301<br>H315<br>H400  | GHS06<br>GHS09<br>Dgr          | H301<br>H315<br>H400                                     |   |                                  |       |
| 607-159-00-0         | chlorobenzilate (ISO); ethyl 2,2-di(4-chlorophenyl)-2-hydroxyacetate; ethyl 4,4'-dichlorobenzilate  | 208-110-2 | 510-15-6   | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410  | GHS07<br>GHS09<br>Wng          | H302<br>H410   |   |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|-----------------------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-160-00-6 | isobutyl 2-(4-(4-chlorophenoxy)phenoxy)propionate; clofop-isobutyl (ISO)  | —                              | 51337-71-4                  | Acute Tox. 4 *   | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-161-00-1 | diethanolamine salt of 4-CPA  | —                              | —                           | Acute Tox. 4 *   | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-162-00-7 | dalapon;<br>2,2-dichloropropionic acid; [1]<br>dalapon-sodium;<br>sodium 2,2-dichloropropionate [2]   | 200-923-0 [1]<br>204-828-5 [2] | 75-99-0 [1]<br>127-20-8 [2] | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3                       | H315<br>H318<br>H412         | GHS05<br>Dgr                   | H315<br>H318<br>H412     |                                 |                                  |       |
| 607-163-00-2 | 3-acetyl-6-methyl-2 <i>H</i> -pyran-2,4(3 <i>H</i> )-dione;<br>dehydracetic acid  | 208-293-9                      | 520-45-6                    | Acute Tox. 4 *   | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-164-00-8 | sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2 <i>H</i> -pyran-3-ylidene)ethonolate;<br>sodium dehydracetate  | 224-580-1                      | 4418-26-2                   | Acute Tox. 4 *   | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-165-00-3 | diclofop-methyl (ISO)<br>methyl 2-(4-(2,4-dichlorophenoxy)phenoxy)propionate;<br>methyl ( <i>RS</i> )-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate; | 257-141-8                      | 51338-27-3                  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410     |                                 |                                  |       |
| 607-166-00-9 | medinoterb acetate (ISO);<br>6- <i>tert</i> -butyl-3-methyl-2,4-dinitrophenyl acetate   | 219-634-6                      | 2487-01-6                   | Acute Tox. 3 *<br>Acute Tox. 4 *                                       | H301<br>H312                 | GHS06<br>Dgr                   | H301<br>H312             |                                 |                                  |       |

## ▼M1

## ▼B

## ▼B

| Index No             | International Chemical Identification   | EC No     | CAS No     | Classification  |   | Labelling                      |   |   | Specific Conc. Limits, M-factors | Notes |
|----------------------|---|-----------|------------|---|---|--------------------------------|---|---|----------------------------------|-------|
|                      |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                      | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s)   |                                  |       |
| 607-167-00-4         | sodium 3-chloroacrylate   | —         | 4312-97-4  | Acute Tox. 4 *<br>Acute Tox. 4 *  | H312<br>H302  | GHS07<br>Wng                   | H312<br>H302  |   |                                  |       |
| 607-168-00-X         | dipropyl 6,7-methylenedioxy-1,2,3,4-tetrahydro-3-methylnaphthalene-1,2-dicarboxylate; propylisome | —         | 83-59-0    | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H311<br>H302<br>H400<br>H410                                  | GHS06<br>GHS09<br>Dgr          | H311<br>H302<br>H410                                  |   |                                  |       |
| 607-169-00-5         | sodium fluoroacetate  | 200-548-2 | 62-74-8    | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1   | H330<br>H310<br>H300<br>H400                                  | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H400                          |   |                                  |       |
| 607-170-00-0         | bis(1,2,3-trithiacyclohexyldimethylammonium) oxalate; thiocyclam-oxalate                          | 250-859-2 | 31895-22-4 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H312<br>H302<br>H400<br>H410                                  | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410                                  |   |                                  |       |
| ▼M13<br>607-172-00-1 | brodifacoum (ISO); 4-hydroxy-3-(3-(4'-bromo-4-biphenyl)-1,2,3,4-tetrahydro-1-naphthyl)coumarin    | 259-980-5 | 56073-10-0 | Repr. 1A<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 1<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H410 | Repr. 1A;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,02 %<br>STOT RE 2;<br>H373 (blood):<br>0,002 % ≤ C<br>< 0,02 %<br>M = 10<br>M = 10 |                                  |       |
| ▼B<br>607-173-00-7   | dimethyl (3-methyl-4-(5-nitro-3-ethoxycarbonyl-2-thienyl)azo)phenylnitrilodipropionate            | 400-460-6 | —          | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412  | GHS07<br>Wng                   | H317<br>H412  |   |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-174-00-2 | reaction mass of dodecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,11,2)henicosan-20-yl)propionate and tetradecyl 3-(2,2,4,4-tetramethyl-21-oxo-7-oxa-3,20-diazadispiro(5,1,11,2)henicosan-20-yl)propionate  | 400-580-9 | —           | Skin Irrit. 2<br>Aquatic Chronic 2                   | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |
| 607-175-00-8 | methyl 2-(2-nitrobenzylidene)acetoacetate  | 400-650-9 | 39562-27-1  | Skin Sens. 1<br>Aquatic Chronic 2                    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 607-176-00-3 | reaction mass of $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene) and $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) | 400-830-7 | —           | Skin Sens. 1<br>Aquatic Chronic 2                    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 607-177-00-9 | tribenuron-methyl (ISO); methyl 2-[N-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-N-methylcarbamoylsulfamoyl]benzoate   | 401-190-1 | 101200-48-0 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 | M = 100                          |       |

## ▼M6

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-178-00-4 | methyl $\alpha$ -((4,6-dimethoxypyrimidin-2-yl)ureidosulphonyl)- <i>o</i> -toluate  | 401-340-6 | 83055-99-6  | Skin Sens. 1<br>Aquatic Chronic 2  | H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H317<br>H411                         |                                 |                                  |       |
| 607-179-00-X | (benzothiazol-2-ylthio)succinic acid  | 401-450-4 | 95154-01-1  | Skin Sens. 1   | H317                                 | GHS07<br>Wng                   | H317                                 |                                 |                                  |       |
| 607-180-00-5 | potassium 2-hydroxycarbazole-1-carboxylate  | 401-630-2 | 96566-70-0  | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Chronic 3                       | H302<br>H319<br>H335<br>H412         | GHS07<br>Wng                   | H302<br>H319<br>H335<br>H412         |                                 |                                  |       |
| 607-181-00-0 | 3,5-dichloro-2,4-difluorobenzoyl fluoride   | 401-800-6 | 101513-70-6 | Acute Tox. 3 *<br>Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3 | H331<br>H314<br>H302<br>H317<br>H412 | GHS06<br>GHS05<br>Dgr          | H331<br>H314<br>H302<br>H317<br>H412 | EUH029                          |                                  |       |
| 607-182-00-6 | methyl 3-sulphamoyl-2-thenoate  | 402-050-2 | —           | Skin Sens. 1   | H317                                 | GHS07<br>Wng                   | H317                                 |                                 |                                  |       |
| 607-183-00-1 | zinc 2-hydroxy-5- $C_{13-18}$ alkylbenzoate   | 402-280-3 | —           | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2                                     | H319<br>H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H411                 |                                 |                                  |       |
| 607-184-00-7 | <i>S</i> -(3-trimethoxysilyl)propyl 19-isocyanato-11-(6-isocyanato-hexyl)-10,12-dioxo-2,9,11,13-tetraazanonadecanethioate | 402-290-8 | 85702-90-5  | Flam. Liq. 3<br>Resp. Sens. 1<br>Skin Sens. 1  | H226<br>H334<br>H317                 | GHS02<br>GHS08<br>Dgr          | H226<br>H334<br>H317                 |                                 |                                  |       |
| 607-185-00-2 | ethyl <i>trans</i> -3-dimethylaminoacrylate   | 402-650-4 | 1117-37-9   | Skin Sens. 1   | H317                                 | GHS07<br>Wng                   | H317                                 |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-186-00-8 | quinclorac (ISO); 3,7-dichloroquinoline-8-carboxylic acid                       | 402-780-1 | 84087-01-4  | Skin Sens. 1  | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 607-187-00-3 | bis(2,2,6,6-tetramethyl-4-piperidyl) succinate                                  | 402-940-0 | 62782-03-0  | Eye Irrit. 2<br>Aquatic Chronic 3                                     | H319<br>H412                 | GHS07<br>Wng                   | H319<br>H412                 |                                 |                                  |       |
| 607-188-00-9 | hydrogen sodium <i>N</i> -carboxylatoethyl- <i>N</i> -octadec-9-enylmaleamate   | 402-970-4 | —           | Skin Sens. 1<br>Aquatic Chronic 2                                     | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411                 |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |   |                              |                                |                              |                                 |                                  |       |
| 607-189-00-4 | trimethylenediaminetetraacetic acid   | 400-400-9 | 1939-36-2   | Acute Tox. 4 *<br>Eye Dam. 1  | H302<br>H318                 | GHS05<br>GHS07<br>Dgr          | H302<br>H318                 |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |   |                              |                                |                              |                                 |                                  |       |
| 607-190-00-X | methyl acrylamidomethoxyacetate (containing ≥ 0,1 % acrylamid)                  | 401-890-7 | 77402-03-0  | Carc. 1B<br>Muta. 1B<br>Acute Tox. 4 *<br>Eye Irrit. 2                | H350<br>H340<br>H302<br>H319 | GHS08<br>GHS07<br>Dgr          | H350<br>H340<br>H302<br>H319 |                                 |                                  |       |
| 607-191-00-5 | isobutyl 3,4-epoxybutyrate  | 401-920-9 | 100181-71-3 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410         |                                 |                                  |       |
| 607-192-00-0 | disodium <i>N</i> -carboxymethyl- <i>N</i> -(2-(2-hydroxyethoxy)ethyl)glycinate | 402-360-8 | 92511-22-3  | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                         |                                 |                                  |       |



▼B

| Index No     | International Chemical Identification | EC No     | CAS No    | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|-----------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |                                       |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-194-00-1 | propylene carbonate                   | 203-572-1 | 108-32-7  | Eye Irrit. 2   | H319                                 | GHS07<br>Wng                   | H319                                 |                                 |                                  |       |
| ▼ <u>M1</u>  |                                       |           |           |  |                                      |                                |                                      |                                 |                                  |       |
| 607-195-00-7 | 2-methoxy-1-methylethyl acetate       | 203-603-9 | 108-65-6  | Flam. Liq. 3   | H226                                 | GHS02<br>Wng                   | H226                                 |                                 |                                  |       |
| ▼ <u>B</u>   |                                       |           |           |  |                                      |                                |                                      |                                 |                                  |       |
| 607-196-00-2 | heptanoic acid                        | 203-838-7 | 111-14-8  | Skin Corr. 1B  | H314                                 | GHS05<br>Dgr                   | H314                                 |                                 |                                  |       |
| ▼ <u>M11</u> |                                       |           |           |  |                                      |                                |                                      |                                 |                                  |       |
| 607-197-00-8 | nonanoic acid                         | 203-931-2 | 112-05-0  | Skin Irrit. 2<br>Eye Irrit. 2<br>Aquatic Chronic 3                             | H315<br>H319<br>H412                 | GHS07<br>Wng                   | H315<br>H319<br>H412                 |                                 |                                  |       |
| ▼ <u>B</u>   |                                       |           |           |  |                                      |                                |                                      |                                 |                                  |       |
| 607-198-00-3 | propyl 3,4,5-trihydroxybenzoate       | 204-498-2 | 121-79-9  | Acute Tox. 4 *<br>Skin Sens. 1   | H302<br>H317                         | GHS07<br>Wng                   | H302<br>H317                         |                                 |                                  |       |
| 607-199-00-9 | octyl 3,4,5-trihydroxybenzoate        | 213-853-0 | 1034-01-1 | Acute Tox. 4 *<br>Skin Sens. 1   | H302<br>H317                         | GHS07<br>Wng                   | H302<br>H317                         |                                 |                                  |       |
| 607-200-00-2 | dodecyl 3,4,5-trihydroxybenzoate      | 214-620-6 | 1166-52-5 | Skin Sens. 1   | H317                                 | GHS07<br>Wng                   | H317                                 |                                 |                                  |       |
| 607-201-00-8 | thiocarbonyl chloride                 | 207-341-6 | 463-71-8  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H331<br>H302<br>H319<br>H335<br>H315 | GHS06<br>Dgr                   | H331<br>H302<br>H319<br>H335<br>H315 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-203-00-9 | 2-ethylhexyl[[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]thio]acetate  | 279-452-8 | 80387-97-9 | Repr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3  | H360D ***<br>H317<br>H412                    | GHS08<br>GHS07<br>Dgr          | H360D ***<br>H317<br>H412                    |                                 |                                  |       |
| 607-204-00-4 | (chlorophenyl)(chlorotolyl)methane, mixed isomers  | 400-140-6 | —          | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                                 | GHS09<br>Wng                   | H410   |                                 |                                  |       |
| 607-205-00-X | methyl chloroacetate   | 202-501-1 | 96-34-4    | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H226<br>H331<br>H301<br>H335<br>H315<br>H318 | GHS02<br>GHS06<br>GHS05<br>Dgr | H226<br>H331<br>H301<br>H335<br>H315<br>H318 |                                 |                                  |       |
| 607-206-00-5 | isopropyl chloroacetate  | 203-301-7 | 105-48-6   | Flam. Liq. 3<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2                 | H226<br>H301<br>H319<br>H335<br>H315         | GHS02<br>GHS06<br>Dgr          | H226<br>H301<br>H319<br>H335<br>H315         |                                 |                                  |       |
| 607-207-00-0 | haloxyfop-etotyl (ISO); 2-ethoxyethyl 2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate; haloxyfop-(2-ethoxyethyl)  | 402-560-5 | 87237-48-7 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                       | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H410                                 |                                 |                                  |       |
| 607-208-00-6 | 4,8,12-trimethyltrideca-3,7,11-trienoic acid, mixed isomers  | 403-000-2 | 91853-67-7 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H315<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H315<br>H410                                 |                                 |                                  |       |
| 607-209-00-1 | reaction mass of <i>O,O'</i> -diisopropyl (pentathio)dithioformate and <i>O,O'</i> -diisopropyl (trithio)dithioformate and <i>O,O'</i> -diisopropyl (tetrathio)dithioformate | 403-030-6 | —          | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H302<br>H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                         |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-210-00-7 | methyl acrylamidoglycolate (containing ≥ 0,1 % acrylamide)                                  | 403-230-3 | 77402-05-2  | Carc. 1B<br>Muta. 1B<br>Skin Corr. 1B<br>Skin Sens. 1                | H350<br>H340<br>H314<br>H317    | GHS08<br>GHS05<br>GHS07<br>Dgr | H350<br>H340<br>H314<br>H317    |                                 |                                  |       |
| 607-211-00-2 | methyl 3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionate                         | 403-270-1 | 6386-39-6   | Acute Tox. 4 *<br>Aquatic Chronic 2                                  | H302<br>H411                    | GHS07<br>GHS09<br>Wng          | H302<br>H411                    |                                 |                                  |       |
| 607-212-00-8 | poly(oxypropylenecarbonyl-co-oxy(ethylethylene)carbonyl), containing 27 % hydroxyvalerate   | 403-300-3 | —           | Skin Sens. 1   | H317                            | GHS07<br>Wng                   | H317                            |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |  |                                 |                                |                                 |                                 |                                  |       |
| 607-213-00-3 | ethyl 3,3-bis( <i>tert</i> -pentylperoxy)butyrate   | 403-320-2 | 67567-23-1  | Org. Perox. D****<br>Flam. Liq. 3<br>Aquatic Chronic 2               | H242<br>H226<br>H411            | GHS02<br>GHS09<br>Dgr          | H242<br>H226<br>H411            |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |  |                                 |                                |                                 |                                 |                                  |       |
| 607-214-00-9 | <i>N,N</i> -hydrazinodiacetic acid  | 403-510-5 | 19247-05-3  | Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3   | H301<br>H373 **<br>H317<br>H412 | GHS06<br>GHS08<br>Dgr          | H301<br>H373 **<br>H317<br>H412 |                                 |                                  |       |
| 607-215-00-4 | 3-(3- <i>tert</i> -butyl-4-hydroxyphenyl)propionic acid                                     | 403-920-4 | 107551-67-7 | Acute Tox. 4 *<br>Eye Irrit. 2                                       | H302<br>H319                    | GHS07<br>Wng                   | H302<br>H319                    |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |  |                                 |                                |                                 |                                 |                                  |       |
| 607-216-00-X | glutamic acid, reaction products with <i>N</i> -(C <sub>12-14</sub> -alkyl)propylenediamine | 403-950-8 | —           | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1 | H330<br>H302<br>H314<br>H400    | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H302<br>H314<br>H400    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                 | Labelling                               |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|---------------------------------|---|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                               | Hazard statement Code(s)        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-217-00-5 | 2-ethoxyethyl 2-(4-(2,6-dihydro-2,6-dioxo-7-phenyl-1,5-dioxindacen-3-yl)phenoxy)acetate                                 | 403-960-2 | —           | Skin Sens. 1<br>Aquatic Chronic 4                               | H317<br>H413                    | GHS07<br>Wng                            | H317<br>H413                    |                                 |                                  |       |
| 607-218-00-0 | dichlorprop-P (ISO); (+)-R-2-(2,4-dichlorophenoxy)propionic acid  | 403-980-1 | 15165-67-0  | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1   | H302<br>H315<br>H318<br>H317    | GHS05<br>GHS07<br>Dgr                   | H302<br>H315<br>H318<br>H317    |                                 |                                  |       |
| 607-219-00-6 | bis(2-ethylhexyl) dithiodiacetate   | 404-510-8 | 62268-47-7  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2             | H302<br>H317<br>H411            | GHS07<br>GHS09<br>Wng                   | H302<br>H317<br>H411            |                                 |                                  |       |
| 607-221-00-7 | 6-docosyloxy-1-hydroxy-4-(1-(4-hydroxy-3-methylphenanthren-1-yl)-3-oxo-2-oxaphthalen-1-yl)naphthalene-2-carboxylic acid | 404-550-6 | —           | Skin Sens. 1<br>Aquatic Chronic 4                               | H317<br>H413                    | GHS07<br>Wng                            | H317<br>H413                    |                                 |                                  |       |
| 607-222-00-2 | 6-(2,3-dimethylmaleimido)hexyl methacrylate   | 404-870-6 | 63740-41-0  | Skin Sens. 1<br>Aquatic Chronic 2                               | H317<br>H411                    | GHS07<br>GHS09<br>Wng                   | H317<br>H411                    |                                 |                                  |       |
| 607-223-00-8 | transfluthrin (ISO); 2,3,5,6-tetrafluorobenzyl trans-2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate          | 405-060-5 | 118712-89-3 | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H315<br>H400<br>H410            | GHS07<br>GHS09<br>Wng                   | H315<br>H410                    |                                 |                                  |       |
| 607-224-00-3 | methyl 2-(3-nitrobenzylidene)acetoacetate   | 405-270-7 | 39562-17-9  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H317<br>H400<br>H410            | GHS07<br>GHS09<br>Wng                   | H317<br>H410                    |                                 |                                  |       |
| 607-225-00-9 | 3-azidosulfonylbenzoic acid   | 405-310-3 | 15980-11-7  | Self-React. C ****<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1 | H241<br>H373 **<br>H318<br>H317 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H241<br>H373 **<br>H318<br>H317 |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-226-00-4 | reaction mass of 2-acryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate and 2-methacryloyloxyethyl hydrogen cyclohexane-1,2-dicarboxylate | 405-360-6 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                          | H315<br>H318<br>H317<br>H412                 | GHS05<br>GHS07<br>Dgr          | H315<br>H318<br>H317<br>H412                 |                                 |                                  |       |
| 607-227-00-X | potassium 2-amino-2-methylpropionate octahydrate   | 405-560-3 | 120447-91-8 | Acute Tox. 4 *<br>Skin Corr. 1A   | H302<br>H314                                 | GHS05<br>GHS07<br>Dgr          | H302<br>H314                                 |                                 |                                  |       |
| 607-228-00-5 | bis(2-methoxyethyl) phthalate  | 204-212-6 | 117-82-8    | Repr. 1B  | H360Df                                       | GHS08<br>Dgr                   | H360Df                                       |                                 |                                  |       |
| 607-229-00-0 | diethylcarbamoyl chloride  | 201-798-5 | 88-10-8     | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H351<br>H332<br>H302<br>H319<br>H335<br>H315 | GHS08<br>GHS07<br>Wng          | H351<br>H332<br>H302<br>H319<br>H335<br>H315 |                                 |                                  |       |
| 607-230-00-6 | 2-ethylhexanoic acid   | 205-743-6 | 149-57-5    | Repr. 2   | H361d ***                                    | GHS08<br>Wng                   | H361d ***                                    |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |             |   |  |                                |  |                                 |                                  |       |
| 607-231-00-1 | clopyralid (ISO);<br>3,6-dichloropyridine-2-carboxylic acid  | 216-935-4 | 1702-17-6   | Eye Dam. 1  | H318   | GHS05<br>Dgr                   | H318   |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |             |   |  |                                |  |                                 |                                  |       |
| 607-232-00-7 | pyridate (ISO);<br>O-(6-chloro-3-phenylpyridazin-4-yl) S-octyl thiocarbonate   | 259-686-7 | 55512-33-9  | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H315<br>H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-233-00-2 | hexyl acrylate   | 219-698-5 | 2499-95-8   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2            | H319<br>H335<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H317<br>H411 |                                 |                                  |       |
| 607-234-00-8 | flurenol (ISO);<br>9-hydroxy-9H-fluorene-9-carboxylic acid   | 207-397-1 | 467-69-6    | Aquatic Chronic 2  | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |
| 607-235-00-3 | mecrilate;<br>methyl 2-cyanoacrylate   | 205-275-2 | 137-05-3    | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2   | H319<br>H335<br>H315                 | GHS07<br>Wng                   | H319<br>H335<br>H315                 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| 607-236-00-9 | ethyl 2-cyanoacrylate  | 230-391-5 | 7085-85-0   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2   | H319<br>H335<br>H315                 | GHS07<br>Wng                   | H319<br>H335<br>H315                 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| 607-237-00-4 | benzyl 2-chloro-4-(trifluoromethyl)thiazole-5-carboxylate;<br>flurazole                                      | 276-942-3 | 72850-64-7  | Aquatic Chronic 2  | H411                                 | GHS09                          | H411                                 |                                 |                                  |       |
| 607-238-00-X | tau-fluvalinate (ISO);<br>cyano-(3-phenoxyphenyl)methyl<br>N-[2-chloro-4-(trifluoromethyl)phenyl]-D-valinate | —         | 102851-06-9 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H302<br>H315<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H315<br>H410                 |                                 |                                  |       |
| 607-239-00-5 | fenpropathrin (ISO);<br>α-cyano-3-phenoxybenzyl<br>2,2,3,3-tetramethylcyclopropanecarboxylate                | 254-485-0 | 39515-41-8  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H301<br>H312<br>H410         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No  | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|---|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-240-00-0 | <i>cis</i> -1,2,3,6-tetrahydro-4-methylphthalic anhydride; [1]<br>1,2,3,6-tetrahydro-4-methylphthalic anhydride; [2]<br>1,2,3,6-tetrahydro-3-methylphthalic anhydride; [3]<br>tetrahydromethylphthalic anhydride; [4]<br>1,2,3,6-tetrahydromethylphthalic anhydride; [5]<br>tetrahydro-4-methylphthalic anhydride; [6]<br>2,3,5,6-tetrahydro-2-methylphthalic anhydride [7] | 216-906-6 [1]<br>222-323-8 [2]<br>226-247-6 [3]<br>234-290-7 [4]<br>247-830-1 [5]<br>251-823-9 [6]<br>255-853-3 [7] | 1694-82-2 [1]<br>3425-89-6 [2]<br>5333-84-6 [3]<br>11070-44-3 [4]<br>26590-20-5 [5]<br>34090-76-1 [6]<br>42498-58-8 [7] | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1   | H318<br>H334<br>H317                 | GHS08<br>GHS05<br>Dgr          | H318<br>H334<br>H317         |                                 | C                                |       |
| 607-241-00-6 | hexahydro-4-methylphthalic anhydride; [1]<br>hexahydromethylphthalic anhydride; [2]<br>hexahydro-1-methylphthalic anhydride; [3]<br>hexahydro-3-methylphthalic anhydride [4]  | 243-072-0 [1]<br>247-094-1 [2]<br>256-356-4 [3]<br>260-566-1 [4]  | 19438-60-9 [1]<br>25550-51-0 [2]<br>48122-14-1 [3]<br>57110-29-9 [4]  | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1   | H318<br>H334<br>H317                 | GHS08<br>GHS05<br>Dgr          | H318<br>H334<br>H317         |                                 | C                                |       |
| 607-242-00-1 | tetrachlorophthalic anhydride   | 204-171-4   | 117-08-8  | Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H334<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H318<br>H334<br>H317<br>H410 |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No   | CAS No  | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|---|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |   |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-243-00-7 | sodium 3,6-dichloro- <i>o</i> -anisate; [1]<br>3,6-dichloro- <i>o</i> -anistic acid, compound with 2,2'-iminodietanol (1:1); [2]<br>3,6-dichloro- <i>o</i> -anistic acid, compound with 2-aminoethanol (1:1) [3] | 217-846-3 [1]<br>246-590-5 [2]<br>258-527-9 [3] | 1982-69-0 [1]<br>25059-78-3 [2]<br>53404-28-7 [3] | Aquatic Chronic 3   | H412   | —                              | H412   |                                 |                                  |       |
| 607-244-00-2 | isooctyl acrylate  | 249-707-8                                       | 29590-42-9  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H319<br>H335<br>H315<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H410                                 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| ▼ <b>M6</b>  |  |   |   |   |  |                                |  |                                 |                                  |       |
| 607-245-00-8 | tert-butyl acrylate  | 216-768-7                                       | 1663-39-4   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H225<br>H332<br>H312<br>H302<br>H335<br>H315<br>H317<br>H411 | GHS02<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H312<br>H302<br>H335<br>H315<br>H317<br>H411 |                                 |                                  | D     |
| ▼ <b>B</b>   |  |   |   |   |  |                                |  |                                 |                                  |       |
| 607-246-00-3 | allyl methacrylate;<br>2-methyl-2-propenoic acid 2-propenyl ester  | 202-473-0                                       | 96-05-9   | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1   | H226<br>H331<br>H312<br>H302<br>H400                         | GHS02<br>GHS06<br>GHS09<br>Dgr | H226<br>H331<br>H312<br>H302<br>H400                         |                                 |                                  |       |



## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No     | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-247-00-9        | dodecyl methacrylate   | 205-570-6 | 142-90-5   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1         | H319<br>H335<br>H315<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H410         |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| 607-248-00-4        | naptalam-sodium (ISO);<br>sodium <i>N</i> -naphth-1-ylphthalamate  | 205-073-4 | 132-67-2   | Acute Tox. 4 *   | H302                                 | GHS07<br>Wng                   | H302                                 |                                 |                                  |       |
| 607-249-00-X        | (1-methyl-1,2-ethanediy)bis[oxy(methyl-2,1-ethanediy)] diacrylate  | 256-032-2 | 42978-66-5 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2            | H319<br>H335<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H317<br>H411 |                                 | STOT SE 3;<br>H335: C ≥<br>10 %  |       |
| 607-250-00-5        | 4 <i>H</i> -3,1-benzoxazine-2,4(1 <i>H</i> )-dione   | 204-255-0 | 118-48-9   | Eye Irrit. 2<br>Skin Sens. 1   | H319<br>H317                         | GHS07<br>Wng                   | H319<br>H317                         |                                 |                                  |       |
| 607-251-00-0        | 2-methoxypropyl acetate  | 274-724-2 | 70657-70-4 | Flam. Liq. 3<br>Repr. 1B<br>STOT SE 3  | H226<br>H360D ***<br>H335            | GHS02<br>GHS08<br>GHS07<br>Dgr | H226<br>H360D ***<br>H335            |                                 |                                  |       |
| ▼M1<br>607-252-00-6 | lambda-cyhalothrin (ISO);<br>reaction mass of ( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl( <i>Z</i> )-(1 <i>R</i> )- <i>cis</i> -3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate and ( <i>R</i> )- $\alpha$ -cyano-3-phenoxybenzyl ( <i>Z</i> )-(1 <i>S</i> )- <i>cis</i> -3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate (1:1) | 415-130-7 | 91465-08-6 | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H301<br>H312<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H301<br>H312<br>H410         |                                 | M=10000                          |       |

▼ **M1**

| Index No                   | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                            |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-253-00-1               | cyfluthrin (ISO);<br>$\alpha$ -cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 269-855-7 | 68359-37-5  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H300<br>H331<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H300<br>H331<br>H410     |                                 | M=1000                           |       |
| ▼ <b>B</b><br>607-254-00-7 | $\alpha$ -cyano-4-fluoro-3-phenoxybenzyl-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate;<br>beta-cyfluthrin  | 269-855-7 | 68359-37-5  | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H410     |                                 |                                  |       |
| 607-255-00-2               | fluroxypyr (ISO);<br>4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid  | —         | 69377-81-7  | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |
| 607-256-00-8               | azoxystrobin (ISO);<br>methyl (E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-ylloxy]phenyl]-3-methoxyacrylate                  | —         | 131860-33-8 | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H331<br>H400<br>H410         | GHS06<br>GHS09<br>Dgr          | H331<br>H410             |                                 |                                  |       |
| 607-257-00-3               | isopropyl propionate  | 211-300-8 | 637-78-5    | Flam. Liq. 2   | H225                         | GHS02<br>Dgr                   | H225                     |                                 |                                  |       |
| 607-258-00-9               | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioxoimidazolidin-1-yl)-3-(4-methoxybenzoyl)acetamido)-4-chlorobenzoate             | 403-990-6 | 70950-45-7  | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 607-259-00-4               | methyl 2R,3S(-)-3-(4-methoxyphenyl)oxiranecarboxylate   | 404-130-2 | 105560-93-8 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                          | H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                      | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-260-00-X | ethyl 2-(3-nitrobenzylidene)acetoacetate   | 404-490-0 | 39562-16-8  | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3        | H318<br>H317<br>H412     | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |
| 607-261-00-5 | iso(C <sub>10</sub> -C <sub>14</sub> )alkyl (3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)methylthioacetate  | 404-800-4 | 118832-72-7 | Aquatic Acute 1<br>Aquatic Chronic 1                   | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-262-00-0 | 7-chloro-1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid   | 405-050-0 | 86393-33-1  | Acute Tox. 4 *<br>Aquatic Chronic 3                    | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 607-263-00-6 | potassium iron(III) 1,3-propanediamine- <i>N,N,N,N</i> -tetraacetate hemihydrate   | 405-680-6 | —           | Self-heat. 2 ****<br>Aquatic Chronic 2                 | H252<br>H411             | GHS02<br>GHS09<br>Wng          | H252<br>H411             |                                 |                                  |       |
| 607-264-00-1 | 2-chloro-4-(methylsulfonyl)benzoic acid  | 406-520-8 | 53250-83-2  | Eye Dam. 1   | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-265-00-7 | ethyl-2-chloro-2,2-diphenylacetate   | 406-580-5 | 52460-86-3  | Skin Irrit. 2<br>Aquatic Chronic 3                     | H315<br>H412             | GHS07<br>Wng                   | H315<br>H412             |                                 |                                  |       |
| 607-266-00-2 | reaction mass of: hydroxyaluminium bis[2-hydroxy-3,5-di- <i>tert</i> -butylbenzoate]; 3,5-di- <i>tert</i> -butyl-salicylic acid                              | 406-890-0 | 130296-87-6 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H302<br>H410             |                                 |                                  |       |
| 607-267-00-8 | <i>tert</i> -butyl (5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i> )-3-bromo-methyl-5,8-dioxo-7-(2-(2-phenylacetamido)-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate | 407-620-4 | 33610-13-8  | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3     | H334<br>H317<br>H412     | GHS08<br>Dgr                   | H334<br>H317<br>H412     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No                  | CAS No                            | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|------------------------|-----------------------------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |                        |                                   | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-268-00-3 | 2-methylpropyl ( <i>R</i> )-2-hydroxypropanoate  | 407-770-0              | 61597-96-4                        | Eye Irrit. 2                         | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| 607-269-00-9 | ( <i>R</i> )-2-(4-hydroxyphenoxy)propanoic acid  | 407-960-3              | 94050-90-5                        | Eye Dam. 1                           | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-270-00-4 | 3,9-bis(2-(3-(3- <i>tert</i> -butyl-4-hydroxy-5-methylphenyl)propionyloxy-1,1-dimethylethyl)-2,4,8,10-tetraoxaspiro[5.5]undecane   | 410-730-5              | 90498-90-1                        | Acute Tox. 4 *                       | H312                     | GHS07<br>Wng                   | H312                     |                                 |                                  |       |
| 607-271-00-X | 2-isopropyl-5-methylcyclohexyloxycarbonyloxy-2-hydroxypropane  | 417-420-9              | 156324-82-2                       | Eye Irrit. 2<br>Aquatic Chronic 2    | H319<br>H411             | GHS07<br>GHS09<br>Wng          | H319<br>H411             |                                 |                                  |       |
| 607-272-00-5 | fluroxypyr-meptyl (ISO); methylheptyl, <i>O</i> -(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate; [1]<br>fluroxypyr-butometyl (ISO); 2-butoxy-1-methylethyl, <i>O</i> -(4-amino-3,5-dichloro-6-fluoro-2-pyridyloxy) acetate [2] | 279-752-9 [1]<br>- [2] | 81406-37-3 [1]<br>154486-27-8 [2] | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-273-00-0 | ammonium 7-(2,6-dimethyl-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-1-naphthyl)-3,5-dihydroxyheptanoate   | 404-520-2              | —                                 | Aquatic Chronic 3                    | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-274-00-6 | 2-( <i>N</i> -benzyl- <i>N</i> -methylamino)ethyl 3-amino-2-bute-noate   | 405-350-1              | 54527-73-0                        | Skin Sens. 1<br>Aquatic Chronic 2    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-275-00-1 | sodium benzyloxybenzene-4-sulfonate  | 405-450-5 | 66531-87-1  | Skin Sens. 1  | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 607-276-00-7 | bis[(1-methylimidazol)-(2-ethylhexanoate)], zinc complex   | 405-635-0 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr          | H315<br>H318<br>H410         |                                 |                                  |       |
| 607-277-00-2 | reaction mass of: 2-(hexylthio)ethylamine hydrochloride; sodium propionate   | 405-720-2 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2   | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 607-278-00-8 | reaction mass of isomers of: sodium phenethylnaphthalene-sulfonate; sodium naphthylethylbenzene-sulfonate  | 405-760-0 | —           | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                     | H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412         |                                 |                                  |       |
| 607-279-00-3 | reaction mass of <i>n</i> -octadecylaminodiethyl bis(hydrogen maleate); <i>n</i> -octadecylaminodiethyl hydrogen maleate hydrogenphthalate                       | 405-960-8 | —           | Skin Sens. 1<br>Aquatic Chronic 2                                   | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411                 |                                 |                                  |       |
| 607-280-00-9 | sodium 4-chloro-1-hydroxybutane-1-sulfonate  | 406-190-5 | 54322-20-2  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1                      | H302<br>H319<br>H317         | GHS07<br>Wng                   | H302<br>H319<br>H317         |                                 |                                  |       |
| 607-281-00-4 | reaction mass of branched and linear C <sub>7</sub> -C <sub>9</sub> alkyl 3-[3-(2 <i>H</i> -benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]propionates | 407-000-3 | 127519-17-9 | Aquatic Chronic 2   | H411                         | GHS09                          | H411                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-282-00-X | 2-acetoxymethyl-4-benzyloxybut-1-yl acetate  | 407-140-5 | 131266-10-9 | Aquatic Chronic 3   | H412   | —                              | H412   |                                 |                                  |       |
| 607-283-00-5 | <i>E</i> -ethyl-4-oxo-4-phenylcrotonate  | 408-040-4 | 15121-89-8  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H315<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 607-284-00-0 | reaction mass of: sodium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,13-dichloro-4,11-triphenodioxazinedisulfonate); lithium 3,3'-(1,4-phenylenebis(carbonylimino-3,1-propanediylimino))bis(10-amino-6,13-dichloro-4,11-triphenodioxazinedisulfonate (9:1) | 410-040-4 | 136213-76-8 | Aquatic Chronic 2   | H411   | GHS09                          | H411   |                                 |                                  |       |
| 607-285-00-6 | reaction mass of: 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonic acid; sodium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate; potassium 7-(((3-aminophenyl)sulfonyl)amino)-naphthalene-1,3-disulfonate  | 410-065-0 | —           | Skin Sens. 1  | H317   | GHS07<br>Wng                   |  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-286-00-1 | reaction mass of: sodium/potassium 7-[[[3-[[4-((2-hydroxy-naphthyl)azo)phenyl]azo]phenyl]sulfonyl]amino]-naphthalene-1,3-disulfonate   | 410-070-8 | 141880-36-6 | Skin Sens. 1<br>Aquatic Chronic 3                 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 607-287-00-7 | <i>O</i> '-methyl <i>O</i> -(1-methyl-2-methacryloyloxy-ethyl)-1,2,3,6-tetrahydrophthalate   | 410-140-8 | —           | Aquatic Chronic 3                                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-288-00-2 | tetrasodium ( <i>c</i> -(3-(1-(3-( <i>e</i> -6-dichloro-5-cyanopyrimidin- <i>f</i> -yl(methyl)amino)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)-4-sulfonatophenylsulfamoyl)phthalocyanine- <i>a,b,d</i> -trisulfonato(6-))nickelato II, where <i>a</i> is 1 or 2 or 3 or 4, <i>b</i> is 8 or 9 or 10 or 11, <i>c</i> is 15 or 16 or 17 or 18, <i>d</i> is 22 or 23 or 24 or 25 and where <i>e</i> and <i>f</i> together are 2 and 4 or 4 and 2 respectively | 410-160-7 | 148732-74-5 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H317<br>H412     | GHS07<br>Wng                   | H319<br>H317<br>H412     |                                 |                                  |       |
| 607-289-00-8 | 3-(3-(4-(2,4-bis(1,1-dimethylpropyl)phenoxy)butylaminocarbonyl-4-hydroxy-1-naphthalenyl)thio)propanoic acid  | 410-370-9 | 105488-33-3 | Aquatic Chronic 4                                 | H413                     | —                              | H413                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-290-00-3 | reaction mass (ratio not known) of: ammonium 1-C <sub>14</sub> -C <sub>18</sub> -alkyloxycarbonyl-2-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate; ammonium 2-C <sub>14</sub> -C <sub>18</sub> -alkyloxycarbonyl-1-(3-allyloxy-2-hydroxypropoxycarbonyl)ethane-1-sulfonate | 410-540-2 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410     |                                 |                                  |       |
| 607-291-00-9 | dodecyl- $\omega$ -(C <sub>5</sub> /C <sub>6</sub> -cycloalkyl)alkyl carboxylate   | 410-630-1 | 104051-92-5 | Aquatic Chronic 4   | H413                         | —                              | H413                     |                                 |                                  |       |
| 607-292-00-4 | reaction mass of: [1-(methoxymethyl)-2-(C <sub>12</sub> -alkoxy)ethoxy]acetic acid; [1-(methoxymethyl)-2-(C <sub>14</sub> -alkoxy)ethoxy]acetic acid   | 410-640-6 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H315<br>H318<br>H400<br>H410 | GHS05<br>GHS09<br>Dgr          | H315<br>H318<br>H410     |                                 |                                  |       |
| 607-293-00-X | reaction mass of: <i>N</i> -aminoethylpiperazonium mono-2,4,6-trimethylnonyldiphenyl ether di-sulfonate; <i>N</i> -aminoethylpiperazonium di-2,4,6-trimethylnonyldiphenyl ether di-sulfonate   | 410-650-0 | —           | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                       | H318<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411     |                                 |                                  |       |
| 607-294-00-5 | sodium 2-benzoyloxy-1-hydroxyethane-sulfonate  | 410-680-4 | —           | Skin Sens. 1  | H317                         | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-295-00-0 | reaction mass of: tetrasodium phosphonoethane-1,2-dicarboxylate; hexasodium phosphonobutane-1,2,3,4-tetracarboxylate   | 410-800-5 | —           | Skin Sens. 1<br>Aquatic Chronic 2                                     | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-296-00-6 | reaction mass of: pentaerythriol tetraesters with heptanoic acid and 2-ethylhexanoic acid   | 410-830-9 | —          | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |
| 607-297-00-1 | ( <i>E-E</i> )-3,3'-(1,4-phenylenedi-methylidene)bis(2-oxobornane-10-sulfonic acid)   | 410-960-6 | 92761-26-7 | Eye Dam. 1   | H318                         | GHS05<br>Dgr                   | H318                         |                                 |                                  |       |
| 607-298-00-7 | 2-(trimethylammonium)ethoxy-carboxybenzene-4-sulfonate  | 411-010-3 | —          | Skin Sens. 1   | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 607-299-00-2 | methyl 3-(acetylthio)-2-methyl-propanoate   | 411-040-7 | 97101-46-7 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410         |                                 |                                  |       |
| 607-300-00-6 | trisodium [2-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-5-( <i>b</i> -sulfamoyl- <i>c,d</i> -sulfonatophthalocyanin- <i>a</i> -yl-K4, <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32-sulfonylamino)benzoato(5-)]cuprate(II) where <i>a</i> =1,2,3,4 <i>b</i> =8,9,10,11 <i>c</i> =15,16,17,18 <i>d</i> =22,23,24,25 | 411-430-7 | —          | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317                 | GHS05<br>GHS07<br>Dgr          | H318<br>H317                 |                                 |                                  |       |
| 607-301-00-1 | reaction mass of: dodecanoic acid;<br>poly(1-7)lactate esters of dodecanoic acid  | 411-860-5 | —          | Skin Sens. 1<br>Aquatic Chronic 2                                      | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411                 |                                 |                                  |       |
| 607-302-00-7 | reaction mass of: tetradecanoic acid;<br>poly(1-7)lactate esters of tetradecanoic acid  | 411-910-6 | —          | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2       | H315<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 607-303-00-2 | 1-cyclopropyl-6,7-difluoro-1,4-dihydro-4-oxoquinoline-3-carboxylic acid  | 413-760-7 | 93107-30-3  | Repr. 2<br>Aquatic Chronic 3   | H361f ***<br>H412              | GHS08<br>Wng                   | H361f ***<br>H412              |                                 |                                  |       |
| 607-304-00-8 | fluazifop-butyl (ISO); butyl (RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate  | 274-125-6 | 69806-50-4  | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H360D ***<br>H400<br>H410      | GHS08<br>GHS09<br>Dgr          | H360D ***<br>H410              |                                 |                                  |       |
| 607-305-00-3 | fluazifop-P-butyl (ISO); butyl (R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionate   | —         | 79241-46-6  | Repr. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H361d ***<br>H400<br>H410      | GHS08<br>GHS09<br>Wng          | H361d ***<br>H410              |                                 |                                  |       |
| 607-306-00-9 | chlozolate (ISO); ethyl (RS)-3-(3,5-dichlorophenyl)-5-methyl-2,4-dioxo-oxazolidine-5-carboxylate   | 282-714-4 | 84332-86-5  | Carc. 2<br>Aquatic Chronic 2   | H351<br>H411                   | GHS08<br>GHS09<br>Wng          | H351<br>H411                   |                                 |                                  |       |
| 607-307-00-4 | vinclozolin (ISO); N-3,5-dichlorophenyl-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione   | 256-599-6 | 50471-44-8  | Carc. 2<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2               | H351<br>H360FD<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360FD<br>H317<br>H411 |                                 |                                  |       |
| 607-308-00-X | esters of 2,4-D  | —         | —           | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410   | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410           |                                 |                                  | A     |
| 607-309-00-5 | carfentrazone-ethyl (ISO); ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]propionate | —         | 128639-02-1 | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410                   | GHS09<br>Wng                   | H410                           |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-310-00-0 | kresoxim-methyl (ISO); methyl ( <i>E</i> )-2-methoxyimino-[2-( <i>o</i> -tolylloxymethyl)phenyl]acetate | —         | 143390-89-0 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H400<br>H410     | GHS08<br>GHS09<br>Wng          | H351<br>H410             |                                 |                                  |       |
| 607-311-00-6 | benazolin-ethyl; ethyl 4-chloro-2-oxo-2 <i>H</i> -benzothiazole-3-acetate                               | 246-591-0 | 25059-80-7  | Aquatic Chronic 2                                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-312-00-1 | methoxyacetic acid  | 210-894-6 | 625-45-6    | Repr. 1B<br>Acute Tox. 4 *<br>Skin Corr. 1B       | H360FD<br>H302<br>H314   | GHS08<br>GHS05<br>GHS07<br>Dgr | H360FD<br>H302<br>H314   |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 607-313-00-7 | neodecanoyl chloride  | 254-875-0 | 40292-82-8  | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Skin Corr. 1B | H330<br>H302<br>H314     | GHS06<br>GHS06<br>Dgr          | H330<br>H302<br>H314     |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 607-314-00-2 | ethofumesate (ISO); (±)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-yl methanesulfonate               | 247-525-3 | 26225-79-6  | Aquatic Chronic 2                                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-315-00-8 | glyphosate (ISO); <i>N</i> -(phosphonomethyl)glycine  | 213-997-4 | 1071-83-6   | Eye Dam. 1<br>Aquatic Chronic 2                   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| 607-316-00-3 | glyphosate-trimesium; glyphosate-trimethylsulfonium   | —         | 81591-81-3  | Acute Tox. 4 *<br>Aquatic Chronic 2               | H302<br>H411             | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |
| 607-317-00-9 | bis(2-ethylhexyl) phthalate; di-(2-ethylhexyl) phthalate; DEHP  | 204-211-0 | 117-81-7    | Repr. 1B  | H360FD                   | GHS08<br>Dgr                   | H360FD                   |                                 |                                  |       |
| 607-318-00-4 | dibutyl phthalate; DBP  | 201-557-4 | 84-74-2     | Repr. 1B<br>Aquatic Acute 1                       | H360Df<br>H400           | GHS08<br>GHS09<br>Dgr          | H360Df<br>H400           |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-319-00-X | deltamethrin (ISO);<br>(S)- $\alpha$ -cyano-3-phenoxybenzyl<br>(1R, 3R)-3-(2,2-dibromovinyl)-<br>2,2-dimethylcyclopropanecarboxylate                                    | 258-256-6 | 52918-63-5  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H410     |                                 | M=1000000                        |       |
| 607-320-00-5 | bis[4-(ethenoxy)butyl] 1,3-benzenedicarboxylate   | 413-930-0 | 130066-57-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 607-321-00-0 | (S)-methyl-2-chloropropionate   | 412-470-8 | 73246-45-4  | Flam. Liq. 3<br>STOT RE 2 *<br>Eye Irrit. 2                              | H226<br>H373 **<br>H319      | GHS02<br>GHS08<br>Wng          | H226<br>H373 **<br>H319  |                                 |                                  |       |
| 607-322-00-6 | 4-(4,4-dimethyl-3-oxo-pyrazolidin-1-yl)-benzoic acid  | 413-120-7 | 107144-30-9 | Acute Tox. 4 *<br>Aquatic Chronic 2                                      | H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |
| 607-323-00-1 | 2-(1-(2-hydroxy-3,5-di- <i>tert</i> -pentyl-phenyl)ethyl)-4,6-di- <i>tert</i> -pentylphenyl acrylate  | 413-850-6 | 123968-25-2 | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 607-324-00-7 | reaction mass of: <i>N,N</i> -di(hydrogenated alkyl C <sub>14</sub> -C <sub>18</sub> )phthalamic acid;<br>dihydrogenated alkyl (C <sub>14</sub> -C <sub>18</sub> )amine | 413-800-3 | —           | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 607-325-00-2 | (S)-2-chloropropionic acid  | 411-150-5 | 29617-66-1  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A                        | H312<br>H302<br>H314         | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314     |                                 |                                  |       |
| 607-326-00-8 | reaction mass of: isobutyl hydrogen 2-( $\alpha$ -2,4,6-trimethylnon-2-enyl)succinate;<br>isobutyl hydrogen 2-( $\beta$ -2,4,6-trimethylnon-2-enyl)succinate            | 410-720-0 | 141847-13-4 | Eye Dam. 1<br>Aquatic Chronic 2  | H318<br>H411                 | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |

## ▼ B

▼**B**

| Index No              | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------|---|-----------|-------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|                       |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-327-00-3          | 2-(2-iodoethyl)-1,3-propanediol diacetate   | 411-780-0 | 127047-77-2 | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                                    | GHS07<br>GHS09<br>Wng                   | H302<br>H411                                    |                                 |                                  |       |
| 607-328-00-9          | methyl 4-bromomethyl-3-methoxybenzoate  | 410-310-1 | 70264-94-7  | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H315<br>H318<br>H317<br>H400<br>H410            | GHS05<br>GHS07<br>GHS09<br>Dgr          | H315<br>H318<br>H317<br>H410                    |                                 |                                  |       |
| 607-329-00-4          | reaction mass of: sodium 2-(C <sub>12-18</sub> - <i>n</i> -alkyl)amino-1,4-butandioate;<br>sodium 2-octadecenyl-amino-1,4-butandioate | 411-250-9 | —           | Skin Sens. 1  | H317  | GHS07<br>Wng                            | H317  |                                 |                                  |       |
| 607-330-00-X          | (S)-2,3-dihydro-1 <i>H</i> -indole-2-carboxylic acid  | 410-860-2 | 79815-20-6  | Repr. 2<br>STOT RE 2 *<br>Skin Sens. 1  | H361f ***<br>H373 **<br>H317                    | GHS08<br>GHS07<br>Wng                   | H361f ***<br>H373 **<br>H317                    |                                 |                                  |       |
| ▼ <b>M13</b><br>_____ |   |           |             |   |   |   |   |                                 |                                  |       |
| ▼ <b>B</b>            |   |           |             |   |   |   |   |                                 |                                  |       |
| 607-332-00-0          | cyclopentyl chloroformate   | 411-460-0 | 50715-28-1  | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1 | H226<br>H331<br>H302<br>H373 **<br>H318<br>H317 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>Dgr | H226<br>H331<br>H302<br>H373 **<br>H318<br>H317 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-333-00-6 | reaction mass of: dodecyl <i>N</i> -(2,2,6,6-tetramethylpiperidin-4-yl)- $\beta$ -alaninate; tetradecyl <i>N</i> -(2,2,6,6-tetramethylpiperidin-4-yl)- $\beta$ -alaninate | 405-670-1 | —           | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373 **<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 **<br>H314<br>H410      |                                 |                                  |       |
| 607-334-00-1 | ethyl 1-ethyl-6,7,8-trifluoro-1,4-dihydro-4-oxoquinoline-3-carboxylate  | 405-880-3 | 100501-62-0 | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412                            | GHS07<br>Wng                            | H317<br>H412                         |                                 |                                  |       |
| 607-335-00-7 | methyl ( <i>R</i> )-2-(4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy)propionate  | 406-250-0 | 72619-32-0  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H302<br>H400<br>H410                    | GHS07<br>GHS09<br>Wng                   | H302<br>H410                         |                                 |                                  |       |
| 607-336-00-2 | 4-methyl-8-methylenetri-cyclo[3.3.1.1 <sup>3,7</sup> ]dec-2-yl acetate  | 406-560-6 | 122760-85-4 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                                     | H315<br>H317<br>H411                    | GHS07<br>GHS09<br>Wng                   | H315<br>H317<br>H411                 |                                 |                                  |       |
| 607-337-00-8 | di- <i>tert</i> -(C <sub>12-14</sub> )-alkylammonium 2-benzothiazolylthiosuccinate  | 406-052-4 | 125078-60-6 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2     | H226<br>H302<br>H315<br>H318<br>H411    | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H302<br>H315<br>H318<br>H411 |                                 |                                  |       |
| 607-338-00-3 | 2-methylpropyl 2-hydroxy-2-methylbut-3-enoate   | 406-235-9 | 72531-53-4  | Eye Irrit. 2<br>Skin Irrit. 2  | H319<br>H315                            | GHS07<br>Wng                            | H319<br>H315                         |                                 |                                  |       |
| 607-339-00-9 | 2,3,4,5-tetrachlorobenzoylchloride  | 406-760-3 | 42221-52-3  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1  | H302<br>H314<br>H317                    | GHS05<br>GHS07<br>Dgr                   | H302<br>H314<br>H317                 |                                 |                                  |       |
| 607-340-00-4 | 1,3-bis(4-benzoyl-3-hydroxyphenoxy)prop-2-yl acetate  | 406-990-4 | —           | Aquatic Chronic 2  | H411                                    | GHS09                                   | H411                                 |                                 |                                  |       |
| 607-341-00-X | (9 <i>S</i> )-9-amino-9-deoxyerythromycin   | 406-790-7 | 26116-56-3  | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H318<br>H400<br>H410                    | GHS05<br>GHS09<br>Dgr                   | H318<br>H410                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                             | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-342-00-5 | 4-chlorobutyl veratrate   | 410-950-1 | 69788-75-6  | Skin Sens. 1<br>Aquatic Chronic 2                             | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411                 |                                 |                                  |       |
| 607-343-00-0 | 4,7-methanooctahydro-1 <i>H</i> -indene-diyl dimethyl bis(2-carboxybenzoate)  | 407-410-2 | —           | Aquatic Chronic 4   | H413                         | —                              | H413                         |                                 |                                  |       |
| 607-344-00-6 | reaction mass of: 3-( <i>N</i> -(3-dimethylaminopropyl)-(C <sub>4-8</sub> )perfluoroalkylsulfonamido)propionic acid; <i>N</i> -[dimethyl-3-(C <sub>4-8</sub> -perfluoroalkylsulfonamido)propylammonium propionate; 3-( <i>N</i> -(3-dimethyl-propylammonium)-(C <sub>4-8</sub> )perfluoroalkylsulfonamido)propionic acid propionate | 407-810-7 | —           | STOT RE 2 *   | H373 **                      | GHS08<br>Wng                   | H373 **                      |                                 |                                  |       |
| 607-345-00-1 | potassium 2-(2,4-dichlorophenoxy)-( <i>R</i> )-propionate   | 413-580-9 | 113963-87-4 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr          | H302<br>H315<br>H318<br>H317 |                                 |                                  |       |
| 607-346-00-7 | 3-icosyl-4-henicosylidene-2-oxetanone   | 401-210-9 | 83708-14-9  | Aquatic Chronic 4   | H413                         | —                              | H413                         |                                 |                                  |       |
| 607-347-00-2 | sodium ( <i>R</i> )-2-(2,4-dichlorophenoxy)propionate   | 413-340-3 | 119299-10-4 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr          | H302<br>H315<br>H318<br>H317 |                                 |                                  |       |
| 607-348-00-8 | magnesium bis(( <i>R</i> )-2-(2,4-dichlorophenoxy)propionate)   | 413-360-2 | —           | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr          | H302<br>H315<br>H318<br>H317 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-349-00-3 | mono-(tetrapropylammonium) hydrogen 2,2'-dithiobisbenzoate  | 411-270-8 | —           | Aquatic Chronic 3                                    | H412                     |                                | H412                     |                                 |                                  |       |
| 607-350-00-9 | bis(4-(1,2-bis(ethoxycarbonyl)ethylamino)-3-methylcyclohexyl)methane  | 412-060-9 | 136210-32-7 | Skin Sens. 1<br>Aquatic Chronic 3                    | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 607-351-00-4 | methyl <i>O</i> -(4-amino-3,5-dichloro-6-fluoropyridin-2-yl)oxy)acetate   | 407-550-4 | 69184-17-4  | Aquatic Chronic 2                                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-352-00-X | 4,4'-oxydiphthalic anhydride  | 412-830-4 | 1823-59-2   | Aquatic Chronic 3                                    | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-353-00-5 | reaction mass of: ethyl <i>exo</i> -tricyclo[5.2.1.0 <sup>2,6</sup> ]decane- <i>endo</i> -2-carboxylate;<br>ethyl <i>endo</i> -tricyclo[5.2.1.0 <sup>2,6</sup> ]decane- <i>exo</i> -2-carboxylate | 407-520-0 | 80657-64-3  | Skin Irrit. 2<br>Aquatic Chronic 2                   | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |
| 607-354-00-0 | ethyl 2-cyclohexylpropionate  | 412-280-5 | 2511-00-4   | Aquatic Chronic 2                                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-355-00-6 | <i>p</i> -tolyl 4-chlorobenzoate  | 411-530-0 | 15024-10-9  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 607-356-00-1 | ethyl <i>trans</i> -2,2,6-trimethylcyclohexanecarboxylate   | 412-540-8 | —           | Skin Irrit. 2<br>Aquatic Chronic 2                   | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |
| 607-357-00-7 | reaction mass of: <i>trans</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran;<br><i>cis</i> -4-acetoxy-4-methyl-2-propyl-tetrahydro-2 <i>H</i> -pyran                                 | 412-450-9 | 131766-73-9 | Skin Sens. 1   | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-358-00-2 | (1 <i>S</i> ,3 <i>S</i> ,5 <i>R</i> ,6 <i>R</i> )-(4-nitrophenylmethyl)-1-dioxo-6-phenylacetamido-penam-3-carboxylate  | 412-670-5 | 54275-93-3  | Resp. Sens. 1                                    | H334                     | GHS08<br>Dgr                   | H334                     |                                 |                                  |       |
| 607-359-00-8 | (1 <i>S</i> ,4 <i>R</i> ,6 <i>R</i> ,7 <i>R</i> )-(4-nitrophenylmethyl)3-methylene-1-oxo-7-phenylacetamido-cepham-4-carboxylateido-penam-3-carboxylate   | 412-800-0 | 76109-32-5  | Resp. Sens. 1                                    | H334                     | GHS08<br>Dgr                   | H334                     |                                 |                                  |       |
| 607-360-00-3 | sodium 3-acetoacetylamino-4-methoxytolyl-6-sulfonate   | 411-680-7 | 133167-77-8 | Skin Sens. 1                                     | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-361-00-9 | methyl ( <i>R</i> )-2-(4-hydroxyphenoxy)propionate   | 411-950-4 | 96562-58-2  | Eye Dam. 1<br>Aquatic Chronic 3                  | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 607-362-00-4 | reaction mass of: (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(2-(bis(2-hydroxyethyl)amino)ethoxycarbonylmethyl)tetradec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)hexadec-4-enoate; (3-methoxy)propylammonium/[tris-(2-hydroxyethyl)]ammonium 2-(3-methoxypropylcarbamoylmethyl)tetradec-4-enoate | 413-500-2 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H411     | GHS05<br>GHS09<br>Dgr          | H315<br>H318<br>H411     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-363-00-X | methyl-3-methoxyacrylate  | 412-900-4 | 5788-17-0   | Skin Sens. 1   | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 607-364-00-5 | 3-phenyl-7-[4-(tetrahydrofurfuryloxy)phenyl]-1,5-dioxas-indacen-2,6-dione   | 413-330-9 | 134724-55-3 | Aquatic Chronic 4  | H413                         |                                | H413                         |                                 |                                  |       |
| 607-365-00-0 | 2-(2-amino-1,3-thiazol-4-yl)-(Z)-2-methoxyiminoacetyl chloride hydrochloride  | 410-620-7 | 119154-86-8 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1                          | H302<br>H314<br>H317         | GHS05<br>GHS07<br>Dgr          | H302<br>H314<br>H317         |                                 |                                  |       |
| 607-366-00-6 | 3,5-dimethylbenzoyl chloride  | 413-010-9 | 6613-44-1   | Skin Corr. 1B<br>Skin Sens. 1  | H314<br>H317                 | GHS05<br>GHS07<br>Dgr          | H314<br>H317                 |                                 |                                  |       |
| 607-367-00-1 | potassium bis(N-carboxymethyl)-N-methyl-glycinato-(2-) N,O,O,N)-ferrate-(1-) monohydrate  | 411-640-9 | 153352-59-1 | Acute Tox. 4 *   | H302                         | GHS07<br>Wng                   | H302                         |                                 |                                  |       |
| 607-368-00-7 | 1-(N,N-dimethylcarbamoyl)-3-tert-butyl-5-carbethoxy-methylthio-1H-1,2,4-triazole  | 411-650-3 | 110895-43-7 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H410         |                                 |                                  |       |
| 607-369-00-2 | reaction mass of: <i>trans</i> -(2R)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid; <i>cis</i> -(2R)-5-acetoxy-1,3-oxathiolane-2-carboxylic acid  | 411-660-8 | 147027-04-1 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1            | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr          | H302<br>H315<br>H318<br>H317 |                                 |                                  |       |
| 607-370-00-8 | 2-[[2-(acetyloxy)-3-(1,1-dimethyl-ethyl)-5-methylphenyl]methyl]-6-(1,1-dimethyl-ethyl)-4-methylphenol   | 412-210-3 | 41620-33-1  | Aquatic Acute 1<br>Aquatic Chronic 1                                     | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 607-371-00-3 | 3-ethyl 5-methyl 4-(2-chlorophenyl)-1,4-dihydro-2-[2-(1,3-dihydro-1,3-dioxo-(2H)isoindol-2-yl)-ethoxymethyl]-6-methyl-3,5-pyridinedicarboxylate | 413-410-3 | 88150-62-3  | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling                      |   |   | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---|--------------------------------|---|---|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                      | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s)   |                                  |       |
| 607-372-00-9 | ethoxylated bis phenol A di-(norbornene carboxylate)   | 412-410-0 | —           | Aquatic Chronic 3   | H412  | —                              | H412  |   |                                  |       |
| 607-373-00-4 | (±) tetrahydrofurfuryl ( <i>R</i> )-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate  | 414-200-4 | 119738-06-6 | Muta. 2<br>Repr. 1B<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H341<br>H360Df<br>H302<br>H373 **<br>H400<br>H410             | GHS08<br>GHS07<br>GHS09<br>Dgr | H341<br>H360Df<br>H302<br>H373 **<br>H410             |   |                                  |       |
| 607-374-00-X | 5-amino-2,4,6-triiodo-1,3-benzenedicarbonyldichloride  | 417-220-1 | 37441-29-5  | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411  | GHS07<br>GHS09<br>Wng          | H317<br>H411  |   |                                  |       |
| ▼ <b>M13</b> |  |           |             |   |   |                                |   |   |                                  |       |
| 607-375-00-5 | flocoumafen (ISO); reaction mass of: cis-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin and trans-4-hydroxy-3-(1,2,3,4-tetrahydro-3-(4-(4-trifluoromethylbenzyloxy)phenyl)-1-naphthyl)coumarin | 421-960-0 | 90035-08-8  | Repr. 1B<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 1<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H410 | Repr. 1B;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,05 %<br>STOT RE 2;<br>H373 (blood):<br>0,005 % ≤ C<br>< 0,05 %<br>M = 10<br>M = 10 |                                  |       |
| ▼ <b>B</b>   |  |           |             |   |   |                                |   |   |                                  |       |
| 607-376-00-0 | benzyl 2,4-dibromobutanoate  | 420-710-8 | 23085-60-1  | Repr. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H361f ***<br>H315<br>H317<br>H400<br>H410                     | GHS08<br>GHS07<br>GHS09<br>Wng | H361f ***<br>H315<br>H317<br>H410                     |   |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 607-377-00-6 | <i>trans</i> -4-cyclohexyl-L-proline monohydrochloride   | 419-160-1 | 90657-55-9  | Repr. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H361f ***<br>H302<br>H315<br>H318<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H361f ***<br>H302<br>H315<br>H318<br>H317 |                                 |                                  |       |
| 607-378-00-1 | ammonium (Z)- $\alpha$ -methoxyimino-2-furylacetate  | 405-990-1 | 97148-39-5  | Flam. Sol. 2   | H228                                      | GHS02<br>Dgr                   | H228                                      |                                 |                                  | T     |
| 607-379-00-7 | reaction mass of: 2-[N-(2-hydroxyethyl)stearamido]ethyl stearate;<br>sodium [bis[2-(stearoyloxy)ethyl]amino]methylsulfonate;<br>sodium [bis(2-hydroxyethyl)amino]methylsulfonate;<br>N,N-bis(2-hydroxyethyl)stearamide | 401-230-8 |             | Aquatic Chronic 3  | H412                                      | —                              | H412                                      |                                 |                                  |       |
| 607-380-00-2 | reaction mass of: ammonium-1,2-bis(hexyloxycarbonyl)ethanesulfonate;<br>ammonium-1-hexyloxycarbonyl-2-octyloxycarbonyl-ethanesulfonate;<br>ammonium-2-hexyloxycarbonyl-1-octyloxycarbonyl-ethanesulfonate              | 407-320-3 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3                         | H315<br>H318<br>H412                      | GHS05<br>Dgr                   | H315<br>H318<br>H412                      |                                 |                                  |       |
| 607-381-00-8 | reaction mass of triesters of 2,2-bis(hydroxymethyl)butanol with C <sub>7</sub> -alkanoic acids and 2-ethylhexanoic acid   | 413-710-4 | —           | Aquatic Chronic 4  | H413                                      | —                              | H413                                      |                                 |                                  |       |
| 607-382-00-3 | 2-((4-amino-2-nitrophenyl)amino)benzoic acid   | 411-260-3 | 117907-43-4 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                          | H318<br>H317<br>H412                      | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412                      |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-383-00-9 | reaction mass of: 2,2,6,6-tetramethylpiperidin-4-yl-hexadecanoate;<br>2,2,6,6-tetramethylpiperidin-4-yl-octadecanoate   | 415-430-8 | 86403-32-9  | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H318<br>H317<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410         |                                 |                                  |       |
| 607-384-00-4 | reaction mass of: esters of C <sub>14</sub> -C <sub>15</sub> branched alcohols with 3,5-di-t-butyl-4-hydroxyphenyl propionic acid;<br>C <sub>15</sub> branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate;<br>C <sub>13</sub> branched and linear alkyl 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoate | 413-750-2 | 171090-93-0 | Aquatic Chronic 4   | H413                                 | —                              | H413                         |                                 |                                  |       |
| 607-385-00-X | Copolymer of vinyl-alcohol and vinyl acetate partially acetylated with 4-(2-(4-formylphenyl)ethenyl)-1-methylpyridinium methylsulfate   | 414-590-6 | 125229-74-5 | Aquatic Chronic 2   | H411                                 | GHS09                          | H411                         |                                 |                                  |       |
| 607-386-00-5 | reaction mass of: tetradecanoic acid (42,5- 47,5 %);<br>poly(1-7)lactate esters of tetradecanoic acid (52,5- 57,5 %)  | 412-580-6 | 174591-51-6 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 607-387-00-0 | reaction mass of: dodecanoic acid (35-40 %);<br>poly(1-7)lactate esters of dodecanoic acid (60-65 %)  | 412-590-0 | 58856-63-6  | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-388-00-6 | 4-ethylamino-3-nitrobenzoic acid  | 412-090-2 | 2788-74-1   | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H317<br>H412     | GHS07<br>Wng                   | H302<br>H317<br>H412     |                                 |                                  |       |
| 607-389-00-1 | trisodium <i>N,N</i> -bis(carboxymethyl)-3-amino-2-hydroxypropionate  | 414-130-4 | 119710-96-2 | Acute Tox. 4 *                                      | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-390-00-7 | 1,2,3,4-tetrahydro-6-nitro-quinoline  | 414-270-6 | 41959-35-7  | Acute Tox. 4 *<br>Aquatic Chronic 2                 | H302<br>H411             | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |
| 607-391-00-2 | dimethylcyclopropane-1,1-dicarboxylate  | 414-240-2 | 6914-71-2   | Aquatic Chronic 3                                   | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-392-00-8 | 2-phenoxyethyl 4-((5-cyano-1,6-dihydro-2-hydroxy-1,4-dimethyl-6-oxo-3-pyridinyl)azo)benzoate                                | 414-260-1 | 88938-37-8  | Aquatic Chronic 4                                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-393-00-3 | 3-( <i>cis</i> -1-propenyl)-7-amino-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid                             | 415-750-8 | 106447-44-3 | Skin Sens. 1  | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-394-00-9 | 5-methylpyrazine-2-carboxylic acid  | 413-260-9 | 5521-55-1   | Eye Dam. 1  | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-395-00-4 | reaction mass of: sodium 1-tridecyl-4-allyl-(2 or 3)-sulfobutanedioate; sodium 1-dodecyl-4-allyl-(2 or 3)-sulfobutanedioate | 410-230-7 | —           | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2  | H314<br>H317<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H411     |                                 |                                  |       |
| 607-396-00-X | bis(1,2,2,6,6-pentamethyl-4-piperidinyl) 2-(4-methoxybenzylidene)malonate   | 414-840-4 | 147783-69-5 | Aquatic Acute 1<br>Aquatic Chronic 1                | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                                 | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-397-00-5 | reaction mass of: Ca salicylates (branched C <sub>10-14</sub> and C <sub>18-30</sub> alkylated);<br>Ca phenates (branched C <sub>10-14</sub> and C <sub>18-30</sub> alkylated);<br>Ca sulfurised phenates (branched C <sub>10-14</sub> and C <sub>18-30</sub> alkylated) | 415-930-6 | —           | Repr. 2<br>Skin Sens. 1   | H361f***<br>H317                | GHS08<br>GHS07<br>Wng          | H361f***<br>H317         |                                 |                                  |       |
| 607-398-00-0 | ethyl <i>N</i> -(5-chloro-3-(4-(diethylamino)-2-methylphenylimino)-4-methyl-6-oxo-1,4-cyclohexadienyl)carbamate  | 414-820-5 | 125630-94-6 | Aquatic Acute 1<br>Aquatic Chronic 1                              | H400<br>H410                    | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-399-00-6 | 2,2-dimethyl 3-methyl-3-butenyl propanoate   | 415-610-6 | 104468-21-5 | Skin Irrit. 2<br>Aquatic Chronic 3                                | H315<br>H412                    | GHS07<br>Wng                   | H315<br>H412             |                                 |                                  |       |
| 607-400-00-X | methyl 3-[[[(dibutylamino)thioxomethyl]thio]propanoate   | 414-400-1 | 32750-89-3  | Aquatic Acute 1<br>Aquatic Chronic 1                              | H400<br>H410                    | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-401-00-5 | ethyl 3-hydroxy-5-oxo-3-cyclohexene-1-carboxylate  | 414-450-4 | 88805-65-6  | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1                       | H315<br>H318<br>H317            | GHS05<br>GHS07<br>Dgr          | H315<br>H318<br>H317     |                                 |                                  |       |
| 607-402-00-0 | methyl <i>N</i> -(phenoxy-carbonyl)-L-valinate   | 414-500-5 | 153441-77-1 | Aquatic Chronic 3   | H412                            | —                              | H412                     |                                 |                                  |       |
| 607-403-00-6 | reaction mass of: bis(1 <i>S</i> ,2 <i>S</i> ,4 <i>S</i> )-(1-benzyl-4- <i>tert</i> -butoxycarbonylamido-2-hydroxy-5-phenyl)pentylammonium succinate;<br>isopropyl alcohol   | 414-810-0 | —           | STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 **<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 **<br>H318<br>H410  |                                 |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                              | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-404-00-1 | reaction mass of: ((Z)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid;<br>di-((E)-3,7-dimethyl-2,6-octadienyl) butandioate;<br>di-((Z)-3,7-dimethyl-2,6-octadienyl) butandioate;<br>(Z)-3,7-dimethyl-2,6-octadienyl butandioate;<br>((E)-3,7-dimethyl-2,6-octadienyl)oxycarbonylpropanoic acid | 415-190-4 | —           | Skin Sens. 1   | H317                            | GHS07<br>Wng                   | H317                            |                                 |                                  |       |
| 607-405-00-7 | 2-hexyldecyl- <i>p</i> -hydroxybenzoate   | 415-380-7 | 148348-12-3 | Aquatic Chronic 2  | H411                            | GHS09                          | H411                            |                                 |                                  |       |
| 607-406-00-2 | potassium 2,5-dichlorobenzoate  | 415-700-5 | 184637-62-5 | Acute Tox. 4 *<br>Eye Dam. 1                                   | H302<br>H318                    | GHS05<br>GHS07<br>Dgr          | H302<br>H318                    |                                 |                                  |       |
| 607-407-00-8 | ethyl 2-carboxy-3-(2-thienyl)propionate   | 415-680-8 | 143468-96-6 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1                    | H315<br>H318<br>H317            | GHS05<br>GHS07<br>Dgr          | H315<br>H318<br>H317            |                                 |                                  |       |
| 607-408-00-3 | potassium <i>N</i> -(4-fluorophenyl)glycinate   | 415-710-1 | 184637-63-6 | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H373 **<br>H318<br>H317<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H373 **<br>H318<br>H317<br>H412 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-409-00-9 | reaction mass of: (3R)-[1S-(1 $\alpha$ , 2 $\alpha$ , 6 $\beta$ -((2S)-2-methyl-1-oxobutoxy)-8 $\gamma$ )hexahydro-2,6-dimethyl-1-naphthalene]-3,5-dihydroxyheptanoic acid;<br>inert biomass from <i>Aspergillus terreus</i> | 415-840-7 | —           | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412                         | GHS07<br>Wng                            | H317<br>H412                         |                                 |                                  |       |
| 607-410-00-4 | mono[2-(dimethylamino)ethyl]monohydrogen-2-(hexadec-2-enyl)butanedioate and/or mono[2-(dimethylamino)ethyl]monohydrogen-3-(hexadec-2-enyl)butanedioate   | 415-880-5 | 779343-34-9 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr          | H315<br>H318<br>H317<br>H410         |                                 |                                  |       |
| 607-411-00-X | oxiranemethanol, 4-methylbenzene-sulfonate, (S)-   | 417-210-7 | 70987-78-9  | Carc. 1B<br>Muta. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2              | H350<br>H341<br>H318<br>H317<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 607-412-00-5 | ethyl 2-(1-cyanocyclohexyl)acetate   | 415-970-4 | 133481-10-4 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 3                                  | H302<br>H373 **<br>H412              | GHS08<br>GHS07<br>Wng                   | H302<br>H373 **<br>H412              |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No                         | CAS No     | Classification                       |  | Labelling                                      |                                |  | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-------------------------------|------------|--------------------------------------|--|--|--------------------------------|--|----------------------------------|-------|
|              |  |                               |            | Hazard Class and Category Code(s)    | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                 | Hazard statement Code(s)       | Suppl. Hazard statement Code(s)                |                                  |       |
| 607-413-00-0 | trans-4-phenyl-L-proline   | 416-020-1                     | 96314-26-0 | Repr. 2<br>Skin Sens. 1              | H361f ***<br>H317  | GHS08<br>GHS07<br>Wng                          | H361f ***<br>H317              |  |                                  |       |
| 607-414-00-6 | tris(2-ethylhexyl)-4,4',4''-(1,3,5-triazine-2,4,6-triyltriimino)tri-benzoate   | 402-070-1                     | 88122-99-0 | Aquatic Chronic 4                    | H413   | —  | H413                           |  |                                  |       |
| 607-415-00-1 | poly-(methyl methacrylate)-co-(butylmethacrylate)-co-(4-acryloxybutyl-isopropenyl- $\alpha$ , $\alpha$ -dimethylbenzyl carbamate)-co-(maleicanhydride) | 419-590-1                     | —          | Flam. Sol. 1<br>Skin Sens. 1         | H228<br>H317   | GHS02<br>GHS07<br>Dgr                          | H228<br>H317                   |  |                                  | T     |
| 607-416-00-7 | 4-(2-carboxymethylthio)ethoxy-1-hydroxy-5-isobutyloxycarbonylamino-N-(3-dodecyloxypropyl)-2-naphthamide  | 420-730-7                     | —          | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410   | GHS09<br>Wng                                   | H410                           |  |                                  |       |
| ▼ <u>M1</u>  | 607-417-00-2   | 3-chloropropyl chloroformiate | 425-770-9  | 628-11-5                             | Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H331<br>H302<br>H373**<br>H315<br>H318<br>H317 | GHS06<br>GHS05<br>GHS08<br>Dgr | H331<br>H302<br>H373**<br>H315<br>H318<br>H317 |                                  |       |
| ▼ <u>B</u>   | 607-418-00-8   | 2-ethylhexyl 4-aminobenzoate  | 420-170-3  | 26218-04-2                           | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                                   | GHS09<br>Wng                   | H410   |                                  |       |

▼B

| Index No                    | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-------------|---|--|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|                             |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 607-419-00-3                | (3'-carboxymethyl-5-(2-(3-ethyl-3 <i>H</i> -benzothiazol-2-ylidene)-1-methyl-ethylidene)-4,4'-dioxo-2'-thioxo-(2,5')bithiazolidinyliden-3-yl)-acetic acid  | 422-240-9 | 166596-68-5 | Eye Dam. 1<br>Skin Sens. 1  | H318<br>H317                           | GHS05<br>GHS07<br>Dgr          | H318<br>H317                   |                                 |                                  |       |
| 607-420-00-9                | 2,2-bis(hydroxymethyl)butanoic acid  | 424-090-1 | 10097-02-6  | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412                           | GHS05<br>Dgr                   | H318<br>H412                   |                                 |                                  |       |
| 607-421-00-4                | cypermethrin <i>cis/trans</i> +/- 40/60;<br>( <i>RS</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate   | 257-842-9 | 52315-07-8  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H335<br>H400<br>H410   | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H335<br>H410   |                                 |                                  |       |
| ▼ <u>M1</u><br>607-422-00-X | $\alpha$ -cypermethrin (ISO);<br>racemate comprising ( <i>R</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>S</i> ,3 <i>S</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate;<br>( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate | 257-842-9 | 67375-30-8  | Acute Tox. 3 *<br>STOT RE 2 *<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1    | H301<br>H373**<br>H335<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373**<br>H335<br>H410 |                                 | M=1000                           |       |
| ▼ <u>B</u><br>607-423-00-5  | esters of mecoprop and of mecoprop-P   | —         | —           | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H317<br>H400<br>H410           | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410           |                                 |                                  | A     |

▼**B**

| Index No     | International Chemical Identification   | EC No  | CAS No  | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|---|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |  |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 607-424-00-0 | trifloxystrobin (ISO);<br>( <i>E,E</i> )- $\alpha$ -methoxyimino- {2-[[[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]benzeneacetic acid methyl ester    | —  | 141517-21-7   | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H317<br>H400<br>H410                              | GHS07<br>GHS09<br>Wng          | H317<br>H410                              |                                 |                                  |       |
| 607-425-00-6 | metalaxyl (ISO);<br>methyl- <i>N</i> -(2,6-dimethylphenyl)- <i>N</i> -(methoxyacetyl)-DL-alaninate  | 260-979-7  | 57837-19-1  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3   | H302<br>H317<br>H412                              | GHS07<br>Wng                   | H302<br>H317<br>H412                      |                                 |                                  |       |
| 607-426-00-1 | 1,2-benzenedicarboxylic acid, dipentylester, branched and linear; [1]<br>n-pentyl-isopentylphthalate; [2]<br>di-n-pentyl phthalate; [3]<br>diisopentylphthalate [4] | 284-032-2 [1]<br>- [2]<br>205-017-9 [3]<br>210-088-4 [4] | 84777-06-0 [1]<br>- [2]<br>131-18-0 [3]<br>605-50-5 [4] | Repr. 1B<br>Aquatic Acute 1   | H360FD<br>H400                                    | GHS08<br>GHS09<br>Dgr          | H360FD<br>H400                            |                                 |                                  |       |
| 607-427-00-7 | bromoxynil heptanoate (ISO);<br>2,6-dibromo-4-cyanophenyl heptanoate  | 260-300-4  | 56634-95-8  | Repr. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d ***<br>H332<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d ***<br>H332<br>H302<br>H317<br>H410 |                                 |                                  |       |
| ▼ <b>M1</b>  |   |  |   |   |   |                                |   |                                 |                                  |       |
| 607-428-00-2 | tetrasodium ethylene diamine tetraacetate   | 200-573-9  | 64-02-8   | Acute Tox. 4 *<br>Eye Dam. 1  | H302<br>H318                                      | GHS05<br>GHS07<br>Dgr          | H302<br>H318                              |                                 |                                  |       |
| 607-429-00-8 | edetic acid;<br>(EDTA)  | 200-449-4  | 60-00-4   | Eye Irrit. 2  | H319  | GHS07<br>Wng                   | H319                                      |                                 |                                  |       |
| ▼ <b>B</b>   |   |  |   |   |   |                                |   |                                 |                                  |       |
| 607-430-00-3 | BBP;<br>benzyl butyl phthalate e  | 201-622-7  | 85-68-7   | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H360Df<br>H400<br>H410                            | GHS08<br>GHS09<br>Dgr          | H360Df<br>H410                            |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No          | CAS No                            | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|----------------|-----------------------------------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                |                                   | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-431-00-9 | prallethrin (ISO);<br>ETOC;<br>2-methyl-4-oxo-3-(prop-2-ynyl)cyclopent-2-en-1-yl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate  | 245-387-9      | 23031-36-9                        | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H331<br>H302<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H331<br>H302<br>H410                 |                                 |                                  |       |
| 607-432-00-4 | <i>S</i> -metolachlor;<br>reaction mass of ( <i>S</i> )-2-chloro- <i>N</i> -(2-ethyl-6-methyl-phenyl)- <i>N</i> -(2-methoxy-1-methyl-ethyl)-acetamide (80-100 %); [1] ( <i>R</i> )-2-chloro- <i>N</i> -(2-ethyl-6-methyl-phenyl)- <i>N</i> -(2-methoxy-1-methyl-ethyl)-acetamide (0-20 %) [2] | - [1]<br>- [2] | 87392-12-9 [1]<br>178961-20-1 [2] | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H317<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H317<br>H410                         |                                 |                                  |       |
| 607-433-00-X | cypermethrin <i>cis/trans</i> +/- 80/20;<br>( <i>RS</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>RS</i> ; 3 <i>RS</i> ; 1 <i>RS</i> , 3 <i>SR</i> )-3-(2,2-dichlorovinyl)-2,2-dimethyl-cyclopropanecarboxylate  | 257-842-9      | 52315-07-8                        | Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H335<br>H315<br>H317<br>H410 |                                 |                                  |       |
| 607-434-00-5 | mecoprop-P [1] and its salts;<br>( <i>R</i> )-2-(4-chloro-2-methylphenoxy)propionic acid  | 240-539-0      | 16484-77-8                        | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2  | H302<br>H318<br>H411                         | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411                 |                                 |                                  |       |
| 607-435-00-0 | 2 <i>S</i> -isopropyl-5 <i>R</i> -methyl-1 <i>R</i> -cyclohexyl 2,2-dihydroxyacetate  | 416-810-6      | 111969-64-3                       | STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Chronic 2   | H373 **<br>H318<br>H411                      | GHS08<br>GHS05<br>GHS09<br>Dgr | H373 **<br>H318<br>H411              |                                 |                                  |       |
| 607-436-00-6 | 2-hydroxy-3-(2-ethyl-4-methylimidazol)propyl neodecanoate   | 417-350-9      | —                                 | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H315<br>H318<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H315<br>H318<br>H410                 |                                 |                                  |       |

## ▼B

| Index No           | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                    |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-437-00-1       | 3-(4-aminophenyl)-2-cyano-2-propenoic acid   | 417-480-6 | 252977-62-1 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-438-00-7       | methyl-2-[(aminosulfonyl)methyl]benzoate   | 419-010-5 | 112941-26-1 | Acute Tox. 4 *<br>Eye Irrit. 2    | H302<br>H319             | GHS07<br>Wng                   | H302<br>H319             |                                 |                                  |       |
| 607-439-00-2       | methyl tetrahydro-2-furancarboxylate   | 420-670-1 | 37443-42-8  | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-440-00-8       | methyl 2-aminosulfonyl-6-(trifluoromethyl)pyridine-3-carboxylate   | 421-220-7 | 144740-59-0 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 607-441-00-3       | 3-[3-(2-dodecyloxy-5-methylphenylcarbamoyl)-4-hydroxy-1-naphthylthio]propionic acid                              | 421-490-6 | 167684-63-1 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-442-00-9       | benzyl [hydroxy-(4-phenylbutyl)phosphinyl] acetate   | 416-050-5 | 87460-09-1  | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| ▼M1<br>_____       |  |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| ▼B<br>607-444-00-X | reaction mass of: <i>cis</i> -1,4-dimethylcyclohexyl dibenzoate; <i>trans</i> -1,4-dimethylcyclohexyl dibenzoate | 416-230-3 | 35541-81-2  | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-445-00-5       | Iron (III) tris(4-methylbenzenesulfonate)  | 420-960-8 | 77214-82-5  | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-446-00-0       | methyl 2-[4-(2-chloro-4-nitrophenylazo)-3-(1-oxopropyl)amino]phenylaminopropionate                               | 416-240-8 | 155522-12-6 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-447-00-6 | sodium 4-[4-(4-hydroxyphenylazo)phenylamino]-3-nitrobenzenesulfonate  | 416-370-5 | 156738-27-1 | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 607-448-00-1 | 2,3,5,6-tetrafluorobenzoic acid   | 416-800-1 | 652-18-6    | Skin Irrit. 2<br>Eye Dam. 1  | H315<br>H318                 | GHS05<br>Dgr                   | H315<br>H318             |                                 |                                  |       |
| 607-449-00-7 | reaction mass of: 4,4',4''-[(2,4,6-trioxo-1,3,5-(2 <i>H</i> ,4 <i>H</i> ,6 <i>H</i> )-triazine-1,3,5-triyl)tris[methylene(3,5,5-trimethyl-3,1-cyclohexanediyl)iminocarbonyloxy-2,1-ethanediyl(ethyl)amino]]trisbenzenediazoniumtri[bis(2-methylpropyl)naphthalenesulfonate];<br>4,4',4'',4'''-[[5,5'-[carbonylbis[imino(1,5,5-trimethyl-3,1-cyclohexanediyl)methylene]]-2,4,6-trioxo-1,3,5-(2 <i>H</i> ,4 <i>H</i> ,6 <i>H</i> )-triazine-1,1',3,3'-tetrayl]tetraakis[methylene(3,5,5-trimethyl-3,1-cyclohexanediyl)iminocarbonyloxy-2,1-ethanediyl(ethyl)amino]]tetrakisbenzenediazoniumtetra[bis(2-methylpropyl)naphthalenesulfonate] | 417-080-1 | —           | Self-react. D ****<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H317<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H242<br>H317<br>H410     |                                 |                                  |       |
| 607-450-00-2 | 2-mercaptobenzothiazolyl-( <i>Z</i> )-(2-aminothiazol-4-yl)-2-( <i>tert</i> -butoxycarbonyl) isopropoxyiminoacetate   | 419-040-9 | 89604-92-2  | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-451-00-8 | 4-[4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonapht-6-ylazo]-6-[3-(4-amino-5-hydroxy-3-(4-(2-sulfoxyethylsulfonyl)phenylazo)-2,7-disulfonapht-6-ylazo)phenylcarbonylamino]benzenesulfonic acid, sodium salt | 417-640-5 | 161935-19-9 | Eye Dam. 1<br>Skin Sens. 1        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 607-453-00-9 | 4-benzyl-2,6-dihydroxy-4-azahexyloctanoate  | 418-100-1 | 172964-15-7 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 607-454-00-4 | reaction mass of: <i>trans</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid;<br><i>cis</i> -2-(1-methylethyl)-1,3-dioxane-5-carboxylic acid   | 418-170-3 | 116193-72-7 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 607-455-00-X | 1-amino-4-(3-[4-chloro-6-(2,5-di-sulfophenylamino)-1,3,5-triazin-2-ylamino]-2,2-dimethylpropylamino)-anthraquinone-2-sulfonic acid, sodium/lithium salt   | 419-520-8 | 172890-93-6 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-456-00-5 | 3-amino-4-chlorobenzoic acid, hexadecyl ester   | 419-700-6 | 143269-74-3 | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-457-00-0 | tetrasodium dihydrogen 1,1"-dihydroxy-8,8"-[p-phenylbis(imino- {6-[4-(2-aminoethyl)piperazin-1-yl]}-1,3,5-triazine-4,2-diyl-imino)]bis(2,2'-azonaphthalene-1',3,6-trisulfonate)   | 420-350-1 | 172277-97-3 | Eye Dam. 1<br>Aquatic Chronic 2  | H318<br>H411                            | GHS05<br>GHS09<br>Dgr          | H318<br>H411                    |                                 |                                  |       |
| 607-458-00-6 | reaction mass of: 2-ethyl-[2,6-dibromo-4-[1-[3,5-dibromo-4-(2-hydroxyethoxy)phenyl]-1-methylethyl]phenoxy]propenoate;<br>2,2'-diethyl-[4,4'-bis(2,6-dibromophenoxy)-1-methylethylidene] dipropenoate;<br>2,2'-[(1-methylethylidene)bis[[2,6-dibromo-4,1-phenylene]oxy]ethanol]] | 420-850-1 | —           | Aquatic Chronic 2  | H411                                    | GHS09                          | H411                            |                                 |                                  |       |
| 607-459-00-1 | isopentyl 4-{2-[5-cyano-1,2,3,6-tetrahydro-1-(2-isopropoxyethoxy-carbonylmethyl)-4-methyl-2,6-dioxo-3-pyridylidene]hydrazino}benzoate   | 418-930-4 | —           | Aquatic Chronic 4  | H413                                    | —                              | H413                            |                                 |                                  |       |
| 607-460-00-7 | 3-tridecyloxy-propyl-ammonium 9-octadecenoate   | 418-990-1 | 778577-53-0 | STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 **<br>H319<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 **<br>H319<br>H315<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-461-00-2 | reaction mass of: pentasodium 2-{4-{3-methyl-4-[6-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate;<br>pentasodium 2-{4-{3-methyl-4-[7-sulfonato-4-(2-sulfonato-phenylazo)-naphthalen-1-ylazo]-phenylamino}-6-[3-(2-sulfato-ethanesulfonyl)-phenylamino]-1,3,5-triazin-2-ylamino}-benzene-1,4-disulfonate | 421-160-1 | —          | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-462-00-8 | reaction mass of: 1-hexyl acetate;<br>2-methyl-1-pentyl acetate;<br>3-methyl-1-pentyl acetate;<br>4-methyl-1-pentyl acetate;<br>other mixed linear and branched C <sub>6</sub> -alkyl acetates  | 421-230-1 | 88230-35-7 | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-463-00-3 | 3-(phenothiazin-10-yl)propionic acid  | 421-260-5 | 362-03-8   | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-464-00-9 | reaction mass of: 7-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid;<br>5-chloro-1-ethyl-6-fluoro-1,4-dihydro-4-oxo-quinoline-3-carboxylic acid   | 421-280-4 |            | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 607-465-00-4 | tris(2-hydroxyethyl)ammonium 7-{4-[4-(2-cyanoamino-4-hydroxy-6-oxidopyrimidin-5-ylazo)benzamido]-2-ethoxyphenylazo} naphthalene-1,3-disulfonate  | 421-440-3 | 778583-04-3 | Aquatic Chronic 3  | H412  | —                                       | H412                                    |                                 |                                  |       |
| 607-466-00-X | reaction mass of: phenyl 1-(1-[2-chloro-5-(hexadecyloxy carbonyl)phenylcarbamoyl]-3,3-dimethyl-2-oxobutyl)-1 <i>H</i> -2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 2-(1-(2-chloro-5-(hexadecyloxy carbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1 <i>H</i> -2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate; phenyl 3-(1-(2-chloro-5-(hexadecyloxy carbonyl)phenylcarbamoyl)-3,3-dimethyl-2-oxobutyl)-1 <i>H</i> -2,3,3a,7a-tetrahydrobenzotriazole-5-carboxylate | 421-480-1 | —           | Aquatic Chronic 2  | H411  | GHS09                                   | H411                                    |                                 |                                  |       |
| 607-467-00-5 | 1,1,3,3-tetrabutyl-1,3-dithioxycaprylate   | 419-430-9 | 56533-00-7  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 **<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 **<br>H314<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-468-00-0 | reaction mass of: monosodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate;<br>disodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate;<br>trisodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate;<br>tetrasodium 4-((4-(5-sulfonato-2-methoxyphenylamino)-6-chloro-1,3,5-triazine-2-yl)amino)-2-((1,4-dimethyl-6-oxido-2-oxo-5-sulfonatomethyl-1,2-dihydropyridine-3-yl)azo)benzenesulfonate | 419-450-8 | —      | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-469-00-6 | disodium 7-((4,6-bis(3-diethylaminopropylamino)-1,3,5-triazine-2-yl)amino)-4-hydroxy-3-(4-(4-sulfonatophenylazo)phenylazo)-2-naphthalene sulfonate  | 419-460-2 | 120029-06-3 | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-470-00-1 | potassium sodium 6,13-dichloro-3,10-bis{2-[4-[3-(2-hydroxysulphonyloxyethanesulfonyl)phenylamino]-6-(2,5-disulfonatophenylamino)-1,3,5-triazin-2-ylamino]ethylamino}benzo[5,6][1,4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 414-100-0 | 154336-20-6 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 607-471-00-7 | 1,6-bis((dibenzylthiocarbonyl)disulfanyl)hexane   | 429-280-6 | 151900-44-6 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-473-00-8 | pentaerythritol, dipentaerythritol, fatty acids, C <sub>6-10</sub> , mixed esters with adipic acid, heptanoic acid and isostearic acid  | 426-590-3 | 187412-41-5 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 607-474-00-3 | (4-(4-(4-dimethylaminobenzyliden-1-yl)-3-methyl-5-oxo-2-pyrazolin-1-yl)benzoic acid   | 410-430-4 | 117573-89-4 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-475-00-9 | reaction mass of: tetrasodium 7-(4-[4-chloro-6-[methyl-(3-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate;<br>tetrasodium 7-(4-[4-chloro-6-[methyl-(4-sulfonatophenyl)amino]-1,3,5-triazin-2-ylamino]-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate (1:1) | 412-940-2 | 148878-18-6 | Skin Sens. 1                                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-476-00-4 | trisodium <i>N,N</i> -bis(carboxymethyl)- $\beta$ -alanine  | 414-070-9 | 129050-62-0 | Skin Corr. 1B<br>Aquatic Chronic 3                | H314<br>H412             | GHS05<br>Dgr                   | H314<br>H412             |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |   |                          |                                |                          |                                 |                                  |       |
| 607-477-00-X | (1 $\alpha$ 5 $\alpha$ 6 $\alpha$ )-6-nitro-3-benzyl-3-azabicyclo[3.1.0]hexane methanesulfonate salt  | 426-740-8 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |             |   |                          |                                |                          |                                 |                                  |       |
| 607-478-00-5 | tetramethylammonium hydrogen phthalate  | 416-900-5 | 79723-02-7  | Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1  | H301<br>H373 **<br>H400  | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 **<br>H400  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-479-00-0 | hexadecyl 4-chloro-3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxopentamido]benzoate                         | 418-550-9 | 168689-49-4 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-480-00-6 | 1,2-benzenedicarboxylic acid; di-C <sub>7-11</sub> -branched and linear alkylesters   | 271-084-6 | 68515-42-4  | Repr. 1B                          | H360Df                   | GHS08<br>Dgr                   | H360Df                   |                                 |                                  |       |
| 607-481-00-1 | reaction mass of: trihexyl citrate; dihexyloctyl citrate; dioctylhexyl citrate; dihexyldecyl citrate                              | 430-290-8 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-482-00-7 | <i>N</i> -[1-( <i>S</i> )-ethoxycarbonyl-3-phenylpropyl]- <i>l</i> -alanyl- <i>N</i> -carboxyanhydride                            | 430-360-8 | 84793-24-8  | Eye Dam. 1<br>Skin Sens. 1        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 607-483-00-2 | 1,2-benzenedicarboxylic acid; di-C <sub>6-8</sub> -branched alkylesters, C <sub>7</sub> -rich                                     | 276-158-1 | 71888-89-6  | Repr. 1B                          | H360D***                 | GHS08<br>Dgr                   | H360D***                 |                                 |                                  |       |
| 607-484-00-8 | ethyl 2-{}[{}]3-acetylamino-4-(6-bromo-2-methyl-1,3-dioxo-2,3-dihydro-1 <i>H</i> -isoindol-5-ylazo)phenyl{}ethylamino{}propionate | 430-480-0 | 221452-67-1 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-485-00-3 | (3 <i>S-trans</i> )-phenyl-3-[(1,3-benzodioxol-5-yloxy)methyl]-4-(4-fluorophenyl)-1-piperidinecarboxylate                         | 430-510-2 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |

## ▼M1

## ▼ M1

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-486-00-9        | potassium sodium 5'-(6-chloro-4-(2-(2-vinylsulfonylthoxy)ethylamino)-1,3,5-triazin-2-ylamino)-4'-hydroxy-2,3'-azodinaphthalene-1,2', 5,7'-disulfonate   | 402-110-8 | 110081-40-8 | Aquatic Chronic 3                    | H412                     | —                              | H412                     |                                 |                                  |       |
| ▼ B<br>607-487-00-4 | reaction mass of: disodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-hydroxy-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate; trisodium 4-(3-ethoxycarbonyl-4-(5-(3-ethoxycarbonyl-5-oxido-1-(4-sulfonatophenyl)pyrazol-4-yl)penta-2,4-dienylidene)-4,5-dihydro-5-oxopyrazol-1-yl)benzenesulfonate | 402-660-9 | —           | Repr. 1B<br>Aquatic Chronic 3        | H360D ***<br>H412        | GHS08<br>Dgr                   | H360D ***<br>H412        |                                 |                                  |       |
| 607-488-00-X        | ethyl (2-acetylamino-5-fluoro-4-isothiocyanatophenoxy)acetate   | 414-210-9 | 147379-38-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-489-00-5        | reaction mass of: 2-ethylhexyl linolenate, linoleate and oleate; 2-ethylhexyl epoxyoleate; 2-ethylhexyl diepoxylinoleate; 2-ethylhexyl triepoxylinolenate   | 414-890-7 | 71302-79-9  | Skin Sens. 1                         | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-490-00-0        | <i>N</i> -[2-hydroxy-3-(C <sub>12-16</sub> -alkyloxy)propyl]- <i>N</i> -methyl glycinate  | 415-060-7 | —           | Eye Dam. 1<br>Skin Sens. 1           | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |



▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-491-00-6 | reaction mass of: diester of 4,4'-methylenebis[2-(2-hydroxy-5-methylbenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxonaphthalene-1-sulfonic acid (1:2); triester of 4,4'-methylenebis[2-(2-hydroxy-5-methylbenzyl)-3,6-dimethylphenol] and 6-diazo-5,6-dihydro-5-oxonaphthalene-1-sulfonic acid (1:3) | 427-140-9 | —           | Carc. 2                              | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  |       |
| 607-492-00-1 | 2-(1-(3',3'-dimethyl-1'-cyclohexyl)ethoxy)-2-methyl propyl propanoate   | 415-490-5 | 141773-73-1 | Aquatic Chronic 2                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-493-00-7 | methyl (3 <i>aR</i> ,4 <i>R</i> ,7 <i>aR</i> )-2-methyl-4-(1 <i>S</i> ,2 <i>R</i> ,3-triacetoxypropyl)-3 <i>a</i> ,7 <i>a</i> -dihydro-4 <i>H</i> -pyrano[3,4- <i>d</i> ]oxazole-6-carboxylate  | 415-670-3 | 78850-37-0  | Eye Dam. 1                           | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-494-00-2 | bis(2-ethylhexyl)octylphosphonate   | 417-170-0 | 52894-02-7  | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-495-00-8 | sodium 4-sulfophenyl-6-((1-oxononyl)amino)hexanoate   | 417-550-6 | 168151-92-6 | Skin Sens. 1                         | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-496-00-3 | 2,2'-methylenebis(4,6-di- <i>tert</i> -butyl-phenyl)-2-ethylhexyl phosphite   | 418-310-3 | 126050-54-2 | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                     | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-497-00-9 | cerium oxide isostearate   | 419-760-3 | —           | Aquatic Chronic 4                                     | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-498-00-4 | (E)-3,7-dimethyl-2,6-octadecylhexadecanoate  | 421-370-3 | 3681-73-0   | Skin Irrit. 2<br>Aquatic Chronic 4                    | H315<br>H413             | GHS07<br>Wng                   | H315<br>H413             |                                 |                                  |       |
| 607-499-00-X | bis(dimethyl-(2-hydroxyethyl)ammonium) 1,2-ethanediyl-bis(2-hexadecenylsuccinate)  | 421-660-1 | —           | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2       | H318<br>H317<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411     |                                 |                                  |       |
| 607-500-00-3 | calcium 2,2-bis[(5-tetra-propylene-2-hydroxy)phenyl]ethanoate                      | 421-670-4 | —           | Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H315<br>H410             |                                 |                                  |       |
| 607-501-00-9 | reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives | 421-820-9 | 192268-65-8 | Aquatic Chronic 4                                     | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-502-00-4 | (N-benzyl-N,N,N-tributyl)ammonium 4-dodecylbenzenesulfonate                        | 422-200-0 | 178277-55-9 | Skin Corr. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2  | H314<br>H302<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H411     |                                 |                                  |       |
| 607-503-00-X | 2,4,6-tri-n-propyl-2,4,6-trioxo-1,3,5,2,4,6-trioxatriphosphorinane                 | 422-210-5 | 68957-94-8  | Skin Corr. 1B   | H314                     | GHS05<br>Dgr                   | H314                     |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 607-504-00-5 | diammonium 1-hydroxy-2-(4-(4-carboxyphenylazo)-2,5-dimethoxyphenylazo)-7-amino-3-naphthalenesulfonate   | 422-670-7 | —           | Repr. 2<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f<br>H301<br>H373**<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361f<br>H301<br>H373**<br>H410 |                                 |                                  |       |
| 607-505-00-0 | pentasodium 7-(4-(4-(5-amino-4-sulfonato-2-(4-((2-(sulfonatoethoxy)sulfonyl)phenylazo)phenylamino)-6-chloro-1,3,5-triazin-2-yl)amino-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate   | 422-930-1 |             | Aquatic Chronic 3  | H412                                    | —                              | H412                            |                                 |                                  |       |
| 607-506-00-6 | reaction mass of: strontium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1H-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate; disodium (4-chloro-2-((4,5-dihydro-3-methyl-5-oxo-1-(3-sulfonatophenyl)-1H-pyrazol-4-yl)azo)-5-methyl)benzenesulfonate | 422-970-8 |             | Aquatic Chronic 2  | H411                                    | GHS09                          | H411                            |                                 |                                  |       |
| 607-507-00-1 | potassium,sodium 2,4-diamino-3-[4-(2-sulfonatoethoxysulfonyl)phenylazo]-5-[4-(2-sulfonatoethoxysulfonyl)-2-sulfonatoethoxyphenylazo]-benzenesulfonate   | 422-980-2 | 187026-95-5 | Eye Dam. 1   | H318                                    | GHS05<br>Dgr                   | H318                            |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                             | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-508-00-7 | disodium 3,3'-[iminobis(sulfonyl-4,1-phenylene-(5-hydroxy-3-methylpyrazole-1,4-diyl)azo-4,1-phenylenesulfonylimino-(4-amino-6-hydroxypyrimidine-2,5-diyl)azo-4,1-phenylenesulfonylimino(4-amino-6-hydroxypyrimidine-2,5-diyl)azo]bis(benzenesulfonate)] | 423-110-4 | —          | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                         |                                 |                                  |       |
| 607-509-00-2 | 2-phenoxyethyl 4-aminobenzoate  | 430-880-5 | 88938-23-2 | Aquatic Chronic 2   | H411                         | GHS09                          | H411                         |                                 |                                  |       |
| 607-510-00-8 | (2 <i>S</i> , 5 <i>R</i> )-6,6-dibromo-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid 4,4-dioxide   | 427-200-4 | 76646-91-8 | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H315<br>H318<br>H317 | GHS05<br>GHS07<br>Dgr          | H302<br>H315<br>H318<br>H317 |                                 |                                  |       |
| 607-511-00-3 | reaction mass of: 4-[(3-decyloxypropyl)(3-isobutoxy-1-isobutoxycarbonyl-3-oxopropyl)amino]-4-oxobutyric acid; 4-[(3-isobutoxy-1-isobutoxycarbonyl-3-oxopropyl)(3-octyloxypropyl)amino]-4-oxobutyric acid  | 423-750-4 | —          | Eye Irrit. 2<br>Aquatic Chronic 2                             | H319<br>H411                 | GHS07<br>GHS09<br>Wng          | H319<br>H411                 |                                 |                                  |       |

## ▼M1

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-512-00-9 | trisodium 2,4-diamino-3,5-bis-[4-(2-sulfonatoethoxy)sulfonyl]phenylazo]benzenesulfonate   | 423-970-0 | 182926-43-8 | Aquatic Chronic 3                               | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-513-00-4 | reaction mass of: trisodium 4-benzoylamino-6-(6-ethenesulfonyl-1-sulfato-naphthalen-2-ylazo)-5-hydroxynaphthalene-2,7-disulfonate;<br>5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid sodium salt;<br>5-(benzoylamino)-4-hydroxy-3-((1-sulfo-6-((2-(sulfooxy)ethyl)sulfonyl)-2-naphthyl)azo)naphthalene-2,7-disulfonic acid | 423-200-3 | —           | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412     | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |
| ▼ <u>M1</u>  |   |           |             |   |                          |                                |                          |                                 |                                  |       |
| 607-514-00-X | potassium <i>N</i> -(1-methoxy-1-oxobut-2-en-3-yl)valinate  | 427-240-2 | 134841-35-3 | Skin Sens. 1                                    | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |   |                          |                                |                          |                                 |                                  |       |
| 607-515-00-5 | reaction mass of: disodium hexyldiphenyl ether disulphonate;<br>disodium dihexyldiphenyl ether disulphonate   | 429-650-7 | 147732-60-3 | Eye Irrit. 2<br>Aquatic Chronic 2               | H319<br>H411             | GHS07<br>GHS09<br>Wng          | H319<br>H411             |                                 |                                  |       |
| 607-516-00-0 | <i>N,N'</i> -bis(trifluoroacetyl)- <i>S,S'</i> -bis- <i>L</i> -homocysteine   | 429-670-6 | 105996-54-1 | Eye Dam. 1<br>Skin Sens. 1                      | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |

## ▼ B

| Index No             | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                      |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-517-00-6         | (S)- $\alpha$ -(acetylthio)benzenepropanoic acid   | 430-300-0 | 76932-17-7  | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1                                     | H302<br>H318<br>H317                 | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317         |                                 |                                  |       |
| ▼ M6<br>607-518-00-1 | 3-oxoandrost-4-ene-17- $\beta$ -carboxylic acid  | 414-990-0 | 302-97-6    | Repr. 2<br>Aquatic Chronic 4   | H361f<br>H413                        | GHS08<br>Wng                   | H361f<br>H413                |                                 |                                  |       |
| ▼ M1<br>607-519-00-7 | poly-[[[(4-((4-ethyl-ethylene)amino)phenyl)-((4-ethyl-(2-oxyethylene)amino)phenyl)methyl)cyclohexa-2,5-dienylidene)-N-ethyl-N-(2-hydroxyethyl)ammonium acetate]  | 427-280-0 | 176429-27-9 | STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H335<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H335<br>H315<br>H318<br>H410 |                                 |                                  |       |
| 607-520-00-2         | reaction mass of: sodium 4,5-dihydro-2-[(propionato)(C <sub>6-18</sub> )alkyl]-3H-imidazolium-N-ethylphosphate; disodium 4,5-dihydro-2-[(dipropionato)(C <sub>6-18</sub> )alkyl]-3H-imidazolium-N-ethylphosphate | 427-740-0 | —           | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317                         | GHS05<br>GHS07<br>Dgr          | H318<br>H317                 |                                 |                                  |       |
| 607-521-00-8         | tetraethyl N,N'-(methylenedicyclohexane-4,1-diyl)bis-dl-aspartate  | 429-270-1 | 136210-30-5 | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412                         | GHS07<br>Wng                   | H317<br>H412                 |                                 |                                  |       |
| 607-522-00-3         | sodium salt of the polymer of: sodium 2-methyl-buta-1,3-diene-1-sulfonate with acrylic acid and 2-hydroxyethyl-2-methylacrylate  | 429-720-7 | 184246-86-4 | Aquatic Chronic 3  | H412                                 | —                              | H412                         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-523-00-9 | reaction mass of mono to tetra(lithium and/or sodium)3-amino-10-[4-(4-amino-3-sulfonatoanilino)-6-[methyl-(2-sulfonatoethyl)amino]-1,3,5-triazin-2-ylamino]-6-13-dichlorobenzo[1,2-B:4,5-B']di[1,4]benzoxazine-4,11-disulfonate; mono to tetra(lithium and/or sodium)3-amino-10-[4,6-bis(4-amino-3-sulfonatoanilino)-1,3,5-triazin-2-ylamino]-6-13-dichlorobenzo[1,2-B:4,5-B']di[1,4]benzoxazine-4,11-disulfonate; mono to penta(lithium and/or sodium)10,10'-diamino-6,6',13,13'-tetrachloro-3,3'-[6-[methyl-(2-sulfonatoethyl)amino]-1,3,5-triazin-2,4-diyl-diimino]bis[benzo[1,2-B:4,5-B']di[1,4]benzoxazine-4,11-disulfonate; mono to hepta(lithium and/or sodium)10-amino-6,6',13,13'-tetrachloro-10'[4-(4-amino-3-sulfonatoanilino)-[6-methyl-(2-sulfonatoethyl)amino]-1,3,5-triazin-2,4-diimino]bis[benzo[1,2-B:4,5-B']di[1,4]benzoxazine-4,11-disulfonate; mono to hepta(lithium and/or sodium)10,10'-diamino-6,6', | 430-200-7 | —      | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 3,3'[(2-sulfonato)-1,4-phenylene-diiminobis[6-methyl-(2-sulfonatoethyl)amino]-1,3,5-triazin-2,4-diyldiimino]bis[benzo[1,2-B:4,5-B']di[1,4]benzoxazine-4,11-disulfonate  |           |            |  |                          |                                |                          |                                 |                                  |       |
| 607-524-00-4 | tall oil 2-[(tetrahydro-2 <i>H</i> -pyran-2-yl) thio]ethyl esters   | 430-310-5 | —          | Aquatic Chronic 4                                | H413                     |                                | H413                     |                                 |                                  |       |
| 607-525-00-X | ( <i>Z</i> )-2-methoxyimino-2-[2-(tritylamino)thiazol-4-yl]acetic acid  | 431-520-1 | 64485-90-1 | Flam. Sol. 1****<br>Carc. 2<br>Aquatic Chronic 3 | H228<br>H351<br>H412     | GHS02<br>GHS08<br>Dgr          | H228<br>H351<br>H412     |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |            |  |                          |                                |                          |                                 |                                  |       |
| 607-526-00-5 | cartap (ISO);<br>1,3-bis(carbamoylthio)-2-(dimethylamino)propane  | —         | 15263-53-3 | Aquatic Acute 1<br>Aquatic Chronic 1             | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-527-00-0 | reaction mass of: 1-(1' <i>H</i> ,1' <i>H</i> ,2' <i>H</i> ,2' <i>H</i> -tridecafluorooctyl)-12-(1'' <i>H</i> ,1'' <i>H</i> ,2'' <i>H</i> ,2'' <i>H</i> -tridecafluorooctyl)dodecanedioate;<br>1-(1' <i>H</i> ,1' <i>H</i> ,2' <i>H</i> ,2' <i>H</i> -tridecafluorooctyl)-12-(1'' <i>H</i> ,1'' <i>H</i> ,2'' <i>H</i> ,2'' <i>H</i> -heptdecafluorodecyl)dodecanedioate;<br>1-(1' <i>H</i> ,1' <i>H</i> ,2' <i>H</i> ,2' <i>H</i> -tridecafluorooctyl)-12-(1'' <i>H</i> ,1'' <i>H</i> ,2'' <i>H</i> ,2'' <i>H</i> -heneicosfluorododecyl)dodecanedioate; | 423-180-6 | —          | STOT RE 2 *                                      | H373 **                  | GHS08<br>Wng                   | H373 **                  |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 1-(1' <i>H</i> ,1' <i>H</i> ,2' <i>H</i> ,2' <i>H</i> -tridecafluoro-octyl)-12-(1" <i>H</i> ,1" <i>H</i> ,2" <i>H</i> ,2" <i>H</i> -pentacosafuorotetradecyl)dodecanedioate;<br>1-(1' <i>H</i> ,1' <i>H</i> ,2' <i>H</i> ,2' <i>H</i> -heptadecafluorodecyl)-12-(1" <i>H</i> ,1" <i>H</i> ,2" <i>H</i> ,2" <i>H</i> -heptadecafluorodecyl)dodecanedioate;<br>1-(1' <i>H</i> ,1' <i>H</i> ,2' <i>H</i> ,2' <i>H</i> -heptadecafluorodecyl)-12-(1" <i>H</i> ,1" <i>H</i> ,2" <i>H</i> ,2" <i>H</i> -heneicosafuorododecyl)dodecanedioate |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 607-528-00-6 | ( <i>S</i> )-3-methyl-2-(2-oxotetrahydropyrimidine-1-yl)butyric acid   | 430-900-2 | 192725-50-1 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-529-00-1 | benzyl <i>cis</i> -4-ammonium-4'-toluenesulfonato-1-cyclohexanecarboxylate   | 426-070-6 | 67299-45-0  | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-530-00-7 | reaction mass of isomers of: C <sub>7</sub> - <i>o</i> -alkyl 3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate   | 406-040-9 | 125643-61-0 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-531-00-2 | methyl 3-amino-4,6-dibromo-2-methyl-benzoate   | 425-190-6 | 119916-05-1 | STOT RE 2 *<br>Aquatic Chronic 2  | H373**<br>H411           | GHS08<br>GHS09<br>Wng          | H373**<br>H411           |                                 |                                  |       |
| 607-532-00-8 | ( <i>S</i> )-1-[2- <i>tert</i> -butoxycarbonyl-3-(2-methoxyethoxy)propyl]-1-cyclopentanecarboxylic acid, cyclohexylamine salt  | 425-510-4 | 167944-94-7 | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼M1

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 607-533-00-3 | pentasodium monohydrogen 6-chloro-3,10-bis[2-[4-chloro-6-(2,4-disulfophenylamino)-1,3,5-triazin-2-yl-amino]ethylamino]-13-ethylbenzo[5.6][1.4]oxazino[2,3-b]phenoxazine-4,11-disulfonate | 414-910-4 | —           | Eye Dam. 1<br>Skin Sens. 1  | H318<br>H317                                   | GHS05<br>GHS07<br>Dgr                   | H318<br>H317                           |                                 |                                  |       |
| 607-534-00-9 | ethyl 2-(3-benzoylphenyl)propanoate  | 414-920-9 | 60658-04-0  | Acute Tox. 3 *<br>STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 2                                    | H301<br>H372**<br>H317<br>H411                 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H301<br>H372**<br>H317<br>H411         |                                 |                                  |       |
| 607-535-00-4 | potassium 4-iodo-2-sulfonato-benzoic acid  | 426-620-5 | —           | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412                                   | GHS05<br>Dgr                            | H318<br>H412                           |                                 |                                  |       |
| 607-536-00-X | (2,6-xylyloxy) acetic acid   | 430-910-7 | 13335-71-2  | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3   | H302<br>H318<br>H412                           | GHS05<br>GHS07<br>Dgr                   | H302<br>H318<br>H412                   |                                 |                                  |       |
| 607-537-00-5 | isopropylammonium 2-(3-benzoylphenyl)propionate  | 417-970-1 | —           | Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 1<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H312<br>H372**<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H301<br>H312<br>H372**<br>H318<br>H410 |                                 |                                  |       |
| 607-539-00-6 | propyl((4-(5-oxo-3-propylisoxazolidin-4-ylidene)phenyl)propoxycarbonylmethyl-eneamino)acetate  | 431-000-2 | 198705-81-6 | Aquatic Chronic 4   | H413   | —                                       | H413                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-540-00-1 | 1-(mercaptomethyl)cyclopropylacetic acid   | 420-240-3 | 162515-68-6 | Skin Corr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H314<br>H312<br>H302<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H312<br>H302<br>H317<br>H411 |                                 |                                  |       |
| 607-541-00-7 | [(1-methyl-1,2-ethanediy)bis[nitrilobis(methylene)]]tetrakis(phosphonic acid)  | 421-940-1 | 28698-31-9  | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H318<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H318<br>H410                         |                                 |                                  |       |
| 607-542-00-2 | methyl 2-(4-butanefonamidophenoxy)tetradecanoate   | 422-110-1 | —           | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                                 |                                 |                                  |       |
| 607-543-00-8 | poly-[[[(4-(4-(ethyl-ethylene)amino)phenyl)-(4-(ethyl-(2-oxyethylene)amino)phenyl)methinyl)-3-methylcyclohexa-2,5-dienylidene)-N-ethyl-N-(2-hydroxyethyl)ammonium acetate] | 427-480-8 | 176429-22-4 | STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H335<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H335<br>H315<br>H318<br>H410         |                                 |                                  |       |
| 607-544-00-3 | ethyl 6,8-difluoro-1-(formylmethylamino)-1,4-dihydro-7-(4-methyl)piperazin-1-yl)-4-oxoquinoline-3-carboxylate  | 427-490-2 | 158585-86-5 | Aquatic Chronic 3  | H412                                 | —                              | H412                                 |                                 |                                  |       |
| 607-545-00-9 | 1,2-dimethyl-3-(1-methylethynyl)cyclopentyl acetate  | 424-070-0 | 94346-09-5  | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411                         | GHS07<br>GHS09<br>Wng          | H315<br>H411                         |                                 |                                  |       |

▼ **M1**

| Index No                    | International Chemical Identification   | EC No     | CAS No      | Classification                                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                             |   |           |             | Hazard Class and Category Code(s)                  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-546-00-4                | reaction mass of: methyl $\{ \}$ 5-acetylamino-4-(2-chloro-4-nitrophenylazo)phenyl $\{ \}$ methoxycarbonylmethylamino $\{ \}$ acetate; methyl $\{ \}$ 5-acetylamino-4-(2-chloro-4-nitrophenylazo)phenyl $\{ \}$ ethoxycarbonylmethylamino $\{ \}$ acetate | 424-290-7 | 188070-47-5 | Skin Sens. 1                                       | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| ▼ <b>M6</b><br>607-547-00-X | 18-methylnonadecyl dimethylpropanoate 2,2-  | 424-370-1 | 125496-22-2 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H315<br>H317<br>H413     | GHS07<br>Wng                   | H315<br>H317<br>H413     |                                 |                                  |       |
| ▼ <b>M1</b><br>607-548-00-5 | 1-(2,4-dichlorophenyl)-2-(1 <i>H</i> -imidazol-1-yl)ethanone methanesulfonate   | 431-010-7 | 154486-26-7 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2  | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| 607-549-00-0                | methyl (E)-2((3-(1,3-benzodioxol-5-yl)-2-methyl-1-propenyl)amino)benzoate   | 424-430-7 | 125778-19-0 | Aquatic Acute 1<br>Aquatic Chronic 1               | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| 607-550-00-6 | 2-amino-4-bromo-5-chloro-benzoic acid  | 424-700-4 | —           | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412   | GHS05<br>Dgr                            | H318<br>H412   |                                 |                                  |       |
| 607-551-00-1 | tetrabutylammonium 2-amino-6-iodopurinate  | 424-710-9 | 156126-48-6 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H373**<br>H315<br>H318<br>H317<br>H411 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373**<br>H315<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 607-552-00-7 | hexadecyl 3-amino-4-isopropoxybenzoate   | 424-830-1 | —           | Aquatic Chronic 4   | H413   | —                                       | H413   |                                 |                                  |       |
| 607-553-00-2 | 7-amino-4-hydroxy-2-naphthalenesulfonic acid, coupled with 5 (or 8) -amino-8 (or 5)-[[4-[[4-[[4-amino-6(or 7)-sulfo-1-naphthyl]azo]phenyl]amino]-3-sulfophenyl]azo]-2-naphthalene-sulfonic acid and 4-hydroxy-7-(phenylamino)-2-naphthalene-sulfonic acid, sodium salt | 424-850-0 | —           | Eye Dam. 1  | H318   | GHS05<br>Dgr                            | H318   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                            |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s)       | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 607-554-00-8 | 2,4-diamino-5-[4-[(2-sulfoxyethyl)sulfonyl]phenylazo]benzenesulfonic acid   | 424-870-1 | 27624-67-5  | Expl. 1.1<br>Eye Dam. 1<br>Aquatic Chronic 3  | H201<br>H318<br>H412                           | GHS01<br>GHS05<br>Dgr                | H201<br>H318<br>H412                   |                                 |                                  |       |
| 607-555-00-3 | 1,1,3,3-tetramethylbutylperoxypivalate  | 424-980-8 | 22288-41-1  | Flam. Liq. 2<br>Org. Perox. D<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                 | H225<br>H242<br>H315<br>H317<br>H411           | GHS02<br>GHS07<br>GHS09<br>Dgr       | H225<br>H242<br>H315<br>H317<br>H411   |                                 |                                  |       |
| 607-556-00-9 | 2-acetoxymethylene-4-acetylphenylacetate  | 425-160-2 | 24085-06-1  | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373**<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09 Dgr | H302<br>H373**<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 607-557-00-4 | salt of: (1 <i>S</i> - <i>cis</i> )-1-amino-2,3-dihydro-1 <i>H</i> -inden-2-ol and [ <i>R</i> - <i>R</i> * <i>R</i> *]-2,3-dihydroxybutanedioic acid                    | 425-210-3 | 169939-84-8 | Skin Sens. 1  | H317   | GHS07<br>Wng                         | H317                                   |                                 |                                  |       |
| 607-558-00-X | 2 <i>S</i> -isopropyl-5 <i>R</i> -methyl-1 <i>R</i> -cyclohexyl (2 <i>R</i> , 5 <i>S</i> )-5-(4-amino-2-oxo-2 <i>H</i> -pyrimidin-1-yl)-[1,3]-oxathiolane-2-carboxylate | 425-250-1 | 147027-10-9 | Aquatic Chronic 2   | H411   | GHS09                                | H411                                   |                                 |                                  |       |
| 607-559-00-5 | coconut oil, reaction products with glycerol esters of 3,5-bis(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid  | 425-400-6 | 179986-09-5 | Aquatic Chronic 4   | H413   | —                                    | H413                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-560-00-0 | (R,S)-2-butyloctanedioic acid   | 431-210-4 | 50905-10-7  | Eye Dam. 1  | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-561-00-6 | sodium 4-hydroxy-3-(N'-(2-(2-hydroxyethylenesulfonyl)ethylene)ureido)-5-nitrobenzenesulfonate   | 425-460-3 | —           | Skin Sens. 1<br>Aquatic Chronic 3                 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 607-562-00-1 | reaction mass of: (2R, 3R)-3-(2-ethoxyphenoxy)-2-hydroxy-3-phenylpropylammonium methanesulfonate;<br>(2S, 3S)-3-(2-ethoxyphenoxy)-2-hydroxy-3-phenylpropylammonium methanesulfonate | 425-530-3 | 98769-75-6  | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| 607-563-00-7 | 5,7-dichloro-4-hydroxyquinoline-3-carboxylic acid   | 431-250-2 | 171850-30-9 | Aquatic Chronic 2                                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-564-00-2 | 1,6-hexanediammonium, sodium 5-sulfato-1,3-benzenedicarboxylate   | 425-730-0 | 51178-75-7  | Skin Sens. 1                                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|---|--------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 607-565-00-8 | 3-ethyl 5-methyl 2-(2-aminoethoxymethyl)-4-(2-chlorophenyl)-1,4-dihydro-6-methyl-3,5-pyridinedicarboxylate   | 425-820-1 | 88150-42-9  | Acute Tox. 3 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H373**<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H301<br>H373**<br>H318<br>H410 |                                 |                                  |       |
| 607-566-00-3 | reaction mass of: dodecylphenyl dodecylhydroxybenzenecarboxylate;<br>bis(dodecylphenyl)dodecyl hydroxybenzenedicarboxylate   | 426-140-6 | —           | Aquatic Chronic 4   | H413                                   | —                                       | H413                           |                                 |                                  |       |
| 607-567-00-9 | potassium 3-iodo-6-methylbenzenesulfonate  | 426-300-5 | —           | Eye Dam. 1  | H318                                   | GHS05<br>Dgr                            | H318                           |                                 |                                  |       |
| 607-568-00-4 | potassium 2-chloro-3-(benzoyloxy)propionate  | 426-350-8 | 138666-92-9 | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1                         | H302<br>H373**<br>H318<br>H317         | GHS05<br>GHS08<br>GHS07<br>Dgr          | H302<br>H373**<br>H318<br>H317 |                                 |                                  |       |
| 607-569-00-X | reaction mass of: sodium 2-amino-4-(2,6-difluoropyrimidin-4-ylamino)benzenesulfonate;<br>sodium 2-amino-4-(4,6-difluoropyrimidin-4-ylamino)benzenesulfonate        | 426-470-0 | —           | Skin Sens. 1  | H317                                   | GHS07<br>Wng                            | H317                           |                                 |                                  |       |
| 607-570-00-5 | sodium (6 <i>R-trans</i> )-7-amino-8-oxo-3-[[[1-(sulfomethyl)-1 <i>H</i> -tetrazol-5-yl]thio]methyl]-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate monohydrate | 426-520-1 | 71420-85-4  | Skin Sens. 1  | H317                                   | GHS07<br>Wng                            | H317                           |                                 |                                  |       |
| 607-571-00-0 | 2-cyclopentene-1-acetic acid, 3-hydroxy-2-pentyl-, methyl ester acetate  | 431-400-7 | 57374-49-9  | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                           | GHS07<br>GHS09<br>Wng                   | H317<br>H411                   |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 607-572-00-6 | diethyl thiophosphoryl (Z)-(2-aminothiazol-4-yl)methoxyimino acetate   | 426-790-0 | 162208-27-7 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H312<br>H302<br>H373**<br>H317<br>H410 |                                 |                                  |       |
| 607-573-00-1 | reaction mass of: disodium 7-(2,4-difluoropyrimidin-6-ylamino)-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)naphthalene-2-sulfonate; disodium 7-(4,6-difluoropyrimidin-2-ylamino)-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)naphthalene-2-sulfonate | 426-840-1 | —           | Eye Dam. 1  | H318   | GHS05<br>Dgr                   | H318                                   |                                 |                                  |       |
| 607-574-00-7 | [1R-(1- $\alpha$ , 2 $\beta$ ,5 $\alpha$ )]-mono[5-methyl-2-(1-methylethyl)cyclohexyl]butanedioate   | 426-890-4 | 77341-67-4  | Eye Dam. 1  | H318   | GHS05<br>Dgr                   | H318                                   |                                 |                                  |       |
| 607-575-00-2 | 4-(5-(5-[1-(4-carboxyphenyl)hexahydro-2,4,6-trioxypyrimidin-5-ylidene]penta-1,3-dienyl)-1,2,3,4-tetrahydro-6-hydroxy-2,4-dioxypyrimidin-1-yl)benzoic acid-triethylamine salt   | 426-900-7 | —           | STOT SE 3<br>Aquatic Chronic 3  | H335<br>H412                                   | GHS07<br>Wng                   | H335<br>H412                           |                                 |                                  |       |
| 607-576-00-8 | branched, octyl 3-[3,5-di( <i>tert</i> -butyl)-4-hydroxyphenyl]propanoate  | 427-030-0 | —           | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                                   | GHS09<br>Wng                   | H410                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-577-00-3 | (2 <i>R</i> *, 3 <i>S</i> *)-2-(2,4-difluorophenyl)-3-(5-fluoro-4-pyrimidinyl)-1-(1 <i>H</i> -1,2,4-triazol-1-yl)butan-2-ol (1 <i>R</i> )-10-camphor-sulfonate  | 427-100-0 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 607-578-00-9 | ethyl 4-((4-diethylamino-2-methylphenyl)imino)-4,5-dihydro-1-isopropyl-5-oxo-1 <i>H</i> -pyrazole-3-carboxylate   | 427-110-5 | —           | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 4                | H302<br>H373**<br>H413       | GHS08<br>GHS07<br>Wng          | H302<br>H373**<br>H413       |                                 |                                  |       |
| 607-579-00-4 | diethyl[ <i>p</i> -ethoxyanilino)methylene]malonate   | 431-430-0 | 103976-28-9 | Acute Tox. 4 *<br>Aquatic Chronic 2                               | H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |
| 607-580-00-X | ethyl 7-chloro-1-(2,4-difluorophenyl)-6-fluoro-1,4-dihydro-4-oxo-1,8-naphthyridine-3-carboxylate  | 422-360-1 | 100491-29-0 | Skin Sens. 1<br>Aquatic Chronic 2                                 | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411                 |                                 |                                  |       |
| 607-581-00-5 | ethyl 2-ethoxy-4-carboxymethylbenzoate  | 427-630-2 | 99469-99-5  | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                         |                                 |                                  |       |
| 607-582-00-0 | reaction mass of: tetrasodium 7-(4-(4-fluoro-6-(4-(2-sulfonatoethylsulfonyl)phenylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate; tetrasodium 7-(4-(4-hydroxy-6-(4-(2-sulfonatoethylsulfonyl)phenylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate | 427-650-1 | —           | Aquatic Chronic 3   | H412                         | —                              | H412                         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)       | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-583-00-6 | 4-amino-3-[[4-[[2-(sulfooxy)ethyl]sulfonyl]phenyl]azo]-1-naphthalene sulfonic acid  | 427-680-5 | 188907-52-0 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                       | H318<br>H317<br>H412           | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |
| 607-584-00-1 | trisodium 3-[2-acetylamino-4-[4-chloro-6-[4-(2-sulfonatoxyethylsulfonyl)phenylamino]-1,3,5-triazine-2-ylamino]phenylazo]naphthalene-1,5-disulfonate | 427-710-7 | 215612-56-9 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                       | H318<br>H317<br>H412           | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |
| 607-585-00-7 | strontium 2-[(2-hydroxy-6-sulfonato-1-naphthyl)azo]naphthalene-1-sulfonate  | 427-930-3 | —           | Skin Sens. 1  | H317                           | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-586-00-2 | dodecyl 3-amino-4-chlorobenzoate  | 428-020-9 | 6195-20-6   | Skin Sens. 1<br>Aquatic Chronic 4                                     | H317<br>H413                   | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 607-587-00-8 | ethyl <i>cis</i> -4-[4-[[2-(2,4-dichlorophenyl)-2-(1 <i>H</i> -imidazol-1-ylmethyl)-1,3-dioxolan-4-yl]methoxy]phenyl]piperazine-1-carboxylate       | 428-030-3 | 67914-69-6  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373**<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H410   |                                 |                                  |       |
| 607-588-00-3 | reaction mass of: 2-ethylhexyl 2,3,4,5-tetrabromobenzoate; bis(2-ethylhexyl) 3,4,5,6-tetrabromophthalate  | 428-050-2 | —           | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H317<br>H400<br>H410           | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 607-589-00-9 | tetrakis(1,2,2,6,6-pentamethyl-4-piperidyl)-1,2,3,4-butanetetracarboxylate  | 428-070-1 | 91788-83-9  | STOT RE 1<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H372**<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H372**<br>H302<br>H410   |                                 |                                  |       |

▼ **M1**

| Index No                    | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                             |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-590-00-4                | hexadecyl 3-[2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-4,4-dimethyl-3-oxovaleramido]-4-isopropoxybenzoate  | 428-140-1 | 210706-50-6 | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| ▼ <b>M6</b><br>607-591-00-X | reaction mass of: trisodium 5-(4-fluoro-6-morpholin-4-yl-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-sulfooxyethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate; disodium 3-(4-ethenesulfonylphenylazo)-5-(4-fluoro-6-morpholin-4-yl-1,3,5-triazin-2-ylamino)-4-hydroxynaphthalene-2,7-disulfonate | 428-400-4 | —           | Eye Dam. 1   | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| ▼ <b>M1</b><br>607-592-00-5 | di(C <sub>9-11</sub> -alkyl) cyclohexane-1,4-dicarboxylate  | 428-870-0 | —           | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-593-00-0                | 4-(2-methylacryloyloxy)phenyl 4-allyloxybenzoate  | 429-000-2 | 159235-16-2 | Skin Sens. 1<br>Aquatic Chronic 3                    | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 607-594-00-6                | ethyl (1 <i>S</i> , 5 <i>R</i> , 6 <i>S</i> )-5-(1-ethylpropoxy)-7-oxabicyclo[4.1.0]hept-3-ene-3-carboxylate  | 429-020-1 | 204254-96-6 | STOT RE 2 *<br>Skin Sens. 1                          | H373**<br>H317           | GHS08<br>GHS07<br>Wng          | H373**<br>H317           |                                 |                                  |       |
| 607-595-00-1                | <i>N</i> -amidino- <i>N</i> -methylglycine-2-oxopropionate  | 429-120-5 | 208535-04-0 | Eye Dam. 1   | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-596-00-7                | ethyl 2-(4-phenoxyphenyl)lactate  | 429-220-9 | 132584-17-9 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-597-00-2 | tetrasodium 4,4'-bis[4-(2-hydroxyethylamino)-6-(4-sulfonatoanilino)-1,3,5-triazin-2-ylamino]phenylazo]stilbene-2,2'-disulfonate                          | 429-230-3 | —           | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-598-00-8 | trisodium 3-amino-4-[4-(2-(2-ethenylsulfonylethoxy)ethylamino)-6-fluoro-1,3,5-triazine-2-ylamino]-2-sulfophenylazo]-5-hydroxynaphthalene-2,7-disulfonate | 429-240-8 | 212652-59-0 | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-599-00-3 | 1,1-dimethylpropyl 3,5,5-trimethylperoxyhexanoate  | 431-610-9 | 68860-54-8  | Org. Perox. D<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H317<br>H400<br>H410 | GHS02<br>GHS07<br>GHS09<br>Dgr | H242<br>H317<br>H410     |                                 |                                  |       |
| 607-600-00-7 | (1 <i>S</i> , 1' <i>R</i> )-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate   | 431-700-8 | —           | Aquatic Chronic 2   | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 607-601-00-2 | 1,4-dihydroxy-2,2,6,6-tetramethyl piperidinium-2-hydroxy-1,2,3-propanetricarboxylate   | 429-370-5 | 220410-74-2 | Acute Tox. 4 *  | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-602-00-8 | ethyl (3-cyanomethyl-3,4-dihydro-4-oxophthalazin-1-yl)acetate  | 429-680-0 | 122665-86-5 | Skin Sens. 1<br>Aquatic Chronic 3                                     | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-603-00-3 | lithium sodium 4,4', 4''-(nitriolo-tris(ethane-2,1-diylimino(6-chloro-1,3,5-triazine-4,2-diyl)imino))tris(5-hydroxy-6-(1-sulfonaphthalene-2-ylazo)-2,7-naphthalene)disulfonate   | 429-730-1 | 193562-37-7 | Eye Dam. 1<br>Skin Sens. 1           | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 607-604-00-9 | guanidinium benzoate   | 429-820-0 | 26739-54-8  | Acute Tox. 4 *                       | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-605-00-4 | methyl 4-iodo-2-(3-(4-methoxy-6-methyl-1,3,5-triazine-2-yl)ureidosulfonyl)benzoate   | 429-890-2 | 144550-06-1 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-606-00-X | (Z)-2-(2-t-butoxycarbonylamino-4-thiazolyl)pent-2-enoic acid   | 430-100-3 | 86978-24-7  | Acute Tox. 4 *                       | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-607-00-5 | reaction mass of: calcium bis(C <sub>10-14</sub> branched alkyl salicylate); calcium bis(C <sub>18-30</sub> -alkyl salicylate); calcium C <sub>10-14</sub> branched alkylsalicylato-C <sub>18-30</sub> -alkyl salicylate; calcium bis (C <sub>10-14</sub> branched alkyl phenolate); calcium bis (C <sub>18-30</sub> -alkyl phenolate); calcium C <sub>10-14</sub> branched alkylphenolato-C <sub>18-30</sub> -alkyl phenolate; C <sub>10-14</sub> branched alkyl phenol; C <sub>18-30</sub> -alkyl phenol | 430-180-1 | —           | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-608-00-0 | pentapotassium 2-(4-{5-[1-(2,5-disulfophenyl)-4,5-dihydro-3-methylcarbamoyl-5-oxopyrazol-4-ylidene{]-3-(2-pyrrolidinone-1-yl)-1,3-pentadienyl{]-3-methylcarbamoyl-5-oxopyrazol-1-yl)benzene-1,4-disulfonate | 430-210-1 | —           | Aquatic Acute 1<br>Aquatic Chronic 1                 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-609-00-6 | ethyl (3R)-4-cyano-3-hydroxybutanoate   | 430-220-6 | 141942-85-0 | Eye Irrit. 2   | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| 607-610-00-1 | trisodium 4-hydroxy-6-(sulfonatomethylamino)-5-(2-(2-sulfa-toethylsulfonyl)phenylazo)naphthalene-2-sulfonate  | 430-280-3 | —           | Skin Sens. 1   | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-611-00-7 | methyl 3-amino-2,2,3-trimethylbutyrate  | 431-720-7 | 90886-53-6  | Skin Corr. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 3 | H314<br>H302<br>H412     | GHS05<br>GHS07<br>Dgr          | H314<br>H302<br>H412     |                                 |                                  |       |
| 607-612-00-2 | reaction mass of: 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-1-octanesulfonic acid; ammonium 3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluoro-1-octanesulfonate   | 432-190-1 | 182176-52-9 | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1          | H302<br>H373**<br>H318   | GHS05<br>GHS08<br>GHS07<br>Dgr | H302<br>H373**<br>H318   |                                 |                                  |       |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-613-00-8 | reaction mass of:<br>succinic acid<br>monopersuccinic acid<br>dipersuccinic acid<br>monomethyl ester of succinic acid<br>monomethyl ester of persuccinic acid<br>dimethyl succinate glutaric acid<br>monoperglutaric acid<br>diperlutaric acid<br>monomethyl ester of glutaric acid<br>monomethyl ester of perglutaric acid<br>dimethyl glutarate adipic acid<br>monoperadipic acid<br>diperadipic acid<br>monomethyl ester of adipic acid<br>monomethyl ester of peradipic acid<br>dimethyl adipate<br>hydrogen peroxide<br>methanol<br>water | 432-790-1 |            | Acute Tox. 4*                     | H332                     | GHS07                          | H332                     |                                 |                                  |       |
|              |  |           |            | Acute Tox. 4*                     | H312                     | GHS05                          | H312                     |                                 |                                  |       |
|              |  |           |            | Acute Tox. 4*                     | H302                     | GHS08                          | H302                     |                                 |                                  |       |
|              |  |           |            | Skin Corr. 1B                     | H314                     | Dgr                            | H314                     |                                 |                                  |       |
|              |  |           |            | STOT SE 2                         | H371 (eyes)              |                                | H371 (eyes)              |                                 |                                  |       |
| 607-614-00-3 | 2-(10-oxo-10H-9-oxa-10-phosphaphenanthren-10-ylmethyl)succinic acid  | 426-480-5 | 63562-33-4 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |

▼ M7▼ M1



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 607-615-00-9 | reaction product of thioglycerol and mercaptoacetic acid consisting mainly of 3-mercapto-1,2-bismercaptoacetoxyp propane and oligomers of this substance | 431-120-5 | —          | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1              | H331<br>H302<br>H319<br>H317         | GHS06<br>Dgr                   | H331<br>H302<br>H319<br>H317         |                                 |                                  |       |
| 607-616-00-4 | 2,4-dichloro-5-fluorobenzoylchloride   | 428-390-1 | 86393-34-2 | STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H335<br>H315<br>H318<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr          | H335<br>H315<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 607-617-00-X | bis(2-ethylhexyl)-4,5-epoxycyclohexane-1,2-dicarboxylate   | 430-700-5 | 10138-36-0 | Skin Sens. 1  | H317                                 | GHS07<br>Wng                   | H317                                 |                                 |                                  |       |
| 607-618-00-5 | menadione sodium bisulfite; 2-naphthalenesulfonic acid, 1,2,3,4-tetrahydro-2-methyl-1,4-dioxo-, sodium salt  | 204-987-0 | 130-37-0   | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1         | H319<br>H315<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H410                 |                                 |                                  |       |
| 607-619-00-0 | menadione nicotinamide bisulfite; 1,2,3,4-tetrahydro-2-methyl-1,4-dioxonaphthalene-2-sulfonic acid, compound with nicotin-3-amide (1:1)                  | 277-543-7 | 73581-79-0 | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1         | H319<br>H315<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H410                 |                                 |                                  |       |
| 607-620-00-6 | trisodium nitrilotriacetate  | 225-768-6 | 5064-31-3  | Carc. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2                                     | H351<br>H302<br>H319                 | GHS08<br>GHS07<br>Wng          | H351<br>H302<br>H319                 |                                 | Carc. 2; H351:<br>C ≥ 5 %        |       |
| 607-621-00-1 | milbemectin (ISO); [reaction mass of milbemycin A3 (CAS No 51596-10-2) and milbemycin A4 (CAS No 51596-11-3) (30:70)]                                    | —         | —          | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H332<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H410                 |                                 | M=100                            |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors             | Notes |
|--------------|--|---|--|--|--|--------------------------------|--|---------------------------------|--|-------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                   | Suppl. Hazard statement Code(s) |  |       |
| 607-622-00-7 | 2-ethylhexyl-2-ethylhexanoate  | 231-057-1   | 7425-14-1  | Repr. 2  | H361d***   | GHS08<br>Wng                   | H361d***   |                                 |  |       |
| ▼ M13        |  |   |  |  |  |                                |  |                                 |  |       |
| 607-623-00-2 | diisobutyl phthalate   | 201-553-2   | 84-69-5  | Repr. 1B   | H360Df   | GHS08<br>Dgr                   | H360Df   |                                 |  |       |
| ▼ M1         |  |   |  |  |  |                                |  |                                 |  |       |
| 607-624-00-8 | perfluorooctane sulfonic acid; heptadecafluorooctane-1-sulfonic acid; [1]<br>potassium perfluorooctanesulfonate;<br>potassium heptadecafluorooctane-1-sulfonate; [2]<br>diethanolamine perfluorooctane sulfonate; [3]<br>ammonium perfluorooctane sulfonate;<br>ammonium heptadecafluorooctanesulfonate; [4]<br>lithium perfluorooctane sulfonate;<br>lithium heptadecafluorooctanesulfonate [5] | 217-179-8 [1]<br>220-527-1 [2]<br>274-460-8 [3]<br>249-415-0 [4]<br>249-644-6 [5] | 1763-23-1 [1]<br>2795-39-3 [2]<br>70225-14-8 [3]<br>29081-56-9 [4]<br>29457-72-5 [5] | Carc. 2<br>Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Lact.<br>Aquatic Chronic 2 | H351<br>H360D***<br>H372**<br>H332<br>H302<br>H362<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H360D***<br>H372**<br>H332<br>H302<br>H362<br>H411 |                                 |  |       |
| 607-625-00-3 | clodinafop-propargyl (ISO)   | —   | 105512-06-9  | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H302<br>H373**<br>H317<br>H400<br>H410                     | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H317<br>H410                             |                                 | Skin Sens. 1;<br>H317: C ≥<br>0,001 %<br>M=1 |       |
| 607-626-00-9 | ethyl 1-(2,4-dichlorophenyl)-5-(trichloromethyl)-1H-1,2,4-triazole-3-carboxylate   | 401-290-5   | 103112-35-2  | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410                                       | GHS08<br>GHS09<br>Dgr          | H350<br>H410   |                                 |  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-627-00-4 | [(4 <i>S</i> , 5 <i>S</i> )-4-benzyl-2-oxo-5-oxazolidinyl]methyl 4-nitrobenzenesulfonate   | 416-360-0 | 162221-28-5 | Skin Sens. 1   | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 607-628-00-X | 4-oxo-4-( <i>p</i> -tolyl)butyric acid adduct with 4-ethylmorpholine   | 419-240-6 | 171054-89-0 | Eye Dam. 1   | H318                         | GHS05<br>Dgr                   | H318                         |                                 |                                  |       |
| 607-629-00-5 | [[2-methyl-1-(1-oxoproxy)propoxy](4-phenylbutyl)phosphinyl] acetic acid  | 419-270-1 | 123599-82-6 | Eye Irrit. 2   | H319                         | GHS07<br>Wng                   | H319                         |                                 |                                  |       |
| 607-630-00-0 | acrylic acid, 3-(trimethoxysilyl)propyl ester  | 419-560-6 | 4369-14-6   | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H332<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr          | H332<br>H314<br>H317<br>H412 |                                 |                                  |       |
| 607-631-00-6 | reaction mass of: 2-(2-((oxo(phenyl)acetyl)oxy)ethoxy)ethyl oxo(phenyl)acetate; (2-(2-hydroxyethoxy)ethyl) oxo(phenyl)acetate                                    | 442-300-8 | —           | Skin Sens. 1   | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 607-632-00-1 | <i>N</i> -[3-(2,4-di-(1,1-dimethylpropyl)phenoxy)-propyl]-1-hydroxy-5-(2-methylpropyl-oxycarbonylamino)-naphthamide  | 420-210-1 | 111244-14-5 | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |
| 607-633-00-7 | trisodium 5-[[4-chloro-6-(1-naphthylamino)-1,3,5-triazin-2-yl]amino]-4-hydroxy-3-[( <i>E</i> )-(4-methoxy-2-sulfonatophenyl)diazonyl]-2,7-naphthalenedisulfonate | 440-480-2 | 341026-59-3 | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317                 | GHS05<br>GHS07<br>Dgr          | H318<br>H317                 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|---|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                        | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-634-00-2 | (S)-(-)-2-acetoxypropionylchloride;<br>(1S)-2-chloro-1-methyl-2-oxoethyl acetate                                | 420-610-4 | 36394-75-9  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1          | H302<br>H314<br>H317         | GHS05<br>GHS07<br>Dgr                   | H302<br>H314<br>H317         |                                 |                                  |       |
| 607-635-00-8 | trisodium <i>N</i> -(3-propionato)-l-aspartate  | 422-090-4 | 172737-80-3 | Eye Dam. 1   | H318                         | GHS05<br>Dgr                            | H318                         |                                 |                                  |       |
| 607-636-00-3 | 1-bromo-2-methylpropyl propionate   | 422-900-6 | 158894-67-8 | Flam. Liq. 3<br>Carc. 2<br>Skin Corr. 1B<br>Skin Sens. 1 | H226<br>H351<br>H314<br>H317 | GHS02<br>GHS05<br>GHS08<br>GHS07<br>Dgr | H226<br>H351<br>H314<br>H317 |                                 |                                  |       |
| 607-637-00-9 | disodium 8-amino-5-[4-]2-(sulfonatoethoxy)sulfonyl[phenylazo]naphthalene-2-sulfonate                            | 423-730-5 | 250688-43-8 | Eye Dam. 1   | H318                         | GHS05<br>Dgr                            | H318                         |                                 |                                  |       |
| 607-638-00-4 | 2-hydroxybenzoic acid 2-butyloctyl ester  | 431-090-3 | 190085-41-7 | Aquatic Chronic 4  | H413                         | —                                       | H413                         |                                 |                                  |       |
| 607-639-00-X | 2-(2-oxo-5-(1,1,3,3-tetramethylbutyl)-2,3-dihydro-1-benzofuran-3-yl)-4-(1,1,3,3-tetramethylbutyl)phenyl acetate | 431-770-1 | 216698-07-6 | Aquatic Chronic 4  | H413                         | —                                       | H413                         |                                 |                                  |       |
| 607-641-00-0 | 2-(formylamino)-3-thiophenecarboxylic acid;<br>2-formamido-3-thiophenecarboxylic acid                           | 431-930-9 | 43028-69-9  | Acute Tox. 4 *<br>Skin Sens. 1                           | H302<br>H317                 | GHS07<br>Wng                            | H302<br>H317                 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-642-00-6 | 3,6,9-trithiaundecamethylene-1,11-dimethacrylate  | 432-210-7 | 141631-22-3 | Aquatic Acute 1<br>Aquatic Chronic 1              | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 607-643-00-1 | dimethyl (2 <i>S</i> )-2-hydroxysuccinate   | 432-310-0 | 617-55-0    | Flam. Liq. 3<br>Eye Dam. 1<br>Skin Sens. 1        | H226<br>H318<br>H317     | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H318<br>H317     |                                 |                                  |       |
| 607-644-00-7 | methyl 2,2-dimethyl-6-methylenecyclohexanecarboxylate   | 432-350-9 | 81752-87-6  | Skin Irrit. 2                                     | H315                     | GHS07<br>Wng                   | H315                     |                                 |                                  |       |
| 607-645-00-2 | tetrasodium 2-(4-fluoro-6-(methyl-(2-(sulfatoethylsulfonylethyl)amino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-methyl-2-sulfonatophenylazo)naphthalene-1,7-disulfonate                                  | 432-550-6 | 243858-01-7 | Eye Dam. 1  | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-646-00-8 | d-erythro-hexanoic acid 2,4-dideoxy-3,5- <i>O</i> -(1-methylethylidene)-1,1-dimethylethylester; <i>tert</i> -butyl 2-[(4 <i>R</i> , 6 <i>S</i> )-6-(hydroxymethyl)-2,2-dimethyl-1,3-dioxan-4-yl]acetate | 432-960-5 | 124655-09-0 | Acute Tox. 4 *                                    | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-647-00-3 | 5-acetoxy-2-( <i>R</i> , <i>S</i> )butyryloxy-methyl-1,3-oxathiolane  | 433-530-1 | 143446-73-5 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1 | H302<br>H317<br>H400     | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H400     |                                 |                                  |       |
| 607-649-00-4 | [3-(chlorocarbonyl)-2-methylphenyl]acetate  | 433-690-0 | 167678-46-8 | Skin Corr. 1A<br>Skin Sens. 1                     | H314<br>H317             | GHS05<br>GHS07<br>Dgr          | H314<br>H317             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-650-00-X | 2-methyl-1,5-pentanediamine-1,3-benzenedicarboxylate   | 433-910-5 | 145153-52-2 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-651-00-5 | sodium 2-(nonanoyloxy)benzenesulfonate   | 434-360-9 | 91125-43-8  | Eye Dam. 1<br>Skin Sens. 1        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 607-652-00-0 | ethyl N <sup>2</sup> -dodecanoyl-l-argininate hydrochloride  | 434-630-6 | 60372-77-2  | Eye Dam. 1<br>Aquatic Acute 1     | H318<br>H400             | GHS05<br>GHS09<br>Dgr          | H318<br>H400             |                                 |                                  |       |
| 607-653-00-6 | tetrakis(bis(2-hydroxyethyl)methylammonium) 3-(4-(7-acetylamino-1-hydroxy-3-sulfonatonaphthalen-2-ylazo)-5-methoxy-2-sulfonatophenylazo)-7-(4-amino-3-sulfonatophenylamino)-4-hydroxynaphthalene-2-sulfonate | 434-840-8 | 225786-91-4 | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 607-654-00-1 | (S)-3-hydroxy- $\gamma$ -butyrolactone   | 434-990-4 | 7331-52-4   | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-655-00-7 | ethyl 6,8-dichlorooctanoate  | 435-080-1 | 1070-64-0   | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 607-656-00-2 | sodium salt of 4-amino-3,6-bis[[5-[[[4-chloro-6-[(2-methyl-4-sulfophenyl)amino]-1,3,5-triazin-2-yl]amino]-2-sulfophenyl]azo]-5-hydroxy-2,7-naphthalenedisulfonic acid  | 435-350-7 | 141250-43-3 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-657-00-8 | pentasodium 7-(4-(4-(3-(2-sulfatoethanesulfonyl)phenylamino)-6-(4-(2-sulfatoethanesulfonyl)phenylamino)-1,3,5-triazin-2-ylamino)-2-ureidophenylazo)naphthalene-1,3,6-trisulfonate  | 436-920-8 | 172399-10-9 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-658-00-3 | 3,10-diamino-6,13-dichloro-2-((6-(((4-(1,1-dimethylethyl)phenyl)sulfonyl)amino)-2-naphthalenyl)sulfonyl)-4,11-triphenodioxazinedisulfonic acid, lithium potassium sodium salt  | 440-770-9 | 371921-63-0 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 607-659-00-9 | pentasodium <i>N</i> -[5-[[4-[[3-[(aminocarbonyl)amino]-4-[(3,6,8-trisulfonatonaphthalen-2-yl)azo]phenyl]amino]-6-chloro-1,3,5-triazin-2-yl]amino]-2-sulfonato-4-[[4-[[2-(oxysulfonato)ethyl]sulfonyl]phenyl]azo]phenyl]-3-aminopropanoic acid | 442-030-0 | 321912-47-4 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-660-00-4 | 2-[[4-[[4-[4-fluoro-6-(2-(2-vinylsulfonylethoxy)ethylamino)-1,3,5-triazin-2-ylamino]{phenylazophenylazo}]naphthalene-4,6,8-trisulfonate, trisodium salt  | 442-230-8 | 321679-52-1 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 607-661-00-X | 1,1-dimethylethyl 4'-(bromo-methyl)biphenyl-2-carboxylate  | 442-850-9 | 114772-40-6 | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-662-00-5 | methyl 2-(acetylamino)-3-chloropropionate   | 442-860-3 | 87333-22-0  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 607-663-00-0 | bis(2-ethylhexyl) naphthalene-2,6-dicarboxylate   | 442-980-6 | 127474-91-3 | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-664-00-6 | methyl 2-chlorosulfonyl-4-(methanesulfonylamino)methyl benzoate                                       | 443-120-2 | 393509-79-0 | Eye Dam. 1<br>Aquatic Chronic 2                      | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| 607-665-00-1 | <i>trans</i> -methyl-2-ethyl-but-2-enoate   | 443-150-6 | 101226-85-1 | Flam. Liq. 3   | H226                     | GHS02<br>Wng                   | H226                     |                                 |                                  |       |
| 607-666-00-7 | (2 <i>S</i> )-5-(benzyloxy)-2-(1,3-dioxo-1,3-dihydro-2 <i>H</i> -isoindol-2-yl)-5-oxopentanoic acid   | 443-560-5 | 88784-33-2  | Eye Irrit. 2   | H319                     | GHS07<br>Wng                   | H319                     |                                 |                                  |       |
| 607-667-00-2 | chloro-1-ethylcyclohexyl carbonate  | 444-950-8 | 99464-83-2  | Muta. 2<br>Skin Sens. 1                              | H341<br>H317             | GHS08<br>GHS07<br>Wng          | H341<br>H317             |                                 |                                  |       |
| 607-668-00-8 | <i>trans</i> -2-isopropyl-5-carboxy-1,3-dioxane   | 445-770-2 | 42031-28-7  | Eye Dam. 1<br>Aquatic Chronic 3                      | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 607-669-00-3 | methyl (9-acetoxy-3,8,10-triethyl-7,8,10-trimethyl-1,5-dioxo-9-aza-spiro[5.5]undec-3-yl)octadecanoate | 445-990-9 | 376588-17-9 | Skin Sens. 1<br>Aquatic Chronic 4                    | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                               |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|---|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 607-670-00-9 | dibutyl-3-(4-(5-ammonio-2-butyl)benzofuran-3-yl)carbonyl)phenoxy)propyl ammonium oxalate; (5-amino-2-butylbenzofuran-3-yl) [4-(3-dibutylaminopropoxy)phenyl]methanone, dioxalate                            | 448-700-9 | 500791-70-8 | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373**<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H373**<br>H318<br>H317<br>H410 |                                 | M=10                             |       |
| 607-671-00-4 | diethyl 1,4-cyclohexanedicarboxylate  | 417-310-0 | 72903-27-6  | Aquatic Chronic 2   | H411                                   | GHS09                                   | H411                           |                                 |                                  |       |
| 607-672-00-X | reaction mass of: 2-hydroxy-3-(methacryloyloxy)propyl (2-benzoyl)benzoate; 1-hydroxymethyl-2-(methacryloyloxy)ethyl (2-benzoyl)benzoate; x-hydroxy-y-(methacryloyloxy)propyl(or -ethyl) (2-benzoyl)benzoate | 419-000-0 | —           | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                           | GHS07<br>GHS09<br>Wng                   | H317<br>H411                   |                                 |                                  |       |
| 607-673-00-5 | 1-ethyl-5,6,7,8-tetrahydroquinolinium tosylate  | 419-570-0 | —           | Acute Tox. 4 *<br>Aquatic Chronic 3   | H302<br>H412                           | GHS07<br>Wng                            | H302<br>H412                   |                                 |                                  |       |
| 607-675-00-6 | reaction mass of: <i>cis</i> -9-octadecenedioic acid; <i>cis</i> -9- <i>cis</i> -12-octadecadienedioic acid; hexadecanedioic acid; octadecanedioic acid   | 422-260-8 | —           | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                | H318<br>H400<br>H410                   | GHS05<br>GHS09<br>Dgr                   | H318<br>H410                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No | Classification                            |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |        | Hazard Class and Category Code(s)         | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-676-00-1 | reaction mass of: 2-methylnonanedioic acid;<br>2,4-dimethyl-4-methoxycarbonylundecanedioic acid;<br>2,4,6-trimethyl-4,6-dimethoxycarbonyltridecanedioic acid;<br>8,9-dimethyl-8,9-dimethoxycarbonylhexadecanedioic acid  | 423-670-1 | —      | Eye Dam. 1<br>Skin Sens. 1                | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 607-677-00-7 | 2,5-dioxopyrrolidin-1-yl <i>N</i> -<br>{[}methyl[[2-(1-methylethyl)-4-thiazolyl]{methylaminocarbonyl}] -l-valinate   | 424-660-8 | —      | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1 | H373**<br>H318<br>H317   | GHS05<br>GHS08<br>GHS07<br>Dgr | H373**<br>H318<br>H317   |                                 |                                  |       |
| 607-678-00-2 | reaction mass of: ethyl (2 <i>R</i> , 3 <i>R</i> )-3-isopropylbicyclo[2.2.1]hept-5-ene-2-carboxylate;<br>ethyl (2 <i>S</i> , 3 <i>S</i> )-3-isopropylbicyclo[2.2.1]hept-5-ene-2-carboxylate  | 427-090-8 | —      | Skin Sens. 1<br>Aquatic Chronic 2         | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 607-679-00-8 | reaction mass of: 3-{[5-[}3-(4-{[}1,6-dihydro-2-hydroxy-4-methyl-1-[}3-(methylammonio)propyl]{-6-oxo-3-pyridylazo}{benzamido)phenylazo}{-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-1-pyridyl]}propyl(methyl)ammonium di(acetate);<br>3-{[5-[}4-(3-{[}1,6-dihydro-2-hydroxy-4-methyl-1-[}3-(methylammonio)propyl]{-6-oxo-3-pyridylazo}{benzamido}{phenylazo-1,2-dihydro- | 431-440-5 | —      | Eye Dam. 1<br>Aquatic Chronic 2           | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 6-hydroxy-4-methyl-2-oxo-1-pyridyl[ ]; propyl(dimethyl)ammonium di(acetate); 3- <sup>5</sup> -3-(4- <sup>1</sup> -3-(dimethylammonio)propyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo[ ]benzamido)phenylazo{-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-1-pyridyl[ ]; propyl(dimethyl)ammonium di(acetate) |           |        |                                   |                          |                                |                          |                                 |                                  |       |
| 607-680-00-3 | <i>tert</i> -butyl(6- <sup>2</sup> -4-(4-fluorophenyl)-6-isopropyl-2-[methyl(methylsulfonyl)amino{ ]pyrimidin-5-ylvinyl}(4 <i>S</i> , 6 <i>S</i> )-2,2-dimethyl[1,3]dioxan-4-yl)acetate   | 432-810-9 | —      | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-681-00-9 | reaction mass of: 9-nonyl-10-octyl-19-carbonyloxyhexadecylnonadecanoic acid; 9-nonyl-10-octyl-19-carbonyloxyoctadecylnonadecanoic acid; dihexadecyl 9-nonyl-10-octylnonadecandioate; 1-octadecyl, 19-hexadecyl 9-nonyl-10-octylnonadecandioate; dioctadecyl 9-nonyl-10-octylnonadecandioate                   | 432-910-2 | —      | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-682-00-4 | complex reaction mass of Chinese gum rosin post reacted with acrylic acid  | 434-230-1 | 144413-22-9 | Aquatic Chronic 4                  | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-683-00-X | reaction mass of: methyl 3-((1E)-2-methylprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; methyl 3-((1Z)-2-methylprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate (20:80)                             | 435-450-0 | —           | Skin Sens. 1<br>Aquatic Chronic 2  | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 607-684-00-5 | alkenes, C <sub>12-14</sub> , hydroformylation products, distn. residues, C-(hydrogen sulfobutanedioates), disodium salts  | 435-660-2 | 243662-67-1 | Skin Irrit. 2<br>Skin Sens. 1      | H315<br>H317             | GHS07<br>Wng                   | H315<br>H317             |                                 |                                  |       |
| 607-685-00-0 | ammonium 2-cocoyloxyethane-sulfonate   | 441-050-7 | —           | Skin Irrit. 2<br>Eye Dam. 1        | H315<br>H318             | GHS05<br>Dgr                   | H315<br>H318             |                                 |                                  |       |
| 607-686-00-6 | 6,6'-bis(diazo-5,5', 6,6'-tetrahydro-5,5'-dioxo)[methylene-bis(5-(6-diazo-5,6-dihydro-5-oxo-1-naphthylsulphonyloxy)-6-methyl-2-phenylene)]di(naphthalene-1-sulfonate)                                  | 441-550-5 | —           | Self-react. C ****<br>Carc. 2      | H242<br>H351             | GHS02<br>GHS08<br>Dgr          | H242<br>H351             |                                 |                                  |       |
| 607-687-00-1 | reaction mass of: 2-{}3,6-bis-{}(2-ethylphenyl)-methylamino{}-xanthylum-9-yl[]-benzenesulfonate (2-10 %); 2-{}3,6-bis-{}(2,3-dimethylphenyl)-methylamino{}-xanthylum-9-yl[]-benzenesulfonate (2-10 %); | 442-800-6 | —           | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |

▼ M1

| Index No | International Chemical Identification  | EC No | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|----------|--|-------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|          |  |       |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|          | <p>2-<math>\{3,6\}</math>-bis-<math>\{2,4\}</math>-dimethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>-benzenesulfonate (2-10 %);</p> <p>2-<math>\{3,6\}</math>-bis-<math>\{2,5\}</math>-dimethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>-benzenesulfonate (2-10 %);</p> <p>2-<math>\{3\}</math>-<math>\{2,3\}</math>-dimethylphenyl)-methylamino]-6-[(2-ethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>]-benzenesulfonate (7-20 %);</p> <p>2-<math>\{3\}</math>-<math>\{2,4\}</math>-dimethylphenyl)-methylamino]-6-[(2-ethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>]-benzenesulfonate (7-20 %);</p> <p>2-<math>\{3\}</math>-<math>\{2,5\}</math>-dimethylphenyl)-methylamino]-6-[(2-ethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>]-benzenesulfonate (7-20 %);</p> <p>2-<math>\{3\}</math>-<math>\{2,3\}</math>-dimethylphenyl)-methylamino]-6-[(2,4-dimethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>]-benzenesulfonate (7-20 %);</p> <p>2-<math>\{3\}</math>-<math>\{2,3\}</math>-dimethylphenyl)-methylamino]-6-[(2,5-dimethylphenyl)-methylamino<math>\{ \}</math>-xanthylium-9-yl<math>\{ \}</math>]-benzenesulfonate (7-20 %);</p> |       |        |                                   |                          |                                |                          |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 2-[[3-]](2,4-dimethylphenyl)-methylamino]-6-[(2,5-dimethylphenyl)-methylamino]-xanthylium-9-yl]-benzenesulfonate (7-20 %)  |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 607-688-00-7 | (R)-1-cyclohexa-1,4-dienyl-1-methoxycarbonyl-methylammoniumchloride  | 444-320-2 | —           | Acute Tox. 4 *                    | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 607-689-00-2 | reaction mass of: methyl 1,4-dimethylcyclohexanecarboxylate ('para-isomer' including <i>cis</i> - and <i>trans</i> - isomers); methyl 1,3-dimethylcyclohexanecarboxylate ('meta-isomer' including <i>cis</i> - and <i>trans</i> - isomers) | 444-920-4 | —           | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 607-690-00-8 | dimethyl[2 <i>S</i> , 2 <i>S'</i> ]-6,6,6',6'-tetramethoxy-2,2'-[ <i>N,N'</i> -bis(trifluoroacetyl)- <i>S, S'</i> -bi( <i>L</i> -homocysteiny)] diimino]dihexanoate  | 432-860-1 | 255387-46-3 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 607-691-00-3 | magnesium salts, fatty acids, C <sub>16-18</sub> and C <sub>18</sub> unsaturated, branched and linear  | 448-690-6 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-692-00-9 | zinc salts, fatty acids, C <sub>16-18</sub> and C <sub>18</sub> unsaturated, branched and linear   | 446-470-4 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 607-693-00-4 | hexyl 2-(1-(diethylamino)hydroxyphenyl)methanoyl)benzoate  | 443-860-6 | 302776-68-7 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification          | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 607-694-00-X | ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate | 443-870-0 | 163520-33-0 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410     |                                 |                                  |       |

▼ **B**

|              |                               |           |            |   |                      |                       |                      |  |  |   |
|--------------|-------------------------------|-----------|------------|---|----------------------|-----------------------|----------------------|--|--|---|
| 607-696-00-0 | pentyl formate                | 211-340-6 | 638-49-3   | Flam. Liq. 3<br>Eye Irrit. 2<br>STOT SE 3 | H226<br>H319<br>H335 | GHS02<br>GHS07<br>Dgr | H226<br>H319<br>H335 |  |  | C |
| 607-697-00-6 | <i>tert</i> -butyl propionate | —         | 20487-40-5 | Flam. Liq. 2                              | H225                 | GHS02<br>Dgr          | H225                 |  |  | C |

▼ **M3**

|              |                                   |           |         |                                       |                       |                       |                       |  |  |  |
|--------------|-----------------------------------|-----------|---------|---------------------------------------|-----------------------|-----------------------|-----------------------|--|--|--|
| 607-698-00-1 | 4- <i>tert</i> -butylbenzoic acid | 202-696-3 | 98-73-7 | Repr. 1B<br>STOT RE 1<br>Acute Tox. 4 | H360F<br>H372<br>H302 | GHS07<br>GHS08<br>Dgr | H360F<br>H372<br>H302 |  |  |  |
|--------------|-----------------------------------|-----------|---------|---------------------------------------|-----------------------|-----------------------|-----------------------|--|--|--|

▼ **M7**

|              |   |  |            |   |  |                                |  |                           |  |  |
|--------------|---|--|------------|---|--|--------------------------------|--|---------------------------|--|--|
| 607-699-00-7 | bifenthrin (ISO);<br>(2-methylbiphenyl-3-yl)methyl<br><i>rel</i> -(1 <i>R</i> ,3 <i>R</i> )-3-[(1 <i>Z</i> )-2-chloro-<br>3,3,3-trifluoroprop-1-en-1-yl]-<br>2,2-dimethylcyclopropanecar-<br>boxylate |  | 82657-04-3 | Carc. 2<br>Acute Tox. 3<br>Acute Tox. 2<br>STOT RE 1<br><br>Skin Sens. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H331<br>H300<br>H372<br>(nervous system)<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H300<br>H372<br>(nervous system)<br>H317<br><br>H410 | M = 10 000<br>M = 100 000 |  |  |
|--------------|---|--|------------|---|--|--------------------------------|--|---------------------------|--|--|

## ▼M7

| Index No     | International Chemical Identification  | EC No     | CAS No                                 | Classification   |   | Labelling                          |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--|--|---|------------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)     | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 607-700-00-0 | indoxacarb (ISO); methyl (4 <i>aS</i> )-7-chloro-2-{(methoxycarbonyl)[4-(trifluoromethoxy)phenyl]carbamoyl}-2,5-dihydroindeno[1,2- <i>e</i> ][1,3,4]oxadiazine-4 <i>a</i> (3 <i>H</i> )-carboxylate [1]<br><br>reaction mass of (S)-Indoxacarb and (R)- Indoxacarb 75:25; methyl 7-chloro-2-{(methoxycarbonyl)[4-(trifluoromethoxy)phenyl]carbamoyl}-2,5-dihydroindeno[1,2- <i>e</i> ][1,3,4]oxadiazine-4 <i>a</i> (3 <i>H</i> )-carboxylate [2] |           | 173584-44-6 [1]<br><br>144171-61-9 [2] | Acute Tox. 3<br>Acute Tox. 4<br>STOT RE 1<br><br>Skin Sens. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H332<br>H372 (blood, nervous system, heart)<br><br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br><br>Dgr | H301<br>H332<br>H372 (blood, nervous system, heart)<br>H317<br><br>H410 |                                 | M = 1<br>M = 1                   |       |
| 607-702-00-1 | dihexyl phthalate  | 201-559-5 | 84-75-3                                | Repr. 1B   | H360FD  | GHS08<br>Dgr                       | H360FD  |                                 |                                  |       |
| 607-703-00-7 | ammoniumpentadeca- fluorooctanoate   | 223-320-4 | 3825-26-1                              | Carc. 2<br>Repr. 1B<br>Lact.<br>Acute Tox. 4<br>Acute Tox. 4<br>STOT RE 1<br>Eye Dam.1                 | H351<br>H360D<br>H362<br>H332<br>H302<br>H372 (liver)<br>H318                   | GHS08<br>GHS07<br>GHS05<br>Dgr     | H351<br>H360D<br>H362<br>H332<br>H302<br>H372 (liver)<br>H318           |                                 |                                  |       |
| 607-704-00-2 | perfluorooctanoic acid   | 206-397-9 | 335-67-1                               | Carc. 2<br>Repr. 1B<br>Lact.<br>Acute Tox. 4<br>Acute Tox. 4<br>STOT RE 1<br>Eye Dam. 1                | H351<br>H360D<br>H362<br>H332<br>H302<br>H372 (liver)<br>H318                   | GHS08<br>GHS07<br>GHS05<br>Dgr     | H351<br>H360D<br>H362<br>H332<br>H302<br>H372 (liver)<br>H318           |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 607-705-00-8 | benzoic acid   | 200-618-2 | 65-85-0     | STOT RE 1<br>Skin Irrit. 2<br>Eye Dam. 1  | H372 (lungs)<br>(inhalation)<br>H315<br>H318   | GHS08<br>GHS05<br>Dgr          | H372 (lungs)<br>(inhalation)<br>H315<br>H318 |                                 |                                  |       |
| 607-706-00-3 | methyl 2,5-dichlorobenzoate  | 220-815-7 | 2905-69-3   | Acute Tox. 4<br>STOT SE 3<br>Aquatic Chronic 2  | H302<br>H336<br>H411                           | GHS07<br>GHS09<br>Wng          | H302<br>H336<br>H411                         |                                 |                                  |       |
| 607-707-00-9 | fenoxaprop-P-ethyl (ISO); ethyl (2R)-2-{4-[(6-chloro-1,3-benzoxazol-2-yl)oxy]phenoxy}propanoate                  | —         | 71283-80-2  | STOT RE 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H373<br>(kidneys)<br>H317<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Wng | H373<br>(kidneys)<br>H317<br>H410            | M = 1<br>M = 1                  |                                  |       |
| 607-708-00-4 | octanoic acid  | 204-677-5 | 124-07-2    | Skin Corr. 1C<br>Aquatic Chronic 3  | H314<br>H412                                   | GHS05<br>Dgr                   | H314<br>H412                                 |                                 |                                  |       |
| 607-709-00-X | decanoic acid  | 206-376-4 | 334-48-5    | Skin Irrit. 2<br>Eye Irrit. 2<br>Aquatic Chronic 3  | H315<br>H319<br>H412                           | GHS07<br>Wng                   | H315<br>H319<br>H412                         |                                 |                                  |       |
| 607-710-00-5 | 1,2-benzenedicarboxylic acid, dihexyl ester, branched and linear   | 271-093-5 | 68515-50-4  | Repr. 1B  | H360FD   | GHS08<br>Dgr                   | H360FD                                       |                                 |                                  |       |
| 607-711-00-0 | spirotetramat (ISO); (5s,8s)-3-(2,5-dimethylphenyl)-8-methoxy-2-oxo-1-azaspiro[4,5]dec-3-en-4-yl ethyl carbonate | —         | 203313-25-1 | Repr. 2<br>STOT SE 3<br>Eye Irrit. 2<br>Skin Sens. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361fd<br>H335<br>H319<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361fd<br>H335<br>H319<br>H317<br>H410       | M = 1<br>M = 1                  |                                  |       |

## ▼ M11

| Index No              | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|-----------------------|---|-----------|-------------|---|---|---|---|---------------------------------|--|-------|
|                       |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                      | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s) |  |       |
| 607-712-00-6          | dodemorph acetate; 4-cyclo-dodecyl-2,6-dimethylmorpholin-4-ium acetate  | 250-778-2 | 31717-87-0  | Repr. 2<br>STOT RE 2<br>Skin Corr. 1C<br>Skin Sens. 1A<br>Aquatic Chronic 1                                   | H361d<br>H373 (liver)<br>H314<br>H317<br>H410                 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H361d<br>H373 (liver)<br>H314<br>H317<br>H410         | EUH071                          | M = 1  |       |
| 607-713-00-1          | fenpyroximate (ISO); tert-butyl 4-[(E)-[1,3-dimethyl-5-phenoxy-1H-pyrazol-4-yl)methyl-ene]amino}oxy)methyl]benzoate                     | —         | 134098-61-6 | Acute Tox. 3<br>Acute Tox. 2<br>Skin Sens. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H301<br>H330<br>H317<br>H400<br>H410                          | GHS06<br>GHS09<br>Dgr                   | H301<br>H330<br>H317<br>H410                          |                                 | M = 100<br>M = 1 000   |       |
| 607-714-00-7          | triflurosulfuron-methyl; methyl 2-([4-(dimethylamino)-6-(2,2,2-trifluoroethoxy)-1,3,5-triazin-2-yl]carbonyl)sulfamoyl]-3-methylbenzoate | —         | 126535-15-7 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H400<br>H410  | GHS08<br>GHS09<br>Wng                   | H351<br>H410  |                                 | M = 100<br>M = 10  |       |
| 607-715-00-2          | bifenazate (ISO); isopropyl 2-(4-methoxybiphenyl-3-yl)hydrazinecarboxylate  | 442-820-5 | 149877-41-8 | STOT RE 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H373<br>H317<br>H400<br>H410                                  | GHS08<br>GHS07<br>GHS09<br>Wng          | H373<br>H317<br>H410                                  |                                 | M = 1<br>M = 1   |       |
| ▼ M13<br>607-716-00-8 | bromadiolone (ISO); 3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-chromen-2-one                                   | 249-205-9 | 28772-56-7  | Repr. 1B<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 1<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H400<br>H410 | GHS08<br>GHS06<br>GHS09<br>Dgr          | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H410 |                                 | Repr. 1B;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,005 %<br>STOT RE 2;<br>H373 (blood):<br>0,0005 % ≤ C<br>< 0,005 %<br>M = 1<br>M = 1 |       |

▼ **M13**

| Index No     | International Chemical Identification   | EC No                 | CAS No  | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|-----------------------|---|---|--|--------------------------------|--|---------------------------------|---|-------|
|              |   |                       |   | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |   |       |
| 607-717-00-3 | difethialone (ISO);<br>3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydronaphthalen-1-yl]-4-hydroxy-2 <i>H</i> -1-benzothiopyran-2-one | —                     | 104653-34-1                                     | Repr. 1B<br>Acute Tox. 1<br>Acute Tox. 1<br>Acute Tox. 1<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H330<br>H310<br>H300<br>H372 (blood)<br>H400<br>H410                  | GHS08<br>GHS06<br>GHS09<br>Dgr | H360D<br>H330<br>H310<br>H300<br>H372<br>(blood)<br>H410                       | EUH070                          | Repr. 1B;<br>H360D:<br>C ≥ 0,003 %<br>STOT RE 1;<br>H372 (blood):<br>C ≥ 0,02 %<br>STOT RE 2;<br>H373 (blood):<br>0,002 % ≤ C<br>< 0,02 %<br>M = 100<br>M = 100 |       |
| 607-718-00-9 | perfluorononan-1-oic acid [1] and its sodium [2] and ammonium [3] salts   | 206-801-3 [1] [2] [3] | 375-95-1 [1]<br>21049-39-8 [2]<br>4149-60-4 [3] | Carc. 2<br>Repr. 1B<br>Lact.<br>Acute Tox. 4<br>Acute Tox. 4<br>STOT RE 1<br>Eye Dam. 1                       | H351<br>H360Df<br>H362<br>H332<br>H302<br>H372 (liver, thymus, spleen)<br>H318 | GSH08<br>GSH07<br>GHS05<br>Dgr | H351<br>H360Df<br>H362<br>H332<br>H302<br>H372 (liver, thymus, spleen)<br>H318 |                                 |   |       |
| 607-719-00-4 | dicyclohexyl phthalate  | 201-545-9             | 84-61-7   | Repr. 1B<br>Skin Sens. 1  | H360D<br>H317  | GHS08<br>GHS07<br>Dgr          | H360D<br>H317  |                                 |   |       |
| ▼ <b>B</b>   |   |                       |   |   |  |                                |  |                                 |   |       |
| 608-001-00-3 | acetonitrile;<br>cyanomethane   | 200-835-2             | 75-05-8   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2                            | H225<br>H332<br>H312<br>H302<br>H319   | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H319   |                                 |   |       |

▼**B**

| Index No                    | International Chemical Identification  | EC No     | CAS No   | Classification  |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|----------|---|--|--|--|---------------------------------|----------------------------------|-------|
|                             |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 608-002-00-9                | trichloroacetonitrile  | 208-885-7 | 545-06-2 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2   | H331<br>H311<br>H301<br>H411   | GHS06<br>GHS09<br>Dgr                            | H331<br>H311<br>H301<br>H411   |                                 |                                  |       |
| 608-003-00-4                | acrylonitrile  | 203-466-5 | 107-13-1 | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H225<br>H350<br>H331<br>H311<br>H301<br>H335<br>H315<br>H318<br>H317<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H331<br>H311<br>H301<br>H335<br>H315<br>H318<br>H317<br>H411 | *                               | D                                |       |
| 608-004-00-X                | 2-hydroxy-2-methylpropionitrile;<br>2-cyanopropan-2-ol;<br>acetone cyanohydrin | 200-909-4 | 75-86-5  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H330<br>H310<br>H300<br>H400<br>H410   | GHS06<br>GHS09<br>Dgr                            | H330<br>H310<br>H300<br>H410   |                                 |                                  |       |
| ▼ <b>M1</b><br>608-005-00-5 | <i>n</i> -butyronitrile  | 203-700-6 | 109-74-0 | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *  | H225<br>H331<br>H311<br>H301   | GHS02<br>GHS06<br>Dgr                            | H225<br>H331<br>H311<br>H301   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 608-006-00-0 | bromoxynil (ISO)<br>3,5-dibromo-4-hydroxybenzoni-<br>trile;<br>bromoxynil phenol | 216-882-7 | 1689-84-5 | Repr. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H361d ***<br>H330<br>H301<br>H317<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d ***<br>H330<br>H301<br>H317<br>H410                    |                                 | M = 10                           |       |
| 608-007-00-6 | ioxynil (ISO)<br>4-hydroxy-3,5-diiodobenzoni-<br>trile                           | 216-881-1 | 1689-83-4 | Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d ***<br>H331<br>H301<br>H312<br>H373 **<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d ***<br>H331<br>H301<br>H312<br>H373 **<br>H319<br>H410 |                                 | M = 10                           |       |
| 608-008-00-1 | chloroacetonitrile   | 203-467-0 | 107-14-2  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2  | H331<br>H311<br>H301<br>H411   | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H411                                 |                                 |                                  |       |
| 608-009-00-7 | malononitrile  | 203-703-2 | 109-77-3  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H331<br>H311<br>H301<br>H400<br>H410                                 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410                                 |                                 |                                  |       |

▼B

| Index No                    | International Chemical Identification                 | EC No     | CAS No    | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors         | Notes |
|-----------------------------|---|-----------|-----------|--|--|---|--|---------------------------------|--|-------|
|                             |   |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |  |       |
| 608-010-00-2                | methacrylonitrile;<br>2-methyl-2-propene nitrile      | 204-817-5 | 126-98-7  | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1                           | H225<br>H331<br>H311<br>H301<br>H317                 | GHS02<br>GHS06<br>Dgr                   | H225<br>H331<br>H311<br>H301<br>H317         |                                 | *<br>Skin Sens. 1;<br>H317: C ≥ 0,2<br>% | D     |
| ▼ <u>M6</u><br>608-011-00-8 | oxalonitrile;<br>cyanogen                             | 207-306-5 | 460-19-5  | Press. Gas<br>Flam. Gas 1<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                          | H220<br>H331<br>H400<br>H410                         | GHS02<br>GHS04<br>GHS06<br>GHS09<br>Dgr | H220<br>H331<br>H410                         |                                 |  | U     |
| ▼ <u>B</u><br>608-012-00-3  | benzonitrile  | 202-855-7 | 100-47-0  | Acute Tox. 4 *<br>Acute Tox. 4 *   | H312<br>H302   | GHS07<br>Wng                            | H312<br>H302                                 |                                 |  |       |
| 608-013-00-9                | 2-chlorobenzonitrile                                  | 212-836-5 | 873-32-5  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2   | H312<br>H302<br>H319                                 | GHS07<br>Wng                            | H312<br>H302<br>H319                         |                                 |  |       |
| ▼ <u>M1</u><br>608-014-00-4 | chlorothalonil (ISO);<br>tetrachloroisophthalonitrile | 217-588-1 | 1897-45-6 | Carc. 2<br>Acute Tox. 2 *<br>STOT SE 3<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H335<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H351<br>H330<br>H335<br>H318<br>H317<br>H410 |                                 | M=10                                     |       |

▼**B**

| Index No     | International Chemical Identification                                      | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 608-015-00-X | dichlobenil (ISO);<br>2,6-dichlorobenzonitrile                             | 214-787-5 | 1194-65-6  | Acute Tox. 4 *<br>Aquatic Chronic 2   | H312<br>H411                                      | GHS07<br>GHS09<br>Wng          | H312<br>H411                              |                                 |                                  |       |
| 608-016-00-5 | 1,4-Dicyano-2,3,5,6-tetra-<br>chloro-benzene                               | 401-550-8 | 1897-41-2  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H317<br>H400<br>H410                              | GHS07<br>GHS09<br>Wng          | H317<br>H410                              |                                 |                                  |       |
| 608-017-00-0 | bromoxynil octanoate (ISO);<br>2,6-dibromo-4-cyanophenyl<br>octanoate      | 216-885-3 | 1689-99-2  | Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d ***<br>H331<br>H302<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d ***<br>H331<br>H302<br>H317<br>H410 |                                 | M = 10                           |       |
| 608-018-00-6 | ioxynil octanoate (ISO);<br>4-cyano-2,6-diiodophenyl<br>octanoate          | 223-375-4 | 3861-47-0  | Repr. 2<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H361d ***<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d ***<br>H301<br>H319<br>H317<br>H410 |                                 | M = 10                           |       |
| 608-019-00-1 | 2,2'-dimethyl-2,2'-azodipropio-<br>nitrile;<br>ADZN                        | 201-132-3 | 78-67-1    | Self-react. C<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3                              | H242<br>H332<br>H302<br>H412                      | GHS02<br>GHS07<br>Dgr          | H242<br>H332<br>H302<br>H412              |                                 |                                  | T     |
| ▼ <b>M1</b>  |  |           |            |   |   |                                |   |                                 |                                  |       |
| 608-020-00-7 | diphenoxymethylenecyanamide  | 427-300-8 | 79463-77-7 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412                                      | GHS05<br>Dgr                   | H318<br>H412                              |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |            |   |   |                                |   |                                 |                                  |       |
| 608-021-00-2 | 3-(2-(diaminomethyl-<br>eneamino)thiazol-4-ylmethyl-<br>thio)propionitrile | 403-710-2 | 76823-93-3 | Acute Tox. 4 *<br>Skin Sens. 1  | H302<br>H317                                      | GHS07<br>Wng                   | H302<br>H317                              |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 608-022-00-8 | 3,7-dimethyloctanenitrile  | 403-620-3 | 40188-41-8  | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                 | H315<br>H317<br>H411            | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H411            |                                 |                                  |       |
| 608-023-00-3 | fenbuconazole (ISO);<br>4-(4-chlorophenyl)-2-phenyl-2-<br>[(1 <i>H</i> -1,2,4-triazol-1-yl)methyl]butanenitrile  | 406-140-2 | 114369-43-6 | Aquatic Acute 1<br>Aquatic Chronic 1                               | H400<br>H410                    | GHS09<br>Wng                   | H410                            |                                 |                                  |       |
| 608-024-00-9 | 2-(4-( <i>N</i> -butyl- <i>N</i> -phenethylamino)phenyl)ethylene-1,1,2-tricarbonitrile   | 407-650-8 | 97460-76-9  | Aquatic Chronic 4  | H413                            | —                              | H413                            |                                 |                                  |       |
| 608-025-00-4 | 2-nitro-4,5-bis(benzyloxy)phenylacetoneitrile  | 410-970-0 | 117568-27-1 | Aquatic Chronic 4  | H413                            | —                              | H413                            |                                 |                                  |       |
| 608-026-00-X | 3-cyano-3,5,5-trimethylcyclohexanone   | 411-490-4 | 7027-11-4   | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H373 **<br>H317<br>H412 | GHS08<br>GHS07<br>Wng          | H302<br>H373 **<br>H317<br>H412 |                                 |                                  |       |
| 608-027-00-5 | reaction mass of: 3-(4-ethylphenyl)-2,2-dimethylpropanenitrile;<br>3-(2-ethylphenyl)-2,2-dimethylpropanenitrile;<br>3-(3-ethylphenyl)-2,2-dimethylpropanenitrile | 412-660-0 | —           | Aquatic Chronic 2  | H411                            | GHS09                          | H411                            |                                 |                                  |       |
| 608-028-00-0 | 4-(2-cyano-3-phenylamino acryloyloxymethyl)-cyclohexylmethyl 2-cyano-3-phenylamino)-acrylate   | 413-510-7 | 147374-67-2 | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2                   | H373 **<br>H317<br>H411         | GHS08<br>GHS09<br>Wng          | H373 **<br>H317<br>H411         |                                 |                                  |       |
| 608-029-00-6 | 1,2-dihydro-6-hydroxy-4-methyl-1-[3-(1-methylethoxy)propyl]-2-oxo-3-pyridinecarbonitrile   | 411-990-2 | 68612-94-2  | Skin Sens. 1   | H317                            | GHS07<br>Wng                   | H317                            |                                 |                                  |       |



▼ **B**

| Index No     | International Chemical Identification  | EC No   | CAS No      | Classification                       |  | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|-------------|--------------------------------------|--|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |   |             | Hazard Class and Category Code(s)    | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 608-030-00-1 | <i>N</i> -acetyl- <i>N</i> -[5-cyano-3-(2-dibutylamino-4-phenylthiazol-5-yl-methylene)-4-methyl-2,6-dioxo-1,2,3,6-tetrahydropyridin-1-yl]benzamide | 412-340-0   | 147741-93-3 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410   | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 608-031-00-7 | 2-benzyl-2-methyl-3-butenitrile  | 407-870-4   | 97384-48-0  | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412   | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| ▼ <b>M1</b>  | 608-032-00-2   | acetamiprid (ISO);<br>( <i>E</i> )- <i>N</i> <sup>1</sup> -[(6-chloro-3-pyridyl)methyl]- <i>N</i> <sup>2</sup> -cyano- <i>N</i> <sup>1</sup> -methylacetamide | —           | 135410-20-7                          | Acute Tox. 4 *<br>Aquatic Chronic 3                                      | H302<br>H412                   | GHS07<br>Wng             | H302<br>H412                    |                                  |       |
| ▼ <b>B</b>   | 608-033-00-8   | <i>N</i> -butyl-3-(2-chloro-4-nitrophenylhydrazono)-1-cyano-2-methylprop-1-ene-1,3-dicarbonylimide  | 407-970-8   | 75511-91-0                           | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412                   | GHS07<br>Wng             | H317<br>H412                    |                                  |       |
| ▼ <b>M1</b>  | 608-034-00-3   | chlorfenapyr (ISO);<br>4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile  | —           | 122453-73-0                          | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H400<br>H410   | GHS06<br>GHS09<br>Dgr    | H331<br>H302<br>H410            | M=100                            |       |
| ▼ <b>B</b>   | 608-035-00-9   | (±)- $\alpha$ -[(2-acetyl-5-methylphenyl)-amino]-2,6-dichlorobenzene-aceto-nitrile  | 419-290-9   | —                                    | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                   | GHS07<br>Wng             | H317<br>H413                    |                                  |       |
|              | 608-036-00-4   | 3-(2-{4-[2-(4-cyanophenyl)vinyl]phenyl} vinyl)benzotrile  | 419-060-8   | 79026-02-1                           | Aquatic Chronic 4  | H413                           | —                        | H413                            |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 608-037-00-X | reaction mass of: ( <i>E</i> )-2,12-tridecadiennitrile;<br>( <i>E</i> )-3,12-tridecadiennitrile;<br>( <i>Z</i> )-3,12-tridecadiennitrile | 422-190-8 |             | Aquatic Acute 1<br>Aquatic Chronic 1                                     | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 608-038-00-5 | 2,2,4-trimethyl-4-phenylbutane-nitrile   | 422-580-8 | 75490-39-0  | Acute Tox. 4 *<br>Aquatic Chronic 2                                      | H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H411                 |                                 |                                  |       |
| 608-039-00-0 | 2-phenylhexanenitrile  | 423-460-8 | 3508-98-3   | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 608-040-00-6 | 4,4'-dithiobis(5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-1 <i>H</i> -pyrazole-3-carbonitrile)                                   | 423-490-1 | 130755-46-3 | Aquatic Acute 1<br>Aquatic Chronic 1                                     | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 608-041-00-1 | 4'-((2-butyl-4-oxo-1,3-diazaspiro[4.4]non-1-ene-3-yl)methyl)(1,1'-biphenyl)-2-carbonitrile   | 423-500-4 | 138401-24-8 | Aquatic Acute 1<br>Aquatic Chronic 1                                     | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |             |  |                              |                                |                              |                                 |                                  |       |
| 608-042-00-7 | ( <i>S</i> )-2,2-diphenyl-2-(3-pyrrolidinyl)acetonitrile hydrobromide  | 421-810-4 | 194602-27-2 | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2        | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |             |  |                              |                                |                              |                                 |                                  |       |
| 608-043-00-2 | 3-( <i>cis</i> -3-hexenyloxy)propanenitril   | 415-220-6 | 142653-61-0 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H302<br>H410         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 608-044-00-8 | 2-cyclohexylidene-2-phenylacetone nitrile  | 423-740-1 | 10461-98-0  | Acute Tox. 4 *<br>Aquatic Chronic 2                                | H302<br>H411                   | GHS07<br>GHS09<br>Wng          | H302<br>H411                   |                                 |                                  |       |
| 608-046-00-9 | 5-(4-chloro-2-nitro-phenylazo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-pyridine-3-carbonitrile  | 425-310-7 | 77889-90-8  | Aquatic Chronic 4  | H413                           | —                              | H413                           |                                 |                                  |       |
| 608-047-00-4 | 2-piperidin-1-yl-benzonitrile  | 427-330-1 | 72752-52-4  | Aquatic Chronic 2  | H411                           | GHS09                          | H411                           |                                 |                                  |       |
| 608-048-00-X | 1-(3-cyclopentyloxy-4-methoxyphenyl)-4-oxo-cyclohexanecarbonitrile   | 427-450-4 | 152630-47-2 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H373**<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H317<br>H411 |                                 |                                  |       |
| 608-049-00-5 | 2-(4-(4-(butyl-(1-methylhexyl)amino)phenyl)-3-cyano-5-oxo-1,5-dihydro-1H-pyridin-2-ylidene)propandinitrile   | 429-180-2 | 157362-53-3 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H317<br>H400<br>H410           | GHS07<br>GHS09<br>Wng          | H317<br>H410                   |                                 |                                  |       |
| 608-050-00-0 | reaction mass of: 5-(2-cyano-4-nitrophenylazo)-2-(2-(2-hydroxyethoxy)ethylamino)-4-methyl-6-phenylaminonicotinonitrile; 5-(2-cyano-4-nitrophenylazo)-6-(2-(2-hydroxyethoxy)ethylamino)-4-methyl-2-phenylaminonicotinonitrile | 429-760-5 | —           | Aquatic Chronic 4  | H413                           | —                              | H413                           |                                 |                                  |       |
| 608-051-00-6 | (R)-4-(4-dimethylamino-1-(4-fluorophenyl)-1-hydroxybutyl)-3-(hydroxymethyl)benzonitrile  | 430-760-2 | 219861-18-4 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2                | H302<br>H317<br>H411           | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411           |                                 |                                  |       |
| 608-052-00-1 | (S)-4-(4-dimethylamino-1-(4-fluorophenyl)-1-hydroxybutyl)-3-(hydroxymethyl)benzonitrile  | 430-770-7 | 128173-52-4 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2                | H302<br>H317<br>H411           | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411           |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 608-053-00-7 | ( <i>R,S</i> )-4-(4-dimethylamino-1-(4-fluorophenyl)-1-hydroxybutyl)-3-(hydroxymethyl)benzotrile  | 430-780-1 | 103146-25-4 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2   | H302<br>H317<br>H411                           | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411                   |                                 |                                  |       |
| 608-054-00-2 | ( <i>R,S</i> )-4-(4-dimethylamino-1-(4-fluorophenyl)-1-hydroxybutyl)-3-(hydroxymethyl)benzotrile hemisulfate                            | 430-790-6 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                                       | H302<br>H318<br>H317<br>H411                   | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411           |                                 |                                  |       |
| 608-055-00-8 | fipronil (ISO);<br>5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1 <i>H</i> -pyrazole-3-carbonitrile | —         | 120068-37-3 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H372**<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H372**<br>H410 | M=10                            |                                  |       |
| 608-056-00-3 | <i>N</i> -methyl- <i>N</i> -cyanomethylmorpholiniummethylsulfate  | 429-340-1 | —           | Acute Tox. 4 *<br>Eye Dam. 1  | H302<br>H318                                   | GHS05<br>GHS07<br>Dgr          | H302<br>H318                           |                                 |                                  |       |
| ▼ <b>M6</b>  |   |           |             |   |  |                                |  |                                 |                                  |       |
| 608-057-00-9 | 4-(cyanomethyl)-4-methylmorpholin-4-ium hydrogen sulfate  | 431-200-1 | 208538-34-5 | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1  | H302<br>H318<br>H317                           | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317                   |                                 |                                  |       |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 608-058-00-4 | esfenvalerate (ISO);<br>(S)- $\alpha$ -cyano-3-phenoxybenzyl-<br>(S)-2-(4-chlorophenyl)-3-<br>methylbutyrate | —         | 66230-04-4  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H317<br>H410 |                                 | M = 10000                        |       |
| 608-059-00-X | 5-amino-1-(2,6-dichloro-4-(tri-<br>fluoromethyl)phenyl)-1 <i>H</i> -<br>pyrazole-3-carbonitrile              | 421-240-6 | 120068-79-3 | Aquatic Chronic 2  | H411                                 | GHS09                          | H411                         |                                 |                                  |       |
| 608-060-00-5 | 5-methyl-2-[(2-nitrophe-<br>nyl)amino]-3-thiophenecarbon-<br>itrile  | 421-300-1 | 138564-59-7 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 608-062-00-6 | 2-fluoro-4-hydroxybenzonitrile   | 422-810-7 | 82380-18-5  | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2  | H302<br>H318<br>H411                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411         |                                 |                                  |       |

▼ M6▼ M1

▼ **M1**

| Index No                     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 608-063-00-1                 | (S)- $\alpha$ -hydroxy-3-phenoxybenzeneacetonitrile                               | 441-070-6 | 61826-76-4 | Acute Tox. 3 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H301<br>H318<br>H317<br>H400<br>H410                                 | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H317<br>H410                                 |                                 |                                  |       |
| 608-064-00-7                 | cyanomethyltrimethylammoniummethylsulfate   | 433-720-2 | —          | Aquatic Chronic 3  | H412   | —                              | H412   |                                 |                                  |       |
| ▼ <b>B</b><br>608-065-00-2   | salts of bromoxynil with the exception of those specified elsewhere in this Annex | —         | —          | Repr. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H361d ***<br>H330<br>H301<br>H317<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d ***<br>H330<br>H301<br>H317<br>H410                    | M = 10                          | A                                |       |
| 608-066-00-8                 | salts of ioxynil with the exception of those specified elsewhere in this Annex    | —         | —          | Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d ***<br>H331<br>H301<br>H312<br>H373 **<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H361d ***<br>H331<br>H301<br>H312<br>H373 **<br>H319<br>H410 | M = 10                          | A                                |       |
| ▼ <b>M13</b><br>608-067-00-3 | 3,7-dimethylocta-2,6-dienitrile   | 225-918-0 | 5146-66-7  | Muta. 1B   | H340   | GHS08<br>Dgr                   | H340   |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification | EC No   | CAS No   | Classification   |  | Labelling   |   |   | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|---|--|--|--|---|---|---|----------------------------------|-------|
|              |                                       |   |  | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                                | Hazard statement Code(s)                | Suppl. Hazard statement Code(s)                               |                                  |       |
| 609-001-00-6 | 1-nitropropane                        | 203-544-9   | 108-03-2   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 * | H226<br>H332<br>H312<br>H302   | GHS02<br>GHS07<br>Wng   | H226<br>H332<br>H312<br>H302            |   | *                                |       |
| 609-002-00-1 | 2-nitropropane                        | 201-209-1   | 79-46-9  | Flam. Liq. 3<br>Carc. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *       | H226<br>H350<br>H332<br>H302   | GHS02<br>GHS08<br>GHS07<br>Dgr                                | H226<br>H350<br>H332<br>H302            |   |                                  |       |
| ▼ <u>M7</u>  | 609-003-00-7                          | nitrobenzene  | 202-716-0  | 98-95-3  | Carc. 2.<br>Repr. 1B<br>Acute Tox. 3<br>Acute Tox. 3<br>Acute Tox. 3<br>STOT RE 1<br>Aquatic Chronic 3             | H351<br>H360F<br>H301<br>H331<br>H311<br>H372 (blood)<br>H412 | GHS06<br>GHS08<br>Dgr                   | H351<br>H360F<br>H301<br>H331<br>H311<br>H372 (blood)<br>H412 |                                  |       |
| ▼ <u>B</u>   | 609-004-00-2                          | dinitrobenzene; [1]<br>1,4-dinitrobenzene; [2]<br>1,3-dinitrobenzene; [3]<br>1,2-dinitrobenzene [4] | 246-673-6 [1]<br>202-833-7 [2]<br>202-776-8 [3]<br>208-431-8 [4] | 25154-54-5 [1]<br>100-25-4 [2]<br>99-65-0 [3]<br>528-29-0 [4]      | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H330<br>H310<br>H300<br>H373 **<br>H400<br>H410               | GHS06<br>GHS08<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H373 **<br>H410                       |                                  |       |
| ▼ <u>M1</u>  | 609-005-00-8                          | 1,3,5-trinitrobenzene   | 202-752-7  | 99-35-4  | Expl. 1.1<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H330<br>H310<br>H300<br>H373**<br>H400<br>H410        | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373**<br>H410                |                                  |       |

▼B

| Index No     | International Chemical Identification         | EC No                          | CAS No                         | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|--------------------------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |                                |                                | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 609-006-00-3 | 4-nitrotoluene                                | 202-808-0                      | 99-99-0                        | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2  | H331<br>H311<br>H301<br>H373 **<br>H411                                    | GHS06<br>GHS08<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H373 **<br>H411                            |                                 |                                  |       |
| ▼ <u>M1</u>  |   |                                |                                |   |  |   |  |                                 |                                  |       |
| 609-007-00-9 | 2,4-dinitrotoluene; [1]<br>dinitrotoluene [2] | 204-450-0 [1]<br>246-836-1 [2] | 121-14-2 [1]<br>25321-14-6 [2] | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H361f***<br>H331<br>H311<br>H301<br>H373**<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H350<br>H341<br>H361f***<br>H331<br>H311<br>H301<br>H373**<br>H410 |                                 |                                  |       |
| ▼ <u>B</u>   |   |                                |                                |   |  |   |  |                                 |                                  |       |
| 609-008-00-4 | 2,4,6-trinitrotoluene;<br>TNT                 | 204-289-6                      | 118-96-7                       | Expl. 1.1<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2   | H201<br>H331<br>H311<br>H301<br>H373 **<br>H411                            | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H331<br>H311<br>H301<br>H373 **<br>H411                    |                                 |                                  |       |
| ▼ <u>M1</u>  |   |                                |                                |   |  |   |  |                                 |                                  |       |
| 609-009-00-X | 2,4,6-trinitrophenol;<br>picric acid          | 201-865-9                      | 88-89-1                        | Expl. 1.1<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *   | H201<br>H331<br>H311<br>H301   | GHS01<br>GHS06<br>Dgr                   | H201<br>H331<br>H311<br>H301                                       |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No                          | CAS No                           | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|----------------------------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 609-010-00-5 | salts of picric acid   | —                              | —                                | Unst. Expl<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *  | H201<br>H331<br>H311<br>H301                    | GHS01<br>GHS06<br>Dgr          | H201<br>H331<br>H311<br>H301            |                                 |                                  | T     |
| 609-011-00-0 | 2,4,6-trinitroanisole  | —                              | 606-35-9                         | Expl. 1.1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2                      | H201<br>H332<br>H312<br>H302<br>H411            | GHS01<br>GHS07<br>GHS09<br>Wng | H201<br>H332<br>H312<br>H302<br>H411    |                                 |                                  |       |
| 609-012-00-6 | 2,4,6-trinitro- <i>m</i> -cresol   | 210-027-1                      | 602-99-3                         | Expl. 1.1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H201<br>H332<br>H312<br>H302                    | GHS01<br>GHS07<br>Wng          | H201<br>H332<br>H312<br>H302            |                                 |                                  |       |
| 609-013-00-1 | 2,4,6-trinitro- <i>m</i> -xylene   | 211-187-5                      | 632-92-8                         | Expl. 1.1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *                            | H201<br>H332<br>H312<br>H302<br>H373 **         | GHS01<br>GHS08<br>GHS07<br>Wng | H201<br>H332<br>H312<br>H302<br>H373 ** |                                 |                                  |       |
| 609-015-00-2 | 4-nitrophenol;<br><i>p</i> -nitrophenol  | 202-811-7                      | 100-02-7                         | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *   | H332<br>H312<br>H302<br>H373 **                 | GHS08<br>GHS07<br>Wng          | H332<br>H312<br>H302<br>H373 **         |                                 |                                  |       |
| 609-016-00-8 | dinitrophenol (reaction mass of isomers); [1]<br>2,4(or 2,6)-dinitrophenol [2] | 247-096-2 [1]<br>275-732-9 [2] | 25550-58-7 [1]<br>71629-74-8 [2] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H410 |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 609-018-00-9 | 2,4,6-trinitroresorcinol;<br>styphnic acid   | 201-436-6 | 82-71-3    | Expl. 1.1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H201<br>H332<br>H312<br>H302   | GHS01<br>GHS07<br>Dgr                            | H201<br>H332<br>H312<br>H302                                 |                                 |                                  |       |
| 609-019-00-4 | lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide;<br>lead 2,4,6-trinitroresorcinoxide;<br>lead styphnate                       | 239-290-0 | 15245-44-0 | Unst. Expl<br>Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H200<br>H360Df<br>H332<br>H302<br>H373 **<br>H400<br>H410            | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr          | H200<br>H360Df<br>H332<br>H302<br>H373 **<br>H410            |                                 | 1                                |       |
| 609-019-01-1 | lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide;<br>lead 2,4,6-trinitroresorcinoxide;<br>lead styphnate (≥ 20 % phlegmatiser) | 239-290-0 | 15245-44-0 | Expl. 1.1<br>Repr. 1A<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H201<br>H360Df<br>H332<br>H302<br>H373 **<br>H400<br>H410            | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr          | H201<br>H360Df<br>H332<br>H302<br>H373 **<br>H410            |                                 | 1                                |       |
| 609-020-00-X | DNOC (ISO);<br>4,6-dinitro- <i>o</i> -cresol   | 208-601-1 | 534-52-1   | Muta. 2<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H330<br>H310<br>H300<br>H315<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H341<br>H330<br>H310<br>H300<br>H315<br>H318<br>H317<br>H410 | EUH044                          |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No                  | CAS No                         | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|------------------------|--------------------------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                     |   |                        |                                | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                   | Suppl. Hazard statement Code(s) |                                  |       |
| 609-021-00-5        | sodium salt of DNOC;<br>sodium 4,6-dinitro- <i>o</i> -cresolate;<br>[1]<br>potassium salt of DNOC;<br>potassium 4,6-dinitro- <i>o</i> -<br>cresolate [2]  | 219-007-7 [1]<br>- [2] | 2312-76-7 [1]<br>5787-96-2 [2] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H331<br>H311<br>H301<br>H373 **<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H410                    |                                 |                                  |       |
| 609-022-00-0        | ammonium salt of DNOC;<br>ammonium 4,6-dinitro- <i>o</i> -tolyl<br>oxide  | 221-037-0              | 2980-64-5                      | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H330<br>H310<br>H300<br>H373 **<br>H400<br>H410                    | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 **<br>H410                    |                                 |                                  |       |
| ▼M1<br>609-023-00-6 | dinocap (ISO);<br>( <i>RS</i> )-2,6-dinitro-4-octylphenyl<br>crotonates and ( <i>RS</i> )-2,4-dinitro-<br>6-octylphenyl crotonates in<br>which 'octyl' is a reaction<br>mass of 1-methylheptyl, 1-<br>ethylhexyl and 1-propylpentyl<br>groups | 254-408-0              | 39300-45-3                     | Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D***<br>H332<br>H302<br>H373**<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360D***<br>H332<br>H302<br>H373**<br>H315<br>H317<br>H410 | M=100                           |                                  |       |
| ▼B<br>609-024-00-1  | binapacryl (ISO);<br>2- <i>sec</i> -butyl-4,6-dinitrophenyl-3-<br>methylcrotonate   | 207-612-9              | 485-31-4                       | Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H360D ***<br>H312<br>H302<br>H400<br>H410                          | GHS08<br>GHS07<br>GHS09<br>Dgr | H360D ***<br>H312<br>H302<br>H410                          |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 609-025-00-7 | dinoseb(ISO);<br>6-sec-butyl-2,4-dinitrophenol   | 201-861-7 | 88-85-7    | Repr. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H311<br>H301<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360Df<br>H311<br>H301<br>H319<br>H410 | EUH044                          |                                  |       |
| 609-026-00-2 | salts and esters of dinoseb, with the exception of those specified elsewhere in this Annex                                       | —         | —          | Repr. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H311<br>H301<br>H319<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360Df<br>H311<br>H301<br>H319<br>H410 | EUH044                          |                                  | A     |
| 609-027-00-8 | dinocton;<br>reaction mass of isomers:<br>methyl 2-octyl-4,6-dinitrophenyl carbonate, methyl 4-octyl-2,6-dinitrophenyl carbonate | —         | 63919-26-6 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                           | GHS07<br>GHS09<br>Wng          | H302<br>H410                           |                                 |                                  |       |
| 609-028-00-3 | dinex (ISO);<br>2-cyclohexyl-4,6-dinitrophenol   | 205-042-5 | 131-89-5   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H331<br>H311<br>H301<br>H400<br>H410           | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410           |                                 |                                  |       |
| 609-029-00-9 | salts and esters of dinex  | —         | —          | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H331<br>H311<br>H301<br>H400<br>H410           | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410           |                                 |                                  | A     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |   | Labelling                      |                                   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|---|--------------------------------|-----------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)          | Suppl. Hazard statement Code(s) |                                  |       |
| 609-030-00-4 | dinoterb (ISO);<br>2- <i>tert</i> -butyl-4,6-dinitrophenol   | 215-813-8 | 1420-07-1  | Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H360D ***<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360D ***<br>H300<br>H311<br>H410 | EUH044                          |                                  |       |
| 609-031-00-X | salts and esters of dinoterb   | —         | —          | Repr. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H360D ***<br>H300<br>H311<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360D ***<br>H300<br>H311<br>H410 |                                 |                                  | A     |
| 609-032-00-5 | bromofenoxim (ISO);<br>3,5-dibromo-4-hydroxybenz-<br>aldehyde- <i>O</i> -(2,4-dinitrophenyl)-<br>oxime | 236-129-6 | 13181-17-4 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng          | H302<br>H410                      |                                 |                                  |       |
| 609-033-00-0 | dinosam (ISO);<br>2-(1-methylbutyl)-4,6-dinitro-<br>phenol   | —         | 4097-36-3  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410      | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410      |                                 |                                  |       |
| 609-034-00-6 | salts and esters of dinosam  | —         | —          | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H400<br>H410      | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H410      |                                 |                                  | A     |
| 609-035-00-1 | nitroethane  | 201-188-9 | 79-24-3    | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H226<br>H332<br>H302                      | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H302              |                                 | *                                |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 609-036-00-7 | nitromethane   | 200-876-6 | 75-52-5    | Flam. Liq. 3<br>Acute Tox. 4 *   | H226<br>H302                              | GHS02<br>GHS07<br>Wng          | H226<br>H302                            |                                 | *                                |       |
| 609-037-00-2 | 5-nitroacenaphthene  | 210-025-0 | 602-87-9   | Carc. 1B   | H350                                      | GHS08<br>Dgr                   | H350                                    |                                 |                                  |       |
| 609-038-00-8 | 2-nitronaphthalene   | 209-474-5 | 581-89-5   | Carc. 1B<br>Aquatic Chronic 2  | H350<br>H411                              | GHS08<br>GHS09<br>Dgr          | H350<br>H411                            |                                 |                                  |       |
| 609-039-00-3 | 4-nitrobiphenyl  | 202-204-7 | 92-93-3    | Carc. 1B<br>Aquatic Chronic 2  | H350<br>H411                              | GHS08<br>GHS09<br>Dgr          | H350<br>H411                            |                                 |                                  |       |
| 609-040-00-9 | nitrofen (ISO);<br>2,4-dichlorophenyl<br>phenyl ether      4-nitro-            | 217-406-0 | 1836-75-5  | Carc. 1B<br>Repr. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H350<br>H360D ***<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H360D ***<br>H302<br>H410       |                                 |                                  |       |
| 609-041-00-4 | 2,4-dinitrophenol  | 200-087-7 | 51-28-5    | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1 | H331<br>H311<br>H301<br>H373 **<br>H400   | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H400 |                                 |                                  |       |
| 609-042-00-X | pendimethalin (ISO);<br><i>N</i> -(1-ethylpropyl)-2,6-dinitro-<br>3,4-xylidine | 254-938-2 | 40487-42-1 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H317<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng          | H317<br>H410                            |                                 |                                  |       |
| 609-043-00-5 | quintozone (ISO);<br>pentachloronitrobenzene                                   | 201-435-0 | 82-68-8    | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H317<br>H400<br>H410                      | GHS07<br>GHS09<br>Wng          | H317<br>H410                            |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No    | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-----------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |           | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 609-044-00-0        | tecnazene (ISO);<br>1,2,4,5-tetrachloro-3-nitro-<br>benzene   | 204-178-2 | 117-18-0  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410     |                                 |                                  |       |
| 609-045-00-6        | reaction mass of: 4,6-dinitro-2-(3-octyl)phenyl methyl carbonate and 4,6-dinitro-2-(4-octyl)phenyl methyl carbonate; dinocron-6   | —         | 8069-76-9 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410             |                                 |                                  |       |
| ▼M1<br>609-046-00-1 | trifluralin (ISO) (containing < 0,5 ppm NPDA);<br>$\alpha$ , $\alpha$ , $\alpha$ -trifluoro-2,6-dinitro- <i>N,N</i> -dipropyl- <i>p</i> -toluidine (containing < 0,5 ppm NPDA);<br>2,6-dinitro- <i>N,N</i> -dipropyl-4-trifluoromethylaniline (containing < 0,5 ppm NPDA);<br><i>N,N</i> -dipropyl-2,6-dinitro-4-trifluoromethylaniline (containing < 0,5 ppm NPDA) | 216-428-8 | 1582-09-8 | Carc. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1        | H351<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H317<br>H410     |                                 | M=10                             |       |
| ▼B<br>609-047-00-7  | 2-nitroanisole  | 202-052-1 | 91-23-6   | Carc. 1B<br>Acute Tox. 4 *   | H350<br>H302                 | GHS08<br>GHS07<br>Dgr          | H350<br>H302             |                                 |                                  |       |
| 609-048-00-2        | sodium 3-nitrobenzenesulphonate   | 204-857-3 | 127-68-4  | Eye Irrit. 2<br>Skin Sens. 1   | H319<br>H317                 | GHS07<br>Wng                   | H319<br>H317             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|----------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |                                       |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 609-049-00-8 | 2,6-dinitrotoluene                    | 210-106-0 | 606-20-2 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 3                    | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H412         | GHS06<br>GHS08<br>Dgr          | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H412 |                                 |                                  |       |
| 609-050-00-3 | 2,3-dinitrotoluene                    | 210-013-5 | 602-01-7 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H410 |                                 |                                  |       |
| 609-051-00-9 | 3,4-dinitrotoluene                    | 210-222-1 | 610-39-9 | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2                    | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H411         | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H411 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 609-052-00-4 | 3,5-dinitrotoluene   | 210-566-2   | 618-85-9   | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 3 | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H412 | GHS06<br>GHS08<br>Dgr          | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H412 |                                 |                                  |       |
| 609-053-00-X | hydrazine-trinitromethane  | 414-850-9   | —  | Expl. 1.1 ****<br>Self-react. A<br>Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1                          | H201<br>H240<br>H350<br>H331<br>H301<br>H317                         | GHS01<br>GHS06<br>GHS08<br>Dgr | H201<br>H240<br>H350<br>H331<br>H301<br>H317                         |                                 |                                  |       |
| 609-054-00-5 | 2,3-dinitrophenol; [1]<br>2,5-dinitrophenol; [2]<br>2,6-dinitrophenol; [3]<br>3,4-dinitrophenol; [4]<br>salts of dinitrophenol [5] | 200-628-7 [1]<br>206-348-1 [2]<br>209-357-9 [3]<br>209-415-3 [4]<br>- [5] | 66-56-8 [1]<br>329-71-5 [2]<br>573-56-8 [3]<br>577-71-9 [4]<br>- [5] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2                                   | H331<br>H311<br>H301<br>H373 **<br>H411                              | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H411                              |                                 |                                  |       |
| 609-055-00-0 | 2,5-dinitrotoluene   | 210-581-4   | 619-15-8   | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f ***<br>H331<br>H311<br>H301<br>H373 **<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification    | EC No     | CAS No      | Classification   |   | Labelling  |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|--|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                  |       |
| 609-056-00-6 | 2,2-dibromo-2-nitroethanol               | 412-380-9 | 69094-18-4  | Expl. 1.1<br>Carc. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H351<br>H302<br>H373 **<br>H314<br>H317<br>H400<br>H410 | GHS01<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H201<br>H351<br>H302<br>H373 **<br>H314<br>H317<br>H410 |                                 | *<br>STOT SE 3;<br>H335: C ≥ 1 % | T     |
| 609-057-00-1 | 3-chloro-2,4-difluoronitrobenzene        | 411-980-8 | 3847-58-3   | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H314<br>H317<br>H400<br>H410                            | GHS05<br>GHS07<br>GHS09<br>Dgr                   | H302<br>H314<br>H317<br>H410                            |                                 |                                  |       |
| 609-058-00-7 | 2-nitro-2-phenyl-1,3-propanediol         | 410-360-4 | 5428-02-4   | STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2   | H372 **<br>H312<br>H302<br>H317<br>H411                         | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H372 **<br>H312<br>H302<br>H317<br>H411                 | EUH070                          |                                  |       |
| 609-059-00-2 | 2-chloro-6-(ethylamino)-4-nitrophenol    | 411-440-1 | 131657-78-8 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2  | H302<br>H317<br>H411  | GHS07<br>GHS09<br>Wng                            | H302<br>H317<br>H411                                    |                                 |                                  |       |
| 609-060-00-8 | 4-[(3-hydroxypropyl)amino]-3-nitrophenol | 406-305-9 | 92952-81-3  | Skin Irrit. 2<br>Aquatic Chronic 2   | H315<br>H411  | GHS07<br>GHS09<br>Wng                            | H315<br>H411  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 609-061-00-3 | ( <i>E,Z</i> )-4-chlorophenyl(cyclopropyl)ketone <i>O</i> -(4-nitrophenylmethyl)oxime  | 406-100-4 | 94097-88-8  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H317<br>H400<br>H410                                    | GHS07<br>GHS09<br>Wng                   | H317<br>H410                                    |                                 |                                  |       |
| 609-062-00-9 | 2-bromo-2-nitropropanol  | 407-030-7 | 24403-04-1  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H311<br>H302<br>H373 **<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H311<br>H302<br>H373 **<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 609-063-00-4 | 2-[(4-chloro-2-nitrophenyl)amino]ethanol   | 413-280-8 | 59320-13-7  | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411  | GHS07<br>GHS09<br>Wng                   | H302<br>H411                                    |                                 |                                  |       |
| 609-064-00-X | mesotrione(ISO);<br>2-[4-(methylsulfonyl)-2-nitrobenzoyl]-1,3-cyclohexanedione   | —         | 104206-82-8 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410  | GHS09<br>Wng                            | H410  |                                 |                                  |       |
| 609-065-00-5 | 2-nitrotoluene   | 201-853-3 | 88-72-2     | Carc. 1B<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 2   | H350<br>H340<br>H361f ***<br>H302<br>H411               | GHS08<br>GHS07<br>GHS09<br>Dgr          | H350<br>H340<br>H361f ***<br>H302<br>H411       |                                 |                                  |       |
| ▼M13         |  |           |             |  |   |   |   |                                 |                                  |       |
| ▼B           |  |           |             |  |   |   |   |                                 |                                  |       |
| 609-067-00-6 | sodium and potassium 4-(3-aminopropylamino)-2,6-bis[3-(4-methoxy-2-sulfophenylazo)-4-hydroxy-2-sulfo-7-naphthylamino]-1,3,5-triazine | 416-280-6 | 156769-97-0 | Skin Sens. 1   | H317  | GHS07<br>Wng                            | H317  |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                  | Labelling                      |                                  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|----------------------------------|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)         | Pictogram, Signal Word Code(s) | Hazard statement Code(s)         | Suppl. Hazard statement Code(s) |                                  |       |
| 609-068-00-1 | musk xylene;<br>5- <i>tert</i> -butyl-2,4,6-trinitro- <i>m</i> -xylene  | 201-329-4 | 81-15-2     | Expl. 1.1<br>Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H201<br>H351<br>H400<br>H410     | GHS01<br>GHS08<br>GHS09<br>Wng | H201<br>H351<br>H410             |                                 |                                  | T     |
| ▼ <u>M1</u>  |   |           |             |  |                                  |                                |                                  |                                 |                                  |       |
| 609-069-00-7 | musk ketone;<br>3,5-dinitro-2,6-dimethyl-4- <i>tert</i> -butylacetophenone;<br>4'- <i>tert</i> -butyl-2', 6'-dimethyl-3', 5'-dinitroacetophenone          | 201-328-9 | 81-14-1     | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H351<br>H400<br>H410             | GHS08<br>GHS09<br>Wng          | H351<br>H410                     |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |             |  |                                  |                                |                                  |                                 |                                  |       |
| 609-070-00-2 | 1,4-dichloro-2-(1,1,2,3,3,3-hexafluoropropoxy)-5-nitrobenzene   | 415-580-4 | 130841-23-5 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410             |                                 |                                  |       |
| 609-071-00-8 | reaction mass of: 2-methylsulfanyl-4,6-bis-(2-hydroxy-4-methoxy-phenyl)-1,3,5-triazine;<br>2-(4,6-bis-methylsulfanyl-1,3,5-triazin-2-yl)-5-methoxy-phenol | 423-520-3 | 156137-33-6 | Skin Sens. 1   | H317                             | GHS07<br>Wng                   | H317                             |                                 |                                  |       |
| ▼ <u>M6</u>  |   |           |             |  |                                  |                                |                                  |                                 |                                  |       |
| 609-072-00-3 | 4-mesyl-2-nitrotoluene  | 430-550-0 | 1671-49-4   | Repr. 2<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3         | H361f***<br>H302<br>H317<br>H412 | GHS08<br>GHS07<br>Wng          | H361f***<br>H302<br>H317<br>H412 |                                 |                                  |       |

▼ **M1**

| Index No                   | International Chemical Identification   | EC No     | CAS No   | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------------|---|-----------|----------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|                            |   |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 609-073-00-9               | lithium potassium sodium <i>N,N'</i> -bis[6-{}7-[4-(4-chloro-1,3,5-triazin-2-yl)amino-4-(2-ureidophenylazo){}naphthalene-1,3,6-trisulfonato]- <i>N'</i> -(2-aminoethyl)piperazine | 427-850-9 | —        | Skin Sens. 1  | H317  | GHS07<br>Wng                   | H317                                    |                                 |                                  |       |
| ▼ <b>B</b><br>610-001-00-3 | trichloronitromethane;<br>chloropicrin  | 200-930-9 | 76-06-2  | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2                            | H330<br>H302<br>H319<br>H335<br>H315            | GHS06<br>Dgr                   | H330<br>H302<br>H319<br>H335<br>H315    |                                 |                                  |       |
| 610-002-00-9               | 1,1-dichloro-1-nitroethane  | 209-854-0 | 594-72-9 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *  | H331<br>H311<br>H301                            | GHS06<br>Dgr                   | H331<br>H311<br>H301                    |                                 |                                  |       |
| 610-003-00-4               | chlorodinitrobenzene  | —         | —        | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H410 |                                 |                                  | C     |
| 610-004-00-X               | 2-chloro-1,3,5-trinitrobenzene  | 201-864-3 | 88-88-0  | Expl. 1.1<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H201<br>H330<br>H310<br>H300<br>H400<br>H410    | GHS01<br>GHS06<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H410    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                  |       |
| 610-005-00-5 | 1-chloro-4-nitrobenzene   | 202-809-6 | 100-00-5   | Carc. 2<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H351<br>H341<br>H331<br>H311<br>H301<br>H373 **<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H351<br>H341<br>H331<br>H311<br>H301<br>H373 **<br>H411 |                                 |                                  |       |
| 610-006-00-0 | chloronitroanilines with the exception of those specified elsewhere in this Annex | —         | —          | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 2                         | H330<br>H310<br>H300<br>H373 **<br>H411                 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H373 **<br>H411                 |                                 | A C                              |       |
| 610-007-00-6 | 1-chloro-1-nitropropane   | 209-990-0 | 600-25-9   | Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H302  | GHS07<br>Wng                            | H332<br>H302  | *                               |                                  |       |
| 610-008-00-1 | 2,6-dichloro-4-nitroanisole   | 403-350-6 | 17742-69-7 | Acute Tox. 3 *<br>Aquatic Chronic 2  | H301<br>H411  | GHS06<br>GHS09<br>Dgr                   | H301<br>H411  |                                 |                                  |       |
| 610-009-00-7 | 2-chloro-4-nitroaniline   | 204-502-2 | 121-87-9   | Acute Tox. 4 *<br>Aquatic Chronic 2  | H302<br>H411  | GHS07<br>GHS09<br>Wng                   | H302<br>H411  |                                 |                                  |       |
| 610-010-00-2 | 2-bromo-1-(2-furyl)-2-nitroethylene   | 406-110-9 | 35950-52-8 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H302<br>H373 **<br>H314<br>H317<br>H400<br>H410         | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 **<br>H314<br>H317<br>H410                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 611-001-00-6 | azobenzene  | 203-102-5 | 103-33-3   | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H332<br>H302<br>H373 **<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H332<br>H302<br>H373 **<br>H410 |                                 |                                  |       |
| 611-002-00-1 | azoxybenzene  | 207-802-1 | 495-48-7   | Acute Tox. 4 *<br>Acute Tox. 4 *   | H332<br>H302  | GHS07<br>Wng                   | H332<br>H302                                    |                                 |                                  |       |
| 611-003-00-7 | fenaminosulf (ISO);<br>sodium 4-dimethylaminobenzenediazosulphonate   | 205-419-4 | 140-56-7   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3  | H301<br>H312<br>H412                                    | GHS06<br>Dgr                   | H301<br>H312<br>H412                            |                                 |                                  |       |
| 611-004-00-2 | methyl-ONN-azoxymethyl acetate;<br>methyl azoxy methyl acetate  | 209-765-7 | 592-62-1   | Carc. 1B<br>Repr. 1B   | H350<br>H360D ***                                       | GHS08<br>Dgr                   | H350<br>H360D ***                               |                                 |                                  |       |
| 611-005-00-8 | disodium {5-[(4'-((2,6-hydroxy-3-((2-hydroxy-5-sulphophenyl)azo)phenyl)azo)(1,1'-biphenyl)-4-yl)azo]salicylato (4-)} cuprate(2-);<br>CI Direct Brown 95 | 240-221-1 | 16071-86-6 | Carc. 1B   | H350  | GHS08<br>Dgr                   | H350  |                                 |                                  |       |
| 611-006-00-3 | 4- <i>o</i> -tolylazo- <i>o</i> -toluidine;<br>4-amino-2',3-dimethylazobenzene;<br>fast garnet GBC base;<br>AAT;<br><i>o</i> -aminoazotoluene           | 202-591-2 | 97-56-3    | Carc. 1B<br>Skin Sens. 1   | H350<br>H317  | GHS08<br>Dgr                   | H350<br>H317                                    |                                 |                                  |       |
| 611-007-00-9 | tricyclazole (ISO);<br>5-methyl-1,2,4-triazolo(3,4-b)benzo-1,3-thiazole;  | 255-559-5 | 41814-78-2 | Acute Tox. 4 *   | H302  | GHS07<br>Wng                   | H302  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-008-00-4 | 4-aminoazobenzene;<br>4-phenylazoaniline   | 200-453-6 | 60-09-3     | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H400<br>H410     | GHS08<br>GHS09<br>Dgr          | H350<br>H410             |                                 |                                  |       |
| 611-009-00-X | sodium (1-(5-(4-(4-anilino-3-sulphophenylazo)-2-methyl-5-methylsulphonamidophenylazo)-4-hydroxy-2-oxido-3-(phenylazo)phenylazo)-5-nitro-4-sulphonato-2-naphtholato)iron(II)  | 401-220-3 | —           | Acute Tox. 4 *<br>Aquatic Chronic 3              | H332<br>H412             | GHS07<br>Wng                   | H332<br>H412             |                                 |                                  |       |
| 611-010-00-5 | 2'-(2-cyano-4,6-dinitrophenylazo)-5'-( <i>N,N</i> -dipropylamino)propionanilide  | 403-010-7 | 106359-94-8 | Skin Sens. 1<br>Aquatic Chronic 3                | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 611-011-00-0 | <i>N,N,N,N</i> -tetramethyl-3,3'-(propylenebis(iminocarbonyl-4,1-phenylenazo(1,6-dihydro-2-hydroxy-4-methyl-6-oxopyridine-3,1-diyl)))di(propylammonium) dilactate  | 403-340-1 | —           | Eye Dam. 1<br>Aquatic Chronic 2                  | H318<br>H411             | GHS05<br>GHS09<br>Dg           | H318<br>H411             |                                 |                                  |       |
| 611-012-00-6 | reaction mass of 2,2-iminodietanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and 2-methylaminoethanol 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate and <i>N,N</i> -diethylpropane-1,3-diamine 6-methyl-2-(4-(2,4,6-triaminopyrimidin-5-ylazo)phenyl)benzothiazole-7-sulfonate | 403-410-1 | 114565-65-0 | Skin Sens. 1                                     | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-013-00-1 | trilithium-1-hydroxy-7-(3-sulfonatoanilino)-2-(3-methyl-4-(2-methoxy-4-(3-sulfonatophenylazo)phenylazo)phenylazo)naphthalene-3-sulfonate  | 403-650-7 | 117409-78-6 | Expl. 1.3 ****<br>Aquatic Chronic 2 | H203<br>H411             | GHS01<br>GHS09<br>Dgr          | H203<br>H411             |                                 |                                  |       |
| 611-014-00-7 | (tetrasodium 1-(4-(3-acetamido-4-(4'-nitro-2,2'-disulfonatosulben-4-ylazo)anilino)-6-(2,5-disulfonatoanilino)-1,3,5-triazin-2-yl)-3-carboxypyridinium) hydroxide  | 404-250-5 | 115099-55-3 | Skin Sens. 1                        | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-015-00-2 | tetrasodium 4-amino-5-hydroxy-6-(4-(2-(2-(sulfonatooxy)ethylsulfonyl)ethylcarbamoyl)phenylazo)-3-(4-(2-(sulfonatooxy)ethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate  | 404-320-5 | 116889-78-2 | Skin Sens. 1                        | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-016-00-8 | reaction mass of 1,1'-((dihydroxyphenylene)bis(azo-3,1-phenylenazo(1-(3-dimethylaminopropyl)-1,2-dihydro-6-hydroxy-4-methyl-2-oxopyridine-5,3-diyl)))dipyridinium dichloride dihydrochloride, mixed isomers and 1-(1-(3-dimethylaminopropyl)-5-(3-((4-(1-(3-dimethylaminopropyl)-1,6-dihydro-2-hydroxy-4-methyl-6-oxo-5-pyridinio-3-pyridylazo)phenylazo)-2,4(or2,6 or3,5)-dihydroxyphenylazo)phenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-3-pyridyl)pyridinium dichloride | 404-540-1 | —           | Skin Sens. 1                        | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling  |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---|--|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 611-017-00-3 | 2-(4-(diethylaminopropylcarbamoyl)phenylazo)-3-oxo- <i>N</i> -(2,3-dihydro-2-oxobenzimidazol-5-yl)butyramide                      | 404-910-2 | —           | Skin Sens. 1<br>Aquatic Chronic 2  | H317<br>H411  | GHS07<br>GHS09<br>Wng                            | H317<br>H411  |                                 |                                  |       |
| 611-018-00-9 | tetraammonium 5-(4-(7-amino-1-hydroxy-3-sulfonato-2-naphthylazo)-6-sulfonato-1-naphthylazo)isophthalate                           | 405-130-5 | —           | Skin Sens. 1   | H317  | GHS07<br>Wng                                     | H317  |                                 |                                  |       |
| 611-019-00-4 | tetralithium 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate                  | 405-150-4 | 106028-58-4 | Skin Sens. 1   | H317  | GHS07<br>Wng                                     | H317  |                                 |                                  |       |
| 611-020-00-X | tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulfonate | 405-170-3 | 116340-05-7 | Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Chronic 3  | H301<br>H317<br>H412  | GHS06<br>Dgr                                     | H301<br>H317<br>H412  |                                 |                                  |       |
| 611-021-00-5 | 2-(4-(4-cyano-3-methylisothiazol-5-ylazo)- <i>N</i> -ethyl-3-methylanilino)ethyl acetate  | 405-480-9 | —           | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Aquatic Chronic 4  | H302<br>H373 **<br>H315<br>H413   | GHS08<br>GHS07<br>Wng                            | H302<br>H373 **<br>H315<br>H413                                 |                                 |                                  |       |
| 611-022-00-0 | 4-dimethylaminobenzenediazonium 3-carboxy-4-hydroxybenzenesulfonate   | 404-980-4 | —           | Self-react. C<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H331<br>H301<br>H312<br>H373 **<br>H318<br>H317<br>H400<br>H410 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H242<br>H331<br>H301<br>H312<br>H373 **<br>H318<br>H317<br>H410 |                                 |                                  | T     |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No    | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-----------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                     |  |           |           | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-023-00-6        | disodium 7-(4,6-dichloro-1,3,5-triazin-2-ylamino)-4-hydroxy-3-(4-(2-(sulfonatoxy)ethylsulfonyl)phenylazo) naphthalene-2-sulfonate                  | 404-600-7 | —         | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-024-00-1        | Benzidine based azo dyes; 4,4'-diarylazobiphenyl dyes, with the exception of those specified elsewhere in this Annex                               | —         | —         | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | A     |
| 611-025-00-7        | disodium 4-amino-3-[[4'-(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate; C.I. Direct Black 38 | 217-710-3 | 1937-37-7 | Carc. 1B<br>Repr. 2               | H350<br>H361d ***        | GHS08<br>Dgr                   | H350<br>H361d ***        |                                 |                                  |       |
| 611-026-00-2        | tetrasodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[5-amino-4-hydroxynaphthalene-2,7-disulphonate]; C.I. Direct Blue 6                         | 220-012-1 | 2602-46-2 | Carc. 1B<br>Repr. 2               | H350<br>H361d ***        | GHS08<br>Dgr                   | H350<br>H361d ***        |                                 |                                  |       |
| 611-027-00-8        | disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate); C.I. Direct Red 28  | 209-358-4 | 573-58-0  | Carc. 1B<br>Repr. 2               | H350<br>H361d ***        | GHS08<br>Dgr                   | H350<br>H361d ***        |                                 |                                  |       |
| ▼M6<br>611-028-00-3 | C,C'-azodi(formamide)  | 204-650-8 | 123-77-3  | Resp. Sens. 1                     | H334                     | GHS08<br>Dgr                   | H334                     |                                 |                                  | G     |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes                |
|---------------------|---|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|----------------------|
|                     |   |           |             | Hazard Class and Category Code(s)                       | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |                      |
| 611-029-00-9        | <i>o</i> -dianisidine based azo dyes; 4,4'-diaryldazo-3,3'-dimethoxy-biphenyl dyes with the exception of those mentioned elsewhere in this Annex              | —         | —           | Carc. 1B  | H350                         | GHS08<br>Dgr                   | H350                         |                                 |                                  | A<br>► <b>M2</b> — ◀ |
| 611-030-00-4        | <i>o</i> -tolidine based dyes; 4,4'-diaryldazo-3,3'-dimethyl-biphenyl dyes, with the exception of those mentioned elsewhere in this Annex                     | —         | —           | Carc. 1B  | H350                         | GHS08<br>Dgr                   | H350                         |                                 |                                  | A<br>► <b>M2</b> — ◀ |
| 611-031-00-X        | 4,4'-(4-iminocyclohexa-2,5-dienylidene-methylene)dianiline hydrochloride; C.I. Basic Red 9  | 209-321-2 | 569-61-9    | Carc. 1B  | H350                         | GHS08<br>Dgr                   | H350                         |                                 |                                  |                      |
| 611-032-00-5        | 1,4,5,8-tetraaminoanthraquinone; C.I. Disperse Blue 1   | 219-603-7 | 2475-45-8   | Carc. 1B<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1 | H350<br>H315<br>H318<br>H317 | GHS08<br>GHS05<br>GHS07<br>Dgr | H350<br>H315<br>H318<br>H317 |                                 |                                  |                      |
| 611-033-00-0        | hexasodium [4,4"-azoxybis(2,2'-disulfonatostilbene-4,4'-diylazo)]-bis[5'-sulfonato-benzene-2,2'-diolato- <i>O</i> (2), <i>O</i> (2), <i>N</i> (1)]-copper(II) | 400-020-3 | 82027-60-9  | Aquatic Chronic 2                                       | H411                         | GHS09                          | H411                         |                                 |                                  |                      |
| 611-034-00-6        | <i>N</i> -(5-(bis(2-methoxyethyl)amino)-2-((5-nitro-2,1-benzisothiazol-3-yl)azo)phenyl)acetamide  | 402-430-8 | 105076-77-5 | Aquatic Chronic 4                                       | H413                         | —                              | H413                         |                                 |                                  |                      |
| ▼M1<br>611-035-00-1 | tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo]naphthalene-2,7-disulfonate   | 403-660-1 | 107246-80-0 | Aquatic Chronic 2                                       | H411                         | GHS09                          | H411                         |                                 |                                  |                      |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 611-036-00-7 | 2-(4-(5,6(or 6,7)-dichloro-1,3-benzothiazol-2-ylazo)- <i>N</i> -methyl- <i>m</i> -toluidino)ethyl acetate  | 405-440-0 | —           | Skin Sens. 1  | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 611-037-00-2 | 3(or 5)-(4-( <i>N</i> -benzyl- <i>N</i> -ethylamino)-2-methylphenylazo)-1,4-dimethyl-1,2,4-triazolium methylsulphate   | 406-055-0 | 124584-00-5 | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 611-038-00-8 | trisodium 1-hydroxynaphthalene-2-azo-4'(5',5"-dimethylbiphenyl)-4"-azo(4"-phenylsulfonyloxybenzene)- 2',2",4-trisulfonate  | 406-820-9 | —           | Eye Irrit. 2  | H319                         | GHS07<br>Wng                   | H319                         |                                 |                                  |       |
| 611-039-00-3 | 7-(((4,6-dichloro-1,3,5-triazin-2-yl)amino)-4-hydroxy-3-(4-((2-sulfoxy)ethyl)sulfonyl)phenylazo)naphthalene-2-sulfonic acid  | 407-050-6 | 117715-57-8 | Skin Sens. 1  | H317                         | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| 611-040-00-9 | 3-(5-acetylamino-4-(4-[4,6-bis(3-diethylaminopropylamino)-1,3,5-triazin-2-ylamino]phenylazo)-2-(2-methoxyethoxy)phenylazo)-6-amino-4-hydroxy-2-naphthalene-sulfonic acid | 407-670-7 | 115099-58-6 | Aquatic Acute 1<br>Aquatic Chronic 1                              | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 611-041-00-4 | 2-[[4[[4,6-bis[[3-(diethylamino)propyl]amino]-1,3,5-triazine-2-yl]amino]phenyl]azo]- <i>N</i> -(2,3-dihydro-2-oxo-1 <i>H</i> -benzimidazol-5-yl)-3-oxobutanamide         | 407-680-1 | 98809-11-1  | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                   | H318<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-042-00-X | trisodium 5-amino-3-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-4-hydroxy-6-(4-vinylsulfonylphenylazo)naphthalene-2,7-disulfonate   | 411-770-6 | 136213-71-3 | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 611-043-00-5 | reaction mass of: trisodium <i>N</i> (1')- <i>N</i> (2): <i>N</i> (1''')- <i>N</i> (2'')-η-6-[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]-6''-(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonato-bis(naphthalene-2,1'-azobenzene-1,2'-diolato- <i>O</i> (1), <i>O</i> (2'))-chromate; trisodium <i>N</i> (1')- <i>N</i> (2): <i>N</i> (1''')- <i>N</i> (2'')-η-6,6''-bis(1-carbaniloyl-2-hydroxyprop-1-enylazo)-5',5'''-disulfamoyl-3,3''-disulfonato-bis(naphthalene-2,1'-azobenzene-1,2'-diolato- <i>O</i> (1), <i>O</i> (2'))-chromate; trisodium <i>N</i> (1')- <i>N</i> (2): <i>N</i> (1''')- <i>N</i> (2'')-η-6,6''-bis[2-amino-4-(or 6)-hydroxy-(or 4-amino-2-hydroxy)phenylazo]5',5'''-disulfamoyl-3,3''-disulfonato-bis(naphthalene-2,1'-azobenzene-1,2'-diolato- <i>O</i> (1), <i>O</i> (2'))-chromate (2:1:1) | 402-850-1 | —           | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-044-00-0 | <p>reaction mass of: <i>tert</i>-alkyl(C<sub>12</sub>-C<sub>14</sub>)ammonium bis[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C<sub>12</sub>-C<sub>14</sub>)ammonium bis[1-[(2-hydroxy-4-nitrophenyl)azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C<sub>12</sub>-C<sub>14</sub>)ammonium bis[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-chromate(1-);</p> <p><i>tert</i>-alkyl(C<sub>12</sub>-C<sub>14</sub>)ammonium [[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C<sub>12</sub>-C<sub>14</sub>)ammonium [[1-[[5-(1,1-dimethylpropyl)-2-hydroxy-3-nitrophenyl]azo]-2-naphthalenolato(2-)]-[1-[(2-hydroxy-5-nitrophenyl)azo]-2-naphthalenolato(2-)]]-chromate(1-);</p> <p><i>tert</i>-alkyl(C<sub>12</sub>-C<sub>14</sub>)ammonium ((1-(4(or 5)-nitro-2-oxidophenylazo)-2-naphtholato)(1-(3-nitro-2-oxido-5-pentylphenylazo)-2-naphtholato))chromate(1-)</p> | 403-720-7 | 117527-94-3 | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|---|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 611-045-00-6 | 2-[4-[ <i>N</i> -(4-acetoxybutyl)- <i>N</i> -ethyl]amino-2-methylphenylazo]-3-acetyl-5-nitrothiophene   | 404-830-8 | —           | Aquatic Chronic 4   | H413                                    | —                              | H413                            |                                 |                                  |       |
| 611-046-00-1 | 4,4'-diamino-2-methylazobenzene   | 407-590-2 | 43151-99-1  | Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H373 **<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 **<br>H317<br>H410 |                                 |                                  |       |
| 611-047-00-7 | reaction mass of: 2-[[4-[ <i>N</i> -ethyl- <i>N</i> -(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole;<br>2-[[4-[ <i>N</i> -ethyl- <i>N</i> -(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1) | 407-890-3 | 111381-11-4 | Aquatic Chronic 4   | H413                                    | —                              | H413                            |                                 |                                  |       |
| 611-048-00-2 | reaction mass of: 2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-5,6-dichlorobenzothiazole;<br>2-[[4-[bis(2-acetoxyethyl)amino]phenyl]azo]-6,7-dichlorobenzothiazole (1:1)   | 407-900-6 | 111381-12-5 | Aquatic Chronic 4   | H413                                    | —                              | H413                            |                                 |                                  |       |
| 611-049-00-8 | reaction mass of 7-[4-(3-diethylaminopropylamino)-6-(3-diethylammoniopropylamino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-phenylazophenylazo)-naphthalene-2-sulfonate, acetic acid, lactic acid (2:1:1)                   | 408-000-6 | 118658-98-3 | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3                                      | H373 **<br>H317<br>H412                 | GHS08<br>Wng                   | H373 **<br>H317<br>H412         |                                 |                                  |       |



▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-050-00-3 | reaction mass of: pentasodium 7-amino-3-[[4-[[4-[[4-[[4-[[4-((6-amino-1-hydroxy-3-sulfonato-2-naphthyl)azo]-7-sulfonato-1-naphthyl]azo]phenyl]amino]-3-sulfonatophenyl]azo]-6-sulfonato-1-naphthyl]azo]-4-hydroxynaphthalen-2-sulfonate; pentasodium 7-amino-8-[4-[4-[4-[4-(2-amino-5-hydroxy-7-sulfonato-naphthalen-1-ylazo)-7-sulfonatophthalen-1-ylazo]-phenylamino]-3-sulfonato-phenylazo]-6-sulfonato-naphthalen-1-ylazo]-4-hydroxy-naphthalene-2-sulfonate; pentasodium 7-amino-8-[4-[4-[4-[4-(6-amino-1-hydroxy-3-sulfonato-naphthalen-1-ylazo)-7-sulfonatophthalen-1-ylazo]-phenylamino]-3-sulfonato-phenylazo]-6-sulfonato-naphthalen-1-ylazo]-4-hydroxy-naphthalene-2-sulfonate; tetrasodium 7-amino-4-hydroxy-3-[4-[4-[4-(4-hydroxy-7-sulfonato-naphthalen-1-ylazo)-2-sulfonato-phenylamino]phenylazo]-6-sulfonato-naphthalen-1-ylazo]naphthalene-2-sulfonate; | 415-350-3 | —      | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                       | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
|              | tetrasodium 7-amino-4-hydroxy-3-[4-[4-[4-(4-amino-7-sulfonato-naphthalen-1-ylazo)-2-sulfonato-phenylamino]phenylazo]-6-sulfonato-naphthalen-1-ylazo]naphthalene-2-sulfonate |           |             |   |                              |                                |                              |                                 |                                  |       |
| 611-051-00-9 | 2-(4-( <i>N</i> -ethyl- <i>N</i> -(2-hydroxy)ethyl)amino-2-methylphenyl)azo-6-methoxy-3-methyl-benzothiazolium chloride   | 411-110-7 | 136213-74-6 | Aquatic Acute 1<br>Aquatic Chronic 1                    | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 611-052-00-4 | monosodium aqua-[5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalensulfonate], iron complex   | 400-720-9 | —           | Aquatic Chronic 3                                       | H412                         | —                              | H412                         |                                 |                                  |       |
| 611-053-00-X | 2,2'-azobis[2-methylpropion-amidine] dihydrochloride  | 221-070-0 | 2997-92-4   | Acute Tox. 4 *<br>Skin Sens. 1                          | H302<br>H317                 | GHS07<br>Wng                   | H302<br>H317                 |                                 |                                  |       |
| 611-055-00-0 | C.I. Disperse Yellow 3;<br><i>N</i> -[4-[(2-hydroxy-5-methylphenyl)azo]phenyl]acetamide   | 220-600-8 | 2832-40-8   | Carc. 2<br>Skin Sens. 1                                 | H351<br>H317                 | GHS08<br>GHS07<br>Wng          | H351<br>H317                 |                                 |                                  |       |
| 611-056-00-6 | C.I. Solvent Yellow 14;<br>1-phenylazo-2-naphthol   | 212-668-2 | 842-07-9    | Carc. 2<br>Muta. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H351<br>H341<br>H317<br>H413 | GHS08<br>GHS07<br>Wng          | H351<br>H341<br>H317<br>H413 |                                 |                                  |       |
| 611-057-00-1 | 6-hydroxy-1-(3-isopropoxypropyl)-4-methyl-2-oxo-5-[4-(phenylazo)phenylazo]-1,2-dihydro-3-pyridinecarbonitrile   | 400-340-3 | 85136-74-9  | Carc. 1B<br>Aquatic Chronic 4                           | H350<br>H413                 | GHS08<br>Wng                   | H350<br>H413                 |                                 |                                  |       |

## ▼ B

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-058-00-7 | (6-(4-hydroxy-3-(2-methoxyphenylazo)-2-sulfonato-7-naphthylamino)-1,3,5-triazin-2,4-diyl)bis[(amino-1-methyl-ethyl)ammonium] formate  | 402-060-7 | 108225-03-2 | Carc. 1B<br>Eye Dam. 1<br>Aquatic Chronic 2     | H350<br>H318<br>H411     | GHS08<br>GHS05<br>GHS09<br>Dgr | H350<br>H318<br>H411     |                                 |                                  |       |
| 611-059-00-2 | octasodium 2-(6-(4-chloro-6-(3-(N-methyl-N-(4-chloro-6-(3,5-disulfonato-2-naphthylazo)-1-hydroxy-6-naphthylamino)-1,3,5-triazin-2-yl)amino-methyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,5-disulfonato-1-hydroxy-2-naphthylazo)naphthalene-1,5-disulfonate   | 412-960-1 | 148878-21-1 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412     | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |
| 611-060-00-8 | reaction mass of: sodium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]-isophthalate; | 413-180-4 | 187285-15-0 | Eye Dam. 1                                      | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonaphthalen-2-ylazo]-isophthalic acid                            |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 611-061-00-3 | disodium 5-[5-[4-(5-chloro-2,6-difluoropyrimidin-4-ylamino)benzamido]-2-sulfonatophenylazo]-1-ethyl-6-hydroxy-4-methyl-2-oxo-3-pyridylmethylsulfonate  | 412-530-3 | —           | Eye Dam. 1<br>Skin Sens. 1        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 611-062-00-9 | octasodium 2-(8-(4-chloro-6-(3-((4-chloro-6-(3,6-disulfonato-2-(1,5-disulfonatonaphthalen-2-ylazo)-1-hydroxynaphthalen-8-ylamino)-1,3,5-triazin-2-yl)aminomethyl)phenylamino)-1,3,5-triazin-2-ylamino)-3,6-disulfonato-1-hydroxynaphthalen-2-ylazo)naphthalene-1,5-disulfonate | 413-550-5 | —           | Skin Irrit. 2<br>Eye Dam. 1       | H315<br>H318             | GHS05<br>Dgr                   | H315<br>H318             |                                 |                                  |       |
| 611-063-00-4 | trisodium [4'-(8-acetylamino-3,6-disulfonato-2-naphthylazo)-4''-(6-benzoylamino-3-sulfonato-2-naphthylazo)-biphenyl-1,3',3'',1'''-tetraolato-O,O',O'',O''']copper(II)  | 413-590-3 | 164058-22-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 611-064-00-X        | 4-(3,4-dichlorophenylazo)-2,6-di- <i>sec</i> -butyl-phenol  | 410-600-8 | 124719-26-2 | STOT RE 2 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H373 **<br>H315<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 **<br>H315<br>H410                 |                                 |                                  |       |
| 611-065-00-5        | 4-(4-nitrophenylazo)-2,6-di- <i>sec</i> -butyl-phenol   | 410-610-2 | 111850-24-9 | STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H373 **<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H373 **<br>H319<br>H315<br>H317<br>H410 |                                 |                                  |       |
| 611-066-00-0        | tetrasodium 5-[4-chloro-6-( <i>N</i> -ethyl-anilino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(1,5-disulfonatophthalen-2-ylazo)-naphthalene-2,7-disulfonate   | 411-540-5 | 130201-57-9 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2  | H318<br>H317<br>H411                            | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411                    |                                 |                                  |       |
| ▼M1<br>611-067-00-6 | reaction mass of: bis(tris(2-(2-hydroxy(1-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate;<br>bis(tris(2-(2-hydroxy(2-methyl)ethoxy)ethyl)ammonium) 7-anilino-4-hydroxy-3-(2-methoxy-5-methyl-4-(4-sulfonatophenylazo)phenylazo)naphthalene-2-sulfonate | 406-910-8 | —           | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412                                    | GHS07<br>Wng                   | H302<br>H412                            |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-068-00-1 | tetrasodium 4-amino-3,6-bis(5-[4-chloro-6-(2-hydroxyethylamino)-1,3,5-triazin-2-ylamino]-2-sulfonatophenylazo)-5-hydroxynaphthalene-2,7-disulfonate   | 400-690-7 | 85665-98-1  | Aquatic Chronic 2                                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-069-00-7 | <i>N,N</i> -di-[poly(oxyethylene)-copoly(oxypropylene)]-4-[(3,5-dicyano-4-methyl-2-thienyl)azo]-3-methylaniline   | 413-380-1 | —           | Aquatic Chronic 2                                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-070-00-2 | reaction mass of: disodium (6-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)(1-(5-chloro-2-oxidophenylazo)-2-naphtholato)chromate(1-); trisodium bis(5-(4-anisidino)-3-sulfonato-2-(3,5-dinitro-2-oxidophenylazo)-1-naphtholato)chromate(1-) | 405-665-4 | —           | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 611-071-00-8 | tris(tetramethylammonium) 5-hydroxy-1-(4-sulphonatophenyl)-4-(4-sulphonatophenylazo)pyrazole-3-carboxylate  | 406-073-9 | 131013-81-5 | Acute Tox. 3 *<br>Aquatic Chronic 3                  | H301<br>H412             | GHS06<br>Dgr                   | H301<br>H412             |                                 |                                  |       |
| 611-072-00-3 | 2,4-bis[2,2'-(2-( <i>N,N</i> -dimethylethylloxycarbonyl)phenylazo)]-1,3-dihydroxybenzene, dihydrochloride   | 407-010-8 | 118208-02-9 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2    | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-073-00-9 | dimethyl 3,3'-( <i>N</i> -(4-(4-bromo-2,6-dicyanophenylazo)-3-hydroxyphenyl)imino)dipropionate  | 407-310-9 | 122630-55-1 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 611-074-00-4 | reaction mass of: sodium/potassium (3-(4-(5-(5-chloro-2,6-difluoropyrimidin-4-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II);<br>sodium/potassium (3-(4-(5-(5-chloro-4,6-difluoropyrimidin-2-ylamino)-2-methoxy-3-sulfonatophenylazo)-2-oxidophenylazo)-2,5,7-trisulfonato-4-naphtholato)copper(II)                           | 407-100-7 | —           | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-075-00-X | reaction mass of: tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(2-amino-4-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate;<br>tris(3,5,5-trimethylhexylammonium) 4-amino-3-(4-(4-(4-amino-2-hydroxyphenylazo)anilino)-3-sulfonatophenylazo)-5,6-dihydro-5-oxo-6-phenylhydrazononaphthalene-2,7-disulfonate (2:1) | 406-000-0 | —           | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-076-00-5 | 3-(2,6-dichloro-4-nitrophenylazo)-1-methyl-2-phenylindole  | 406-280-4 | 117584-16-4 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 611-077-00-0 | dilithium disodium (5,5'-diamino-(μ-4,4'-dihydroxy-1:2-κ-2, O4, O4', -3,3'-[3,3'-dihydroxy-1:2-κ-2-O3, O3'-biphenyl-4,4'-ylenebisazo-1:2-(N3, N4-η: N3', N4'-η)]-dinaphthalene-2,7-disulfonato(8)))dicuprate(2-) | 407-230-4 | 126637-70-5 | Acute Tox. 4 *<br>Skin Sens. 1       | H302<br>H317             | GHS07<br>Wng                   | H302<br>H317             |                                 |                                  |       |
| 611-078-00-6 | (2,2'-(3,3'-dioxidobiphenyl-4,4'-diyldiazo)bis(6-(4-(3-(diethylamino)propylamino)-6-(3-(diethylammonio)propylamino)-1,3,5-triazin-2-ylamino)-3-sulfonato-1-naphtholato))dicopper(II) acetate lactate             | 407-240-9 | 159604-94-1 | Skin Sens. 1<br>Aquatic Chronic 2    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 611-079-00-1 | disodium 7-[4-chloro-6-(N-ethyl-o-toluidino)-1,3,5-triazin-2-ylamino]-4-hydroxy-3-(4-methoxy-2-sulfonatophenylazo)-2-naphthalenesulfonate  | 410-390-8 | 147703-64-8 | Eye Dam. 1                           | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-080-00-7 | sodium 3-(2-acetamido-4-(4-(2-hydroxybutoxy)phenylazo)phenylazo)benzenesulfonate   | 410-150-2 | 147703-65-9 | Skin Sens. 1                         | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                 |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)              | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-081-00-2 | tetrasodium [7-(2,5-dihydroxy-KO2-7-sulfonato-6-[4-(2,5,6-trichloro-pyrimidin-4-ylamino)phenylazo]-(N1,N7-N)-1-naphthylazo)-8-hydroxy-KO8-naphthalene-1,3,5-trisulfonato(6-)]cuprate(II)   | 411-470-5 | 141048-13-7 | Skin Sens. 1<br>Aquatic Chronic 3              | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 611-082-00-8 | reaction mass of: pentasodium bis(1-(3(or 5)-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)ferrate(1-);<br>pentasodium [(1-(3-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato)-(5-(4-anilino-3-sulfonatophenylazo)-4-hydroxy-2-oxidophenylazo)-6-nitro-4-sulfonato-2-naphtholato]ferrate(1-) | 407-570-3 | —           | Aquatic Chronic 2                              | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-083-00-3 | reaction mass of: 2-[N-ethyl-4-[(5,6-dichlorobenzothiazol-2-yl)azo]-m-toludino]ethyl acetate; 2-[N-ethyl-4-[(6,7-dichlorobenzothiazol-2-yl)azo]-m-toludino]ethyl acetate (1:1)   | 411-560-4 | —           | STOT RE 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H372 **<br>H317<br>H411  | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 **<br>H317<br>H411  |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <u>M1</u>  |   |           |        |                                   |                          |                                |                          |                                 |                                  |       |
| ▼ <u>B</u>   |   |           |        |                                   |                          |                                |                          |                                 |                                  |       |
| 611-085-00-4 | reaction mass of: 3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-(2-hydroxy-ethylamino)-4-methyl-6-[3-(2-phenoxyethoxy)propylamino]pyridine;<br>3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-(2-hydroxy-ethylamino)-4-methyl-2-[3-(2-phenoxyethoxy)propylamino]pyridine;<br>3-cyano-5-(2-cyano-4-nitro-phenylazo)-2-amino-4-methyl-6-[3-(3-hydroxypropoxy)propylamino]pyridine;<br>3-cyano-5-(2-cyano-4-nitro-phenylazo)-6-amino-4-methyl-2-[3-(3-methoxypropoxy)propylamino]pyridine | 411-880-4 | —      | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 611-086-00-X | monolithium 5-[[2,4-dihydroxy-5-[(2-hydroxy-3,5-dinitrophenyl)azo]phenyl]azo]-2-naphthalenesulfonate], iron complex, monohydrate  | 411-360-7 | —      | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 611-087-00-5 | reaction mass of: 3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxyl-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-phenoxyethane;<br>3-((5-cyano-1,6-dihydro-1,4-dimethyl-2-hydroxy-6-oxo-3-pyridinyl)azo)-benzoyloxy-2-ethyloxy-2-(ethylphenol)   | 411-710-9 | —           | Aquatic Chronic 4  | H413                                 | —                              | H413                                 |                                 |                                  |       |
| 611-088-00-0 | reaction mass of: trilithium 4-amino-3-((4-((2-amino-4-hydroxyphenyl)azo)phenyl)amino)-3-sulfophenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate;<br>trilithium 4-amino-3-((4-((4-amino-2-hydroxyphenyl)azo)phenyl)amino)-3-sulfophenyl)azo)-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulfonate | 411-890-9 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                                  | H302<br>H318<br>H412                 | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412                 |                                 |                                  |       |
| 611-089-00-6 | 2-((4-(ethyl-(2-hydroxyethyl)amino)-2-methylphenyl)azo)-6-methoxy-3-methylbenzothiazolium methylsulfate   | 411-100-2 | 136213-73-5 | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H373 **<br>H317<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Wng | H373 **<br>H317<br>H410              |                                 |                                  |       |
| 611-090-00-1 | 2,5-dibutoxy-4-(morpholin-4-yl)benzenediazonium 4-methylbenzenesulfonate  | 413-290-2 | 93672-52-7  | Self-react. C<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H242<br>H302<br>H318<br>H317<br>H412 | GHS02<br>GHS05<br>GHS07<br>Dgr | H242<br>H302<br>H318<br>H317<br>H412 |                                 |                                  | T     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-091-00-7 | sodium (1,0-1,95)/lithium (0,05-1) 5-((5-((5-chloro-6-fluoropyrimidin-4-yl)amino)-2-sulfonatophenyl)azo)-1,2-dihydro-6-hydroxy-1,4-dimethyl-2-oxo-3-pyridinemethylsulfonate  | 413-470-0 | 134595-59-8 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-092-00-2 | <i>tert</i> -(dodecyl/tetradecyl)-ammonium bis(3-(4-((5-(1,1-dimethyl-propyl)-2-hydroxy-3-nitrophenyl)azo)-3-methyl-5-hydroxy-(1 <i>H</i> )pyrazol-1-yl)benzenesulfonamidato)chromate  | 413-210-6 | —           | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-093-00-8 | sodium 2-(4-(4-fluoro-6-(2-sulfo-ethylamino)-[1,3,5]triazin-2-ylamino)-2-ureido-phenylazo)-5-(4-sulfophenylazo)benzene-1-sulfonate   | 410-770-3 | 146177-84-6 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-094-00-3 | reaction mass of: 2-[2-acetylamino-4-[ <i>N,N</i> -bis[2-ethoxy-carbonyloxy)ethyl]amino]phenylazo]-5,6-dichloro-1,3-benzothiazole; 2-[2-acetylamino-4-[ <i>N,N</i> -bis[2-ethoxy-carbonyloxy)ethyl]amino]phenylazo]-6,7-dichloro-1,3-benzotriazole (1:1) | 411-600-0 | 143145-93-1 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-095-00-9 | hexasodium 1,1'-[(1-amino-8-hydroxy-3,6-disulfonate-2,7-naphthalenediyl)bis(azo(4-sulfonate-1,3-phenyl)imino[6-[(4-chloro-3-sulfonatophenyl)amino]-1,3,5-triazin-2,4-diy]]]bis[3-carboxypyridinium] dihydroxide   | 412-240-7 | 89797-03-5  | Aquatic Chronic 2                   | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-096-00-4 | methyl <i>N</i> -[3-acetylamino)-4-(2-cyano-4-nitrophenylazo)phenyl]- <i>N</i> -[(1-methoxy)acetyl]glycinate  | 413-040-2 | 149850-30-6 | Skin Sens. 1                        | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-097-00-X | reaction mass of iron complexes of: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -(5-amino-sulfonyl-2-hydroxyphenylazo)benzene and: 1,3-dihydroxy-4-[(5-phenylaminosulfonyl)-2-hydroxyphenylazo]- <i>n</i> -[4-(4-nitro-2-sulfophenylamino)phenylazo]benzene ( <i>n</i> =2,5,6) | 414-150-3 | —           | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 611-098-00-5 | tetrakis(tetramethylammonium)3,3'-(6-(2-hydroxyethylamino)1,3,5-triazine-2,4-diylbisimino(2-methyl-4,1-phenyleneazo))bisanthracene-1,5-disulfonate  | 405-950-3 | 131013-83-7 | Acute Tox. 3 *<br>Aquatic Chronic 3 | H301<br>H412             | GHS06<br>Dgr                   | H301<br>H412             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-099-00-0 | (methylenebis(4,1-phenyl- enazo(1-(3-(dimethyl- amino)propyl)-1,2-dihydro-6- hydroxy-4-methyl-2- oxopyridine-5,3-diyl)))-1,1'- dipyridinium dichloride dihy- drochloride  | 401-500-5 | 118658-99-4 | Carc. 1B<br>Aquatic Chronic 2     | H350<br>H411             | GHS08<br>GHS09<br>Dgr          | H350<br>H411             |                                 |                                  |       |
| 611-100-00-4 | potassium sodium 3,3'-(3(or4)- methyl-1,2-phenylene- bis(imino(6-chloro)-1,3,5- triazine-4,2-diylimino(2-acet- amido-5-methoxy)-4,1-phenyl- enazo)dinaphthalene-1,5- disulfonate  | 403-810-6 | 140876-13-7 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-101-00-X | 2'-(4-chloro-3-cyano-5-formyl- 2-thienyl)azo-5'-diethylamino- acetanilide   | 405-200-5 | 104366-25-8 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-102-00-5 | reaction product of: C.I. Leuco Sulfur Black 1 and reaction mass of: disodium-4-[4-]8- amino-1-hydroxy-7-(4-sulfa- moylphenylazo)-3,6- disulfonato-2-naphthylazo {]phe- nylsulfonylamino{]benzendiazo- niumchlorid; disodium-4-[4-]2,6-dihy- droxy-3-(8-hydroxy-3,6- disulfonato-1-naphthy- lazo)phenylazo {]phenylsulfony- lamino{]benzen-diazoniumch- lorid | 424-500-7 | —           | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼M1

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-103-00-0 | trisodium (1-(3-carboxylato-2-oxido-5-sulfonatophenylazo)-5-hydroxy-7-sulfonatophthalen-2-amido)nickel(II)  | 407-110-1 | —      | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H318<br>H317<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411     |                                 |                                  |       |
| 611-104-00-6 | reaction mass of: trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2or 6)-(4-(4-nitro-2-sulfonatoanilino)phenylazo)phenolato)ferrate(1-); trisodium bis(2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(4-nitro-2-sulfonatophenylazo)phenolato)ferrate(1-); trisodium (2,4(or 2,6 or 4,6)-bis(3,5-dinitro-2-oxidophenylazo)-5-hydroxyphenolato)(2(or 4 or 6)-(3,5-dinitro-2-oxidophenylazo)-5-hydroxy-4(or 2 or 6)-(3-sulfonatophenylazo)phenolato)ferrate(1-); disodium 3,3'-(2,4-dihydroxy-1,3(or 1,5 or 3,5)-phenylene-diazo)dibenzene-sulfonate | 406-870-1 | —      | Skin Sens. 1<br>Aquatic Chronic 2               | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-105-00-1 | sodium 4-(4-chloro-6-( <i>N</i> -ethylamino)-1,3,5-triazin-2-ylamino)-2-(1-(2-chlorophenyl)-5-hydroxy-3-methyl-1 <i>H</i> -pyrazol-4-ylazo)benzenesulfonate   | 407-800-2 | 136213-75-7 | Skin Sens. 1<br>Aquatic Chronic 2 | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 611-106-00-7 | hexasodium 4,4'-dihydroxy-3,3'-bis[2-sulfonato-4-(4-sulfonatophenylazo)phenylazo]-7,7'[ <i>p</i> -phenylenebis[imino(6-chloro-1,3,5-triazine-4,2-diyl)imino]]dinaphthalene-2-sulfonate  | 410-180-6 | 157627-99-1 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-107-00-2 | potassium sodium 4-(4-chloro-6-(3,6-disulfonato-7-(5,8-disulfonato-naphthalen-2-ylazo)-8-hydroxy-naphthalen-1-ylamino)-1,3,5-triazin-2-ylamino)-5-hydroxy-6-(4-(2-sulfatoethanesulfonyl)-phenylazo)-naphthalene-1,7-disulfonate | 412-490-7 | —           | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-108-00-8 | disodium 5-(((4-(4-chloro-3-sulfonatophenyl)azo)-1-naphthyl)azo)-8-(phenylamino)-1-naphthalenesulfonate   | 413-600-6 | 6527-62-4   | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 611-109-00-3 | reaction products of: copper(II) sulfate and tetrasodium 2,4-bis[6-(2-methoxy-5-sulfonatophenylazo)-5-hydroxy-7-sulfonato-2-naphthylamino]-6-(2-hydroxyethylamino)-1,3,5-triazine (2:1)   | 407-710-3 | —           | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-110-00-9 | tetra-sodium/lithium 4,4'-bis-(8-amino-3,6-disulfonato-1-naphthol-2-ylazo)-3-methylazobenzene   | 408-210-8 | 124605-82-9 | Skin Sens. 1<br>Aquatic Chronic 2                 | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 611-111-00-4 | disodium 2-[[4-(2-chloroethylsulfonyl)phenyl]-[(2-hydroxy-5-sulfo-3-[3-[2-(2-(sulfooxy)ethylsulfonyl)ethylazo]-4-sulfobenzoato(3-)cuprate(1-)   | 414-230-8 | —           | Skin Sens. 1                                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-112-00-X | tetrasodium 4-hydroxy-5-[4-[3-(2-sulfatoethanesulfonyl)phenylamino]-6-morpholin-4-yl-1,3,5-triazin-2-ylamino]-3-(1-sulfonato-naphthalen-2-ylazo)naphthalene-2,7-disulfonate   | 413-070-6 | —           | Skin Sens. 1                                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-113-00-5 | lithium sodium (2-(((5-((2,5-dichlorophenyl)azo)-2-hydroxyphenyl)methylene)amino)benzoato(2-))(2-((4,5-dihydro-3-methyl-5-oxo-1-phenyl-1H-pyrazol-4-yl)azo)-5-sulfobenzoato(3-)) chromate(2-)                             | 414-280-0 | 149626-00-6 | Aquatic Chronic 2                                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-114-00-0 | lithium sodium (4-((5-chloro-2-hydroxyphenyl)azo)-2,4-dihydro-5-methyl-3H-pyrazol-3-onato(2-))(3-((4,5-dihydro-3-methyl-1-(4-methylphenyl)-5-oxo-1H-pyrazol-4-yl)azo)-4-hydroxy-5-nitrobenzenesulfonato(3-)) chromate(2-) | 414-250-7 | 149564-66-9 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3 | H302<br>H318<br>H412     | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-115-00-6 | trilithium bis(4-((4-(diethylamino)-2-hydroxyphenyl)azo)-3-hydroxy-1-naphthalenesulfonato(3-))chromate(3-)   | 414-290-5 | 149564-65-8 | Acute Tox. 4 *<br>Aquatic Chronic 3 | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 611-116-00-1 | <p>reaction mass of: trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate;</p> <p>trisodium 5-{4-chloro-6-[2-(2,6-dichloro-5-cyanopyrimidin-4-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalene-2-ylazo)-naphthalene-2,7-disulfonate;</p> <p>trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-propylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate;</p> <p>trisodium 5-{4-chloro-6-[2-(4,6-dichloro-5-cyanopyrimidin-2-ylamino)-1-methyl-ethylamino]-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfonatonaphthalen-2-ylazo)-naphthalene-2,7-disulfonate</p> | 414-620-8 | —           | Eye Dam. 1<br><br>Skin Sens. 1      | H318<br><br>H317         | GHS05<br><br>GHS07<br><br>Dgr  | H318<br><br>H317         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-117-00-7 | 1,3-bis{6-fluoro-4-[1,5-disulfo-4-(3-aminocarbonyl-1-ethyl-6-hydroxy-4-methyl-pyrid-2-on-5-ylazo)-phenyl-2-ylamino]-1,3,5-triazin-2-ylamino}propane lithium-, sodium salt                        | 415-100-3 | 149850-29-3 | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-118-00-2 | sodium 1,2-bis[4-[4-(4-sulfophenylazo)-2-sulfophenylazo]-2-ureido-phenyl-amino]-6-fluoro-1,3,5-triazin-2-ylamino]-propane, sodium salt   | 413-990-8 |             | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 611-119-00-8 | tetrasodium 4-[4-chloro-6-(4-methyl-2-sulfophenylamino)-1,3,5-triazin-2-ylamino]-6-(4,5-dimethyl-2-sulfophenylazo)-5-hydroxynaphthalene-2,7-disulfonate  | 415-400-4 | 148878-22-2 | Eye Dam. 1<br>Skin Sens. 1        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 611-120-00-3 | 5-{4-[5-amino-2-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-sulfo-phenylamino]-6-chloro-1,3,5-triazin-2-ylamino}-4-hydroxy-3-(1-sulfo-naphthalen-2-ylazo)-naphthalene-2,7-disulfonicacid sodium salt | 418-340-7 | 157707-94-3 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-121-00-9 | main component 6 (isomer): asym. 1:2 Cr(III)-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)phenylazo]naphthalene-2-ol;<br>main component 8 (isomer): asym. 1:2 Cr-complex of: A: 3-hydroxy-4-(2-hydroxy-naphthalene-1-ylazo)-naphthalene-1-sulfonic acid, Na-salt and B: 1-[2-hydroxy-5-(4-methoxy-phenylazo)-phenylazo]-naphthalene-2-ol | 417-280-9 | 30785-74-1  | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410     | GHS05<br>GHS09<br>Dgr          | H318<br>H410             |                                 |                                  |       |
| 611-122-00-4 | hexasodium (di[N-(3-(4-[5-(5-amino-3-methyl-1-phenylpyrazol-4-yl-azo)-2,4-disulfonanilino]-6-chloro-1,3,5-triazin-2-ylamino)phenyl)-sulfamoyl](disulfo)-phthalocyaninato)nickel   | 417-250-5 | 151436-99-6 | Eye Dam. 1<br>Skin Sens. 1                         | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 611-123-00-X | 3-(2,4-bis(4-((5-(4,6-bis(2-aminopropylamino)-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-disulfonaphthalen-3-yl)azo)phenylamino)-1,3,5-triazin-6-ylamino)propyldiethylammonium lactate  | 424-310-4 | 178452-66-9 | Eye Dam. 1   | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-124-00-5 | reaction mass of: pentasodium 5-amino-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate;<br>pentasodium 5-amino-6-[5-(2-bromoacryloylamino)-2-sulfonatophenylazo]-3-(5-{4-chloro-6-[4-(2-sulfoxyethoxysulfonato)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate;<br>tetrasodium 5-amino-3-[5-{4-chloro-6-[4-(vinylsulfonyl)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo]-6-[5-(2,3-dibromopropionylamino)-2-sulfonatophenylazo]-4-hydroxynaphthalene-2,7-disulfonate | 424-320-9 |        | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| 611-125-00-0 | reaction mass of: Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(ethansulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex;  | 423-940-7 | —      | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | Disodium 6-[3-carboxy-4,5-dihydro-5-oxo-4-sulfonatophenyl]pyrazolin-4-yl-azo]-3-[2-oxido-4-(2-hydroxyethylsulfonyl)-5-methoxyphenylazo]-4-oxidonaphthalene-2-sulfonate copper (II) complex                 |           |             |  |                          |                                |                          |                                 |                                  |       |
| 611-126-00-6 | 2,6-bis-(2-(4-(4-amino-phenylamino)-phenylazo)-1,3-dimethyl-3 <i>H</i> -imidazolium)-4-dimethylamino-1,3,5-triazine, dichloride  | 424-120-1 | 174514-06-8 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H400<br>H410     | GHS05<br>GHS09<br>Dgr          | H318<br>H410             |                                 |                                  |       |
| 611-127-00-1 | pentasodium 4-amino-6-(5-(4-(2-ethyl-phenylamino)-6-(2-sulfatoethanesulfonyl)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxy-3-(4-(2-sulfatoethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate | 423-790-2 | —           | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3    | H318<br>H317<br>H412     | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  | G     |
| 611-128-00-7 | <i>N,N'</i> -bis{6-chloro-4-[6-(4-vinylsulfonylphenylazo)-2,7-disulfonicacid-5-hydroxynaphth-4-ylamino]-1,3,5-triazin-2-yl}- <i>N</i> -(2-hydroxyethyl)ethane-1,2-diamine, sodium salt                     | 419-500-9 | 171599-85-2 | Eye Dam. 1<br>Skin Sens. 1                         | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 611-129-00-2 | reaction mass of: 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-2-[(3-phosphonophenyl)azo]benzoic acid; 5-[(4-[(7-amino-1-hydroxy-3-sulfo-2-naphthyl)azo]-2,5-diethoxyphenyl)azo]-3-[(3-phosphonophenyl)azo]benzoic acid | 418-230-9 | 163879-69-4 | Expl. 1.3 ****<br>Repr. 2<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H203<br>H361f ***<br>H373 **<br>H317<br>H411 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H203<br>H361f ***<br>H373 **<br>H317<br>H411 |                                 |                                  |       |
| 611-130-00-8 | tetra-ammonium 2-[6-[7-(2-carboxylato-phenylazo)-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazin-2-ylamino]benzoate   | 418-520-5 | 183130-96-3 | Eye Irrit. 2<br>Aquatic Chronic 3   | H319<br>H412                                 | GHS07<br>Wng                            | H319<br>H412                                 |                                 |                                  |       |
| 611-131-00-3 | 2-[2-hydroxy-3-(2-chlorophenyl)carbamoyl-1-naphthylazo]-7-[2-hydroxy-3-(3-methylphenyl)carbamoyl-1-naphthylazo]fluoren-9-one   | 420-580-2 | 151798-26-4 | Repr. 1B<br>Aquatic Chronic 4   | H360D ***<br>H413                            | GHS08<br>Dgr                            | H360D ***<br>H413                            |                                 |                                  |       |
| 611-132-00-9 | pentasodium bis{7-[4-(1-butyl-5-cyano-1,2-dihydro-2-hydroxy-4-methyl-6-oxo-3-pyridylazo)phenylsulfonfylamino]-5'-nitro-3,3'-disulfonatonaphthalene-2-azobenzene-1,2'-diolato} chromate (III)   | 419-210-2 | 178452-71-6 | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412                                 | GHS05<br>Dgr                            | H318<br>H412                                 |                                 |                                  |       |

▼M1▼B

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-133-00-4 | Product by process iron complex of azo dyestuffs obtained by coupling a mixture of diazotized 2-amino-1-hydroxybenzene-4-sulfanilide and 2-amino-1-hydroxybenzene-4-sulfonamide with resorcin, the obtained mixture being subsequently submitted to a second coupling reaction with a mixture of diazotized 3-aminobenzene-1-sulfonic acid (metanilic acid) and 4'-amino-4-nitro-1,1'-diphenylamine-2-sulfonic acid and metallization with ferric chloride, sodium salt | 419-260-5 | —      | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| 611-134-00-X | trisodium 2- $\alpha$ [2-hydroxy-3-[4-chloro-6-[4-(2,3-dibromopropionylamino)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino]-5-sulfonatophenylazo]-benzylidenehydrazino}-4-sulfonatobenzoate, copper complex  | 423-770-3 | —      | Eye Dam. 1<br>Aquatic Chronic 2   | H318<br>H411             | GHS05<br>GHS09<br>Dgr          | H318<br>H411             |                                 |                                  |       |
| 611-135-00-5 | reaction product of: 2-[[4-amino-2-ureidophenylazo]-5-[(2-(sulfoxy)ethyl)sulfonyl]]benzenesulfonic acid with 2,4,6-trifluoropyrimidine and partial hydrolysis to the corresponding vinylsulfonyl derivative, mixed potassium/sodium salt  | 424-250-9 | —      | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |



▼**B**

| Index No     | International Chemical Identification   | EC No   | CAS No      | Classification                             |   | Labelling                         |                           |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|-------------|--|---|-----------------------------------|---------------------------|---------------------------------|----------------------------------|-------|
|              |   |   |             | Hazard Class and Category Code(s)          | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)    | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 611-136-00-0 | 2-{4-(2-ammoniopropylamino)-6-[4-hydroxy-3-(5-methyl-2-methoxy-4-sulfamoylphenylazo)-2-sulfonatophenylamino]-1,3,5-triazin-2-ylamino}-2-aminopropyl formate | 424-260-3   | —           | Repr. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H361f ***<br>H318<br>H411                                       | GHS05<br>GHS08<br>GHS09<br>Dgr    | H361f ***<br>H318<br>H411 |                                 |                                  |       |
| 611-137-00-6 | 6- <i>tert</i> -butyl-7-chloro-3-tridecyl-7,7a-dihydro-1 <i>H</i> -pyrazolo[5,1-c]-1,2,4-triazole   | 419-870-1   | 159038-16-1 | Aquatic Chronic 4                          | H413  | —                                 | H413                      |                                 |                                  |       |
| 611-138-00-1 | 2-(4-aminophenyl)-6- <i>tert</i> -butyl-1 <i>H</i> -pyrazolo[1,5-b][1,2,4]triazole  | 415-910-7   | 152828-25-6 | Skin Sens. 1<br>Aquatic Chronic 2          | H317<br>H411  | GHS07<br>GHS09<br>Wng             | H317<br>H411              |                                 |                                  |       |
| ▼ <b>M1</b>  | 611-139-00-7  | reaction product of: C.I. Leuco Sulfur Black 1 with (3-chloro-2-hydroxypropyl)trimethylammonium chloride  | 424-510-1   | —  | Eye Dam. 1<br>Aquatic Chronic 2                                 | H318<br>H411                      | GHS05<br>GHS09<br>Dgr     | H318<br>H411                    |                                  |       |
| ▼ <b>B</b>   | 611-140-00-2  | azafenidin (ISO); 2-(2,4-dichloro-5-prop-2-ynylphenoxyphenyl)-5,6,7,8-tetrahydro-1,2,4-triazolo[4,3-a]pyridin-3(2 <i>H</i> )-one                            | —           | 68049-83-2                                 | Repr. 1B<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360Df<br>H373 **<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr     | H360Df<br>H373 **<br>H410       | M = 1 000                        |       |
| ▼ <b>M1</b>  | 611-141-00-8  | 5-(4-[4-[4-(3,5-dicarboxyphenyl-azo)phenylamino]-6-morpholin-4-yl]-1,3,5-triazin-2-ylamino]phenylazo)isophthalic acid, mixed monosodium and diammonium salt | 414-410-6   | —  | Eye Dam. 1<br>Skin Sens. 1                                      | H318<br>H317                      | GHS05<br>GHS07<br>Dgr     | H318<br>H317                    |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-142-00-3 | product-by-process definition polyazodyestuff obtained by coupling 4-[4-(1-amino-8-hydroxy-3,6-disulfo-2-naphthylazo)phenylsulfonylamino]benzenediazonium with reaction mass of 4-carboxybenzenediazonium and diphenylamine-3-sulfo-4,4'-bisdiazonium, and further coupling of the obtained compounds with reaction mass of naphth-2-ol and 3-aminophenol, sodium salts; sodium chloride       | 425-740-5 | —      | Eye Dam. 1<br>Aqatic Chronic 3    | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 611-143-00-9 | reaction mass of: trisodium 2-(2-[ $\alpha$ -(2-carboxylato- $\kappa$ -O-4-sulfonatophenylazo)benzylidene]hydrazino- $\kappa$ -N')-6-(2,6-difluoropyrimidin-4-ylamino)-4-sulfonatophenolatocuprate (II); trisodium 2-(2-[ $\alpha$ -(2-carboxylato- $\kappa$ -O-4-sulfonatophenylazo)benzylidene]hydrazino- $\kappa$ -N')-6-(4,6-difluoropyrimidin-2-ylamino)-4-sulfonatophenolatocuprate (II) | 428-260-4 | —      | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-144-00-4 | reaction mass of: 7-amino-3,8-bis-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-hydroxynaphthalene-2-sulfonic acid, Na/K salt;<br>7-amino-3-[4-(2-sulfoxyethylsulfonyl)phenylazo]-4-hydroxy-8-[4-(2-sulfoxyethylsulfonyl)-2-sulfophenylazo]naphthalene-2-sulfonic acid, Na/K salt;<br>7-amino-8-[4-(2-sulfoxyethylsulfonyl)-phenylazo]-4-hydroxy-3-[4-(2-sulfoxyethylsulfonyl)-2-sulfophenylazo]naphthalene-2-sulfonic acid, Na/K salt;<br>7-amino-3,8-bis-[4-(2-sulfoxyethylsulfonyl)-2-sulfophenylazo]-4-hydroxynaphthalene-2-sulfonic acid, Na/K salt | 429-070-4 | 214362-06-8 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-145-00-X | reaction mass of: tetrasodium 3-(1,5-disulfonatophthalene-2-ylazo)-4-hydroxy-7-{[4-chloro-6-{}]4-(2-sulfoxyethylsulfonyl)phenylamino{}]-1,3,5-triazine-2-ylamino{}}naphthalene-2-sulfonate;<br>3-(2,5-disulfophenylazo)-4-hydroxy-7-{[4-chloro-6-{}]4-(2-sulfoxyethylsulfonyl)phenylamino{}]-1,3,5-triazine-2-ylamino{}}naphthalene-2-sulfonic acid, sodium salt   | 429-440-5 | —           | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-146-00-5 | reaction mass of: pentasodium 3-(4-(4-(7-(2,4-diamino-5-sulfonato-3-(4-sulfonatophenylazo)phenylazo)-1-hydroxy-3-sulfonatophthalen-2-ylazo)-2-sulfonatophenylamino)phenylazo)-4-hydroxy-6-(2-oxo-1-phenylcarbamoylpropylazo)naphthalene-2-sulfonate; pentasodium 6-((2,4-diamino-5-sulfonatophenyl)azo)-3-((4-((4-((7-((2,4-diamino-5-sulfonatophenyl)azo)-1-hydroxy-3-sulfonatophthalen-2-yl)azo)phenyl)amino)-2-sulfonatophenyl)azo)-4-hydroxynaphthalene-2-sulfonate; pentasodium 6-((2,4-diamino-5-sulfonato-3-((4-sulfonatophenyl)azo)phenyl)azo)-3-((4-((4-((1,7-dihydroxy-3-sulfonatophthalen-2-yl)azo)-2-sulfonatophenyl)amino)phenyl)azo)-4-hydroxynaphthalene-2-sulfonate; hexasodium 6-((2,4-diamino-5-sulfonatophenyl)azo)-3-((4-((4-((7-((2,4-diamino-5-sulfonato-3-((4-sulfonatophenyl)azo)phenyl)azo)-1-hydroxy-3-sulfonatophthalen-2-yl)azo)-2-sulfonatophenyl)amino)phenyl)azo)-4-hydroxynaphthalene-2-sulfonate | 430-070-1 | —      | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-147-00-0 | sodium, potassium, lithium 5-amino-3,6-bis(5-(4-chloro-6-(methyl-(2-methylaminoacetyl)amino)-1,3,5-triazin-2-ylamino)-2-sulfonatophenylazo)-4-hydroxynaphthalene-2,7-disulfonate                    | 430-090-0 | 205764-96-1 | Eye Dam. 1<br>Skin Sens. 1                           | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 611-148-00-6 | reaction mass of: 2-(3-(2,6-dichloro-4-nitrophenylazo)carbazol-9-yl)ethanol;<br>2-(2-(3-(2,6-dichloro-4-nitrophenylazo)-carbazol-9-yl)-ethoxy)ethanol;<br>3-(2,6-dichloro-4-nitrophenylazo)carbazol | 429-590-1 | —           | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 611-149-00-1 | 2-(2-chloroacetoxy)ethyl 3-((4-(2,5-dichloro-4-fluorosulfonylphenylazo)-3-methylphenyl)ethylamino)propionate  | 427-570-7 | 193486-83-8 | Aquatic Chronic 2                                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 611-150-00-7 | tetralithium 2-[6-[7-[2-(carboxylato)phenylazo]-8-hydroxy-3,6-disulfonato-1-naphthylamino]-4-hydroxy-1,3,5-triazine-2-ylamino]benzoate  | 440-460-3 | —           | Eye Irrit. 2<br>Aquatic Chronic 3                    | H319<br>H412             | GHS07<br>Wng                   | H319<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No  | CAS No   | Classification   |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|--|--|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 611-151-00-2 | chrysoidine;<br>4-(phenylazo)benzene-1,3-diamine  | 207-803-7  | 495-54-5   | Muta. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H341<br>H302<br>H315<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Wng          | H341<br>H302<br>H315<br>H410         |                                 |                                  |       |
| 611-152-00-8 | chrysoidine monohydrochloride;<br>4-phenylazophenylene-1,3-diamine monohydrochloride; [1]<br>chrysoidine monoacetate;<br>4-(phenylazo)benzene-1,3-diamine monoacetate; [2]<br>chrysoidine acetate;<br>4-(phenylazo)benzene-1,3-diamine acetate; [3]<br>chrysoidine- <i>p</i> -dodecylbenzene-sulfonate;<br>dodecylbenzenesulfonic acid, compound with 4-(phenylazo)benzene-1,3-diamine (1:1); [4]<br>chrysoidine dihydrochloride;<br>4-(phenylazo)benzene-1,3-diamine dihydrochloride; [5]<br>chrysoidine sulfate;<br>bis[4-(phenylazo)benzene-1,3-diamine] sulfate [6] | 208-545-8 [1]<br>278-290-5 [2]<br>279-116-0 [3]<br>264-409-8 [4]<br>281-549-5 [5]<br>282-432-1 [6] | 532-82-1 [1]<br>75660-25-2 [2]<br>79234-33-6 [3]<br>63681-54-9 [4]<br>83968-67-6 [5]<br>84196-22-5 [6] | Muta. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H302<br>H315<br>H318<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H341<br>H302<br>H315<br>H318<br>H410 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No                          | CAS No                           | Classification   |                                | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|----------------------------------|--|--------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |                                |                                  | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 611-153-00-3 | chrysoidine C <sub>10-14</sub> -alkyl derivatives;<br>benzenesulfonic acid, mono-C <sub>10-14</sub> -alkyl derivatives, compounds with 4-(phenylazo)-1,3-benzenediamine; [1]<br>chrysoidine compound with dibutyl-naphthalene sulfonic acid;<br>dibutyl-naphthalenesulfonic acid, compound with 4-(phenylazo)benzene-1,3-diamine (1:1) [2] | 286-946-7 [1]<br>304-236-8 [2] | 85407-90-5 [1]<br>94247-67-3 [2] | Muta. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1             | H341<br>H302<br>H315<br>H318   | GHS05<br>GHS08<br>GHS07<br>Dgr | H341<br>H302<br>H315<br>H318 |                                 |                                  |       |
| 611-154-00-9 | trisodium 5-benzamido-4-hydroxy-3-(4-methyl-2-sulfonatophenylazo)naphthalene-2,7-disulfonate   | 403-670-6                      | 92408-46-3                       | Aquatic Chronic 3  | H412                           | —                              | H412                         |                                 |                                  |       |
| 611-155-00-4 | 4,4'-oxybis(benzenesulfonylazide)  | 431-850-4                      | 7456-68-0                        | Expl. 1.1****<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H201<br>H373**<br>H400<br>H410 | GHS01<br>GHS08<br>GHS09<br>Dgr | H201<br>H373**<br>H410       |                                 |                                  |       |
| 611-156-00-X | triammonium 4-[4-[7-(4-carboxylatoanilino)-1-hydroxy-3-sulfonato-2-naphthylazo]-2,5-dimethoxyphenylazo]benzoate  | 432-270-4                      | 221354-37-6                      | Repr. 2<br>STOT RE 2 *<br>Aquatic Chronic 2                          | H361f***<br>H373**<br>H411     | GHS08<br>GHS09<br>Wng          | H361f***<br>H373**<br>H411   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-157-00-5 | benzenesulfonic acid, 3,3'-(methylenebis((dihydroxyphenylene)azo))bis-, potassium sodium salt; potassium sodium 3-[(E)-(6-{3,4-dihydroxy-2-[]}(Z)-(3-sulfonatophenyl)diaz-enyl[]benzyl[]-2,3-dihydroxyphenyl)diaz-enyl]benzenesulfonate | 432-590-4 | 243869-48-9 | Eye Irrit. 2<br>Aquatic Chronic 3 | H319<br>H412             | GHS07<br>Wng                   | H319<br>H412             |                                 |                                  |       |
| 611-158-00-0 | reaction product of: 2,3,4,2', 3', 4'-hexahydroxy-5,5'-diacetyl-diphenylmethane and 6-diazo-5,6-dihydro-5-oxo-1-naphthalenesulfonylchloride and 3-diazo-3,4-dihydro-6-methoxy-4-oxo-1-naphthalenesulfonylchloride                       | 421-520-8 | —           | ****<br>Aquatic Chronic 4         | ****<br>H413             | ****                           | ****<br>H413             |                                 |                                  |       |
| 611-159-00-6 | disodium 4-amino-6-((4-((4-(2,4-diaminophenyl)azo)phenylsulfamoyl)phenyl)azo)-5-hydroxy-3-((4-nitrophenyl)azo)naphthalene-2,7-disulfonate   | 421-880-6 | —           | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 611-160-00-1 | reaction mass of: 1,1,1-tris(phenyl-4'-(3"-diazo-3", 4"-dihydro-4"-oxo-naphthalene-1"-sulfonato)ethane;   | 422-760-6 | —           | ****<br>Aquatic Chronic 4         | ****<br>H413             | ****                           | ****<br>H413             |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |        | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 1,1,1-tris(phenyl-4'-(6"-diazo-5", 6"-dihydro-5"-oxo-naphthalene-1"-sulfonato)ethane;<br>reaction product of 1,1,1-tris( <i>p</i> -hydroxyphenyl)ethane with 6-diazo-5,6-dihydro-5-oxo-1-naphthylsulfonylchloride and 3-diazo-3,4-dihydro-4-oxo-1-naphthylsulfonylchloride (2:1);<br>reaction product of 1,1,1-tris( <i>p</i> -hydroxyphenyl)ethane with 6-diazo-5,6-dihydro-5-oxo-1-naphthylsulfonylchloride and 3-diazo-3,4-dihydro-4-oxo-1-naphthylsulfonylchloride (1:2) |           |        |   |                          |                                |                          |                                 |                                  |       |
| 611-161-00-7 | trisodium [1,2'-(2-(8-amino-3,5-disulfonatonaphthalene)azo)-(4'-nitrobenzene)diolato- <i>O,O,N</i> ][(Z)-2,2-((phenylcarbamoylprop-1'-enyl)azo)-5-sulfamoylbenzene)diolato- <i>O,O,N</i> ]chromate(III)  | 423-100-1 | —      | Eye Dam. 1  | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-162-00-2 | 2,4-bis(((2-(dimethylammonio)ethyloxy)carbonyl)phen-2-ylazo)benzene-1,3-diolbis(methanesulfonate)  | 429-600-4 | —      | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |

▼ M1

| Index No                    | International Chemical Identification   | EC No     | CAS No | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|--------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                             |   |           |        | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-163-00-8                | 2,4-bis(((2-(dimethylammonio)ethoxy)carbonyl)phen-2-ylazo)benzene-1,3-diol sulfate  | 429-610-9 | —      | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 2    | H302<br>H318<br>H411     | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H411     |                                 |                                  |       |
| ▼ <u>M6</u><br>611-164-00-3 | reaction mass of: 2,2'-dimethyl-2,2'-azobutanenitrile;<br>2-methylpentanenitrile-2-azo-2'-(2'-methylpropanenitrile);<br>2,2'-dimethyl-2,2'-azoheptanenitrile;<br>2-methylheptanenitrile-2-azo-2'-(2'-methylpropanenitrile);<br>2-methylheptanenitrile-2-azo-2'-(2'-methylbutanenitrile)   | 429-710-2 | —      | Self-react. D<br>Acute Tox. 4 *<br>Aquatic Chronic 2 | H242<br>H302<br>H411     | GHS02<br>GHS07<br>GHS09<br>Dgr | H242<br>H302<br>H411     |                                 |                                  |       |
| ▼ <u>M1</u><br>611-165-00-9 | reaction mass of: tetrasodium 4-amino-6-(5-(2,6-difluoropyrimidin-4-ylamino)-2-sulfonatophenylazo)-5-hydroxy-3-(4-(sulfatoethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate;<br>tetrasodium 4-amino-6-(5-(4,6-difluoropyrimidin-2-ylamino)-2-sulfonatophenylazo)-5-hydroxy-3-(4-(2-sulfatoethylsulfonyl)phenylazo)naphthalene-2,7-disulfonate | 431-830-5 | —      | Aquatic Chronic 3                                    | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-166-00-4 | reaction mass of: pentasodium 4-amino-5-hydroxy-3- $\{(E)-4-[2-(\text{sulfonatooxy})\text{ethylsulfonyl}\{\text{phenylazo}\}-6-\{(E)-2-\text{sulfonato-4-}[2-(\text{sulfonatooxy})\text{ethylsulfonyl}\{\text{phenylazo}\}\text{naphthalene-2,7-disulfonate};$ tetrasodium 4-amino-5-hydroxy-3- $\{(E)-4-[2-(\text{sulfonatooxy})\text{ethylsulfonyl}\{\text{phenylazo}\}-6-(E)-2-\text{sulfonato-4-(vinylsulfonyl)phenylazo}\}\text{naphthalene-2,7-disulfonate};$ tetrasodium 4-amino-5-hydroxy-6-(E)-2-sulfonato-4- $\{2-(\text{sulfonatooxy})\text{ethylsulfonyl}\{\text{phenylazo}\}-3-(E)-4-(\text{vinylsulfonyl})\text{phenylazo}\}\text{naphthalene-2,7-disulfonate}$ | 432-100-9 | —      | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |
| 611-167-00-X | sodium bis[tris(2-hydroxyethyl)ammonium][6-anilino-4'-(4,8-disulfonato-2-naphthylazo)-5'-methyl-3-sulfonato-naphthalene-2-azobenzene-1,2'-diolato]cuprate(II)   | 435-240-9 | —      | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 611-168-00-5 | reaction mass of: 3-[[4-chloro-6-[[7-[(1,5-disulfo-2-naphthalenyl)azo]-8-hydroxy-3,6-disulfo-1-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-5-[[4-chloro-6-[[8-hydroxy-3,6-disulfo-7-[(2-sulfofophenyl)azo]-1-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]benzoic acid;<br>3,5-bis[[4-chloro-6-[[7-[(1,5-disulfo-2-naphthalenyl)azo]-8-hydroxy-3,6-disulfo-1-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]benzoic acid | 435-440-6 | —      | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-169-00-0 | sodium 5-(2-carboxyphenylazo)-6-hydroxynaphthalene-2-sulfonate   | 435-800-2 | —      | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |
| 611-170-00-6 | reaction mass of: trisodium 2-((1-(2-hydroxy-κ-O-5-(2-sulfonatoethansulfonyl)phenylazo-κ-N <sup>2</sup> )-1-phenylmethyl)azo-κ-N <sup>1</sup> )-4-sulfonatobenzoate(5-)-κ-O)cuprate(II);<br>disodium 2-((1-(5-ethenesulfonyl-2-hydroxy-κ-O-phenylazo-κ-N <sup>2</sup> )-1-phenylmethyl)azo-κ-N <sup>1</sup> )-4-sulfonatobenzoate-κ-O-(5-))cuprate(II)   | 435-880-9 | —      | Aquatic Chronic 3                 | H412                     | —                              | H412                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s)  | Hazard statement Code(s)                   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                   | Suppl. Hazard statement Code(s) |                                  |       |
| 611-171-00-1 | reaction mass of: trisodium 3-(5-(2,6-difluoropyrimidin-4-ylamino)-2-sulfonatophenylazo)-5-(4-fluoro-6-morpholin-4-yl-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-naphthalenedisulfonate;<br>trisodium 3-(5-(4,6-difluoropyrimidin-2-ylamino)-2-sulfonatophenylazo)-5-(4-fluoro-6-morpholin-4-yl-1,3,5-triazin-2-ylamino)-4-hydroxy-2,7-naphthalenedisulfonate | 436-890-6 | —      | Eye Dam. 1<br>Aquatic Chronic 3  | H318<br>H412                               | GHS05<br>Dgr                   | H318<br>H412                               |                                 |                                  |       |
| 611-172-00-7 | reaction mass of: triammonium 6-amino-3-((2,5-diethoxy-4-(3-phosphonophenyl)azo)phenyl)azo-4-hydroxy-2-naphthalenesulfonate;<br>diammonium 3-((4-((7-amino-1-hydroxy-3-sulfo-naphthalen-2-yl)azo)-2,5-diethoxyphenyl)azo)benzoate   | 438-310-7 | —      | Self-react. C****<br>Repr. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 3 | H242<br>H361f***<br>H302<br>H373**<br>H412 | GHS02<br>GHS08<br>GHS07<br>Dgr | H242<br>H361f***<br>H302<br>H373**<br>H412 |                                 |                                  |       |
| 611-173-00-2 | reaction mass of: 3-[3-carbamoyl-5-(5-{[4-chloro-6-]4-(2-sulfonatoxyethylsulfonyl)anilino{]-1,3,5-triazin-2-ylamino{]-2-sulfonatophenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-1-pyridyl]propanoic acid, trisodium salt;  | 440-510-4 | —      | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317                               | GHS05<br>GHS07<br>Dgr          | H318<br>H317                               |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | 3-[3-carbamoyl-5-(5-{4-chloro-6-[]4-(vinylsulfonyl)anilino{]-1,3,5-triazin-2-ylamino{]-2-sulfonatophenylazo)-1,2-dihydro-6-hydroxy-4-methyl-2-oxo-1-pyridyl]propanoic acid, disodium salt   |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 611-174-00-8 | reaction mass of: 3-[5-(4-ethenesulfonylbutyrylamino)-2-sulfophenylazo{]-5-4-chloro-[]6-(4-(3-amino-5-hydroxy-2,7-disulfonaphthalene-4-ylazo)-3-sulfophenylamino{]-1,3,5-triazin-2-ylamino{]-4-hydroxy-naphthalene-2,7-disulfonic acid, sodium salt;<br>3-[5-(4-(2-chloroethanesulfonyl)butyrylamino)-2-sulfophenylazo{]-5-4-chloro-[]6-(4-(3-amino-5-hydroxy-2,7-disulfonaphthalene-4-ylazo)-3-sulfophenylamino{]-1,3,5-triazin-2-ylamino{]-4-hydroxy-naphthalene-2,7-disulfonic acid, sodium salt | 442-290-5 | 457624-86-1 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 611-175-00-3 | reaction mass of: trisodium 5-{4-chloro-6-[]N-ethyl-(3-(2-sulfonatooxy)ethylsulfonyl)anilino{]-1,3,5-triazin-2-ylamino{]-4-hydroxy-3-[4-(vinylsulfonyl)phenylazo{]naphthalene-2,7-disulfonate;  | 444-050-5 | —           | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412             | GHS05<br>Dgr                   | H318<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | trisodium 5-4-chloro-6- $\{N$ -ethyl-3-(vinylsulfonyl)anilino $\}$ -1,3,5-triazin-2-ylamino $\}$ -4-hydroxy-3-[4-(2-(sulfonatoxy)ethylsulfonyl)phenylazo $\}$ naphthalene-2,7-disulfonate;<br>disodium 5-4-chloro-6- $\{N$ -ethyl-3-(vinylsulfonyl)anilino $\}$ -1,3,5-triazin-2-ylamino $\}$ -4-hydroxy-3-[4-(4-vinylsulfonyl)phenylazo $\}$ naphthalene-2,7-disulfonate;<br>tetrasodium 5-4-chloro-6- $\{N$ -ethyl-3-(2-(sulfonatoxy)ethylsulfonyl)anilino $\}$ -1,3,5-triazin-2-ylamino $\}$ -3-[4-(2-(sulfonatoxy)ethylsulfonyl)phenylazo]-4-hydroxynaphthalene-2,7-disulfonate |           |             |   |                          |                                |                          |                                 |                                  |       |
| 611-176-00-9 | 2,6-bis(2,3,4-trihydroxybenzyl)- <i>p</i> -cresol ester with 6-diazo-5,6-dihydro-5-oxo-1-naphthalene-sulfonate  | 444-250-2 | —           | Self-react. C****<br>Aquatic Chronic 2          | H242<br>H411             | GHS02<br>GHS09<br>Dgr          | H242<br>H411             |                                 |                                  |       |
| 611-177-00-4 | reaction mass of: pentasodium bis[6-anilino-3,5'-disulfonatonaphthalene-2-azobenzene-1,2'-diolato]cobaltate(III);   | 444-290-0 | 508202-43-5 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412     | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | tetrasodium [6-anilino-3,5'-disulfonatonaphthalene-2-azobenzene-1,2'-diolato][6-anilino-5'-sulfamoyl-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato]cobaltate(III); trisodium bis[6-anilino-5'-sulfamoyl-3-sulfonatonaphthalene-2-azobenzene-1,2'-diolato]cobaltate(III)  |           |        |   |                          |                                |                          |                                 |                                  |       |
| 611-178-00-X | reaction mass of: pentasodium 4-amino-5-hydroxy-3-[(E)-4-[]2-(sulfonatooxy)ethylsulfonyl]phenylazo[]-6-[(E)-2-sulfonato-4-[]2-(sulfonatooxy)ethylsulfonyl]phenylazo[]naphthalene-2,7-disulfonate; tetrasodium 4-amino-5-hydroxy-3-[(E)-4-[]2-(sulfonatooxy)ethylsulfonyl]phenylazo[]-6-[(E)-2-sulfonato-4-(vinylsulfonyl)phenylazo]naphthalene-2,7-disulfonate; tetrasodium 4-amino-5-hydroxy-6-[(E)-2-sulfonato-4-[]2-(sulfonatooxy)ethylsulfonyl]phenylazo[]-3-[(E)-4-(vinylsulfonyl)phenylazo]naphthalene-2,7-disulfonate; | 445-280-9 | —      | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H318<br>H317<br>H412     | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412     |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | trisodium 4-amino-5-hydroxy-3-[(E)-4-(vinylsulfonyl)phenylazo]-6-[(E)-2-sulfonato-4-(vinylsulfonyl)phenylazo]naphthalene-2,7-disulfonate;<br>trisodium 4-amino-5-hydroxy-3-[(2-hydroxyethylsulfonyl)phenylazo]-6-[(E)-2-sulfonato-4-(vinylsulfonyl)phenylazo]naphthalene-2,7-disulfonate;<br>trisodium 4-amino-5-hydroxy-3-[(E)-4-(vinylsulfonyl)phenylazo]-6-[-2-sulfonato-4-(2-hydroxyethylsulfonyl)phenylazo]naphthalene-2,7-disulfonate |           |        |                                   |                          |                                |                          |                                 |                                  |       |
| 611-179-00-5 | reaction mass of: pentasodium 2-[[8-[[4-chloro-6-[[4-(2-sulfonato ethylsulfonyl)]phenyl]amino]-1,3,5-triazin-2-yl]amino]-1-hydroxy-3,6-disulfonato-2-naphthalenyl]azo]naphthalene-1,5-disulfonate;<br>2-[[8-[[4-chloro-6-[[4-[[2-ethenyl]sulfonyl]phenyl]amino]-1,3,5-triazin-2-yl]amino]-1-hydroxy-3,6-disulfonato-2-naphthalenyl]azo]naphthalene-1,5-disulfonate  | 450-010-8 | —      | Eye Dam. 1<br>Skin Sens. 1        | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |

▼ M1

| Index No     | International Chemical Identification   | EC No   | CAS No                                     | Classification  |                                      | Labelling                               |                                      |  | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|---|--------------------------------------|---|--------------------------------------|--|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s)  |                                  |       |
| 611-180-00-0 | iron, complexes with diazotised 4-aminobenzenesulfonamide, diazotised 3-aminobenzenesulfonic acid, diazotised 3-amino-4-hydroxybenzenesulfonamide, diazotised 3-amino-4-hydroxy-N-phenylbenzenesulfonamide, diazotised 5-amino-2-(phenylamino)benzenesulfonic acid and resorcinol, sodium salts | 417-850-7                                       | —  | Aquatic Chronic 2   | H411                                 | GHS09                                   | H411                                 |  |                                  |       |
| 612-001-00-9 | mono-methylamine; [1]<br>di-methylamine; [2]<br>tri-methylamine [3]   | 200-820-0 [1]<br>204-697-4 [2]<br>200-875-0 [3] | 74-89-5 [1]<br>124-40-3 [2]<br>75-50-3 [3] | Flam. Gas 1<br>Press. Gas<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H220<br>H332<br>H335<br>H315<br>H318 | GHS02<br>GHS04<br>GHS05<br>GHS07<br>Dgr | H220<br>H332<br>H335<br>H315<br>H318 | *<br>Skin Irrit. 2;<br>H315: C ≥ 5 %<br>Eye Dam. 1;<br>H318: C ≥ 5 %<br>Eye Irrit. 2;<br>H319: 0,5 % ≤<br>C < 5 %<br>STOT SE 3;<br>H335: C ≥ 5 % | U5                               |       |
| 612-001-01-6 | mono-methylamine ... %; [1]<br>di-methylamine ... %; [2]<br>tri-methylamine ... % [3]   | 200-820-0 [1]<br>204-697-4 [2]<br>200-875-0 [3] | 74-89-5 [1]<br>124-40-3 [2]<br>75-50-3 [3] | Flam. Liq. 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                       | H224<br>H332<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr          | H224<br>H332<br>H302<br>H314         | *<br>STOT SE 3;<br>H335: C ≥ 5 %   | B                                |       |

▼ B

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No   | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|----------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |                                       |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-002-00-4 | ethylamine                            | 200-834-7 | 75-04-7  | Flam. Gas 1<br>Press. Gas<br>Eye Irrit. 2<br>STOT SE 3   | H220<br>H319<br>H335                         | GHS02<br>GHS04<br>GHS07<br>Dgr          | H220<br>H319<br>H335                         |                                 |                                  | U     |
| 612-003-00-X | diethylamine                          | 203-716-3 | 109-89-7 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A                | H225<br>H332<br>H312<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H314         |                                 | STOT SE 3;<br>H335: C ≥ 1 %      |       |
| 612-004-00-5 | triethylamine                         | 204-469-4 | 121-44-8 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A                | H225<br>H332<br>H312<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H314         |                                 | STOT SE 3;<br>H335: C ≥ 1 %      |       |
| 612-005-00-0 | butylamine                            | 203-699-2 | 109-73-9 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A                | H225<br>H332<br>H312<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H314         |                                 | STOT SE 3;<br>H335: C ≥ 1 %      |       |
| 612-006-00-6 | ethylenediamine;<br>1,2-diaminoethane | 203-468-6 | 107-15-3 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1 | H226<br>H312<br>H302<br>H314<br>H334<br>H317 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314<br>H334<br>H317 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification                                      | EC No     | CAS No  | Classification   |   | Labelling                               |   |  | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|---------|--|---|---|---|--|----------------------------------|-------|
|              |  |           |         | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)  | Suppl. Hazard statement Code(s)  |                                  |       |
| 612-007-00-1 | 2-aminopropane; isopropylamine   | 200-860-9 | 75-31-0 | Flam. Liq. 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2   | H224<br>H319<br>H335<br>H315  | GHS02<br>GHS07<br>Dgr                   | H224<br>H319<br>H335<br>H315  |  |                                  |       |
| 612-008-00-7 | aniline  | 200-539-3 | 62-53-3 | Carc. 2<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H341<br>H331<br>H311<br>H301<br>H372 **<br>H318<br>H317<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H341<br>H331<br>H311<br>H301<br>H372 **<br>H318<br>H317<br>H400 | *<br>STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,2 % ≤<br>C < 1 % |                                  |       |
| 612-009-00-2 | salts of aniline   | —         | —       | Carc. 2<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H341<br>H331<br>H311<br>H301<br>H372 **<br>H318<br>H317<br>H400 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H351<br>H341<br>H331<br>H311<br>H301<br>H372 **<br>H318<br>H317<br>H400 | *<br>STOT RE 1;<br>H372: C ≥ 1 %<br>STOT RE 2;<br>H373: 0,2 % ≤<br>C < 1 % | A                                |       |
| 612-010-00-8 | chloroanilines (with exception of those specified elsewhere in this Annex) | —         | —       | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H331<br>H311<br>H301<br>H373 **<br>H400<br>H410                         | GHS06<br>GHS08<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H373 **<br>H410                                 |  | C                                |       |

## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No                                     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 612-011-00-3 | 4-nitrosoaniline   | 211-535-6                                       | 659-49-4                                   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H332<br>H312<br>H302                            | GHS07<br>Wng                   | H332<br>H312<br>H302                    |                                 |                                  |       |
| 612-012-00-9 | <i>o</i> -nitroaniline; [1]<br><i>m</i> -nitroaniline; [2]<br><i>p</i> -nitroaniline [3] | 201-855-4 [1]<br>202-729-1 [2]<br>202-810-1 [3] | 88-74-4 [1]<br>99-09-2 [2]<br>100-01-6 [3] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 3                    | H331<br>H311<br>H301<br>H373 **<br>H412         | GHS06<br>GHS08<br>Dgr          | H331<br>H311<br>H301<br>H373 **<br>H412 |                                 | C                                |       |
| 612-013-00-4 | 3-aminobenzene sulphonic acid;<br>metanilic acid   | 204-473-6                                       | 121-47-1                                   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H332<br>H312<br>H302                            | GHS07<br>Wng                   | H332<br>H312<br>H302                    |                                 |                                  |       |
| 612-014-00-X | sulphanilic acid;<br>4-aminobenzenesulphonic acid  | 204-482-5                                       | 121-57-3                                   | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1   | H319<br>H315<br>H317                            | GHS07<br>Wng                   | H319<br>H315<br>H317                    |                                 |                                  |       |
| 612-015-00-5 | <i>N</i> -methylaniline  | 202-870-9                                       | 100-61-8                                   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H373 **<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H410 |                                 |                                  |       |
| 612-016-00-0 | <i>N,N</i> -dimethylaniline  | 204-493-5                                       | 121-69-7                                   | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2                        | H351<br>H331<br>H311<br>H301<br>H411            | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H311<br>H301<br>H411    |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification                        | EC No     | CAS No    | Classification  |  | Labelling                               |  |                                  | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|---|--|---|--|----------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                       | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s)  |                                  |       |
| 612-017-00-6 | <i>N</i> -methyl- <i>N</i> -2,4,6-tetra-nitroaniline; tetryl | 207-531-9 | 479-45-8  | Expl. 1.1<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2                    | H201<br>H331<br>H311<br>H301<br>H373**         | GHS01<br>GHS06<br>GHS08<br>Dgr          | H201<br>H331<br>H311<br>H301<br>H373**         |                                  |                                  |       |
| 612-018-00-1 | bis(2,4,6-trinitrophenyl)amine; hexyl                        | 205-037-8 | 131-73-7  | Expl. 1.1<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2<br>Aquatic Chronic 2 | H201<br>H330<br>H310<br>H300<br>H373**<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373**<br>H411 |                                  |                                  |       |
| 612-019-00-7 | dipicrylamine, ammonium salt                                 | 220-639-0 | 2844-92-0 | Expl. 1.1<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2<br>Aquatic Chronic 2 | H201<br>H330<br>H310<br>H300<br>H373**<br>H411 | GHS01<br>GHS06<br>GHS08<br>GHS09<br>Dgr | H201<br>H330<br>H310<br>H300<br>H373**<br>H411 |                                  |                                  |       |
| ▼ <b>B</b>   |  |           |           |   |  |   |  |                                  |                                  |       |
| 612-020-00-2 | 1-naphthylamine  | 205-138-7 | 134-32-7  | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411                                   | GHS07<br>GHS09<br>Wng                   | H302<br>H411                                   |                                  |                                  |       |
| 612-022-00-3 | 2-naphthylamine  | 202-080-4 | 91-59-8   | Carc. 1A<br>Acute Tox. 4 *<br>Aquatic Chronic 2   | H350<br>H302<br>H411                           | GHS08<br>GHS07<br>GHS09<br>Dgr          | H350<br>H302<br>H411                           | Carc. 1A;<br>H350: C ≥<br>0,01 % |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No  | CAS No  | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|---|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |  |   | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 612-023-00-9 | phenylhydrazine; [1]<br>phenylhydrazinium chloride; [2]<br>phenylhydrazine hydrochloride; [3]<br>phenylhydrazinium sulphate (2:1) [4] | 202-873-5 [1]<br>200-444-7 [2]<br>248-259-0 [3]<br>257-622-2 [4] | 100-63-0 [1]<br>59-88-1 [2]<br>27140-08-5 [3]<br>52033-74-6 [4] | Carc. 1B<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H350<br>H341<br>H331<br>H311<br>H301<br>H372 **<br>H319<br>H315<br>H317<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H331<br>H311<br>H301<br>H372 **<br>H319<br>H315<br>H317<br>H400 |                                 |                                  |       |
| 612-024-00-4 | <i>m</i> -toluidine;<br>3-aminotoluene  | 203-583-1  | 108-44-1  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1   | H331<br>H311<br>H301<br>H373 **<br>H400   | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H400   |                                 |                                  |       |
| 612-025-00-X | nitrotoluidines, with the exception of those specified elsewhere in this Annex  | —  | —   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2   | H331<br>H311<br>H301<br>H373 **<br>H411   | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H411   |                                 | C                                |       |
| 612-026-00-5 | diphenylamine   | 204-539-4  | 122-39-4  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H331<br>H311<br>H301<br>H373 **<br>H400<br>H410                                 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H410   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                        | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|-------------------------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |                                |                               | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-027-00-0 | xylidines with the exception of those specified elsewhere in this Annex;<br>dimethyl anilines with the exception of those specified elsewhere in this Annex | —                              | —                             | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2                                     | H331<br>H311<br>H301<br>H373 **<br>H411              | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H411      |                                 |                                  | C     |
| 612-028-00-6 | <i>p</i> -phenylenediamine  | 203-404-7                      | 106-50-3                      | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H319<br>H317<br>H410 |                                 |                                  |       |
| 612-029-00-1 | benzene-1,4-diamine dihydrochloride;<br><i>p</i> -phenylenediamine dihydrochloride  | 210-834-9                      | 624-18-0                      | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H319<br>H317<br>H410 |                                 |                                  |       |
| 612-030-00-7 | 2-methyl- <i>p</i> -phenylenediamine sulphate [1]   | 210-431-8 [1]<br>228-871-4 [2] | 615-50-9 [1]<br>6369-59-1 [2] | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2                                    | H301<br>H332<br>H312<br>H317<br>H411                 | GHS06<br>GHS09<br>Dgr          | H301<br>H332<br>H312<br>H317<br>H411         |                                 |                                  |       |



▼B

| Index No     | International Chemical Identification  | EC No                          | CAS No                       | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|------------------------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |                                |                              | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-031-00-2 | <i>N,N</i> -dimethylbenzene-1,3-diamine; [1]<br>4-amino- <i>N,N</i> -dimethylaniline;<br>3-amino- <i>N,N'</i> -dimethylaniline [2] | 220-623-3 [1]<br>202-807-5 [2] | 2836-04-6 [1]<br>99-98-9 [2] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *                                   | H331<br>H311<br>H301                 | GHS06<br>Dgr                   | H331<br>H311<br>H301                 |                                 |                                  | C     |
| 612-032-00-8 | <i>N,N,N,N'</i> -tetramethyl- <i>p</i> -phenylenediamine   | 202-831-6                      | 100-22-1                     | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                                   | H332<br>H312<br>H302                 | GHS07<br>Wng                   | H332<br>H312<br>H302                 |                                 |                                  |       |
| 612-033-00-3 | 2-aminophenol  | 202-431-1                      | 95-55-6                      | Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *  | H341<br>H332<br>H302                 | GHS08<br>GHS07<br>Wng          | H341<br>H332<br>H302                 |                                 |                                  |       |
| ▼ <u>M1</u>  |  |                                |                              |  |                                      |                                |                                      |                                 |                                  |       |
| 612-034-00-9 | 2-amino-4,6-dinitrophenol;<br>picramic acid  | 202-544-6                      | 96-91-3                      | Expl. 1.1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3 | H201<br>H332<br>H312<br>H302<br>H412 | GHS01<br>GHS07<br>Dgr          | H201<br>H332<br>H312<br>H302<br>H412 |                                 |                                  |       |
| ▼ <u>B</u>   |  |                                |                              |  |                                      |                                |                                      |                                 |                                  |       |
| 612-034-01-6 | 2-amino-4,6-dinitrophenol;<br>picramic acid;<br>[≥ 20 % water]   | 202-544-6                      | 96-91-3                      | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3              | H332<br>H312<br>H302<br>H412         | GHS07<br>Wng                   | H332<br>H312<br>H302<br>H412         |                                 |                                  | G     |
| 612-035-00-4 | 2-methoxyaniline;<br><i>o</i> -anisidine   | 201-963-1                      | 90-04-0                      | Carc. 1B<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *            | H350<br>H341<br>H331<br>H311<br>H301 | GHS06<br>GHS08<br>Dgr          | H350<br>H341<br>H331<br>H311<br>H301 |                                 |                                  |       |
| 612-036-00-X | 3,3'-dimethoxybenzidine;<br><i>o</i> -dianisidine  | 204-355-4                      | 119-90-4                     | Carc. 1B<br>Acute Tox. 4 *   | H350<br>H302                         | GHS08<br>GHS07<br>Dgr          | H350<br>H302                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 612-037-00-5 | salts of 3,3'-dimethoxybenzidine;<br>salts of <i>o</i> -dianisidine                              | —         | —        | Carc. 1B<br>Acute Tox. 4 *   | H350<br>H302                            | GHS08<br>GHS07<br>Dgr          | H350<br>H302                            |                                 |                                  | A     |
| 612-038-00-0 | 2-nitro- <i>p</i> -anisidine;<br>4-methoxy-2-nitroaniline  | 202-547-2 | 96-96-8  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 3 | H330<br>H310<br>H300<br>H373 **<br>H412 | GHS06<br>GHS08<br>Dgr          | H330<br>H310<br>H300<br>H373 **<br>H412 |                                 |                                  |       |
| 612-039-00-6 | 2-ethoxyaniline;<br><i>o</i> -phenetidine  | 202-356-4 | 94-70-2  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *                    | H331<br>H311<br>H301<br>H373 **         | GHS06<br>GHS08<br>Dgr          | H331<br>H311<br>H301<br>H373 **         |                                 |                                  |       |
| 612-040-00-1 | 2,4-dinitroaniline   | 202-553-5 | 97-02-9  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H330<br>H310<br>H300<br>H373 **<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 **<br>H411 |                                 |                                  |       |
| 612-041-00-7 | 4,4'-bi- <i>o</i> -toluidine   | 204-358-0 | 119-93-7 | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2                                      | H350<br>H302<br>H411                    | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411                    |                                 |                                  |       |
| 612-042-00-2 | benzidine;<br>1,1'-biphenyl-4,4'-diamine;<br>4,4'-diaminobiphenyl;<br>biphenyl-4,4'-ylenediamine | 202-199-1 | 92-87-5  | Carc. 1A<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H350<br>H302<br>H400<br>H410            | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410                    |                                 | Carc. 1A;<br>H350: C ≥<br>0,01 % |       |

▼B

| Index No     | International Chemical Identification                           | EC No                          | CAS No                       | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|------------------------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                              | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-043-00-8 | <i>N,N</i> -dimethylbenzidine                                   | —                              | 2810-74-4                    | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                                      | H332<br>H312<br>H302                 | GHS07<br>Wng                   | H332<br>H312<br>H302                 |                                 |                                  |       |
| ▼ <u>M1</u>  |   |                                |                              |   |                                      |                                |                                      |                                 |                                  |       |
| 612-044-00-3 | <i>N,N</i> -diacetylbenzidine                                   | 210-338-2                      | 613-35-4                     | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *               | H350<br>H341<br>H332<br>H312<br>H302 | GHS08<br>GHS07<br>Dgr          | H350<br>H341<br>H332<br>H312<br>H302 |                                 |                                  |       |
| ▼ <u>B</u>   |   |                                |                              |   |                                      |                                |                                      |                                 |                                  |       |
| 612-046-00-4 | allylamine  | 203-463-9                      | 107-11-9                     | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2 | H225<br>H331<br>H311<br>H301<br>H411 | GHS02<br>GHS06<br>GHS09<br>Dgr | H225<br>H331<br>H311<br>H301<br>H411 |                                 |                                  |       |
| 612-047-00-X | benzylamine   | 202-854-1                      | 100-46-9                     | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                                       | H312<br>H302<br>H314                 | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314                 |                                 |                                  |       |
| 612-048-00-5 | dipropylamine   | 205-565-9                      | 142-84-7                     | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A     | H225<br>H332<br>H312<br>H302<br>H314 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H312<br>H302<br>H314 | STOT SE 3;<br>H335: C ≥ 1 %     |                                  |       |
| 612-049-00-0 | di- <i>n</i> -butylamine; [1]<br>di- <i>sec</i> -butylamine [2] | 203-921-8 [1]<br>210-937-9 [2] | 111-92-2 [1]<br>626-23-3 [2] | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *                      | H226<br>H332<br>H312<br>H302         | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H312<br>H302         |                                 |                                  |       |

▼ M1

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                           | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                           | Suppl. Hazard statement Code(s) |                                  |       |
| 612-050-00-6 | cyclohexylamine  | 203-629-0                                       | 108-91-8   | Flam. Liq. 3<br>Repr. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B         | H226<br>H361f***<br>H312<br>H302<br>H314           | GHS02<br>GHS05<br>GHS08<br>GHS07<br>Dgr | H226<br>H361f***<br>H312<br>H302<br>H314           |                                 |                                  |       |
| 612-051-00-1 | 4,4'-diaminodiphenylmethane;<br>4,4'-methylenedianiline  | 202-974-4                                       | 101-77-9   | Carc. 1B<br>Muta. 2<br>STOT SE 1<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H341<br>H370 **<br>H373 **<br>H317<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr          | H350<br>H341<br>H370 **<br>H373 **<br>H317<br>H411 |                                 |                                  |       |
| 612-052-00-7 | (S)-sec-butylamine;<br>(S)-2-aminobutane; [1]<br>(R)-sec-butylamine;<br>(R)-2-aminobutane; [2]<br>sec-butylamine;<br>2-aminobutane [3] | 208-164-7 [1]<br>236-232-6 [2]<br>237-732-7 [3] | 513-49-5 [1]<br>13250-12-9 [2]<br>13952-84-6 [3] | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H225<br>H332<br>H302<br>H314<br>H400               | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H225<br>H332<br>H302<br>H314<br>H400               |                                 | C                                |       |
| 612-053-00-2 | N-ethylaniline   | 203-135-5                                       | 103-69-5   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *                    | H331<br>H311<br>H301<br>H373 **                    | GHS06<br>GHS08<br>Dgr                   | H331<br>H311<br>H301<br>H373 **                    |                                 |                                  |       |

▼ B

## ▼B

| Index No            | International Chemical Identification   | EC No   | CAS No                                       | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|---|--|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|                     |   |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 612-054-00-8        | <i>N,N</i> -diethylaniline  | 202-088-8                                       | 91-66-7                                      | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 **<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H411 |                                 | *                                |       |
| 612-055-00-3        | <i>N</i> -methyl- <i>o</i> -toluidine; [1]<br><i>N</i> -methyl- <i>m</i> -toluidine; [2]<br><i>N</i> -methyl- <i>p</i> -toluidine [3]             | 210-260-9 [1]<br>211-795-0 [2]<br>210-769-6 [3] | 611-21-2 [1]<br>696-44-6 [2]<br>623-08-5 [3] | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 3 | H331<br>H311<br>H301<br>H373 **<br>H412 | GHS06<br>GHS08<br>Dgr          | H331<br>H311<br>H301<br>H373 **<br>H412 |                                 |                                  | C     |
| 612-056-00-9        | <i>N,N</i> -dimethyl- <i>p</i> -toluidine; [1]<br><i>N,N</i> -dimethyl- <i>m</i> -toluidine; [2]<br><i>N,N</i> -dimethyl- <i>o</i> -toluidine [3] | 202-805-4 [1]<br>204-495-6 [2]<br>210-199-8 [3] | 99-97-8 [1]<br>121-72-2 [2]<br>609-72-3 [3]  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 3 | H331<br>H311<br>H301<br>H373 **<br>H412 | GHS06<br>GHS08<br>Dgr          | H331<br>H311<br>H301<br>H373 **<br>H412 |                                 | *                                | C     |
| ▼M1<br>612-057-00-4 | piperazine;<br>[solid]  | 203-808-3                                       | 110-85-0                                     | Repr. 2<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1                              | H361fd<br>H314<br>H334<br>H317          | GHS05<br>GHS08<br>Dgr          | H361fd<br>H314<br>H334<br>H317          |                                 |                                  |       |
| 612-057-01-1        | piperazine;<br>[liquid]   | 203-808-3                                       | 110-85-0                                     | Repr. 2<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1                              | H361fd<br>H314<br>H334<br>H317          | GHS05<br>GHS08<br>Dgr          | H361fd<br>H314<br>H334<br>H317          |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification                               | EC No     | CAS No   | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-058-00-X | 2,2'-iminodiethylamine; diethylenetriamine                          | 203-865-4 | 111-40-0 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1                      | H312<br>H302<br>H314<br>H317         | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314<br>H317         |                                 |                                  |       |
| 612-059-00-5 | 3,6-diazaoctanethylenediamin; triethylenetetramine                  | 203-950-6 | 112-24-3 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3                   | H312<br>H314<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H312<br>H314<br>H317<br>H412         |                                 |                                  |       |
| 612-060-00-0 | 3,6,9-triazaundecamethylene-diamine; tetraethylenepentamine         | 203-986-2 | 112-57-2 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H314<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H411 |                                 |                                  |       |
| 612-061-00-6 | 3-aminopropyldimethylamine; <i>N,N</i> -dimethyl-1,3-diaminopropane | 203-680-9 | 109-55-7 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1                        | H226<br>H302<br>H314<br>H317         | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H302<br>H314<br>H317         |                                 |                                  |       |
| 612-062-00-1 | 3-aminopropyldiethylamine; <i>N,N</i> -diethyl-1,3-diaminopropane   | 203-236-4 | 104-78-9 | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1      | H226<br>H312<br>H302<br>H314<br>H317 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314<br>H317 |                                 |                                  |       |
| 612-063-00-7 | 3,3'-iminodi(propylamine); dipropylenetriamine                      | 200-261-2 | 56-18-8  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Skin Sens. 1    | H330<br>H311<br>H302<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr          | H330<br>H311<br>H302<br>H314<br>H317 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|---|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-064-00-2 | 3,6,9,12-tetra-azatetradecamethylenediamine;<br>pentactylenhexamine                  | 223-775-9 | 4067-16-7 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H314<br>H317<br>H400<br>H410                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410                 |                                 |                                  |       |
| 612-065-00-8 | polyethylenepolyamines with the exception of those specified elsewhere in this Annex | —         | —         | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 612-066-00-3 | dicyclohexylamine  | 202-980-7 | 101-83-7  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H302<br>H314<br>H400<br>H410                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H410                 |                                 |                                  |       |
| 612-067-00-9 | 3-aminomethyl-3,5,5-trimethyl-cyclohexylamine  | 220-666-8 | 2855-13-2 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3                    | H312<br>H302<br>H314<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314<br>H317<br>H412 |                                 |                                  |       |
| 612-068-00-4 | 3,3'-dichlorobenzidine;<br>3,3'-dichlorobiphenyl-4,4'-ylenediamine                   | 202-109-0 | 91-94-1   | Carc. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H350<br>H312<br>H317<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H312<br>H317<br>H410         |                                 |                                  |       |
| 612-069-00-X | salts of 3,3'-dichlorobenzidine;<br>salts of 3,3'-dichlorobiphenyl-4,4'-ylenediamine | —         | —         | Carc. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                        | H350<br>H312<br>H317<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H312<br>H317<br>H410         |                                 |                                  | A     |

## ▼B

| Index No            | International Chemical Identification  | EC No  | CAS No   | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|--|--|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                     |  |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-070-00-5        | salts of benzidine   | 208-519-6<br>208-520-1<br>244-236-4<br>252-984-8 | 531-85-1<br>531-86-2<br>21136-70-9<br>36341-27-2 | Carc. 1A<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                       | H350<br>H302<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410                         |                                 |                                  | A     |
| 612-071-00-0        | salts of 2-naphthylamine   | 209-030-0<br>210-313-6                           | 553-00-4<br>612-52-2                             | Carc. 1A<br>Acute Tox. 4 *<br>Aquatic Chronic 2  | H350<br>H302<br>H411                         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411                         |                                 |                                  | A     |
| 612-072-00-6        | biphenyl-4-ylamine;<br>xenylamine;<br>4-aminobiphenyl                            | 202-177-1  | 92-67-1  | Carc. 1A<br>Acute Tox. 4 *   | H350<br>H302                                 | GHS08<br>GHS07<br>Dgr          | H350<br>H302                                 |                                 |                                  |       |
| 612-073-00-1        | salts of biphenyl-4-ylamine;<br>salts of xenylamine;<br>salts of 4-aminobiphenyl | —  | —  | Carc. 1A<br>Acute Tox. 4 *   | H350<br>H302                                 | GHS08<br>GHS07<br>Dgr          | H350<br>H302                                 |                                 |                                  | A     |
| 612-074-00-7        | benzylidimethylamine   | 203-149-1  | 103-83-3   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H226<br>H332<br>H312<br>H302<br>H314<br>H412 | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H312<br>H302<br>H314<br>H412 |                                 |                                  |       |
| 612-075-00-2        | 2-aminoethyldimethylamine;<br>2-dimethylaminoethylamine                          | 203-541-2  | 108-00-9   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A  | H225<br>H312<br>H302<br>H314                 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H312<br>H302<br>H314                 |                                 |                                  |       |
| ▼M1<br>612-076-00-8 | ethyldimethylamine   | 209-940-8  | 598-56-1   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B  | H225<br>H332<br>H302<br>H314                 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H314                 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No                               | CAS No                               | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|-------------------------------------|--------------------------------------|--|---|--------------------------------|---|---------------------------------|-----------------------------------|-------|
|              |  |                                     |                                      | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                   |       |
| 612-077-00-3 | dimethylnitrosoamine;<br><i>N</i> -nitrosodimethylamine  | 200-549-8                           | 62-75-9                              | Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Aquatic Chronic 2 | H350<br>H330<br>H301<br>H372 **<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H330<br>H301<br>H372 **<br>H411 |                                 | Carc. 1B;<br>H350: C ≥<br>0,001 % |       |
| 612-078-00-9 | 2,2'-dichloro-4,4'-methylene-<br>dianiline;<br>4,4'-methylene bis(2-chloroani-<br>line)                    | 202-918-9                           | 101-14-4                             | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H350<br>H302<br>H400<br>H410            | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410                    |                                 |                                   |       |
| 612-079-00-4 | salts of 2,2'-dichloro-4,4'-<br>methylenedianiline;<br>salts of 4,4'-methylenebis(2-<br>chloroaniline)     | —                                   | —                                    | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H350<br>H302<br>H400<br>H410            | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H410                    |                                 |                                   | A     |
| 612-080-00-X | 4-amino- <i>N,N</i> -diethylaniline;<br><i>N,N</i> -diethyl- <i>p</i> -phenylenediamine                    | 202-214-1                           | 93-05-0                              | Acute Tox. 3 *<br>Skin Corr. 1B  | H301<br>H314                            | GHS06<br>GHS05<br>Dgr          | H301<br>H314                            |                                 |                                   |       |
| 612-081-00-5 | salts of 4,4'-bi- <i>o</i> -toluidine;<br>salts of 3,3'-dimethylbenzidine;<br>salts of <i>o</i> -toluidine | 210-322-5<br>265-294-7<br>277-985-0 | 612-82-8<br>64969-36-4<br>74753-18-7 | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2                                | H350<br>H302<br>H411                    | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411                    |                                 |                                   | A     |
| 612-082-00-0 | thiourea;<br>thiocarbamide   | 200-543-5                           | 62-56-6                              | Carc. 2<br>Repr. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 2                      | H351<br>H361d ***<br>H302<br>H411       | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H361d ***<br>H302<br>H411       |                                 |                                   |       |

▼ **M1**

| Index No                   | International Chemical Identification                                  | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------------|--|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                            |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-083-00-6               | 1-methyl-3-nitro-1-nitrosoguanidine                                    | 200-730-1 | 70-25-7     | Carc. 1B<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2   | H350<br>H332<br>H319<br>H315<br>H411                         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H332<br>H319<br>H315<br>H411                 |                                 | Carc. 1B;<br>H350: C ≥<br>0,01 % |       |
| ▼ <b>B</b><br>612-084-00-1 | dapsone;<br>4,4'-diamino diphenyl sulfone                              | 201-248-4 | 80-08-0     | Acute Tox. 4 *   | H302   | GHS07<br>Wng                   | H302   |                                 |                                  |       |
| 612-085-00-7               | 4,4'-methylenedi- <i>o</i> -toluidine                                  | 212-658-8 | 838-88-0    | Carc. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H302<br>H317<br>H400<br>H410                         | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H317<br>H410                         |                                 |                                  |       |
| 612-086-00-2               | amitraz (ISO);<br><i>N,N</i> -bis(2,4-xylyliminomethyl)<br>methylamine | 251-375-4 | 33089-61-1  | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H373 **<br>H317<br>H400<br>H410                      | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H317<br>H410                      |                                 | M = 10                           |       |
| 612-087-00-8               | guazatine (ISO)  |           | 108173-90-6 | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H312<br>H302<br>H335<br>H315<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H312<br>H302<br>H335<br>H315<br>H318<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                 | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                         | Suppl. Hazard statement Code(s) |                                  |       |
| 612-088-00-3 | simazine (ISO);<br>6-chloro- <i>N,N'</i> -diethyl-1,3,5-triazine-2,4-diamine | 204-535-2 | 122-34-9    | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H400<br>H410                                     | GHS08<br>GHS09<br>Wng                   | H351<br>H410                                     |                                 |                                  |       |
| 612-089-00-9 | 1,5-naphthylenediamine   | 218-817-8 | 2243-62-1   | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H400<br>H410                                     | GHS08<br>GHS09<br>Wng                   | H351<br>H410                                     |                                 |                                  |       |
| 612-090-00-4 | 2,2'-(nitrosoimino)bisethanol  | 214-237-4 | 1116-54-7   | Carc. 1B   | H350   | GHS08<br>Dgr                            | H350   |                                 |                                  |       |
| 612-091-00-X | <i>o</i> -toluidine;<br>2-aminotoluene                                       | 202-429-0 | 95-53-4     | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Aquatic Acute 1                                  | H350<br>H331<br>H301<br>H319<br>H400                     | GHS06<br>GHS08<br>GHS09<br>Dgr          | H350<br>H331<br>H301<br>H319<br>H400             |                                 |                                  |       |
| 612-092-00-5 | <i>N,N'</i> -(2,2-dimethylpropylidene)hexamethylenediamine                   | 401-660-6 | 1000-78-8   | Skin Irrit. 2<br>Skin Sens. 1  | H315<br>H317   | GHS07<br>Wng                            | H315<br>H317                                     |                                 |                                  |       |
| 612-093-00-0 | 3,5-dichloro-4-(1,1,2,2-tetrafluoroethoxy)aniline                            | 401-790-3 | 104147-32-2 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                                     | GHS07<br>GHS09<br>Wng                   | H302<br>H410                                     |                                 |                                  |       |
| 612-094-00-6 | 4-(2-chloro-4-trifluoromethyl)phenoxy-2-fluoroaniline hydrochloride          | 402-190-4 | 113674-95-6 | STOT RE 1<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H372**<br>H302<br>H373**<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H372**<br>H302<br>H373**<br>H318<br>H317<br>H410 |                                 |                                  |       |

## ▼M1

## ▼B

| Index No            | International Chemical Identification                        | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|---------------------|--|-----------|-------------|--|--|--------------------------------|--|---------------------------------|-----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                   |       |
| 612-095-00-1        | benzyl-2-hydroxydodecyl-dimethylammonium benzoate            | 402-610-6 | 113694-52-3 | Skin Corr. 1B<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H314<br>H302<br>H400<br>H410                                       | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H302<br>H410   |                                 |                                   |       |
| 612-096-00-7        | 4,4'-carbonimidoylbis[ <i>N,N</i> -dimethylaniline]          | 207-762-5 | 492-80-8    | Carc. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2   | H351<br>H302<br>H319<br>H411                                       | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H319<br>H411                                       |                                 |                                   |       |
| 612-097-00-2        | salts of 4,4'-carbonimidoylbis[ <i>N,N</i> -dimethylaniline] | —         | —           | Carc. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2   | H351<br>H302<br>H319<br>H411                                       | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H319<br>H411                                       |                                 |                                   | A     |
| ▼M1<br>612-098-00-8 | nitrosodipropylamine   | 210-698-0 | 621-64-7    | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2  | H350<br>H302<br>H411   | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411   |                                 | Carc. 1B;<br>H350: C ≥<br>0,001 % |       |
| 612-099-00-3        | 4-methyl- <i>m</i> -phenylenediamine;<br>2,4-toluenediamine  | 202-453-1 | 95-80-7     | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H341<br>H361f***<br>H301<br>H312<br>H373**<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H361f***<br>H301<br>H312<br>H373**<br>H317<br>H411 |                                 |                                   |       |

▼**B**

| Index No     | International Chemical Identification        | EC No     | CAS No   | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-100-00-7 | propylenediamine                             | 201-155-9 | 78-90-0  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A                      | H226<br>H312<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H314         |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |          |  |                                      |                                |                                      |                                 |                                  |       |
| 612-101-00-2 | methenamine;<br>hexamethylenetetramine       | 202-905-8 | 100-97-0 | Flam. Sol. 2<br>Skin Sens. 1   | H228<br>H317                         | GHS02<br>GHS07<br>Wng          | H228<br>H317                         |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |          |  |                                      |                                |                                      |                                 |                                  |       |
| 612-102-00-8 | <i>N,N</i> -bis(3-aminopropyl)methylamine    | 203-336-8 | 105-83-9 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                    | H331<br>H311<br>H302<br>H314         | GHS06<br>GHS05<br>Dgr          | H331<br>H311<br>H302<br>H314         |                                 |                                  |       |
| 612-103-00-3 | <i>N,N,N',N'</i> -tetramethylethylenediamine | 203-744-6 | 110-18-9 | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                      | H225<br>H332<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H314         |                                 |                                  |       |
| 612-104-00-9 | hexamethylenediamine                         | 204-679-6 | 124-09-4 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Corr. 1B                         | H312<br>H302<br>H335<br>H314         | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H335<br>H314         |                                 |                                  |       |
| 612-105-00-4 | 2-piperazin-1-ylethylamine                   | 205-411-0 | 140-31-8 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H312<br>H302<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314<br>H317<br>H412 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification                          | EC No                          | CAS No                      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|-----------------------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |                                |                             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 612-106-00-X | 2,6-diethylaniline   | 209-445-7                      | 579-66-8                    | Acute Tox. 4 *   | H302                                    | —                              | H302                                    |                                 |                                  |       |
| 612-107-00-5 | 1-phenylethylamine; [1]<br>DL- $\alpha$ -methylbenzylamine [2] | 202-706-6 [1]<br>210-545-8 [2] | 98-84-0 [1]<br>618-36-0 [2] | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B  | H312<br>H302<br>H314                    | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H314                    |                                 |                                  |       |
| 612-108-00-0 | 3-aminopropyltriethoxysilane                                   | 213-048-4                      | 919-30-2                    | Acute Tox. 4 *<br>Skin Corr. 1B  | H302<br>H314                            | GHS05<br>GHS07<br>Dgr          | H302<br>H314                            |                                 |                                  |       |
| 612-109-00-6 | bis(2-dimethylaminoethyl)(methyl)amine                         | 221-201-1                      | 3030-47-5                   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B  | H311<br>H302<br>H314                    | GHS06<br>GHS05<br>Dgr          | H311<br>H302<br>H314                    |                                 |                                  |       |
| 612-110-00-1 | 2,2'-dimethyl-4,4'-methylenebis(cyclohexylamine)               | 229-962-1                      | 6864-37-5                   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Chronic 2 | H331<br>H311<br>H302<br>H314<br>H411    | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H302<br>H314<br>H411    |                                 |                                  |       |
| 612-111-00-7 | 2-methyl- <i>m</i> -phenylenediamine;<br>2,6-toluenediamine    | 212-513-9                      | 823-40-5                    | Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2         | H341<br>H312<br>H302<br>H317<br>H411    | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H312<br>H302<br>H317<br>H411    |                                 |                                  |       |
| 612-112-00-2 | <i>p</i> -anisidine;<br>4-methoxyaniline                       | 203-254-2                      | 104-94-9                    | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>STOT RE 2 *<br>Aquatic Acute 1       | H330<br>H310<br>H300<br>H373 **<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H310<br>H300<br>H373 **<br>H400 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-113-00-8 | 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine   | 403-240-8 | 106264-79-3 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H302<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410         |                                 |                                  |       |
| 612-114-00-3 | <i>R,R</i> -2-hydroxy-5-(1-hydroxy-2-(4-phenylbut-2-ylamino)ethyl)benzamide hydrogen 2,3-bis(benzoyloxy)succinate   | 404-390-7 | —           | Flam. Sol. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                                       | H228<br>H317<br>H412                 | GHS02<br>GHS07<br>Wng          | H228<br>H317<br>H412         |                                 |                                  |       |
| 612-115-00-9 | dimethyldioctadecylammonium hydrogen sulfate  | 404-050-8 | 123312-54-9 | Eye Irrit. 2<br>Aquatic Chronic 4   | H319<br>H413                         | GHS07<br>Wng                   | H319<br>H413                 |                                 |                                  |       |
| 612-116-00-4 | C <sub>8-18</sub> alkylbis(2-hydroxyethyl)ammonium bis(2-ethylhexyl)phosphate   | 404-690-8 | 68132-19-4  | Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 612-117-00-X | C <sub>12-14</sub> - <i>tert</i> -alkylamine, methylphosphonic acid salt  | 404-750-3 | 119415-07-5 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2                                    | H302<br>H314<br>H411                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H411         |                                 |                                  |       |
| 612-118-00-5 | A reaction mass of: (1,3-dioxo-2 <i>H</i> -benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium 4-toluenesulfonate; (1,3-dioxo-2 <i>H</i> -benz(de)isoquinolin-2-ylpropyl)hexadecyldimethylammonium bromide | 405-080-4 | —           | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H318<br>H400<br>H410                 | GHS05<br>GHS09<br>Dgr          | H318<br>H410                 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification                    | EC No     | CAS No     | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|------------|--|--|--|--|---------------------------------|----------------------------------|-------|
|                     |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 612-119-00-0        | benzyltrimethyloctadecylammonium 3-nitrobenzenesulfonate | 405-330-2 | —          | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H315<br>H318<br>H400<br>H410   | GHS05<br>GHS09<br>Dgr                            | H315<br>H318<br>H410   |                                 |                                  |       |
| ▼M7<br>612-120-00-6 | acclonifen (ISO);<br>2-chloro-6-nitro-3-phenoxyaniline   | 277-704-1 | 74070-46-5 | Carc. 2<br>Skin Sens. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H317<br>H400<br>H410   | GHS08<br>GHS07<br>GHS09<br>Wng                   | H351<br>H317<br>H410   | M = 100<br>M = 10               |                                  |       |
| ▼B<br>612-121-00-1  | amines, polyethylenepoly-;<br>HEPA                       | 268-626-9 | 68131-73-7 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H312<br>H302<br>H314<br>H317<br>H400<br>H410   | GHS05<br>GHS07<br>GHS09<br>Dgr                   | H312<br>H302<br>H314<br>H317<br>H410   |                                 |                                  |       |
| ▼M1<br>612-122-00-7 | hydroxylamine ... %<br>[> 55 % in aqueous solution]      | 232-259-2 | 7803-49-8  | Unst. Expl.<br>Met. Corr. 1<br>Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H200<br>H290<br>H351<br>H312<br>H302<br>H373**<br>H335<br>H315<br>H318<br>H317<br>H400 | GHS01<br>GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H200<br>H290<br>H351<br>H312<br>H302<br>H373**<br>H335<br>H315<br>H318<br>H317<br>H400 |                                 | B                                |       |



▼ **M1**

| Index No     | International Chemical Identification   | EC No                          | CAS No                          | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|---------------------------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |                                |                                 | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 612-122-01-4 | hydroxylamine ...% [ $\leq$ 55 % in aqueous solution]   | 232-259-2                      | 7803-49-8                       | Met. Corr. 1<br>Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H290<br>H351<br>H312<br>H302<br>H373**<br>H335<br>H315<br>H318<br>H317<br>H400 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H290<br>H351<br>H312<br>H302<br>H373**<br>H335<br>H315<br>H318<br>H317<br>H400 |                                 |                                  | B     |
| 612-123-00-2 | hydroxylammonium chloride;<br>hydroxylamine hydrochloride;<br>[1]<br>bis(hydroxylammonium)<br>sulfate;<br>hydroxylamine sulfate (2:1) [2] | 226-798-2 [1]<br>233-118-8 [2] | 5470-11-1 [1]<br>10039-54-0 [2] | Met. Corr. 1<br>Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1            | H290<br>H351<br>H312<br>H302<br>H373**<br>H319<br>H315<br>H317<br>H400         | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Wng | H290<br>H351<br>H312<br>H302<br>H373**<br>H319<br>H315<br>H317<br>H400         |                                 |                                  |       |
| 612-124-00-8 | <i>N,N,N</i> -trimethylanilinium<br>chloride  | 205-319-0                      | 138-24-9                        | Acute Tox. 3 *<br>Acute Tox. 3 *  | H311<br>H301   | GHS06<br>Dgr                            | H311<br>H301   |                                 |                                  |       |
| 612-125-00-3 | 2-methyl- <i>p</i> -phenylenediamine;<br>2,5-toluenediamine   | 202-442-1                      | 95-70-5                         | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2   | H301<br>H332<br>H312<br>H317<br>H411   | GHS06<br>GHS09<br>Dgr                   | H301<br>H332<br>H312<br>H317<br>H411   |                                 |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification   | EC No   | CAS No   | Classification  |   | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|---|--|---|---|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-126-00-9 | toluene-2,4-diammonium sulphate;<br>4-methyl-m-phenylenediamine sulfate   | 265-697-8                                       | 65321-67-7                                       | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2       | H350<br>H301<br>H312<br>H319<br>H317<br>H411    | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H301<br>H312<br>H319<br>H317<br>H411 |                                 |                                  |       |
| 612-127-00-4 | 3-aminophenol   | 209-711-2                                       | 591-27-5   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2   | H332<br>H302<br>H411                            | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H411                         |                                 |                                  |       |
| 612-128-00-X | 4-aminophenol   | 204-616-2                                       | 123-30-8   | Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H341<br>H332<br>H302<br>H400<br>H410            | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H332<br>H302<br>H410                 |                                 |                                  |       |
| 612-129-00-5 | diisopropylamine  | 203-558-5                                       | 108-18-9   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B                                       | H225<br>H332<br>H302<br>H314                    | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H332<br>H302<br>H314                 | STOT SE 3;<br>H335: C ≥ 5 %     |                                  |       |
| 612-130-00-0 | 2,6-diamino-3,5-diethyltoluene;<br>4,6-diethyl-2-methyl-1,3-benzenediamine; [1]<br>2,4-diamino-3,5-diethyltoluene;<br>2,4-diethyl-6-methyl-1,3-benzenediamine; [2]<br>diethylmethylbenzenediamine [3] | 218-255-3 [1]<br>218-256-9 [2]<br>270-877-4 [3] | 2095-01-4 [1]<br>2095-02-5 [2]<br>68479-98-1 [3] | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H373 **<br>H319<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H312<br>H302<br>H373 **<br>H319<br>H410      |                                 | C                                |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |   | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|---|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-131-00-6 | didecyldimethylammonium chloride  | 230-525-2 | 7173-51-5  | Acute Tox. 4 *<br>Skin Corr. 1B   | H302<br>H314                            | GHS05<br>GHS07<br>Dgr          | H302<br>H314                         |                                 |                                  |       |
| 612-132-00-1 | <i>N,N</i> -diphenyl- <i>p</i> -phenylenediamine;<br><i>N,N</i> -diphenyl-1,4-benzene-diamine   | 200-806-4 | 74-31-7    | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412                            | GHS07<br>Wng                   | H317<br>H412                         |                                 |                                  |       |
| 612-133-00-7 | (4-ammonio- <i>m</i> -tolyl)ethyl(2-hydroxyethyl)ammonium sulphate;<br>4-( <i>N</i> -ethyl- <i>N</i> -2-hydroxyethyl)-2-methylphenylenediamine sulphate   | 247-162-0 | 25646-77-9 | Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H373 **<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 **<br>H317<br>H410      |                                 |                                  |       |
| 612-134-00-2 | <i>N</i> -(2-(4-amino- <i>N</i> -ethyl- <i>m</i> -toluidino)ethyl)methanesulphonamide sesquisulphate;<br>4-( <i>N</i> -ethyl- <i>N</i> -2-methanesulphonylaminoethyl)-2-methylphenylenediamine sesquisulphate monohydrate | 247-161-5 | 25646-71-3 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H317<br>H400<br>H410            | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                 |                                 |                                  |       |
| 612-135-00-8 | <i>N</i> -2-naphthylaniline;<br><i>N</i> -phenyl-2-naphthylamine  | 205-223-9 | 135-88-6   | Carc. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2         | H351<br>H319<br>H315<br>H317<br>H411    | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H319<br>H315<br>H317<br>H411 |                                 |                                  |       |
| 612-136-00-3 | <i>N</i> -isopropyl- <i>N</i> -phenyl- <i>p</i> -phenylenediamine   | 202-969-7 | 101-72-4   | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H317<br>H400<br>H410            | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                 |                                 | Skin Sens. 1;<br>H317: C ≥ 0,1 % |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-137-00-9 | 4-chloroaniline  | 203-401-0 | 106-47-8   | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H331<br>H311<br>H301<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H317<br>H410 |                                 |                                  |       |
| 612-138-00-4 | furalaxyl (ISO);<br>methyl <i>N</i> -(2,6-dimethylphenyl)-<br><i>N</i> -(2-furylcarbonyl)-DL-<br>alaninate | 260-875-1 | 57646-30-7 | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412   | GHS07<br>Wng                   | H302<br>H412                                 |                                 |                                  |       |
| 612-139-00-X | mefenacet (ISO);<br>2-(benzothiazol-2-yloxy)- <i>N</i> -<br>methyl- <i>N</i> -phenylacetamide              | 277-328-8 | 73250-68-7 | Aquatic Chronic 2  | H411   | GHS09                          | H411   |                                 |                                  |       |
| 612-140-00-5 | quaternal ammonium<br>compounds, benzyl-C <sub>8-18</sub> -<br>alkyldimethyl, chlorides                    | 264-151-6 | 63449-41-2 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1   | H312<br>H302<br>H314<br>H400                         | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H400                 |                                 |                                  |       |
| 612-141-00-0 | 4,4'-methylenebis(2-ethylani-<br>line);<br>4,4'-methylenebis(2-ethylbenze-<br>neamine)                     | 243-420-1 | 19900-65-3 | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H302<br>H400<br>H410                         | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410                         |                                 |                                  |       |
| 612-142-00-6 | biphenyl-2-ylamine   | 201-990-9 | 90-41-5    | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 3   | H351<br>H302<br>H412                                 | GHS08<br>GHS07<br>Wng          | H351<br>H302<br>H412                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-143-00-1 | N <sup>5</sup> ,N <sup>5</sup> -diethyltoluene-2,5-diamine monohydrochloride;<br>4-diethylamino-2-methylaniline monohydrochloride | 218-130-3 | 2051-79-8  | Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H301<br>H319<br>H317<br>H400<br>H410                                 | GHS06<br>GHS09<br>Dgr          | H301<br>H319<br>H317<br>H410                                 |                                 |                                  |       |
| 612-144-00-7 | flumetralin (ISO);<br>N-(2-chloro-6-fluorobenzyl)-N-ethyl- $\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro- <i>p</i> -toluidine     | —         | 62924-70-3 | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H319<br>H315<br>H317<br>H400<br>H410                                 | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H317<br>H410                                 |                                 |                                  |       |
| 612-145-00-2 | <i>o</i> -phenylenediamine  | 202-430-6 | 95-54-5    | Carc. 2<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H410 |                                 |                                  |       |
| 612-146-00-8 | <i>o</i> -phenylenediamine dihydrochloride  | 210-418-7 | 615-28-1   | Carc. 2<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H351<br>H341<br>H301<br>H332<br>H312<br>H319<br>H317<br>H410 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-147-00-3 | <i>m</i> -phenylenediamine  | 203-584-7 | 108-45-2    | Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H410 |                                 |                                  |       |
| 612-148-00-9 | <i>m</i> -phenylenediamine dihydrochloride  | 208-790-0 | 541-69-5    | Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H331<br>H311<br>H301<br>H319<br>H317<br>H410 |                                 |                                  |       |
| 612-149-00-4 | 1,3-diphenylguanidine   | 203-002-1 | 102-06-7    | Repr. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H361f ***<br>H302<br>H319<br>H335<br>H315<br>H411            | GHS08<br>GHS07<br>GHS09<br>Wng | H361f ***<br>H302<br>H319<br>H335<br>H315<br>H411    |                                 |                                  |       |
| 612-150-00-X | spiroxamine (ISO);<br>8- <i>tert</i> -butyl-1,4-diox-<br>aspiro[4.5]decan-2-ylme-<br>thyl(ethyl)(propyl)amine | —         | 118134-30-8 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1           | H332<br>H312<br>H302<br>H315<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H315<br>H317<br>H410         |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 612-151-00-5 | methyl-phenylene diamine; diaminotoluene; [technical product – reaction mass of 4-methyl- <i>m</i> -phenylene diamine (EC No 202-453-1) and 2-methyl- <i>m</i> -phenylene diamine (EC No 212-513-9)] | —         | —           | Carc. 1B<br>Muta. 2<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H350<br>H341<br>H361f***<br>H301<br>H312<br>H373**<br>H319<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H350<br>H341<br>H361f***<br>H301<br>H312<br>H373**<br>H319<br>H317<br>H411 |                                 |                                  |       |
| 612-152-00-0 | <i>N,N</i> -diethyl- <i>N',N'</i> -dimethylpropan-1,3-diyl-diamine   | 406-610-7 | 62478-82-4  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1A<br>Aquatic Chronic 3                                  | H226<br>H332<br>H302<br>H373 **<br>H314<br>H412                            | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H332<br>H302<br>H373 **<br>H314<br>H412                            |                                 |                                  |       |
| 612-153-00-6 | 4-[ <i>N</i> -ethyl- <i>N</i> -(2-hydroxyethyl)amino]-1-(2-hydroxyethyl)amino-2-nitrobenzene, monohydrochloride  | 407-020-2 | 132885-85-9 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3  | H302<br>H317<br>H412   | GHS07<br>Wng                            | H302<br>H317<br>H412   |                                 |                                  |       |
| 612-154-00-1 | 6'-(isobutylethylamino)-3'-methyl-2'-phenylamino-spiro[isobenzofuran-7,9'-[9 <i>H</i> ]-xanthene]  | 410-890-6 | 95235-29-3  | Aquatic Chronic 4  | H413   | —                                       | H413   |                                 |                                  |       |
| 612-155-00-7 | 2'-anilino-6'-((3-ethoxypropyl)ethylamino)-3'-methyl-spiro(isobenzofuran)-1-(1 <i>H</i> )-9'-xanthene  | 411-730-8 | 93071-94-4  | Aquatic Chronic 4  | H413   | —                                       | H413   |                                 |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No                                       | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-156-00-2 | reaction mass of: trihexadecylmethylammonium chloride; dihexadecyldimethylammonium chloride  | 405-620-9                                       | —  | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H318<br>H400<br>H410                                 | GHS05<br>GHS09<br>Dgr                   | H318<br>H410   |                                 |                                  |       |
| 612-157-00-8 | (Z)-1-benzo[ <i>b</i> ]thien-2-ylethanone oxime hydrochloride  | 410-780-8                                       | —  | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                                 | H302<br>H373 **<br>H318<br>H317<br>H411              | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H373 **<br>H318<br>H317<br>H411              |                                 |                                  |       |
| 612-158-00-3 | reaction mass of: bis(5-dodecyl-2-hydroxybenzald-oximate) copper (II) C <sub>12</sub> -alkyl group is branched; 4-dodecylsalicylaldoxime   | 410-820-4                                       | —  | Aquatic Chronic 4  | H413   | —                                       | H413   |                                 |                                  |       |
| 612-159-00-9 | Reaction products of: trimethyl-hexamethylene diamine (a mixture of 2,2,4-trimethyl-1,6-hexanediamine and 2,4,4-trimethyl-1,6-hexanediamine, EINECS listed), Epoxide 8 (mono[(C <sub>10</sub> -C <sub>16</sub> -alkyloxy)methyl]oxirane derivatives) and <i>p</i> -toluene-sulfonic acid | 410-880-1                                       | —  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H314<br>H400<br>H410                         | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H314<br>H410                                 |                                 |                                  |       |
| 612-160-00-4 | <i>p</i> -toluidine;<br>4-aminotoluene; [1]<br>toluidinium chloride; [2]<br>toluidine sulphate (1:1) [3]   | 203-403-1 [1]<br>208-740-8 [2]<br>208-741-3 [3] | 106-49-0 [1]<br>540-23-8 [2]<br>540-25-0 [3] | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H351<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr          | H351<br>H331<br>H311<br>H301<br>H319<br>H317<br>H400 |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-161-00-X | 2,6-xylylidine;<br>2,6-dimethylaniline  | 201-758-7 | 87-62-7     | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H351<br>H332<br>H312<br>H302<br>H335<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H332<br>H312<br>H302<br>H335<br>H315<br>H411 |                                 |                                  |       |
| 612-162-00-5 | dimethyldioctadecylammonium chloride;<br>DODMAC   | 203-508-2 | 107-64-2    | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H318<br>H400<br>H410                                 | GHS05<br>GHS09<br>Dgr          | H318<br>H410   |                                 |                                  |       |
| 612-163-00-0 | metalaxyl-M (ISO);<br>mefenoxam;<br>(R)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]propionic acid methyl ester  | —         | 70630-17-0  | Acute Tox. 4 *<br>Eye Dam. 1   | H302<br>H318   | GHS05<br>GHS07<br>Dgr          | H302<br>H318   |                                 |                                  |       |
| 612-164-00-6 | 2-butyl-2-ethyl-1,5-diaminopentane  | 412-700-7 | 137605-95-9 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3            | H312<br>H302<br>H373 **<br>H314<br>H317<br>H412      | GHS08<br>GHS05<br>GHS07<br>Dgr | H312<br>H302<br>H373 **<br>H314<br>H317<br>H412      |                                 |                                  |       |
| 612-165-00-1 | <i>N,N'</i> -diphenyl- <i>N,N'</i> -bis(3-methylphenyl)-(1,1'-diphenyl)-4,4'-diamine  | 413-810-8 | 65181-78-4  | Aquatic Chronic 2  | H411   | GHS09                          | H411   |                                 |                                  |       |
| 612-166-00-7 | reaction mass of: <i>cis</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1);<br><i>trans</i> -(5-ammonium-1,3,3-trimethyl)-cyclohexanemethylammonium phosphate (1:1) | 411-830-1 | 114765-88-7 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3  | H318<br>H317<br>H412                                 | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412                                 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|--|-----------|-------------|---|--|--|--|---------------------------------|----------------------------------|-------|
|                     |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s) |                                  |       |
| 612-167-00-2        | 5-acetyl-3-amino-10,11-dihydro-5 <i>H</i> -dibenz[ <i>b,f</i> ]azepine-hydrochloride | 410-490-1 | —           | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                                  | H302<br>H373 **<br>H318<br>H317<br>H411                | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H373 **<br>H318<br>H317<br>H411        |                                 |                                  |       |
| 612-168-00-8        | 3,5-dichloro-2,6-difluoropyridine-4-amine  | 220-630-1 | 2840-00-8   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2   | H312<br>H302<br>H411                                   | GHS07<br>GHS09<br>Wng                            | H312<br>H302<br>H411                           |                                 |                                  |       |
| ▼M1<br>612-169-00-3 | bis( <i>N</i> -methyl- <i>N</i> -phenylhydrazine)sulfate                             | 423-170-1 | 618-26-8    | Flam. Liq. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H225<br>H372**<br>H302<br>H318<br>H317<br>H400<br>H410 | GHS02<br>GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H225<br>H372**<br>H302<br>H318<br>H317<br>H410 |                                 |                                  |       |
| ▼B<br>612-170-00-9  | 4-chlorophenyl cyclopropyl ketone <i>O</i> -(4-aminobenzyl)oxime                     | 405-260-2 | —           | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H317<br>H400<br>H410                           | GHS07<br>GHS09<br>Wng                            | H302<br>H317<br>H410                           |                                 |                                  |       |
| 612-171-00-4        | <i>N,N,N',N'</i> -tetraglycidyl-4,4'-diamino-3,3'-diethyldiphenylmethane             | 410-060-3 | 130728-76-6 | Muta. 2<br>Skin Sens. 1<br>Aquatic Chronic 2  | H341<br>H317<br>H411                                   | GHS08<br>GHS09<br>Wng                            | H341<br>H317<br>H411                           |                                 |                                  |       |
| 612-172-00-X        | 4,4'-methylenebis( <i>N,N'</i> -dimethylcyclohexanamine)                             | 412-840-9 | 13474-64-1  | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1A<br>Aquatic Chronic 3   | H302<br>H373 **<br>H314<br>H412                        | GHS08<br>GHS05<br>GHS07<br>Dgr                   | H302<br>H373 **<br>H314<br>H412                |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-173-00-5 | lithium 1-amino-4-(4- <i>tert</i> -butylanylino)anthraquinone-2-sulfonate                        | 411-140-0 | 125328-86-1 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                      | H318<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411         |                                 |                                  |       |
| 612-174-00-0 | 4,4-dimethoxybutylamine  | 407-690-6 | 19060-15-2  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H314<br>H317<br>H412 | GHS05<br>GHS07<br>Dgr          | H302<br>H314<br>H317<br>H412 |                                 |                                  |       |
| 612-175-00-6 | 2-( <i>O</i> -aminoxy)ethylamine dihydrochloride   | 412-310-7 | 37866-45-8  | Skin Sens. 1<br>Aquatic Chronic 3                                    | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412                 |                                 |                                  |       |
| 612-176-00-1 | polymer of 1,3-dibromopropane and <i>N,N</i> -diethyl- <i>N',N'</i> -dimethyl-1,3-propanediamine | 410-570-6 | 143747-73-3 | Aquatic Acute 1<br>Aquatic Chronic 1                                 | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 612-177-00-7 | 2-naphthylamino-6-sulfomethylamide   | 412-120-4 | 104295-55-8 | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2                     | H373 **<br>H317<br>H411      | GHS08<br>GHS09<br>Wng          | H373 **<br>H317<br>H411      |                                 |                                  |       |
| 612-178-00-2 | 1,4,7,10-tetraazacyclododecane disulfate   | 412-080-8 | 112193-77-8 | Acute Tox. 4 *<br>STOT SE 3<br>Eye Dam. 1<br>Aquatic Chronic 3       | H302<br>H335<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr          | H302<br>H335<br>H318<br>H412 |                                 |                                  |       |
| 612-179-00-8 | 1-(2-propenyl)pyridinium chloride  | 412-740-5 | 25965-81-5  | Acute Tox. 4 *<br>Skin Sens. 1                                       | H302<br>H317                 | GHS07<br>Wng                   | H302<br>H317                 |                                 |                                  |       |
| 612-180-00-3 | 3-aminobenzylamine   | 412-230-2 | 4403-70-7   | Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 2                 | H302<br>H314<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H411         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 612-181-00-9 | 2-phenylthioaniline   | 413-030-8 | 1134-94-7   | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                                    | GHS07<br>GHS09<br>Wng                   | H317<br>H411                                    |                                 |                                  |       |
| 612-182-00-4 | 1-ethyl-1-methylmorpholinium bromide  | 418-210-1 | 65756-41-4  | Muta. 2   | H341  | GHS08<br>Wng                            | H341  |                                 |                                  |       |
| 612-183-00-X | 1-ethyl-1-methylpyrrolidinium bromide   | 418-200-5 | 69227-51-6  | Muta. 2   | H341  | GHS08<br>Wng                            | H341  |                                 |                                  |       |
| 612-184-00-5 | 6'-(dibutylamino)-3'-methyl-2'-(phenylamino)spiro[isobenzofuran-1(3 <i>H</i> ),9-(9 <i>H</i> )-xanthen]-3-one | 403-830-5 | 89331-94-2  | Aquatic Chronic 3   | H412  | —                                       | H412  |                                 |                                  |       |
| 612-185-00-0 | 1-[3-[4-((heptadecafluorononyloxy)-benzamido)propyl]- <i>N,N,N</i> -trimethylammonium iodide                  | 407-400-8 | 59493-72-0  | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H318<br>H400<br>H410                            | GHS05<br>GHS09<br>Dgr                   | H318<br>H410                                    |                                 |                                  |       |
| 612-186-00-6 | bis( <i>N</i> -(7-hydroxy-8-methyl-5-phenylphenazin-3-ylidene)dimethylammonium) sulfate                       | 406-770-8 | 149057-64-7 | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H373 **<br>H318<br>H317<br>H400<br>H410         | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H373 **<br>H318<br>H317<br>H410                 |                                 |                                  |       |
| 612-187-00-1 | 2,3,4-trifluoroaniline  | 407-170-9 | 3862-73-5   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H373 **<br>H315<br>H318<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 **<br>H315<br>H318<br>H411 |                                 |                                  |       |
| 612-188-00-7 | 4,4'-(9 <i>H</i> -fluoren-9-ylidene)bis(2-chloroaniline)  | 407-560-9 | 107934-68-9 | Aquatic Chronic 2   | H411  | GHS09                                   | H411  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-189-00-2 | 4-amino-2-(aminomethyl)phenol dihydrochloride  | 412-510-4 | 135043-64-0 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                    | H302<br>H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                 |                                 |                                  |       |
| 612-190-00-8 | 4,4'-methylenebis(2-isopropyl-6-methylaniline)   | 415-150-6 | 16298-38-7  | STOT RE 2 *<br>Aquatic Chronic 2  | H373 **<br>H411                              | GHS08<br>GHS09<br>Wng          | H373 **<br>H411                      |                                 |                                  |       |
| 612-191-00-3 | polymer of allylamine hydrochloride  | 415-050-2 | 71550-12-4  | Acute Tox. 4 *<br>Skin Sens. 1  | H302<br>H317                                 | GHS07<br>Wng                   | H302<br>H317                         |                                 |                                  |       |
| 612-192-00-9 | 2-isopropyl-4-(N-methyl)amino-methylthiazole   | 414-800-6 | 154212-60-9 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2                      | H312<br>H302<br>H315<br>H318<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H315<br>H318<br>H411 |                                 |                                  |       |
| 612-193-00-4 | 3-methylaminomethylphenylamine   | 414-570-7 | 18759-96-1  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H314<br>H317<br>H410 |                                 |                                  |       |
| 612-194-00-X | 2-hydroxy-3-[(2-hydroxyethyl)-[2-(1-oxotetradecyl)amino]ethyl]amino]-N,N,N-trimethyl-1-propanammonium chloride | 414-670-0 | 141890-30-4 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H302<br>H318<br>H400<br>H410                 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410                 |                                 |                                  |       |
| 612-195-00-5 | bis[tributyl 4-(methylbenzyl)ammonium] 1,5-naphthalenedisulfonate  | 415-210-1 | 160236-81-7 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H332<br>H302<br>H318<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H318<br>H410         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                         | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|--------------------------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |                                |                                | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |                                  |       |
| 612-196-00-0 | 4-chloro- <i>o</i> -toluidine; [1]<br>4-chloro- <i>o</i> -toluidine hydrochloride [2]                 | 202-441-6 [1]<br>221-627-8 [2] | 95-69-2 [1]<br>3165-93-3 [2]   | Carc. 1B<br>Muta. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H350<br>H341<br>H331<br>H311<br>H301<br>H400<br>H410      | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H341<br>H331<br>H311<br>H301<br>H410              |                                 |                                  |       |
| 612-197-00-6 | 2,4,5-trimethylaniline; [1]<br>2,4,5-trimethylaniline hydrochloride [2]                               | 205-282-0 [1] - [2]            | 137-17-7 [1]<br>21436-97-5 [2] | Carc. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2                               | H350<br>H331<br>H311<br>H301<br>H411                      | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H331<br>H311<br>H301<br>H411                      |                                 |                                  |       |
| 612-198-00-1 | 4,4'-thiodianiline and its salts  | 205-370-9                      | 139-65-1                       | Carc. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 2   | H350<br>H302<br>H411                                      | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H411                                      |                                 |                                  |       |
| 612-199-00-7 | 4,4'-oxydianiline and its salts;<br><i>p</i> -aminophenyl ether                                       | 202-977-0                      | 101-80-4                       | Carc. 1B<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 2        | H350<br>H340<br>H361f ***<br>H331<br>H311<br>H301<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H350<br>H340<br>H361f ***<br>H331<br>H311<br>H301<br>H411 |                                 |                                  |       |
| 612-200-00-0 | 2,4-diaminoanisole;<br>4-methoxy- <i>m</i> -phenylene-diamine; [1]<br>2,4-diaminoanisole sulphate [2] | 210-406-1 [1]<br>254-323-9 [2] | 615-05-4 [1]<br>39156-41-7 [2] | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 2  | H350<br>H341<br>H302<br>H411                              | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H302<br>H411                              |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No   | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|----------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |          | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-201-00-6 | <i>N,N,N',N'</i> -tetramethyl-4,4'-methylenedianiline   | 202-959-2 | 101-61-1 | Carc. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H400<br>H410                                 | GHS08<br>GHS09<br>Dgr                   | H350<br>H410                                 |                                 |                                  |       |
| 612-202-00-1 | 3,4-dichloroaniline   | 202-448-4 | 95-76-1  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H318<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr          | H331<br>H311<br>H301<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 612-203-00-7 | C <sub>8-10</sub> alkyl dimethyl hydroxyethyl ammoniumchloride (chain < C <sub>8</sub> : <3 %, chain= C <sub>8</sub> : 15 %-70 %, chain= C <sub>10</sub> : 30 %-85 %, chain > C <sub>10</sub> : <3 %) | 417-360-3 | —        | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2  | H312<br>H302<br>H315                                 | GHS07<br>Wng                            | H312<br>H302<br>H315                         |                                 |                                  |       |
| 612-204-00-2 | C.I. Basic Violet 3; 4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride   | 208-953-6 | 548-62-9 | Carc. 2<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H302<br>H318<br>H400<br>H410                 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H351<br>H302<br>H318<br>H410                 |                                 |                                  |       |
| 612-205-00-8 | C.I. Basic Violet 3 with ≥ 0,1 % of Michler's ketone (EC no. 202-027-5)   | 208-953-6 | 548-62-9 | Carc. 1B<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H302<br>H318<br>H400<br>H410                 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H350<br>H302<br>H318<br>H410                 |                                 |                                  |       |

▼M1▼B

▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                        | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|-------------------------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |                                |                               | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-206-00-3 | famoxadone (ISO);<br>3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione | —                              | 131807-57-3                   | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H373 **<br>H400<br>H410                      | GHS08<br>GHS09<br>Wng          | H373 **<br>H410                              |                                 |                                  |       |
| 612-207-00-9 | 4-ethoxyaniline;<br><i>p</i> -phenetidine   | 205-855-5                      | 156-43-4                      | Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1 | H341<br>H332<br>H312<br>H302<br>H319<br>H317 | GHS08<br>GHS07<br>Wng          | H341<br>H332<br>H312<br>H302<br>H319<br>H317 |                                 |                                  |       |
| ▼ <u>M1</u>  |   |                                |                               |   |  |                                |  |                                 |                                  |       |
| 612-208-00-4 | <i>N</i> -methylbenzene-1,2-diammonium hydrogen phosphate                             | 424-460-0                      | —                             | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2   | H302<br>H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411                         |                                 |                                  |       |
| ▼ <u>B</u>   |   |                                |                               |   |  |                                |  |                                 |                                  |       |
| 612-209-00-X | 6-methoxy- <i>m</i> -toluidine;<br><i>p</i> -cresidine                                | 204-419-1                      | 120-71-8                      | Carc. 1B<br>Acute Tox. 4 *  | H350<br>H302                                 | GHS08<br>GHS07<br>Dgr          | H350<br>H302                                 |                                 |                                  |       |
| 612-210-00-5 | 5-nitro- <i>o</i> -toluidine; [1]<br>5-nitro- <i>o</i> -toluidine hydrochloride [2]   | 202-765-8 [1]<br>256-960-8 [2] | 99-55-8 [1]<br>51085-52-0 [2] | Carc. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Aquatic Chronic 3            | H351<br>H331<br>H311<br>H301<br>H412         | GHS06<br>GHS08<br>Dgr          | H351<br>H331<br>H311<br>H301<br>H412         |                                 |                                  |       |
| 612-211-00-0 | <i>N</i> -[(benzotriazole-1-yl)methyl]-4-carboxybenzenesulfonamide                    | 416-470-9                      | 170292-97-4                   | Eye Irrit. 2<br>Aquatic Chronic 2   | H319<br>H411                                 | GHS07<br>GHS09<br>Wng          | H319<br>H411                                 |                                 |                                  |       |



▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-212-00-6 | 2,6-dichloro-4-trifluoromethyl-aniline  | 416-430-0 | 24279-39-8  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H315<br>H317<br>H410 |                                 |                                  |       |
| 612-213-00-1 | isobutylidene-(2-(2-isopropyl-4,4-dimethyloxazolidine-3-yl)-1,1-dimethylethyl)amine         | 419-850-2 | 148348-13-4 | Skin Corr. 1B<br>Aquatic Chronic 3  | H314<br>H412                                 | GHS05<br>Dgr                   | H314<br>H412                         |                                 |                                  |       |
| 612-214-00-7 | 4-(2,(2-diphenylethenyl)- <i>N,N</i> -diphenylbenzenamine                                   | 421-390-2 | 89114-90-9  | Aquatic Chronic 4   | H413   | —                              | H413                                 |                                 |                                  |       |
| 612-215-00-2 | 3-chloro-2-(isopropylthio)aniline   | 421-700-6 | 179104-32-6 | Skin Irrit. 2<br>Aquatic Chronic 2  | H315<br>H411                                 | GHS07<br>GHS09<br>Wng          | H315<br>H411                         |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |   |  |                                |                                      |                                 |                                  |       |
| 612-216-00-8 | 1-amino-1-cyanamino-2,2-dicyanoethylene, sodium salt  | 425-870-2 | 19450-38-5  | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412                                 | GHS07<br>Wng                   | H317<br>H412                         |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |             |   |  |                                |                                      |                                 |                                  |       |
| 612-217-00-3 | 1-methoxy-2-propylamine   | 422-550-4 | 37143-54-7  | Flam. Liq. 2<br>Skin Corr. 1B<br>Acute Tox. 4 *<br>Aquatic Chronic 3                                      | H225<br>H314<br>H302<br>H412                 | GHS02<br>GHS05<br>GHS07<br>Dgr | H225<br>H314<br>H302<br>H412         |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |   |  |                                |                                      |                                 |                                  |       |
| 612-219-00-4 | (2-hydroxy-3-(3,4-dimethyl-9-oxo-10-thiaanthracen-2-yloxy)propyl)trimethylammonium chloride | 402-200-7 | —           | Aquatic Chronic 3   | H412   | —                              | H412                                 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| 612-220-00-X | <i>N</i> -nitro- <i>N</i> -(3-methyl-3,6-dihydro-2 <i>H</i> -1,3,5-oxadiazin-4-yl)amine                   | 431-060-1 | 153719-38-1 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3   | H302<br>H317<br>H412                                   | GHS07<br>Wng                            | H302<br>H317<br>H412                                   |                                 |                                  |       |
| 612-221-00-5 | 2-amino-4-(trifluoromethyl)benzenethiol hydrochloride   | 429-560-8 | 4274-38-8   | Skin Corr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1 | H314<br>H332<br>H312<br>H302<br>H373**<br>H317<br>H400 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H314<br>H332<br>H312<br>H302<br>H373**<br>H317<br>H400 |                                 |                                  |       |
| 612-222-00-0 | <i>cis</i> -1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinamine                                      | 425-080-8 | 104860-26-6 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H312<br>H302<br>H373**<br>H318<br>H400<br>H410         | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373**<br>H318<br>H410                 |                                 |                                  |       |
| 612-223-00-6 | <i>N</i> -benzyl- <i>N</i> -ethyl-(4-(5-nitrobenzo[ <i>c</i> ]isothiazol-3-ylazo)phenyl)amine             | 425-300-2 | 186450-73-7 | Skin Sens. 1<br>Aquatic Chronic 4   | H317<br>H413   | GHS07<br>Wng                            | H317<br>H413   |                                 |                                  |       |
| 612-224-00-1 | <i>N</i> 2, <i>N</i> 4, <i>N</i> 6-tris[4-(1,4-dimethylpentyl)amino]phenyl]-1,3,5-triazine-2,4,6-triamine | 426-150-0 | 121246-28-4 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H317<br>H400<br>H410                                   | GHS07<br>GHS09<br>Wng                   | H317<br>H410   |                                 |                                  |       |
| 612-225-00-7 | 1,4,7,10-tetraazacyclododecane  | 425-450-9 | 294-90-6    | Skin Corr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                             | H314<br>H312<br>H302<br>H400<br>H410                   | GHS05<br>GHS07<br>GHS09<br>Dgr          | H314<br>H312<br>H302<br>H410                           |                                 |                                  |       |
| 612-226-00-2 | 3-(2'-phenoxyethoxy)propylamine   | 427-870-8 | 6903-18-0   | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3  | H302<br>H315<br>H318<br>H412                           | GHS05<br>GHS07<br>Dgr                   | H302<br>H315<br>H318<br>H412                           |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-227-00-8 | benzyl- <i>N</i> -(2-(2-methoxyphenoxy)ethyl)amine hydrochloride   | 428-290-8 | 120606-08-8 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H318<br>H400<br>H410                                 | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H318<br>H410   |                                 |                                  |       |
| 612-228-00-3 | reaction mass of: <i>N</i> -(3-(trimethoxysilyl)propyl)ethylenediamine;<br><i>N</i> -benzyl- <i>N</i> -(3-(trimethoxysilyl)propyl)ethylenediamine;<br><i>N</i> -benzyl- <i>N'</i> -[3-(trimethoxysilyl)propyl]ethylenediamine;<br><i>N,N'</i> -bis-benzyl- <i>N'</i> -[3-(trimethoxysilyl)propyl]ethylenediamine;<br><i>N,N,N'</i> -tris-benzyl- <i>N'</i> -[3-(trimethoxysilyl)propyl]ethylenediamine;<br><i>N,N</i> -bis-benzyl- <i>N'</i> -[3-(trimethoxysilyl)propyl]ethylenediamine | 414-340-6 | —           | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT SE 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H226<br>H332<br>H312<br>H302<br>H371<br>H318<br>H317<br>H412 | GHS02<br>GHS05<br>GHS08<br>GHS07<br>Dgr | H226<br>H332<br>H312<br>H302<br>H371<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 612-229-00-9 | mepanipyrim;<br>4-methyl- <i>N</i> -phenyl-6-(1-propynyl)-2-pyrimidinamine   | —         | 110235-47-7 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H351<br>H400<br>H410   | GHS08<br>GHS09<br>Wng                   | H351<br>H410   |                                 |                                  |       |
| 612-230-00-4 | <i>N,N</i> -bis(cocoyl-2-oxopropyl)- <i>N,N</i> -dibutylammonium bromide   | 431-530-4 | —           | Skin Corr. 1A<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H314<br>H317<br>H400<br>H410                                 | GHS05<br>GHS07<br>GHS09<br>Dgr          | H314<br>H317<br>H410   |                                 |                                  |       |
| 612-231-00-X | 3-((C <sub>12-18</sub> -acylamino)- <i>N</i> -(2-(2-hydroxyethyl)amino)-2-oxoethyl)- <i>N,N</i> -dimethyl-1-propanaminium chloride   | 427-370-1 | 164288-56-6 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H318<br>H400<br>H410   | GHS05<br>GHS09<br>Dgr                   | H318<br>H410   |                                 |                                  |       |

## ▼ M1

| Index No             | International Chemical Identification  | EC No  | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|--|--|--|---|--|---|--|---------------------------------|----------------------------------|-------|
|                      |  |  |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 612-232-00-5         | reaction mass of: triisopropanolamine salt of 1-amino-4-(3-propionamidoanilino)anthraquinone-2-sulfonic acid; triisopropanolamine salt of 1-amino-4-[3,4-dimethyl-5-(2-hydroxyethylaminosulfonyl)anilino]anthraquinone-2-sulfonic acid | 430-410-9  | 186148-38-9  | Aquatic Chronic 3   | H412   | —                                       | H412   |                                 |                                  |       |
| ▼ M6<br>612-237-00-2 | hydroxylammonium hydrogen-sulfate; hydroxylamine sulfate(1:1); [1] hydroxylamine phosphate; [2] hydroxylamine dihydrogenphosphate; [3] hydroxylamine 4-methylbenzenesulfonate [4]  | 233-154-4 [1]<br>244-077-0 [2]<br>242-818-2 [3]<br>258-872-5 [4] | 10046-00-1 [1]<br>20845-01-6 [2]<br>19098-16-9 [3]<br>53933-48-5 [4] | Expl. 1.1<br>Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H201<br>H351<br>H312<br>H302<br>H373**<br>H319<br>H315<br>H317<br>H400 | GHS01<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H201<br>H351<br>H312<br>H302<br>H373**<br>H319<br>H315<br>H317<br>H400 |                                 |                                  | T     |
| ▼ M1<br>612-238-00-8 | (3-chloro-2-hydroxypropyl) trimethylammonium chloride ...%   | 222-048-3  | 3327-22-8  | Carc. 2<br>Aquatic Chronic 3  | H351<br>H412   | GHS08<br>Wng                            | H351<br>H412   |                                 |                                  | B     |
| 612-239-00-3         | biphenyl-3,3', 4,4'-tetrayl-tetraamine; diaminobenzidine   | 202-110-6  | 91-95-2  | Carc. 1B<br>Muta. 2   | H350<br>H341   | GHS08<br>Dgr                            | H350<br>H341   |                                 |                                  |       |
| 612-240-00-9         | pyrimethanil (ISO); N-(4,6-dimethylpyrimidin-2-yl)aniline  | —  | 53112-28-0   | Aquatic Chronic 2   | H411   | GHS09                                   | H411   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|---|--|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s) |                                  |       |
| 612-241-00-4 | piperazine hydrochloride; [1]<br>piperazine dihydrochloride; [2]<br>piperazine phosphate [3]                     | 228-042-7 [1]<br>205-551-2 [2]<br>217-775-8 [3] | 6094-40-2 [1]<br>142-64-3 [2]<br>1951-97-9 [3] | Repr. 2<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3               | H361fd<br>H319<br>H315<br>H334<br>H317<br>H412         | GHS08<br>Dgr                            | H361fd<br>H319<br>H315<br>H334<br>H317<br>H412 |                                 |                                  |       |
| 612-242-00-X | cyprodinil (ISO);<br>4-cyclopropyl-6-methyl-N-phenylpyrimidin-2-amine  | —   | 121552-61-2                                    | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H317<br>H400<br>H410                                   | GHS07<br>GHS09<br>Wng                   | H317<br>H410                                   |                                 | M=10                             |       |
| 612-243-00-5 | (1 <i>S-cis</i> )-4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-naphthalenamine 2-hydroxy-2-phenylacetate | 420-560-3                                       | 79617-97-3                                     | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H318<br>H400<br>H410                                   | GHS05<br>GHS09<br>Dgr                   | H318<br>H410                                   |                                 | M=10                             |       |
| 612-244-00-0 | 3-(piperazin-1-yl)-benzo[d]isothiazole hydrochloride   | 421-310-6                                       | 87691-88-1                                     | Repr. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H361f***<br>H302<br>H319<br>H317<br>H400<br>H410       | GHS08<br>GHS07<br>GHS09<br>Wng          | H361f***<br>H302<br>H319<br>H317<br>H410       |                                 |                                  |       |
| 612-245-00-6 | 2-ethylphenylhydrazine hydrochloride   | 421-460-2                                       | 19398-06-2                                     | Carc. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H372**<br>H302<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H372**<br>H302<br>H318<br>H317<br>H410 |                                 | M=10                             |       |
| 612-246-00-1 | (2-chloroethyl)(3-hydroxypropyl)ammonium chloride  | 429-740-6                                       | 40722-80-3                                     | Carc. 1B<br>Muta. 1B<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3                                     | H350<br>H340<br>H373**<br>H317<br>H412                 | GHS08<br>GHS07<br>Dgr                   | H350<br>H340<br>H373**<br>H317<br>H412         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                         | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                         | Suppl. Hazard statement Code(s) |                                  |       |
| 612-247-00-7 | <i>N</i> -[3-(1,1-dimethylethyl)-1 <i>H</i> -pyrazol-5-yl]- <i>N'</i> -hydroxy-4-nitrobenzenecarboximidamide         | 423-530-8 | 152828-23-4 | STOT RE 1<br>Acute Tox. 4 *<br>Aquatic Chronic 3  | H372**<br>H302<br>H412                           | GHS08<br>GHS07<br>Dgr                   | H372**<br>H302<br>H412                           |                                 |                                  |       |
| 612-248-00-2 | reaction product of diphenylamine, phenothiazine, and alkenes, branched (C <sub>8-10</sub> , C <sub>9</sub> -rich)   | 439-540-0 | —           | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 4  | H315<br>H317<br>H413                             | GHS07<br>Wng                            | H315<br>H317<br>H413                             |                                 |                                  |       |
| 612-249-00-8 | 4-[(3-chlorophenyl)(1 <i>H</i> -imidazol-1-yl)methyl]-1,2-benzenediamine dihydrochloride                             | 425-030-5 | 159939-85-2 | Repr. 2<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2                 | H361f***<br>H302<br>H314<br>H317<br>H411         | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H361f***<br>H302<br>H314<br>H317<br>H411         |                                 |                                  |       |
| 612-250-00-3 | chloro- <i>N,N</i> -dimethylformiminium chloride   | 425-970-6 | 3724-43-4   | Repr. 1B<br>Acute Tox. 4 *<br>Skin Corr. 1A   | H360D***<br>H302<br>H314                         | GHS05<br>GHS08<br>GHS07<br>Dgr          | H360D***<br>H302<br>H314                         | EUH014                          |                                  |       |
| 612-251-00-9 | <i>cis</i> -1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride   | 426-020-3 | 51229-78-8  | Flam. Sol. 2<br>Repr. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H228<br>H361d***<br>H302<br>H315<br>H317<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Wng | H228<br>H361d***<br>H302<br>H315<br>H317<br>H411 |                                 |                                  |       |
| 612-252-00-4 | imidacloprid (ISO); 1-(6-chloropyridin-3-ylmethyl)- <i>N</i> -nitroimidazolidin-2-ylideneamine                       | 428-040-8 | 138261-41-3 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                             | GHS07<br>GHS09<br>Wng                   | H302<br>H410                                     |                                 |                                  |       |
| 612-253-00-X | 7-methoxy-6-(3-morpholin-4-ylpropoxy)-3 <i>H</i> -quinazolin-4-one; [containing < 0,5 % formamide (EC No 200-842-0)] | 429-400-7 | 199327-61-2 | Aquatic Chronic 3   | H412   | —                                       | H412   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 612-253-01-7 | 7-methoxy-6-(3-morpholin-4-yl-propoxy)-3 <i>H</i> -quinazolin-4-one; [containing ≥ 0,5 % formamide (EC No 200-842-0)] | 429-400-7 | 199327-61-2 | Repr. 1B<br>Aquatic Chronic 3   | H360D***<br>H412                     | GHS08<br>Dgr                            | H360D***<br>H412                     |                                 |                                  |       |
| 612-254-00-5 | reaction products of diisopropanolamine with formaldehyde (1:4)   | 432-440-8 | 220444-73-5 | Carc. 2<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H351<br>H302<br>H314<br>H317<br>H411 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H351<br>H302<br>H314<br>H317<br>H411 |                                 |                                  |       |
| 612-255-00-0 | 1-(3-methoxypropyl)-4-piperidinamine  | 431-950-8 | 179474-79-4 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Chronic 3          | H312<br>H302<br>H314<br>H412         | GHS05<br>GHS07<br>Dgr                   | H312<br>H302<br>H314<br>H412         |                                 |                                  |       |
| 612-256-00-6 | benzyl( <i>S</i> )-2-[(2'-cyanobiphenyl-4-ylmethyl)pentanoylamino]-3-methylbutyrate                                   | 427-470-3 | 137864-22-3 | Acute Tox. 4 *<br>Skin Sens. 1  | H302<br>H317                         | GHS07<br>Wng                            | H302<br>H317                         |                                 |                                  |       |
| 612-257-00-1 | tripropylammonium dihydrogenphosphate   | 433-700-3 | 35687-90-2  | Acute Tox. 4 *  | H302                                 | GHS07<br>Wng                            | H302                                 |                                 |                                  |       |
| 612-259-00-2 | <i>N</i> -ethyl-3-trimethoxysilyl-2-methyl-propanamine  | 437-720-3 | 227085-51-0 | Eye Dam. 1  | H318                                 | GHS05<br>Dgr                            | H318                                 |                                 |                                  |       |
| 612-261-00-3 | 3,5-dichloro-2-fluoro-4-(1,1,2,3,3,3-hexafluoropropoxy)aniline  | 441-190-9 | 121451-05-6 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H302<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng                   | H302<br>H317<br>H410                 |                                 | M=10                             |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 612-265-00-5 | bis(2-hydroxyethyl)-(2-hydroxypropyl)ammonium acetate   | 444-360-0 | 191617-13-7 | Aquatic Chronic 3  | H412                                   | —                              | H412                           |                                 |                                  |       |
| 612-266-00-0 | 3-chloro-4-(3-fluorobenzyloxy)aniline   | 445-590-4 | 202197-26-0 | Muta. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H341<br>H302<br>H373**<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H302<br>H373**<br>H410 |                                 |                                  |       |
| 612-267-00-6 | bis(hydrogenated tallow C <sub>16-18</sub> -alkyl)hydroxylamine   | 418-370-0 | —           | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                           | GHS07<br>Wng                   | H317<br>H413                   |                                 |                                  |       |
| 612-269-00-7 | reaction mass of: 1-[di(4-octylphenyl)aminomethyl]-5-methyl-1 <i>H</i> -benzotriazole;<br>1-[di(4-octylphenyl)aminomethyl]-4-methyl-1 <i>H</i> -benzotriazole;<br>reaction mass of: <i>N</i> -[(5-methyl-1 <i>H</i> -benzotriazol-1-yl)methyl]-4-octyl- <i>N</i> -(4-octylphenyl)aniline;<br><i>N</i> -[(4-methyl-1 <i>H</i> -benzotriazol-1-yl)methyl]-4-octyl- <i>N</i> -(4-octylphenyl)aniline | 420-720-2 | —           | Aquatic Chronic 4  | H413                                   | —                              | H413                           |                                 |                                  |       |
| 612-270-00-2 | ( <i>S</i> )-azetidine-2-carboxylic acid<br>4-cyanobenzylamide hydrochloride  | 433-010-2 | —           | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3                              | H302<br>H317<br>H412                   | GHS07<br>Wng                   | H302<br>H317<br>H412           |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 612-271-00-8 | reaction mass of: ethyl 2-((4-(5,6-dichlorobenzothiazol-2-ylazo)phenyl)ethylamino)benzoate;<br>ethyl 2-((4-(6,7-dichlorobenzothiazol-2-ylazo)phenyl)ethylamino)benzoate | 434-970-5 | 160987-57-5 | Aquatic Chronic 4   | H413                                 | —                              | H413                         |                                 |                                  |       |
| 612-272-00-3 | ammonium (η-6-2-(2-(1,2-dicarboxylatoethylamino)ethylamino)butane-1,4-dioato(4-))iron(3+) monohydrate   | 435-210-5 | —           | Aquatic Chronic 2   | H411                                 | GHS09                          | H411                         |                                 |                                  |       |
| 612-273-00-9 | alkyl(rapeseed oil), bis(2-hydroxyethyl)ammonium fluoride   | 435-650-8 | —           | Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H302<br>H314<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H410         |                                 |                                  |       |
| 612-274-00-4 | (R, S)-1-[2-amino-1(4-methoxyphenyl)ethyl]cyclohexanol acetate  | 445-750-3 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                   | H302<br>H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 612-275-00-X | fatty acids, C <sub>18</sub> -unsatd., dimers, reaction products with 1-piperazineethanamine and tall oil   | 447-880-6 | 206565-89-1 | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H315<br>H318<br>H317<br>H410 | M=10                            |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                       | Hazard statement Code(s)                   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                   | Suppl. Hazard statement Code(s) |                                  |       |
| 612-276-00-5 | 1-amino-4-[(4-amino-2-sulfofenyl)amino]-9,10-dihydro-9,10-dioxo-2-anthracenesulfonic acid, disodium salt, reaction products with 2-[[3-[(4,6-dichloro-1,3,5-triazin-2-yl)ethylamino]phenyl]sulfonyl]ethyl hydrogen sulfate, sodium salts   | 451-430-4 | 500717-36-2 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                         | H318<br>H317<br>H412                       | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412                       |                                 |                                  |       |
| 612-277-00-0 | reaction mass of: 4-amino-3-(4-ethenesulfonyl-2-sulfonatophenylazo)-5-hydroxy-6-(5-{[4-chloro-6-[]4-(2-sulfonatooxyethanesulfonyl)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)naphthalene-2,7-disulfonate potassium/sodium; 4-amino-5-hydroxy-6-(5-{[4-chloro-6-[]4-(2-sulfonatooxyethanesulfonyl)phenylamino]-1,3,5-triazin-2-ylamino}-2-sulfonatophenylazo)-3-(2-sulfonato-4-(2-sulfonatooxyethanesulfonyl)phenylazo)naphthalene-2,7-disulfonate potassium/sodium | 451-440-9 | 586372-44-3 | Eye Dam. 1  | H318                                       | GHS05<br>Dgr                   | H318                                       |                                 |                                  |       |
| 612-278-00-6 | ethidium bromide;<br>3,8-diamino-1-ethyl-6-phenylp-henanthridinium bromide   | 214-984-6 | 1239-45-8   | Muta. 2<br>Acute Tox. 2 *<br>Acute Tox. 4 *                             | H341<br>H330<br>H302                       | GHS06<br>GHS08<br>Dgr          | H341<br>H330<br>H302                       |                                 |                                  |       |
| 612-279-00-1 | ( <i>R</i> , <i>S</i> )-2-amino-3,3-dimethylbutane amide   | 447-860-7 | 144177-62-8 | Repr. 2<br>STOT RE 2 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H361f***<br>H373**<br>H319<br>H315<br>H317 | GHS08<br>GHS07<br>Wng          | H361f***<br>H373**<br>H319<br>H315<br>H317 |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification  |  | Labelling                                   |  |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|----------|---|--|---|--|---------------------------------|----------------------------------|-----------------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)              | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |                 |
| 612-280-00-7 | 3-amino-9-ethyl carbazole;<br>9-ethylcarbazol-3-ylamine                      | 205-057-7 | 132-32-1 | Carc. 1B  | H350   | GHS08<br>Dgr                                | H350   |                                 |                                  | ► <b>M2</b> — ◀ |
| ▼ <b>M3</b>  |  |           |          |   |  |   |  |                                 |                                  |                 |
| 612-281-00-2 | leucomalachite green;<br>N,N,N',N'-tetramethyl-4,4'-<br>benzylidenedianiline | 204-961-9 | 129-73-7 | Carc. 2<br>Muta. 2  | H351<br>H341   | GHS08<br>Wng                                | H351<br>H341   |                                 |                                  |                 |
| ▼ <b>M7</b>  |  |           |          |   |  |   |  |                                 |                                  |                 |
| 612-282-00-8 | octadecylamine   | 204-695-3 | 124-30-1 | Asp. Tox. 1<br>STOT RE 2<br><br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H304<br>H373<br>(gastro-<br>intestinal<br>tract, liver,<br>immune<br>system)<br>H315<br>H318<br>H400<br>H410         | GHS05<br>GHS08<br><br>GHS09<br>Dgr          | H304<br>H373<br>(gastro-<br>intestinal<br>tract, liver,<br>immune<br>system)<br>H315<br>H318<br><br>H410         | M = 10<br>M = 10                |                                  |                 |
| 612-283-00-3 | (Z)-octadec-9-enylamine  | 204-015-5 | 112-90-3 | Acute Tox. 4<br>Asp Tox. 1<br>STOT SE 3<br>STOT RE 2<br><br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H304<br>H335<br>H373<br>(gastro-<br>intestinal<br>tract, liver,<br>immune<br>system)<br>H314<br>H400<br>H410 | GHS05<br>GHS07<br>GHS08<br>GHS09<br><br>Dgr | H302<br>H304<br>H335<br>H373<br>(gastro-<br>intestinal<br>tract, liver,<br>immune<br>system)<br>H314<br><br>H410 | M = 10<br>M = 10                |                                  |                 |

## ▼M7

| Index No     | International Chemical Identification | EC No     | CAS No     | Classification   |   | Labelling                                   |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |                                       |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)              | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 612-284-00-9 | amines, hydrogenated tallow alkyl     | 262-976-6 | 61788-45-2 | Asp Tox. 1<br>STOT RE 2<br><br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H304<br>H373<br>(gastro-intestinal tract, liver, immune system)<br>H315<br>H318<br>H400<br>H410         | GHS08<br>GHS05<br><br>GHS09<br>Dgr          | H304<br>H373<br>(gastro-intestinal tract, liver, immune system)<br>H315<br>H318<br><br>H410         |                                 | M = 10<br>M = 10                 |       |
| 612-285-00-4 | amines, coco alkyl                    | 262-977-1 | 61788-46-3 | Acute Tox. 4<br>Asp. Tox. 1<br>STOT SE 3<br>STOT RE 2<br><br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H304<br>H335<br>H373<br>(gastro-intestinal tract, liver, immune system)<br>H314<br>H400<br>H410 | GHS05<br>GHS07<br>GHS08<br>GHS09<br><br>Dgr | H302<br>H304<br>H335<br>H373<br>(gastro-intestinal tract, liver, immune system)<br>H314<br><br>H410 |                                 | M = 10<br>M = 10                 |       |
| 612-286-00-X | amines, tallow alkyl                  | 263-125-1 | 61790-33-8 | Acute Tox. 4<br>Asp. Tox. 1<br>STOT RE 2<br><br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H302<br>H304<br>H373<br>(gastro-intestinal tract, liver, immune system)<br>H314<br>H400<br>H410         | GHS05<br>GHS07<br>GHS08<br><br>GHS09<br>Dgr | H302<br>H304<br>H373<br>(gastro-intestinal tract, liver, immune system)<br>H314<br><br>H410         |                                 | M = 10<br>M = 10                 |       |

▼ **B**

| Index No                     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|---|-----------|------------|--|--|--|--|---------------------------------|----------------------------------|-------|
|                              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M8</b><br>612-287-00-5  | fluazinam (ISO); 3-chloro-N-[3-chloro-2,6-dinitro-4-(trifluoromethyl)phenyl]-5-(trifluoromethyl)pyridin-2-amine                     | -         | 79622-59-6 | Repr. 2<br>Acute Tox. 4<br>Eye Dam. 1<br>Skin Sens. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H361d<br>H332<br>H318<br>H317<br>H400<br>H410                | GHS08<br>GHS07<br>GHS05<br>GHS09<br>Dgr          | H361d<br>H332<br>H318<br>H317<br>H410                        |                                 | M = 10<br>M = 10                 |       |
| ▼ <b>M13</b><br>612-288-00-0 | bupirimate (ISO); 5-butyl-2-ethylamino-6-methylpyrimidin-4-yl dimethylsulfamate   | 255-391-2 | 41483-43-6 | Carc. 2<br>Skin Sens. 1B<br>Aquatic Chronic 1  | H351<br>H317<br>H410   | GHS08<br>GHS07<br>GHS09<br>Wng                   | H351<br>H317<br>H410   |                                 | M = 1                            |       |
| 612-289-00-6                 | triflumizole (ISO); (1 <i>E</i> )- <i>N</i> -[4-chloro-2-(trifluoromethyl)phenyl]-1-(1 <i>H</i> -imidazol-1-yl)-2-propoxyethanimine | —         | 68694-11-1 | Repr. 1B<br>Acute Tox. 4<br>STOT RE 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                  | H360D<br>H302<br>H373 (liver)<br>H317<br>H400<br>H410        | GHS08<br>GHS07<br>GHS09<br>Dgr                   | H360D<br>H302<br>H373 (liver)<br>H317<br>H410                |                                 | M = 1<br>M = 1                   |       |
| ▼ <b>B</b><br>613-001-00-1   | ethyleneimine;<br>aziridine   | 205-793-9 | 151-56-4   | Flam. Liq. 2<br>Carc. 1B<br>Muta. 1B<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H225<br>H350<br>H340<br>H330<br>H310<br>H300<br>H314<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H340<br>H330<br>H310<br>H300<br>H314<br>H411 |                                 |                                  | D     |
| 613-002-00-7                 | pyridine  | 203-809-9 | 110-86-1   | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *   | H225<br>H332<br>H312<br>H302                                 | GHS02<br>GHS07<br>Dgr                            | H225<br>H332<br>H312<br>H302                                 |                                 | *                                |       |

▼**B**

| Index No                    | International Chemical Identification  | EC No     | CAS No    | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|--|-----------|-----------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                             |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M1</b><br>613-003-00-2 | 1,2,3,4-tetranitrocarbazole  | —         | 6202-15-9 | Expl. 1.1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *          | H201<br>H332<br>H312<br>H302 | GHS01<br>GHS07<br>Dgr          | H201<br>H332<br>H312<br>H302 |                                 |                                  |       |
| ▼ <b>B</b><br>613-004-00-8  | crimidine (ISO);<br>2-chloro-6-methylpyrimidin-4-<br>yldimethylamine                                   | 208-622-6 | 535-89-7  | Acute Tox. 2 *   | H300                         | GHS06<br>Dgr                   | H300                         |                                 |                                  |       |
| 613-007-00-4                | desmetryne (ISO);<br>6-isopropylamino-2-methyl-<br>amino-4-methylthio-1,3,5-<br>triazine               | 213-800-1 | 1014-69-3 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410         |                                 |                                  |       |
| 613-008-00-X                | dazomet (ISO);<br>tetrahydro-3,5-dimethyl-1,3,5-<br>thiadiazine-2-thione                               | 208-576-7 | 533-74-4  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H319<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H410         |                                 |                                  |       |
| 613-009-00-5                | 2,4,6-trichloro-1,3,5-triazine;<br>cyanuric chloride   | 203-614-9 | 108-77-0  | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1        | H330<br>H302<br>H314<br>H317 | GHS06<br>GHS05<br>Dgr          | H330<br>H302<br>H314<br>H317 | EUH014                          | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| ▼ <b>M6</b><br>613-010-00-0 | ametryn (ISO);<br><i>N</i> -ethyl- <i>N'</i> -isopropyl-6-(methyl-<br>thio)-1,3,5-triazine-2,4-diamine | 212-634-7 | 834-12-8  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 | M = 100                          |       |
| ▼ <b>B</b><br>613-011-00-6  | amitrole (ISO);<br>1,2,4-triazol-3-ylamine   | 200-521-5 | 61-82-5   | Repr. 2<br>STOT RE 2 *<br>Aquatic Chronic 2                              | H361d ***<br>H373 **<br>H411 | GHS08<br>GHS09<br>Wng          | H361d ***<br>H373 **<br>H411 |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-012-00-1 | bentazone (ISO);<br>3-isopropyl-2,1,3-benzothiazine-4-one-2,2-dioxide                        | 246-585-8 | 25057-89-0 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                          | H302<br>H319<br>H317<br>H412                         | GHS07<br>Wng                   | H302<br>H319<br>H317<br>H412                 |                                 |                                  |       |
| 613-013-00-7 | cyanazine (ISO);<br>2-(4-chloro-6-ethylamino-1,3,5-triazine-2-ylamino)-2-methylpropionitrile | 244-544-9 | 21725-46-2 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                       | H302<br>H400<br>H410                                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                                 |                                 |                                  |       |
| 613-014-00-2 | ethoxyquin(ISO);<br>6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline                            | 202-075-7 | 91-53-2    | Acute Tox. 4 *   | H302   | GHS07<br>Wng                   | H302   |                                 |                                  |       |
| 613-015-00-8 | fenazaflor (ISO);<br>phenyl 5,6-dichloro-2-trifluoromethylbenzimidazole-1-carboxylate        | 238-134-9 | 14255-88-0 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H312<br>H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410                         |                                 |                                  |       |
| ▼ <b>M3</b>  |  |           |            |  |  |                                |  |                                 |                                  |       |
| 613-016-00-3 | fuberidazole (ISO);<br>2-(2-furyl)-1 <i>H</i> -benzimidazole                                 | 223-404-0 | 3878-19-1  | Carc. 2<br>Acute Tox. 4<br>STOT RE 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H373 (heart)<br>H317<br>H400<br>H410 | GHS07<br>GHS08<br>GHS09<br>Wng | H351<br>H302<br>H373 (heart)<br>H317<br>H410 | M = 1                           |                                  |       |
| ▼ <b>B</b>   |  |           |            |  |  |                                |  |                                 |                                  |       |
| 613-017-00-9 | bis (8-hydroxyquinolinium) sulphate  | 205-137-1 | 134-31-6   | Acute Tox. 4 *   | H302   | GHS07<br>Wng                   | H302   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                  | Suppl. Hazard statement Code(s) |                                  |       |
| 613-018-00-4 | morfamquat (ISO);<br>1,1'-bis(3,5-dimethylmorpholinocarbonylmethyl)-4,4'-bipyridilium ion    | —         | 7411-47-4  | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3                     | H302<br>H319<br>H335<br>H315<br>H412              | GHS07<br>Wng                   | H302<br>H319<br>H335<br>H315<br>H412      |                                 |                                  |       |
| 613-019-00-X | thioquinox(ISO);<br>2-thio-1,3-dithiolo(4,5,b)quinoxaline                                    | 202-272-8 | 93-75-4    | Acute Tox. 4 *  | H302  | GHS07<br>Wng                   | H302                                      |                                 |                                  |       |
| 613-020-00-5 | tridemorph (ISO);<br>2,6-dimethyl-4-tridecylmorpholine                                       | 246-347-3 | 24602-86-6 | Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D ***<br>H332<br>H302<br>H315<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H360D ***<br>H332<br>H302<br>H315<br>H410 |                                 |                                  |       |
| 613-021-00-0 | dithianon (ISO);<br>5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile  | 222-098-6 | 3347-22-6  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                              | GHS07<br>GHS09<br>Wng          | H302<br>H410                              |                                 |                                  |       |
| 613-022-00-6 | pyrethrins including cinerins, with the exception of those specified elsewhere in this Annex | —         | —          | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H332<br>H312<br>H302<br>H400<br>H410              | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410              |                                 | A                                |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-023-00-1 | 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl [1 <i>R</i> -[1 <i>α</i> ][ <i>S</i> *( <i>Z</i> ),3 <i>β</i> ]]-chrysanthemate; pyrethrin I   | 204-455-8 | 121-21-1   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 |                                  |       |
| 613-024-00-7 | 2-methyl-4-oxo-3-(penta-2,4-dienyl)cyclopent-2-enyl[1 <i>R</i> -[1 <i>α</i> ][ <i>S</i> *( <i>Z</i> )](3 <i>β</i> )]-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; pyrethrin II | 204-462-6 | 121-29-9   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H312<br>H302<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410 |                                 |                                  |       |
| 613-025-00-2 | cinerin I;<br>3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate  | 246-948-0 | 25402-06-6 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 613-026-00-8 | cinerin II;<br>3-(but-2-enyl)-2-methyl-4-oxocyclopent-2-enyl 2,2-dimethyl-3-(3-methoxy-2-methyl-3-oxoprop-1-enyl)cyclopropanecarboxylate   | 204-454-2 | 121-20-0   | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 613-027-00-3 | piperidine   | 203-813-0 | 110-89-4   | Flam. Liq. 2<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B                          | H225<br>H331<br>H311<br>H314         | GHS02<br>GHS06<br>GHS05<br>Dgr | H225<br>H331<br>H311<br>H314 | *                               |                                  |       |

▼B

| Index No     | International Chemical Identification                      | EC No                          | CAS No                         | Classification  |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors                            | Notes |
|--------------|--|--------------------------------|--------------------------------|---|--|--------------------------------|--------------------------------------|---------------------------------|---|-------|
|              |  |                                |                                | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |   |       |
| 613-028-00-9 | morpholine   | 203-815-1                      | 110-91-8                       | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B               | H226<br>H332<br>H312<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dg  | H226<br>H332<br>H312<br>H302<br>H314 |                                 |   |       |
| 613-029-00-4 | dichloro-1,3,5-triazinetriene;<br>dichloroisocyanuric acid | 220-487-5                      | 2782-57-2                      | Ox. Sol. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H319<br>H335<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H319<br>H335<br>H410 | EUH031                          |   | T     |
| 613-030-00-X | troclosene potassium; [1]<br>troclosene sodium [2]         | 218-828-8 [1]<br>220-767-7 [2] | 2244-21-5 [1]<br>2893-78-9 [2] | Ox. Sol. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H272<br>H302<br>H319<br>H335<br>H400<br>H410 | GHS03<br>GHS07<br>GHS09<br>Dgr | H272<br>H302<br>H319<br>H335<br>H410 | EUH031                          | *<br>STOT SE 3;<br>H335: C ≥<br>10 %<br>EUH031: C ≥<br>10 % | G     |
| 613-030-01-7 | troclosene sodium, dihydrate                               | 220-767-7                      | 51580-86-0                     | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H302<br>H319<br>H335<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H335<br>H410         | EUH031                          |   |       |

▼M1▼B

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling  |  |                                  | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--|--|--|----------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s)  |                                  |       |
| 613-031-00-5 | symclosene;<br>trichloroisocyanuric acid;<br>trichloro-1,3,5-triazinetriol                       | 201-782-8 | 87-90-1    | Ox. Sol. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H272<br>H302<br>H319<br>H335<br>H400<br>H410         | GHS03<br>GHS07<br>GHS09<br>Dgr                   | H272<br>H302<br>H319<br>H335<br>H410                 | EUH031                           |                                  |       |
| 613-032-00-0 | methyl-2,3,5,6-tetrachloro-4-pyridylsulphone;<br>2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine | 236-035-5 | 13108-52-6 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1  | H312<br>H302<br>H319<br>H317                         | GHS07<br>Wng                                     | H312<br>H302<br>H319<br>H317                         |                                  |                                  |       |
| 613-033-00-6 | 2-methylaziridine;<br>propyleneimine   | 200-878-7 | 75-55-8    | Flam. Liq. 2<br>Carc. 1B<br>Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Eye Dam. 1<br>Aquatic Chronic 2 | H225<br>H350<br>H330<br>H310<br>H300<br>H318<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H225<br>H350<br>H330<br>H310<br>H300<br>H318<br>H411 | Carc. 1B;<br>H350: C ≥<br>0,01 % |                                  |       |
| 613-034-00-1 | 1,2-dimethylimidazole  | 217-101-2 | 1739-84-0  | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1   | H302<br>H315<br>H318                                 | GHS05<br>GHS07<br>Dgr                            | H302<br>H315<br>H318                                 |                                  |                                  |       |
| 613-035-00-7 | 1-methylimidazole  | 210-484-7 | 616-47-7   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1B   | H312<br>H302<br>H314                                 | GHS05<br>GHS07<br>Dgr                            | H312<br>H302<br>H314                                 |                                  |                                  |       |
| 613-036-00-2 | 2-methylpyridine;<br>2-picoline  | 203-643-7 | 109-06-8   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3                 | H226<br>H332<br>H312<br>H302<br>H319<br>H335         | GHS02<br>GHS07<br>Wng                            | H226<br>H332<br>H312<br>H302<br>H319<br>H335         |                                  |                                  |       |

## ▼B

| Index No             | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|--|-----------|------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|                      |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-037-00-8         | 4-methylpyridine;<br>4-picoline  | 203-626-4 | 108-89-4   | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H226<br>H311<br>H332<br>H302<br>H319<br>H335<br>H315 | GHS02<br>GHS06<br>Dgr                   | H226<br>H311<br>H332<br>H302<br>H319<br>H335<br>H315 |                                 |                                  |       |
| 613-038-00-3         | 6-phenyl-1,3,5-triazine-2,4-diyldiamine;<br>6-phenyl-1,3,5-triazine-2,4-diamine;<br>benzoguanamine     | 202-095-6 | 91-76-9    | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412   | GHS07<br>Wng                            | H302<br>H412   |                                 |                                  |       |
| 613-039-00-9         | ethylene thiourea;<br>imidazolidine-2-thione;<br>2-imidazoline-2-thiol                                 | 202-506-9 | 96-45-7    | Repr. 1B<br>Acute Tox. 4 *   | H360D ***<br>H302                                    | GHS08<br>GHS07<br>Dgr                   | H360D ***<br>H302                                    |                                 |                                  |       |
| 613-040-00-4         | azaconazole (ISO);<br>1-{{[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]methyl}-1 <i>H</i> -1,2,4-triazole | 262-102-3 | 60207-31-0 | Acute Tox. 4 *   | H302   | GHS07<br>Wng                            | H302   |                                 |                                  |       |
| 613-041-00-X         | morpholine-4-carbonyl chloride   | 239-213-0 | 15159-40-7 | Carc. 2<br>Eye Irrit. 2<br>Skin Irrit. 2   | H351<br>H319<br>H315                                 | GHS08<br>Wng                            | H351<br>H319<br>H315                                 | EUH014                          |                                  |       |
| ▼M11<br>613-042-00-5 | imazalil (ISO); 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1 <i>H</i> -imidazole                     | 252-615-0 | 35554-44-0 | Carc. 2<br>Acute Tox. 3<br>Acute Tox. 4<br>Eye Dam. 1<br>Aquatic Chronic 1                                       | H351<br>H301<br>H332<br>H318<br>H410                 | GHS08<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H351<br>H301<br>H332<br>H318<br>H410                 | M = 10                          |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No                          | CAS No                           | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors   | Notes |
|---------------------|---|--------------------------------|----------------------------------|---|--------------------------------------|---|--------------------------------------|---------------------------------|--|-------|
|                     |   |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |  |       |
| 613-043-00-0        | imazalil sulphate (ISO) powder; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1 <i>H</i> -imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1 <i>H</i> -imidazolium hydrogen sulphate [2]            | 261-351-5 [1]<br>281-291-3 [2] | 58594-72-2 [1]<br>83918-57-4 [2] | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H302<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng                   | H302<br>H317<br>H410                 |                                 |  |       |
| 613-043-01-8        | imazalil sulphate (ISO), aqueous solution; 1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1 <i>H</i> -imidazolium hydrogen sulphate; [1] (±)-1- [2-(allyloxy)ethyl-2-(2,4-dichlorophenyl)]-1 <i>H</i> -imidazolium hydrogen sulphate [2] | 261-351-5 [1]<br>281-291-3 [2] | 58594-72-2 [1]<br>83918-57-4 [2] | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Wng          | H302<br>H314<br>H317<br>H410         |                                 | Skin Corr. 1B;<br>H314: C ≥ 50 %<br>Skin Irrit. 2;<br>H315: 30 % ≤ C < 50 %<br>Eye Dam. 1;<br>H318: 15 % ≤ C < 50 %<br>Eye Irrit. 2;<br>H319: 5 % ≤ C < 15 % |       |
| ▼M1<br>613-044-00-6 | captan (ISO); 1,2,3,6-tetrahydro- <i>N</i> -(trichloromethylthio)phthalimide  | 205-087-0                      | 133-06-2                         | Carc. 2<br>Acute Tox. 3 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1              | H351<br>H331<br>H318<br>H317<br>H400 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H351<br>H331<br>H318<br>H317<br>H400 |                                 | M=10   |       |
| 613-045-00-1        | folpet (ISO); <i>N</i> -(trichloromethylthio)phthalimide  | 205-088-6                      | 133-07-3                         | Carc. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1            | H351<br>H332<br>H319<br>H317<br>H400 | GHS08<br>GHS07<br>GHS09<br>Wng          | H351<br>H332<br>H319<br>H317<br>H400 |                                 | M=10   |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                       | Suppl. Hazard statement Code(s) |                                  |       |
| 613-046-00-7 | captafol (ISO);<br>1,2,3,6-tetrahydro- <i>N</i> -(1,1,2,2-tetrachloroethylthio)phthalimide  | 219-363-3 | 2425-06-1  | Carc. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H350<br>H317<br>H400<br>H410                           | GHS08<br>GHS09<br>Dgr          | H350<br>H317<br>H410                           |                                 |                                  |       |
| 613-047-00-2 | 1-dimethylcarbamoyl-5-methylpyrazol-3-yl dimethylcarbamate; dimetilan (ISO)   | 211-420-0 | 644-64-4   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H301<br>H312<br>H400<br>H410                           | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H410                           |                                 |                                  |       |
| 613-048-00-8 | carbendazim (ISO);<br>methyl benzimidazol-2-ylcarbamate   | 234-232-0 | 10605-21-7 | Muta. 1B<br>Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H340<br>H360FD<br>H400<br>H410                         | GHS08<br>GHS09<br>Dgr          | H340<br>H360FD<br>H410                         |                                 |                                  |       |
| 613-049-00-3 | benomyl (ISO);<br>methyl 1-(butylcarbamoyl)benzimidazol-2-ylcarbamate   | 241-775-7 | 17804-35-2 | Muta. 1B<br>Repr. 1B<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H340<br>H360FD<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H340<br>H360FD<br>H335<br>H315<br>H317<br>H410 | M = 10                          |                                  |       |
| 613-050-00-9 | carbadox (INN);<br>methyl 3-(quinoxalin-2-ylmethylene)carbazate 1,4-dioxide;<br>2-(methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide | 229-879-0 | 6804-07-5  | Flam. Sol. 1<br>Carc. 1B<br>Acute Tox. 4 *   | H228<br>H350<br>H302                                   | GHS02<br>GHS08<br>GHS07<br>Dgr | H228<br>H350<br>H302                           |                                 |                                  | T     |

## ▼B

| Index No             | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|--|-----------|------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|                      |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-051-00-4         | molinate (ISO);<br><i>S</i> -ethyl 1-perhydroazepinecarbo-<br>thioate;<br><i>S</i> -ethyl perhydroazepine-1-<br>carbothioate | 218-661-0 | 2212-67-1  | Carc. 2<br>Repr. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361f ***<br>H332<br>H302<br>H373 **<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng          | H351<br>H361f ***<br>H332<br>H302<br>H373 **<br>H317<br>H410 |                                 | M = 100                          |       |
| 613-052-00-X         | trifenmorph (ISO);<br>4-tritylmorpholine   | 215-812-2 | 1420-06-0  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410   | GHS07<br>GHS09<br>Wng                   | H302<br>H410   |                                 |                                  |       |
| 613-053-00-5         | anilazine (ISO);<br>2-chloro- <i>N</i> -(4,6-dichloro-1,3,5-<br>triazin-2-yl)aniline   | 202-910-5 | 101-05-3   | Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H319<br>H315<br>H400<br>H410   | GHS07<br>GHS09<br>Wng                   | H319<br>H315<br>H410   |                                 |                                  |       |
| 613-054-00-0         | thiabendazol (ISO);<br>2-(thiazole-4-yl)benzimidazole  | 205-725-8 | 148-79-8   | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   | GHS09<br>Wng                            | H410   |                                 |                                  |       |
| 613-056-00-1         | 1,2-dimethyl-3,5-diphenylpyra-<br>zolium methylsulphate;<br>difenzoquat methyl sulfate                                       | 256-152-5 | 43222-48-6 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410   | GHS09<br>Wng                            | H302<br>H410   |                                 |                                  |       |
| ▼M11<br>613-057-00-7 | dodemorph (ISO); 4-cyclo-<br>dodecyl-2,6-dimethylmor-<br>pholine   | 216-474-9 | 1593-77-7  | Repr. 2<br>STOT RE 2<br>Skin Corr. 1C<br>Skin Sens. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1                                | H361d<br>H373 (liver)<br>H314<br>H317<br>H400<br>H410                | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H361d<br>H373 (liver)<br>H314<br>H317<br>H410                | EUH071                          | M = 1<br>M = 1                   |       |

▼ **B**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-058-00-2 | permethrin (ISO);<br><i>m</i> -phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate   | 258-067-9 | 52645-53-1 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H332<br>H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H332<br>H302<br>H317<br>H410 |                                 | M = 1 000                        |       |
| 613-059-00-8 | profluralin (ISO);<br><i>N</i> -(cyclopropylmethyl)- $\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro- <i>N</i> -propyl- <i>p</i> -toluidine  | 247-656-6 | 26399-36-0 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H319<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H319<br>H410                 |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |            |  |                                      |                                |                              |                                 |                                  |       |
| 613-060-00-3 | resmethrin (ISO);<br>5-benzyl-3-furylmethyl ( $\pm$ )- <i>cis</i> - <i>trans</i> -chrysanthemate   | 233-940-7 | 10453-86-8 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                   | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 | M=1000                           |       |
| ▼ <b>B</b>   |  |           |            |  |                                      |                                |                              |                                 |                                  |       |
| 613-061-00-9 | 6-(1 $\alpha$ ,5 $\alpha\beta$ ,8 $\alpha\beta$ ,9-pentahydroxy-7 $\beta$ -isopropyl-2 $\beta$ ,5 $\beta$ ,8 $\beta$ -trimethylperhydro-8 $\beta\alpha$ ,9-epoxy-5,8-ethanocyclopenta[1,2- <i>b</i> ]indenyl) pyrrole-2-carboxylate;<br>ryania | 239-732-2 | 15662-33-6 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410         |                                 |                                  |       |
| 613-062-00-4 | sabadilla (ISO);<br>veratrine  | —         | 8051-02-3  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2   | H319<br>H335<br>H315                 | GHS07<br>Wng                   | H319<br>H335<br>H315         |                                 |                                  |       |
| 613-063-00-X | secbumeton (ISO);<br>2-sec-butylamino-4-ethylamino-6-methoxy-1,3,5-triazine  | 247-554-1 | 26259-45-0 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H302<br>H319<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H410         |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-064-00-5 | 5-(3,6,9-trioxa-2-undecyloxy)benzo(d)-1,3-dioxolane; sesamex                          | —         | 51-14-9    | Acute Tox. 4 *   | H302                                 | GHS07<br>Wng                   | H302                                 |                                 |                                  |       |
| 613-065-00-0 | simetryn (ISO);<br>2,4-bis(ethylamino)-6-methylthio-1,3,5-triazine                    | 213-801-7 | 1014-70-6  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 |                                  |       |
| 613-066-00-6 | terbumeton (ISO);<br>2- <i>tert</i> -butylamino-4-ethylamino-6-methoxy-1,3,5-triazine | 251-637-8 | 33693-04-8 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                         | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 |                                  |       |
| 613-067-00-1 | propazine(ISO);<br>2-chloro-4,6-bis(isopropylamino)-1,3,5-triazine                    | 205-359-9 | 139-40-2   | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                                | H351<br>H400<br>H410                 | GHS08<br>GHS09<br>Wng          | H351<br>H410                         |                                 |                                  |       |
| 613-068-00-7 | atrazine (ISO);<br>2-chloro-4-ethylamine-6-isopropylamine-1,3,5-triazine              | 217-617-8 | 1912-24-9  | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1            | H373 **<br>H317<br>H400<br>H410      | GHS08<br>GHS09<br>Wng          | H373 **<br>H317<br>H410              |                                 |                                  |       |
| 613-069-00-2 | $\epsilon$ -caprolactam   | 203-313-2 | 105-60-2   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2 | H332<br>H302<br>H319<br>H335<br>H315 | GHS07<br>Wng                   | H332<br>H302<br>H319<br>H335<br>H315 |                                 |                                  |       |
| 613-070-00-8 | propylenethiourea   | —         | 2122-19-2  | Repr. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 3                                 | H361d ***<br>H302<br>H412            | GHS08<br>GHS07<br>Wng          | H361d ***<br>H302<br>H412            |                                 |                                  |       |
| 613-071-00-3 | 2-fluoro-5-trifluoromethylpyridine  | 400-290-2 | 69045-82-5 | Flam. Liq. 3<br>Skin Sens. 1<br>Aquatic Chronic 3                              | H226<br>H317<br>H412                 | GHS02<br>GHS07<br>Wng          | H226<br>H317<br>H412                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-072-00-9 | <i>N,N</i> -bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine                              | 401-280-0 | 91273-04-0 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2  | H314<br>H317<br>H411                         | GHS05<br>GHS07<br>GHS09<br>Dgr          | H314<br>H317<br>H411                         |                                 |                                  |       |
| 613-073-00-4 | <i>N,N</i> -dimethyl-2-(3-(4-chlorophenyl)-4,5-dihydropyrazol-1-ylphenylsulphonyl)ethylamine | 401-410-6 | 10357-99-0 | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2  | H373 **<br>H317<br>H411                      | GHS08<br>GHS09<br>Wng                   | H373 **<br>H317<br>H411                      |                                 |                                  |       |
| 613-074-00-X | 3-(3-methylpent-3-yl)isoxazol-5-ylamine  | 401-460-9 | 82560-06-3 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Eye Dam. 1<br>Aquatic Chronic 3                                     | H331<br>H301<br>H318<br>H412                 | GHS06<br>GHS05<br>Dgr                   | H331<br>H301<br>H318<br>H412                 |                                 |                                  |       |
| 613-075-00-5 | 1,3-dichloro-5-ethyl-5-methylimidazolidine-2,4-dione   | 401-570-7 | 89415-87-2 | Ox. Sol. 1 ****<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1 | H271<br>H331<br>H314<br>H302<br>H317<br>H400 | GHS03<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H271<br>H331<br>H314<br>H302<br>H317<br>H400 |                                 |                                  |       |
| 613-076-00-0 | 3-chloro-5-trifluoromethyl-2-pyridylamine  | 401-670-0 | 79456-26-1 | Acute Tox. 4 *<br>Aquatic Chronic 3   | H302<br>H412                                 | GHS07<br>Wng                            | H302<br>H412                                 |                                 |                                  |       |
| 613-077-00-6 | reaction mass of 5-heptyl-1,2,4-triazol-3-ylamine and 5-nonyl-1,2,4-triazol-3-ylamine        | 401-940-8 | —          | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2   | H302<br>H319<br>H411                         | GHS07<br>GHS09<br>Wng                   | H302<br>H319<br>H411                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |  | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-078-00-1 | <i>N,N,N,N</i> -tetrakis(4,6-bis(butyl-( <i>N</i> -methyl-2,2,6,6-tetramethylpiperidin-4-yl)amino)triazin-2-yl)-4,7-diazadecane-1,10-diamine | 401-990-0 | 106990-43-6 | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                                 | GHS07<br>GHS09<br>Wng                   | H317<br>H411                         |                                 |                                  |       |
| 613-079-00-7 | 4-(1(or 4 or 5 or 6)-methyl-8,9,10-trinorborn-5-en-2-yl)pyridine, reaction mass of isomers   | 402-520-7 | —           | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H312<br>H302<br>H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng                   | H312<br>H302<br>H315<br>H317<br>H410 |                                 |                                  |       |
| 613-080-00-2 | 3-(bis(2-ethylhexyl)amino-methyl)benzothiazole-2(3 <i>H</i> )-thione   | 402-540-6 | 105254-85-1 | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                     | H314<br>H317<br>H400<br>H410                 | GHS05<br>GHS07<br>GHS09<br>Dgr          | H314<br>H317<br>H410                 |                                 |                                  |       |
| 613-081-00-8 | 1-butyl-2-methylpyridinium bromide   | 402-680-8 | 26576-84-1  | Acute Tox. 4 *<br>Aquatic Chronic 3   | H302<br>H412                                 | GHS07<br>Wng                            | H302<br>H412                         |                                 |                                  |       |
| 613-082-00-3 | 2-methyl-1-pentylpyridinium bromide  | 402-690-2 | —           | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3   | H312<br>H302<br>H412                         | GHS07<br>Wng                            | H312<br>H302<br>H412                 |                                 |                                  |       |
| 613-083-00-9 | 2-(4-(3-(4-chlorophenyl)-2-pyrazolin-1-yl)phenylsulfonyl)ethyldimethylammonium formate   | 402-120-2 | —           | Skin Corr. 1B<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                      | H314<br>H373 **<br>H317<br>H400<br>H410      | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H373 **<br>H317<br>H410      |                                 |                                  |       |
| 613-084-00-4 | 2-(4-(3-(4-chlorophenyl)-4,5-dihydropyrazolyl)phenylsulphonyl)ethyldimethylammonium hydrogen phosphonate                                     | 402-490-5 | 106359-93-7 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H319<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng                   | H319<br>H410                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No   | CAS No   | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|--|---|--|---|---|--------------------------------|---|---------------------------------|-----------------------------------|-------|
|              |  |   |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                   |       |
| 613-085-00-X | reaction mass of 1,1'-(methylenebis(4,1-phenylene))di-pyrrole-2,5-dione and <i>N</i> -(4-(4-(2,5-dioxopyrrol-1-yl)benzyl)phenyl)acetamide and 1-(4-(4-(5-oxo-2 <i>H</i> -2-furylide-namino)benzyl)phenyl)pyrrole-2,5-dione | 401-970-1                                       | —  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H317<br>H400<br>H410  | GHS07<br>GHS09<br>Wng          | H317<br>H410  |                                 |                                   |       |
| 613-086-00-5 | caffeine   | 200-362-1                                       | 58-08-2  | Acute Tox. 4 *  | H302  | GHS07<br>Wng                   | H302  |                                 |                                   |       |
| 613-087-00-0 | tetrahydrothiophene  | 203-728-9                                       | 110-01-0                                       | Flam. Liq. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3                            | H225<br>H332<br>H312<br>H302<br>H319<br>H315<br>H412                    | GHS02<br>GHS07<br>Dgr          | H225<br>H332<br>H312<br>H302<br>H319<br>H315<br>H412            |                                 |                                   |       |
| 613-088-00-6 | 1,2-benzisothiazol-3(2 <i>H</i> )-one;<br>1,2-benzisothiazolin-3-one   | 220-120-9                                       | 2634-33-5                                      | Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1  | H302<br>H315<br>H318<br>H317<br>H400                                    | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H315<br>H318<br>H317<br>H400                            |                                 | Skin Sens. 1;<br>H317: C ≥ 0,05 % |       |
| 613-089-00-1 | diquat dibromide; [1]<br>diquat dichloride; [2]<br>6,7-dihydrodipyrido[1,2- $\alpha$ :2',1'- <i>c</i> ]pyrazinediylidium dihydroxide [3]   | 201-579-4 [1]<br>223-714-6 [2]<br>301-467-6 [3] | 85-00-7 [1]<br>4032-26-2 [2]<br>94021-76-8 [3] | Acute Tox. 2 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H372 **<br>H302<br>H319<br>H335<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H372 **<br>H302<br>H319<br>H335<br>H315<br>H317<br>H410 |                                 |                                   |       |

## ▼B

| Index No     | International Chemical Identification  | EC No                          | CAS No                          | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--------------------------------|---------------------------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |                                |                                 | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 613-090-00-7 | paraquat dichloride; 1,1-dimethyl-4,4'-bipyridinium dichloride; [1]<br>paraquat dimethylsulfate; 1,1-dimethyl-4,4'-bipyridinium dimethyl sulphate [2]          | 217-615-7 [1]<br>218-196-3 [2] | 1910-42-5 [1]<br>2074-50-2 [2]  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H311<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H311<br>H301<br>H372 **<br>H319<br>H335<br>H315<br>H410 |                                 |                                  |       |
| 613-091-00-2 | morfamquat dichloride; [1]<br>morfamquat sulfate [2]   | 225-062-8 [1]<br>[2]           | 4636-83-3 [1]<br>29873-36-7 [2] | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Chronic 3   | H302<br>H319<br>H335<br>H315<br>H412                                    | GHS07<br>Wng                   | H302<br>H319<br>H335<br>H315<br>H412                            |                                 |                                  |       |
| 613-092-00-8 | 1,10-phenanthroline  | 200-629-2                      | 66-71-7                         | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H301<br>H400<br>H410  | GHS06<br>GHS09<br>Dgr          | H301<br>H410  |                                 |                                  |       |
| 613-093-00-3 | hexasodium 6,13-dichloro-3,10-bis((4-(2,5-disulfonatoanilino)-6-fluoro-1,3,5-triazin-2-ylamino)prop-3-ylamino)-5,12-dioxa-7,14-diazapentacene-4,11-disulfonate | 400-050-7                      | 85153-92-0                      | Resp. Sens. 1<br>Skin Sens. 1   | H334<br>H317  | GHS08<br>Dgr                   | H334<br>H317  |                                 |                                  |       |
| 613-094-00-9 | 4-methoxy- <i>N</i> ,6-dimethyl-1,3,5-triazin-2-ylamine  | 401-360-5                      | 5248-39-5                       | Acute Tox. 4 *<br>STOT RE 2 *   | H302<br>H373 **   | GHS08<br>GHS07<br>Wng          | H302<br>H373 **   |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-095-00-4 | sodium 3-(2 <i>H</i> -benzotriazol-2-yl)-5- <i>sec</i> -butyl-4-hydroxybenzenesulfonate                                       | 403-080-9 | 92484-48-5  | Eye Dam. 1  | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 613-096-00-X | 2-amino-6-ethoxy-4-methylamino-1,3,5-triazine   | 403-580-7 | 62096-63-3  | Acute Tox. 4 *  | H302                         | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 613-097-00-5 | 7-amino-3-((5-carboxymethyl-4-methyl-1,3-thiazol-2-ylthio)methyl)-8-oxo-5-thia-1-azabicyclo(4.2.0)oct-2-ene-2-carboxylic acid | 403-690-5 | 111298-82-9 | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                    | H334<br>H317<br>H412         | GHS08<br>Dgr                   | H334<br>H317<br>H412     |                                 |                                  |       |
| 613-098-00-0 | <i>N</i> -( <i>n</i> -octyl)-2-pyrrolidone  | 403-700-8 | 2687-94-7   | Skin Corr. 1B<br>Aquatic Chronic 2                                    | H314<br>H411                 | GHS05<br>GHS09<br>Dgr          | H314<br>H411             |                                 |                                  |       |
| 613-099-00-6 | 1-dodecyl-2-pyrrolidone   | 403-730-1 | 2687-96-9   | Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H314<br>H317<br>H410     |                                 |                                  |       |
| 613-100-00-X | 2,9-bis(3-(diethylamino)propylsulfamoyl)quino(2,3- <i>b</i> )acridine-7,14-dione  | 404-230-6 | —           | Skin Sens. 1<br>Aquatic Chronic 4                                     | H317<br>H413                 | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 613-101-00-5 | <i>N</i> — <i>tert</i> -pentyl-2-benzothiazole-sulfenamide  | 404-380-2 | 110799-28-5 | Skin Sens. 1<br>Aquatic Chronic 3                                     | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 613-102-00-0 | dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine  | 404-200-2 | 110488-70-5 | Aquatic Chronic 2   | H411                         | GHS09                          | H411                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                 | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|---------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 613-103-00-6 | sodium 5- <i>n</i> -butylbenzotriazole  | 404-450-2 | 118685-34-0 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H314<br>H317<br>H411    | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H411    |                                 |                                  |       |
| 613-104-00-1 | 5- <i>tert</i> -butyl-3-isoxazolylamine hydrochloride   | 404-840-2 | —           | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Chronic 3     | H302<br>H373 **<br>H318<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 **<br>H318<br>H412 |                                 |                                  |       |
| 613-105-00-7 | hexakis(tetramethylammonium) 4,4'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-morpholino-1,3,5-triazine-4,2-diyl)imino)bis(5-hydroxy-6-phenylazonaphthalene-2,7-disulfonate)   | 405-160-9 | 124537-30-0 | Acute Tox. 3 *<br>Skin Sens. 1<br>Aquatic Chronic 3                  | H301<br>H317<br>H412            | GHS06<br>Dgr                   | H301<br>H317<br>H412            |                                 |                                  |       |
| 613-106-00-2 | tetrapotassium 2-(4-(5-(1-(2,5-disulfonatophenyl)-3-ethoxycarbonyl-5-hydroxypyrazol-4-yl)penta-2,4-dienylidene)-3-ethoxycarbonyl-5-oxo-2-pyrazolin-1-yl)benzene-1,4-disulfonate   | 405-240-3 | —           | Skin Sens. 1   | H317                            | GHS07<br>Wng                   | H317                            |                                 |                                  |       |
| 613-107-00-8 | hexasodium 2,2'-vinylenebis((3-sulfonato-4,1-phenylene)imino(6-( <i>N</i> -cyanoethyl- <i>N</i> -(2-hydroxypropyl)amino)-1,3,5-triazine-4,2-diyl)imino)di-benzene-1,4-disulfonate | 405-280-1 | 76508-02-6  | Eye Irrit. 2   | H319                            | GHS07<br>Wng                   | H319                            |                                 |                                  |       |
| 613-108-00-3 | benzothiazole-2-thiol   | 205-736-8 | 149-30-4    | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H317<br>H400<br>H410            | GHS07<br>GHS09<br>Wng          | H317<br>H410                    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                      | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--|--------------------------------|--|--------------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s)      |                                  |       |
| 613-109-00-9 | bis(piperidinothiocarbonyl) disulphide  | 202-328-1 | 94-37-1    | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1  | H319<br>H335<br>H315<br>H317                         | GHS07<br>Wng                   | H319<br>H335<br>H315<br>H317                 |                                      |                                  |       |
| 613-110-00-4 | dimepiperate (ISO);<br><i>S</i> -(1-methyl-1-phenylethyl) piperidine-1-carbothioate                                       | 262-784-2 | 61432-55-1 | Acute Tox. 4 *<br>Aquatic Chronic 2   | H302<br>H411   | GHS07<br>GHS09<br>Wng          | H302<br>H411                                 |                                      |                                  |       |
| 613-111-00-X | 1,2,4-triazole  | 206-022-9 | 288-88-0   | Repr. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2   | H361d ***<br>H302<br>H319                            | GHS08<br>GHS07<br>Wng          | H361d ***<br>H302<br>H319                    |                                      |                                  |       |
| 613-112-00-5 | octhilinone (ISO);<br>2-octyl-2 <i>H</i> -isothiazol-3-one  | 247-761-7 | 26530-20-1 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H302<br>H314<br>H317<br>H400<br>H410 | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H302<br>H314<br>H317<br>H410 | Skin Sens. 1;<br>H317: C ≥<br>0,05 % |                                  |       |
| 613-113-00-0 | 2-(morpholinothio)benzo-<br>thiazole  | 203-052-4 | 102-77-2   | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2  | H319<br>H315<br>H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H319<br>H315<br>H317<br>H411                 |                                      |                                  |       |
| 613-114-00-6 | 2,2',2''-(hexahydro-1,3,5-<br>triazine-1,3,5-triyl)triethanol;<br>1,3,5-tris(2-hydroxyethyl)hex-<br>ahydro-1,3,5-triazine | 225-208-0 | 4719-04-4  | Acute Tox. 4 *<br>Skin Sens. 1  | H302<br>H317   | GHS07<br>Wng                   | H302<br>H317                                 | Skin Sens. 1;<br>H317: C ≥ 0,1<br>%  |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| 613-115-00-1 | hymexazol (ISO);<br>3-hydroxy-5-methylisoxazole  | 233-000-6 | 10004-44-1 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3  | H302<br>H318<br>H412                                   | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412                                   |                                 |                                  |       |
| 613-116-00-7 | tolylfluanid (ISO);<br>dichloro- <i>N</i> -[(dimethylamino)sulphonyl]fluoro- <i>N</i> -( <i>p</i> -tolyl)methanesulphenamide;<br>[containing ≥ 0.1 % (w/w) of particles with an aerodynamic diameter of below 50 µm]                       | 211-986-9 | 731-27-1   | Acute Tox. 2 *<br>STOT RE 1<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1 | H330<br>H372**<br>H319<br>H335<br>H315<br>H317<br>H400 | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H372**<br>H319<br>H335<br>H315<br>H317<br>H400 |                                 | M=10                             |       |
| 613-116-01-4 | tolylfluanid (ISO);<br>dichloro- <i>N</i> -[(dimethylamino)sulphonyl]fluoro- <i>N</i> -( <i>p</i> -tolyl)methanesulphenamide;<br>[containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 µm]                       | 211-986-9 | 731-27-1   | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1                                | H319<br>H335<br>H315<br>H317<br>H400                   | GHS07<br>GHS09<br>Wng          | H319<br>H335<br>H315<br>H317<br>H400                   |                                 | M=10                             |       |
| 613-117-00-2 | diniconazole (ISO);<br>( <i>E</i> )-β-[(2,4-dichlorophenyl)methylene]-α-(1,1-dimethylethyl)-1 <i>H</i> -1,2,4-triazol-1-ethanol;<br>( <i>E</i> )-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1 <i>H</i> -1,2,4-triazol-1-yl)pent-1-en-3-ol | —         | 76714-88-0 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H400<br>H410                                   | GHS07<br>GHS09<br>Wng          | H302<br>H410   |                                 |                                  |       |

## ▼M1

## ▼B

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-118-00-8 | flubenzimine (ISO);<br><i>N</i> -[3-phenyl-4,5-bis[(trifluoromethyl)imino]thiazolidin-2-ylidene]aniline   | 253-703-1 | 37893-02-0 | Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H319<br>H400<br>H410                                 | GHS07<br>GHS09<br>Wng          | H319<br>H410                                 |                                 |                                  |       |
| 613-119-00-3 | (benzothiazol-2-ylthio)methyl thiocyanate;<br>TCMTB   | 244-445-0 | 21564-17-0 | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H302<br>H319<br>H315<br>H317<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H302<br>H319<br>H315<br>H317<br>H410 |                                 |                                  |       |
| ▼ <b>M6</b>  |   |           |            |   |  |                                |  |                                 |                                  |       |
| 613-120-00-9 | bioresmethrin (ISO);<br>(5-benzyl-3-furyl)methyl (1 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-en-1-yl)cyclopropanecarboxylate   | 249-014-0 | 28434-01-7 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   | GHS09<br>Wng                   | H410   |                                 | M = 1000                         |       |
| ▼ <b>M13</b> |   |           |            |   |  |                                |  |                                 |                                  |       |
| 613-121-00-4 | chlorsulfuron (ISO); 2-chloro- <i>N</i> -[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzenesulphonamide   | 265-268-5 | 64902-72-3 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   | GHS09<br>Wng                   | H410   |                                 | M = 1 000<br>M = 100             |       |
| ▼ <b>B</b>   |   |           |            |   |  |                                |  |                                 |                                  |       |
| 613-122-00-X | diclobutrazole (ISO);<br>( <i>R</i> *, <i>R</i> *)-(±)-β-[(2,4-dichlorophenyl)methyl]-α-(1,1-dimethylethyl)-1 <i>H</i> -1,2,4-triazole-1-ethanol;<br>(2 <i>RS</i> , 3 <i>RS</i> )-1-(2,4-dichlorophenyl)-4,4-dimethyl-2-(1 <i>H</i> -1,2,4-triazol-1-yl)pentan-3-ol | —         | 75736-33-3 | Eye Irrit. 2<br>Aquatic Chronic 2   | H319<br>H411   | GHS07<br>GHS09<br>Wng          | H319<br>H411                                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |                                   | Labelling                      |                                   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|-----------------------------------|--------------------------------|-----------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                               | Hazard statement Code(s)          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)          | Suppl. Hazard statement Code(s) |                                  |       |
| 613-123-00-5 | 5,6-dihydro-3 <i>H</i> -imidazo[2,1- <i>c</i> ]-1,2,4-dithiazole-3-thione; etem  | 251-684-4 | 33813-20-6 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H302<br>H400<br>H410              | GHS07<br>GHS09<br>Wng          | H302<br>H410                      |                                 |                                  |       |
| 613-124-00-0 | fenpropimorph (ISO);<br><i>cis</i> -4-[3-( <i>p</i> - <i>tert</i> -butylphenyl)-2-methylpropyl]-2,6-dimethylmorpholine | 266-719-9 | 67564-91-4 | Repr. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H361d ***<br>H302<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d ***<br>H302<br>H315<br>H411 |                                 |                                  |       |
| 613-125-00-6 | hexythiazox(ISO);<br><i>trans</i> -5-(4-chlorophenyl)- <i>N</i> -cyclohexyl-4-methyl-2-oxo-3-thiazolidine-carboxamide  | —         | 78587-05-0 | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                      | GHS09<br>Wng                   | H410                              |                                 |                                  |       |
| 613-126-00-1 | imazapyr (ISO);<br>2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1 <i>H</i> -imidazol-2-yl]-3-pyridine carboxylate   | —         | 81334-34-1 | Eye Irrit. 2<br>Aquatic Chronic 3                               | H319<br>H412                      | GHS07<br>Wng                   | H319<br>H412                      |                                 |                                  |       |
| 613-127-00-7 | 1,1-dimethylpiperidinium chloride;<br>mepiquat chloride  | 246-147-6 | 24307-26-4 | Acute Tox. 4 *<br>Aquatic Chronic 3                             | H302<br>H412                      | GHS07<br>Wng                   | H302<br>H412                      |                                 |                                  |       |
| 613-128-00-2 | prochloraz (ISO);<br><i>N</i> -propyl- <i>N</i> -[2-(2,4,6-trichlorophenoxy)ethyl]-1 <i>H</i> -imidazole-1-carboxamide | 266-994-5 | 67747-09-5 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H302<br>H400<br>H410              | GHS07<br>GHS09<br>Wng          | H302<br>H410                      |                                 |                                  |       |
| 613-129-00-8 | metamitron (ISO);<br>4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-one   | 255-349-3 | 41394-05-2 | Acute Tox. 4 *<br>Aquatic Acute 1                               | H302<br>H400                      | GHS07<br>GHS09<br>Wng          | H302<br>H400                      |                                 |                                  |       |
| 613-131-00-9 | pyroquilon (ISO);<br>1,2,5,6-tetrahydropyrrolo[3,2,1- <i>ij</i> ]quinolin-4-one  | —         | 57369-32-1 | Acute Tox. 4 *<br>Aquatic Chronic 3                             | H302<br>H412                      | GHS07<br>Wng                   | H302<br>H412                      |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |                                      | Labelling                      |                                   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------------------|--------------------------------|-----------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)          | Suppl. Hazard statement Code(s) |                                  |       |
| 613-132-00-4 | hexazinone (ISO);<br>3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione | 257-074-4 | 51235-04-2 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H302<br>H319<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H410              |                                 |                                  |       |
| ▼ <b>M11</b> |  |           |            |   |                                      |                                |                                   |                                 |                                  |       |
| 613-133-00-X | etridiazole (ISO); 5-ethoxy-3-trichloromethyl-1,2,4-thiadiazole  | 219-991-8 | 2593-15-9  | Carc. 2<br>Acute Tox. 4<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H317<br>H410      | M = 1<br>M = 1                  |                                  |       |
| ▼ <b>B</b>   |  |           |            |   |                                      |                                |                                   |                                 |                                  |       |
| 613-134-00-5 | myclobutanil(ISO);<br>2-(4-chlorophenyl)-2-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)hexanenitrile         | —         | 88671-89-0 | Repr. 2<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2                  | H361d ***<br>H302<br>H319<br>H411    | GHS08<br>GHS07<br>GHS09<br>Wng | H361d ***<br>H302<br>H319<br>H411 |                                 |                                  |       |
| 613-135-00-0 | di(benzothiazol-2-yl) disulphide   | 204-424-9 | 120-78-5   | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H317<br>H410                      | EUH031                          |                                  |       |
| 613-136-00-6 | <i>N</i> -cyclohexylbenzothiazole-2-sulphenamide   | 202-411-2 | 95-33-0    | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H317<br>H410                      |                                 |                                  |       |
| 613-137-00-1 | methabenzthiazuron (ISO);<br>1-(1,3-benzothiazol-2-yl)1,3-dimethylurea                                 | 242-505-0 | 18691-97-9 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                         | GHS09<br>Wng                   | H410                              |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification   |                                   | Labelling                      |                                   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|--|-----------------------------------|--------------------------------|-----------------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)                          | Hazard statement Code(s)          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)          | Suppl. Hazard statement Code(s) |                                  |       |
| 613-138-00-7        | quinoxifen (ISO);<br>5,7-dichloro-4-(4-fluorophen-<br>oxy)quinoline   | —         | 124495-18-7 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H317<br>H400<br>H410              | GHS07<br>GHS09<br>Wng          | H317<br>H410                      |                                 |                                  |       |
| ▼M6<br>613-139-00-2 | met sulfuron-methyl (ISO);<br>methyl 2-[[[4-methoxy-6-<br>methyl-1,3,5-triazin-2-yl]carba-<br>moyl]sulfamoyl]benzoate       | —         | 74223-64-6  | Aquatic Acute 1<br>Aquatic Chronic 1                       | H400<br>H410                      | GHS09<br>Wng                   | H410                              |                                 | M = 1000                         |       |
| ▼B<br>613-140-00-8  | cycloheximide (ISO);<br>4-[(2R)-2-[(1S,3S,5S)-3,5-<br>dimethyl-2-oxocyclohexyl]-2-<br>hydroxyethyl]piperidine-2,6-<br>dione | 200-636-0 | 66-81-9     | Muta. 2<br>Repr. 1B<br>Acute Tox. 2 *<br>Aquatic Chronic 2 | H341<br>H360D ***<br>H300<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H341<br>H360D ***<br>H300<br>H411 |                                 |                                  |       |
| 613-141-00-3        | 1,4-diamino-2-(2-butyltetrazol-<br>5-yl)-3-cyanoanthraquinone   | 401-470-3 | 93686-63-6  | Aquatic Chronic 4  | H413                              | —                              | H413                              |                                 |                                  |       |
| 613-142-00-9        | <i>trans</i> -N-methyl-2-styryl-[4'-<br>aminomethine-(1-acetyl-1-(2-<br>methoxyphenyl)acet-<br>amido)]pyridinium acetate    | 405-860-4 | —           | Skin Sens. 1<br>Aquatic Chronic 2                          | H317<br>H411                      | GHS07<br>GHS09<br>Wng          | H317<br>H411                      |                                 |                                  |       |
| 613-143-00-4        | 1-(3-phenylpropyl)-2-methyl-<br>pyridinium bromide  | 405-930-4 | 10551-42-5  | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 3        | H302<br>H319<br>H412              | GHS07<br>Wng                   | H302<br>H319<br>H412              |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-144-00-X | reaction products of: poly(vinyl acetate), partially hydrolyzed, with ( <i>E</i> )-2-(4-formylstyryl)-3,4-dimethylthiazoliummethyl sulfate           | 406-460-2 | 125139-08-4 | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |
| 613-145-00-5 | ( <i>S</i> )-3-benzyloxycarbonyl-1,2,3,4-tetrahydro-isoquinolinium 4-methylbenzenesulfonate  | 406-960-0 | 77497-97-3  | Aquatic Chronic 2  | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 613-146-00-0 | <i>N</i> -ethyl- <i>N</i> -methylpiperidinium iodide   | 407-780-5 | 4186-71-4   | Acute Tox. 4 *<br>Aquatic Chronic 2                                  | H302<br>H411                 | GHS07<br>GHS09<br>Wng          | H302<br>H411             |                                 |                                  |       |
| 613-147-00-6 | 4-[2-(1-methyl-2-(4-morpholinyl)ethoxy)ethyl]morpholine  | 407-940-4 | 111681-72-2 | Eye Dam. 1   | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 613-148-00-1 | tetrasodium 1,2-bis(4-fluoro-6-[5-(1-amino-2-sulfonatoanthraquinon-4-ylamino)-2,4,6-trimethyl-3-sulfonatophenylamino]-1,3,5-triazin-2-ylamino)ethane | 411-240-4 | 143683-23-2 | Skin Sens. 1<br>Aquatic Chronic 3                                    | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| ▼ <u>M11</u> |  |           |             |  |                              |                                |                          |                                 |                                  |       |
| 613-149-00-7 | pyridaben (ISO); 2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one   | 405-700-3 | 96489-71-3  | Acute Tox. 3<br>Acute Tox. 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H410     |                                 | M = 1 000<br>M = 1 000           |       |
| ▼ <u>B</u>   |  |           |             |  |                              |                                |                          |                                 |                                  |       |
| 613-150-00-2 | 2,2'-[3,3'-(piperazine-1,4-diyl)di-propyl]bis(1 <i>H</i> -benzimidazo[2,1- <i>b</i> ]benzo[ <i>l,m,n</i> ][3,8]phenanthroline-1,3,6-trione           | 406-295-6 | —           | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification                   | EC No     | CAS No      | Classification  |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-151-00-8 | 1-(3-mesyloxy-5-trityloxy-methyl-2-D-threofuryl)thymine | 406-360-9 | 104218-44-2 | Aquatic Chronic 4   | H413                                 | —                              | H413                                 |                                 |                                  |       |
| 613-152-00-3 | phenyl <i>N</i> -(4,6-dimethoxypyrimidin-2-yl)carbamate | 406-600-2 | 89392-03-0  | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H317<br>H411                         |                                 |                                  |       |
| 613-153-00-9 | 2,3,5-trichloropyridine                                 | 407-270-2 | 16063-70-0  | Aquatic Chronic 3   | H412                                 | —                              | H412                                 |                                 |                                  |       |
| 613-154-00-4 | 2-amino-4-chloro-6-methoxy-pyrimidine                   | 410-050-9 | 5734-64-5   | Acute Tox. 4 *  | H302                                 | GHS07<br>Wng                   | H302                                 |                                 |                                  |       |
| 613-155-00-X | 5-chloro-2,3-difluoropyridine                           | 410-090-7 | 89402-43-7  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Aquatic Chronic 3                                 | H226<br>H302<br>H412                 | GHS02<br>GHS07<br>Wng          | H226<br>H302<br>H412                 |                                 |                                  |       |
| 613-156-00-5 | 2-butyl-4-chloro-5-formylimidazole                      | 410-260-0 | 83857-96-9  | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                         | GHS07<br>GHS09<br>Wng          | H317<br>H411                         |                                 |                                  |       |
| 613-157-00-0 | 2,4-diamino-5-methoxymethyl-pyrimidine                  | 410-330-0 | 54236-98-5  | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2                                       | H302<br>H373 **<br>H319              | GHS08<br>GHS07<br>Wng          | H302<br>H373 **<br>H319              |                                 |                                  |       |
| 613-158-00-6 | 2,3-dichloro-5-trifluoromethyl-pyridine                 | 410-340-5 | 69045-84-7  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H332<br>H302<br>H318<br>H317<br>H411 | GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H318<br>H317<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 613-159-00-1 | fenazaquin (ISO);<br>4-[2-[4-(1,1-dimethyl-ethyl)phenyl]-ethoxy]quinazoline   | 410-580-0 | 120928-09-8 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H301<br>H332<br>H400<br>H410           | GHS06<br>GHS09<br>Dgr          | H301<br>H332<br>H410           |                                 |                                  |       |
| 613-160-00-7 | (1S)-2-methyl-2,5-diazobicyclo[2.2.1]heptane dihydrobromide   | 411-000-9 | 125224-62-6 | Skin Sens. 1  | H317                                   | GHS07<br>Wng                   | H317                           |                                 |                                  |       |
| ▼M6          |   |           |             |   |  |                                |                                |                                 |                                  |       |
| 613-161-00-2 | (2,4-diaminopteridin-6-yl)methanol hydrobromide   | 430-620-0 | 76145-91-0  | STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 3                                      | H373**<br>H317<br>H412                 | GHS08<br>GHS07<br>Wng          | H373**<br>H317<br>H412         |                                 |                                  |       |
| ▼M1          |   |           |             |   |  |                                |                                |                                 |                                  |       |
| 613-162-00-8 | (6R-trans)-1-((7-ammonio-2-carboxylato-8-oxo-5-thia-1-azabicyclo-[4.2.0]oct-2-en-3-yl)methyl)pyridinium iodide            | 423-260-0 | 100988-63-4 | Muta. 2<br>Skin Sens. 1<br>Aquatic Chronic 2  | H341<br>H317<br>H411                   | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H317<br>H411           |                                 |                                  |       |
| 613-163-00-3 | azimsulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-methyl-2H-tetrazol-5-yl)pyrazol-5-ylsulfonyl]urea | —         | 120162-55-2 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                           | GHS09<br>Wng                   | H410                           |                                 | M=1000                           |       |
| 613-164-00-9 | flufenacet (ISO);<br>N-(4-fluorophenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiadiazol-2-yloxy)acetamide              | —         | 142459-58-3 | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H317<br>H410 |                                 | M=100                            |       |



▼ **M1**

| Index No     | International Chemical Identification   | EC No | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |       |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-165-00-4 | flupyrulfuron-methyl-sodium (ISO);<br>methyl 2-[[[(4,6-dimethoxypyrimidin-2-ylcarbonyl)sulfamoyl]-6-trifluoromethyl]nicotinate, monosodium salt | —     | 144740-54-5 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 | M=100                            |       |

▼ **M13**

|              |  |   |             |  |                       |                       |               |  |                        |  |
|--------------|--|---|-------------|--|-----------------------|-----------------------|---------------|--|------------------------|--|
| 613-166-00-X | flumioxazin (ISO);<br>2-[7-fluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione | — | 103361-09-7 | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360D<br>H400<br>H410 | GHS08<br>GHS09<br>Dgr | H360D<br>H410 |  | M = 1 000<br>M = 1 000 |  |
|--------------|--|---|-------------|--|-----------------------|-----------------------|---------------|--|------------------------|--|

▼ **B**

|              |   |           |            |   |   |                                |   |  |   |   |
|--------------|---|-----------|------------|---|---|--------------------------------|---|--|---|---|
| 613-167-00-5 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]<br>and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1);<br>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]<br>and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) | —         | 55965-84-9 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H311<br>H301<br>H314<br>H317<br>H400<br>H410    | GHS06<br>GHS05<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H314<br>H317<br>H410            |  | Skin Corr. 1B;<br>H314: C ≥ 0,6 %<br>Skin Irrit. 2;<br>H315: 0,06 %<br>≤ C < 0,6 %<br>Eye Irrit. 2;<br>H319: 0,06 %<br>≤ C < 0,6 %<br>Skin Sens. 1;<br>H317: C ≥ 0,0015 % |   |
| 613-168-00-0 | 1-vinyl-2-pyrrolidone   | 201-800-4 | 88-12-0    | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>STOT SE 3<br>Eye Dam. 1                     | H351<br>H332<br>H312<br>H302<br>H373 **<br>H335<br>H318 | GHS06<br>GHS05<br>GHS09<br>Dgr | H351<br>H332<br>H312<br>H302<br>H373 **<br>H335<br>H318 |  |   | D |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 613-169-00-6 | 9-vinylcarbazole   | 216-055-0 | 1484-13-5   | Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H341<br>H312<br>H302<br>H315<br>H317<br>H400<br>H410    | GHS08<br>GHS07<br>GHS09<br>Wng | H341<br>H312<br>H302<br>H315<br>H317<br>H410    |                                 | M=100                            |       |
| 613-170-00-1 | 2,2-ethylmethylthiazolidine  | 404-500-3 | 694-64-4    | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2  | H302<br>H318<br>H317<br>H411                            | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411                    |                                 |                                  |       |
| 613-171-00-7 | hexaconazole (ISO);<br>( <i>RS</i> )-2-(2,4-dichlorophenyl)-1-(1 <i>H</i> -1,2,4-triazol-1-yl)hexan-2-ol                   | 413-050-7 | 79983-71-4  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2  | H302<br>H317<br>H411                                    | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411                            |                                 |                                  |       |
| 613-172-00-2 | 5-chloro-1,3-dihydro-2 <i>H</i> -indol-2-one   | 412-200-9 | 17630-75-0  | Repr. 2<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 3   | H361f ***<br>H302<br>H317<br>H412                       | GHS08<br>GHS07<br>Wng          | H361f ***<br>H302<br>H317<br>H412               |                                 |                                  |       |
| 613-173-00-8 | fluquinconazole (ISO);<br>3-(2,4-dichlorophenyl)-6-fluoro-2-(1 <i>H</i> -1,2,4-triazol-1-yl)quinazolin-4-(3 <i>H</i> )-one | 411-960-9 | 136426-54-5 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H372 **<br>H312<br>H315<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H301<br>H372 **<br>H312<br>H315<br>H410 |                                 |                                  |       |

▼M1▼B

▼ **B**

| Index No                    | International Chemical Identification   | EC No     | CAS No      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|-------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|                             |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| ▼ <b>M1</b><br>613-174-00-3 | tetraconazole (ISO);<br>(±) 2-(2,4-dichlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol-1-yl)propyl-1,1,2,2-tetrafluoroethylether                 | 407-760-6 | 112281-77-3 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 2                            | H332<br>H302<br>H411                    | GHS07<br>GHS09<br>Wng                   | H332<br>H302<br>H411                    |                                 |                                  |       |
| ▼ <b>M7</b><br>613-175-00-9 | epoxiconazole (ISO);<br>(2 <i>RS</i> ,3 <i>SR</i> )-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1 <i>H</i> -1,2,4-triazol-1-yl)methyl]oxirane | 406-850-2 | 133855-98-8 | Carc. 2<br><br>Repr. 1B<br><br>Aquatic Chronic 2                                 | H351<br><br>H360Df<br><br>H411          | GHS08<br><br>GHS09<br><br>Dgr           | H351<br><br>H360Df<br><br>H411          |                                 |                                  |       |
| ▼ <b>B</b><br>613-176-00-4  | 2-methyl-2-azabicyclo[2.2.1]heptane   | 404-810-9 | 4524-95-2   | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B | H226<br>H312<br>H302<br>H373 **<br>H314 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H312<br>H302<br>H373 **<br>H314 |                                 |                                  |       |
| 613-177-00-X                | 8-amino-7-methylquinoline   | 412-760-4 | 5470-82-6   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2            | H312<br>H302<br>H317<br>H411            | GHS07<br>GHS09<br>Wng                   | H312<br>H302<br>H317<br>H411            |                                 |                                  |       |
| 613-178-00-5                | 4-ethyl-2-methyl-2-isopentyl-1,3-oxazolidine  | 410-470-2 | 137796-06-6 | Skin Corr. 1B<br>Skin Sens. 1  | H314<br>H317                            | GHS05<br>GHS07<br>Dgr                   | H314<br>H317                            |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 613-179-00-0                | lithium 3-oxo-1,2(2 <i>H</i> )-benzothiazol-2-ide   | 411-690-1 | 111337-53-2 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2             | H302<br>H314<br>H317<br>H411            | GHS05<br>GHS07<br>Dgr                   | H302<br>H314<br>H317<br>H411            |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-180-00-6 | <i>N</i> -(1,1-dimethylethyl)bis(2-benzothiazolesulfen)amide   | 407-430-1 | 3741-80-8  | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                                 | GHS09<br>Wng                   | H410   |                                 |                                  |       |
| 613-181-00-1 | 5,5-dimethyl-perhydro-pyrimidin-2-one $\alpha$ -(4-trifluoromethylstyryl)- $\alpha$ -(4-trifluoromethyl)cinnamylidenehydrazone   | 405-090-9 | 67485-29-4 | STOT RE 1<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H372 **<br>H302<br>H319<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Dgr | H372 **<br>H302<br>H319<br>H410              |                                 |                                  |       |
| 613-182-00-7 | 1-(1-naphthylmethyl)quinolinium chloride   | 406-220-7 | 65322-65-8 | Carc. 2<br>Muta. 2<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H351<br>H341<br>H302<br>H315<br>H318<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H351<br>H341<br>H302<br>H315<br>H318<br>H412 |                                 |                                  |       |
| 613-183-00-2 | reaction mass of: 5-( <i>N</i> -methylperfluorooctylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one;<br>5-( <i>N</i> -methylperfluoroheptylsulfonamido)methyl-3-octadecyl-1,3-oxazolidin-2-one | 413-640-4 | —          | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                      | H373 **<br>H400<br>H410                      | GHS08<br>GHS09<br>Wng          | H373 **<br>H410                              |                                 |                                  |       |
| 613-184-00-8 | nitrilotriethyleneammonio-propane-2-ol 2-ethylhexanoate  | 413-670-8 | —          | Eye Irrit. 2<br>Skin Sens. 1   | H319<br>H317                                 | GHS07<br>Wng                   | H319<br>H317                                 |                                 |                                  |       |
| 613-185-00-3 | 2,3,5,6-tetrahydro-2-methyl-2 <i>H</i> -cyclopenta[ <i>d</i> ]-1,2-thiazol-3-one   | 407-630-9 | 82633-79-2 | Acute Tox. 3 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1     | H301<br>H318<br>H317<br>H400<br>H410         | GHS06<br>GHS05<br>GHS09<br>Dgr | H301<br>H318<br>H317<br>H410                 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification  |                                   | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|---|-----------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)                                 | Hazard statement Code(s)          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-186-00-9        | (2 <i>R</i> ,3 <i>R</i> )-3-(( <i>R</i> )-1-( <i>tert</i> -butyldimethylsiloxy)ethyl)-4-oxoazetidin-2-yl acetate                                  | 408-050-9 | 76855-69-1  | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                 | H319<br>H317<br>H411              | GHS07<br>GHS09<br>Wng          | H319<br>H317<br>H411         |                                 |                                  |       |
| ▼M1<br>613-187-00-4 | 5-(2-amino-5-cyano-6-[2-(2-hydroxyethoxy)ethylamino]-4-methylpyridin-3-ylazo)-3-methyl-2,4-dicarbonitrilethiophene                                | 410-530-8 | —           | Skin Sens. 1  | H317                              | GHS07<br>Wng                   | H317                         |                                 |                                  |       |
| ▼B<br>613-188-00-X  | 1-(3-(4-fluorophenoxy)propyl)-3-methoxy-4-piperidinone  | 411-500-7 | 116256-11-2 | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H318<br>H317<br>H411      | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 613-189-00-5        | 1,4,7,10-tetrakis( <i>p</i> -toluensulfonyl)-1,4,7,10-tetraazacyclododecane   | 414-030-0 | 52667-88-6  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H317<br>H400<br>H410              | GHS07<br>GHS09<br>Wng          | H317<br>H410                 |                                 |                                  |       |
| 613-190-00-0        | disodium 1-amino-4-(2-(5-chloro-6-fluoro-pyrimidin-4-ylamino-methyl)-4-methyl-6-sulfo-phenylamino)-9,10-dioxo-9,10-dihydro-anthracene-2-sulfonate | 414-040-5 | 149530-93-8 | Acute Tox. 4 *<br>Skin Sens. 1                                    | H302<br>H317                      | GHS07<br>Wng                   | H302<br>H317                 |                                 |                                  |       |
| 613-191-00-6        | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine  | 421-150-7 | 143860-04-2 | Repr. 1B<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360F ***<br>H314<br>H400<br>H410 | GHS08<br>GHS05<br>GHS09<br>Dgr | H360F ***<br>H314<br>H410    |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-192-00-1 | 3-benzyl-exo-6-nitro-2,4-dioxo-3-aza- <i>cis</i> -bicyclo[3.1.0]hexane  | 426-750-2 | 151860-15-0 | Skin Sens. 1<br>Aquatic Chronic 3 | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 613-193-00-7 | pentakis[3-(dimethyl-ammonio)propylsulfamoyl]-[(6-hydroxy-4,4,8,8-tetramethyl-4,8-diazoniaundecane-1,11-diyldisulfamoyl)di[phthalocyaninecopper(II)]] heptalactate  | 414-930-3 | —           | Aquatic Chronic 2                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 613-194-00-2 | 6,13-dichloro-3,10-bis{2-[4-fluoro-6-(2-sulfophenylamino)-1,3,5-triazin-2-ylamino]propylamino}benzo[5,6][1,4]oxazino[2,3-b.]phenoxazine-4,11-disulphonic acid, lithium-, sodium salt  | 418-000-8 | 163062-28-0 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 613-195-00-8 | 2,2-(1,4-phenylene)bis((4 <i>H</i> —3,1-benzoxazine-4-one)  | 418-280-1 | 18600-59-4  | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 613-196-00-3 | 5-[[4-chloro-6-[[2-[[4-fluoro-6-[[5-hydroxy-6-(4-methoxy-2-sulfophenyl)azo]-7-sulfo-2-naphthalenyl]amino]-1,3,5-triazin-2-yl]amino]-1-methyl-ethyl]amino]-1,3,5-triazin-2-yl]amino]-3-[[4-(ethenylsulfonyl)phenyl]azo]-4-hydroxy-naphthalene-2,7-disulfonic acid, sodium salt | 418-380-5 | 168113-78-8 | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

▼ **B**

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                   | Labelling                      |                                   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|-----------------------------------|--------------------------------|-----------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                         | Hazard statement Code(s)          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)          | Suppl. Hazard statement Code(s) |                                  |       |
| 613-197-00-9 | reaction mass of: 2,4,6-tri(butylcarbamoyl)-1,3,5-triazine;<br>2,4,6-tri(methylcarbamoyl)-1,3,5-triazine;<br>[(2-butyl-4,6-dimethyl)tricarbamoyl]-1,3,5-triazine;<br>[(2,4-dibutyl-6-methyl)tricarbamoyl]-1,3,5-triazine  | 420-390-1 | 187547-46-2 | Skin Sens. 1<br>Aquatic Chronic 2                         | H317<br>H411                      | GHS07<br>GHS09<br>Wng          | H317<br>H411                      |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |   |                                   |                                |                                   |                                 |                                  |       |
| 613-198-00-4 | 2-amino-4-dimethylamino-6-trifluoroethoxy-1,3,5-triazine  | 415-500-8 | 145963-84-4 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 3        | H302<br>H373**<br>H412            | GHS08<br>GHS07<br>Wng          | H302<br>H373**<br>H412            |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |             |   |                                   |                                |                                   |                                 |                                  |       |
| 613-199-00-X | reaction mass of: 1,3,5-tris(3-aminomethylphenyl)-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-triazine-2,4,6-trione;<br>reaction mass of oligomers of 3,5-bis(3-aminomethylphenyl)-1-poly[3,5-bis(3-aminomethylphenyl)-2,4,6-trioxo-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-triazin-1-yl]-1,3,5-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-triazine-2,4,6-trione | 421-550-1 | —           | Carc. 1B<br>Repr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 3 | H350<br>H360D ***<br>H317<br>H412 | GHS08<br>Dgr                   | H350<br>H360D ***<br>H317<br>H412 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No          | CAS No                             | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|----------------|------------------------------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|                     |   |                |                                    | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-200-00-3        | Reaction product of: copper, (29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2-)- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)-, chloro-sulfuric acid and 3-(2-sulfooxyethylsulfonyl)aniline, sodium salts                                     | 420-980-7      | —                                  | Eye Dam. 1   | H318   | GHS05<br>Dgr                   | H318   |                                 |                                  |       |
| 613-201-00-9        | ( <i>R</i> )-5-bromo-3-(1-methyl-2-pyrrolidinyl methyl)-1 <i>H</i> -indole  | 422-390-5      | 143322-57-0                        | Repr. 2<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f ***<br>H372 **<br>H332<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Dgr | H361f ***<br>H372 **<br>H332<br>H302<br>H317<br>H410 | EUH070                          |                                  |       |
| 613-202-00-4        | pymetrozine (ISO); ( <i>E</i> )-4,5-dihydro-6-methyl-4-(3-pyridylmethyleneamino)-1,2,4-triazin-3(2 <i>H</i> )-one   | —              | 123312-89-0                        | Carc. 2<br>Aquatic Chronic 3   | H351<br>H412   | GHS08<br>Wng                   | H351<br>H412   |                                 |                                  |       |
| ▼M1<br>613-203-00-X | pyraflufen-ethyl (ISO); 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid ethyl ester; [1]<br>pyraflufen (ISO); 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid [2] | - [1]<br>- [2] | 129630-19-9 [1]<br>129630-17-7 [2] | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410   | GHS09<br>Wng                   | H410   |                                 | M=1000                           |       |



▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                    | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)           | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 613-204-00-5 | oxadiargyl (ISO);<br>3-[2,4-dichloro-5-(2-propynyloxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3H)-one | 254-637-6 | 39807-15-3  | Repr. 2<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1         | H361d***<br>H373**<br>H400<br>H410 | GHS08<br>GHS09<br>Wng          | H361d***<br>H373**<br>H410      |                                 | M = 1000                         |       |
| 613-205-00-0 | propiconazole(ISO);<br>(±) 1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole      | 262-104-4 | 60207-90-1  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410       | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410            |                                 |                                  |       |
| 613-206-00-6 | fenamidone (ISO);<br>(S)-5-methyl-2-methylthio-5-phenyl-3-phenylamino-3,5-dihydroimidazol-4-one               | —         | 161326-34-7 | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410                       | GHS09<br>Wng                   | H410                            |                                 |                                  |       |
| 613-208-00-7 | imazamox (ISO);<br>(RS)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-methoxymethylnicotinic acid        | —         | 114311-32-9 | Aquatic Acute 1<br>Aquatic Chronic 1                                   | H400<br>H410                       | GHS09<br>Wng                   | H410                            |                                 |                                  |       |
| 613-209-00-2 | cis-1-(3-chloropropyl)-2,6-dimethyl-piperidin hydrochloride   | 417-430-3 | 63645-17-0  | Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Chronic 2     | H301<br>H373 **<br>H317<br>H411    | GHS06<br>GHS08<br>GHS09<br>Dgr | H301<br>H373 **<br>H317<br>H411 |                                 |                                  |       |
| 613-210-00-8 | 2-(3-chloropropyl)-2,5,5-trimethyl-1,3-dioxane  | 417-650-1 | 88128-57-8  | STOT RE 2 *<br>Aquatic Chronic 3                                       | H373 **<br>H412                    | GHS08<br>Wng                   | H373 **<br>H412                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                  |       |
| 613-211-00-3 | <i>N</i> -methyl-4-( <i>p</i> -formylstyryl)pyridinium methylsulfate   | 418-240-3 | 74401-04-0  | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412  | GHS07<br>Wng                            | H317<br>H412  |                                 |                                  |       |
| 613-212-00-9 | 4-[4-(2-ethylhexyloxy)phenyl](1,4-thiazinane-1,1-dioxide)  | 418-320-8 | 133467-41-1 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                                    | GHS07<br>GHS09<br>Wng                   | H302<br>H410  |                                 |                                  |       |
| 613-213-00-4 | <i>cis</i> -1-benzoyl-4-[(4-methylsulfonyl)oxy]-L-proline  | 416-040-0 | 120807-02-5 | Aquatic Chronic 3   | H412  | —                                       | H412  |                                 |                                  |       |
| 613-214-00-X | <i>N,N</i> -di- <i>n</i> -butyl-2-(1,2-dihydro-3-hydroxy-6-isopropyl-2-quinolylidene)-1,3-dioxindan-5-carboxamide  | 416-260-7 | 147613-95-4 | Aquatic Chronic 4   | H413  | —                                       | H413  |                                 |                                  |       |
| 613-215-00-5 | 2-chloromethyl-3,4-dimethoxy-pyridinium chloride   | 416-440-5 | 72830-09-2  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H312<br>H302<br>H373 **<br>H315<br>H318<br>H317<br>H411 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H312<br>H302<br>H373 **<br>H315<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 613-216-00-0 | 6- <i>tert</i> -butyl-7-(6-diethylamino-2-methyl-3-pyridylimino)-3-(3-methylphenyl)pyrazolo[3,2- <i>c</i> ][1,2,4]triazole   | 416-490-8 | 162208-01-7 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410  | GHS09<br>Wng                            | H410  |                                 |                                  |       |
| 613-217-00-6 | 4-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]-1-[2-[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionyloxy]ethyl]-2,2,6,6-tetramethylpiperidine | 416-770-1 | 73754-27-5  | Aquatic Chronic 4   | H413  | —                                       | H413  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                                      | Labelling                      |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------------------|--------------------------------|---------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 613-218-00-1 | 6-hydroxyindole  | 417-020-4 | 2380-86-1   | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                       | H302<br>H318<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H317<br>H411    |                                 |                                  |       |
| 613-219-00-7 | 7a-ethyl-3,5-bis(1-methylethyl)-2,3,4,5-tetrahydrooxazolo[3,4-c]-2,3,4,5-tetrahydrooxazole                         | 417-140-7 | 79185-77-6  | Skin Irrit. 2<br>Aquatic Chronic 2  | H315<br>H411                         | GHS07<br>GHS09<br>Wng          | H315<br>H411                    |                                 |                                  |       |
| 613-220-00-2 | trans-(4 <i>S</i> ,6 <i>S</i> )-5,6-dihydro-6-methyl-4 <i>H</i> -thieno[2,3- <i>b</i> ]thiopyran-4-ol, 7,7-dioxide | 417-290-3 | 147086-81-5 | Acute Tox. 4 *  | H302                                 | GHS07<br>Wng                   | H302                            |                                 |                                  |       |
| 613-221-00-8 | 2-chloro-5-methyl-pyridine   | 418-050-0 | 18368-64-4  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Aquatic Chronic 3                  | H312<br>H302<br>H315<br>H412         | GHS07<br>Wng                   | H312<br>H302<br>H315<br>H412    |                                 |                                  |       |
| 613-222-00-3 | 4-(1-oxo-2-propenyl)-morpholine  | 418-140-1 | 5117-12-4   | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1                             | H302<br>H373 **<br>H318<br>H317      | GHS08<br>GHS05<br>GHS07<br>Dgr | H302<br>H373 **<br>H318<br>H317 |                                 |                                  |       |
| 613-223-00-9 | <i>N</i> -isopropyl-3-(4-fluorophenyl)-1 <i>H</i> -indole  | 418-790-4 | 93957-49-4  | Aquatic Chronic 4   | H413                                 | —                              | H413                            |                                 |                                  |       |
| 613-224-00-4 | 2,5-dimercaptomethyl-1,4-dithiane  | 419-770-8 | 136122-15-1 | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H314<br>H317<br>H410    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-225-00-X | reaction mass of:[2-(anthraquinon-1-ylamino)-6-(5-benzoylamino)-anthraquinone-1-ylamino]-4-phenyl]-1,3,5-triazine;<br>2,6-bis-[(5-benzoylamino)-anthraquinon-1-ylamino]-4-phenyl-1,3,5-triazine. | 421-290-9 | —           | STOT RE 2 *<br>Aquatic Chronic 4                                      | H373 **<br>H413              | GHS08<br>Wng                   | H373 **<br>H413          |                                 |                                  |       |
| 613-226-00-5 | 1-(2-(ethyl(4-(4-(4-(4-(ethyl(2-pyridinoethyl)amino)-2-methylphenylazo)benzoylamino)-phenylazo)-3-methylphenyl)amino)ethyl)-pyridinium dichloride  | 420-950-3 | 163831-67-2 | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                    | H318<br>H400<br>H410         | GHS05<br>GHS09<br>Dgr          | H318<br>H410             |                                 |                                  |       |
| 613-227-00-0 | (±)-[(R*,R*) and (R*,S*)]-6-fluoro-3,4-dihydro-2-oxiranyl-2 <i>H</i> -1-benzopyran   | 419-600-2 | 99199-90-3  | Skin Sens. 1<br>Aquatic Chronic 2                                     | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 613-228-00-6 | (±)-(R*,S*)-6-fluoro-3,4-dihydro-2-oxiranyl-2 <i>H</i> -1-benzopyran   | 419-630-6 | 793669-26-8 | Aquatic Chronic 2   | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| ▼M1          |  |           |             |   |                              |                                |                          |                                 |                                  |       |
| 613-229-00-1 | 1-acetyl-4-(3-dodecyl-2,5-dioxo-1-pyrrolidinyl)-2,2,6,6-tetramethylpiperidine  | 411-930-5 | 106917-31-1 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410     |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                               |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|---|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 613-230-00-7 | florasulam (ISO);<br>2',6',8-trifluoro-5-methoxy-5-triazolo[1,5-c];<br>pyrimidine-2-sulfonanilide | —         | 145701-23-1 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                           | GHS09<br>Wng                            | H410                           |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |  |  |   |                                |                                 |                                  |       |
| 613-231-00-2 | 2,6-diamino-3-((pyridine-3-yl)azo)pyridine  | 421-430-9 | 28365-08-4  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2                                   | H302<br>H373**<br>H411                 | GHS08<br>GHS07<br>GHS09<br>Wng          | H302<br>H373**<br>H411         |                                 |                                  |       |
| 613-232-00-8 | 3-(benzo[ <i>b</i> ]thien-2-yl)-5,6-dihydro-1,4,2-oxathiazine-4-oxide                             | 431-030-6 | 163269-30-5 | Acute Tox. 3 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H331<br>H373**<br>H318<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H331<br>H373**<br>H318<br>H410 |                                 |                                  |       |
| ▼ <b>B</b>   |   |           |             |  |  |   |                                |                                 |                                  |       |
| 613-233-00-3 | 4,4'-(oxy-(bismethylene))-bis-1,3-dioxolane   | 423-230-7 | 56552-15-9  | Eye Dam. 1   | H318                                   | GHS05<br>Dgr                            | H318                           |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |  |  |   |                                |                                 |                                  |       |
| 613-234-00-9 | imidazo[1,2- <i>b</i> ]pyridazin hydrochloride  | 431-510-5 | 18087-70-2  | Acute Tox. 4 *<br>Eye Irrit. 2   | H302<br>H319                           | GHS07<br>Wng                            | H302<br>H319                   |                                 |                                  |       |
| 613-235-00-4 | 2,3-dihydro-2,2-dimethyl-1 <i>H</i> -perimidine   | 424-060-6 | 6364-17-6   | Acute Tox. 4*<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H373**<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng          | H302<br>H373**<br>H317<br>H410 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 613-236-00-X | 2-chloro-3-trifluoromethyl-pyridine   | 424-520-6 | 65753-47-1  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 1<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H311<br>H301<br>H372**<br>H314<br>H412 | GHS06<br>GHS05<br>GHS08<br>Dgr | H311<br>H301<br>H372**<br>H314<br>H412 |                                 |                                  |       |
| 613-237-00-5 | 6- <i>tert</i> -butyl-3-(3-dodecylsulfonyl)propyl-7 <i>H</i> -1,2,4-triazolo[3.4 <i>b</i> ][1,3,4]thiadiazine   | 424-950-4 | 133949-92-5 | Aquatic Chronic 4   | H413                                   | —                              | H413                                   |                                 |                                  |       |
| 613-238-00-0 | sodium 2-[[4-(4,6-dichloro-1,3,5-triazin-2-yl)amino]phenyl]sulfonyl]ethyl sulfate   | 430-890-1 | 81992-66-7  | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                | H317<br>H400<br>H410                   | GHS07<br>GHS09<br>Wng          | H317<br>H410                           |                                 |                                  |       |
| 613-239-00-6 | 2-[3-(methylamino)propyl]-1 <i>H</i> -benzimidazole   | 425-760-4 | 64137-52-6  | Eye Dam. 1<br>Aquatic Chronic 3   | H318<br>H412                           | GHS05<br>Dgr                   | H318<br>H412                           |                                 |                                  |       |
| 613-241-00-7 | 3-(2 <i>H</i> -tetrazol-5-yl)pyridine   | 426-810-8 | 3250-74-6   | Eye Dam. 1  | H318                                   | GHS05<br>Dgr                   | H318                                   |                                 |                                  |       |
| 613-242-00-2 | reaction products of 3,10-bis((2-aminopropyl)amino)-6,13-dichloro-4,11-triphenodioxazinedisulfonic acid with 2-amino-1,4-benzenedisulfonic acid, 2-((4-aminophenyl)sulfonyl)ethyl hydrogen sulfate and 2,4,6-trifluoro-1,3,5-triazine, sodium salts | 426-860-0 | 191877-09-5 | Eye Dam. 1  | H318                                   | GHS05<br>Dgr                   | H318                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 613-243-00-8 | 4,4'-(1,6-hexamethylenebis(formylimino))bis(2,2,6,6-tetramethyl-1-oxylpiperidine)  | 427-350-0 | 182235-14-9 | Aquatic Chronic 2   | H411                         | GHS09                          | H411                         |                                 |                                  |       |
| 613-244-00-3 | 5,7-dichloro-4-hydroxyquinoline  | 427-420-0 | 21873-52-9  | Aquatic Chronic 2   | H411                         | GHS09                          | H411                         |                                 |                                  |       |
| 613-245-00-9 | 2-fluoro-6-trifluoromethylpyridine   | 428-100-3 | 94239-04-0  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3 | H226<br>H332<br>H302<br>H412 | GHS02<br>GHS07<br>Wng          | H226<br>H332<br>H302<br>H412 |                                 |                                  |       |
| 613-246-00-4 | 2-hydroxymethyl-3-methyl-4-(2,2,2-trifluoroethoxy)pyridine   | 428-200-7 | 103577-66-8 | Aquatic Chronic 3   | H412                         | —                              | H412                         |                                 |                                  |       |
| 613-247-00-X | 3-(2-methoxy-4-methoxycarboxybenzyl)-5-nitroindole   | 428-910-7 | 107786-36-7 | Aquatic Chronic 4   | H413                         | —                              | H413                         |                                 |                                  |       |
| 613-248-00-5 | 3,4-dimethyl-1 <i>H</i> -pyrazole  | 429-130-1 | 2820-37-3   | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                     | H302<br>H318<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412         |                                 |                                  |       |
| 613-249-00-0 | 1-(2-hydroxyethyl)-1 <i>H</i> -pyrazol-4,5-diylidammoniumsulfate   | 429-300-3 | 155601-30-2 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                       | H318<br>H317<br>H411         | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411         |                                 |                                  |       |
| 613-250-00-6 | reaction mass of: carbonato-bis- <i>N</i> -ethyl-2-isopropyl-1,3-oxazolidine;<br>methyl carbonato- <i>N</i> -ethyl-2-isopropyl-1,3-oxazolidine;<br>2-isopropyl- <i>N</i> -hydroxyethyl 1,3-oxazolidine | 429-990-6 | —           | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                       | H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H318<br>H317<br>H412         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                | Labelling                      |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------------|--------------------------------|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                           | Hazard statement Code(s)       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 613-251-00-1 | (R)-3-[(1-methylpyrrolidin-2-yl)methyl]-5-[2-(phenylsulfonyl)ethenyl]-1 <i>H</i> -indole  | 430-560-5 | 180637-89-2 | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1 | H302<br>H373**<br>H318<br>H317 | GHS05<br>GHS08<br>GHS07<br>Dgr | H302<br>H373**<br>H318<br>H317 |                                 |                                  |       |
| 613-253-00-2 | 2,2-dialkyl-4-hydroxymethyl-1,3-dioxolane;<br>reaction products with ethylene oxide (alkyl is C <sub>1-12</sub> and the sum to C <sub>13</sub> , average degree of ethoxylation is 3,5)                         | 430-580-4 | —           | Skin Irrit. 2<br>Aquatic Chronic 2                          | H315<br>H411                   | GHS07<br>GHS09<br>Wng          | H315<br>H411                   | EUH019                          |                                  |       |
| 613-254-00-8 | forchlorfenuron (ISO);<br>1-(2-chloro-4-pyridyl)-3-phenylurea   | —         | 68157-60-8  | Carc. 2<br>Aquatic Chronic 2                                | H351<br>H411                   | GHS08<br>GHS09<br>Wng          | H351<br>H411                   |                                 |                                  |       |
| 613-255-00-3 | reaction mass of isomers of: sodium [(2-hydroxyethylsulfamoyl){}]2-(2-piperazin-1-ylethylamino)ethylsulfamoyl][2-(4-aminoethylpiperazine-1-yl)ethylsulfamoyl]{(sulfamoyl)}(sulfonatophthalocyaninato)copper(II) | 424-270-8 | —           | Eye Dam. 1  | H318                           | GHS05<br>Dgr                   | H318                           |                                 |                                  |       |
| 613-256-00-9 | 3'5'-anhydro thymidine  | 425-810-5 | 38313-48-3  | Aquatic Chronic 3   | H412                           | —                              | H412                           |                                 |                                  |       |
| 613-257-00-4 | 2-phthalimidoethyl <i>N</i> -[4-(2-cyano-4-nitrophenyl-lazo)phenyl]- <i>N</i> -methyl-β-alaninate   | 426-400-9 | 170222-39-6 | Skin Sens. 1<br>Aquatic Chronic 4                           | H317<br>H413                   | GHS07<br>Wng                   | H317<br>H413                   |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 613-258-00-X | reaction mass of: 4-chloro-7-methylbenzotriazole sodium salt;<br>4-chloro-5-methylbenzotriazole sodium salt;<br>5-chloro-4-methylbenzotriazole sodium salt  | 427-730-6 | 202420-04-0 | Skin Corr. 1B<br>Aquatic Chronic 3   | H314<br>H412                           | GHS05<br>Dgr                   | H314<br>H412                           |                                 |                                  |       |
| 613-259-00-5 | reaction mass of: [2,4-dioxo-(2-propyn-1-yl)imidazolidin-3-yl]methyl(1 <i>R</i> )- <i>cis</i> -chrysanthemate;<br>[2,4-dioxo-(2-propyn-1-yl)imidazolidin-3-yl]methyl(1 <i>R</i> )- <i>trans</i> -chrysanthemate | 428-790-6 | 72963-72-5  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H302<br>H400<br>H410                   | GHS07<br>GHS09<br>Wng          | H302<br>H410                           |                                 |                                  |       |
| 613-260-00-0 | (±)-4-(3-chlorophenyl)-6-[(4-chlorophenyl)hydroxy(1-methyl-1 <i>H</i> -imidazol-5-yl)methyl]-1-methyl-2(1 <i>H</i> )-quinolin   | 430-730-9 | —           | Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                               | H318<br>H400<br>H410                   | GHS05<br>GHS09<br>Dgr          | H318<br>H410                           |                                 |                                  |       |
| 613-261-00-6 | pyrazole-1-carboxamide monohydrochloride  | 429-520-1 | 4023-02-3   | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H302<br>H373**<br>H318<br>H317<br>H412 | GHS05<br>GHS08<br>GHS07<br>Dgr | H302<br>H373**<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 613-262-00-1 | disodium ( <i>E</i> )-1,2-bis-(4-(4-methylamino-6-(4-methylcarbamoylphenylamino)-1,3,5-triazin-2-ylamino)phenyl-2-sulfonato)ethene  | 427-310-2 | 180850-95-7 | Eye Dam. 1   | H318                                   | GHS05<br>Dgr                   | H318                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)               | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 613-263-00-7 | monosodium 3-cyano-5-fluoro-6-hydroxypyridine-2-olate   | 429-570-2 | —           | Skin Sens. 1   | H317                                   | GHS07<br>Wng                            | H317                                   |                                 |                                  |       |
| 613-266-00-3 | 2-chloro-5-chloromethylthiazole   | 429-830-5 | 105827-91-6 | Acute Tox. 3 *<br>Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H311<br>H314<br>H302<br>H317<br>H411   | GHS06<br>GHS05<br>GHS09<br>Dgr          | H311<br>H314<br>H302<br>H317<br>H411   |                                 |                                  |       |
| 613-267-00-9 | thiamethoxam (ISO);<br>3-(2-chloro-thiazol-5-ylmethyl)-<br>5-methyl[1,3,5]oxadiazinan-4-<br>ylidene- <i>N</i> -nitroamine | 428-650-4 | 153719-23-4 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H302<br>H400<br>H410                   | GHS07<br>GHS09<br>Wng                   | H302<br>H410                           |                                 | M=10                             |       |
| 613-268-00-4 | (4a <i>S</i> - <i>cis</i> -)-6-benzyl-octahydro-<br>pyrrolo[3.4- <i>b</i> ]pyridine                                       | 425-930-8 | 151213-39-7 | Skin Corr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2  | H314<br>H332<br>H302<br>H373**<br>H411 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H314<br>H332<br>H302<br>H373**<br>H411 |                                 |                                  |       |
| 613-269-00-X | 2-thiazolidinylidene cyanamide  | 427-720-1 | 26364-65-8  | Acute Tox. 4*<br>STOT RE 2 *<br>Aquatic Chronic 3                                      | H302<br>H373**<br>H412                 | GHS08<br>GHS07<br>Wng                   | H302<br>H373**<br>H412                 |                                 |                                  |       |
| 613-270-00-5 | 5-amino- <i>N</i> -(2,6-dichloro-3-<br>methylphenyl)-1 <i>H</i> -1,2,4-<br>triazole-3-sulfonamide                         | 428-150-6 | 113171-13-4 | Aquatic Chronic 3  | H412                                   | —                                       | H412                                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No  | CAS No      | Classification  |   | Labelling  |   |  | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|-------------|---|---|--|---|--|----------------------------------|-------|
|              |   |  |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                | Suppl. Hazard statement Code(s)                  |                                  |       |
| 613-271-00-0 | tritosulfuron (ISO) (containing ≤ 0,02 % AMTT);<br>1-[4-methoxy-6-(trifluoromethyl)-1,3,5-triazin-2-yl]-3-[2-(trifluoromethyl)benzenesulfonyl]urea (containing ≤ 0,02 % AMTT) | —  | 142469-14-5 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                                    | H317<br>H400<br>H410  | GHS07<br>GHS09<br>Wng                            | H317<br>H410                            |  | M=10                             |       |
| 613-272-00-6 | pyraclostrobin (ISO);<br>methyl <i>N</i> -{2-[1-(4-chlorophenyl)-1 <i>H</i> -pyrazol-3-yloxy-methyl]}phenyl}( <i>N</i> -methoxy)carbamate                                     | —  | —           | Acute Tox. 3 *<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H331<br>H315<br>H400<br>H410  | GHS06<br>GHS09<br>Dgr                            | H331<br>H315<br>H410                    |  | M=100                            |       |
| 613-273-00-1 | tetrahydro-3-methyl-5-((2-phenylthio)thiazol-5-ylmethyl)-[4 <i>H</i> ]-1,3,5-oxadiazinan-4-ylidene- <i>N</i> -nitroamine  | 427-600-9  | 192439-46-6 | Aquatic Chronic 2   | H411  | GHS09  | H411                                    |  |                                  |       |
| 613-274-00-7 | 2,6-dichloro-1-fluoropyridiniumtetrafluoroborate  | 427-400-1  | 140623-89-8 | Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H314<br>H302<br>H317<br>H400<br>H410  | GHS05<br>GHS07<br>GHS09<br>Dgr                   | H314<br>H302<br>H317<br>H410            |  |                                  |       |
| ▼ M6         | 613-275-00-2  | 3-(2-chloroethyl)-6,7,8,9-tetrahydro-2-methyl-4 <i>H</i> -pyrido[1,2- <i>a</i> ] pyrimidin-4-one monohydrochloride | 424-530-0   | 93076-03-0  | Acute Tox. 3 *<br>STOT SE 2<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H301<br>H371**<br>H373**<br>H318<br>H317<br>H411 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H301<br>H371**<br>H373**<br>H318<br>H317<br>H411 |                                  |       |
| ▼ M1         | 613-276-00-8  | 1-(2-chlorophenyl)-1,2-dihydro-5 <i>H</i> -tetrazol-5-one  | 426-110-2   | 98377-35-6  | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412                                     | GHS07<br>Wng                            | H317<br>H412                                     |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-277-00-3 | (4-(6-diethylamino-2-methylpyridin-3-yl)imino-4,5-dihydro-3-methyl-1-(4-methylphenyl)-1 <i>H</i> -pyrazol-5-one | 427-070-9 | —          | Aquatic Chronic 4   | H413   | —                              | H413   |                                 |                                  |       |
| 613-278-00-9 | (3-aminophenyl)pyridin-3-ylmethanone  | 428-230-0 | 79568-06-2 | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H373**<br>H400<br>H410                               | GHS08<br>GHS09<br>Wng          | H373**<br>H410                                       |                                 |                                  |       |
| 613-279-00-4 | 2-ethyl-2,3-dihydro-2-methyl-1 <i>H</i> -perimidine   | 424-380-6 | 43057-68-7 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H302<br>H373**<br>H400<br>H410                       | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H410                               |                                 |                                  |       |
| 613-280-00-X | tetrahydro-1,3-dimethyl-1 <i>H</i> -pyrimidin-2-one;<br>dimethyl propyleneurea                                  | 230-625-6 | 7226-23-5  | Repr. 2<br>Acute Tox. 4 *<br>Eye Dam. 1   | H361f***<br>H302<br>H318                             | GHS05<br>GHS08<br>GHS07<br>Dgr | H361f***<br>H302<br>H318                             |                                 |                                  |       |
| 613-281-00-5 | quinoline   | 202-051-6 | 91-22-5    | Carc. 1B<br>Muta. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2 | H350<br>H341<br>H312<br>H302<br>H319<br>H315<br>H411 | GHS08<br>GHS07<br>GHS09<br>Dgr | H350<br>H341<br>H312<br>H302<br>H319<br>H315<br>H411 |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No                          | CAS No                           | Classification  |  | Labelling                      |                                    |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|----------------------------------|---|--|--------------------------------|------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |                                |                                  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)           | Suppl. Hazard statement Code(s) |                                  |       |
| 613-282-00-0 | triticonazole (ISO);<br>( <i>RS</i> )-( <i>E</i> )-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-methyl)cyclopentanol   | —                              | 131983-72-7                      | Aquatic Chronic 2   | H411                                       | GHS09                          | H411                               |                                 |                                  |       |
| 613-283-00-6 | ketoconazole;<br>1-[4-[4-[[ <i>(2SR, 4RS)</i> ]-2-(2,4-dichlorophenyl)-2-(imidazol-1-ylmethyl)-1,3-dioxolan-4-yl]methoxy]phenyl]piperazin-1-yl]ethanone   | 265-667-4                      | 65277-42-1                       | Repr. 1B<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H360F***<br>H301<br>H373**<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br>Dgr | H360F***<br>H301<br>H373**<br>H410 |                                 |                                  |       |
| 613-284-00-1 | metconazole (ISO);<br>( <i>1RS, 5RS</i> ; <i>1RS, 5SR</i> )-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)cyclopentanol   | —                              | 125116-23-6                      | Repr. 2<br>Acute Tox. 4 *<br>Aquatic Chronic 2                                    | H361d***<br>H302<br>H411                   | GHS08<br>GHS07<br>GHS09<br>Wng | H361d***<br>H302<br>H411           |                                 |                                  |       |
| 613-285-00-7 | 1-hydroxybenzotriazole,<br>anhydrous; [1]<br>1-hydroxybenzotriazole,<br>monohydrated [2]  | 219-989-7 [1]<br>219-989-7 [2] | 2592-95-2 [1]<br>123333-53-9 [2] | Expl. 1.3   | H203                                       | GHS01<br>Dgr                   | H203                               |                                 |                                  |       |
| 613-286-00-2 | potassium 1-methyl-3-morpholinocarbonyl-4-[3-(1-methyl-3-morpholinocarbonyl-5-oxo-2-pyrazolin-4-ylidene)-1-propenyl]pyrazole-5-olate;<br>[containing < 0,5 % <i>N,N</i> -dimethylformamide (EC no 200-679-5)] | 418-260-2                      | 183196-57-8                      | Skin Sens. 1  | H317                                       | GHS07<br>Wng                   | H317                               |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-286-01-X | potassium 1-methyl-3-morpholinocarbonyl-4-[3-(1-methyl-3-morpholinocarbonyl-5-oxo-2-pyrazolin-4-ylidene)-1-propenyl]pyrazole-5-olate; [containing ≥ 0,5 % <i>N,N</i> -dimethylformamide (EC No 200-679-5)] | 418-260-2 | 183196-57-8 | Repr. 1B<br>Skin Sens. 1   | H360D***<br>H317             | GHS08<br>GHS07<br>Dgr          | H360D***<br>H317         |                                 |                                  |       |
| 613-287-00-8 | 1-(3-iodo-4-aminobenzyl)-1 <i>H</i> -1,2,4-triazole  | 419-540-7 | 160194-26-3 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2                | H302<br>H317<br>H411         | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411     |                                 |                                  |       |
| 613-288-00-3 | 1,3-bis(dimethylcarbamoyl)-imidazolium chloride  | 420-930-4 | 135756-61-5 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3                  | H302<br>H318<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412     |                                 |                                  |       |
| 613-289-00-9 | 3-(4-chloro-2-fluoro-5-methylphenyl)-1-methyl-5-(trifluoromethyl)-1 <i>H</i> -pyrazole   | 432-020-4 | 142623-48-1 | Aquatic Acute 1<br>Aquatic Chronic 1                               | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 613-290-00-4 | 4-hydroxy-7-(2-aminoethyl)-1,3-benzothiazol-2(3 <i>H</i> )-one hydrochloride   | 432-470-1 | 189012-93-9 | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410     |                                 |                                  |       |
| 613-291-00-X | 2,4-dihydro-4-(4-(4-(4-hydroxyphenyl)-1-piperazinyl)phenyl)-2-(1-methylpropyl)-3 <i>H</i> -1,2,4-triazol-3-one   | 434-820-9 | 106461-41-0 | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H373**<br>H400<br>H410       | GHS08<br>GHS09<br>Wng          | H373**<br>H410           |                                 |                                  |       |
| 613-292-00-5 | <i>N,N',N''</i> -tris(2-methyl-2,3-epoxypropyl)-perhydro-2,4,6-oxo-1,3,5-triazine  | 435-010-8 | 26157-73-3  | Muta. 2<br>Aquatic Chronic 3                                       | H341<br>H412                 | GHS08<br>Wng                   | H341<br>H412             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-293-00-0 | 2-(4- <i>tert</i> -butylphenyl)-6-cyano-5-[bis(ethoxycarbonylmethyl)carbamoxy]-1 <i>H</i> -pyrrolo[1,2- <i>b</i> ][1,2,4] triazole-7-carboxylic acid 2,6-di- <i>tert</i> -butyl-4-methylcyclohexylester    | 448-050-6 | 444065-11-6 | Aquatic Chronic 4                                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 613-294-00-6 | 2-hexyldecanoic acid [4-(6- <i>tert</i> -butyl-7-chloro-1 <i>H</i> -pyrazolo[1,5- <i>b</i> ][1,2,4]triazol-2-yl)phenylcarbamoylester]  | 448-260-8 | 379268-96-9 | Aquatic Chronic 4                                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 613-295-00-1 | 11-amino-3-chloro-6,11-dihydro-5,5-dioxo-6-methyl-dibenzo[ <i>c</i> , <i>f</i> ][1,2]thiazepine hydrochloride  | 448-720-8 | 363138-44-7 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3   | H302<br>H318<br>H412     | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412     |                                 |                                  |       |
| 613-296-00-7 | pentapotassium 2-(4-(5-[1-(2,5-disulfonatophenyl)-4,5-dihydro-3-methylcarbamoylester]-5-oxopyrazol-4-ylidene)-3-methyl-1,3-pentadienyl)-3-methylcarbamoylester-5-oxidopyrazol-1-yl)benzene-1,4-disulfonate | 418-270-7 | —           | Skin Sens. 1<br>Aquatic Chronic 3                   | H317<br>H412             | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 613-297-00-2 | 5-(2-bromophenyl)-2- <i>tert</i> -butyl-2 <i>H</i> -tetrazole  | 420-820-6 | —           | Flam. Liq. 3<br>Acute Tox. 4 *<br>Aquatic Chronic 2 | H226<br>H302<br>H411     | GHS02<br>GHS07<br>GHS09<br>Wng | H226<br>H302<br>H411     |                                 |                                  |       |
| 613-298-00-8 | bis-(6-hydroxy-4-methyl-5-(3-methylimidazolium-1-yl)-3-(4-phenylazo)-1 <i>H</i> -pyridin-2-one)ethylene dilactate  | 421-560-6 | —           | STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Chronic 2      | H373**<br>H318<br>H411   | GHS05<br>GHS08<br>GHS09<br>Dgr | H373**<br>H318<br>H411   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-299-00-3 | main component 1 (isomer 1): 2-{}[6-fluoro-4-{}]3-(2,5-disulfo-phenylazo)-4-hydroxy-2-sulfonapht-7-ylamino {}-1,3,5-triazin-2-ylamino{}-3-{}[6-fluoro-4-{}]3-(1,5-disulfonaphth-2-ylazo)-4-hydroxy-2-sulfonaphth-7-ylamino {}-1,3,5-triazin-2-ylamino{}-propane sodium salt;<br>main component 1 (isomer 2): 2-{}[6-fluoro-4-{}]3-(2,5-disulfo-phenylazo)-4-hydroxy-2-sulfonaphth-7-ylamino {}-1,3,5-triazin-2-ylamino{}-3-{}[6-fluoro-4-{}]3-(2,5-disulfo-phenylazo)-4-hydroxy-2-sulfonaphth-7-ylamino {}-1,3,5-triazin-2-ylamino{}-propane sodium salt;<br>main component 2: 2,3-bis-{}[6-fluoro-4-{}]3-(2,5-disulfo-phenylazo)-4-hydroxy-2-sulfonaphth-7-ylamino {}-1,3,5-triazin-2-ylamino{}-propane sodium salt;<br>main component 3: 2,3-bis-{}[6-fluoro-4-{}]3-(1,5-disulfonaphth-2-ylazo)-4-hydroxy-2-sulfonaphth-7-ylamino {}-1,3,5-triazin-2-ylamino{}-propane sodium salt | 422-610-1 | —      | Eye Dam. 1                        | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 613-300-00-7 | 1-imidazol-1-yl-octadecan-2-ol   | 434-120-3 | —      | Skin Sens. 1<br>Aquatic Chronic 4 | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 613-301-00-2 | dimethyl-1- $\{ \}$ 2-methoxy-5-(2-methyl-butoxycarbonyl)phenylcarbamoyl]-[2-octadecyl-1,1-dioxo-1,2,4-benzothiadiazin-3-yl $\{ \}$ methyl $\{ \}$ imidazole-4,5-dicarboxylate                | 443-910-7 | —           | Aquatic Chronic 4                                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 613-302-00-8 | disodium 2-(5-carbamoyl-1-ethyl-2-hydroxy-4-methyl-6-oxo-1,6-dihydro-pyridine-3-ylazo)-4-(4-fluoro-6-(4-(2-sulfonyloxy-ethylsulfonyl)-phenylamino)-1,3,5-triazine-2-ylamino)benzene sulfonate | 432-980-4 | 243858-60-8 | Eye Dam. 1  | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 613-303-00-3 | 2-(1-methyl-2-(4-phenoxyphenoxy)ethoxy)pyridine   | 429-800-1 | 95737-68-1  | Aquatic Acute 1<br>Aquatic Chronic 1                | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 613-304-00-9 | 5,6-dihydroxy-2,3-dihydro-1 <i>H</i> -indolium bromide  | 421-170-6 | 138937-28-7 | Acute Tox. 4 *<br>Eye Dam. 1                        | H302<br>H318             | GHS05<br>GHS07<br>Dgr          | H302<br>H318             |                                 |                                  |       |
| 613-305-00-4 | 2-(2-hydroxy-4-octyloxyphe-nyl)-2 <i>H</i> -benzotriazole   | 448-630-9 | 3147-77-1   | Aquatic Chronic 4                                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 613-306-00-X | (2,5-dioxopyrrolidin-1-yl)-9 <i>H</i> -fluoren-9-ylmethyl carbonate   | 433-520-5 | 82911-69-1  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H317<br>H411     | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H411     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 613-307-00-5 | clothianidin (ISO);<br>3-[(2-chloro-1,3-thiazol-5-yl)methyl]-2-methyl-1-nitroguanidine   | —         | 210880-92-5 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                               | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 | M=10                             |       |
| 613-308-00-0 | 2-amino-5-methylthiazole   | 423-800-5 | 7305-71-7   | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H373**<br>H400<br>H410       | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373**<br>H410               |                                 |                                  |       |
| 613-309-00-6 | 1-methyl-3-phenyl-1-piperazine   | 431-180-2 | 5271-27-2   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 3 | H312<br>H302<br>H315<br>H318<br>H412 | GHS05<br>GHS07<br>Dgr          | H312<br>H302<br>H315<br>H318<br>H412 |                                 |                                  |       |
| 613-310-00-1 | (-)(3 <i>S</i> , 4 <i>R</i> )-4-(4-fluorophenyl)-3-(3,4-methylenedioxy-phenoxy-methyl)- <i>N</i> -benzylpiperidine hydrochloride | 432-360-3 | 105813-13-6 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1               | H302<br>H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                 |                                 |                                  |       |
| 613-311-00-7 | methyl-5-nitrophenyl-guanidine   | 435-500-1 | 152460-07-6 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3                  | H302<br>H319<br>H317<br>H412         | GHS07<br>Wng                   | H302<br>H319<br>H317<br>H412         |                                 |                                  |       |
| 613-312-00-2 | 2-(4-methyl-2-phenyl-1-piperazinyl)benzenemethanol monohydrochloride   | 420-200-5 | —           | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3                    | H302<br>H318<br>H317<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H317<br>H412         |                                 |                                  |       |
| 613-313-00-8 | 2-(4-(4-(3-pyridinyl)-1 <i>H</i> -imidazol-1-yl)butyl)-1 <i>H</i> -isoindole-1,3(2 <i>H</i> )-dione                              | 442-780-9 | 173838-67-0 | Aquatic Chronic 3  | H412                                 | —                              | H412                                 |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                               | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|-------------|---|-------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |             | Hazard Class and Category Code(s)                               | Hazard statement Code(s)      | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 613-314-00-3 | 4-decyloxazolidin-2-one;<br>4-decyl-1,3-oxazolidin-2-one  | 443-770-7 | 7693-82-5   | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                  | GHS09<br>Wng                   | H410                     |                                 |                                  |                 |
| 613-315-00-9 | tetrapotassium 4-[5-[3-carboxylato-4,5-dihydro-5-oxo-1-(4-sulfonatophenyl)pyrazol-4-ylidene]-3-(piperidinocarbonyl)penta-1,3-dienylidene]-5-hydroxy-1-(4-sulfonatophenyl)pyrazole-3-carboxylate | 430-390-1 | —           | Acute Tox. 4 *<br>Aquatic Chronic 3                             | H332<br>H412                  | GHS07<br>Wng                   | H332<br>H412             |                                 |                                  |                 |
| 613-316-00-4 | trimethylpropane tri(3-aziridinylpropanoate);<br>(TAZ)  | 257-765-0 | 52234-82-9  | Muta. 2<br>Eye Dam. 1<br>Skin Sens. 1                           | H341<br>H318<br>H317          | GHS05<br>GHS08<br>GHS07<br>Dgr | H341<br>H318<br>H317     |                                 |                                  | ► <b>M2</b> — ◀ |
| 613-317-00-X | penconazole (ISO); 1-[2-(2,4-dichlorophenyl)pentyl]-1H-1,2,4-triazole   | 266-275-6 | 66246-88-6  | Repr. 2<br>Acute Tox. 4<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361d<br>H302<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361d<br>H302<br>H410    | M = 1<br>M = 1                  |                                  |                 |
| 613-318-00-5 | fenpyrazamine (ISO); S-allyl 5-amino-2-isopropyl-4-(2-methylphenyl)-3-oxo-2,3-dihydro-1H-pyrazole-1-carbothioate  | -         | 473798-59-3 | Aquatic Chronic 2   | H411                          | GHS09                          | H411                     |                                 |                                  |                 |
| 613-319-00-0 | imidazole   | 206-019-2 | 288-32-4    | Repr. 1B<br>Acute Tox. 4<br>Skin Corr. 1C                       | H360D<br>H302<br>H314         | GHS08<br>GHS07<br>GHS05<br>Dgr | H360D<br>H302<br>H314    |                                 |                                  |                 |
| 613-320-00-6 | lenacil (ISO); 3-cyclohexyl-6,7-dihydro-1H-cyclopenta[d]pyrimidine-2,4(3H,5H)-dione   | 218-499-0 | 2164-08-1   | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H351<br>H400<br>H410          | GHS08<br>GHS09<br>Wng          | H351<br>H410             | M = 10<br>M = 10                |                                  |                 |

▼ **M8**▼ **M11**

## ▼B

| Index No     | International Chemical Identification   | EC No  | CAS No   | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--|--|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |  |  | Hazard Class and Category Code(s)  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 614-001-00-4 | nicotine (ISO);<br>3-(N-methyl-2-pyrrolidiny)pyridine   | 200-193-3  | 54-11-5  | Acute Tox. 1<br>Acute Tox. 3 *<br>Aquatic Chronic 2                      | H310<br>H301<br>H411         | GHS06<br>GHS09<br>Dgr          | H310<br>H301<br>H411         |                                 |                                  |       |
| 614-002-00-X | salts of nicotine   | —  | —  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Chronic 2    | H330<br>H310<br>H300<br>H411 | GHS06<br>GHS09<br>Dgr          | H330<br>H310<br>H300<br>H411 |                                 |                                  | A     |
| 614-003-00-5 | strychnine  | 200-319-7  | 57-24-9  | Acute Tox. 1<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H310<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H310<br>H300<br>H410         |                                 |                                  |       |
| 614-004-00-0 | salts of strychnine   | —  | —  | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H300<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H330<br>H300<br>H410         |                                 |                                  | A     |
| ▼M1          |   |  |  |  |                              |                                |                              |                                 |                                  |       |
| 614-005-00-6 | colchicine  | 200-598-5  | 64-86-8  | Muta. 1B<br>Acute Tox. 2 *   | H340<br>H300                 | GHS06<br>GHS08<br>Dgr          | H340<br>H300                 |                                 |                                  |       |
| ▼B           |   |  |  |  |                              |                                |                              |                                 |                                  |       |
| 614-006-00-1 | brucine;<br>2,3-dimethoxystrychnine   | 206-614-7  | 357-57-3   | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Aquatic Chronic 3                    | H330<br>H300<br>H412         | GHS06<br>Dgr                   | H330<br>H300<br>H412         |                                 |                                  |       |
| 614-007-00-7 | brucine sulphate; [1]<br>brucine nitrate; [2]<br>strychnidin-10-one, 2,3-dimethoxy-, mono[(R)-1-methylheptyl 1,2-benzenedicarboxylate]; [3]<br>strychnidin-10-one, 2,3-dimethoxy-, compd. with (S)mono(1-methylheptyl)-1,2-benzenedicarboxylate (1:1) [4] | 225-432-9 [1]<br>227-317-9 [2]<br>269-439-5 [3]<br>269-710-8 [4] | 4845-99-2 [1]<br>5786-97-0 [2]<br>68239-26-9 [3]<br>68310-42-9 [4] | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Aquatic Chronic 3                    | H330<br>H300<br>H412         | GHS06<br>Dgr                   | H330<br>H300<br>H412         |                                 |                                  | A     |

## ▼B

| Index No     | International Chemical Identification | EC No     | CAS No   | Classification                                   |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---------------------------------------|-----------|----------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |                                       |           |          | Hazard Class and Category Code(s)                | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 614-008-00-2 | aconitine                             | 206-121-7 | 302-27-2 | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  |       |
| 614-009-00-8 | salts of aconitine                    | —         | —        | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  | A     |
| 614-010-00-3 | atropine                              | 200-104-8 | 51-55-8  | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  |       |
| 614-011-00-9 | salts of atropine                     | —         | —        | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  | A     |
| 614-012-00-4 | hyoscyamine                           | 202-933-0 | 101-31-5 | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  |       |
| 614-013-00-X | salts of hyoscyamine                  | —         | —        | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  | A     |
| 614-014-00-5 | hyoscine                              | 200-090-3 | 51-34-3  | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 * | H330<br>H310<br>H300     | GHS06<br>Dgr                   | H330<br>H310<br>H300     |                                 |                                  |       |
| 614-015-00-0 | salts of hyoscine                     | —         | —        | Acute Tox. 2 *<br>Acute Tox. 1<br>Acute Tox. 2 * | H330<br>H310<br>H300     | GHS06<br>Dgr                   | H330<br>H310<br>H300     |                                 |                                  | A     |
| 614-016-00-6 | pilocarpine                           | 202-128-4 | 92-13-7  | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  |       |
| 614-017-00-1 | salts of pilocarpine                  | —         | —        | Acute Tox. 2 *<br>Acute Tox. 2 *                 | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  | A     |
| 614-018-00-7 | papaverine                            | 200-397-2 | 58-74-2  | Acute Tox. 4 *                                   | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 614-019-00-2 | salts of papaverine                   | —         | —        | Acute Tox. 4 *                                   | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  | A     |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                  |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)               | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 614-020-00-8 | physostigmine   | 200-332-8 | 57-47-6    | Acute Tox. 2 *<br>Acute Tox. 2 *                | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  |       |
| 614-021-00-3 | salts of physostigmine  | —         | —          | Acute Tox. 2 *<br>Acute Tox. 2 *                | H330<br>H300             | GHS06<br>Dgr                   | H330<br>H300             |                                 |                                  | A     |
| 614-022-00-9 | digitoxin   | 200-760-5 | 71-63-6    | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 * | H331<br>H301<br>H373 **  | GHS06<br>GHS08<br>Dgr          | H331<br>H301<br>H373 **  |                                 |                                  |       |
| 614-023-00-4 | ephedrine   | 206-080-5 | 299-42-3   | Acute Tox. 4 *                                  | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 614-024-00-X | salts of ephedrine  | —         | —          | Acute Tox. 4 *                                  | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  | A     |
| 614-025-00-5 | ouabain   | 211-139-3 | 630-60-4   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 * | H331<br>H301<br>H373 **  | GHS06<br>GHS08<br>Dgr          | H331<br>H301<br>H373 **  |                                 |                                  |       |
| 614-026-00-0 | strophantin-K   | 234-239-9 | 11005-63-3 | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 * | H331<br>H301<br>H373 **  | GHS06<br>GHS08<br>Dgr          | H331<br>H301<br>H373 **  |                                 |                                  |       |
| 614-027-00-6 | bufa-4,20,22-trienolide, 6-(acetyloxy)-3-( $\beta$ -D-glucopyranosyloxy)-8,14-dihydroxy-, (3 $\beta$ , 6 $\beta$ )-; red squill; scilliroside | 208-077-4 | 507-60-8   | Acute Tox. 2 *                                  | H300                     | GHS06<br>Dgr                   | H300                     |                                 |                                  |       |
| 614-028-00-1 | reaction mass of: 2-ethylhexyl mono-D-glucopyranoside; 2-ethylhexyl di-D-glucopyranoside  | 414-420-0 | —          | Eye Dam. 1                                      | H318                     | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|                     |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 614-029-00-7        | constitutional isomers of penta- <i>O</i> -allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hexa- <i>O</i> -allyl-β-D-fructofuranosyl-α-D-glucopyranoside; constitutional isomers of hepta- <i>O</i> -allyl-β-D-fructofuransoyl-α-D-glucopyranoside | 419-640-0 | 68784-14-5 | Acute Tox. 4 *   | H302   | GHS07<br>Wng                            | H302   |                                 |                                  |       |
| ▼M1<br>615-001-00-7 | methyl isocyanate   | 210-866-3 | 624-83-9   | Flam. Liq. 2<br>Repr. 2<br>Acute Tox. 2 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>Resp. Sens. 1<br>Skin Sens. 1<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1 | H225<br>H361d***<br>H330<br>H311<br>H301<br>H334<br>H317<br>H335<br>H315<br>H318 | GHS02<br>GHS06<br>GHS05<br>GHS08<br>Dgr | H225<br>H361d***<br>H330<br>H311<br>H301<br>H334<br>H317<br>H335<br>H315<br>H318 |                                 |                                  |       |
| ▼B<br>615-002-00-2  | methyl isothiocyanate   | 209-132-5 | 556-61-6   | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H331<br>H301<br>H314<br>H317<br>H400<br>H410                                     | GHS06<br>GHS05<br>GHS09<br>Dgr          | H331<br>H301<br>H314<br>H317<br>H410   |                                 |                                  |       |
| 615-003-00-8        | thiocyanic acid   | 207-337-4 | 463-56-9   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3  | H332<br>H312<br>H302<br>H412   | GHS07<br>Wng                            | H332<br>H312<br>H302<br>H412   | EUH032                          |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No  | CAS No   | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors  | Notes |
|--------------|---|--|--|---|--|--------------------------------|--|---------------------------------|---|-------|
|              |   |  |  | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                       | Suppl. Hazard statement Code(s) |   |       |
| 615-004-00-3 | salts of thiocyanic acid, with the exception of those specified elsewhere in this Annex   | —  | —  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3   | H332<br>H312<br>H302<br>H412                                   | GHS07<br>Wng                   | H332<br>H312<br>H302<br>H412                                   | EUH032                          |   | A     |
| 615-005-00-9 | 4,4'-methylenediphenyl diisocyanate;<br>diphenylmethane-4,4'-diisocyanate; [1]<br>2,2'-methylenediphenyl diisocyanate;<br>diphenylmethane-2,2'-diisocyanate; [2]<br><i>o</i> -( <i>p</i> -isocyanatobenzyl)phenyl isocyanate;<br>diphenylmethane-2,4'-diisocyanate; [3]<br>methylenediphenyl diisocyanate [4] | 202-966-0 [1]<br>219-799-4 [2]<br>227-534-9 [3]<br>247-714-0 [4] | 101-68-8 [1]<br>2536-05-2 [2]<br>5873-54-1 [3]<br>26447-40-5 [4] | Carc. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1       | H351<br>H332<br>H373**<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS08<br>GHS07<br>Dgr          | H351<br>H332<br>H373**<br>H319<br>H335<br>H315<br>H334<br>H317 |                                 | Eye Irrit. 2;<br>H319: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: C ≥ 5 %<br>Resp. Sens. 1;<br>H334: C ≥ 0,1 %<br>STOT SE 3;<br>H335: C ≥ 5 % | C2    |
| 615-006-00-4 | 2-methyl- <i>m</i> -phenylene diisocyanate;<br>toluene-2,4-di-isocyanate; [1]<br>4-methyl- <i>m</i> -phenylene diisocyanate;<br>toluene-2,6-di-isocyanate; [2]<br><i>m</i> -tolylidene diisocyanate;<br>toluene-diisocyanate [3]  | 202-039-0 [1]<br>209-544-5 [2]<br>247-722-4 [3]                  | 91-08-7 [1]<br>584-84-9 [2]<br>26471-62-5 [3]                    | Carc. 2<br>Acute Tox. 2 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H351<br>H330<br>H319<br>H335<br>H315<br>H334<br>H317<br>H412   | GHS06<br>GHS08<br>Dgr          | H351<br>H330<br>H319<br>H335<br>H315<br>H334<br>H317<br>H412   |                                 | Resp. Sens. 1;<br>H334: C ≥ 0,1 %   | C     |

▼ **B**



## ▼B

| Index No     | International Chemical Identification   | EC No                          | CAS No                           | Classification   |  | Labelling                      |  |  | Specific Conc. Limits, M-factors | Notes |
|--------------|---|--------------------------------|----------------------------------|--|--|--------------------------------|--|--|----------------------------------|-------|
|              |   |                                |                                  | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s)  |                                  |       |
| 615-007-00-X | 1,5-naphthylene diisocyanate  | 221-641-4                      | 3173-72-6                        | Acute Tox. 4 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Aquatic Chronic 3                 | H332<br>H319<br>H335<br>H315<br>H334<br>H412         | GHS08<br>GHS07<br>Dgr          | H332<br>H319<br>H335<br>H315<br>H334<br>H412         |  |                                  |       |
| 615-008-00-5 | 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate; isophorone di-isocyanate                         | 223-861-6                      | 4098-71-9                        | Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H331<br>H319<br>H335<br>H315<br>H334<br>H317<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H319<br>H335<br>H315<br>H334<br>H317<br>H411 | *<br>Resp. Sens. 1;<br>H334: C ≥ 0,5 %<br>Skin Sens.1;<br>H317: C ≥ 0,5 %  | 2                                |       |
| 615-009-00-0 | 4,4'-methylenedi(cyclohexyl isocyanate); dicyclohexylmethane-4,4'-di-isocyanate                           | 225-863-2                      | 5124-30-1                        | Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1                      | H331<br>H319<br>H335<br>H315<br>H334<br>H317         | GHS06<br>GHS08<br>Dgr          | H331<br>H319<br>H335<br>H315<br>H334<br>H317         | *<br>Resp. Sens. 1;<br>H334: C ≥ 0,5 %<br>Skin Sens. 1;<br>H317: C ≥ 0,5 % | 2                                |       |
| 615-010-00-6 | 2,2,4-trimethylhexamethylene-1,6-di-isocyanate; [1]<br>2,4,4-trimethylhexamethylene-1,6-di-isocyanate [2] | 241-001-8 [1]<br>239-714-4 [2] | 16938-22-0 [1]<br>15646-96-5 [2] | Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1                                      | H331<br>H319<br>H335<br>H315<br>H334                 | GHS06<br>GHS08<br>Dgr          | H331<br>H319<br>H335<br>H315<br>H334                 | *<br>Resp. Sens. 1;<br>H334: C ≥ 0,5 %<br>Skin Sens. 1;<br>H317: C ≥ 0,5 % | C2                               |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors   | Notes |
|--------------|--|-----------|-----------|---|--|--------------------------------|--|---------------------------------|--|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |  |       |
| 615-011-00-1 | hexamethylene-di-isocyanate  | 212-485-8 | 822-06-0  | Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1<br>Skin Sens. 1 | H331<br>H319<br>H335<br>H315<br>H334<br>H317 | GHS06<br>GHS08<br>Dgr          | H331<br>H319<br>H335<br>H315<br>H334<br>H317 |                                 | *<br>Resp. Sens. 1;<br>H334: C ≥ 0,5 %<br>Skin Sens. 1;<br>H317: C ≥ 0,5 %                     | 2     |
| 615-012-00-7 | 4-isocyanatosulphonyltoluene;<br>tosyl isocyanate  | 223-810-8 | 4083-64-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1                                   | H319<br>H335<br>H315<br>H334                 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334                 | EUH014                          | Eye Irrit.;<br>H319: C ≥ 5 %<br>STOT SE 3;<br>H335: C ≥ 5 %<br>Skin Irrit. 2;<br>H315: C ≥ 5 % |       |
| 615-013-00-2 | cyanamide;<br>carbanonitril  | 206-992-3 | 420-04-2  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1             | H301<br>H312<br>H319<br>H315<br>H317         | GHS06<br>Dgr                   | H301<br>H312<br>H319<br>H315<br>H317         |                                 |  |       |
| 615-014-00-8 | tris(1-dodecyl-3-methyl-2-phenylbenzimidazolium)hexacyanoferrate                         | —         | 7276-58-6 | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302   |                                 |  |       |
| 615-015-00-3 | 1,7,7-trimethyl-bicyclo(2,2,1)hept-2-yl thiocyanatoacetate;<br>isobornyl thiocyanacetate | 204-081-5 | 115-31-1  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H410                                 |                                 |  |       |
| 615-016-00-9 | potassium cyanate  | 209-676-3 | 590-28-3  | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302   |                                 |  |       |
| 615-017-00-4 | calcium cyanamide  | 205-861-8 | 156-62-7  | Acute Tox. 4 *<br>STOT SE 3<br>Eye Dam. 1   | H302<br>H335<br>H318                         | GHS05<br>GHS07<br>Dgr          | H302<br>H335<br>H318                         |                                 |  |       |

▼**B**

| Index No                    | International Chemical Identification   | EC No     | CAS No     | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|-----------------------------|---|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|                             |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |                                  |       |
| 615-018-00-X                | 2-(2-butoxyethoxy)ethyl thiocyanate   | 203-985-7 | 112-56-1   | Flam. Liq. 3<br>Acute Tox. 3 *<br>Acute Tox. 3 *   | H226<br>H311<br>H301                                    | GHS02<br>GHS06<br>Dgr          | H226<br>H311<br>H301                                    |                                 |                                  |       |
| 615-019-00-5                | dicyclohexylcarbodiimide  | 208-704-1 | 538-75-0   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1   | H311<br>H302<br>H318<br>H317                            | GHS06<br>GHS05<br>Dgr          | H311<br>H302<br>H318<br>H317                            |                                 |                                  |       |
| 615-020-00-0                | methylene dithiocyanate   | 228-652-3 | 6317-18-6  | Acute Tox. 2 *<br>Acute Tox. 3 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1                           | H330<br>H301<br>H314<br>H317<br>H400                    | GHS06<br>GHS05<br>GHS09<br>Dgr | H330<br>H301<br>H314<br>H317<br>H400                    |                                 |                                  |       |
| 615-021-00-6                | 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-trione; TGIC | 219-514-3 | 2451-62-9  | Muta. 1B<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H340<br>H331<br>H301<br>H373 **<br>H318<br>H317<br>H412 | GHS06<br>GHS08<br>GHS05<br>Dgr | H340<br>H331<br>H301<br>H373 **<br>H318<br>H317<br>H412 |                                 |                                  |       |
| ▼ <b>M1</b><br>615-022-00-1 | methyl 3-isocyanatosulfonyl-2-thiophene-carboxylate   | 410-550-7 | 79277-18-2 | STOT RE 2 *<br>Resp. Sens. 1<br>Skin Sens. 1   | H373**<br>H334<br>H317                                  | GHS08<br>Dgr                   | H373**<br>H334<br>H317                                  | EUH014                          |                                  |       |

## ▼B

| Index No            | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|---------------------|---|-----------|-------------|---|---|---|---|---------------------------------|----------------------------------|-------|
|                     |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 615-023-00-7        | 2-(isocyanatosulfonylmethyl)benzoic acid methyl ester; (alt.):methyl 2-(isocyanatosulfonylmethyl)benzoate | 410-900-9 | 83056-32-0  | Flam. Liq. 3<br>Muta. 2<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Resp. Sens. 1                 | H226<br>H341<br>H332<br>H373 **<br>H318<br>H334 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>Dgr | H226<br>H341<br>H332<br>H373 **<br>H318<br>H334 | EUH014                          |                                  |       |
| 615-024-00-2        | 2-phenylethylisocyanate   | 413-080-0 | 1943-82-4   | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 2 | H331<br>H302<br>H314<br>H334<br>H317<br>H411    | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H302<br>H314<br>H334<br>H317<br>H411    |                                 |                                  |       |
| 615-025-00-8        | 4,4'-ethylidenediphenyl dicyanate   | 405-740-1 | 47073-92-7  | Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H332<br>H302<br>H373 **<br>H318<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H332<br>H302<br>H373 **<br>H318<br>H410         |                                 |                                  |       |
| 615-026-00-3        | 4,4'-methylenebis(2,6-dimethylphenyl cyanate)   | 405-790-4 | 101657-77-6 | Skin Sens. 1<br>Aquatic Chronic 3   | H317<br>H412                                    | GHS07<br>Wng                            | H317<br>H412                                    |                                 |                                  |       |
| ▼M1<br>615-028-00-4 | ethyl 2-(isocyanatosulfonyl)benzoate  | 410-220-2 | 77375-79-2  | Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Resp. Sens. 1<br>Skin Sens. 1                            | H302<br>H373**<br>H318<br>H334<br>H317          | GHS05<br>GHS08<br>GHS07<br>Dgr          | H302<br>H373**<br>H318<br>H334<br>H317          | EUH014                          |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 615-029-00-X | 2,5-bis-isocyanatomethyl-bicyclo[2.2.1]heptane  | 411-280-2 | —         | Acute Tox. 2 *<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H330<br>H302<br>H314<br>H334<br>H317<br>H412 | GHS06<br>GHS08<br>GHS05<br>Dgr | H330<br>H302<br>H314<br>H334<br>H317<br>H412 |                                 |                                  |       |
| 615-030-00-5 | alkali salts and alkali earth salts of thiocyanic acid, with the exception of those specified elsewhere in this Annex | —         | —         | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Chronic 3                                 | H332<br>H312<br>H302<br>H412                 | GHS07<br>Wng                   | H332<br>H312<br>H302<br>H412                 |                                 |                                  | A     |
| 615-031-00-0 | thallium thiocyanate  | 222-571-7 | 3535-84-0 | Acute Tox. 2 *<br>Acute Tox. 2 *<br>Acute Tox. 4 *<br>STOT RE 2<br>Aquatic Chronic 2                    | H330<br>H300<br>H312<br>H373**<br>H411       | GHS06<br>GHS08<br>GHS09<br>Dgr | H330<br>H300<br>H312<br>H373**<br>H411       |                                 |                                  |       |
| 615-032-00-6 | metal salts of thiocyanic acid, with the exception of those specified elsewhere in this Annex                         | —         | —         | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1              | H332<br>H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H332<br>H312<br>H302<br>H410                 |                                 |                                  | A     |
| 615-033-00-1 | reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0097)        | 430-980-9 | —         | Aquatic Chronic 4   | H413   | —                              | H413   |                                 |                                  |       |

## ▼M1

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 615-034-00-7 | reaction product of diphenylmethanediisocyanate, octylamine, 4-ethoxyaniline and ethylenediamine (1:0,37:1,53:0,05)   | 430-750-8 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 615-035-00-2 | reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio 1:1.86:0.14)  | 430-930-6 | 122886-55-9 | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 615-036-00-8 | reaction product of diphenylmethanediisocyanate, toluenediisocyanate (reaction of isomers: 65 % 2,4- and 35 % 2,6-diisocyanate), octylamine, oleylamine and 4-ethoxyaniline (molar ratio 4:1:7:1:2) | 430-940-0 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 615-037-00-3 | reaction product of diphenylmethanediisocyanate, toluenediisocyanate (reaction mass of isomers: 65 % 2,4- and 35 % 2,6-diisocyanate), octylamine and oleylamine (molar ratio 4:1:9:1)               | 430-950-5 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 615-038-00-9 | reaction product of toluenediisocyanate (reaction mass of isomers: 65 % 2,4- and 35 % 2,6-diisocyanate) and aniline (molarratio 1:2)  | 430-960-1 | —           | Aquatic Chronic 4                 | H413                     | —                              | H413                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|----------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |          | Hazard Class and Category Code(s)   | Hazard statement Code(s)                                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                             | Suppl. Hazard statement Code(s) |                                  |       |
| 615-039-00-4 | reaction product of diphenylmethanediisocyanate, toluenediisocyanate (reaction mass of isomers: 65 % 2,4- and 35 % 2,6-diisocyanate), octylamine, oleylamine and 4-ethoxyaniline (molar ratio 3.88:1:6.38:0.47:2.91) | 430-970-4 | —        | Aquatic Chronic 4   | H413   | —                                       | H413   |                                 |                                  |       |
| 615-044-00-1 | 4-chlorophenylisocyanate   | 203-176-9 | 104-12-1 | Acute Tox. 2 *<br>Acute Tox. 4 *<br>STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H330<br>H302<br>H335<br>H315<br>H318<br>H334<br>H400<br>H410 | GHS06<br>GHS05<br>GHS08<br>GHS09<br>Dgr | H330<br>H302<br>H335<br>H315<br>H318<br>H334<br>H410 |                                 |                                  |       |
| 615-045-00-7 | 4,4'-methylene bis(3-chloro-2,6-di-ethylphenylisocyanate)  | 420-530-1 | —        | Resp. Sens. 1<br>Skin Sens. 1<br>Aquatic Chronic 4  | H334<br>H317<br>H413   | GHS08<br>Dgr                            | H334<br>H317<br>H413                                 |                                 |                                  |       |
| 616-001-00-X | <i>N,N</i> -dimethylformamide;<br>dimethyl formamide   | 200-679-5 | 68-12-2  | Repr. 1B<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2  | H360D ***<br>H332<br>H312<br>H319                            | GHS08<br>GHS07<br>Dgr                   | H360D ***<br>H332<br>H312<br>H319                    |                                 |                                  |       |
| 616-002-00-5 | 2-fluoroacetamide  | 211-363-1 | 640-19-7 | Acute Tox. 2 *<br>Acute Tox. 3 *  | H300<br>H311   | GHS06<br>Dgr                            | H300<br>H311   |                                 |                                  |       |

## ▼ B

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No    | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-----------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s) | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 616-003-00-0 | acrylamide;<br>prop-2-enamide  | 201-173-7 | 79-06-1   | Carc. 1B<br>Muta. 1B<br>Repr. 2<br>Acute Tox. 3 *<br>STOT RE 1<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1 | H350<br>H340<br>H361f ***<br>H301<br>H372 **<br>H332<br>H312<br>H319<br>H315<br>H317 | GHS06<br>GHS08<br>Dgr          | H350<br>H340<br>H361f ***<br>H301<br>H372 **<br>H332<br>H312<br>H319<br>H315<br>H317 |                                 | D                                |       |
| 616-004-00-6 | allidochlor (ISO);<br><i>N,N</i> -diallylchloroacetamide   | 202-270-7 | 93-71-0   | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H312<br>H302<br>H319<br>H315<br>H411   | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H319<br>H315<br>H411   |                                 |                                  |       |
| 616-005-00-1 | chlorthiamid (ISO);<br>2,6-dichloro (thiobenzamide)  | 217-637-7 | 1918-13-4 | Acute Tox. 4 *  | H302   | GHS07<br>Wng                   | H302   |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |           |   |  |                                |  |                                 |                                  |       |
| 616-006-00-7 | dichlofluamid (ISO);<br><i>N</i> -dichlorofluoromethylthio-<br><i>N,N'</i> -dimethyl- <i>N</i> -phenylsul-<br>famide | 214-118-7 | 1085-98-9 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1   | H332<br>H319<br>H317<br>H400   | GHS07<br>GHS09<br>Wng          | H332<br>H319<br>H317<br>H400   | M=10                            |                                  |       |
| ▼ <u>B</u>   |  |           |           |   |  |                                |  |                                 |                                  |       |
| 616-007-00-2 | diphenamid (ISO);<br><i>N,N</i> -dimethyl-2,2-diphenylace-<br>tamide   | 213-482-4 | 957-51-7  | Acute Tox. 4 *<br>Aquatic Chronic 3   | H302<br>H412   | GHS07<br>Wng                   | H302<br>H412   |                                 |                                  |       |



▼B

| Index No                     | International Chemical Identification  | EC No     | CAS No    | Classification   |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|------------------------------|--|-----------|-----------|--|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|                              |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 616-008-00-8                 | propachlor (ISO);<br>2-chloro- <i>N</i> -isopropylacetanilide;<br>$\alpha$ -chloro- <i>N</i> -isopropylacetanilide | 217-638-2 | 1918-16-7 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H319<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H317<br>H410 |                                 |                                  |       |
| ▼ <u>M1</u><br>616-009-00-3  | propanil (ISO);<br>3', 4'-dichloropropionanilide   | 211-914-6 | 709-98-8  | Acute Tox. 4 *<br>Aquatic Acute 1  | H302<br>H400                         | GHS07<br>GHS09<br>Wng          | H302<br>H400                 |                                 | M=10                             |       |
| ▼ <u>B</u><br>616-010-00-9   | tosylchloramide sodium   | 204-854-7 | 127-65-1  | Acute Tox. 4 *<br>Skin Corr. 1B<br>Resp. Sens. 1                                       | H302<br>H314<br>H334                 | GHS08<br>GHS05<br>GHS07<br>Dg  | H302<br>H314<br>H334         | EUH031                          |                                  |       |
| ▼ <u>M13</u><br>616-011-00-4 | N <sub>2</sub> N-dimethylacetamide   | 204-826-4 | 127-19-5  | Repr. 1B<br>Acute Tox. 4*<br>Acute Tox. 4*   | H360D***<br>H332<br>H312             | GHS08<br>GHS07<br>Dgr          | H360D***<br>H332<br>H312     |                                 |                                  |       |
| ▼ <u>B</u><br>616-012-00-X   | <i>N</i> -(dichlorofluoromethylthio)phthalimide;<br><i>N</i> -(fluorodichloromethylthio)phthalimide                | 211-952-3 | 719-96-0  | Skin Irrit. 2  | H315                                 | GHS07<br>Wng                   | H315                         |                                 |                                  |       |
| 616-013-00-5                 | butyraldehyde oxime  | 203-792-8 | 110-69-0  | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Eye Irrit. 2                                       | H311<br>H302<br>H319                 | GHS06<br>Dgr                   | H311<br>H302<br>H319         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification  |                                      | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 616-014-00-0 | 2-butanone oxime;<br>ethyl methyl ketoxime;<br>ethyl methyl ketone oxime  | 202-496-6 | 96-29-7    | Carc. 2<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1                           | H351<br>H312<br>H318<br>H317         | GHS08<br>GHS05<br>GHS07<br>Dgr | H351<br>H312<br>H318<br>H317 |                                 |                                  |       |
| 616-015-00-6 | alachlor (ISO);<br>2-chloro-2',6'-diethyl- <i>N</i> -<br>(methoxymethyl)acetanilide                                 | 240-110-8 | 15972-60-8 | Carc. 2<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H302<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H317<br>H410 |                                 | M=10                             |       |
| 616-016-00-1 | 1-(3,4-dichlorophenylimino)<br>thiosemicarbazide  | —         | 5836-73-7  | Acute Tox. 2 *  | H300                                 | GHS06<br>Dgr                   | H300                         |                                 |                                  |       |
| 616-017-00-7 | cartap hydrochloride  | 239-309-2 | 15263-52-2 | Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H312<br>H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H312<br>H302<br>H410         |                                 |                                  |       |
| 616-018-00-2 | <i>N,N</i> -diethyl- <i>m</i> -toluamide;<br>deet   | 205-149-7 | 134-62-3   | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3              | H302<br>H319<br>H315<br>H412         | GHS07<br>Wng                   | H302<br>H319<br>H315<br>H412 |                                 |                                  |       |
| 616-019-00-8 | perfluidone (ISO);<br>1,1,1-trifluoro- <i>N</i> -(4-phenylsul-<br>phonyl- <i>o</i> -tolyl)methanesulphon-<br>amide; | 253-718-3 | 37924-13-3 | Acute Tox. 4 *<br>Eye Irrit. 2  | H302<br>H319                         | GHS07<br>Wng                   | H302<br>H319                 |                                 |                                  |       |
| 616-020-00-3 | tebuthiuron (ISO);<br>1-(5- <i>tert</i> -butyl-1,3,4-thiadiazol-<br>2-yl)-1,3-dimethylurea                          | 251-793-7 | 34014-18-1 | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                            | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 616-021-00-9 | thiazafluron (ISO);<br>1,3-dimethyl-1-(5-trifluoromethyl-1,3,4-thiadiazol-2-yl)urea  | 246-901-4 | 25366-23-8  | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                           | H302<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 |                                  |       |
| 616-022-00-4 | acetamide  | 200-473-5 | 60-35-5     | Carc. 2  | H351                                 | GHS08<br>Wng                   | H351                                 |                                 |                                  |       |
| 616-023-00-X | <i>N</i> -hexadecyl(or octadecyl)- <i>N</i> -hexadecyl(or octadecyl)benzamide  | 401-980-6 | —           | Skin Irrit. 2<br>Skin Sens. 1  | H315<br>H317                         | GHS07<br>Wng                   | H315<br>H317                         |                                 |                                  |       |
| 616-024-00-5 | 2-(4,4-dimethyl-2,5-dioxo-xazolidin-1-yl)-2-chloro-5-(2-(2,4-di- <i>tert</i> -pentylphenoxy)butyramido)-4,4-dimethyl-3-oxovaleranylilide | 402-260-4 | 54942-74-4  | Aquatic Chronic 4  | H413                                 | —                              | H413                                 |                                 |                                  |       |
| 616-025-00-0 | valinamide   | 402-840-7 | 20108-78-5  | Repr. 2<br>Eye Irrit. 2<br>Skin Sens. 1  | H361f ***<br>H319<br>H317            | GHS08<br>Wng                   | H361f ***<br>H319<br>H317            |                                 |                                  |       |
| 616-026-00-6 | thioacetamide  | 200-541-4 | 62-55-5     | Carc. 1B<br>Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 3 | H350<br>H302<br>H319<br>H315<br>H412 | GHS08<br>GHS07<br>Dgr          | H350<br>H302<br>H319<br>H315<br>H412 |                                 |                                  |       |
| 616-027-00-1 | tris(2-(2-hydroxyethoxy)ethyl)ammonium 3-acetoacetamido-4-methoxybenzenesulfonate  | 403-760-5 | —           | Skin Sens. 1   | H317                                 | GHS07<br>Wng                   | H317                                 |                                 |                                  |       |
| 616-028-00-7 | <i>N</i> -(4-(3-(4-cyanophenyl)ureido)-3-hydroxyphenyl)-2-(2,4-di- <i>tert</i> -pentylphenoxy)octanamide                                 | 403-790-9 | 108673-51-4 | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                         | GHS07<br>Wng                   | H317<br>H413                         |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                       | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                               | Suppl. Hazard statement Code(s) |                                  |       |
| 616-029-00-2 | <i>N,N'</i> -ethylenebis(vinylsulfonylacetamide)   | 404-790-1 | 66710-66-5 | Eye Dam. 1<br>Skin Sens. 1   | H318<br>H317   | GHS05<br>GHS07<br>Dgr          | H318<br>H317   |                                 |                                  |       |
| 616-030-00-8 | ethidimuron (ISO);<br>1-(5-ethylsulphonyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea                            | 250-010-6 | 30043-49-3 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H317<br>H400<br>H410   | GHS07<br>GHS09<br>Wng          | H317<br>H410   |                                 |                                  |       |
| 616-031-00-3 | dimethachlor (ISO);<br>2-chloro- <i>N</i> -(2,6-dimethylphenyl)- <i>N</i> -(2-methoxyethyl)acetamide;        | 256-625-6 | 50563-36-5 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                       | H302<br>H317<br>H400<br>H410                                   | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                                   |                                 |                                  |       |
| 616-032-00-9 | diflufenican (ISO);<br><i>N</i> -(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-3-pyridinecarboxamide   | —         | 83164-33-4 | Aquatic Chronic 3  | H412   | —                              | H412   |                                 |                                  |       |
| 616-033-00-4 | cyprofuram (ISO);<br><i>N</i> -(3-chlorophenyl)- <i>N</i> -(tetrahydro-2-oxo-3-furyl)cyclopropanecarboxamide | 274-050-9 | 69581-33-5 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                     | H301<br>H312<br>H400<br>H410                                   | GHS06<br>GHS09<br>Dgr          | H301<br>H312<br>H410                                   |                                 |                                  |       |
| 616-034-00-X | pyracarbolid; (ISO);<br>3,4-dihydro-6-methyl-2 <i>H</i> -pyran-5-carboxanilide                               | 246-419-4 | 24691-76-7 | Aquatic Chronic 3  | H412   | —                              | H412   |                                 |                                  |       |
| 616-035-00-5 | cymoxanil (ISO);<br>2-cyano- <i>N</i> -[(ethylamino)carbonyl]-2-(methoxyimino)acetamide                      | 261-043-0 | 57966-95-7 | Repr. 2<br>Acute Tox. 4<br>STOT RE 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361fd<br>H302<br>H373 (blood, thymus)<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H361fd<br>H302<br>H373 (blood, thymus)<br>H317<br>H410 | M = 1<br>M = 1                  |                                  |       |

## ▼M8

## ▼B

| Index No             | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|---|-----------|-------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|                      |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 616-036-00-0         | 2-chloroacetamide   | 201-174-2 | 79-07-2     | Repr. 2<br>Acute Tox. 3 *<br>Skin Sens. 1   | H361f ***<br>H301<br>H317   | GHS06<br>GHS08<br>Dgr          | H361f ***<br>H301<br>H317   |                                 | Skin Sens. 1;<br>H317: C ≥ 0,1 % |       |
| ▼M13<br>616-037-00-6 | acetochlor (ISO); 2-chloro-N-(ethoxymethyl)-N-(2-ethyl-6-methylphenyl)acetamide                         | 251-899-3 | 34256-82-1  | Carc. 2<br>Repr. 2<br>Acute Tox. 4<br>STOT SE 3<br>STOT RE 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361f<br>H332<br>H335<br>H373<br>(kidney)<br>H315<br>H317<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H361f<br>H332<br>H335<br>H373<br>(kidney)<br>H315<br>H317<br>H410 |                                 | M = 1 000<br>M = 100             |       |
| ▼B<br>616-038-00-1   | (4-aminophenyl)-N-methyl-methylsulfonamide hydrochloride  | 406-010-5 | 88918-84-7  | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2   | H318<br>H317<br>H411  | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H411  |                                 |                                  |       |
| 616-039-00-7         | 3',5'-dichloro-4'-ethyl-2'-hydroxypalmitanilide   | 406-200-8 | 117827-06-2 | Skin Sens. 1  | H317  | GHS07<br>Wng                   | H317  |                                 |                                  |       |
| 616-040-00-2         | potassium N-(4-toluenesulfonyl)-4-toluenesulfonamide  | 406-650-5 | 97888-41-0  | Eye Dam. 1  | H318  | GHS05<br>Dgr                   | H318  |                                 |                                  |       |
| 616-041-00-8         | 3',5'-dichloro-2-(2,4-di-tert-pentylphenoxy)-4'-ethyl-2'-hydroxyhexanilide                              | 406-840-8 | 101664-25-9 | Aquatic Chronic 4   | H413  | —                              | H413  |                                 |                                  |       |
| 616-042-00-3         | N-(2-(6-ethyl-7-(4-methylphenoxy)-1H-pyrazolo[1,5-b][1,2,4]triazol-2-yl)propyl)-2-octadecyloxybenzamide | 407-070-5 | 142859-67-4 | Skin Sens. 1<br>Aquatic Chronic 4   | H317<br>H413  | GHS07<br>Wng                   | H317<br>H413  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-043-00-9 | isoxaben (ISO);<br><i>N</i> -[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimethoxybenzamide   | 407-190-8 | 82558-50-7  | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-044-00-4 | <i>N</i> -(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-2-(3-pentadecylphenoxy)-butanamide  | 402-510-2 | —           | Aquatic Chronic 2                    | H411                     | GHS09                          | H411                     |                                 |                                  |       |
| 616-045-00-X | 2'-(4-chloro-3-cyano-5-formyl-2-thienylazo)-5'-diethylamino-2-methoxyacetanilide   | 405-190-2 | 122371-93-1 | Skin Sens. 1<br>Aquatic Chronic 4    | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 616-046-00-5 | <i>N</i> -(2-(6-chloro-7-methylpyrazolo(1,5-b)-1,2,4-triazol-4-yl)propyl)-2-(2,4-di- <i>tert</i> -pentylphenoxy)octanamide   | 406-390-2 | —           | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 616-047-00-0 | reaction mass of: 2,2',2'',2'''-(ethylenedinitrilotetrakis- <i>N,N</i> -di(C <sub>16</sub> )alkylacetamide; 2,2',2'',2'''-(ethylenedinitrilotetrakis- <i>N,N</i> -di(C <sub>18</sub> )alkylacetamide | 406-640-0 | —           | Skin Sens. 1                         | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 616-048-00-6 | 3'-trifluoromethylisobutyranilide  | 406-740-4 | 1939-27-1   | STOT RE 2 *<br>Aquatic Chronic 2     | H373 **<br>H411          | GHS08<br>GHS09<br>Wng          | H373 **<br>H411          |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-049-00-1 | 2-(2,4-bis(1,1-dimethyl-ethyl)phenoxy)- <i>N</i> -(3,5-dichloro-4-ethyl-2-hydroxyphenyl)-hexanamide                             | 408-150-2 | 99141-89-6  | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-050-00-7 | lufenuron (ISO);<br><i>N</i> -[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)-phenyl-aminocarbonyl]-2,6-difluorobenzamide       | 410-690-9 | 103055-07-8 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |
| 616-051-00-2 | reaction mass of: 2,4 -bis( <i>N</i> -(4-methylphenyl)-ureido)-toluene;<br>2,6 -bis( <i>N</i> -(4-methylphenyl)-ureido)-toluene | 411-070-0 | —           | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-052-00-8 | formamide   | 200-842-0 | 75-12-7     | Repr. 1B   | H360D ***                | GHS08<br>Dgr                   | H360D ***                |                                 |                                  |       |
| 616-053-00-3 | <i>N</i> -methylacetamide   | 201-182-6 | 79-16-3     | Repr. 1B   | H360D ***                | GHS08<br>Dgr                   | H360D ***                |                                 |                                  |       |
| 616-054-00-9 | iprodione (ISO);<br>3-(3,5-dichlorophenyl)-2,4-dioxo- <i>N</i> -isopropylimidazolidine-1-carboxamide                            | 253-178-9 | 36734-19-7  | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H351<br>H400<br>H410     | GHS08<br>GHS09<br>Wng          | H351<br>H410             |                                 |                                  |       |
| 616-055-00-4 | propyzamide (ISO);<br>3,5-dichloro- <i>N</i> -(1,1-dimethylprop-2-ynyl)benzamide  | 245-951-4 | 23950-58-5  | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H351<br>H400<br>H410     | GHS08<br>GHS09<br>Wng          | H351<br>H410             |                                 |                                  |       |
| 616-056-00-X | <i>N</i> -methylformamide   | 204-624-6 | 123-39-7    | Repr. 1B<br>Acute Tox. 4 *                           | H360D ***<br>H312        | GHS08<br>GHS07<br>Dg           | H360D ***<br>H312        |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |   | Labelling                               |                                 |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|---|---|---------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)        | Suppl. Hazard statement Code(s) |                                  |       |
| 616-057-00-5 | reaction mass of: <i>N</i> -[3-hydroxy-2-(2-methylacryloylaminomethoxy)propoxymethyl]-2-methylacrylamide;<br><i>N</i> -[2,3-bis-(2-methylacryloylaminomethoxy)propoxymethyl]-2-methylacrylamide;<br>methacrylamide;<br>2-methyl- <i>N</i> -(2-methylacryloylaminomethoxymethyl)-acrylamide;<br><i>N</i> -(2,3-dihydroxypropoxymethyl)-2-methylacrylamide | 412-790-8 | —           | Carc. 1B<br>Muta. 2<br>STOT RE 2 *  | H350<br>H341<br>H373 **                 | GHS08<br>Dgr                            | H350<br>H341<br>H373 **         |                                 |                                  |       |
| 616-058-00-0 | 1,3-bis(3-methyl-2,5-dioxo-1 <i>H</i> -pyrrolinylmethyl)benzene  | 412-570-1 | 119462-56-5 | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H373 **<br>H318<br>H317<br>H400<br>H410 | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H373 **<br>H318<br>H317<br>H410 |                                 |                                  |       |
| 616-059-00-6 | 4-((4-(diethylamino)-2-ethoxyphenyl)imino)-1,4-dihydro-1-oxo- <i>N</i> -propyl-2-naphthalenecarboxamide  | 412-650-6 | 121487-83-0 | Aquatic Chronic 4   | H413                                    | —                                       | H413                            |                                 |                                  |       |
| 616-060-00-1 | Condensation product of: 3-(7-carboxyhept-1-yl)-6-hexyl-4-cyclohexene-1,2-dicarboxylic acid with polyamines (primarily amino-ethyl-piperazine and triethylenetetramine)  | 413-770-1 | —           | Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H314<br>H317<br>H400<br>H410    | GHS05<br>GHS07<br>GHS09<br>Dgr          | H302<br>H314<br>H317<br>H410    |                                 |                                  |       |
| 616-061-00-7 | <i>N,N'</i> -1,6-hexanediylbis( <i>N</i> -(2,2,6,6-tetramethyl-piperidin-4-yl)-formamide   | 413-610-0 | 124172-53-8 | Eye Irrit. 2<br>Aquatic Chronic 3   | H319<br>H412                            | GHS07<br>Wng                            | H319<br>H412                    |                                 |                                  |       |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                               |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|---|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 616-062-00-2 | <i>N</i> -[3-[(2-acetyloxy)ethyl](phenylmethyl)amino]-4-methoxyphenylacetamide   | 411-590-8 | 70693-57-1  | Skin Corr. 1B<br>Aquatic Chronic 3   | H314<br>H412                                    | GHS05<br>Dgr                            | H314<br>H412                            |                                 |                                  |       |
| 616-063-00-8 | 3-dodecyl-(1-(1,2,2,6,6-pentamethyl-4-piperidin-yl)-2,5-pyrrolidindione  | 411-920-0 | 106917-30-0 | Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1A<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H373 **<br>H314<br>H400<br>H410 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H302<br>H373 **<br>H314<br>H410 |                                 |                                  |       |
| 616-064-00-3 | <i>N</i> - <i>tert</i> -butyl-3-methylpicolinamide   | 406-720-5 | 32998-95-1  | Aquatic Chronic 3  | H412  | —                                       | H412                                    |                                 |                                  |       |
| 616-065-00-9 | 3'-(3-acetyl-4-hydroxyphenyl)-1,1-diethylurea  | 411-970-3 | 79881-89-3  | Acute Tox. 4 *<br>STOT RE 2 *  | H302<br>H373 **                                 | GHS08<br>GHS07<br>Wng                   | H302<br>H373 **                         |                                 |                                  |       |
| 616-066-00-4 | 5,6,12,13-tetrachloroanthra(2,1,9- <i>def</i> :6,5,10- <i>d'ef'</i> )dii-soquinoline-1,3,8,10(2 <i>H</i> ,9 <i>H</i> )-tetrone | 405-100-1 | 115662-06-1 | Repr. 2  | H361f ***                                       | GHS08<br>Wng                            | H361f ***                               |                                 |                                  |       |
| 616-067-00-X | dodecyl 3-(2-(3-benzyl-4-ethoxy-2,5-dioxoimidazolidin-1-yl)-4,4-dimethyl-3-oxovaleramido)-4-chlorobenzoate                     | 407-300-4 | 92683-20-0  | Aquatic Chronic 4  | H413  | —                                       | H413                                    |                                 |                                  |       |
| 616-068-00-5 | potassium 4-(11-methacrylamidoundecanamido)benzenesulfonate  | 406-500-9 | 174393-75-0 | Skin Sens. 1   | H317  | GHS07<br>Wng                            | H317                                    |                                 |                                  |       |
| 616-069-00-0 | 1-hydroxy-5-(2-methylpropyloxycarbonylamino)- <i>N</i> -(3-dodecyloxypropyl)-2-naphthoamide                                    | 406-210-2 | 110560-22-0 | Aquatic Chronic 4  | H413  | —                                       | H413                                    |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-070-00-6 | reaction mass of: 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea;<br>3-cyclohexyl-1-(4-(4-(3-octadecylureido)benzyl)phenyl)urea;<br>3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea                              | 406-530-2 | —           | Aquatic Chronic 4                                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-071-00-1 | reaction mass of: bis( <i>N</i> -cyclohexyl- <i>N'</i> -phenyleneureido)methylene;<br>bis( <i>N</i> -octadecyl- <i>N'</i> -phenyleneureido)methylene;<br>bis( <i>N</i> -dicyclohexyl- <i>N'</i> -phenyleneureido)methylene (1:2:1) | 406-550-1 | —           | Skin Sens. 1<br>Aquatic Chronic 4                 | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 616-072-00-7 | 1-(2-deoxy-5- <i>O</i> -trityl-β- <i>D</i> -threopentofuranosyl)thymine  | 407-120-6 | 55612-11-8  | Aquatic Chronic 4                                 | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-073-00-2 | 4'-ethoxy-2-benzimidazoleanilide   | 407-600-5 | 120187-29-3 | Muta. 2<br>Aquatic Chronic 4                      | H341<br>H413             | GHS08<br>Wng                   | H341<br>H413             |                                 |                                  |       |
| 616-074-00-8 | <i>N</i> -butyl-2-(4-morpholinylcarbonyl)benzamide   | 407-730-2 | 104958-67-0 | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3 | H319<br>H317<br>H412     | GHS07<br>Wng                   | H319<br>H317<br>H412     |                                 |                                  |       |
| 616-075-00-3 | <i>D</i> , <i>L</i> -( <i>N,N</i> -diethyl-2-hydroxy-2-phenylacetamide)  | 408-120-9 | 65197-96-8  | Acute Tox. 4 *<br>Eye Dam. 1                      | H302<br>H318             | GHS05<br>GHS07<br>Dgr          | H302<br>H318             |                                 |                                  |       |
| 616-076-00-9 | tebufenozide (ISO);<br><i>N-tert</i> -butyl- <i>N'</i> -(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide  | 412-850-3 | 112410-23-8 | Aquatic Chronic 2                                 | H411                     | GHS09                          | H411                     |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-077-00-4 | reaction mass of: 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1 <i>H</i> ,8 <i>H</i> )-anthra[2,1,9- <i>def</i> :6,5,10- <i>d'ef'</i> ]diisoquinolin-2-ylethansulfonic acid;<br>potassium 2-(9-methyl-1,3,8,10-tetraoxo-2,3,9,10-tetrahydro-(1 <i>H</i> ,8 <i>H</i> )-anthra[2,1,9- <i>def</i> :6,5,10- <i>d'ef'</i> ]diisoquinolin-2-ylethansulfate | 411-310-4 | —           | Eye Dam. 1   | H318                         | GHS05<br>Dgr                   | H318                     |                                 |                                  |       |
| 616-078-00-X | 2-[2,4-bis(1,1-dimethyl-ethyl)phenoxy]- <i>N</i> -(2-hydroxy-5-methyl-phenyl)hexanamide   | 411-330-3 | 104541-33-5 | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 616-079-00-5 | 1,6-hexanediyl-bis(2-(2-(1-ethylpentyl)-3-oxazolidinyl)ethyl)carbamate  | 411-700-4 | 140921-24-0 | Skin Sens. 1   | H317                         | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 616-080-00-0 | 4-(2-((3-ethyl-4-methyl-2-oxo-pyrrolin-1-yl)carboxamido)ethyl)benzenesulfonamide)   | 411-850-0 | 119018-29-0 | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |
| 616-081-00-6 | 5-bromo-8-naphtholactam   | 413-480-5 | 24856-00-6  | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410     |                                 |                                  |       |
| 616-082-00-1 | <i>N</i> -(5-chloro-3-((4-(diethylamino)-2-methylphenyl)imino-4-methyl-6-oxo-1,4-cyclohexadien-1-yl)benzamide   | 413-200-1 | 129604-78-0 | Skin Sens. 1   | H317                         | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 616-083-00-7 | [2-[(4-nitrophenyl)amino]ethyl]urea   | 410-700-1 | 27080-42-8  | Skin Sens. 1<br>Aquatic Chronic 3                                      | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |
| 616-084-00-2 | 2,4-bis[ <i>N'</i> -(4-methylphenyl)ureido]toluene   | 411-790-5 | —           | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                            | GHS09<br>Wng                   | H410                                    |                                 |                                  |       |
| 616-085-00-8 | 3-(2,4-dichlorophenyl)-6-fluoroquinazoline-2,4(1 <i>H</i> ,3 <i>H</i> )-dione  | 412-190-6 | 168900-02-5 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                            | GHS09<br>Wng                   | H410                                    |                                 |                                  |       |
| 616-086-00-3 | 2-acetylamino-6-chloro-4-[(4-diethylamino)2-methylphenylimino]-5-methyl-1-oxo-2,5-cyclohexadiene   | 412-250-1 | 102387-48-4 | Aquatic Chronic 4  | H413                                    | —                              | H413                                    |                                 |                                  |       |
| 616-087-00-9 | reaction mass of: 7,9,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecane-1,16-diyl-prop-2-enoate; 7,7,9-trimethyl-3,14-dioxo-4,13-dioxo-5,12-diazahexadecane-1,16-diyl-prop-2-enoate | 412-260-6 | 52658-19-2  | Eye Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2                                      | H319<br>H317<br>H411                    | GHS07<br>GHS09<br>Wng          | H319<br>H317<br>H411                    |                                 |                                  |       |
| 616-088-00-4 | 2-aminosulfonyl- <i>N,N</i> -dimethylnicotinamide  | 413-440-7 | 112006-75-4 | Skin Sens. 1<br>Aquatic Chronic 3  | H317<br>H412                            | GHS07<br>Wng                   | H317<br>H412                            |                                 |                                  |       |
| 616-089-00-X | 5-(2,4-dioxo-1,2,3,4-tetrahydropyrimidine)-3-fluoro-2-hydroxymethyltetrahydrofuran   | 415-360-8 | 41107-56-6  | Muta. 2  | H341                                    | GHS08<br>Wng                   | H341                                    |                                 |                                  |       |
| 616-090-00-5 | 1-(1,4-benzodioxan-2-ylcarbonyl)piperazine hydrochloride   | 415-660-9 | 70918-74-0  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Aquatic Chronic 2 | H331<br>H311<br>H301<br>H373 **<br>H411 | GHS06<br>GHS08<br>GHS09<br>Dgr | H331<br>H311<br>H301<br>H373 **<br>H411 |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|---|--------------------------------|---|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)                        | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                        | Suppl. Hazard statement Code(s) |                                  |       |
| 616-091-00-0 | 1,3,5-tris-[(2 <i>S</i> and 2 <i>R</i> )-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-trione           | 423-400-0 | 59653-74-6  | Muta. 1B<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1 | H340<br>H331<br>H302<br>H373 **<br>H318<br>H317 | GHS06<br>GHS08<br>GHS05<br>Dgr | H340<br>H331<br>H302<br>H373 **<br>H318<br>H317 |                                 |                                  |       |
| 616-092-00-6 | Polymeric reaction product of bicyclo[2.2.1]hepta-2,5-diene, ethene, 1,4-hexadiene, 1-propene with <i>N,N</i> -di-2-propenylformamide | 404-035-6 | —           | Skin Sens. 1<br>Aquatic Chronic 4   | H317<br>H413                                    | GHS07<br>Wng                   | H317<br>H413                                    |                                 |                                  |       |
| 616-093-00-1 | Reaction products of: aniline-terephthalaldehyde- <i>o</i> -toluidine condensate with maleic anhydride                                | 406-620-1 | 129217-90-9 | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                                    | GHS07<br>GHS09<br>Wng          | H317<br>H411                                    |                                 |                                  |       |
| 616-094-00-7 | 3,3'-dicyclohexyl-1,1'-methylenebis(4,1-phenylene)diurea  | 406-370-3 | 58890-25-8  | Skin Sens. 1<br>Aquatic Chronic 4   | H317<br>H413                                    | GHS07<br>Wng                   | H317<br>H413                                    |                                 |                                  |       |
| 616-095-00-2 | 3,3'-dioctadecyl-1,1'-methylenebis(4,1-phenylene)diurea   | 406-690-3 | 43136-14-7  | Aquatic Chronic 4   | H413  | —                              | H413  |                                 |                                  |       |
| 616-096-00-8 | <i>N</i> -(3-hexadecyloxy-2-hydroxyprop-1-yl)- <i>N</i> -(2-hydroxyethyl)palmitamide  | 408-110-4 | 110483-07-3 | Aquatic Chronic 4   | H413  | —                              | H413  |                                 |                                  |       |
| 616-097-00-3 | <i>N,N'</i> -1,4-phenylenebis(2-((2-methoxy-4-nitrophenyl)azo)-3-oxobutanamide  | 411-840-6 | 83372-55-8  | Aquatic Chronic 4   | H413  | —                              | H413  |                                 |                                  |       |
| 616-098-00-9 | 1-[4-chloro-3-((2,2,3,3,3-pentafluoropropoxy)methyl)phenyl]-5-phenyl-1 <i>H</i> -1,2,4-triazole-3-carboxamide                         | 411-750-7 | 119126-15-7 | Aquatic Chronic 2   | H411  | GHS09                          | H411  |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-099-00-4 | 2-[4-[(4-hydroxyphenyl)sulfonyl]phenoxy]-4,4-dimethyl- <i>N</i> -[5-[(methylsulfonyl)amino]-2-[4-(1,1,3,3-tetramethylbutyl)phenoxy]phenyl]-3-oxopentanamide   | 414-170-2 | 135937-20-1 | Aquatic Chronic 4                                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-100-00-8 | 1,3-dimethyl-1,3-bis(trimethylsilyl)urea  | 414-180-7 | 10218-17-4  | Acute Tox. 4 *<br>Skin Irrit. 2                      | H302<br>H315             | GHS07<br>Wng                   | H302<br>H315             |                                 |                                  |       |
| 616-101-00-3 | ( <i>S</i> )- <i>N</i> - <i>tert</i> -butyl-1,2,3,4-tetrahydro-3-isoquinolinecarboxamide  | 414-600-9 | 149182-72-9 | Acute Tox. 4 *<br>Aquatic Chronic 3                  | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 616-102-00-9 | reaction mass of: $\alpha$ -[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]- $\omega$ -[3-(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyloxy]-poly(oxyethylene-co-oxypropylene); 1,2-(or 1,3-)bis[ $\alpha$ -(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]- $\omega$ -oxy-poly(oxyethylene-co-oxypropylene)]-3-(or 2-)propanol; 1,2,3-tris[ $\alpha$ -(3-mercaptopropanoxycarbonylamino)methylphenylaminocarbonyl]- $\omega$ -oxy-poly(oxyethylene-co-oxypropylene)]propane] | 415-870-0 | —           | Skin Sens. 1<br>Aquatic Chronic 2                    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 616-103-00-4 | ( <i>S,S</i> )- <i>trans</i> -4-(acetylamino)-5,6-dihydro-6-methyl-7,7-dioxo-4 <i>H</i> -thieno[2,3- <i>b</i> ]thiopyran-2-sulfonamide  | 415-030-3 | 120298-38-6 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H317<br>H400<br>H410     | GHS07<br>GHS09<br>Wng          | H317<br>H410             |                                 |                                  |       |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                                   | Labelling                      |                           |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|-----------------------------------|--------------------------------|---------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                               | Hazard statement Code(s)          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 616-104-00-X | benalaxyl (ISO);<br>methyl <i>N</i> -(2,6-dimethylphenyl)- <i>N</i> -(phenylacetyl)-DL-alaninate   | 275-728-7 | 71626-11-4  | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                      | GHS09<br>Wng                   | H410                      |                                 |                                  |       |
| 616-105-00-5 | chlorotoluron (ISO);<br>3-(3-chloro- <i>p</i> -tolyl)-1,1-dimethylurea   | 239-592-2 | 15545-48-9  | Carc. 2<br>Repr. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1      | H351<br>H361d ***<br>H400<br>H410 | GHS08<br>GHS09<br>Wng          | H351<br>H361d ***<br>H410 |                                 |                                  |       |
| 616-106-00-0 | phenmedipham (ISO);<br>methyl 3-(3-methylcarbaniloyloxy)carbanilate  | 237-199-0 | 13684-63-4  | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                      | GHS09<br>Wng                   | H410                      |                                 |                                  |       |
| ▼ <u>M1</u>  |  |           |             |   |                                   |                                |                           |                                 |                                  |       |
| 616-107-00-6 | cinidon ethyl (ISO);<br>ethyl ( <i>Z</i> )-2-chloro-3-[2-chloro-5-(cyclohex-1-ene-1,2-dicarboximido)phenyl]acrylate                          | —         | 142891-20-1 | Carc. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H317<br>H400<br>H410      | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H317<br>H410      |                                 |                                  |       |
| ▼ <u>B</u>   |  |           |             |   |                                   |                                |                           |                                 |                                  |       |
| 616-108-00-1 | iodosulfuron-methyl-sodium;<br>sodium ({[5-iodo-2-(methoxycarbonyl)phenyl]sulfonyl} carbamoyl)(4-methoxy-6-methyl-1,3,5-triazin-2-yl)azanide | —         | 144550-36-7 | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                      | GHS09<br>Wng                   | H410                      |                                 |                                  |       |
| 616-109-00-7 | sulfosulfuron (ISO);<br>1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2- <i>a</i> ]pyridin-3-yl)sulfonurea                     | —         | 141776-32-1 | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                      | GHS09<br>Wng                   | H410                      |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |                                   | Labelling                      |                           |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|-----------------------------------|--------------------------------|---------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                               | Hazard statement Code(s)          | Pictogram, Signal Word Code(s) | Hazard statement Code(s)  | Suppl. Hazard statement Code(s) |                                  |       |
| 616-110-00-2 | cyclanilide (ISO);<br>1-(2,4-dichloroanilino-carbonyl)cyclopropanecarboxylic acid   | 419-150-7 | 113136-77-9 | Acute Tox. 4 *<br>Aquatic Chronic 2                             | H302<br>H411                      | GHS07<br>GHS09<br>Wng          | H302<br>H411              |                                 |                                  |       |
| 616-111-00-8 | fenhexamid (ISO);<br><i>N</i> -(2,3-dichlor-4-hydroxyphenyl)-1-methylcyclohexancarboxamid   | 422-530-5 | 126833-17-8 | Aquatic Chronic 2   | H411                              | GHS09                          | H411                      |                                 |                                  |       |
| 616-112-00-3 | oxasulfuron (ISO);<br>oxetan-3-yl 2-[(4,6-dimethylpyrimidin-2-yl)-carbamoylsulfamoyl]benzoate   | —         | 144651-06-9 | STOT RE 2 *<br>Aquatic Acute 1<br>Aquatic Chronic 1             | H373 **<br>H400<br>H410           | GHS08<br>GHS09<br>Wng          | H373 **<br>H410           |                                 |                                  |       |
| 616-113-00-9 | desmedipham (ISO);<br>ethyl 3-phenylcarbamoyloxyp-henylcarbamate  | 237-198-5 | 13684-56-5  | Aquatic Acute 1<br>Aquatic Chronic 1                            | H400<br>H410                      | GHS09<br>Wng                   | H410                      |                                 | M=10                             |       |
| 616-114-00-4 | dodecanamide, <i>N,N'</i> -(9,9',10,10'-tetrahydro-9,9',10,10'-tetraoxo(1,1'-bianthracene)-4,4'-diyl)bis-                             | 418-010-2 | 136897-58-0 | Aquatic Chronic 4   | H413                              | —                              | H413                      |                                 |                                  |       |
| 616-115-00-X | <i>N</i> -(3-acetyl-2-hydroxyphenyl)-4-(4-phenylbutoxy)benzamide  | 416-150-9 | 136450-06-1 | Aquatic Chronic 4   | H413                              | —                              | H413                      |                                 |                                  |       |
| 616-116-00-5 | <i>N</i> -(4-dimethylaminopyridinium)-3-methoxy-4-(1-methyl-5-nitroindol-3-ylmethyl)- <i>N</i> -( <i>o</i> -tolylsulfonyl)benzamidate | 416-790-9 | 143052-96-4 | Aquatic Chronic 4   | H413                              | —                              | H413                      |                                 |                                  |       |
| 616-117-00-0 | <i>N</i> -[2-(3-acetyl-5-nitrothiophen-2-ylazo)-5-diethylaminophenyl]acetamide  | 416-860-9 | 777891-21-1 | Repr. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H361f ***<br>H317<br>H400<br>H410 | GHS08<br>GHS09<br>Wng          | H361f ***<br>H317<br>H410 |                                 |                                  |       |



▼ **B**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-118-00-6 | <i>N</i> -(2',6'-dimethylphenyl)-2-piperidinecarboxamide hydrochloride   | 417-950-0 | 65797-42-4  | Acute Tox. 4 *<br>Aquatic Chronic 3  | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 616-119-00-1 | 2-(1-butyl-3,5-dioxo-2-phenyl-(1,2,4)-triazolidin-4-yl)-4,4-dimethyl-3-oxo- <i>N</i> -(2-methoxy-5-(2-(dodecyl-1-sulfonyl))propionylamino)-phenyl)-pentanamide                           | 418-060-5 | 118020-93-2 | Aquatic Chronic 4                    | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-120-00-7 | reaction mass of: <i>N</i> -(3-dimethylamino-4-methylphenyl)-benzamide;<br><i>N</i> -(3-dimethylamino-2-methylphenyl)-benzamide;<br><i>N</i> -(3-dimethylamino-3-methylphenyl)-benzamide | 420-600-1 | —           | STOT RE 2 *<br>Aquatic Chronic 2     | H373 **<br>H411          | GHS08<br>GHS09<br>Wng          | H373 **<br>H411          |                                 |                                  |       |
| 616-121-00-2 | 2,4-dihydroxy- <i>N</i> -(2-methoxyphenyl)benzamide  | 419-090-1 | 129205-19-2 | Skin Sens. 1<br>Aquatic Chronic 2    | H317<br>H411             | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| ▼ <b>M1</b>  |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 616-122-00-8 | methylneodecanamide  | 414-460-9 | 105726-67-8 | Acute Tox. 4 *                       | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| ▼ <b>B</b>   |  |           |             |                                      |                          |                                |                          |                                 |                                  |       |
| 616-123-00-3 | <i>N</i> -[3-[[4-(diethylamino)-2-methylphenyl]imino]-6-oxo-1,4-cyclohexadienyl]acetamide  | 414-740-0 | 96141-86-5  | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|--------------------------------|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)               | Suppl. Hazard statement Code(s) |                                  |       |
| 616-124-00-9 | lithium bis(trifluoromethylsulfonyl)imide   | 415-300-0 | 90076-65-6  | Acute Tox. 3 *<br>Acute Tox. 3 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Aquatic Chronic 3 | H311<br>H301<br>H373**<br>H314<br>H412 | GHS06<br>GHS05<br>GHS08<br>Dgr | H311<br>H301<br>H373**<br>H314<br>H412 |                                 |                                  |       |
| ▼ B          |   |           |             |   |  |                                |  |                                 |                                  |       |
| 616-125-00-4 | 3-cyano- <i>N</i> -(1,1-dimethylethyl)androsta-3,5-diene-17- $\beta$ -carboxamide   | 415-730-9 | 151338-11-3 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410                           | GHS09<br>Wng                   | 410                                    |                                 |                                  |       |
| ▼ M1         |   |           |             |   |  |                                |  |                                 |                                  |       |
| 616-126-00-X | 1-methyl-4-nitro-3-propyl-1 <i>H</i> -pyrazole-5-carboxamide  | 423-960-6 | 139756-01-7 | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 3                                    | H302<br>H373**<br>H412                 | GHS08<br>GHS07<br>Wng          | H302<br>H373**<br>H412                 |                                 |                                  |       |
| ▼ B          |   |           |             |   |  |                                |  |                                 |                                  |       |
| 616-127-00-5 | reaction mass of: <i>N,N'</i> -Ethane-1,2-diylbis(decanamide); 12-Hydroxy- <i>N</i> -[2-[1-oxycycyl)amino]ethyl]octadecanamide; <i>N,N'</i> -Ethane-1,2-diylbis(12-hydroxyoctadecanamide) | 430-050-2 | —           | Skin Sens. 1<br>Aquatic Chronic 2   | H317<br>H411                           | GHS07<br>GHS09<br>Wng          | H317<br>H411                           |                                 |                                  |       |
| 616-128-00-0 | <i>N</i> -(2-(1-allyl-4,5-dicyanimidazol-2-ylazo)-5-(dipropylamino)phenyl)-acetamide  | 417-530-7 | 123590-00-1 | Aquatic Chronic 4   | H413                                   | —                              | H413                                   |                                 |                                  |       |
| 616-129-00-6 | <i>N,N'</i> -bis(2,2,6,6-tetramethyl-4-piperidyl)isophthalamide   | 419-710-0 | 42774-15-2  | Acute Tox. 4 *<br>Eye Irrit. 2  | H302<br>H319                           | GHS07<br>Wng                   | H302<br>H319                           |                                 |                                  |       |
| 616-130-00-1 | <i>N</i> -(3-(2-(4,4-dimethyl-2,5-dioxoimidazolin-1-yl)-4,4-dimethyl-3-oxo-pentanoylamino)-4-methoxy-phenyl)-octadecanamide   | 421-780-2 | 150919-56-5 | Aquatic Chronic 4   | H413                                   | —                              | H413                                   |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-131-00-7 | 1-aminocyclopentanecarboxamide   | 422-950-9 | 17193-28-1  | STOT RE 1<br>Acute Tox. 4 *<br>Eye Dam. 1                            | H372**<br>H302<br>H318       | GHS05<br>GHS08<br>GHS07<br>Dgr | H372**<br>H302<br>H318   |                                 |                                  |       |
| 616-132-00-2 | <i>N</i> -[4-(4-cyano-2-furfurylidene-2,5-dihydro-5-oxo-3-furyl)phenyl]butane-1-sulfonamide  | 423-250-6 | 130016-98-7 | Aquatic Acute 1<br>Aquatic Chronic 1                                 | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 616-133-00-8 | <i>N</i> -cyclohexyl- <i>S,S</i> -dioxo-benzo[ <i>b</i> ]thiophene-2-carboxamide   | 423-990-1 | 149118-66-1 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410     |                                 |                                  |       |
| 616-134-00-3 | 3,3'-bis(dioctyloxyphosphinothioylthio)- <i>N,N'</i> -oxybis(methylene)dipropionamide  | 401-820-5 | 793710-14-2 | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |
| 616-135-00-9 | (3 <i>S</i> ,4 <i>aS</i> ,8 <i>aS</i> )-2-[(2 <i>R</i> ,3 <i>S</i> )-3-amino-2-hydroxy-4-phenylbutyl]- <i>N</i> -tert-butyldecahydroisoquinoline-3-carboxamide | 430-230-0 | 136522-17-3 | Acute Tox. 4 *<br>Aquatic Chronic 3                                  | H302<br>H412                 | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 616-136-00-4 | reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2:0.75-1.0:0.1-1.1)                                    | 430-380-7 | —           | Aquatic Chronic 2  | H411                         | GHS09                          | H411                     |                                 |                                  |       |
| 616-137-00-X | 4-dichloroacetyl-1-oxa-4-azaspiro[4.5]decane   | 401-130-4 | 71526-07-3  | Skin Sens. 1<br>Aquatic Chronic 2                                    | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |

▼ **B**▼ **M1**

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                          | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 616-138-00-5 | benzoic acid, <i>N-tert</i> -butyl- <i>N'</i> -(4-chlorobenzoyl)hydrazide   | 431-600-4 | 112226-61-6 | Skin Sens. 1<br>Aquatic Chronic 2                          | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411                 |                                 |                                  |       |
| 616-139-00-0 | (3 <i>S</i> , 4 <i>aS</i> , 8 <i>aS</i> )- <i>N-tert</i> -butyldecahydro-3-isoquinolinecarboxamide                    | 420-380-5 | 136465-81-1 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Chronic 3          | H302<br>H318<br>H412         | GHS05<br>GHS07<br>Dgr          | H302<br>H318<br>H412         |                                 |                                  |       |
| 616-140-00-6 | <i>N,N'</i> -(methylenedi-4,1-phenylene)bis[ <i>N'</i> -(4-methylphenyl)urea]   | 429-380-1 | 133336-92-2 | Skin Sens. 1<br>Aquatic Chronic 4                          | H317<br>H413                 | GHS07<br>Wng                   | H317<br>H413                 |                                 |                                  |       |
| 616-141-00-1 | zoxamide (ISO);<br>( <i>RS</i> )-3,5-dichloro- <i>N</i> -(3-chloro-1-ethyl-1-methyl-2-oxopropyl)- <i>p</i> -toluamide | —         | 156052-68-5 | Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1       | H317<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H317<br>H410                 |                                 | M=10                             |       |
| ▼ <b>B</b>   |   |           |             |  |                              |                                |                              |                                 |                                  |       |
| 616-142-00-7 | 1,3-Bis(vinylsulfonylacetyl)propane   | 428-350-3 | 93629-90-4  | Muta. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3 | H341<br>H318<br>H317<br>H412 | GHS08<br>GHS05<br>GHS07<br>Dgr | H341<br>H318<br>H317<br>H412 |                                 |                                  |       |
| 616-143-00-2 | <i>N,N'</i> -dihexadecyl- <i>N,N'</i> -bis(2-hydroxyethyl)propanediamide  | 422-560-9 | 149591-38-8 | Repr. 2<br>Eye Irrit. 2<br>Aquatic Chronic 4               | H361f ***<br>H319<br>H413    | GHS08<br>Wng                   | H361f ***<br>H319<br>H413    |                                 |                                  |       |
| ▼ <b>M1</b>  |   |           |             |  |                              |                                |                              |                                 |                                  |       |
| 616-144-00-8 | 3,4-dichloro- <i>N</i> -[5-chloro-4-[2-[4-dodecyloxyphenylsulfonyl]butylamido]-2-hydroxyphenyl]benzamide              | 431-130-1 | —           | Aquatic Chronic 4  | H413                         | —                              | H413                         |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                | Labelling                               |                                |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------------|---|--------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                      | Hazard statement Code(s)       | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)       | Suppl. Hazard statement Code(s) |                                  |       |
| 616-145-00-3 | pethoxamide (ISO);<br>2-chloro- <i>N</i> -(2-ethoxyethyl)- <i>N</i> -(2-methyl-1-phenylprop-1-enyl)acetamide                        | —         | 106700-29-2 | Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410   | GHS07<br>GHS09<br>Wng                   | H302<br>H317<br>H410           |                                 | M=100                            |       |
| 616-146-00-9 | <i>N</i> -(2-methoxy-5-octadecanoylaminophenyl)-2-(3-benzyl-2,5-dioxoimidazolidin-1-yl)-4,4-dimethyl-3-oxopentanoic acidamide       | 431-330-7 | 142776-95-2 | Aquatic Chronic 4  | H413                           | —                                       | H413                           |                                 |                                  |       |
| 616-147-00-4 | 1-methyl-4-(2-methyl-2 <i>H</i> -tetrazol-5-yl)-1 <i>H</i> -pyrazole-5-sulfonamide  | 424-160-1 | 139481-22-4 | Acute Tox. 4 *<br>Aquatic Chronic 3                                    | H302<br>H412                   | GHS07<br>Wng                            | H302<br>H412                   |                                 |                                  |       |
| 616-148-00-X | <i>N</i> -[6,9-dihydro-9-[[2-hydroxy-1-(hydroxymethyl)ethoxy]methyl]-6-oxo-1 <i>H</i> -purin-2-yl]acetamide                         | 424-550-1 | 84245-12-5  | Carc. 1B<br>Muta. 1B<br>Repr. 1B                                       | H350<br>H340<br>H360FD         | GHS08<br>Dgr                            | H350<br>H340<br>H360FD         |                                 |                                  |       |
| 616-150-00-0 | (2 <i>R</i> , 3 <i>S</i> )- <i>N</i> -(3-amino-2-hydroxy-4-phenylbutyl)- <i>N</i> -isobutyl-4-nitrobenzenesulfonamide hydrochloride | 425-260-6 | —           | STOT RE 2 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2         | H373**<br>H318<br>H317<br>H411 | GHS05<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H373**<br>H318<br>H317<br>H411 |                                 |                                  |       |
| 616-151-00-6 | <i>N</i> -(2-amino-4,6-dichloropyrimidin-5-yl)formamide   | 425-650-6 | 171887-03-9 | Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 3      | H302<br>H318<br>H317<br>H412   | GHS05<br>GHS07<br>Dgr                   | H302<br>H318<br>H317<br>H412   |                                 |                                  |       |
| 616-152-00-1 | 4-(4-fluorophenyl)-2-(2-methyl-1-oxopropyl)-4-oxo-3- <i>N</i> -diphenylbutanamide   | 425-850-3 | 125971-96-2 | Aquatic Chronic 4  | H413                           | —                                       | H413                           |                                 |                                  |       |
| 616-153-00-7 | 4-methyl-3-oxo- <i>N</i> -phenyl-2-(phenylmethylene)pentanamide   | 425-860-8 | 125971-57-5 | Skin Sens. 1<br>Aquatic Chronic 2                                      | H317<br>H411                   | GHS07<br>GHS09<br>Wng                   | H317<br>H411                   |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-154-00-2 | 3,4-dichloro- <i>N</i> -[5-chloro-4-[2-[4-(hexadecyloxy)phenylsulfonyl]butyramido]-2-hydroxyphenyl]benzamide                                | 431-110-0 | —           | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 616-155-00-8 | <i>N,N,N',N'</i> -tetracyclohexyl-1,3-benzenedicarboxamide  | 431-040-0 | 104560-40-9 | Aquatic Acute 1<br>Aquatic Chronic 1                                 | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 616-156-00-3 | 6-(2-chloro-6-cyano-4-nitrophenylazo)-4-methoxy-3-[ <i>N</i> -(methoxycarbonylmethyl)- <i>N</i> -(1-methoxycarbonylmethyl)amino]acetanilide | 430-500-8 | 204277-61-2 | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| ▼ M6         |   |           |             |  |                              |                                |                          |                                 |                                  |       |
| 616-157-00-9 | 3-amino-4-hydroxy- <i>N</i> -(3-isopropoxypropyl)benzenesulfonamide hydrochloride   | 427-780-9 | 114565-70-7 | Acute Tox. 4 *<br>Eye Dam. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H318<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H302<br>H318<br>H410     |                                 |                                  |       |
| ▼ M1         |   |           |             |  |                              |                                |                          |                                 |                                  |       |
| 616-158-00-4 | <i>N</i> -[4-cyano-3-trifluoromethylphenyl]methacrylamide   | 427-880-2 | 90357-53-2  | STOT RE 2 *<br>Aquatic Chronic 2                                     | H373**<br>H411               | GHS08<br>GHS09<br>Wng          | H373**<br>H411           |                                 |                                  |       |
| 616-160-00-5 | 2,2'-azobis[ <i>N</i> -(2-hydroxyethyl)-2-methylpropionamide]   | 429-090-3 | 61551-69-7  | Skin Sens. 1<br>Aquatic Chronic 3                                    | H317<br>H412                 | GHS07<br>Wng                   | H317<br>H412             |                                 |                                  |       |
| 616-161-00-0 | 2,4-dichloro-5-hydroxyacetanilide   | 429-110-0 | 67669-19-6  | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |
| 616-162-00-6 | isostearic acid monoisopropanolamide  | 431-540-9 | —           | Skin Irrit. 2<br>Aquatic Chronic 2                                   | H315<br>H411                 | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification   |  | Labelling                      |                                  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|--|--|--------------------------------|----------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                 | Pictogram, Signal Word Code(s) | Hazard statement Code(s)         | Suppl. Hazard statement Code(s) |                                  |       |
| 616-163-00-1 | 4,4'-methylenebis[ <i>N</i> -(4-chlorophenyl)-3-hydroxynaphthalene-2-carboxamide]  | 430-350-3 | 192463-88-0 | Aquatic Chronic 4  | H413                                     | —                              | H413                             |                                 |                                  |       |
| 616-164-00-7 | dimoxystrobin (ISO); ( <i>E</i> )-2-(methoxyimino)- <i>N</i> -methyl-2-[ $\alpha$ -(2,5-xylyloxy)- <i>o</i> -tolyl]acetamide                     | —         | 149961-52-4 | Carc. 2<br>Repr. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H361d***<br>H332<br>H400<br>H410 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H361d***<br>H332<br>H410 |                                 | M=10                             |       |
| 616-165-00-2 | beflubutamid (ISO); ( <i>RS</i> )- <i>N</i> -benzyl-2-( $\alpha$ , $\alpha$ , $\alpha$ , 4-tetrafluoro- <i>m</i> -toloxy)butyramide              | —         | 113614-08-7 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                             | GHS09<br>Wng                   | H410                             |                                 | M=100                            |       |
| 616-166-00-8 | cyazofamid (ISO); 4-chloro-2-cyano- <i>N,N</i> -dimethyl-5- <i>p</i> -tolylimidazole-1-sulfonamide   | —         | 120116-88-3 | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                             | GHS09<br>Wng                   | H410                             |                                 | M=10                             |       |
| 616-167-00-3 | <i>N,N</i> -dibutyl-(2,5-dihydro-5-thioxo-1 <i>H</i> -tetrazol-1-yl)acetamide  | 418-290-6 | 168612-06-4 | Eye Irrit. 2<br>Skin Sens. 1   | H319<br>H317                             | GHS07<br>Wng                   | H319<br>H317                     |                                 |                                  |       |
| 616-168-00-9 | 1-dimethylcarbamoyl-4-(2-sulfonatoethyl)pyridinium   | 418-440-0 | 136997-71-2 | Skin Sens. 1   | H317                                     | GHS07<br>Wng                   | H317                             |                                 |                                  |       |
| 616-169-00-4 | 4-[4-(2,2-dimethyl-propanamido)]phenylazo-3-(2-chloro-5-(2-(3-pentadecylphenoxy)butylamido)anilino)-1-(2,4,6-trichlorophenyl)-2-pyrazoline-5-one | 420-220-4 | 92771-56-7  | Skin Sens. 1<br>Aquatic Chronic 4  | H317<br>H413                             | GHS07<br>Wng                   | H317<br>H413                     |                                 |                                  |       |
| 616-170-00-X | (2 <i>R</i> )-2-amino-2-phenylacetamide  | 420-370-0 | 6485-67-2   | Eye Irrit. 2<br>Skin Sens. 1   | H319<br>H317                             | GHS07<br>Wng                   | H319<br>H317                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-171-00-5 | 2-(para-chlorophenyl)glycineamide  | 420-830-0 | 102333-75-5 | Eye Dam. 1<br>Skin Sens. 1          | H318<br>H317             | GHS05<br>GHS07<br>Dgr          | H318<br>H317             |                                 |                                  |       |
| 616-172-00-0 | <i>N</i> -(2,2,6,6-tetramethyl-1-oxylpiperidin-4-yl)acetamide; (4-acetamido-2,2,6,6-tetramethyl-1-piperidinyl)oxidanyl   | 423-840-3 | 14691-89-5  | Acute Tox. 4 *                      | H302                     | GHS07<br>Wng                   | H302                     |                                 |                                  |       |
| 616-174-00-1 | 2-butyl-1,3-diazaspiro[4.4]non-1-en-4-one hydrochloride  | 424-560-4 | 151257-01-1 | Acute Tox. 4 *<br>Eye Irrit. 2      | H302<br>H319             | GHS07<br>Wng                   | H302<br>H319             |                                 |                                  |       |
| 616-175-00-7 | 2-(2-hexyldecyloxy)benzamide   | 431-230-3 | 202483-62-3 | Aquatic Chronic 4                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-176-00-2 | 3- <i>N,N</i> -bis(methoxyethyl)aminoacetanilide   | 432-530-7 | 24294-01-7  | Acute Tox. 4 *<br>Aquatic Chronic 3 | H302<br>H412             | GHS07<br>Wng                   | H302<br>H412             |                                 |                                  |       |
| 616-177-00-8 | (3-(4-(2-(butyl-(4-methylphenylsulfonyl)amino)phenylthio)-5-oxo-1-(2,4,6-trichlorophenyl)-4,5-dihydro-1 <i>H</i> -pyrazole-3-ylamino)-4-chlorophenyl)tetradecanamide; <i>N</i> -[3-({4-({2-({butyl} (4-methylphenyl)sulfonyl}amino)}phenyl)thio}-5-oxo-1-(2,4,6-trichlorophenyl)-4,5-dihydro-1 <i>H</i> -pyrazol-3-yl}]amino)-4-chlorophenyl]tetradecanamide | 432-970-1 | 217324-98-6 | Aquatic Chronic 4                   | H413                     | —                              | H413                     |                                 |                                  |       |
| 616-178-00-3 | <i>N</i> -(5-(bis(2-methoxyethyl)amino)-2-((2-cyano-4,6-dinitrophenyl)-azo)phenyl)acetamide  | 434-500-9 | 52583-35-4  | Aquatic Chronic 4                   | H413                     | —                              | H413                     |                                 |                                  |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                              | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|------------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)                                  | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-179-00-9 | 2-chloro- <i>N</i> -(4-methylphenyl)acetamide   | 435-170-9 | 16634-82-5  | Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H318<br>H317<br>H400<br>H410 | GHS05<br>GHS07<br>GHS09<br>Dgr | H318<br>H317<br>H410     |                                 |                                  |       |
| 616-180-00-4 | <i>N,N</i> -(dimethylamino)thioacetamide hydrochloride  | 435-470-1 | 27366-72-9  | Repr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                   | H360D***<br>H400<br>H410     | GHS08<br>GHS09<br>Dgr          | H360D***<br>H410         |                                 |                                  |       |
| 616-181-00-X | 4'-methyldecane-1-sulfonamide   | 435-490-9 | 17417-32-2  | Aquatic Acute 1<br>Aquatic Chronic 1                               | H400<br>H410                 | GHS09<br>Wng                   | H410                     |                                 |                                  |       |
| 616-182-00-5 | <i>N'</i> -(1,3-dimethylbutylidene)-3-hydroxy-2-naphthohydrazide  | 435-860-1 | 214417-91-1 | Skin Sens. 1<br>Aquatic Chronic 2                                  | H317<br>H411                 | GHS07<br>GHS09<br>Wng          | H317<br>H411             |                                 |                                  |       |
| 616-183-00-0 | <i>N</i> -dodecyl-4-methoxybenzamide  | 442-340-6 | 1854-15-5   | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 616-184-00-6 | 3-methyl- <i>N</i> -(5,8,13,14-tetrahydro-5,8,14-trioxoaphth[2,3- <i>c</i> ]acridin-6-yl)benzamide                                  | 442-560-2 | 105043-55-8 | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 616-186-00-7 | <i>N,N'</i> -(2-chloro-1,4-phenylene)bis(3-oxobutaneamide)  | 443-010-4 | 53641-10-4  | Aquatic Chronic 3  | H412                         | —                              | H412                     |                                 |                                  |       |
| 616-188-00-8 | 2-(5,5-dimethyl-2,4-dioxo-oxazolidin-3-yl)-4,4-dimethyl-3-oxo- <i>N</i> -(2-methoxy-5-octadecanoylamino)phenyl)pentanoic acid amide | 443-980-9 | 221215-20-9 | Skin Sens. 1<br>Aquatic Chronic 4                                  | H317<br>H413                 | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| 616-189-00-3 | <i>N</i> -[5-(bis-(2-methoxy-ethyl)amino)-2-(6-bromo-2-methyl-1,3-dioxo-2,3-dihydro-1 <i>H</i> -isoindol-5-ylazo)-phenyl]acetamide  | 444-780-4 | 452962-97-9 | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |
| 616-190-00-9 | <i>N</i> -decyl-4-nitrobenzamide  | 445-880-0 | 64026-19-3  | Aquatic Chronic 4  | H413                         | —                              | H413                     |                                 |                                  |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |                                      | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--------------------------------------|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)             | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 616-191-00-4 | 2-ethyl- <i>N</i> -methyl- <i>N</i> -(3-methylphenyl)butanamide   | 446-190-2 | 406488-30-0 | Acute Tox. 4 *<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H302<br>H319<br>H315<br>H317<br>H411 | GHS07<br>GHS09<br>Wng          | H302<br>H319<br>H315<br>H317<br>H411 |                                 |                                  |       |
| 616-192-00-X | 2-[2-(3-butoxypropyl)-1,1-dioxo-1,2,4-benzothiadiazin-3-yl]-5'- <i>tert</i> -butyl-2-(5,5-dimethyl-2,4-dioxo-1,3-oxazolidin-3-yl)-2'-[(2-ethylhexyl)thio]acetanilide  | 448-060-0 | 727678-39-9 | Aquatic Chronic 4  | H413                                 | —                              | H413                                 |                                 |                                  |       |
| 616-193-00-5 | <i>N</i> -[2-(2-butyl-4,6-dicyano-1,3-dioxo-2,3-dihydro-1 <i>H</i> -isoindol-5-ylazo)-5-diethylamino-phenyl]acetamide   | 449-940-7 | 368450-39-9 | Aquatic Chronic 4  | H413                                 | —                              | H413                                 |                                 |                                  |       |
| 616-194-00-0 | 2,2-diethoxy- <i>N,N</i> -dimethylacetamide   | 449-950-1 | 34640-92-1  | Eye Irrit. 2   | H319                                 | GHS07<br>Wng                   | H319                                 |                                 |                                  |       |
| 616-196-00-1 | disodium salt of 1-hydroxy-4-(β-(4-(1-hydroxy-3,6-disulfo-8-acetylamino-2-naphthylazo)phenoxy)ethoxy)- <i>N</i> -dodecyl-2-naphthamide  | 419-990-4 | —           | Aquatic Acute 1<br>Aquatic Chronic 1   | H400<br>H410                         | GHS09<br>Wng                   | H410                                 |                                 |                                  |       |
| 616-197-00-7 | reaction mass of: potassium <i>N</i> -[3-(dimethyl-oxidoamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctane sulfonamide;<br><i>N</i> -[3-(dimethyl-oxidoamino)propyl]-1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctane sulfonamide | 422-500-1 | —           | STOT RE 2 *  | H373**                               | GHS08<br>Wng                   | H373**                               |                                 |                                  |       |

## ▼ M1

| Index No             | International Chemical Identification   | EC No     | CAS No      | Classification                               |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|----------------------|---|-----------|-------------|--|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|                      |   |           |             | Hazard Class and Category Code(s)            | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 616-198-00-2         | 1,3-bis[12-hydroxy-octadecamide- <i>N</i> -methylene]-benzene   | 423-300-7 | —           | Skin Sens. 1<br>Aquatic Chronic 4            | H317<br>H413             | GHS07<br>Wng                   | H317<br>H413             |                                 |                                  |       |
| ▼ M7<br>616-200-00-1 | reaction mass of <i>N,N'</i> -ethane-1,2-diylbis(hexanamide) and 12-hydroxy- <i>N</i> -[2-[(1-oxyhexyl)amino]ethyl]octadecanamide and <i>N,N'</i> -ethane-1,2-diylbis(12-hydroxyoctadecanamide)   | 432-430-3 |             | Aquatic Chronic 4                            | H413                     |                                | H413                     |                                 |                                  |       |
| ▼ M1<br>616-201-00-7 | 12-hydroxyoctadecanoic acid, reaction products with 1,3-benzenedimethanamine and hexamethylenediamine   | 432-840-2 | 220926-97-6 | Acute Tox. 4 *<br>Aquatic Chronic 4          | H332<br>H413             | GHS07<br>Wng                   | H332<br>H413             |                                 |                                  |       |
| 616-202-00-2         | reaction mass of: 2,2'-[(3,3'-dichloro[1,1'-biphenyl]-4,4'-diyl)bis(azo)]bis[ <i>N</i> -(2,4-dimethylphenyl)-3-oxo-butanamide; 2-[[[3,3'-dichloro-4'-[[1[(2,4-dimethylphenyl)amino]carbonyl]-2-oxopropyl]azo][1,1'-biphenyl]-4-yl]azo]- <i>N</i> -(2-methylphenyl)-3-oxo-butanamide; 2-[[[3,3'-dichloro-4'-[[1[(2,4-dimethylphenyl)amino]carbonyl]-2-oxopropyl]azo][1,1'-biphenyl]-4-yl]azo]- <i>N</i> -(2-carboxylphenyl)-3-oxo-butanamide | 434-330-5 | —           | Carc. 2<br>Skin Sens. 1<br>Aquatic Chronic 4 | H351<br>H317<br>H413     | GHS08<br>GHS07<br>Wng          | H351<br>H317<br>H413     |                                 |                                  |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No                   | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|--------------------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |  |           |                          | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 616-203-00-8 | reaction mass of: <i>N</i> -[5-[bis-(2-methoxyethyl)amino]-2-(2-butyl-4,6-dicyano-1,3-dioxo-2,3-dihydro-1 <i>H</i> -isoindol-5-ylazo)phenyl]acetamide; <i>N</i> -[2-(2-butyl-4,6-dicyano-1,3-dioxo-2,3-dihydro-1 <i>H</i> -isoindol-5-ylazo)5-diethylaminophenyl]acetamide | 442-280-0 | —                        | Aquatic Chronic 4   | H413   | —                                       | H413   |                                 |                                  |       |
| 616-204-00-3 | <i>N,N'</i> -(methylenedi-4,1-phenylene)bis[ <i>N'</i> -octylurea]   | 451-060-3 | 122886-55-9              | Aquatic Chronic 4   | H413   | —                                       | H413   |                                 |                                  |       |
| ▼ <b>M3</b>  |  |           |                          |   |  |   |  |                                 |                                  |       |
| 616-205-00-9 | Metazachlor (ISO); 2-chloro- <i>N</i> -(2,6-dimethylphenyl)- <i>N</i> -(1 <i>H</i> -pyrazol-1-ylmethyl)acetamide   | 266-583-0 | 67129-08-2               | Skin Sens. 1B<br>Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H317<br>H351<br>H400<br>H410   | GHS07<br>GHS08<br>GHS09<br>Wng          | H317<br>H351<br>H410   |                                 | M = 100<br>M = 100               |       |
| ▼ <b>M7</b>  |  |           |                          |   |  |   |  |                                 |                                  |       |
| 616-206-00-4 | flufenoxuron (ISO); 1-(4-(2-chloro- $\alpha,\alpha,\alpha$ -trifluorotolyloxy)-2-fluorophenyl)-3-(2,6-difluorobenzoyl)urea   | 417-680-3 | 101463-69-8              | Lact.<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H362<br>H400<br>H410   | GHS09<br>Wng                            | H362<br>H410   |                                 | M = 10 000<br>M = 10 000         |       |
| ▼ <b>M13</b> |  |           |                          |   |  |   |  |                                 |                                  |       |
| 616-207-00-X | polyhexamethylene biguanide hydrochloride; PHMB  | —         | 32289-58-0<br>27083-27-8 | Carc. 2<br>Acute Tox. 2<br>Acute Tox. 4<br>STOT RE 1<br>Eye Dam. 1<br>Skin Sens. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H351<br>H330<br>H302<br>H372<br>(respiratory tract) (inhalation)<br>H318<br>H317<br>H400<br>H410 | GHS08<br>GHS06<br>GHS05<br>GHS09<br>Dgr | H351<br>H330<br>H302<br>H372<br>(respiratory tract) (inhalation)<br>H318<br>H317<br>H410 |                                 | M = 10<br>M = 10                 |       |

▼ **M7**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|---|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |       |
| 616-208-00-5 | N-ethyl-2-pyrrolidone;<br>1-ethylpyrrolidin-2-one   | 220-250-6 | 2687-91-4   | Repr. 1B  | H360D  | GHS08<br>Dgr                            | H360D  |                                 |                                  |       |
| 616-209-00-0 | amidosulfuron (ISO);<br>3-(4,6-dimethoxypyrimidin-2-yl)-1-((N-methyl-N-methylsulfonfylamino)sulfonyl)urea                 | 407-380-0 | 120923-37-7 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   | GHS09<br>Wng                            | H410   |                                 | M = 100<br>M = 100               |       |
| 616-210-00-6 | tebufenpyrad (ISO);<br>N-(4-tertbutylbenzyl)-4-chloro-3-ethyl-1-methyl-1Hpyrazole-5-carboxamide                           |           | 119168-77-3 | Acute Tox. 3<br>Acute Tox. 4<br>STOT RE 2<br><br>Skin Sens. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H301<br>H332<br>H373<br>(gastro-intestinal tract) (Oral)<br>H317<br>H400<br>H410 | GHS06<br>GHS08<br>GHS09<br><br>Dgr      | H301<br>H332<br>H373<br>(gastro-intestinal tract) (Oral)<br>H317<br>H410 |                                 | M = 10<br>M = 10                 |       |
| 616-211-00-1 | proquinazid (ISO);<br>6-iodo-2-propoxy-3-propylquinazolin-4(3H)-one   |           | 189278-12-4 | Carc. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H351<br>H400<br>H410   | GHS08<br>GHS09<br>Wng                   | H351<br>H410   |                                 | M = 1<br>M = 10                  |       |
| ▼ <b>M8</b>  |   |           |             |   |  |   |  |                                 |                                  |       |
| 616-212-00-7 | 3-iodo-2-propynyl butylcarbamate;<br>3-iodoprop-2-yn-1-yl butylcarbamate  | 259-627-5 | 55406-53-6  | Acute Tox. 3<br>Acute Tox. 4<br>STOT RE 1<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H302<br>H372<br>(larynx)<br>H318<br>H317<br>H400<br>H410                 | GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H331<br>H302<br>H372<br>(larynx)<br>H318<br>H317<br>H410                 |                                 | M = 10<br>M = 1                  |       |
| ▼ <b>M11</b> |   |           |             |   |  |   |  |                                 |                                  |       |
| 616-213-00-2 | mandipropamid (ISO); 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide | —         | 374726-62-2 | Aquatic Acute 1<br>Aquatic Chronic 1  | H400<br>H410   | GHS09<br>Wng                            | H410   |                                 | M = 1<br>M = 1                   |       |

## ▼ M11

| Index No     | International Chemical Identification   | EC No     | CAS No       | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |              | Hazard Class and Category Code(s)                                    | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 616-214-00-8 | metosulam (ISO); N-(2,6-dichloro-3-methylphenyl)-5,7-dimethoxy[1,2,4]triazolo[1,5-a]pyrimidine-2-sulfonamide  | —         | 139528-85-1  | Carc. 2<br>STOT RE 2<br>Aquatic Acute 1<br>Aquatic Chronic 1         | H351<br>H373 (eyes, kidneys)<br>H400<br>H410 | GHS08<br>GHS09<br>Wng          | H351<br>H373 (eyes, kidneys)<br>H410 |                                 | M = 1 000<br>M = 100             |       |
| 616-215-00-3 | dimethenamid-P (ISO); 2-chloro-N-(2,4-dimethyl-3-thienyl)-N-[(2S)-1-methoxypropan-2-yl]acetamide  | —         | 163515-14-8  | Acute Tox. 4<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H302<br>H317<br>H400<br>H410                 | GHS07<br>GHS09<br>Wng          | H302<br>H317<br>H410                 |                                 | M = 10<br>M = 10                 |       |
| 616-216-00-9 | flonicamid (ISO); N-(cyanomethyl)-4-(trifluoromethyl)pyridine-3-carboxamide   | —         | 158062-67-0  | Acute Tox. 4   | H302   | GHS07<br>Wng                   | H302                                 |                                 |                                  |       |
| 616-217-00-4 | sulfoxaflor (ISO); [methyl(oxo){1-[6-(trifluoromethyl)-3-pyridyl]ethyl}-λ6-sulfanylidene]cyanamide  | —         | 946578-00-3  | Acute Tox. 4<br>Aquatic Acute 1<br>Aquatic Chronic 1                 | H302<br>H400<br>H410                         | GHS07<br>GHS09<br>Wng          | H302<br>H410                         |                                 | M = 1<br>M = 1                   |       |
| ▼ M13        |   |           |              |  |  |                                |                                      |                                 |                                  |       |
| 616-218-00-X | benzovindiflupyr (ISO); N-[9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide | —         | 1072957-71-1 | Acute Tox. 3<br>Acute Tox. 3<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H331<br>H301<br>H400<br>H410                 | GHS06<br>GHS09<br>Dgr          | H331<br>H301<br>H410                 |                                 | M = 100<br>M = 100               |       |
| 616-219-00-5 | fluopyram (ISO); N-{2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]ethyl}-2-(trifluoromethyl)benzamide   | —         | 658066-35-4  | Aquatic Chronic 2  | H411   | GHS09                          | H411                                 |                                 |                                  |       |
| 616-220-00-0 | penycuron (ISO); 1-[(4-chlorophenyl)methyl]-1-cyclopentyl-3-phenylurea  | 266-096-3 | 66063-05-6   | Aquatic Acute 1<br>Aquatic Chronic 1                                 | H400<br>H410                                 | GHS09<br>Wng                   | H410                                 |                                 | M = 1<br>M = 1                   |       |
| ▼ M3         |   |           |              |  |  |                                |                                      |                                 |                                  |       |
| 617-001-00-2 | di-tert-butyl peroxide  | 203-733-6 | 110-05-4     | Org. Perox. E<br>Flam. Liq. 2<br>Muta. 2                             | H242<br>H225<br>H341                         | GHS02<br>GHS08<br>Dgr          | H242<br>H225<br>H341                 |                                 |                                  |       |

## ▼B

| Index No            | International Chemical Identification                                      | EC No     | CAS No    | Classification   |   | Labelling  |   |                                 | Specific Conc. Limits, M-factors   | Notes |
|---------------------|--|-----------|-----------|--|---|--|---|---------------------------------|--|-------|
|                     |  |           |           | Hazard Class and Category Code(s)  | Hazard statement Code(s)                                | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                                | Suppl. Hazard statement Code(s) |  |       |
| 617-002-00-8        | $\alpha$ , $\alpha$ -dimethylbenzyl hydroperoxide;<br>cumene hydroperoxide | 201-254-7 | 80-15-9   | Org. Perox. E<br>Acute Tox. 3 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Corr. 1B<br>Aquatic Chronic 2 | H242<br>H331<br>H312<br>H302<br>H373 **<br>H314<br>H411 | GHS02<br>GHS06<br>GHS08<br>GHS05<br>GHS09<br>Dgr | H242<br>H331<br>H312<br>H302<br>H373 **<br>H314<br>H411 |                                 | Skin Corr. 1B;<br>H314: C $\geq$<br>10 %<br>Skin Irrit. 2;<br>H315: 3 % $\leq$<br>C < 10 %<br>Eye Dam. 1;<br>H318: 3 % $\leq$<br>C < 10 %<br>Eye Irrit. 2;<br>H319: 1 % $\leq$<br>C < 3 %<br>STOT SE 3;<br>H335: C <<br>10 % |       |
| 617-003-00-3        | dilauroyl peroxide   | 203-326-3 | 105-74-8  | Org. Perox. D  | H242  | GHS02<br>Dgr                                     | H242  |                                 |  |       |
| 617-004-00-9        | 1,2,3,4-tetrahydro-1-naphthyl hydroperoxide                                | 212-230-0 | 771-29-9  | Org. Perox. D<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Aquatic Acute 1<br>Aquatic Chronic 1                                 | H242<br>H302<br>H314<br>H400<br>H410                    | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr          | H242<br>H302<br>H314<br>H410                            |                                 | STOT SE 3;<br>H335: C $\geq$ 5 %   |       |
| 617-006-00-X        | bis( $\alpha$ , $\alpha$ -dimethylbenzyl) peroxide                         | 201-279-3 | 80-43-3   | Org. Perox. F<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Aquatic Chronic 2  | H242<br>H319<br>H315<br>H411                            | GHS02<br>GHS07<br>GHS09<br>Wng                   | H242<br>H319<br>H315<br>H411                            |                                 |  |       |
| 617-007-00-5        | <i>tert</i> -butyl $\alpha$ , $\alpha$ -dimethylbenzyl peroxide            | 222-389-8 | 3457-61-2 | Org. Perox. E Skin<br>Irrit. 2<br>Aquatic Chronic 2  | H242<br>H315<br>H411                                    | GHS02<br>GHS07<br>GHS09<br>Wng                   | H242<br>H315<br>H411                                    |                                 |  |       |
| ▼M6<br>617-008-00-0 | dibenzoyl peroxide;<br>benzoyl peroxide                                    | 202-327-6 | 94-36-0   | Org. Perox. B<br>Eye Irrit. 2<br>Skin Sens. 1  | H241<br>H319<br>H317                                    | GHS01<br>GHS02<br>GHS07<br>Dgr                   | H241<br>H319<br>H317                                    |                                 |  |       |

## ▼ M6

| Index No     | International Chemical Identification  | EC No  | CAS No  | Classification  |                              | Labelling                               |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|--|---|---|------------------------------|---|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |  |   | Hazard Class and Category Code(s)                                   | Hazard statement Code(s)     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 617-010-00-1 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1]<br>1,1'-dioxibiscyclohexan-1-ol; [2]<br>cyclohexylidene hydroperoxide; [3]<br>cyclohexanone, peroxide [4]                      | 201-091-1 [1]<br>219-306-2 [2]<br>220-279-4 [3]<br>235-527-7 [4] | 78-18-2 [1]<br>2407-94-5 [2]<br>2699-11-8 [3]<br>12262-58-7 [4] | Org. Perox. A<br>Skin Corr. 1B<br>Acute Tox. 4 *                    | H240<br>H314<br>H302         | GHS01<br>GHS05<br>GHS07<br>Dgr          | H240<br>H314<br>H302         |                                 | STOT SE 3;<br>H335: C ≥ 5 %      | C     |
| 617-010-01-9 | 1-hydroperoxycyclohexyl 1-hydroxycyclohexyl peroxide; [1]<br>1,1'-dioxibiscyclohexan-1-ol; [2]<br>cyclohexylidene hydroperoxide; [3]<br>cyclohexanone, peroxide [4]<br>[≤ 91 % solution] | 201-091-1 [1]<br>219-306-2 [2]<br>220-279-4 [3]<br>235-527-7 [4] | 78-18-2 [1]<br>2407-94-5 [2]<br>2699-11-8 [3]<br>12262-58-7 [4] | Org. Perox. C<br>Acute Tox. 4 *<br>Skin Corr. 1B                    | H242<br>H302<br>H314         | GHS02<br>GHS05<br>GHS07<br>Dgr          | H242<br>H302<br>H314         |                                 | STOT SE 3;<br>H335: C ≥ 5 %      | C T   |
| 617-012-00-2 | 8- <i>p</i> -menthyl hydroperoxide;<br><i>p</i> -menthane hydroperoxide  | 201-281-4  | 80-47-7   | Org. Perox. D<br>Skin Corr. 1B<br>Acute Tox. 4 *                    | H242<br>H314<br>H332         | GHS02<br>GHS05<br>GHS07<br>Dgr          | H242<br>H314<br>H332         |                                 | STOT SE 3;<br>H335: C ≥ 5 %      |       |
| 617-013-00-8 | <i>O,O</i> - <i>tert</i> -butyl <i>O</i> -docosyl mono-peroxyoxalate   | 404-300-6  | 116753-76-5   | Org. Perox. C ****<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H242<br>H400<br>H410         | GHS02<br>GHS09<br>Dgr                   | H242<br>H410                 |                                 |                                  |       |
| 617-014-00-3 | 6-(nonylamino)-6-oxo-peroxy-hexanoic acid  | 406-680-9  | 104788-63-8   | Org. Perox. C ****<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1 | H242<br>H318<br>H317<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H242<br>H318<br>H317<br>H400 |                                 |                                  |       |
| 617-015-00-9 | bis(4-methylbenzoyl)peroxide   | 407-950-9  | 895-85-2  | Org. Perox. B ****<br>Aquatic Acute 1<br>Aquatic Chronic 1          | H241<br>H400<br>H410         | GHS01<br>GHS02<br>GHS09<br>Dgr          | H241<br>H410                 |                                 |                                  |       |

## ▼ B



▼B

| Index No     | International Chemical Identification                        | EC No   | CAS No      | Classification  |   | Labelling                        |   |                                 | Specific Conc. Limits, M-factors | Notes |   |
|--------------|--|---|-------------|---|---|----------------------------------|---|---------------------------------|----------------------------------|-------|---|
|              |  |   |             | Hazard Class and Category Code(s)   | Hazard statement Code(s)  | Pictogram, Signal Word Code(s)   | Hazard statement Code(s)                | Suppl. Hazard statement Code(s) |                                  |       |   |
| 617-016-00-4 | 3-hydroxy-1,1-dimethylbutyl 2-ethyl-2-methylheptaneperoxoate | 413-910-1   | —           | Org. Perox. C ****<br>Flam. Liq. 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H242<br>H226<br>H315<br>H400<br>H410                              | GHS02<br>GHS07<br>GHS09<br>Dgr   | H242<br>H226<br>H315<br>H410            |                                 |                                  |       |   |
| ▼ <u>M1</u>  | 617-017-00-X   | reaction mass of: 2,2'-bis( <i>tert</i> -pentylperoxy)- <i>p</i> -diisopropylbenzene;<br>2,2'-bis( <i>tert</i> -pentylperoxy)- <i>m</i> -diisopropylbenzene   | 412-140-3   | 32144-25-5  | Org. Perox. D<br>Aquatic Chronic 4                                | H242<br>H413                     | GHS02<br>Dgr                            | H242<br>H413                    |                                  |       | T |
| ▼ <u>B</u>   | 617-018-00-5   | reaction mass of: 1-methyl-1-(3-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 63 % by weight;<br>1-methyl-1-(4-(1-methylethyl)phenyl)ethyl-1-methyl-1-phenylethylperoxide, 31 % by weight | 410-840-3   | 71566-50-2  | Org. Perox. C ****<br>Aquatic Chronic 2                           | H242<br>H411                     | GHS02<br>GHS09<br>Dgr                   | H242<br>H411                    |                                  |       | T |
| 617-019-00-0 | 6-(phthalimido)peroxyhexanoic acid                           | 410-850-8   | 128275-31-0 | Org. Perox. D<br>Eye Dam. 1<br>Aquatic Acute 1  | H242<br>H318<br>H400  | GHS02<br>GHS05<br>GHS09<br>DgDgr | H242<br>H318<br>H400                    |                                 |                                  |       | T |
| 617-020-00-6 | 1,3-di(prop-2,2-diyl)benzene bis(neodecanoylperoxide)        | 420-060-5   | 117663-11-3 | Flam. Liq. 3<br>Org. Perox. D ****<br>Aquatic Chronic 2                                     | H226<br>H242<br>H411  | GHS02<br>GHS09<br>Dgr            | H226<br>H242<br>H411                    |                                 |                                  |       |   |
| ▼ <u>M1</u>  | 617-021-00-1   | methylethylketone peroxide trimer   | 429-320-2   | —   | Org. Perox. B****<br>Asp. Tox. 1<br>Skin Irrit. 2<br>Skin Sens. 1 | H241<br>H304<br>H315<br>H317     | GHS01<br>GHS02<br>GHS08<br>GHS07<br>Dgr | H241<br>H304<br>H315<br>H317    |                                  |       |   |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No | Classification  |                                      | Labelling                               |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|--------|---|--------------------------------------|---|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |        | Hazard Class and Category Code(s)   | Hazard statement Code(s)             | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 617-022-00-7 | reaction mass of: 1,2-dimethyl-propylidene dihydroperoxide; dimethyl 1,2-benzenedicarboxylate | 442-480-8 | —      | Org. Perox. C<br>Acute Tox. 4 *<br>Skin Corr. 1B<br>Skin Sens. 1<br>Aquatic Chronic 2 | H242<br>H302<br>H314<br>H317<br>H411 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H242<br>H302<br>H314<br>H317<br>H411 |                                 |                                  |       |

▼ **M13**

|              |                                  |           |         |         |      |              |      |  |  |  |
|--------------|----------------------------------|-----------|---------|---------|------|--------------|------|--|--|--|
| 617-023-00-2 | <i>tert</i> -butyl hydroperoxide | 200-915-7 | 75-91-2 | Muta. 2 | H341 | GHS08<br>Wng | H341 |  |  |  |
|--------------|----------------------------------|-----------|---------|---------|------|--------------|------|--|--|--|

▼ **B**

|              |  |           |            |   |                              |                       |                              |  |  |   |
|--------------|--|-----------|------------|---|------------------------------|-----------------------|------------------------------|--|--|---|
| 647-001-00-8 | glucosidase, β-  | 232-589-7 | 9001-22-3  | Resp. Sens. 1   | H334                         | GHS08<br>Dgr          | H334                         |  |  |   |
| 647-002-00-3 | cellulase  | 232-734-4 | 9012-54-8  | Resp. Sens. 1   | H334                         | GHS08<br>Dgr          | H334                         |  |  |   |
| 647-003-00-9 | cellobiohydrolase, exo-  | 253-465-9 | 37329-65-0 | Resp. Sens. 1   | H334                         | GHS08<br>Dgr          | H334                         |  |  |   |
| 647-004-00-4 | cellulases with the exception of those specified elsewhere in this Annex | —         | —          | Resp. Sens. 1   | H334                         | GHS08<br>Dgr          | H334                         |  |  | A |
| 647-005-00-X | bromelain, juice   | 232-572-4 | 9001-00-7  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 |  |  |   |
| 647-006-00-5 | ficin  | 232-599-1 | 9001-33-6  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 |  |  |   |
| 647-007-00-0 | papain   | 232-627-2 | 9001-73-4  | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr | H319<br>H335<br>H315<br>H334 |  |  |   |

## ▼B

| Index No     | International Chemical Identification                                   | EC No     | CAS No    | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-----------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |           | Hazard Class and Category Code(s)                           | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| 647-008-00-6 | pepsin A  | 232-629-3 | 9001-75-6 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334 |                                 |                                  |       |
| 647-009-00-1 | rennin  | 232-645-0 | 9001-98-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334 |                                 |                                  |       |
| 647-010-00-7 | trypsin   | 232-650-8 | 9002-07-7 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334 |                                 |                                  |       |
| 647-011-00-2 | chymotrypsin  | 232-671-2 | 9004-07-3 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334 |                                 |                                  |       |
| 647-012-00-8 | subtilisin  | 232-752-2 | 9014-01-1 | STOT SE 3<br>Skin Irrit. 2<br>Eye Dam. 1<br>Resp. Sens. 1   | H335<br>H315<br>H318<br>H334 | GHS08<br>GHS05<br>GHS07<br>Dgr | H335<br>H315<br>H318<br>H334 |                                 |                                  |       |
| 647-013-00-3 | proteinase, microbial neutral   | 232-966-6 | 9068-59-1 | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334 |                                 |                                  |       |
| 647-014-00-9 | proteases with the exception of those specified elsewhere in this Annex | —         | —         | Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Resp. Sens. 1 | H319<br>H335<br>H315<br>H334 | GHS08<br>GHS07<br>Dgr          | H319<br>H335<br>H315<br>H334 |                                 |                                  |       |

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                    |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                          |
| 647-015-00-4 | amylase, $\alpha$ -   | 232-565-6 | 9000-90-2  | Resp. Sens. 1                     | H334                     | GHS08<br>Dgr                   | H334                     |                                 |                                  |                          |
| 647-016-00-X | amylases with the exception of those specified elsewhere in this Annex  | —         | —          | Resp. Sens. 1                     | H334                     | GHS08<br>Dgr                   | H334                     |                                 |                                  |                          |
| ▼ <b>M1</b>  |   |           |            |                                   |                          |                                |                          |                                 |                                  |                          |
| 647-017-00-5 | laccase   | 420-150-4 | 80498-15-3 | Resp. Sens. 1                     | H334                     | GHS08<br>Dgr                   | H334                     |                                 |                                  |                          |
| ▼ <b>B</b>   |   |           |            |                                   |                          |                                |                          |                                 |                                  |                          |
| 648-001-00-0 | Distillates (coal tar), benzole fraction;<br>Light Oil;<br>[A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of C <sub>4</sub> to C <sub>10</sub> and distilling in the approximate range of 80 °C to 160 °C (175 °F to 320 °F).] | 283-482-7 | 84650-02-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀          |
| ▼ <b>M1</b>  |   |           |            |                                   |                          |                                |                          |                                 |                                  |                          |
| 648-002-00-6 | Tar oils, brown-coal;<br>Light Oil;<br>[The distillate from lignite tar boiling in the range of approximately 80 °C to 250 °C (176 °F to 482 °F). Composed primarily of aliphatic and aromatic hydrocarbons and monobasic phenols.]   | 302-674-4 | 94114-40-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀ <b>J</b> |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-003-00-1 | Benzol forerunnings (coal);<br>Light Oil Redistillate, low boiling;<br>[The distillate from coke oven light oil having an approximate distillation range below 100 °C (212 °F). Composed primarily of C <sub>4</sub> to C <sub>6</sub> aliphatic hydrocarbons.]  | 266-023-5 | 65996-88-5  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-004-00-7 | Distillates (coal tar), benzole fraction, BTX-rich;<br>Light Oil Redistillate, low boiling;<br>[A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75 °C to 200 °C (167 °F to 392 °F).] | 309-984-9 | 101896-26-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-005-00-2 | Aromatic hydrocarbons, C <sub>6-10</sub> , C <sub>8</sub> -rich;<br>Light Oil Redistillate, low boiling  | 292-697-5 | 90989-41-6  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-006-00-8 | Solvent naphtha (coal), light;<br>Light Oil Redistillate, low boiling  | 287-498-5 | 85536-17-0  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-007-00-3 | Solvent naphtha (coal), xylene-styrene cut;<br>Light Oil Redistillate, intermediate boiling  | 287-502-5 | 85536-20-5  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀ J    |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-008-00-9 | Solvent naphtha (coal), coumarone-styrene contg.; Light Oil Redistillate, intermediate boiling   | 287-500-4 | 85536-19-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-009-00-4 | Naphtha (coal), distn. residues; Light Oil Redistillate, high boiling;<br>[The residue remaining from the distillation of recovered naphtha. Composed primarily of naphthalene and condensation products of indene and styrene.]   | 292-636-2 | 90641-12-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-010-00-X | Aromatic hydrocarbons, C <sub>8</sub> ; Light Oil Redistillate, high boiling   | 292-694-9 | 90989-38-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-012-00-0 | Aromatic hydrocarbons, C <sub>8-9</sub> , hydrocarbon resin polymn. by-product; Light Oil Redistillate, high boiling;<br>[A complex combination of hydrocarbons obtained from the evaporation of solvent under vacuum from polymerized hydrocarbon resin. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>9</sub> and boiling in the range of approximately 120 °C to 215 °C (248 °F to 419 °F).] | 295-281-1 | 91995-20-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-013-00-6 | Aromatic hydrocarbons, C <sub>9-12</sub> , benzene distn.;<br>Light Oil Redistillate, high boiling   | 295-551-9 | 92062-36-7  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |
| 648-014-00-1 | Extract residues (coal), benzole fraction alk., acid ext.;<br>Light Oil Extract Residues, low boiling;<br>[The redistillate from the distillate, freed of tar acids and tar bases, from bituminous coal high temperature tar boiling in the approximate range of 90 °C to 160 °C (194 °F to 320 °F). It consists predominantly of benzene, toluene and xylenes.]   | 295-323-9 | 91995-61-8  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |
| 648-015-00-7 | Extract residues (coal tar), benzole fraction alk., acid ext.;<br>Light Oil Extract Residues, low boiling;<br>[A complex combination of hydrocarbons obtained by the redistillation of the distillate of high temperature coal tar (tar acid and tar base free). It consists predominantly of unsubstituted and substituted mononuclear aromatic hydrocarbons boiling in the range of 85 °C to 195 °C (185 °F to 383 °F).] | 309-868-8 | 101316-63-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀ J    |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-016-00-2 | Extract residues (coal), benzole fraction acid;<br>Light Oil Extract Residues, low boiling;<br>[An acid sludge by-product of the sulfuric acid refining of crude high temperature coal. Composed primarily of sulfuric acid and organic compounds.]  | 298-725-2 | 93821-38-6  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-017-00-8 | Extract residues (coal), light oil alk., distn. overheads;<br>Light Oil Extract Residues, low boiling;<br>[The first fraction from the distillation of aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oil boiling substantially below 145 °C (293 °F). Composed primarily of C <sub>7</sub> and C <sub>8</sub> aliphatic and aromatic hydrocarbons.] | 292-625-2 | 90641-02-4  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-018-00-3 | Extract residues (coal), light oil alk., acid ext., indene fraction;<br>Light Oil Extract Residues, intermediate boiling   | 309-867-2 | 101316-62-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |



▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 648-019-00-9 | Extract residues (coal), light oil alk., indene naphtha fraction; Light Oil Extract Residues, high boiling;<br>[The distillate from aromatic hydrocarbons, coumarone, naphthalene and indene rich prefractionator bottoms or washed carbolic oils, having an approximate boiling range of 155 °C to 180 °C (311 °F to 356 °F). Composed primarily of indene, indan and trimethylbenzenes.]  | 292-626-8 | 90641-03-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ► <b>M2</b> — ◀<br>J             |       |
| 648-020-00-4 | Solvent naphtha (coal); Light Oil Extract Residues, high boiling;<br>[The distillate from either high temperature coal tar, coke oven light oil, or coal tar oil alkaline extract residue having an approximate distillation range of 130 °C to 210 °C (266 °F to 410 °F). Composed primarily of indene and other polycyclic ring systems containing a single aromatic ring. May contain phenolic compounds and aromatic nitrogen bases.] | 266-013-0 | 65996-79-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ► <b>M2</b> — ◀ J                |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-021-00-X | Distillates (coal tar), light oils, neutral fraction; Light Oil Extract Residues, high boiling; [A distillate from the fractional distillation of high temperature coal tar. Composed primarily of alkyl-substituted one ring aromatic hydrocarbons boiling in the range of approximately 135 °C to 210 °C (275 °F to 410 °F). May also include unsaturated hydrocarbons such as indene and coumarone.] | 309-971-8 | 101794-90-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-022-00-5 | Distillates (coal tar), light oils, acid exts.; Light Oil Extract Residues, high boiling; [This oil is a complex reaction mass of aromatic hydrocarbons, primarily indene, naphthalene, coumarone, phenol, and <i>o</i> -, <i>m</i> - and <i>p</i> -cresol and boiling in the range of 140 °C to 215 °C (284 °F to 419 °F).]  | 292-609-5 | 90640-87-2  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-023-00-0 | Distillates (coal tar), light oils; Carbolic Oil; [A complex combination of hydrocarbons obtained by distillation of coal tar. It consists of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills at the approximate range of 150 °C to 210 °C (302 °F to 410 °F).]  | 283-483-2 | 84650-03-3  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-024-00-6 | Tar oils, coal;<br>Carbolic Oil;<br>[The distillate from high temperature coal tar having an approximate distillation range of 130 °C to 250 °C (266 °F to 410 °F). Composed primarily of naphthalene, alkylnaphthalenes, phenolic compounds, and aromatic nitrogen bases.]         | 266-016-7 | 65996-82-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |
| 648-026-00-7 | Extract residues (coal), light oil alk., acid ext.;<br>Carbolic Oil Extract Residue;<br>[The oil resulting from the acid washing of alkali-washed carbolic oil to remove the minor amounts of basic compounds (tar bases). Composed primarily of indene, indan and alkylbenzenes.]  | 292-624-7 | 90641-01-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |
| 648-027-00-2 | Extract residues (coal), tar oil alk.;<br>Carbolic Oil Extract Residue;<br>[The residue obtained from coal tar oil by an alkaline wash such as aqueous sodium hydroxide after the removal of crude coal tar acids. Composed primarily of naphthalenes and aromatic nitrogen bases.] | 266-021-4 | 65996-87-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-028-00-8 | Extract oils (coal), light oil; Acid Extract;<br>[The aqueous extract produced by an acidic wash of alkali-washed carbolic oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.]   | 292-622-6 | 90640-99-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |
| 648-029-00-3 | Pyridine, alkyl derivs.; Crude Tar Bases;<br>[The complex combination of polyalkylated pyridines derived from coal tar distillation or as high-boiling distillates approximately above 150 °C (302 °F) from the reaction of ammonia with acetaldehyde, formaldehyde or paraformaldehyde.]   | 269-929-9 | 68391-11-7 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |
| 648-030-00-9 | Tar bases, coal, picoline fraction;<br>Distillate Bases;<br>[Pyridine bases boiling in the range of approximately 125 °C to 160 °C (257 °F 320 °F) obtained by distillation of neutralized acid extract of the base-containing tar fraction obtained by the distillation of bituminous coal tars. Composed chiefly of lutidines and picolines.] | 295-548-2 | 92062-33-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>J |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-031-00-4 | Tar bases, coal, lutidine fraction;<br>Distillate Bases  | 293-766-2 | 91082-52-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-032-00-X | Extract oils (coal), tar base, collidine fraction;<br>Distillate Bases;<br>[The extract produced by the acidic extraction of bases from crude coal tar aromatic oils, neutralization, and distillation of the bases. Composed primarily of collidines, aniline, toluidines, lutidines, xyloidines.]  | 273-077-3 | 68937-63-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-033-00-5 | Tar bases, coal, collidine fraction;<br>Distillate Bases;<br>[The distillation fraction boiling in the range of approximately 181 °C to 186 °C (356 °F to 367 °F) from the crude bases obtained from the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of bituminous coal tar. It contains chiefly aniline and collidines.] | 295-543-5 | 92062-28-7 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀ J    |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-034-00-0 | Tar bases, coal, aniline fraction; Distillate Bases;<br>[The distillation fraction boiling in the range of approximately 180 °C to 200 °C (356 °F to 392 °F) from the crude bases obtained by dephenolating and debasing the carbolated oil from the distillation of coal tar. It contains chiefly aniline, collidines, lutidines and toluidines.]  | 295-541-4 | 92062-27-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-035-00-6 | Tar bases, coal, toluidine fraction; Distillate Bases   | 293-767-8 | 91082-53-0 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-036-00-1 | Distillates (petroleum), alkene-alkyne manif. pyrolysis oil, mixed with high-temp. coal tar, indene fraction; Redistillates;<br>[A complex combination of hydrocarbons obtained as a redistillate from the fractional distillation of bituminous coal high temperature tar and residual oils that are obtained by the pyrolytic production of alkenes and alkynes from petroleum products or natural gas. It consists predominantly of indene and boils in a range of approximately 160 °C to 190 °C (320 °F to 374 °F).] | 295-292-1 | 91995-31-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-037-00-7 | Distillates (coal), coal tar-residual pyrolysis oils, naphthalene oils;<br>Redistillates;<br>[The redistillate obtained from the fractional distillation of bituminous coal high temperature tar and pyrolysis residual oils and boiling in the range of approximately 190 °C to 270 °C (374 °F to 518 °F). Composed primarily of substituted dinuclear aromatics.]  | 295-295-8 | 91995-35-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-038-00-2 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oil, redistillate;<br>Redistillates;<br>[The redistillate from the fractional distillation of dephe-nolated and debased methyl-naphthalene oil obtained from bituminous coal high temperature tar and pyrolysis residual oils boiling in the approximate range of 220 °C to 230 °C (428 °F to 446 °F). It consists predominantly of unsubstituted and substituted dinuclear aromatic hydrocarbons.] | 295-329-1 | 91995-66-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-039-00-8 | Extract oils (coal), coal tar-residual pyrolysis oils, naphthalene oils; Redistillates; [A neutral oil obtained by debasing and dephenolating the oil obtained from the distillation of high temperature tar and pyrolysis residual oils which has a boiling range of 225 °C to 255 °C (437 °F to 491 °F). Composed primarily of substituted dinuclear aromatic hydrocarbons.]                    | 310-170-0 | 122070-79-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-040-00-3 | Extract oils (coal), coal tar residual pyrolysis oils, naphthalene oil, distn. residues; Redistillates; [Residue from the distillation of dephenolated and debased methylnaphthalene oil (from bituminous coal tar and pyrolysis residual oils) with a boiling range of 240 °C to 260 °C (464 °F to 500 °F). Composed primarily of substituted dinuclear aromatic and heterocyclic hydrocarbons.] | 310-171-6 | 122070-80-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 648-041-00-9 | Absorption oils, bicyclo arom. and heterocyclic hydrocarbon fraction;<br>Wash Oil Redistillate;<br>[A complex combination of hydrocarbons obtained as a redistillate from the distillation of wash oil. It consists predominantly of 2-ringed aromatic and heterocyclic hydrocarbons boiling in the range of approximately 260 °C to 290 °C (500 °F to 554 °F).] | 309-851-5 | 101316-45-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>M |
| 648-042-00-4 | Distillates (coal tar), upper, fluorene-rich;<br>Wash Oil Redistillate;<br>[A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic and polycyclic hydrocarbons primarily fluorene and some acenaphthene.]   | 284-900-0 | 84989-11-7  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>M |
| 648-043-00-X | Creosote oil, acenaphthene fraction, acenaphthene-free;<br>Wash Oil Redistillate;<br>[The oil remaining after removal by a crystallization process of acenaphthene from acenaphthene oil from coal tar. Composed primarily of naphthalene and alkyl naphthalenes.]   | 292-606-9 | 90640-85-0  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>M |

## ▼M1

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-044-00-5 | Distillates (coal tar), heavy oils; Heavy Anthracene Oil; [Distillate from the fractional distillation of coal tar of bituminous coal, with boiling range of 240 °C to 400 °C (464 °F to 752 °F). Composed primarily of tri- and polynuclear hydrocarbons and heterocyclic compounds.]   | 292-607-4 | 90640-86-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀      |
| 648-045-00-0 | Distillates (coal tar), upper; Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 220 °C to 450 °C (428 °F to 842 °F). Composed primarily of three to four membered condensed ring aromatic hydrocarbons and other hydrocarbons.]   | 266-026-1 | 65996-91-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u><br>M — ◀ |
| 648-046-00-6 | Anthracene oil, acid ext.; Anthracene Oil Extract Residue; [A complex combination of hydrocarbons from the base-freed fraction obtained from the distillation of coal tar and boiling in the range of approximately 325 °C to 365 °C (617 °F to 689 °F). It contains predominantly anthracene and phenanthrene and their alkyl derivatives.] | 295-274-3 | 91995-14-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u><br>M — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-047-00-1 | Distillates (coal tar); Heavy Anthracene Oil; [The distillate from coal tar having an approximate distillation range of 100 °C to 450 °C (212 °F to 842 °F). Composed primarily of two to four membered condensed ring aromatic hydrocarbons, phenolic compounds, and aromatic nitrogen bases.]   | 266-027-7 | 65996-92-1  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-048-00-7 | Distillates (coal tar), pitch, heavy oils; Heavy Anthracene Oil; [The distillate from the distillation of the pitch obtained from bituminous high temperature tar. Composed primarily of tri- and polynuclear aromatic hydrocarbons and boiling in the range of approximately 300 °C to 470 °C (572 °F to 878 °F). The product may also contain heteroatoms.] | 295-312-9 | 91995-51-6  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-049-00-2 | Distillates (coal tar), pitch; Heavy Anthracene Oil; [The oil obtained from condensation of the vapors from the heat treatment of pitch. Composed primarily of two- to four-ring aromatic compounds boiling in the range of 200 °C to greater than 400 °C (392 °F to greater than 752 °F).]   | 309-855-7 | 101316-49-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-050-00-8 | Distillates (coal tar), heavy oils, pyrene fraction;<br>Heavy Anthracene Oil Redistillate;<br>[The redistillate obtained from the fractional distillation of pitch distillate boiling in the range of approximately 350 °C to 400 °C (662 °F to 752 °F). Consists predominantly of tri- and polynuclear aromatics and heterocyclic hydrocarbons.]  | 295-304-5 | 91995-42-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-051-00-3 | Distillates (coal tar), pitch, pyrene fraction;<br>Heavy Anthracene Oil Redistillate;<br>[The redistillate obtained from the fractional distillation of pitch distillate and boiling in the range of approximately 380 °C to 410 °C (716 to 770 °F). Composed primarily of tri- and polynuclear aromatic hydrocarbons and heterocyclic compounds.] | 295-313-4 | 91995-52-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-052-00-9 | Paraffin waxes (coal), brown-coal high-temp. tar, carbon-treated;<br>Coal Tar Extract;   | 308-296-6 | 97926-76-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complet combination of hydrocarbons obtained by the treatment of lignite carbonization tar with activated carbon for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 648-053-00-4 | Paraffin waxes (coal), brown-coal high-temp tar, clay-treated; Coal Tar Extract;<br>[A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with bentonite for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .] | 308-297-1 | 97926-77-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-054-00-X | Pitch;<br>Pitch  | 263-072-4 | 61789-60-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

▼B

| Index No                    | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                      |  |                                 | Specific Conc. Limits, M-factors | Notes                |
|-----------------------------|---|-----------|-------------|--|--|--------------------------------|--|---------------------------------|----------------------------------|----------------------|
|                             |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                               | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                           | Suppl. Hazard statement Code(s) |                                  |                      |
| ▼ <u>M7</u><br>648-055-00-5 | Pitch, coal tar, high-temp.;<br>[The residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 30 °C to 180 °C (86 °F to 356 °F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.]                                       | 266-028-2 | 65996-93-2  | Carc. 1A<br><br>Muta. 1B<br><br>Repr. 1B<br><br>Aquatic Acute 1<br><br>Aquatic Chronic 1 | H350<br><br>H340<br><br>H360FD<br><br>H400<br><br>H410 | GHS08<br><br>GHS09<br><br>Dgr  | H350<br><br>H340<br><br>H360FD<br><br><br><br>H410 |                                 | M = 1000<br>M = 1000             |                      |
| ▼ <u>B</u><br>648-056-00-0  | Pitch, coal tar, high-temp., heat-treated;<br>Pitch;<br>[The heat treated residue from the distillation of high temperature coal tar. A black solid with an approximate softening point from 80 °C to 180 °C (176 °F to 356 °F). Composed primarily of a complex mixture of three or more membered condensed ring aromatic hydrocarbons.] | 310-162-7 | 121575-60-8 | Carc. 1B   | H350   | GHS08<br>Dgr                   | H350   |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-057-00-6                | Pitch, coal tar, high-temp., secondary;<br>Pitch Redistillate;  | 302-650-3 | 94114-13-3  | Carc. 1B   | H350   | GHS08<br>Dgr                   | H350   |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [The residue obtained during the distillation of high boiling fractions from bituminous coal high temperature tar and/or pitch coke oil, with a softening point of 140 °C to 170 °C (284 °F to 392 °F) according to DIN 52025. Composed primarily of tri- and polynuclear aromatic compounds which also contain heteroatoms.]   |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 648-058-00-1 | Residues (coal tar), pitch distn.; Pitch Redistillate;<br>[Residue from the fractional distillation of pitch distillate boiling in the range of approximately 400 °C to 470 °C (752 °F to 846 °F). Composed primarily of polynuclear aromatic hydrocarbons, and heterocyclic compounds.]  | 295-507-9 | 92061-94-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-059-00-7 | Tar, coal, high-temp., distn. and storage residues;<br>Coal Tar Solids Residue;<br>[Coke- and ash-containing solid residues that separate on distillation and thermal treatment of bituminous coal high temperature tar in distillation installations and storage vessels. Consists predominantly of carbon and contains a small quantity of hetero compounds as well as ash components.] | 295-535-1 | 92062-20-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-060-00-2 | Tar, coal, storage residues; Coal Tar Solids Residue; [The deposit removed from crude coal tar storages. Composed primarily of coal tar and carbonaceous particulate matter.]  | 293-764-1 | 91082-50-7  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-061-00-8 | Tar, coal, high-temp., residues; Coal Tar Solids Residue; [Solids formed during the coking of bituminous coal to produce crude bituminous coal high temperature tar. Composed primarily of coke and coal particles, highly aromatized compounds and mineral substances.]   | 309-726-5 | 100684-51-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-062-00-3 | Tar, coal, high-temp., high-solids; Coal Tar Solids Residue; [The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292 °F)) destructive distillation of coal. Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons with a high solid content of coal-type materials.] | 273-615-7 | 68990-61-4  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-063-00-9 | Waste solids, coal-tar pitch coking;<br>Coal Tar Solids Residue;<br>[The combination of wastes formed by the coking of bituminous coal tar pitch. It consists predominantly of carbon.]  | 295-549-8 | 92062-34-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-064-00-4 | Extract residues (coal), brown;<br>Coal Tar Extract;<br>[The residue from extraction of dried coal.]   | 294-285-0 | 91697-23-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-065-00-X | Paraffin waxes (coal), brown-coal-high-temp. tar;<br>Coal Tar Extract;<br>[A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .] | 295-454-1 | 92045-71-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-066-00-5 | Paraffin waxes (coal), brown-coal-high-temp. tar, hydro-treated;<br>Coal Tar Extract;  | 295-455-7 | 92045-72-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained from lignite carbonization tar by solvent crystallisation (solvent deoiling), by sweating or an adducting process treated with hydrogen in the presence of a catalyst. It consists predominantly of straight and branched chain saturated hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .]   |           |             |                                   |                          |                                |                          |                                 |                                  |                      |
| 648-067-00-0 | Paraffin waxes (coal), brown-coal high-temp tar, silicic acid-treated;<br>Coal Tar Extract;<br>[A complex combination of hydrocarbons obtained by the treatment of lignite carbonization tar with silicic acid for removal of trace constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .] | 308-298-7 | 97926-78-8  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-068-00-6 | Tar, coal, low-temp., distn. residues;<br>Tar Oil, intermediate boiling;   | 309-887-1 | 101316-85-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [Residues from fractional distillation of low temperature coal tar to remove oils that boil in a range up to approximately 300 °C (572 °F). Composed primarily of aromatic compounds.]   |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 648-069-00-1 | Pitch, coal tar, low-temp; Pitch Residue;<br>[A complex black solid or semi-solid obtained from the distillation of a low temperature coal tar. It has a softening point within the approximate range of 40 °C to 180 °C (104 °F to 356 °F). Composed primarily of a complex mixture of hydrocarbons.]                     | 292-651-4 | 90669-57-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-070-00-7 | Pitch, coal tar, low-temp., oxidized;<br>Pitch Residue, oxidised;<br>[The product obtained by air-blowing, at elevated temperature, low-temperature coal tar pitch. It has a softening-point within the approximate range of 70 °C to 180 °C (158 °F to 356 °F). Composed primarily of a complex mixture of hydrocarbons.] | 292-654-0 | 90669-59-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-071-00-2 | Pitch, coal tar, low-temp., heat-treated;<br>Pitch Residue, oxidised;<br>Pitch Residue, heat-treated;<br>[A complex black solid obtained by the heat treatment of low temperature coal tar pitch. It has a softening point within the approximate range of 50 °C to 140 °C (122 °F to 284 °F). Composed primarily of a complex mixture of aromatic compounds.] | 292-653-5 | 90669-58-2  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-072-00-8 | Distillates (coal-petroleum), condensed-ring arom;<br>Distillates;<br>[The distillate from a mixture of coal and tar and aromatic petroleum streams having an approximate distillation range of 220 °C to 450 °C (428 °F to 842 °F). Composed primarily of 3- to 4-membered condensed ring aromatic hydrocarbons.]   | 269-159-3 | 68188-48-7  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-073-00-3 | Aromatic hydrocarbons, C <sub>20-28</sub> , polycyclic, mixed coal-tar pitch-polyethylene-polypropylene pyrolysis-derived;<br>Pyrolysis Products;  | 309-956-6 | 101794-74-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination hydrocarbons obtained from mixed coal tar pitch-polyethylene-polypropylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>28</sub> and having a softening point of 100 °C to 220 °C (212 °F to 428 °F) according to DIN 52025.]   |           |             |                                   |                          |                                |                          |                                 |                                  |                      |
| 648-074-00-9 | Aromatic hydrocarbons, C <sub>20-28</sub> , polycyclic, mixed coal-tar pitch-polyethylene pyrolysis-derived; Pyrolysis Products; [A complex combination of hydrocarbons obtained from mixed coal tar pitch-polyethylene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>28</sub> and having a softening point of 100 °C to 220 °C (212 °F to 428 °F) according to DIN 52025.] | 309-957-1 | 101794-75-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-075-00-4 | Aromatic hydrocarbons, C <sub>20-28</sub> , polycyclic, mixed coal-tar pitch-polystyrene pyrolysis-derived;<br>Pyrolysis Products;<br>[A complex combination of hydrocarbons obtained from mixed coal tar pitch-polystyrene pyrolysis. Composed primarily of polycyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>28</sub> and having a softening point of 100 °C to 220 °C (212 °F to 428 °F) according to DIN 52025.] | 309-958-7 | 101794-76-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-076-00-X | Pitch, coal tar-petroleum;<br>Pitch Residues;<br>[The residue from the distillation of a mixture of coal tar and aromatic petroleum streams. A solid with a softening point from 40 °C to 180 °C (140 °F to 356 °F). Composed primarily of a complex combination of three or more membered condensed ring aromatic hydrocarbons.]  | 269-109-0 | 68187-57-5  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-077-00-5 | Phenanthrene, distn. residues; Heavy Anthracene Oil Redistillate;<br>[Residue from the distillation of crude phenanthrene boiling in the approximate range of 340 °C to 420 °C (644 °F to 788 °F). It consists predominantly of phenanthrene, anthracene and carbazole.] | 310-169-5 | 122070-78-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-078-00-0 | Distillates (coal tar), upper, fluorene-free;<br>Wash Oil Redistillate;<br>[A complex combination of hydrocarbons obtained by the crystallization of tar oil. It consists of aromatic polycyclic hydrocarbons, primarily diphenyl, dibenzofuran and acenaphthene.]       | 284-899-7 | 84989-10-6  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-079-00-6 | Anthracene oil;<br>Anthracene oil;<br>[A complex combination of polycyclic aromatic hydrocarbons obtained from coal tar having an approximate distillation range of 300 °C to 400 °C (572 °F to 752 °F). Composed primarily of phenanthrene, anthracene and carbazole.]  | 292-602-7 | 90640-80-5  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-080-00-1 | Residues (coal tar), creosote oil distn.;<br>Wash Oil Redistillate;<br>[The residue from the fractional distillation of wash oil boiling in the approximate range of 270 °C to 330 °C (518 °F to 626 °F). It consists predominantly of dinuclear aromatic and heterocyclic hydrocarbons.] | 295-506-3 | 92061-93-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-081-00-7 | Tar, coal;<br>Coal tar;<br>[The by-product from the destructive distillation of coal. Almost black semisolid. A complex combination of aromatic hydro-carbons, phenolic compounds, nitrogen bases and thiophene.]   | 232-361-7 | 8007-45-2  | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀      |
| 648-082-00-2 | Tar, coal, high-temp.;<br>Coal tar;<br>[The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in the high temperature (greater than 700 °C (1292 °F)) destructive distillation of coal. A black viscous liquid denser than water.]          | 266-024-0 | 65996-89-6 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀      |

▼ B



▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
|              | Composed primarily of a complex mixture of condensed ring aromatic hydrocarbons. May contain minor amounts of phenolic compounds and aromatic nitrogen bases.]  |           |            |                                   |                          |                                |                          |                                 |                                  |                       |
| 648-083-00-8 | Tar, coal, low-temp.;<br>Coal oil;<br>[The condensation product obtained by cooling, to approximately ambient temperature, the gas evolved in low temperature (less than 700 °C (1292 °F)) destructive distillation of coal. A black viscous liquid denser than water. Composed primarily of condensed ring aromatic hydrocarbons, phenolic compounds, aromatic nitrogen bases, and their alkyl derivatives.] | 266-025-6 | 65996-90-9 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀       |
| 648-084-00-3 | Distillates (coal), coke-oven light oil, naphthalene cut;<br>Naphthalene Oil;<br>[The complex combination of hydrocarbons obtained from prefractionation (continuous distillation) of coke oven light oil. It consists predominantly of naphthalene, coumarone and indene and boils above 148 °C (298 °F).]   | 285-076-5 | 85029-51-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

▼ **M1**

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-085-00-9 | Distillates (coal tar), naphthalene oils;<br>Naphthalene Oil;<br>[A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic and other hydrocarbons, phenolic compounds and aromatic nitrogen compounds and distills in the approximate range of 200 °C to 250 °C (392 °F to 482 °F).]  | 283-484-8 | 84650-04-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-086-00-4 | Distillates (coal tar), naphthalene oils, naphthalene-low;<br>Naphthalene Oil Redistillate;<br>[A complex combination of hydrocarbons obtained by crystallization of naphthalene oil. Composed primarily of naphthalene, alkyl naphthalenes and phenolic compounds.]   | 284-898-1 | 84989-09-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-087-00-X | Distillates (coal tar), naphthalene oil crystn. mother liquor;<br>Naphthalene Oil Redistillate;<br>[A complex combination of organic compounds obtained as a filtrate from the crystallization of the naphthalene fraction from coal tar and boiling in the range of approximately 200 °C to 230 °C (392 °F to 446 °F). Contains chiefly naphthalene, thionaphthene and alkyl naphthalenes.] | 295-310-8 | 91995-49-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-088-00-5 | Extract residues (coal), naphthalene oil, alk.;<br>Naphthalene Oil Extract Residue;<br>[A complex combination of hydrocarbons obtained from the alkali washing of naphthalene oil to remove phenolic compounds (tar acids). It is composed of naphthalene and alkyl naphthalenes.]  | 310-166-9 | 121620-47-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-089-00-0 | Extract residues (coal), naphthalene oil, alk., naphthalene-low;<br>Naphthalene Oil Extract Residue;<br>[A complex combination of hydrocarbons remaining after the removal of naphthalene from alkali-washed naphthalene oil by a crystallization process. It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-167-4 | 121620-48-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-090-00-6 | Distillates (coal tar), naphthalene oils, naphthalene-free, alk. exts.;<br>Naphthalene Oil Extract Residue;<br>[The oil remaining after the removal of phenolic compounds (tar acids) from drained naphthalene oil by an alkali wash. Composed primarily of naphthalene and alkyl naphthalenes.]                            | 292-612-1 | 90640-90-7  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-091-00-1 | Extract residues (coal), naphthalene oil alk., distn. over-heads;<br>Naphthalene Oil Extract Residue;<br>[The distillate from alkali-washed naphthalene oil having an approximate distillation range of 180 °C to 220 °C (356 °F to 428 °F). Composed primarily of naphthalene, alkylbenzenes, indene and indan.]  | 292-627-3 | 90641-04-6  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-092-00-7 | Distillates (coal tar), naphthalene oils, methylnaphthalene fraction;<br>Methylnaphthalene Oil;<br>[A distillate from the fractional distillation of high temperature coal tar. Composed primarily of substituted two ring aromatic hydrocarbons and aromatic nitrogen bases boiling in the range of approximately 225 °C to 255 °C (437 °F to 491 °F).] | 309-985-4 | 101896-27-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-093-00-2 | Distillates (coal tar), naphthalene oils, indole-methylnaphthalene fraction;<br>Methylnaphthalene Oil;<br>[A distillate from the fractional distillation of high temperature coal tar. Composed primarily of indole and methylnaphthalene boiling in the range of approximately 235 °C to 255 °C (455 °F to 491 °F).]                                    | 309-972-3 | 101794-91-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-094-00-8 | Distillates (coal tar), naphthalene oils, acid exts.; Methyl-naphthalene Oil Extract Residue;<br>[A complex combination of hydrocarbons obtained by debasing the methyl-naphthalene fraction obtained by the distillation of coal tar and boiling in the range of approximately 230 °C to 255 °C (446 °F to 491 °F). Contains chiefly 1(2)-methyl-naphthalene, naphthalene, dimethyl-naphthalene and biphenyl.] | 295-309-2 | 91995-48-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-095-00-3 | Extract residues (coal), naphthalene oil alk., distn. residues; Methyl-naphthalene Oil Extract Residue;<br>[The residue from the distillation of alkali-washed naphthalene oil having an approximate distillation range of 220 °C to 300 °C (428 °F to 572 °F). Composed primarily of naphthalene, alkyl-naphthalenes and aromatic nitrogen bases.]   | 292-628-9 | 90641-05-7 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-096-00-9 | Extract oils (coal), acidic, tar-base free; Methyl-naphthalene Oil Extract Residue;   | 284-901-6 | 84989-12-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
|              | [The extract oil boiling in the range of approximately 220 °C to 265 °C (428 °F to 509 °F) from coal tar alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove tar bases. Composed primarily of alkylnaphthalenes.]  |           |             |                                   |                          |                                |                          |                                 |                                  |                       |
| 648-097-00-4 | Distillates (coal tar), benzole fraction, distn. residues;<br>Wash Oil;<br>[A complex combination of hydrocarbons obtained from the distillation of crude benzole (high temperature coal tar). It may be a liquid with the approximate distillation range of 150 °C to 300 °C (302 °F to 572 °F) or a semi-solid or solid with a melting point up to 70 °C (158 °F). It is composed primarily of naphthalene and alkyl naphthalenes.] | 310-165-3 | 121620-46-0 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-098-00-X | Creosote oil, acenaphthene fraction;<br>Wash Oil;   | 292-605-3 | 90640-84-9  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀<br>M  |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons produced by the distillation of coal tar and boiling in the range of approximately 240 °C to 280 °C (464 °F to 536 °F). Composed primarily of acenaphthene, naphthalene and alkyl naphthalene.]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 648-099-00-5 | Creosote oil;<br>[A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists primarily of aromatic hydrocarbons and may contain appreciable quantities of tar acids and tar bases. It distills at the approximate range of 200 °C to 325 °C (392 °F to 617 °F).]   | 263-047-8 | 61789-28-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-100-00-9 | Creosote oil, high-boiling distillate;<br>Wash Oil;<br>[The high-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillates, removed. It is crystal free at approximately 5 °C (41 °F).] | 274-565-9 | 70321-79-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-101-00-4 | Creosote;<br>[The distillate of coal tar produced by the high temperature carbonization of bituminous coal. It consists primarily of aromatic hydrocarbons, tar acids and tar bases.]   | 232-287-5 | 8001-58-9   | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀       |
| 648-102-00-X | Extract residues (coal), creosote oil acid;<br>Wash Oil Extract Residue;<br>[A complex combination of hydrocarbons from the base-freed fraction from the distillation of coal tar, boiling in the range of approximately 250 °C to 280 °C (482 °F to 536 °F). It consists predominantly of biphenyl and isomeric diphenylnaphthalenes.] | 310-189-4 | 122384-77-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u><br>M — ◀  |
| 648-103-00-5 | Anthracene oil, anthracene paste;<br>Anthracene Oil Fraction;<br>[The anthracene-rich solid obtained by the crystallization and centrifuging of anthracene oil. It is composed primarily of anthracene, carbazole and phenanthrene.]  | 292-603-2 | 90640-81-6  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u><br>JM — ◀ |

▼**M1**



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-104-00-0 | Anthracene oil, anthracene-low; Anthracene Oil Fraction;<br>[The oil remaining after the removal, by a crystallization process, of an anthracene-rich solid (anthracene paste) from anthracene oil. It is composed primarily of two, three and four membered aromatic compounds.]  | 292-604-8 | 90640-82-7 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-105-00-6 | Residues (coal tar), anthracene oil distn.; Anthracene Oil Fraction;<br>[The residue from the fraction distillation of crude anthracene boiling in the approximate range of 340 °C to 400 °C (644 °F to 752 °F). It consists predominantly of tri- and polynuclear aromatic and heterocyclic hydrocarbons.]  | 295-505-8 | 92061-92-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-106-00-1 | Anthracene oil, anthracene paste, anthracene fraction; Anthracene Oil Fraction;<br>[A complex combination of hydrocarbons from the distillation of anthracene obtained by the crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of 330 °C to 350 °C (626 °F to 662 °F). It contains chiefly anthracene, carbazole and phenanthrene.] | 295-275-9 | 91995-15-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-107-00-7 | Anthracene oil, anthracene paste, carbazole fraction; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous coal high temperature tar and boiling in the approximate range of 350 °C to 360 °C (662 °F to 680 °F). It contains chiefly anthracene, carbazole and phenanthrene.]     | 295-276-4 | 91995-16-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-108-00-2 | Anthracene oil, anthracene paste, distn. lights; Anthracene Oil Fraction; [A complex combination of hydrocarbons from the distillation of anthracene obtained by crystallization of anthracene oil from bituminous high temperature tar and boiling in the range of approximately 290 °C to 340 °C (554 °F to 644 °F). It contains chiefly trinuclear aromatics and their dihydro derivatives.] | 295-278-5 | 91995-17-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-109-00-8 | Tar oils, coal, low-temp.;<br>Tar Oil, high boiling;<br>[A distillate from low-temperature coal tar. Composed primarily of hydrocarbons, phenolic compounds and aromatic nitrogen bases boiling in the range of approximately 160 °C to 340 °C (320 °F to 644 °F).]  | 309-889-2 | 101316-87-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-110-00-3 | Extract residues (coal), low temp. coal atar alk.;<br>[The residue from low temperature coal tar oils after an alkaline wash, such as aqueous sodium hydroxide, to remove crude coal tar acids. Composed primarily of hydrocarbons and aromatic nitrogen bases.]   | 310-191-5 | 122384-78-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-111-00-9 | Phenols, ammonia liquor ext.;<br>Alkaline Extract;<br>[The combination of phenols extracted, using isobutyl acetate, from the ammonia liquor condensed from the gas evolved in low-temperature (less than 700 °C (1 292 °F)) destructive distillation of coal. It consists predominantly of a reaction mass of monohydric and dihydric phenols.] | 284-881-9 | 84988-93-2  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 648-112-00-4 | Distillates (coal tar), light oils, alk. exts.;<br>Alkaline Extract;<br>[The aqueous extract from carbolic oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.]          | 292-610-0 | 90640-88-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ▶ <u>M2</u> — ◀<br>JM            |       |
| 648-113-00-X | Extracts, coal tar oil alk.;<br>Alkaline Extract;<br>[The extract from coal tar oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.]                                     | 266-017-2 | 65996-83-0 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ▶ <u>M2</u> — ◀<br>JM            |       |
| 648-114-00-5 | Distillates (coal tar), naphthalene oils, alk. exts.;<br>Alkaline Extract;<br>[The aqueous extract from naphthalene oil produced by an alkaline wash such as aqueous sodium hydroxide. Composed primarily of the alkali salts of various phenolic compounds.] | 292-611-6 | 90640-89-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ▶ <u>M2</u> — ◀<br>JM            |       |
| 648-115-00-0 | Extract residues (coal), tar oil alk., carbonated, limed;<br>Crude Phenols;   | 292-629-4 | 90641-06-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ▶ <u>M2</u> — ◀<br>JM            |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
|              | [The product obtained by treatment of coal tar oil alkaline extract with CO <sub>2</sub> and CaO. Composed primarily of CaCO <sub>3</sub> , Ca(OH) <sub>2</sub> , Na <sub>2</sub> CO <sub>3</sub> and other organic and inorganic impurities.]   |           |             |                                   |                          |                                |                          |                                 |                                  |                       |
| 648-116-00-6 | Tar acids, coal, crude;<br>Crude Phenols;<br>[The reaction product obtained by neutralizing coal tar oil alkaline extract with an acidic solution, such as aqueous sulfuric acid, or gaseous carbon dioxide, to obtain the free acids. Composed primarily of tar acids such as phenol, cresols, and xylenols.] | 266-019-3 | 65996-85-2  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-117-00-1 | Tar acids, brown-coal, crude;<br>Crude Phenols;<br>[An acidified alkaline extract of brown coal tar distillate. Composed primarily of phenol and phenol homologs.]   | 309-888-7 | 101316-86-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-118-00-7 | Tar acids, brown-coal gasification;<br>Crude Phenols;<br>[A complex combination of organic compounds obtained from brown coal gasification. Composed primarily of C <sub>6-10</sub> hydroxy aromatic phenols and their homologs.]  | 295-536-7 | 92062-22-1  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 648-119-00-2 | Tar acids, distn. residues; Distillate Phenols;<br>[A residue from the distillation of crude phenol from coal. It consists predominantly of phenols having carbon numbers in the range of C <sub>8</sub> through C <sub>10</sub> with a softening point of 60 °C to 80 °C (140 °F to 176 °F).] | 306-251-5 | 96690-55-0 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ► <b>M2</b> — ◀<br>JM            |       |
| 648-120-00-8 | Tar acids, methylphenol fraction; Distillate Phenols;<br>[The fraction of tar acid rich in 3- and 4-methylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]  | 284-892-9 | 84989-04-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ► <b>M2</b> — ◀<br>JM            |       |
| 648-121-00-3 | Tar acids, polyalkylphenol fraction; Distillate Phenols;<br>[The fraction of tar acids, recovered by distillation of low-temperature coal tar crude tar acids, having an approximate boiling range of 225 °C to 320 °C (437 °F to 608 °F). Composed primarily of polyalkylphenols.]            | 284-893-4 | 84989-05-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ► <b>M2</b> — ◀<br>JM            |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-122-00-9 | Tar acids, xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 2,4- and 2,5-dimethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.] | 284-895-5 | 84989-06-0 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-123-00-4 | Tar acids, ethylphenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3- and 4-ethylphenol, recovered by distillation of low-temperature coal tar crude tar acids.]    | 284-891-3 | 84989-03-7 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-124-00-X | Tar acids, 3,5-xylenol fraction; Distillate Phenols; [The fraction of tar acids, rich in 3,5-dimethylphenol, recovered by distillation of low-temperature coal tar acids.]                | 284-896-0 | 84989-07-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-125-00-5 | Tar acids, residues, distillates, first-cut; Distillate Phenols; [The residue from the distillation in the range of 235 °C to 355 °C (481 °F to 697 °F) of light carbolic oil.]           | 270-713-1 | 68477-23-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-126-00-0 | Tar acids, cresylic, residues; Distillate Phenols;<br>[The residue from crude coal tar acids after removal of phenol, cresols, xylenols and any higher boiling phenols. A black solid with a melting point approximately 80 °C (176 °F). Composed primarily of polyalkylphenols, resin gums, and inorganic salts.]                              | 271-418-0 | 68555-24-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-127-00-6 | Phenols, C <sub>9-11</sub> ;<br>Distillate Phenols  | 293-435-2 | 91079-47-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-128-00-1 | Tar acids, cresylic;<br>Distillate Phenols;<br>[A complex combination of organic compounds obtained from brown coal and boiling in the range of approximately 200 °C to 230 °C (392 °F to 446 °F). It contains chiefly phenols and pyridine bases.]   | 295-540-9 | 92062-26-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-129-00-7 | Tar acids, brown-coal, C <sub>2</sub> -alkylphenol fraction;<br>Distillate Phenols;<br>[The distillate from the acidification of alkaline washed lignite tar distillate boiling in the range of approximately 200 °C to 230 °C (392 °F to 446 °F). Composed primarily of <i>m</i> - and <i>p</i> -ethylphenol as well as cresols and xylenols.] | 302-662-9 | 94114-29-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-130-00-2 | Extract oils (coal), naphthalene oils;<br>Acid Extract;<br>[The aqueous extract produced by an acidic wash of alkali-washed naphthalene oil. Composed primarily of acid salts of various aromatic nitrogen bases including pyridine, quinoline and their alkyl derivatives.]   | 292-623-1 | 90641-00-2  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-131-00-8 | Tar bases, quinoline derivs.;<br>Distillate Bases  | 271-020-7 | 68513-87-1  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-132-00-3 | Tar bases, coal, quinoline derivs. fraction;<br>Distillate Bases   | 274-560-1 | 70321-67-4  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-133-00-9 | Tar bases, coal, distn. residues;<br>Distillate Bases;<br>[The distillation residue remaining after the distillation of the neutralized, acid-extracted base-containing tar fractions obtained by the distillation of coal tars. It contains chiefly aniline, collidines, quinoline and quinoline derivatives and toluidines.] | 295-544-0 | 92062-29-8  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-134-00-4 | Hydrocarbon oils, arom., mixed with polyethylene and polypropylene, pyrolyzed, light oil fraction;<br>Heat Treatment Products;   | 309-745-9 | 100801-63-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
|              | [The oil obtained from the heat treatment of a polyethylene/polypropylene reaction mass with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 120 °C (158 °F to 248 °F).]   |           |             |                                   |                          |                                |                          |                                 |                                  |                       |
| 648-135-00-X | Hydrocarbon oils, arom., mixed with polyethylene, pyrolyzed, light oil fraction;<br>Heat Treatment Products;<br>[The oil obtained from the heat treatment of polyethylene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of 70 °C to 120 °C (158 °F to 248 °F).]             | 309-748-5 | 100801-65-8 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-136-00-5 | Hydrocarbon oils, arom., mixed with polystyrene, pyrolyzed, light oil fraction;<br>Heat Treatment Products;<br>[The oil obtained from the heat treatment of polystyrene with coal tar pitch or aromatic oils. It consists predominantly of benzene and its homologs boiling in a range of approximately 70 °C to 210 °C (158 °F to 410 °F).] | 309-749-0 | 100801-66-9 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-137-00-0 | Extract residues (coal), tar oil alk., naphthalene distn. residues;<br>Naphthalene Oil Extract Residue;<br>[The residue obtained from chemical oil extracted after the removal of naphthalene by distillation composed primarily of two to four membered condensed ring aromatic hydrocarbons and aromatic nitrogen bases.]   | 277-567-8 | 73665-18-6 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |
| 648-138-00-6 | Creosote oil, low-boiling distillate;<br>Wash Oil;<br>[The low-boiling distillation fraction obtained from the high temperature carbonization of bituminous coal, which is further refined to remove excess crystalline salts. It consists primarily of creosote oil with some of the normal polynuclear aromatic salts, which are components of coal tar distillate, removed. It is crystal free at approximately 38 °C (100 °F).] | 274-566-4 | 70321-80-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M  |
| 648-139-00-1 | Tar acids, cresylic, sodium salts, caustic solns.;<br>Alkaline Extract  | 272-361-4 | 68815-21-4 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>JM |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                 |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                       |
| 648-140-00-7 | Extract oils (coal), tar base; Acid Extract;<br>[The extract from coal tar oil alkaline extract residue produced by an acidic wash such as aqueous sulfuric acid after distillation to remove naphthalene. Composed primarily of the acid salts of various aromatic nitrogen bases including pyridine, quinoline, and their alkyl derivatives.] | 266-020-9 | 65996-86-3 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-141-00-2 | Tar bases, coal, crude; Crude Tar Bases;<br>[The reaction product obtained by neutralizing coal tar base extract oil with an alkaline solution, such as aqueous sodium hydroxide, to obtain the free bases. Composed primarily of such organic bases as acridine, phenanthridine, pyridine, quinoline and their alkyl derivatives.]             | 266-018-8 | 65996-84-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀<br>JM |
| 648-142-00-8 | Residues (coal), liq. solvent extn.;<br>[A cohesive powder composed of coal mineral matter and undissolved coal remaining after extraction of coal by a liquid solvent.]  | 302-681-2 | 94114-46-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀<br>M  |

▼ **B**

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-143-00-3 | Coal liquids, liq. solvent extn. soln.;<br>[The product obtained by filtration of coal mineral matter and undissolved coal from coal extract solution produced by digesting coal in a liquid solvent. A black, viscous, highly complex liquid combination composed primarily of aromatic and partly hydro-genated aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic and other aromatic oxygen compounds and their alkyl derivatives.] | 302-682-8 | 94114-47-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |
| 648-144-00-9 | Coal liquids, liq. solvent extn.;<br>[The substantially solvent-free product obtained by the distillation of the solvent from filtered coal extract solution produced by digesting coal in a liquid solvent. A black semi-solid, composed primarily of a complex combination of condensed-ring aromatic hydrocarbons, aromatic nitrogen compounds, aromatic sulfur compounds, phenolic compounds and other aromatic oxygen compounds, and their alkyl derivatives.]         | 302-683-3 | 94114-48-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>M |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes    |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |          |
| 648-145-00-4 | Tar brown-coal;<br>[An oil distilled from brown-coal tar. Composed primarily of aliphatic, naphthenic and one- to three-ring aromatic hydrocarbons, their alkyl derivatives, heteroaromatics and one- and two-ring phenols boiling in the range of approximately 150 °C to 360 °C (302 °F to 680 °F).]           | 309-885-0 | 101316-83-0 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀  |
| 648-146-00-X | Tar, brown-coal, low-temp.;<br>[A tar obtained from low temperature carbonization and low temperature gasification of brown coal. Composed primarily of aliphatic, naphthenic and cyclic aromatic hydrocarbons, heteroaromatic hydrocarbons and cyclic phenols.]   | 309-886-6 | 101316-84-1 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀  |
| 648-147-00-5 | Light oil (coal), coke-oven;<br>Crude benzole;<br>[The volatile organic liquid extracted from the gas evolved in the high temperature (greater than 700 °C (1 292 °F)) destructive distillation of coal. Composed primarily of benzene, toluene, and xylenes. May contain other minor hydrocarbon constituents.] | 266-012-5 | 65996-78-3  | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ►M2 — ◀J |

## ▼M1

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-148-00-0 | Distillates (coal), liq. solvent extn., primary;<br>[The liquid product of condensation of vapors emitted during the digestion of coal in a liquid solvent and boiling in the range of approximately 30 °C to 300 °C (86 °F to 572 °F). Composed primarily of partly hydrogenated condensed-ring aromatic hydrocarbons, aromatic compounds containing nitrogen, oxygen and sulfur, and their alkyl derivatives having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>14</sub> .]   | 302-688-0 | 94114-52-0 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-149-00-6 | Distillates (coal), solvent extn., hydrocracked;<br>[Distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 300 °C (86 °F to 572 °F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>14</sub> . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-689-6 | 94114-53-1 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 648-150-00-1 | Naphtha (coal), solvent extn., hydrocracked;<br>[Fraction of the distillate obtained by hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 30 °C to 180 °C (86 °F to 356 °F). Composed primarily of aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes with carbon numbers predominantly in the range of C <sub>4</sub> to C <sub>9</sub> . Nitrogen, sulfur and oxygen-containing aromatic and hydrogenated aromatic compounds are also present.] | 302-690-1 | 94114-54-2 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 | ▶ <u>M2</u> — ◀<br>J             |       |
| 648-151-00-7 | Gasoline, coal solvent extn., hydrocracked naphtha;<br>[Motor fuel produced by the reforming of the refined naphtha fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling  | 302-691-7 | 94114-55-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 | ▶ <u>M2</u> — ◀                  |       |

▼ B



▼ **B**

| Index No | International Chemical Identification  | EC No | CAS No | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|----------|--|-------|--------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|          |  |       |        | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|          | in the range of approximately 30 °C to 180 °C (86 °F to 356 °F). Composed primarily of aromatic and naphthenic hydrocarbons, their alkyl derivatives and alkyl hydrocarbons having carbon numbers in the range of C <sub>4</sub> through C <sub>9</sub> .] |       |        |                                   |                          |                                |                          |                                 |                                  |       |

▼ **M1**

|              |   |           |            |                      |              |              |              |  |  |                   |
|--------------|---|-----------|------------|----------------------|--------------|--------------|--------------|--|--|-------------------|
| 648-152-00-2 | Distillates (coal), solvent extn., hydrocracked middle;<br>[Distillate obtained from the hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 300 °C (356 °F to 572 °F). Composed primarily of two-ring aromatic, hydrogenated aromatic and naphthenic compounds, their alkyl derivatives and alkanes having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>14</sub> . Nitrogen, sulfur and oxygen-containing compounds are also present.] | 302-692-2 | 94114-56-4 | Carc. 1B<br>Muta. 1B | H350<br>H340 | GHS08<br>Dgr | H350<br>H340 |  |  | ► <b>M2</b> — ◀ J |
|--------------|---|-----------|------------|----------------------|--------------|--------------|--------------|--|--|-------------------|

▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 648-153-00-8 | Distillates (coal), solvent extn., hydrocracked hydrogenated middle;<br>[Distillate from the hydrogenation of hydrocracked middle distillate from coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 280 °C (356 °F to 536 °F). Composed primarily of hydrogenated two- ring carbon compounds and their alkyl derivatives having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>14</sub> .] | 302-693-8 | 94114-57-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <u>M2</u> — ◀<br>J |
| 648-154-00-3 | Fuels, jet aircraft, coal solvent extn., hydrocracked hydrogenated;<br>[Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356 °F to 473 °F). Composed  | 302-694-3 | 94114-58-6 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀      |

▼ B

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                    |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                          |
|              | primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>12</sub> .]   |           |            |                                   |                          |                                |                          |                                 |                                  |                          |
| 648-155-00-9 | Fuels, diesel, coal solvent extrn., hydrocracked hydrogenated; [Diesel engine fuel produced by the hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 200 °C to 280 °C (392 °F to 536 °F). Composed primarily of hydrogenated two-ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>14</sub> .] | 302-695-9 | 94114-59-7 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀          |
| 648-156-00-4 | Light oil (coal), semi-coking process; Fresh oil; [The volatile organic liquid condensed from the gas evolved in the low-temperature (less than 700 °C (1 292 °F)) destructive distillation of coal. Composed primarily of C <sub>6-10</sub> hydrocarbons.]  | 292-635-7 | 90641-11-5 | Carc. 1B<br>Muta. 1B              | H350<br>H340             | GHS08<br>Dgr                   | H350<br>H340             |                                 |                                  | ► <b>M2</b> — ◀ <b>J</b> |

▼**M1**

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                     |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-001-00-3 | Extracts (petroleum), light naphthenic distillate solvent   | 265-102-1 | 64742-03-6 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-002-00-9 | Extracts (petroleum), heavy paraffinic distillate solvent   | 265-103-7 | 64742-04-7 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-003-00-4 | Extracts (petroleum), light paraffinic distillate solvent   | 265-104-2 | 64742-05-8 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-004-00-X | Extracts (petroleum), heavy naphthenic distillate solvent   | 265-111-0 | 64742-11-6 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-005-00-5 | Extracts (petroleum), light vacuum gas oil solvent  | 295-341-7 | 91995-78-7 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-006-00-0 | hydrocarbons C <sub>26-55</sub> , arom-rich   | 307-753-7 | 97722-04-8 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-007-00-6 | fatty acids, tall-oil, reaction products with iminodiethanol and boric acid   | 400-160-5 | —          | Skin Irrit. 2<br>Aquatic Chronic 2 | H315<br>H411             | GHS07<br>GHS09<br>Wng          | H315<br>H411             |                                 |                                  |                 |
| 649-008-00-1 | Residues (petroleum), atm. tower;<br>Heavy Fuel oil;<br>[A complex residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-045-2 | 64741-45-3 | Carc. 1B                           | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-009-00-7 | Gas oils (petroleum), heavy vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and boiling in the range of approximately 350 °C to 600 °C (662 °F to 1112 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-058-3 | 64741-57-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-010-00-2 | Distillates (petroleum), heavy catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>35</sub> and boiling in the range of approximately 260 °C to 500 °C (500 °F to 932 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]        | 265-063-0 | 64741-61-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-011-00-8 | Clarified oils (petroleum), catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-064-6 | 64741-62-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-012-00-3 | Residues (petroleum), hydrocracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the products of a hydrocracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F).]  | 265-076-1 | 64741-75-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-013-00-9 | Residues (petroleum), thermal cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]                                      | 265-081-9 | 64741-80-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-014-00-4 | Distillates (petroleum), heavy thermal cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>36</sub> and boiling in the range of approximately 260 °C to 480 °C (500 °F to 896 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-082-4 | 64741-81-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-015-00-X | Gas oils (petroleum), hydro-treated vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>50</sub> and boiling in the range of approximately 230 °C to 600 °C (446 °F to 1112 °F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]                              | 265-162-9 | 64742-59-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-016-00-5 | Residues (petroleum), hydrodesulfurized atmospheric tower;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating an atmospheric tower residuum with hydrogen in the presence of a catalyst under conditions primarily to remove organic sulfur compounds. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-181-2 | 64742-78-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes         |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |               |
| 649-017-00-0 | Gas oils (petroleum), hydrodesulfurized heavy vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and boiling in the range of approximately 350 °C to 600 °C (662 °F to 1112 °C). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]  | 265-189-6 | 64742-86-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> ◀ |
| 649-018-00-6 | Residues (petroleum), steam-cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained as the residual fraction from the distillation of the products of a steam cracking process (including steam cracking to produce ethylene). It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly greater than C <sub>14</sub> and boiling above approximately 260 °C (500 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 265-193-8 | 64742-90-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
| 649-019-00-1 | Residues (petroleum), atmospheric;<br>Heavy Fuel oil;<br>[A complex residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>11</sub> and boiling above approximately 200 °C (392 °F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.]   | 269-777-3 | 68333-22-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |
| 649-020-00-7 | Clarified oils (petroleum), hydrodesulfurized catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating catalytic cracked clarified oil with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F). This stream is likely to contain 5 wt. % or more of 4-to 6-membered condensed ring aromatic hydrocarbons.] | 269-782-0 | 68333-26-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-021-00-2 | Distillates (petroleum), hydrodesulfurized intermediate catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating intermediate catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>30</sub> and boiling in the range of approximately 205 °C to 450 °C (401 °F to 842 °F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.] | 269-783-6 | 68333-27-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-022-00-8 | Distillates (petroleum), hydrodesulfurized heavy catalytic cracked;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treatment of heavy catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>35</sub> and   | 269-784-1 | 68333-28-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | boiling in the range of approximately 260 °C to 500 °C (500 °F to 932 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]   |           |            |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-023-00-3 | Fuel oil, residues-straight-run gas oils, high-sulfur;<br>Heavy Fuel oil   | 270-674-0 | 68476-32-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-024-00-9 | Fuel oil, residual;<br>Heavy Fuel oil;<br>[The liquid product from various refinery streams, usually residues. The composition is complex and varies with the source of the crude oil.]  | 270-675-6 | 68476-33-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-025-00-4 | Residues (petroleum), catalytic reformer fractionator residue distn.;<br>Heavy Fuel oil;<br>[A complex residuum from the distillation of catalytic reformer fractionator residue. It boils approximately above 399 °C (750 °F).] | 270-792-2 | 68478-13-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-026-00-X | Residues (petroleum), heavy coker gas oil and vacuum gas oil;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and vacuum gas oil. It predominantly consists of hydrocarbons having carbon numbers predominantly greater than C <sub>13</sub> and boiling above approximately 230 °C (446 °F).] | 270-796-4 | 68478-17-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-027-00-5 | Residues (petroleum), heavy coker and light vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from the distillation of heavy coker gas oil and light vacuum gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C <sub>13</sub> and boiling above approximately 230 °C (446 °F).]     | 270-983-0 | 68512-61-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-028-00-0 | Residues (petroleum), light vacuum;<br>Heavy Fuel oil;   | 270-984-6 | 68512-62-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | [A complex residuum from the vacuum distillation of the residuum from the atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>13</sub> and boiling above approximately 230 °C (446 °F).]   |           |            |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-029-00-6 | Residues (petroleum), steam-cracked light;<br>Heavy Fuel oil;<br>[A complex residuum from the distillation of the products from a steam-cracking process. It consists predominantly of aromatic and unsaturated hydrocarbons having carbon numbers greater than C <sub>7</sub> and boiling in the range of approximately 101 °C to 555 °C (214 °F to 1030 °F).] | 271-013-9 | 68513-69-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-030-00-1 | Fuel oil, No 6;<br>Heavy Fuel oil;<br>[A distillate oil having a minimum viscosity of 900 SUS at 37.7 °C (100 °F) to a maximum of 9000 SUS at 37.7 °C (100 °F).]  | 271-384-7 | 68553-00-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-031-00-7 | Residues (petroleum), topping plant, low-sulfur;<br>Heavy Fuel oil;<br>[A low-sulfur complex combination of hydrocarbons produced as the residual fraction from the topping plant distillation of crude oil. It is the residuum after the straight-run gasoline cut, kerosene cut and gas oil cut have been removed.]                                   | 271-763-7 | 68607-30-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-032-00-2 | Gas oils (petroleum), heavy atmospheric;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>35</sub> and boiling in the range of approximately 121 °C to 510 °C (250 °F to 950 °F).] | 272-184-2 | 68783-08-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-033-00-8 | Residues (petroleum), coker scrubber, Condensed-ring-arom.-contg.;<br>Heavy Fuel oil;   | 272-187-9 | 68783-13-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | [A very complex combination of hydrocarbons produced as the residual fraction from the distillation of vacuum residuum and the products from a thermal cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> and boiling above approximately 350 °C (662 °F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] |           |            |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-034-00-3 | Distillates (petroleum), petroleum residues vacuum; Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from the atmospheric distillation of crude oil.]  | 273-263-4 | 68955-27-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-035-00-9 | Residues (petroleum), steam-cracked, resinous; Heavy Fuel oil;<br>[A complex residuum from the distillation of steam-cracked petroleum residues.]   | 273-272-3 | 68955-36-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-036-00-4 | Distillates (petroleum), intermediate vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum, distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>14</sub> through C <sub>42</sub> and boiling in the range of approximately 250 °C to 545 °C (482 °F to 1013 °F). This stream is likely to contain 5 wt. % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-683-0 | 70592-76-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-037-00-X | Distillates (petroleum), light vacuum;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>35</sub> and boiling in the range of approximately 250 °C to 545 °C (482 °F to 1013 °F).]  | 274-684-6 | 70592-77-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-038-00-5 | Distillates (petroleum), vacuum; Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having numbers predominantly in the range of C <sub>15</sub> through C <sub>50</sub> and boiling in the range of approximately 270 °C to 600 °C (518 °F to 1112 °F). This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 274-685-1 | 70592-78-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-039-00-0 | Gas oils (petroleum), hydrodesulfurized coker heavy vacuum; Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by hydrodesulfurization of heavy coker distillate stocks, It consists predominantly of hydrocarbons having carbon numbers predominantly in the range C <sub>18</sub> to C <sub>44</sub> and boiling in the range of approximately 304 °C to 548 °C (579 °F to 1018 °F). Likely to contain 5 % or more of 4- to 6-membered condensed ring aromatic hydrocarbons.]        | 285-555-9 | 85117-03-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-040-00-6 | Residues (petroleum), steam-cracked, distillates;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained during the production of refined petroleum tar by the distillation of steam cracked tar. It consists predominantly of aromatic and other hydrocarbons and organic sulfur compounds.]                                    | 292-657-7 | 90669-75-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-041-00-1 | Residues (petroleum), vacuum, light;<br>Heavy Fuel oil;<br>[A complex residuum from the vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C <sub>24</sub> and boiling above approximately 390 °C (734 °F).]            | 292-658-2 | 90669-76-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-042-00-7 | Fuel oil, heavy, high-sulfur;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by the distillation of crude petroleum. It consists predominantly of aliphatic, aromatic and cyclo-aliphatic hydrocarbons having carbon numbers predominantly higher than C <sub>25</sub> and boiling above approximately 400 °C (752 °F).] | 295-396-7 | 92045-14-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-043-00-2 | Residues (petroleum), catalytic cracking;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C <sub>11</sub> and boiling above approximately 200 °C (392 °F).]  | 295-511-0 | 92061-97-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-044-00-8 | Distillates (petroleum), intermediate catalytic cracked, thermally degraded;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 220 °C to 450 °C (428 °F to 842 °F). This stream is likely to contain organic sulfur compounds.] | 295-990-6 | 92201-59-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
| 649-045-00-3 | Residual oils (petroleum); Heavy Fuel oil;<br>[A complex combination of hydrocarbons, sulfur compounds and metal-containing organic compounds obtained as the residue from refinery fractionation cracking processes. It produces a finished oil with a viscosity above 2cSt. at 100 °C.]   | 298-754-0 | 93821-66-0  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |
| 649-046-00-9 | Residues, steam cracked, thermally treated;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by the treatment and distillation of raw steam-cracked naphtha. It consists predominantly of unsaturated hydrocarbons boiling in the range above approximately 180 °C (356 °F).]  | 308-733-0 | 98219-64-8  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |
| 649-047-00-4 | Distillates (petroleum), hydrodesulfurized full-range middle;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons obtained by treating a petroleum stock with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>25</sub> and boiling in the range of approximately 150 °C to 400 °C (302 °F to 752 °F).] | 309-863-0 | 101316-57-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-048-00-X | Residues (petroleum), catalytic reformer fractionator;<br>Heavy Fuel oil;<br>[A complex combination of hydrocarbons produced as the residual fraction from distillation of the product from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>25</sub> and boiling in the range of approximately 160 °C to 400 °C (320 °F to 725 °F). This stream is likely to contain 5 wt. % or more of 4- or 6-membered condensed ring aromatic hydrocarbons.] | 265-069-3 | 64741-67-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-049-00-5 | Petroleum;<br>Crude oil;<br>[A complex combination of hydrocarbons, It consists predominantly of aliphatic, alicyclic and aromatic hydrocarbons. It may also contain small amounts of nitrogen, oxygen and sulfur compounds. This category encompasses light, medium, and heavy petroleums, as well as the oils extended from tar sands. Hydrocarbonaceous materials requiring major chemical changes for their recovery   | 232-298-5 | 8002-05-9  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
|              | or conversion to petroleum refinery feedstocks such as crude shale oils; upgraded shale oils and liquid coal fuels are not included in this definition.]  |           |            |                                   |                          |                                |                          |                                 |                                  |         |
| 649-050-00-0 | Distillates (petroleum), light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons normally present in this distillation range of crude oil.] | 265-051-5 | 64741-50-0 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |
| 649-051-00-6 | Distillates (petroleum), heavy paraffinic; Unrefined or mildly refined baseoil;   | 265-052-0 | 64741-51-1 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | [A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated aliphatic hydrocarbons.]  |           |            |                                   |                          |                                |                          |                                 |                                  |       |
| 649-052-00-1 | Distillates (petroleum), light naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-053-6 | 64741-52-2 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 ◀ |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-053-00-7 | Distillates (petroleum), heavy naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons produced by vacuum distillation of the residuum from atmospheric distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-054-1 | 64741-53-3 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-054-00-2 | Distillates (petroleum), acid-treated heavy naphthenic;<br>Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]                 | 265-117-3 | 64742-18-3 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-055-00-8 | Distillates (petroleum), acid-treated light naphthenic; Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-118-9 | 64742-19-4 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-056-00-3 | Distillates (petroleum), acid-treated heavy paraffinic; Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil having a viscosity of a least 100 SUS at 100 °F (19cSt at 40 °C).]                               | 265-119-4 | 64742-20-7 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-057-00-9 | Distillates (petroleum), acid-treated light paraffinic; Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil having a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C).]   | 265-121-5 | 64742-21-8 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-058-00-4 | Distillates (petroleum), chemically neutralized heavy paraffinic; Unrefined or mildly refined baseoil;<br>[A complex combination of hydrocarbons obtained from a treating process to remove acidic materials. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of aliphatic hydrocarbons.] | 265-127-8 | 64742-27-4 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes         |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |               |
| 649-059-00-X | Distillates (petroleum), chemically neutralized light paraffinic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity less than 100 SUS at 100 °F (19cSt at 40 °C).]  | 265-128-3 | 64742-28-5 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> ◀ |
| 649-060-00-5 | Distillates (petroleum), chemically neutralized heavy naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-135-1 | 64742-34-3 | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> ◀ |

▼ **B**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-061-00-0 | Distillates (petroleum), chemically neutralized light naphthenic; Unrefined or mildly refined baseoil; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS a 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-136-7 | 64742-35-4 | Carc. 1A  | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-062-00-6 | Gases (petroleum), catalytic cracked naphtha depropanizer overhead, C <sub>3</sub> -rich acid-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked hydrocarbons and treated to remove acidic impurities. It consists of hydrocarbons having carbon numbers in the range of C <sub>2</sub> through C <sub>4</sub> , predominantly C <sub>3</sub> .]  | 270-755-0 | 68477-73-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U             |

▼ **M6**

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-063-00-1 | Gases (petroleum), catalytic cracker;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]   | 270-756-6 | 68477-74-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-064-00-7 | Gases (petroleum), catalytic cracker, C <sub>1-5</sub> -rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>6</sub> , predominantly C <sub>1</sub> through C <sub>5</sub> .]                                 | 270-757-1 | 68477-75-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-065-00-2 | Gases (petroleum), catalytic polymd. naphtha stabilizer overhead, C <sub>2-4</sub> -rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic polymerized naphtha. It consists of aliphatic hydrocarbons having carbon numbers in the range of C <sub>2</sub> through C <sub>6</sub> , predominantly C <sub>2</sub> through C <sub>4</sub> .] | 270-758-7 | 68477-76-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-066-00-8 | Gases (petroleum), catalytic reformer, C <sub>1-4</sub> -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>6</sub> , predominantly C <sub>1</sub> through C <sub>4</sub> .] | 270-760-8 | 68477-79-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-067-00-3 | Gases (petroleum), C <sub>3-5</sub> olefinic-paraffinic alkylation feed; Petroleum gas; [A complex combination of olefinic and paraffinic hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>5</sub> which are used as alkylation feed. Ambient temperatures normally exceed the critical temperature of these combinations.]    | 270-765-5 | 68477-83-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-068-00-9 | Gases (petroleum), C <sub>4</sub> -rich; Petroleum gas; [A complex combination of hydrocarbons produced by distillation of products from a catalytic fractionation process. It consists of aliphatic hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>5</sub> , predominantly C <sub>4</sub> .]                                | 270-767-6 | 68477-85-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-069-00-4 | Gases (petroleum), deethanizer overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced from distillation of the gas and gasoline fractions from the catalytic cracking process. It contains predominantly ethane and ethylene.]   | 270-768-1 | 68477-86-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-070-00-X | Gases (petroleum), deisobutanizer tower overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the atmospheric distillation of a butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>4</sub> .] | 270-769-7 | 68477-87-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-071-00-5 | Gases (petroleum), depropanizer dry, propene-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists predominantly of propylene with some ethane and propane.]                      | 270-772-3 | 68477-90-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |



## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-072-00-0 | Gases (petroleum), depropanizer overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation of products from the gas and gasoline fractions of a catalytic cracking process. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>4</sub> .] | 270-773-9 | 68477-91-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-073-00-6 | Gases (petroleum), gas recovery plant depropanizer overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by fractionation of miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>4</sub> , predominantly propane.]           | 270-777-0 | 68477-94-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-074-00-1 | Gases (petroleum), Girbatol unit feed;<br>Petroleum gas;<br>[A complex combination of hydrocarbons that is used as the feed into the Girbatol unit to remove hydrogen sulfide. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>4</sub> .]                                   | 270-778-6 | 68477-95-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-075-00-7 | Gases (petroleum), isomerized naphtha fractionator, C <sub>4</sub> -rich, hydrogen sulfide-free; Petroleum gas  | 270-782-8 | 68477-99-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-076-00-2 | Tail gas (petroleum), catalytic cracked clarified oil and thermal cracked vacuum residue fractionation reflux drum; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked clarified oil and thermal cracked vacuum residue. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 270-802-5 | 68478-21-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-077-00-8 | Tail gas (petroleum), catalytic cracked naphtha stabilization absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]  | 270-803-0 | 68478-22-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-078-00-3 | Tail gas (petroleum), catalytic cracker, catalytic reformer and hydrodesulfurizer combined fractionater;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation of products from catalytic cracking, catalytic reforming and hydrodesulfurizing processes treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 270-804-6 | 68478-24-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-079-00-9 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of catalytic reformed naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]   | 270-806-7 | 68478-26-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-080-00-4 | Tail gas (petroleum), saturate gas plant mixed stream, C <sub>4</sub> -rich; Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of straight-run naphtha, distillation tail gas and catalytic reformed naphtha stabilizer tail gas. It consists of hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>6</sub> , predominantly butane and isobutane.] | 270-813-5 | 68478-32-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-081-00-X | Tail gas (petroleum), saturate gas recovery plant, C <sub>1-2</sub> -rich; Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of distillate tail gas, straight-run naphtha, catalytic reformed naphtha stabilizer tail gas. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>5</sub> , predominantly methane and ethane.]              | 270-814-0 | 68478-33-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-082-00-5 | Tail gas (petroleum), vacuum residues thermal cracker;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the thermal cracking of vacuum residues. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   | 270-815-6 | 68478-34-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-083-00-0 | Hydrocarbons, C <sub>3-4</sub> -rich, petroleum distillate;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation and condensation of crude oil. It consists of hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>5</sub> , predominantly C <sub>3</sub> through C <sub>4</sub> .] | 270-990-9 | 68512-91-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-084-00-6 | Gases (petroleum), full-range straight-run naphtha dehexanizer off;<br>petroleum gas;<br>[A complex combination of hydrocarbons obtained by the fractionation of the full-range straight-run naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>6</sub> .]                   | 271-000-8 | 68513-15-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-085-00-1 | Gases (petroleum), hydrocracking depropanizer off, hydrocarbon-rich;<br>Petroleum gas;<br>[A complex combination of hydrocarbon produced by the distillation of products from a hydrocracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> . It may also contain small amounts of hydrogen and hydrogen sulfide.] | 271-001-3 | 68513-16-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-086-00-7 | Gases (petroleum), light straight-run naphtha stabilizer off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the stabilization of light straight-run naphtha. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>6</sub> .]   | 271-002-9 | 68513-17-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-087-00-2 | Residues (petroleum), alkylation splitter, C <sub>4</sub> -rich;<br>Petroleum gas;<br>[A complex residuum from the distillation of streams various refinery operations. It consists of hydrocarbons having carbon numbers in the range of C <sub>4</sub> through C <sub>5</sub> , predominantly butane and boiling in the range of approximately – 11.7 °C to 27.8 °C (11 °F to 82 °F).]               | 271-010-2 | 68513-66-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-088-00-8 | Hydrocarbons, C <sub>1-4</sub> ;<br>Petroleum gas;<br>[A complex combination of hydrocarbons provided by thermal cracking and absorber operations and by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> and boiling in the range of approximately minus 164 °C to minus 0.5 °C (– 263 °F to 31 °F).] | 271-032-2 | 68514-31-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-089-00-3 | Hydrocarbons, C <sub>1-4</sub> , sweetened; Petroleum gas;<br>[A complex combination of hydrocarbons obtained by subjecting hydrocarbon gases to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> and boiling in the range of approximately – 164 °C to – 0.5 °C (– 263 °F to 31 °F).] | 271-038-5 | 68514-36-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-090-00-9 | Hydrocarbons, C <sub>1-3</sub> ;<br>Petroleum gas;<br>[A complex combination of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> and boiling in the range of approximately minus 164 °C to minus 42 °C (– 263 °F to – 44 °F).]   | 271-259-7 | 68527-16-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-091-00-4 | Hydrocarbons, C <sub>1-4</sub> , debutanizer fraction;<br>Petroleum gas  | 271-261-8 | 68527-19-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |



## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-092-00-X | Gases (petroleum), C <sub>1-5</sub> , wet; Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil and/or the cracking of tower gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 271-624-0 | 68602-83-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-093-00-5 | Hydrocarbons, C <sub>2-4</sub> ;<br>Petroleum gas  | 271-734-9 | 68606-25-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-094-00-0 | Hydrocarbons, C <sub>3</sub> ;<br>Petroleum gas  | 271-735-4 | 68606-26-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-095-00-6 | Gases (petroleum), alkylation feed;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the catalytic cracking of gas oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>4</sub> .]                                      | 271-737-5 | 68606-27-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-096-00-1 | Gases (petroleum), depropanizer bottoms fractionation off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists predominantly of butane, isobutane and butadiene.]  | 271-742-2 | 68606-34-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-097-00-7 | Gases (petroleum), refinery blend;<br>Petroleum gas;<br>[A complex combination obtained from various processes. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   | 272-183-7 | 68783-07-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-098-00-2 | Gases (petroleum), catalytic cracking;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>5</sub> .] | 272-203-4 | 68783-64-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-099-00-8 | Gases (petroleum), C <sub>2-4</sub> , sweetened;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>4</sub> and boiling in the range of approximately – 51 °C to – 34 °C (– 60 °F to – 30 °F).] | 272-205-5 | 68783-65-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-100-00-1 | Gases (petroleum), crude oil fractionation off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the fractionation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   | 272-871-7 | 68918-99-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-101-00-7 | Gases (petroleum), dehexanizer off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the fractionation of combined naphtha streams. It consists of  | 272-872-2 | 68919-00-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]  |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-102-00-2 | Gases (petroleum), light straight run gasoline fractionation stabilizer off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]                      | 272-878-5 | 68919-05-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-103-00-8 | Gases (petroleum), naphtha unifiner desulfurization stripper off;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by a naphtha unifiner desulfurization process and stripped from the naphtha product. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 272-879-0 | 68919-06-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-104-00-3 | Gases (petroleum), straight-run naphtha catalytic reforming off; Petroleum gas;<br>[A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and fractionation of the total effluent. It consists of methane, ethane, and propane.]  | 272-882-7 | 68919-09-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-105-00-9 | Gases (petroleum), fluidized catalytic cracker splitter overheads; Petroleum gas;<br>[A complex combination of hydrocarbons produced by the fractionation of the charge to the C <sub>3</sub> -C <sub>4</sub> splitter. It consists predominantly of C <sub>3</sub> hydrocarbons.]  | 272-893-7 | 68919-20-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-106-00-4 | Gases (petroleum), straight-run stabilizer off; Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation of the liquid from the first tower used in the distillation of crude oil. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 272-883-2 | 68919-10-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-107-00-X | Gases (petroleum), catalytic cracked naphtha debutanizer; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation of catalytic cracked naphtha. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]   | 273-169-3 | 68952-76-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-108-00-5 | Tail gas (petroleum), catalytic cracked distillate and naphtha stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained by the fractionation of catalytic cracked naphtha and distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 273-170-9 | 68952-77-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-109-00-0 | Tail gas (petroleum), thermal-cracked distillate, gas oil and naphtha absorber; petroleum gas; [A complex combination of hydrocarbons obtained from the separation of thermal-cracked distillates, naphtha and   | 273-175-6 | 68952-81-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-110-00-6 | Tail gas (petroleum), thermal cracked hydrocarbon fractionation stabilizer, petroleum coking;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the fractionation stabilization of thermal cracked hydrocarbons from petroleum coking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 273-176-1 | 68952-82-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-111-00-1 | Gases (petroleum, light steam-cracked, butadiene conc.;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists of hydrocarbons having a carbon number predominantly of C <sub>4</sub> .]   | 273-265-5 | 68955-28-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-112-00-7 | Gases (petroleum), straight-run naphtha catalytic reformer stabilizer overhead; Petroleum gas; [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha and the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>4</sub> .] | 273-270-2 | 68955-34-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-113-00-2 | Hydrocarbons, C <sub>4</sub> ; Petroleum gas  | 289-339-5 | 87741-01-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-114-00-8 | Alkanes, C <sub>1-4</sub> , C <sub>3</sub> -rich; Petroleum gas   | 292-456-4 | 90622-55-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-115-00-3 | Gases (petroleum), steam-cracker C <sub>3</sub> -rich; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of products from a steam cracking process. It consists predominantly of propylene with some propane and boils in the range of approximately - 70 °C to 0 °C (- 94 °F to 32 °F).]  | 295-404-9 | 92045-22-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |



## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-116-00-9 | Hydrocarbons, C <sub>4</sub> , steam-cracker distillate; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of the products of a steam cracking process. It consists predominantly of hydrocarbons having a carbon number of C <sub>4</sub> , predominantly 1-butene and 2-butene, containing also butane and isobutene and boiling in the range of approximately minus 12 °C to 5 °C (10.4 °F to 41 °F).] | 295-405-4 | 92045-23-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-117-00-4 | Petroleum gases, liquefied, sweetened, C <sub>4</sub> fraction; Petroleum gas; [A complex combination of hydrocarbons obtained by subjecting a liquified petroleum gas mix to a sweetening process to oxidize mercaptans or to remove acidic impurities. It consists predominantly of C <sub>4</sub> saturated and unsaturated hydrocarbons.]  | 295-463-0 | 92045-80-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K S U |
| 649-118-00-X | Hydrocarbons, C <sub>4</sub> , 1,3-butadiene- and isobutene-free; Petroleum gas  | 306-004-1 | 95465-89-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-119-00-5 | Raffinates (petroleum), steam-cracked C <sub>4</sub> fraction cuprous ammonium acetate extn., C <sub>3-5</sub> and C <sub>3-5</sub> unsatd., butadiene-free; Petroleum gas   | 307-769-4 | 97722-19-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-120-00-0 | Gases (petroleum), amine system feed;<br>Refinery gas;<br>[The feed gas to the amine system for removal of hydrogen sulfide. It consists of hydrogen. Carbon monoxide, carbon dioxide, hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> may also be present.] | 270-746-1 | 68477-65-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-121-00-6 | Gases (petroleum), benzene unit hydrodesulfurizer off;<br>Refinery gas;<br>[Off gases produced by the benzene unit. It consists primarily of hydrogen. Carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> , including benzene, may also be present.]                       | 270-747-7 | 68477-66-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-122-00-1 | Gases (petroleum), benzene unit recycle, hydrogen-rich;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained by recycling the gases of the  | 270-748-2 | 68477-67-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | benzene unit. It consists primarily of hydrogen with various small amounts of carbon monoxide and hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>6</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-123-00-7 | Gases (petroleum), blend oil, hydrogen-nitrogen-rich; Refinery gas; [A complex combination of hydrocarbons obtained by distillation of a blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide, and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 270-749-8 | 68477-68-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-124-00-2 | Gases (petroleum), catalytic reformed naphtha stripper overheads; Refinery gas; [A complex combination of hydrocarbons obtained from stabilization of catalytic reformed naphtha. Its consists of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]  | 270-759-2 | 68477-77-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-125-00-8 | Gases (petroleum), C <sub>6-8</sub> catalytic reformer recycle; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C <sub>6</sub> -C <sub>8</sub> feed and recycled to conserve hydrogen. It consists primarily of hydrogen. It may also contain various small amounts of carbon monoxide, carbon dioxide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 270-761-3 | 68477-80-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-126-00-3 | Gases (petroleum), C <sub>6-8</sub> catalytic reformer; Refinery gas; [A complex combination of hydrocarbons produced by distillation of products from catalytic reforming of C <sub>6</sub> -C <sub>8</sub> feed. It consists of hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>5</sub> and hydrogen.]   | 270-762-9 | 68477-81-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-127-00-9 | Gases (petroleum), C <sub>6-8</sub> catalytic reformer recycle, hydrogen-rich; Refinery gas   | 270-763-4 | 68477-82-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-128-00-4 | Gases (petroleum), C <sub>2</sub> -return stream;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained by the extraction of hydrogen from a gas stream which consists primarily of hydrogen with small amounts of nitrogen, carbon monoxide, methane, ethane, and ethylene. It contains predominantly hydrocarbons such as methane, ethane, and ethylene with small amounts of hydrogen, nitrogen and carbon monoxide.] | 270-766-0 | 68477-84-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-129-00-X | Gases (petroleum), dry sour, gas-concn.-unit-off;<br>Refinery gas;<br>[The complex combination of dry gases from a gas concentration unit. It consists of hydrogen, hydrogen sulfide and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> .]   | 270-774-4 | 68477-92-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-130-00-5 | Gases (petroleum), gas concn. reabsorber distn.;<br>Refinery gas;<br>[A complex combination of hydrocarbons produced by distillation of products from combined gas streams in a gas concentration reabsorber. It   | 270-776-5 | 68477-93-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | consists predominantly of hydrogen, carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide and hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>3</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-131-00-0 | Gases (petroleum), hydrogen absorber off;<br>Refinery gas;<br>[A complex combination obtained by absorbing hydrogen from a hydrogen rich stream. It consists of hydrogen, carbon monoxide, nitrogen, and methane with small amounts of C <sub>2</sub> hydrocarbons.]      | 270-779-1 | 68477-96-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-132-00-6 | Gases (petroleum), hydrogen-rich;<br>Refinery gas;<br>[A complex combination separated as a gas from hydrocarbon gases by chilling. It consists primarily of hydrogen with various small amounts of carbon monoxide, nitrogen, methane, and C <sub>2</sub> hydrocarbons.] | 270-780-7 | 68477-97-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-133-00-1 | Gases (petroleum), hydrotreater blend oil recycle, hydrogen-nitrogen-rich;<br>Refinery gas;<br>[A complex combination obtained from recycled hydro-treated blend oil. It consists primarily of hydrogen and nitrogen with various small amounts of carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 270-781-2 | 68477-98-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-134-00-7 | Gases (petroleum), recycle, hydrogen-rich;<br>Refinery gas;<br>[A complex combination obtained from recycled reactor gases. It consists primarily of hydrogen with various small amounts of carbon monoxide, carbon dioxide, nitrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>5</sub> .]                     | 270-783-3 | 68478-00-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-135-00-2 | Gases (petroleum), reformer make-up, hydrogen-rich;<br>Refinery gas;<br>[A complex combination obtained from the reformers. It consists primarily of hydrogen with various small amounts of  | 270-784-9 | 68478-01-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-136-00-8 | Gases (petroleum), reforming hydrotreater;<br>Refinery gas;<br>[A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen, methane, and ethane with various small amounts of hydrogen sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>5</sub> .]  | 270-785-4 | 68478-02-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-137-00-3 | Gases (petroleum), reforming hydrotreater, hydrogen-methane-rich;<br>Refinery gas;<br>[A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen and methane with various small amounts of carbon monoxide, carbon dioxide, nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>5</sub> .] | 270-787-5 | 68478-03-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |



## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-138-00-9 | Gases (petroleum), reforming hydrotreater make-up, hydrogen-rich; Refinery gas; [A complex combination obtained from the reforming hydrotreating process. It consists primarily of hydrogen with various small amounts of carbon monoxide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 270-788-0 | 68478-04-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-139-00-4 | Gases (petroleum), thermal cracking distn.; Refinery gas; [A complex combination produced by distillation of products from a thermal cracking process. It consists of hydrogen, hydrogen sulfide, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]                   | 270-789-6 | 68478-05-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-140-00-X | Tail gas (petroleum), catalytic cracker refractionation absorber; Refinery gas; [A complex combination of hydrocarbons obtained from refractionation of products from a catalytic cracking  | 270-805-1 | 68478-25-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | process. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-141-00-5 | Tail gas (petroleum), catalytic reformed naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the catalytic reforming of straight run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]  | 270-807-2 | 68478-27-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-142-00-0 | Tail gas (petroleum), catalytic reformed naphtha stabilizer; Refinery gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic reformed naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 270-808-8 | 68478-28-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-143-00-6 | Tail gas (petroleum), cracked distillate hydrotreater separator; Refinery gas; [A complex combination of hydrocarbons obtained by treating cracked distillates with hydrogen in the presence of a  | 270-809-3 | 68478-29-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | catalyst. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]  |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-144-00-1 | Tail gas (petroleum), hydrodesulfurized straight-run naphtha separator;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from hydrodesulfurization of straight-run naphtha. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 270-810-9 | 68478-30-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-145-00-7 | Gases (petroleum), catalytic reformed straight-run naphtha stabilizer overheads;<br>Refinery gas;<br>[A complex combination of hydrocarbons obtained from the catalytic reforming of straight-run naphtha followed by fractionation of the total effluent. It consists of hydrogen, methane, ethane and propane.]  | 270-999-8 | 68513-14-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-146-00-2 | Gases (petroleum), reformer effluent high-pressure flash drum off;<br>Refinery gas;<br>[A complex combination produced by the high-pressure  | 271-003-4 | 68513-18-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]  |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-147-00-8 | Gases (petroleum), reformer effluent low-pressure flash drum off;<br>Refinery gas;<br>[A complex combination produced by low-pressure flashing of the effluent from the reforming reactor. It consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]  | 271-005-5 | 68513-19-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-148-00-3 | Gases (petroleum), oil refinery gas distn. off;<br>Refinery gas;<br>[A complex combination separated by distillation of a gas stream containing hydrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>6</sub> or obtained by cracking ethane and propane. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>2</sub> , hydrogen, nitrogen, and carbon monoxide.] | 271-258-1 | 68527-15-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-149-00-9 | Gases (petroleum), benzene unit hydrotreater depentanizer overheads;<br>Refinery gas;<br>[A complex combination produced by treating the feed from the benzene unit with hydrogen in the presence of a catalyst followed by depentanizing. It consists primarily of hydrogen, ethane and propane with various small amounts of nitrogen, carbon monoxide, carbon dioxide and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> . It may contain trace amounts of benzene.] | 271-623-5 | 68602-82-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-150-00-4 | Gases (petroleum), secondary absorber off, fluidized catalytic cracker overheads fractionator;<br>Refinery gas;<br>[A complex combination produced by the fractionation of the overhead products from the catalytic cracking process in the fluidized catalytic cracker. It consists of hydrogen, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> .]   | 271-625-6 | 68602-84-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-151-00-X | Petroleum products, refinery gases;<br>Refinery gas;<br>[A complex combination which consists primarily of hydrogen with various small amounts of methane, ethane, and propane.]   | 271-750-6 | 68607-11-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-152-00-5 | Gases (petroleum), hydrocracking low-pressure separator;<br>Refinery gas;<br>[A complex combination obtained by the liquid-vapor separation of the hydrocracking process reactor effluent. It consists predominantly of hydrogen and saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> .] | 272-182-1 | 68783-06-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-153-00-0 | Gases (petroleum), refinery;<br>Refinery gas;<br>[A complex combination obtained from various petroleum refining operations. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> .]   | 272-338-9 | 68814-67-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-154-00-6 | Gases (petroleum), platformer products separator off; Refinery gas; [A complex combination obtained from the chemical reforming of naphthenes to aromatics. It consists of hydrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>4</sub> .]  | 272-343-6 | 68814-90-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-155-00-1 | Gases (petroleum), hydrotreated sour kerosine depentanizer stabilizer off; Refinery gas; [The complex combination obtained from the depentanizer stabilization of hydrotreated kerosine. It consists primarily of hydrogen, methane, ethane, and propane with various small amounts of nitrogen, hydrogen sulfide, carbon monoxide and hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>5</sub> .] | 272-775-5 | 68911-58-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-156-00-7 | Gases (petroleum), hydrotreated sour kerosine flash drum; Refinery gas; [A complex combination obtained from the flash drum of the unit treating sour kerosine with hydrogen in the presence of a catalyst. It consists primarily of hydrogen  | 272-776-0 | 68911-59-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | and methane with various small amounts of nitrogen, carbon monoxide, and hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>5</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-157-00-2 | Gases (petroleum), distillate unrefined desulfurization stripper off;<br>Refinery gas;<br>[A complex combination stripped from the liquid product of the unrefined desulfurization process. It consists of hydrogen sulfide, methane, ethane, and propane.]  | 272-873-8 | 68919-01-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-158-00-8 | Gases (petroleum), fluidized catalytic cracker fractionation off;<br>Refinery gas;<br>[A complex combination produced by the fractionation of the overhead product of the fluidized catalytic cracking process. It consists of hydrogen, hydrogen sulfide, nitrogen, and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 272-874-3 | 68919-02-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |



## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-159-00-3 | Gases (petroleum), fluidized catalytic cracker scrubbing secondary absorber off; Refinery gas; [A complex combination produced by scrubbing the overhead gas from the fluidized catalytic cracker. It consists of hydrogen, nitrogen, methane, ethane and propane.]   | 272-875-9 | 68919-03-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-160-00-9 | Gases (petroleum), heavy distillate hydrotreater desulfurization stripper off; Refinery gas; [A complex combination stripped from the liquid product of the heavy distillate hydrotreater desulfurization process. It consists of hydrogen, hydrogen sulfide, and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 272-876-4 | 68919-04-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-161-00-4 | Gases (petroleum), platformer stabilizer off, light ends fractionation; Refinery gas; [A complex combination obtained by the fractionation of the light ends of the platinum reactors of the platformer unit. It consists of hydrogen, methane, ethane and propane.]  | 272-880-6 | 68919-07-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-162-00-X | Gases (petroleum), preflash tower off, crude distn.; Refinery gas; [A complex combination produced from the first tower used in the distillation of crude oil. It consists of nitrogen and saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 272-881-1 | 68919-08-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-163-00-5 | Gases (petroleum), tar stripper off; Refinery gas; [A complex combination obtained by the fractionation of reduced crude oil. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]  | 272-884-8 | 68919-11-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-164-00-0 | Gases (petroleum), unifier stripper off; Refinery gas; [A combination of hydrogen and methane obtained by fractionation of the products from the unifier unit.]  | 272-885-3 | 68919-12-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-165-00-6 | Tail gas (petroleum), catalytic hydrodesulfurized naphtha separator; Refinery gas; [A complex combination of hydrocarbons obtained from the  | 273-173-5 | 68952-79-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | hydrodesulfurization of naphtha. It consists of hydrogen, methane, ethane, and propane.]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-166-00-1 | Tail gas (petroleum), straight-run naphtha hydrodesulfurizer; Refinery gas; [A complex combination obtained from the hydrodesulfurization of straight-run naphtha. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   | 273-174-0 | 68952-80-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-167-00-7 | Gases (petroleum), sponge absorber off, fluidized catalytic cracker and gas oil desulfurizer overhead fractionation; Refinery gas; [A complex combination obtained by the fractionation of products from the fluidized catalytic cracker and gas oil desulfurizer. It consists of hydrogen and hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 273-269-7 | 68955-33-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-168-00-2 | Gases (petroleum), crude distn. and catalytic cracking; Refinery gas; [A complex combination produced by crude distillation and catalytic cracking processes. It consists of hydrogen, hydrogen sulfide,   | 273-563-5 | 68989-88-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | nitrogen, carbon monoxide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-169-00-8 | Gases (petroleum), gas oil diethanolamine scrubber off; Refinery gas; [A complex combination produced by desulfurization of gas oils with diethanolamine. It consists predominantly of hydrogen sulfide, hydrogen and aliphatic hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>5</sub> .] | 295-397-2 | 92045-15-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-170-00-3 | Gases (petroleum), gas oil hydrodesulfurization effluent; Refinery gas; [A complex combination obtained by separation of the liquid phase from the effluent from the hydrogenation reaction. It consists predominantly of hydrogen, hydrogen  | 295-398-8 | 92045-16-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | sulfide and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>3</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-171-00-9 | Gases (petroleum), gas oil hydrodesulfurization purge; Refinery gas; [A complex combination of gases obtained from the reformer and from the purges from the hydrogenation reactor. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 295-399-3 | 92045-17-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-172-00-4 | Gases (petroleum), hydrogenator effluent flash drum off; Refinery gas; [A complex combination of gases obtained from flash of the effluents after the hydrogenation reaction. It consists predominantly of hydrogen and aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]       | 295-400-7 | 92045-18-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-173-00-X | Gases (petroleum), naphtha steam cracking high-pressure residual;<br>Refinery gas;<br>[A complex combination obtained as a reaction mass of the non-condensable portions from the product of a naphtha steam cracking process as well as residual gases obtained during the preparation of subsequent products. It consists predominantly of hydrogen and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> with which natural gas may also be mixed.] | 295-401-2 | 92045-19-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-174-00-5 | Gases (petroleum), residue visbaking off;<br>Refinery gas;<br>[A complex combination obtained from viscosity reduction of residues in a furnace. It consists predominantly of hydrogen sulfide and paraffinic and olefinic hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]  | 295-402-8 | 92045-20-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                        |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                  |
|--------------|---|-----------|------------|---------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|------------------------|
|              |   |           |            | Hazard Class and Category Code(s)     | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                        |
| 649-175-00-0 | Foot's oil (petroleum), acid-treated;<br>Foot's oil;<br>[A complex combination of hydrocarbons obtained by treatment of Foot's oil with sulfuric acid. It consists predominantly of branched-chain hydrocarbons with carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> .]  | 300-225-7 | 93924-31-3 | Flam. Gas 1<br>Press. Gas<br>Carc. 1B | H220<br>H350<br>H340     | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | ► <u>M2</u> — ◀<br>K U |
| 649-176-00-6 | Foot's oil (petroleum), clay-treated;<br>Foot's oil;<br>[A complex combination of hydrocarbons obtained by treatment of Foot's oil with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of branched chain hydrocarbons with carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> .] | 300-226-2 | 93924-32-4 | Flam. Gas 1<br>Press. Gas<br>Carc. 1B | H220<br>H350<br>H340     | GHS02<br>GHS04<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | ► <u>M2</u> — ◀<br>K U |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-177-00-1 | Gases (petroleum), C <sub>3-4</sub> ;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by distillation of products from the cracking of crude oil. It consists of hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>4</sub> , predominantly of propane and propylene, and boiling in the range of approximately - 51 °C to - 1 °C (- 60 °F to 30 °F.)] | 268-629-5 | 68131-75-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-178-00-7 | Tail gas (petroleum), catalytic cracked distillate and catalytic cracked naphtha fractionation absorber;<br>Petroleum gas;<br>[The complex combination of hydrocarbons from the distillation of the products from catalytic cracked distillates and catalytic cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>4</sub> .]   | 269-617-2 | 68307-98-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-179-00-2 | Tail gas (petroleum), catalytic polymn. naphtha fractionation stabilizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons from the fractionation stabilization products   | 269-618-8 | 68307-99-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼M6



## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | from polymerization of naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>1</sub> through C <sub>4</sub> .]  |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-180-00-8 | Tail gas (petroleum), catalytic reformed naphtha fractionation stabilizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from fractionation stabilization of catalytic reformed naphtha and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 269-619-3 | 68308-00-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-181-00-3 | Tail gas (petroleum), cracked distillate hydrotreater stripper; Petroleum gas; [A complex combination of hydrocarbons obtained by treating thermal cracked  | 269-620-9 | 68308-01-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | distillates with hydrogen in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .]  |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-182-00-9 | Tail gas (petroleum), straight-run distillate hydrodesulfurizer, hydrogen sulfide-free; Petroleum gas; [A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of straight run distillates and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .] | 269-630-3 | 68308-10-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-183-00-4 | Tail gas (petroleum), gas oil catalytic cracking absorber; Petroleum gas; [A complex combination of hydrocarbons obtained from the distillation of products from the catalytic cracking of gas oil. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   | 269-623-5 | 68308-03-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-184-00-X | Tail gas (petroleum), gas recovery plant;<br>Petroleum gas;<br>[A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 269-624-0 | 68308-04-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-185-00-5 | Tail gas (petroleum), gas recovery plant deethanizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons from the distillation of products from miscellaneous hydrocarbon streams. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]   | 269-625-6 | 68308-05-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-186-00-0 | Tail gas (petroleum), hydrodesulfurized distillate and hydrodesulfurized naphtha fractionator, acid-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of hydrodesulfurized naphtha and distillate  | 269-626-1 | 68308-06-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | hydrocarbon streams and treated to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]  |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-187-00-6 | Tail gas (petroleum), hydrodesulfurized vacuum gas oil stripper, hydrogen sulfide-free; Petroleum gas;<br>[A complex combination of hydrocarbons obtained from stripping stabilization of catalytic hydrodesulfurized vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 269-627-7 | 68308-07-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-188-00-1 | Tail gas (petroleum), light straight-run naphtha stabilizer, hydrogen sulfide-free; Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation stabilization of light straight run naphtha and from which hydrogen sulfide has been removed by amine   | 269-629-8 | 68308-09-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-189-00-7 | Tail gas (petroleum), propane-propylene alkylation feed prep deethanizer;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the distillation of the reaction products of propane with propylene. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]   | 269-631-9 | 68308-11-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-190-00-2 | Tail gas (petroleum), vacuum gas oil hydrodesulfurizer, hydrogen sulfide-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from catalytic hydrodesulfurization of vacuum gas oil and from which hydrogen sulfide has been removed by amine treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>6</sub> .] | 269-632-4 | 68308-12-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-191-00-8 | Gases (petroleum), catalytic cracked overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from the catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>5</sub> and boiling in the range of approximately – 48 °C to 32 °C (– 54 °F to 90 °F).] | 270-071-2 | 68409-99-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-193-00-9 | Alkanes, C <sub>1-2</sub> ;<br>Petroleum gas  | 270-651-5 | 68475-57-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-194-00-4 | Alkanes, C <sub>2-3</sub> ;<br>Petroleum gas  | 270-652-0 | 68475-58-1 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-195-00-X | Alkanes, C <sub>3-4</sub> ;<br>petroleum gas  | 270-653-6 | 68475-59-2 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-196-00-5 | Alkanes, C <sub>4-5</sub> ;<br>Petroleum gas  | 270-654-1 | 68475-60-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-197-00-0 | Fuel gases;<br>Petroleum gas;<br>[A combination of light gases.<br>It consists predominantly of<br>hydrogen and/or low molecular<br>weight hydrocarbons.]   | 270-667-2 | 68476-26-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-198-00-6 | Fuel gases, crude oil of distil-<br>lates;<br>Petroleum gas;<br>[A complex combination of<br>light gases produced by distil-<br>lation of crude oil and by<br>catalytic reforming of naphtha.<br>It consists of hydrogen and<br>hydrocarbons having carbon<br>numbers predominantly in the<br>range of C <sub>1</sub> through C <sub>4</sub> and<br>boiling in the range of approxi-<br>mately – 217 °C to – 12 °C<br>(– 423 °F to 10 °F).] | 270-670-9 | 68476-29-9 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-199-00-1 | Hydrocarbons, C <sub>3-4</sub> ;<br>Petroleum gas   | 270-681-9 | 68476-40-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-200-00-5 | Hydrocarbons, C <sub>4-5</sub> ;<br>Petroleum gas   | 270-682-4 | 68476-42-6 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-201-00-0 | Hydrocarbons, C <sub>2-4</sub> , C <sub>3</sub> -rich;<br>Petroleum gas   | 270-689-2 | 68476-49-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-202-00-6 | Petroleum gases, liquefied;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>7</sub> and boiling in the range of approximately – 40 °C to 80 °C - (- 40 °F to 176 °F).] | 270-704-2 | 68476-85-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K S U |
| 649-203-00-1 | Petroleum gases, liquefied, sweetened;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained by subjecting liquefied petroleum gas mix to a sweetening process to convert mercaptans or to remove acidic impurities.   | 270-705-8 | 68476-86-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K S U |



## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>7</sub> and boiling in the range of approximately – 40 °C to 80 °C (– 40 °F to 176 °F).]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-204-00-7 | gases (petroleum), C <sub>3-4</sub> , isobutane-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>6</sub> , predominantly butane and isobutane. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>4</sub> , predominantly isobutane.] | 270-724-1 | 68477-33-8 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-205-00-2 | Distillates (petroleum), C <sub>3-6</sub> , piperylene-rich; Petroleum gas; [A complex combination of hydrocarbons from the distillation of saturated and unsaturated aliphatic hydrocarbons usually ranging in the carbon numbers C <sub>3</sub> through C <sub>6</sub> .   | 270-726-2 | 68477-35-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>6</sub> , predominantly piperlyenes.]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-206-00-8 | Gases (petroleum), butane splitter overheads;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from the distillation of the butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>4</sub> .] | 270-750-3 | 68477-69-0 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-207-00-3 | Gases (petroleum), C <sub>2-3</sub> -;<br>Petroleum gas;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic fractionation process. It contains predominantly ethane, ethylene, propane, and propylene.]  | 270-751-9 | 68477-70-3 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-208-00-9 | Gases (petroleum), catalytic-cracked gas oil depropanizer bottoms, C <sub>4</sub> -rich acid-free;<br>Petroleum gas;<br>[A complex combination of hydrocarbons obtained from fractionation of catalytic cracked gas oil hydrocarbon   | 270-752-4 | 68477-71-4 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼ M6

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|---|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)                 | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | stream and treated to remove hydrogen sulfide and other acidic components. It consists of hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>5</sub> , predominantly C <sub>4</sub> .]   |           |            |   |                          |                                |                          |                                 |                                  |       |
| 649-209-00-4 | Gases (petroleum), catalytic-cracked naphtha debutanizer bottoms, C <sub>3-5</sub> -rich; Petroleum gas; [A complex combination of hydrocarbons obtained from the stabilization of catalytic cracked naphtha. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>5</sub> .] | 270-754-5 | 68477-72-5 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |
| 649-210-00-X | Tail gas (petroleum), isomerized naphtha fractionation stabilizer; Petroleum gas; [A complex combination of hydrocarbons obtained from the fractionation stabilization products from isomerized naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>4</sub> .]  | 269-628-2 | 68308-08-7 | Press. Gas<br>Flam. Gas 1<br>Carc. 1A<br>Muta. 1B | H220<br>H350<br>H340     | GHS04<br>GHS02<br>GHS08<br>Dgr | H220<br>H350<br>H340     |                                 |                                  | K U   |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-211-00-5 | Foots oil (petroleum), carbon-treated;<br>Foots oil;<br>[A complex combination of hydrocarbons obtained by the treatment of Foots oil with activated carbon for the removal of trace constituents and impurities. It consists predominantly of saturated straight chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .]   | 308-126-0 | 97862-76-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-212-00-0 | Distillates (petroleum), sweetened middle;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>20</sub> and boiling in the range of approximately 150 °C to 345 °C (302 °F to 653 °F).] | 265-088-7 | 64741-86-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-213-00-6 | Gas oils (petroleum), solvent-refined;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>25</sub> and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]          | 265-092-9 | 64741-90-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-214-00-1 | Distillates (petroleum), solvent-refined middle;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>20</sub> and boiling in the range of approximately 150 °C to 345 °C (302 °F to 653 °F).] | 265-093-4 | 64741-91-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-215-00-7 | Gas oils (petroleum), acid-treated;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>25</sub> and boiling in the range of approximately 230 °C to 400 °C (446 °F to 752 °F).]           | 265-112-6 | 64742-12-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-216-00-2 | Distillates (petroleum), acid-treated middle;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>20</sub> and boiling in the range of approximately 205 °C to 345 °C (401 °F to 653 °F).] | 265-113-1 | 64742-13-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-217-00-8 | Distillates (petroleum), acid-treated light;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).] | 265-114-7 | 64742-14-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-218-00-3 | Gas oils (petroleum), chemically neutralized;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>25</sub> and boiling in the range of approximately 230 °C to 400 °C (446 °F to 752 °F).]   | 265-129-9 | 64742-29-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-219-00-9 | Distillates (petroleum), chemically neutralized middle; Gasoil — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>20</sub> and boiling in the range of approximately 205 °C to 345 °C (401 °F to 653 °F).]   | 265-130-4 | 64742-30-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-220-00-4 | Distillates (petroleum), clay-treated middle; Gasoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>20</sub> and boiling in the range of approximately 150 °C to 345 °C (302 °F to 653 °F).] | 265-139-3 | 64742-38-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-221-00-X | Distillates (petroleum), hydro-treated middle;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>25</sub> and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]  | 265-148-2 | 64742-46-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-222-00-5 | Gas oils (petroleum), hydrodesulfurized;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>25</sub> and boiling in the range of approximately 230 °C to 400 °C (446 °F to 752 °F).] | 265-182-8 | 64742-79-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-223-00-0 | Distillates (petroleum), hydrodesulfurized middle;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>25</sub> and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).] | 265-183-3 | 64742-80-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-224-00-6 | Fuels, diesel;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>20</sub> and boiling in the range of approximately 163 °C to 357 °C (325 °F to 675 °F).]   | 269-822-7 | 68334-30-5 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-225-00-1 | Fuel oil, No 2;<br>Gasoil — unspecified;<br>[A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100 °F) to a maximum of 37,9 SUS at 37,7 °C (100 °F).]   | 270-671-4 | 68476-30-2 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | ► <u>M2</u> — ◀      |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-226-00-7 | Fuel oil, No 4;<br>Gasoil — unspecified;<br>[A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100 °F) to a maximum of 125 SUS at 37,7 °C (100 °F).]  | 270-673-5 | 68476-31-3 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | ► <u>M2</u> — ◀      |
| 649-227-00-2 | Fuels, diesel, No 2;<br>Gasoil — unspecified;<br>[A distillate oil having a minimum viscosity of 32,6 SUS at 37,7 °C (100 °F).]   | 270-676-1 | 68476-34-6 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | ► <u>M2</u> — ◀      |
| 649-228-00-8 | Distillates (petroleum), catalytic reformer fractionator residue, high-boiling;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 343 °C to 399 °C (650 °F to 750 °F).]         | 270-719-4 | 68477-29-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-229-00-3 | Distillates (petroleum), catalytic reformer fractionator residue, intermediate-boiling;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils in the range of approximately 288 °C to 371 °C (550 °F to 700 °F).] | 270-721-5 | 68477-30-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-230-00-9 | Distillates (petroleum), catalytic reformer fractionator residue, low-boiling;<br>Gasoil — unspecified;<br>[The complex combination of hydrocarbons from the distillation of catalytic reformer fractionator residue. It boils approximately below 288 °C (550 °F).]   | 270-722-0 | 68477-31-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-231-00-4 | Distillates (petroleum), highly refined middle;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained by the subjection of a petroleum fraction to several of the following steps: filtration, centrifugation, atmospheric distillation, vacuum distillation, acidification, neutralization and clay treatment. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>20</sub> .] | 292-615-8 | 90640-93-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-232-00-X | Distillates (petroleum) catalytic reformer, heavy arom. conc.;<br>Gasoil — unspecified;  | 295-294-2 | 91995-34-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | [A complex combination of hydrocarbons obtained from the distillation of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>16</sub> and boiling in the range of approximately 200 °C to 300 °C (392 °F to 572 °F).] |           |            |                                   |                          |                                |                          |                                 |                                  |              |
| 649-233-00-5 | Gas oils, paraffinic;<br>Gasoil — unspecified;<br>[A distillate obtained from the redistillation of a complex combination of hydrocarbons obtained by the distillation of the effluents from a severe catalytic hydrotreatment of paraffins. It boils in the range of approximately 190 °C to 330 °C (374 °F to 594 °F).]                       | 300-227-8 | 93924-33-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-234-00-0 | Naphtha (petroleum), solvent-refined hydrodesulfurized heavy;<br>Gasoil — unspecified   | 307-035-3 | 97488-96-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-235-00-6 | Hydrocarbons, C <sub>16-20</sub> , hydro-treated middle distillate, distn. lights;<br>Gasoil — unspecified;   | 307-659-6 | 97675-85-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes    |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |          |
|              | [A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a middle distillate with hydrogen. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>20</sub> and boiling in the range of approximately 290 °C to 350 °C (554 °F to 662 °F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212 °F).]  |           |            |                                   |                          |                                |                          |                                 |                                  |          |
| 649-236-00-1 | Hydrocarbons, C <sub>12-20</sub> , hydro-treated paraffinic, distn. lights; Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of heavy paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>12</sub> through C <sub>20</sub> and boiling in the range of approximately 230 °C to 350 °C (446 °F to 662 °F). It produces a finished oil having a viscosity of 2cSt at 100 °C (212 °F).] | 307-660-1 | 97675-86-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-237-00-7 | Hydrocarbons, C <sub>11-17</sub> , solvent-extd. light naphthenic;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 2.2 cSt at 40 °C (104 °F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>17</sub> and boiling in the range of approximately 200 °C to 300 °C (392 °F to 572 °F).] | 307-757-9 | 97722-08-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-238-00-2 | Gas oils, hydrotreated;<br>Gasoil — unspecified;<br>[A complex combination of hydrocarbons obtained from the redistillation of the effluents from the treatment of paraffins with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>17</sub> through C <sub>27</sub> and boiling in the range of approximately 330 °C to 340 °C (626 °F to 644 °F).]   | 308-128-1 | 97862-78-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-239-00-8 | Distillates (petroleum), carbon-treated light paraffinic; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of a petroleum oil fraction with activated charcoal for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>12</sub> through C <sub>28</sub> .] | 309-667-5 | 100683-97-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-240-00-3 | Distillates (petroleum), intermediate paraffinic, carbon-treated; Gasoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of petroleum with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>36</sub> .]            | 309-668-0 | 100683-98-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-241-00-9 | Distillates (petroleum), intermediate paraffinic, clay-treated; Gasoil — unspecified;   | 309-669-6 | 100683-99-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by the treatment of petroleum with bleaching earth for the removal of trace polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>36</sub> .]   |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-242-00-4 | Alkanes, C <sub>12-26</sub> -branched and linear  | 292-454-3 | 90622-53-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-243-00-X | Lubricating greases;<br>Grease;<br>[A complex combination of hydrocarbons having carbon numbers predominantly in the range of C <sub>12</sub> through C <sub>50</sub> . May contain organic salts of alkali metals, alkaline earth metals, and/or aluminium compounds.]   | 278-011-7 | 74869-21-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-244-00-5 | Slack wax (petroleum);<br>Slack wax;<br>[A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .] | 265-165-5 | 64742-61-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-245-00-0 | Slack wax (petroleum), acid-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained as a raffinate by treatment of a petroleum slack wax fraction with sulfuric acid treating process. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .]                    | 292-659-8 | 90669-77-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-246-00-6 | Slack wax (petroleum), clay-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treatment of a petroleum slack wax fraction with natural or modified clay in either a contacting or percolation process. It consists predominantly of saturated straight and branched hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .] | 292-660-3 | 90669-78-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-247-00-1 | Slack wax (petroleum), hydro-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treating slack wax with hydrogen in the presence of a   | 295-523-6 | 92062-09-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .]   |           |            |                                   |                          |                                |                          |                                 |                                  |              |
| 649-248-00-7 | Slack wax (petroleum), low-melting;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained from a petroleum fraction by solvent deparaffination. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .]  | 295-524-1 | 92062-10-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-249-00-2 | Slack wax (petroleum), low-melting, hydrotreated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treatment of low-melting petroleum slack wax with hydrogen in the presence of a catalyst. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .] | 295-525-7 | 92062-11-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀N     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-250-00-8 | Slack wax (petroleum), low-melting, carbon-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by the treatment of low-melting slack wax with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .] | 308-155-9 | 97863-04-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-251-00-3 | Slack wax (petroleum), low-melting, clay-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with bentonite for removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .]    | 308-156-4 | 97863-05-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-252-00-9 | Slack wax (petroleum), low-melting, silicic acid-treated;<br>Slack wax;  | 308-158-5 | 97863-06-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | [A complex combination of hydrocarbons obtained by the treatment of low-melting petroleum slack wax with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .] |           |             |                                   |                          |                                |                          |                                 |                                  |              |
| 649-253-00-4 | Slack wax (petroleum), carbon-treated;<br>Slack wax;<br>[A complex combination of hydrocarbons obtained by treatment of petroleum slack wax with activated charcoal for the removal of trace polar constituents and impurities.]  | 309-723-9 | 100684-49-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>N |
| 649-254-00-X | Petrolatum;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained as a semi-solid from dewaxing paraffinic residual oil. It consists predominantly of saturated crystalline and liquid hydrocarbons having carbon numbers predominantly greater than C <sub>25</sub> .]   | 232-373-2 | 8009-03-8   | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀N     |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-255-00-5 | Petrolatum (petroleum), oxidized;<br>Petrolatum;<br>[A complex combination of organic compounds, predominantly high molecular weight carboxylic acids, obtained by the air oxidation of petrolatum.]   | 265-206-7 | 64743-01-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-256-00-0 | Petrolatum (petroleum), alumina-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained when petrolatum is treated with Al <sub>2</sub> O <sub>3</sub> to remove polar components and impurities. It consists predominantly of saturated, crystalline, and liquid hydrocarbons having carbon numbers predominantly greater than C <sub>25</sub> .]  | 285-098-5 | 85029-74-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-257-00-6 | Petrolatum (petroleum), hydro-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained as a semi-solid from dewaxed paraffinic residual oil treated with hydrogen in the presence of a catalyst. It consists predominantly of saturated microcrystalline and liquid hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .] | 295-459-9 | 92045-77-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-258-00-1 | Petrolatum (petroleum), carbon-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with activated carbon for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .]   | 308-149-6 | 97862-97-0  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-259-00-7 | Petrolatum (petroleum), silicic acid-treated;<br>Petrolatum;<br>[A complex combination of hydrocarbons obtained by the treatment of petroleum petrolatum with silicic acid for the removal of trace polar constituents and impurities. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly greater than C <sub>20</sub> .] | 308-150-1 | 97862-98-1  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |
| 649-260-00-2 | Petrolatum (petroleum), clay-treated;<br>Petrolatum;   | 309-706-6 | 100684-33-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>N |

▼**B**

| Index No     | International Chemical Identification   | EC No     | CAS No    | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-----------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |           | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by treatment of petrolatum with bleaching earth for the removal of traces of polar constituents and impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of greater than C <sub>25</sub> .]   |           |           |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-261-00-8 | Gasoline, natural;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons separated from natural gas by processes such as refrigeration or absorption. It consists predominantly of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>8</sub> and boiling in the range of approximately minus 20 °C to 120 °C (-4 °F to 248 °F).] | 232-349-1 | 8006-61-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-262-00-3 | Naphtha;<br>Low boiling point naphtha;<br>[Refined, partly refined, or unrefined petroleum products produced by the distillation of natural gas. It consists of hydrocarbons having carbon numbers  | 232-443-2 | 8030-30-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼**M1**



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | predominantly in the range of C <sub>5</sub> through C <sub>6</sub> and boiling in the range of approximately 100 °C to 200 °C (212 °F to 392 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-263-00-9 | Ligroine;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons obtained by the fractional distillation of petroleum. This fraction boils in a range of approximately 20 °C to 135 °C (58 °F to 275 °F).]   | 232-453-7 | 8032-32-4  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-264-00-4 | Naphtha (petroleum), heavy straight-run;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>12</sub> and boiling in the range of approximately 65 °C to 230 °C (149 °F to 446 °F).] | 265-041-0 | 64741-41-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-265-00-X | Naphtha (petroleum), full-range straight-run;<br>Low boiling point naphtha;   | 265-042-6 | 64741-42-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons produced by distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately –20 °C to 220 °C (–4 °F to 428 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-266-00-5 | Naphtha (petroleum), light straight-run;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced by distillation of crude oil. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>10</sub> and boiling in the range of approximately –20 °C to 180 °C (–4 °F to 356 °F).] | 265-046-8 | 64741-46-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-267-00-0 | Solvent naphtha (petroleum), light aliph.;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon   | 265-192-2 | 64742-89-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | numbers predominantly in the range of C <sub>5</sub> through C <sub>10</sub> and boiling in the range of approximately 35 °C to 160 °C (95 °F to 320 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-268-00-6 | Distillates (petroleum), straight-run light;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>7</sub> and boiling in the range of approximately – 88 °C to 99 °C (– 127 °F to 210 °F).]    | 270-077-5 | 68410-05-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-269-00-1 | Gasoline, vapor-recovery;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons separated from the gases from vapor recovery systems by cooling. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately – 20 °C to 196 °C (– 4 °F to 384 °F).] | 271-025-4 | 68514-15-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-270-00-7 | Gasoline, straight-run, topping-plant;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced from the topping plant by the distillation of crude oil. It boils in the range of approximately 36,1 °C to 193,3 °C (97 °F to 380 °F).]  | 271-727-0 | 68606-11-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-271-00-2 | Naphtha (petroleum), unsweetened;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons produced from the distillation of naphtha streams from various refinery processes. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>12</sub> and boiling in the range of approximately 0 °C to 230 °C (25 °F to 446 °F).] | 272-186-3 | 68783-12-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-272-00-8 | Distillates (petroleum), light straight-run gasoline fractionation stabilizer overheads;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons obtained by the fractionation of light straight-run gasoline. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>6</sub> .]                      | 272-931-2 | 68921-08-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀P     |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-273-00-3 | Naphtha (petroleum), heavy straight run, arom.-contg.;<br>Low boiling point naphtha;<br>[A complex combination of hydrocarbons obtained from a distillation process of crude petroleum. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>8</sub> through C <sub>12</sub> and boiling in the range of approximately 130 °C to 210 °C (266 °F to 410 °F).]   | 309-945-6 | 101631-20-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-274-00-9 | Naphtha (petroleum), full-range alkylate;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>5</sub> . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 90 °C to 220 °C (194 °F to 428 °F).] | 265-066-7 | 64741-64-6  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀P     |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-275-00-4 | Naphtha (petroleum), heavy alkylate;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> to C <sub>5</sub> . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>12</sub> and boiling in the range of approximately 150 °C to 220 °C (302 °F to 428 °F).] | 265-067-2 | 64741-65-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-276-00-X | Naphtha (petroleum), light alkylate;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>5</sub> . It consists of predominantly   | 265-068-8 | 64741-66-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>10</sub> and boiling in the range of approximately 90 °C to 160 °C (194 °F to 320 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-277-00-5 | Naphtha (petroleum), isomerization;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained from catalytic isomerization of straight chain paraffinic C <sub>4</sub> through C <sub>6</sub> hydrocarbons. It consists predominantly of saturated hydrocarbons such as isobutane, isopentane, 2,2-dimethylbutane, 2-methylpentane, and 3-methylpentane.] | 265-073-5 | 64741-70-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-278-00-0 | Naphtha (petroleum), solvent-refined light;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon   | 265-086-6 | 64741-84-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | numbers predominantly in the range of C <sub>5</sub> through C <sub>11</sub> and boiling in the range of approximately 35 °C to 190 °C (95 °F to 374 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-279-00-6 | Naphtha (petroleum), solvent-refined heavy;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 90 °C to 230 °C (194 °F to 446 °F).] | 265-095-5 | 64741-92-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-280-00-1 | Raffinates (petroleum), catalytic reformer ethylene glycol-water countercurrent exts.;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained as the raffinate from the UDEX extraction process on the catalytic reformer stream. It consists of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>9</sub> .]                 | 270-088-5 | 68410-71-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-281-00-7 | Raffinates (petroleum), reformer, Lurgi unit-sepd.; Low boiling point modified naphtha; [The complex combination of hydrocarbons obtained as a raffinate from a Lurgi separation unit. It consists predominantly of non-aromatic hydrocarbons with various small amounts of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>8</sub> .]   | 270-349-3 | 68425-35-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-282-00-2 | Naphtha (petroleum), full-range alkylate, butane-contg.; Low boiling point modified naphtha; [A complex combination of hydrocarbons produced by the distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>5</sub> . It consists of predominantly branched chain saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> with some butanes and boiling in the range of approximately 35 °C to 200 °C (95 °F to 428 °F).] | 271-267-0 | 68527-27-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-283-00-8 | Distillates (petroleum), naphtha steam cracking-derived, solvent-refined light hydro-treated; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained as the raffinates from a solvent extraction process of hydro-treated light distillate from steam-cracked naphtha.]  | 295-315-5 | 91995-53-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-284-00-3 | Naphtha (petroleum), C <sub>4-12</sub> , butane-alkylate, isooctane-rich; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by alkylation of butanes. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>12</sub> , rich in isooctane, and boiling in the range of approximately 35 °C to 210 °C (95 °F to 410 °F).] | 295-430-0 | 92045-49-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-285-00-9 | Hydrocarbons, hydrotreated light naphtha distillates, solvent-refined; Low boiling point modified naphtha;  | 295-436-3 | 92045-55-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A combination of hydrocarbons obtained from the distillation of hydrotreated naphtha followed by a solvent extraction and distillation process. It consists predominantly of saturated hydrocarbons boiling in the range of approximately 94 °C to 99 °C (201 °F to 210 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-286-00-4 | Naphtha (petroleum), isomerization, C <sub>6</sub> -fraction;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of a gasoline which has been catalytically isomerized. It consists predominantly of hexane isomers boiling in the range of approximately 60 °C to 66 °C (140 °F to 151 °F).] | 295-440-5 | 92045-58-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-287-00-X | Hydrocarbons, C <sub>6-7</sub> , naphtha-cracking, solvent-refined;<br>Low boiling point modified naphtha;<br>[A complex combination of hydrocarbons obtained by the sorption of benzene from a catalytically fully hydrogenated benzene-rich hydrocarbon cut that was distillatively obtained from prehydrogenated cracked                          | 295-446-8 | 92045-64-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | naphtha. It consists predominantly of paraffinic and naphthenic hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>7</sub> and boiling in the range of approximately 70 °C to 100 °C (158 °F to 212 °F).]   |           |             |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-288-00-5 | Hydrocarbons, C <sub>6</sub> -rich, hydro-treated light naphtha distillates, solvent-refined; Low boiling point modified naphtha; [A complex combination of hydrocarbons obtained by distillation of hydrotreated naphtha followed by solvent extraction. It consists predominantly of saturated hydrocarbons and boiling in the range of approximately 65 °C to 70 °C (149 °F to 158 °F).] | 309-871-4 | 101316-67-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-289-00-0 | Naphtha (petroleum), heavy catalytic cracked; Low boiling point cat-cracked naphtha; [A complex combination of hydrocarbons produced by a distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>12</sub> and boiling in   | 265-055-7 | 64741-54-4  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | the range of approximately 65 °C to 230 °C (148 °F to 446 °F). It contains a relatively large proportion of unsaturated hydrocarbons.]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-290-00-6 | Naphtha (petroleum), light catalytic cracked;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately -20 °C to 190 °C (-4 °F to 374 °F). It contains a relatively large proportion of unsaturated hydrocarbons.] | 265-056-2 | 64741-55-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-291-00-1 | Hydrocarbons, C <sub>3-11</sub> , catalytic cracker distillates;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillations of products from a catalytic cracking process. It consists of hydrocarbons  | 270-686-6 | 68476-46-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>11</sub> and boiling in a range approximately up to 204 °C (400 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-292-00-7 | Naphtha (petroleum), catalytic cracked light distd.;<br>Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>1</sub> through C <sub>5</sub> .] | 272-185-8 | 68783-09-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-293-00-2 | Distillates (petroleum), naphtha steam cracking-derived, hydro-treated light arom.;<br>Low boiling point cat-cracked naphtha.;<br>[A complex combination of hydrocarbons obtained by treating a light distillate from steam-cracked naphtha. It consists predominantly of aromatic hydrocarbons.]   | 295-311-3 | 91995-50-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀P     |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-294-00-8 | Naphtha (petroleum), heavy catalytic cracked, sweetened; Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons obtained by subjecting a catalytic cracked petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>12</sub> and boiling in the range of approximately 60 °C to 200 °C (140 °F to 392 °F).] | 295-431-6 | 92045-50-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-295-00-3 | Naphtha (petroleum), light catalytic cracked sweetened; Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons obtained by subjecting naphtha from a catalytic cracking process to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons boiling in a range of approximately 35 °C to 210 °C (95 °F to 410 °F).]   | 295-441-0 | 92045-59-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-296-00-9 | Hydrocarbons, C <sub>8-12</sub> , catalytic-cracking, chem. neutralized; Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of a cut from the catalytic cracking process, having undergone an alkaline washing. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>8</sub> through C <sub>12</sub> and boiling in the range of approximately 130 °C to 210 °C (266 °F to 410 °F).] | 295-794-0 | 92128-94-4  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |
| 649-297-00-4 | Hydrocarbons, C <sub>8-12</sub> , catalytic cracker distillates; Low boiling point cat-cracked naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of products from a catalytic cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>12</sub> and boiling in the range of approximately 140 °C to 210 °C (284 °F to 410 °F).]                                    | 309-974-4 | 101794-97-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |



## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-298-00-X | Hydrocarbons, C <sub>8-12</sub> , catalytic cracking, chem. neutralized, sweetened;<br>Low boiling point cat-cracked naphtha  | 309-987-5 | 101896-28-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ▶ <u>M2</u> — ◀<br>P             |       |
| 649-299-00-5 | Naphtha (petroleum), light catalytic reformed;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>11</sub> and boiling in the range of approximately 35 °C to 190 °C (95 °F to 374 °F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.] | 265-065-1 | 64741-63-5  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ▶ <u>M2</u> — ◀<br>P             |       |
| 649-300-00-9 | Naphtha (petroleum), heavy catalytic reformed;<br>Low boiling point cat-reformed naphtha;   | 265-070-9 | 64741-68-0  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ▶ <u>M2</u> — ◀<br>P             |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons produced from the distillation of products from a catalytic reforming process. It consists of predominantly aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 90 °C to 230 °C (194 °F to 446 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-301-00-4 | Distillates (petroleum), catalytic reformed deparaffinizer;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons from the distillation of products from a catalytic reforming process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>6</sub> and boiling in the range of approximately -49 °C to 63 °C (-57 °F to 145 °F).] | 270-660-4 | 68475-79-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-302-00-X | Hydrocarbons, C <sub>2-6</sub> , C <sub>6-8</sub> catalytic reformer;<br>Low boiling point cat-reformed naphtha   | 270-687-1 | 68476-47-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-303-00-5 | Residues (petroleum), C <sub>6-8</sub> catalytic reformer;<br>Low boiling point cat-reformed naphtha;<br>[A complex residuum from the catalytic reforming of C <sub>6-8</sub> feed. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>6</sub> .]  | 270-794-3 | 68478-15-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-304-00-0 | Naphtha (petroleum), light catalytic reformed, arom.-free;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons obtained from distillation of products from a catalytic reforming process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>8</sub> and boiling in the range of approximately 35 °C to 120 °C (95 °F to 248 °F). It contains a relatively large proportion of branched chain hydrocarbons with the aromatic components removed.] | 270-993-5 | 68513-03-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-305-00-6 | Distillates (petroleum), catalytic reformed straight-run naphtha overheads;<br>Low boiling point cat-reformed naphtha;  | 271-008-1 | 68513-63-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by the catalytic reforming of straight-run naphtha followed by the fractionation of the total effluent. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>6</sub> .]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-306-00-1 | Petroleum products, hydrofiner-powerformer reformates; Low boiling point cat-reformed naphtha; [The complex combination of hydrocarbons obtained in a hydrofiner-powerformer process and boiling in a range of approximately 27 °C to 210 °C (80 °F to 410 °F).]   | 271-058-4 | 68514-79-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-307-00-7 | Naphtha (petroleum), full-range reformed; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons produced by the distillation of the products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>12</sub> and boiling in the range of approximately 35 °C to 230 °C (95 °F to 446 °F).] | 272-895-8 | 68919-37-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀P     |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-308-00-2 | Naphtha (petroleum), catalytic reformed;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic reforming process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>12</sub> and boiling in the range of approximately 30 °C to 220 °C (90 °F to 430 °F). It contains a relatively large proportion of aromatic and branched chain hydrocarbons. This stream may contain 10 vol. % or more benzene.] | 273-271-8 | 68955-35-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |
| 649-309-00-8 | Distillates (petroleum), catalytic reformed hydrotreated light, C <sub>8-12</sub> arom. fraction;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of alkylbenzenes obtained by the catalytic reforming of petroleum naphtha. It consists predominantly of alkylbenzenes having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>10</sub> and boiling in the range of approximately 160 °C to 180 °C (320 °F to 356 °F).]   | 285-509-8 | 85116-58-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-310-00-3 | Aromatic hydrocarbons, C <sub>8</sub> , catalytic reforming-derived; Low boiling point cat-reformed naphtha   | 295-279-0 | 91995-18-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-311-00-9 | Aromatic hydrocarbons, C <sub>7-12</sub> , C <sub>8</sub> -rich; Low boiling point cat-reformed naphtha; [A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> (primarily C <sub>8</sub> ) and can contain nonaromatic hydrocarbons, both boiling in the range of approximately 130 °C to 200 °C (266 °F to 392 °F).] | 297-401-8 | 93571-75-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-312-00-4 | Gasoline, C <sub>5-11</sub> , high-octane stabilised reformed; Low boiling point cat-reformed naphtha; [A complex high octane combination of hydrocarbons obtained by the catalytic dehydrogenation of a predominantly naphthenic naphtha. It consists predominantly of aromatics and non-aromatics having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>11</sub> and boiling in the range of approximately 45 °C to 185 °C (113 °F to 365 °F).]   | 297-458-9 | 93572-29-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-313-00-X | Hydrocarbons, C <sub>7-12</sub> , C <sub>≥9</sub> -arom.-rich, reforming heavy fraction;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 120 °C to 210 °C (248 °F to 380 °F) and C <sub>9</sub> and higher aromatic hydrocarbons.] | 297-465-7 | 93572-35-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |
| 649-314-00-5 | Hydrocarbons, C <sub>5-11</sub> , nonaroms.-rich, reforming light fraction;<br>Low boiling point cat-reformed naphtha;<br>[A complex combination of hydrocarbons obtained by separation from the platformate-containing fraction. It consists predominantly of nonaromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>11</sub> and boiling in the range of approximately 35 °C to 125 °C (94 °F to 257 °F), benzene and toluene.]   | 297-466-2 | 93572-36-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-315-00-0 | Foots oil (petroleum), silicic acid-treated;<br>Foots oil;<br>[A complex combination of hydrocarbons obtained by the treatment of Foots oil with silicic acid for removal of trace constituents and impurities. It consists predominantly of straight chain hydrocarbons having carbon numbers predominantly greater than C <sub>12</sub> .]   | 308-127-6 | 97862-77-6 | Carc. 1B                            | H350<br>H304             | GHS08<br>Dgr                   | H350<br>H304             |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-316-00-6 | Naphtha (petroleum), light thermal cracked;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons from distillation of products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>8</sub> and boiling in the range of approximately – 10 °C to 130 °C (14 °F to 266 °F).] | 265-075-6 | 64741-74-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-317-00-1 | Naphtha (petroleum), heavy thermal cracked;<br>Low boiling point thermally cracked naphtha;  | 265-085-0 | 64741-83-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

## ▼M1



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons from distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>12</sub> and boiling in the range of approximately 65 °C to 220 °C (148 °F to 428 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-318-00-7 | Distillates (petroleum), heavy arom.;<br>Low boiling point thermally cracked naphtha;<br>[The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This higher boiling fraction consists predominantly of C <sub>5-7</sub> aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having carbon number predominantly of C <sub>5</sub> . This stream may contain benzene.] | 267-563-4 | 67891-79-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-319-00-2 | Distillates (petroleum), light arom.;<br>Low boiling point thermally cracked naphtha;  | 267-565-5 | 67891-80-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [The complex combination of hydrocarbons from the distillation of the products from the thermal cracking of ethane and propane. This lower boiling fraction consists predominantly of C <sub>5-7</sub> aromatic hydrocarbons with some unsaturated aliphatic hydrocarbons having a carbon number predominantly of C <sub>5</sub> . This stream may contain benzene.]                                   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-320-00-8 | Distillates (petroleum), naphtha-raffinate pyrolyzate-derived, gasoline-blending;<br>Low boiling point thermally cracked naphtha;<br>[The complex combination of hydrocarbons obtained by the pyrolysis fractionation at 816 °C (1 500 °F) of naphtha and raffinate. It consists predominantly of hydrocarbons having a carbon number of C <sub>9</sub> and boiling at approximately 204 °C (400 °F).] | 270-344-6 | 68425-29-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-321-00-3 | Aromatic hydrocarbons, C <sub>6-8</sub> , naphtha-raffinate pyrolyzate-derived;<br>Low boiling point thermally cracked naphtha;  | 270-658-3 | 68475-70-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by the fractionation pyrolysis at 816 °C (1 500 °F) of naphtha and raffinate. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>8</sub> , including benzene.]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-322-00-9 | Distillates (petroleum), thermal cracked naphtha and gas oil; Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons produced by distillation of thermally cracked naphtha and/or gas oil. It consists predominantly of olefinic hydrocarbons having a carbon number of C <sub>5</sub> and boiling in the range of approximately 33 °C to 60 °C (91 °F to 140 °F).] | 271-631-9 | 68603-00-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-323-00-4 | Distillates (petroleum), thermal cracked naphtha and gas oil, C <sub>5</sub> -dimer-contg.; Low boiling point thermally cracked naphtha;  | 271-632-4 | 68603-01-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists predominantly of hydrocarbons having a carbon number of C <sub>5</sub> with some dimerized C <sub>5</sub> olefins and boiling in the range of approximately 33 °C to 184 °C (91 °F to 363 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-324-00-X | Distillates (petroleum), thermal cracked naphtha and gas oil, extractive;<br>Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons produced by the extractive distillation of thermal cracked naphtha and/or gas oil. It consists of paraffinic and olefinic hydrocarbons, predominantly isoamylenes such as 2-methyl-1-butene and 2-methyl-2-butene and boiling in the range of approximately 31 °C to 40 °C (88 °F to 104 °F).] | 271-634-5 | 68603-03-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-325-00-5 | Distillates (petroleum), light thermal cracked, debutanized arom.;<br>Low boiling point thermally cracked naphtha;   | 273-266-0 | 68955-29-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons produced by the distillation of products from a thermal cracking process. It consists predominantly of aromatic hydrocarbons, primarily benzene.]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-326-00-0 | Naphtha (petroleum), light thermal cracked, sweetened; Low boiling point thermally cracked naphtha;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate from the high temperature thermal cracking of heavy oil fractions to a sweetening process to convert mercaptans. It consists predominantly of aromatics, olefins and saturated hydrocarbons boiling in the range of approximately 20 °C to 100 °C (68 °F to 212 °F).] | 295-447-3 | 92045-65-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-327-00-6 | Naphtha (petroleum), hydro-treated heavy; Low boiling point hydrogen treated naphtha;   | 265-150-3 | 64742-48-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>13</sub> and boiling in the range of approximately 65 °C to 230 °C (149 °F to 446 °F).]   |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-328-00-1 | Naphtha (petroleum), hydro-treated light;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately minus 20 °C to 190 °C (- 4 °F to 374 °F).] | 265-151-9 | 64742-49-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-329-00-7 | Naphtha (petroleum), hydrodesulfurized light;<br>Low boiling point hydrogen treated naphtha;  | 265-178-6 | 64742-73-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ M1

| Index No                    | International Chemical Identification   | EC No     | CAS No     | Classification                                   |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes                |
|-----------------------------|---|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|----------------------|
|                             |   |           |            | Hazard Class and Category Code(s)                | Hazard statement Code(s)                              | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                              | Suppl. Hazard statement Code(s) |                                  |                      |
|                             | [A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately -20 °C to 190 °C (-4 °F to 374 °F).]  |           |            |  |   |                                |   |                                 |                                  |                      |
| ▼ <u>M7</u><br>649-330-00-2 | naphtha (petroleum), hydrodesulphurized heavy;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 90 °C to 230 °C (194 °F to 446 °F).] | 265-185-4 | 64742-82-1 | Carc. 1B<br>Muta. 1B<br>STOT RE 1<br>Asp. Tox. 1 | H350<br>H340<br>H372 (central nervous system)<br>H304 | GHS08<br>Dgr                   | H350<br>H340<br>H372 (central nervous system)<br>H304 |                                 |                                  | P                    |
| ▼ <u>M1</u><br>649-331-00-8 | Distillates (petroleum), hydro-treated middle, intermediate boiling;<br>Low boiling point hydrogen treated naphtha;   | 270-092-7 | 68410-96-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1              | H350<br>H340<br>H304                                  | GHS08<br>Dgr                   | H350<br>H340<br>H304                                  |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes             |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                   |
|              | [A complex combination of hydrocarbons obtained by the distillation of products from a middle distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>10</sub> and boiling in the range of approximately 127 °C to 188 °C (262 °F to 370 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                   |
| 649-332-00-3 | Distillates (petroleum), light distillate hydrotreating process, low-boiling;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by the distillation of products from the light distillate hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>9</sub> and boiling in the range of approximately 3 °C to 194 °C (37 °F to 382 °F).] | 270-093-2 | 68410-97-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀ P |



▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-333-00-9 | Distillates (petroleum), hydro-treated heavy naphtha, deisohexanizer overheads;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by distillation of the products from a heavy naphtha hydrotreating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>6</sub> and boiling in the range of approximately -49 °C to 68 °C (-57 °F to 155 °F).]    | 270-094-8 | 68410-98-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-334-00-4 | Solvent naphtha (petroleum), light arom., hydrotreated;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>10</sub> and boiling in the range of approximately 135 °C to 210 °C (275 °F to 410 °F).] | 270-988-8 | 68512-78-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-335-00-X | Naphtha (petroleum), hydrodesulfurized thermal cracked light; Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by fractionation of hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> to C <sub>11</sub> and boiling in the range of approximately 23 °C to 195 °C (73 °F to 383 °F).] | 285-511-9 | 85116-60-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-336-00-5 | Naphtha (petroleum), hydro-treated light, cycloalkane-contg.; Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from the distillation of a petroleum fraction. It consists predominantly of alkanes and cycloalkanes boiling in the range of approximately -20 °C to 190 °C (-4 °F to 374 °F).]   | 285-512-4 | 85116-61-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-337-00-0 | Naphtha (petroleum), heavy steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha   | 295-432-1 | 92045-51-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀P     |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-338-00-6 | Naphtha (petroleum), hydrodesulfurized full-range;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained from a catalytic hydrodesulfurization process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately 30 °C to 250 °C (86 °F to 482 °F).]  | 295-433-7 | 92045-52-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-339-00-1 | Naphtha (petroleum), hydro-treated light steam-cracked;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction, derived from a pyrolysis process, with hydrogen in the presence of a catalyst. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>11</sub> and boiling in the range of approximately 35 °C to 190 °C (95 °F to 374 °F).] | 295-438-4 | 92045-57-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀P                 |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-340-00-7 | Hydrocarbons, C <sub>4-12</sub> , naphtha-cracking, hydrotreated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by distillation from the product of a naphtha steam cracking process and subsequent catalytic selective hydrogenation of gum formers. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>12</sub> and boiling in the range of approximately 30 °C to 230 °C (86 °F to 446 °F).] | 295-443-1 | 92045-61-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-341-00-2 | Solvent naphtha (petroleum), hydrotreated light naphthenic; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists predominantly of cycloparaffinic hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>7</sub> and boiling in the range of approximately 73 °C to 85 °C (163 °F to 185 °F).]                                  | 295-529-9 | 92062-15-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀P     |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-342-00-8 | Naphtha (petroleum), light steam-cracked, hydrogenated; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons produced from the separation and subsequent hydrogenation of the products of a steam-cracking process to produce ethylene. It consists predominantly of saturated and unsaturated paraffins, cyclic paraffins and cyclic aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>10</sub> and boiling in the range of approximately 50 °C to 200 °C (122 °F to 392 °F). The proportion of benzene hydrocarbons may vary up to 30 wt. % and the stream may also contain small amounts of sulfur and oxygenated compounds.] | 296-942-7 | 93165-55-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-343-00-3 | Hydrocarbons, C <sub>6-11</sub> , hydro-treated, dearomatized; Low boiling point hydrogen treated naphtha; [A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]  | 297-852-0 | 93763-33-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ M1

| Index No                    | International Chemical Identification  | EC No     | CAS No     | Classification                                       |   | Labelling                      |   |                                 | Specific Conc. Limits, M-factors | Notes                |
|-----------------------------|--|-----------|------------|--|---|--------------------------------|---|---------------------------------|----------------------------------|----------------------|
|                             |  |           |            | Hazard Class and Category Code(s)                    | Hazard statement Code(s)                                  | Pictogram, Signal Word Code(s) | Hazard statement Code(s)                                  | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-344-00-9                | Hydrocarbons, C <sub>9-12</sub> , hydro-treated, dearomatized;<br>Low boiling point hydrogen treated naphtha;<br>[A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.]  | 297-853-6 | 93763-34-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1                  | H350<br>H340<br>H304                                      | GHS08<br>Dgr                   | H350<br>H340<br>H304                                      |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| ▼ <u>M7</u><br>649-345-00-4 | stoddard solvent;<br>Low boiling point naphtha — unspecified;<br>[A colourless, refined petroleum distillate that is free from rancid or objectionable odours and that boils in a range of approximately 148,8 °C to 204,4 °C (300 °F to 400 °F).]   | 232-489-3 | 8052-41-3  | Carc. 1B<br>Muta. 1B<br>STOT RE 1<br><br>Asp. Tox. 1 | H350<br>H340<br>H372 (central nervous system)<br><br>H304 | GHS08<br>Dgr                   | H350<br>H340<br>H372 (central nervous system)<br><br>H304 |                                 |                                  | P                    |
| ▼ <u>M1</u><br>649-346-00-X | Natural gas condensates (petroleum);<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons separated as a liquid from natural gas in a surface separator by retrograde condensation. It consists mainly of hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> to C <sub>20</sub> . It is a liquid at atmospheric temperature and pressure.] | 265-047-3 | 64741-47-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1                  | H350<br>H340<br>H304                                      | GHS08<br>Dgr                   | H350<br>H340<br>H304                                      |                                 |                                  | ► <u>M2</u> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-347-00-5 | Natural gas (petroleum), raw liq. mix;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons separated as a liquid from natural gas in a gas recycling plant by processes such as refrigeration or absorption. It consists mainly of saturated aliphatic hydrocarbons having carbon numbers in the range of C <sub>2</sub> through C <sub>8</sub> .]                                      | 265-048-9 | 64741-48-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-348-00-0 | Naphtha (petroleum), light hydrocracked;<br>Low boiling naphtha - unspecified;<br>[A complex combination of hydrocarbons from distillation of the products from a hydro-cracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>10</sub> , and boiling in the range of approximately -20 °C to 180 °C (-4 °F to 356 °F).] | 265-071-4 | 64741-69-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-349-00-6 | Naphtha (petroleum), heavy hydrocracked;<br>Low boiling point naphtha - unspecified;  | 265-079-8 | 64741-78-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons from distillation of the products from a hydro-cracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>12</sub> , and boiling in the range of approximately 65 °C to 230 °C (148 °F to 446 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-350-00-1 | Naphtha (petroleum), sweetened;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>12</sub> and boiling in the range of approximately -10 °C to 230 °C (14 °F to 446 °F).] | 265-089-2 | 64741-87-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-351-00-7 | Naphtha (petroleum), acid-treated;<br>Low boiling point naphtha - unspecified;   | 265-115-2 | 64742-15-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |



▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained as a raffinate from a sulfuric acid treating process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 90 °C to 230 °C (194 °F to 446 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-352-00-2 | Naphtha (petroleum), chemically neutralized heavy; Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>12</sub> and boiling in the range of approximately 65 °C to 230 °C (149 °F to 446 °F).] | 265-122-0 | 64742-22-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-353-00-8 | Naphtha (petroleum), chemically neutralized light; Low boiling point naphtha - unspecified;  | 265-123-6 | 64742-23-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately –20 °C to 190 °C (–4 °F to 374 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-354-00-3 | Naphtha (petroleum), catalytic dewaxed;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from the catalytic dewaxing of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>12</sub> and boiling in the range of approximately 35 °C to 230 °C (95 °F to 446 °F).] | 265-170-2 | 64742-66-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-355-00-9 | Naphtha (petroleum), light steam-cracked;<br>Low boiling point naphtha - unspecified;  | 265-187-5 | 64742-83-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately minus 20 °C to 190 °C (-4 °F to 374 °F). This stream is likely to contain 10 vol. % or more benzene.] |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-356-00-4 | Solvent naphtha (petroleum), light arom.;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>10</sub> and boiling in the range of approximately 135 °C to 210 °C (275 °F to 410 °F).]       | 265-199-0 | 64742-95-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-357-00-X | Aromatic hydrocarbons, C <sub>6-10</sub> , acid-treated, neutralized;<br>Low boiling point naphtha - unspecified  | 268-618-5 | 68131-49-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-358-00-5 | Distillates (petroleum), C <sub>3-5</sub> , 2-methyl-2-butene-rich;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons from the distillation of hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>5</sub> , predominantly isopentane and 3-methyl-1-butene. It consists of saturated and unsaturated hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>5</sub> , predominantly 2-methyl-2-butene.] | 270-725-7 | 68477-34-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-359-00-0 | Distillates (petroleum), polymd. steam-cracked petroleum distillates, C <sub>5-12</sub> fraction;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from the distillation of polymerized steam-cracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>12</sub> .]  | 270-735-1 | 68477-50-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀P                 |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-360-00-6 | Distillates (petroleum), steam-cracked, C <sub>5-12</sub> fraction; Low boiling point naphtha - unspecified; [A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>12</sub> .]   | 270-736-7 | 68477-53-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-361-00-1 | Distillates (petroleum), steam-cracked, C <sub>5-10</sub> fraction, mixed with light steam-cracked petroleum naphtha C <sub>5</sub> fraction; Low boiling point naphtha - unspecified  | 270-738-8 | 68477-55-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-362-00-7 | Extracts (petroleum), cold-acid, C <sub>4-6</sub> ; Low boiling point naphtha - unspecified; [A complex combination of organic compounds produced by cold acid unit extraction of saturated and unsaturated aliphatic hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>6</sub> , predominantly pentanes and amylenes. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers in the range of C <sub>4</sub> through C <sub>6</sub> , predominantly C <sub>5</sub> .] | 270-741-4 | 68477-61-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-363-00-2 | Distillates (petroleum), depentanizer overheads;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from a catalytic cracked gas stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>6</sub> .] | 270-771-8 | 68477-89-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-364-00-8 | Residues (petroleum), butane splitter bottoms;<br>Low boiling point naphtha - unspecified;<br>[A complex residuum from the distillation of butane stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>6</sub> .]                            | 270-791-7 | 68478-12-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | P                    |
| 649-365-00-3 | Residual oils (petroleum), deisobutanizer tower;<br>Low boiling point naphtha - unspecified;<br>[A complex residuum from the atmospheric distillation of the butane-butylene stream. It consists of aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>6</sub> .] | 270-795-9 | 68478-16-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M6**▼ **M1**

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-366-00-9 | Naphtha (petroleum), full-range coker;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons produced by the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>15</sub> and boiling in the range of approximately 43 °C to 250 °C (110 °F-500 °F).]                       | 270-991-4 | 68513-02-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |
| 649-367-00-4 | Naphtha (petroleum), steam-cracked middle arom.;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons produced by the distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 130 °C to 220 °C (266 °F to 428 °F).] | 271-138-9 | 68516-20-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |

## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-368-00-X | Naphtha (petroleum), clay-treated full-range straight-run; Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of full-range straight-run naphtha with natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately -20 °C to 220 °C (-4 °F to 429 °F).] | 271-262-3 | 68527-21-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ▶ <u>M2</u> — ◀<br>P             |       |
| 649-369-00-5 | Naphtha (petroleum), clay-treated light straight-run; Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of light straight-run naphtha with a natural or modified clay, usually in a percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers   | 271-263-9 | 68527-22-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ▶ <u>M2</u> — ◀<br>P             |       |



▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | predominantly in the range of C <sub>7</sub> through C <sub>10</sub> and boiling in the range of approximately 93 °C to 180 °C (200 °F to 356 °F).]  |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-370-00-0 | Naphtha (petroleum), light steam-cracked arom.;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>9</sub> and boiling in the range of approximately 110 °C to 165 °C (230 °F to 329 °F).] | 271-264-4 | 68527-23-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-371-00-6 | Naphtha (petroleum), light steam-cracked, debenzenized;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons produced by distillation of products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>12</sub> and boiling in the range of approximately 80 °C to 218 °C (176 °F to 424 °F).]  | 271-266-5 | 68527-26-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-372-00-1 | Naphtha (petroleum), arom.-contg.;<br>Low boiling point naphtha - unspecified   | 271-635-0 | 68603-08-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-373-00-7 | Gasoline, pyrolysis, debutanizer bottoms;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from the fractionation of depropanizer bottoms. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>5</sub> .]   | 271-726-5 | 68606-10-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-374-00-2 | Naphtha (petroleum), light, sweetened;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of saturated and unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>3</sub> through C <sub>6</sub> and boiling in the range of approximately -20 °C to 100 °C (-4 °F to 212 °F).] | 272-206-0 | 68783-66-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-375-00-8 | Natural gas condensates;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons separated and/or condensed from natural gas during transportation and collected at the wellhead and/or from the production, gathering, transmission, and distribution pipelines in deeps, scrubbers, etc. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>8</sub> .] | 272-896-3 | 68919-39-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-376-00-3 | Distillates (petroleum), naphtha unfiner stripper;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons produced by stripping the products from the naphtha unfiner. It consists of saturated aliphatic hydrocarbons having carbon numbers predominantly in the range of C <sub>2</sub> through C <sub>6</sub> .]  | 272-932-8 | 68921-09-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-377-00-9 | Naphtha (petroleum), catalytic reformed light, arom.-free fraction;<br>Low boiling point naphtha - unspecified;   | 285-510-3 | 85116-59-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons remaining after removal of aromatic compounds from catalytic reformed light naphtha in a selective absorption process. It consists predominantly of paraffinic and cyclic compounds having carbon numbers predominantly in the range of C <sub>5</sub> to C <sub>8</sub> and boiling in the range of approximately 66 °C to 121 °C (151 °F to 250 °F).] |           |            |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-378-00-4 | Gasoline;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than C <sub>3</sub> and boiling in the range of 30 °C to 260 °C (86 °F to 500 °F).]  | 289-220-8 | 86290-81-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-379-00-X | Aromatic hydrocarbons, C <sub>7-8</sub> , dealkylation products, distn. residues;<br>Low boiling point naphtha - unspecified   | 292-698-0 | 90989-42-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

## ▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-380-00-5 | Hydrocarbons, C <sub>4-6</sub> , depentanizer lights, arom. hydro-treater;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the depentanizer column before hydrotreatment of the aromatic charges. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>6</sub> , predominantly pentanes and pentenes, and boiling in the range of approximately 25 °C to 40 °C (77 °F to 104 °F).] | 295-298-4 | 91995-38-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀<br>P             |       |
| 649-381-00-0 | Distillates (petroleum), heat-soaked steam-cracked naphtha, C <sub>5</sub> -rich;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of heat-soaked steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>4</sub> through C <sub>6</sub> , predominantly C <sub>5</sub> .]  | 295-302-4 | 91995-41-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <u>M2</u> — ◀P                 |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-382-00-6 | Extracts (petroleum), catalytic reformed light naphtha solvent; Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained as the extract from the solvent extraction of a catalytically reformed petroleum cut. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>8</sub> and boiling in the range of approximately 100 °C to 200 °C (212 °F to 392 °F).] | 295-331-2 | 91995-68-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-383-00-1 | Naphtha (petroleum), hydrodesulfurized light, dearomatized; Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of hydrodesulfurized and dearomatized light petroleum fractions. It consists predominantly of C <sub>7</sub> paraffins and cycloparaffins boiling in a range of approximately 90 °C to 100 °C (194 °F to 212 °F).]   | 295-434-2 | 92045-53-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-384-00-7 | Naphtha (petroleum), light, C <sub>5</sub> -rich, sweetened;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>5</sub> , predominantly C <sub>5</sub> , and boiling in the range of approximately minus 10 °C to 35 °C (14 °F to 95 °F).] | 295-442-6 | 92045-60-8 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-385-00-2 | Hydrocarbons, C <sub>8-11</sub> , naphtha-cracking, toluene cut;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by distillation from prehydrogenated cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>11</sub> and boiling in the range of approximately 130 °C to 205 °C (266 °F to 401 °F).]   | 295-444-7 | 92045-62-0 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

▼ **M1**

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-386-00-8 | Hydrocarbons, C <sub>4-11</sub> , naphtha-cracking, arom.-free;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from prehydrogenated cracked naphtha after distillative separation of benzene- and toluene-containing hydrocarbon cuts and a higher boiling fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>4</sub> through C <sub>11</sub> and boiling in the range of approximately 30 °C to 205 °C (86 °F to 401 °F).] | 295-445-2 | 92045-63-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-387-00-3 | Naphtha (petroleum), light heat-soaked, steam-cracked;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by the fractionation of steam cracked naphtha after recovery from a heat soaking process. It consists predominantly of hydrocarbons having a carbon number predominantly in the range of C <sub>4</sub> through C <sub>6</sub> and boiling in the range of approximately 0 °C to 80 °C (32 °F to 176 °F).]  | 296-028-8 | 92201-97-3 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |



## ▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-388-00-9 | Distillates (petroleum), C <sub>6</sub> -rich; Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained from the distillation of a petroleum feedstock. It consists predominantly of hydrocarbons having carbon numbers of C <sub>5</sub> through C <sub>7</sub> , rich in C <sub>6</sub> , and boiling in the range of approximately 60 °C to 70 °C (140 °F to 158 °F).]   | 296-903-4 | 93165-19-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-389-00-4 | Gasoline, pyrolysis, hydrogenated;<br>Low boiling point naphtha-unspecified;<br>[A distillation fraction from the hydrogenation of pyrolysis gasoline boiling in the range of approximately 20 °C to 200 °C (68 °F to 392 °F).]  | 302-639-3 | 94114-03-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-390-00-X | Distillates (petroleum), steam-cracked, C <sub>8-12</sub> fraction, polymd., distn. lights;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of the polymerized C <sub>8</sub> through C <sub>12</sub> fraction from steam-cracked petroleum distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>12</sub> .] | 305-750-5 | 95009-23-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-391-00-5 | Extracts (petroleum) heavy naphtha solvent, clay-treated; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained by the treatment of heavy naphthic solvent petroleum extract with bleaching earth. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>10</sub> and boiling in the range of approximately 80 °C to 180 °C (175 °F to 356 °F).]                        | 308-261-5 | 97926-43-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-392-00-0 | Naphtha (petroleum), light steam-cracked, debenzenized, thermally treated; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained by the treatment and distillation of debenzenized light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 95 °C to 200 °C (203 °F to 392 °F).] | 308-713-1 | 98219-46-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 649-393-00-6 | Naphtha (petroleum), light steam-cracked, thermally treated;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by the treatment and distillation of light steam-cracked petroleum naphtha. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>6</sub> and boiling in the range of approximately 35 °C to 80 °C (95 °F to 176 °F).]   | 308-714-7 | 98219-47-7  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |
| 649-394-00-1 | Distillates (petroleum), C <sub>7-9</sub> , C <sub>8</sub> -rich, hydrodesulfurized dearomatized;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by the distillation of petroleum light fraction, hydrodesulfurized and dearomatized. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>7</sub> through C <sub>9</sub> , predominantly C <sub>8</sub> paraffins and cycloparaffins, boiling in the range of approximately 120 °C to 130 °C (248 °F to 266 °F).] | 309-862-5 | 101316-56-7 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 | ► <b>M2</b> — ◀<br>P             |       |

▼ M1

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-395-00-7 | Hydrocarbons, C <sub>6-8</sub> , hydrogenated sorption-dearomatized, toluene raffination; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained during the sorptions of toluene from a hydrocarbon fraction from cracked gasoline treated with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>8</sub> and boiling in the range of approximately 80 °C to 135 °C (176 °F to 275 °F).] | 309-870-9 | 101316-66-9 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-396-00-2 | Naphtha (petroleum), hydrodesulfurised full-range coker; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurised coker distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> to C <sub>11</sub> and boiling in the range of approximately 23 °C to 196 °C (73 °F to 385 °F).]  | 309-879-8 | 101316-76-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-397-00-8 | Naphtha (petroleum), sweetened light;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by subjecting a petroleum naphtha to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>5</sub> through C <sub>8</sub> and boiling in the range of approximately 20 °C to 130 °C (68 °F to 266 °F).] | 309-976-5 | 101795-01-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-398-00-3 | Hydrocarbons, C <sub>3-6</sub> , C <sub>5</sub> -rich, steam-cracked naphtha;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by distillation of steam-cracked naphtha. It consists predominantly of hydrocarbons having carbon numbers in the range of C <sub>3</sub> through C <sub>6</sub> , predominantly C <sub>5</sub> .]   | 310-012-0 | 102110-14-5 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-399-00-9 | Hydrocarbons, C <sub>5</sub> -rich, dicyclopentadiene-contg.;<br>Low boiling point naphtha - unspecified;  | 310-013-6 | 102110-15-6 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by distillation of the products from a steam-cracking process. It consists predominantly of hydrocarbons having carbon numbers of C <sub>5</sub> and dicyclopentadiene and boiling in the range of approximately 30 °C to 170 °C (86 °F to 338 °F).]   |           |             |                                     |                          |                                |                          |                                 |                                  |                      |
| 649-400-00-2 | Residues (petroleum), steam-cracked light, arom.;<br>Low boiling point naphtha - unspecified;<br>[A complex combination of hydrocarbons obtained by the distillation of the products of steam cracking or similar processes after taking off the very light products resulting in a residue starting with hydrocarbons having carbon numbers greater than C <sub>5</sub> . It consists predominantly of aromatic hydrocarbons having carbon numbers greater than C <sub>5</sub> and boiling above approximately 40 °C (104 °F).] | 310-057-6 | 102110-55-4 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀<br>P |
| 649-401-00-8 | Hydrocarbons, C <sub>≥5</sub> , C <sub>5-6</sub> -rich;<br>Low boiling point naphtha - unspecified   | 270-690-8 | 68476-50-6  | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <b>M2</b> — ◀P     |

▼ M1

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                      |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-402-00-3 | Hydrocarbons, C <sub>5</sub> -rich;<br>Low boiling point naphtha - unspecified        | 270-695-5 | 68476-55-1 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |
| 649-403-00-9 | Aromatic hydrocarbons, C <sub>8-10</sub> ;<br>Low boiling point naphtha - unspecified | 292-695-4 | 90989-39-2 | Carc. 1B<br>Muta. 1B<br>Asp. Tox. 1 | H350<br>H340<br>H304     | GHS08<br>Dgr                   | H350<br>H340<br>H304     |                                 |                                  | ► <u>M2</u> — ◀<br>P |

▼ B

|              |   |           |           |             |      |              |      |  |  |                 |
|--------------|---|-----------|-----------|-------------|------|--------------|------|--|--|-----------------|
| 649-404-00-4 | Kerosine (petroleum);<br>Straight run kerosine;<br>[A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of approximately 150 °C to 290 °C (320 °F to 554 °F).] | 232-366-4 | 8008-20-6 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 |  |  | ► <u>M2</u> — ◀ |
|--------------|---|-----------|-----------|-------------|------|--------------|------|--|--|-----------------|

▼ M7

|              |   |           |            |                              |   |                  |   |  |  |  |
|--------------|---|-----------|------------|------------------------------|---|------------------|---|--|--|--|
| 649-405-00-X | solvent naphtha (petroleum), medium aliph.;<br>Straight run kerosine;<br>[A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>12</sub> and boiling in the range of approximately 140 °C to 220 °C (284 °F to 428 °F).] | 265-191-7 | 64742-88-7 | STOT RE 1<br><br>Asp. Tox. 1 | H372 (central nervous system)<br><br>H304 | GHS08<br><br>Dgr | H372 (central nervous system)<br><br>H304 |  |  |  |
|--------------|---|-----------|------------|------------------------------|---|------------------|---|--|--|--|

▼ B

|              |   |           |            |             |      |              |      |  |  |                 |
|--------------|---|-----------|------------|-------------|------|--------------|------|--|--|-----------------|
| 649-406-00-5 | Solvent naphtha (petroleum) heavy aliph.; | 265-200-4 | 64742-96-7 | Asp. Tox. 1 | H304 | GHS08<br>Dgr | H304 |  |  | ► <u>M2</u> — ◀ |
|--------------|---|-----------|------------|-------------|------|--------------|------|--|--|-----------------|

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | Straight run kerosine;<br>[A complex combination of hydrocarbons obtained from the distillation of crude oil or natural gasoline. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>16</sub> and boiling in the range of approximately 190 °C to 290 °C (374 °F to 554 °F).]  |           |            |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-407-00-0 | Kerosine (petroleum), straight-run wide-cut;<br>Straight run kerosine;<br>[A complex combination of hydrocarbons obtained as a wide cut hydrocarbon fuel cut from atmospheric distillation and boiling in the range of approximately 70 °C to 220 °C (158 °F to 428 °F).]  | 295-418-5 | 92045-37-9 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-408-00-6 | Distillates (petroleum), steam-cracked;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by the distillation of the products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>16</sub> and boiling in the range of approximately 90 °C to 290 °C (190 °F to 554 °F).] | 265-194-3 | 64742-91-2 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
| 649-409-00-1 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C <sub>8-10</sub> fraction;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists of hydro-carbons having carbon numbers in the range of C <sub>8</sub> through C <sub>10</sub> and boiling in the range of approximately 129 °C to 194 °C (264 °F to 382 °F).] | 270-728-3 | 68477-39-4 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◄ |
| 649-410-00-7 | Distillates (petroleum), cracked stripped steam-cracked petroleum distillates, C <sub>10-12</sub> fraction;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distilling cracked stripped steam-cracked distillates. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C <sub>10</sub> through C <sub>12</sub> .]  | 270-729-9 | 68477-40-7 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◄ |
| 649-411-00-2 | Distillates (petroleum), steam-cracked, C <sub>8-12</sub> fraction;<br>Cracked kerosine;<br>[A complex combination of organic compounds obtained by the distillation of products from a steam cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>8</sub> through C <sub>12</sub> .]  | 270-737-2 | 68477-54-3 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◄ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-412-00-8 | Kerosine (petroleum), hydrodesulfurized thermal cracked;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate. It consists predominantly of hydrocarbons predominantly in the range of C <sub>8</sub> to C <sub>16</sub> and boiling in the range of approximately 120 °C to 283 °C (284 °F to 541 °F).]   | 285-507-7 | 85116-55-8 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-413-00-3 | Aromatic hydrocarbons, C <sub>≥10</sub> , steam-cracking, hydrotreated;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly greater than C <sub>10</sub> and boiling in the range of approximately 150 °C to 320 °C (302 °F to 608 °F).] | 292-621-0 | 90640-98-5 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-414-00-9 | Naphtha (petroleum), steam-cracked, hydrotreated, C <sub>9-10</sub> -arom.-rich;<br>Cracked kerosine;  | 292-637-8 | 90641-13-7 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
|              | [A complex combination of hydrocarbons produced by the distillation of the products from a steam cracking process thereafter treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers in the range of C <sub>6</sub> through C <sub>10</sub> and boiling in the range of approximately 140 °C to 200 °C (284 °F to 392 °F).] |           |             |                                   |                          |                                |                          |                                 |                                  |       |
| 649-415-00-4 | Distillates (petroleum), thermal-cracked, alkylarom. hydrocarbon-rich;<br>Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distillation of thermal-cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212 °F to 482 °F).]  | 309-866-7 | 101316-61-4 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 ◀ |
| 649-416-00-X | Distillates (petroleum), catalytic cracked heavy tar light;<br>Cracked kerosine;  | 309-938-8 | 101631-13-4 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | [A complex combination of hydrocarbons obtained by distillation of catalytic cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212 °F to 482 °F).]  |           |             |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-417-00-5 | Solvent naphtha (petroleum), hydrocracked heavy arom.; Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by the distillation of hydrocracked petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of approximately 235 °C to 290 °C (455 °F to 554 °F).] | 309-881-9 | 101316-80-7 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-418-00-0 | Distillates (petroleum), steam-cracked heavy tar light; Cracked kerosine;<br>[A complex combination of hydrocarbons obtained by distillation of steam cracking heavy tars. It consists predominantly of highly alkylated aromatic hydrocarbons boiling in the range of approximately 100 °C to 250 °C (212 °F to 482 °F).]   | 309-940-9 | 101631-15-6 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-419-00-6 | Distillates (petroleum), alkylate; Kerosine — unspecified;<br>[A complex combination of hydrocarbons produced by distillation of the reaction products of isobutane with monoolefinic hydrocarbons usually ranging in carbon numbers from C <sub>3</sub> through C <sub>5</sub> . It consists of predominantly branched chain saturated hydro-carbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>17</sub> and boiling in the range of approximately 205 °C to 320 °C (401 °F to 608 °F).] | 265-074-0 | 64741-73-7 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-420-00-1 | Extracts (petroleum), heavy naphtha solvent; Kerosine — unspecified;<br>[A complex combination of hydrocarbons obtained as the extract from a solvent extraction process. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> through C <sub>12</sub> and boiling in the range of approximately 90 °C to 220 °C (194 °F to 428 °F).]  | 265-099-7 | 64741-98-6 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
| 649-421-00-7 | Distillates (petroleum), chemically neutralized light; Kerosine — unspecified; [A complex combination of hydrocarbons produced by a treating process to remove acidic materials. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).]                    | 265-132-5 | 64742-31-0 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |
| 649-422-00-2 | Distillates (petroleum), hydro-treated light; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>16</sub> and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).] | 265-149-8 | 64742-47-8 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |
| 649-423-00-8 | Kerosine (petroleum), hydrodesulfurized; Kerosine — unspecified;   | 265-184-9 | 64742-81-0 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
|              | [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).]                      |           |            |                                   |                          |                                |                          |                                 |                                  |         |
| 649-424-00-3 | Solvent naphtha (petroleum), heavy arom.;<br>Kerosine — unspecified;<br>[A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of approximately 165 °C to 290 °C (330 °F to 554 °F).] | 265-198-5 | 64742-94-5 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |
| 649-425-00-9 | Naphtha (petroleum), heavy coker;<br>Kerosine — unspecified;<br>[A complex combination of hydrocarbons from the distillation of products from a fluid coker. It consists predominantly of unsaturated hydrocarbons   | 269-778-9 | 68333-23-3 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
|              | having carbon numbers predominantly in the range of C <sub>6</sub> through C <sub>15</sub> and boiling in the range of approximately 157 °C to 288 °C (315 °F to 550 °F).]   |           |            |                                   |                          |                                |                          |                                 |                                  |         |
| 649-426-00-4 | Naphtha (petroleum), catalytic reformed hydrodesulfurized heavy, arom. fraction; Kerosine — unspecified; [A complex combination of hydrocarbons produced by fractionation from catalytically reformed hydrodesulfurized naphtha. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>7</sub> to C <sub>13</sub> and boiling in the range of approximately 98 °C to 218 °C (208 °F to 424 °F).] | 285-508-2 | 85116-57-0 | Asp. Tox. 1                       | H304                     | GHS08-<br>Dgr                  | H304                     |                                 |                                  | ►M2 — ◀ |
| 649-427-00-X | Kerosine (petroleum), sweetened; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by subjecting a petroleum distillate to a sweetening process to convert mercaptans or to remove acidic impurities. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>16</sub> and boiling in the range of 130 °C to 290 °C (266 °F to 554 °F).]                       | 294-799-5 | 91770-15-9 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-428-00-5 | Kerosine (petroleum), solvent-refined sweetened;<br>Kerosine — unspecified;<br>[A complex combination of hydrocarbons obtained from a petroleum stock by solvent refining and sweetening and boiling in the range of approximately 150 °C to 260 °C (302 °F to 500 °F).]      | 295-416-4 | 92045-36-8  | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-429-00-0 | Hydrocarbons, C <sub>9-16</sub> , hydro-treated, dearomatized;<br>Kerosine — unspecified;<br>[A complex combination of hydrocarbons obtained as solvents which have been subjected to hydrotreatment in order to convert aromatics to naphthenes by catalytic hydrogenation.] | 297-854-1 | 93763-35-0  | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-430-00-6 | Kerosine (petroleum), solvent-refined hydrodesulfurized;<br>Kerosine — unspecified  | 307-033-2 | 97488-94-3  | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-431-00-1 | Distillates (petroleum), hydrodesulfurized full-range middle coker;<br>Kerosine — unspecified;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized coker distillate. It consists predominantly of hydrocarbons having carbon           | 309-864-6 | 101316-58-9 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
|              | numbers predominantly in the range of C <sub>8</sub> through C <sub>16</sub> and boiling in the range of approximately 120 °C to 283 °C (248 °F to 541 °F).]   |           |             |                                   |                          |                                |                          |                                 |                                  |         |
| 649-432-00-7 | Solvent naphtha (petroleum), hydrodesulfurized heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>13</sub> and boiling in the range of approximately 180 °C to 240 °C (356 °F to 464 °F).] | 309-882-4 | 101316-81-8 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |
| 649-433-00-2 | Solvent naphtha (petroleum), hydrodesulfurized medium; Kerosine — unspecified; [A complex combination of hydrocarbons obtained by the catalytic hydrodesulfurization of a petroleum fraction. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>13</sub> and boiling in the range of approximately 175 °C to 220 °C (347 °F to 428 °F).]      | 309-884-5 | 101316-82-9 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |
| 649-434-00-8 | Kerosine (petroleum), hydro-treated; Kerosine — unspecified;   | 309-944-0 | 101631-19-0 | Asp. Tox. 1                       | H304                     | GHS08<br>Dgr                   | H304                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | [A complex combination of hydrocarbons obtained from the distillation of petroleum and subsequent hydrotreatment. It consists predominantly of alkanes, cycloalkanes and alkylbenzenes having carbon numbers predominantly in the range of C <sub>12</sub> through C <sub>16</sub> and boiling in the range of approximately 230 °C to 270 °C (446 °F to 518 °F).]   |           |            |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-435-00-3 | Distillates (petroleum), light catalytic cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>25</sub> and boiling in the range of approximately 150 °C to 400 °C (302 °F to 752 °F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 265-060-4 | 64741-59-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-436-00-9 | Distillates (petroleum), intermediate catalytic cracked;<br>Cracked gasoil;  | 265-062-5 | 64741-60-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
|              | [A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> through C <sub>30</sub> and boiling in the range of approximately 205 °C to 450 °C (401 °F to 842 °F). It contains a relatively large proportion of tricyclic aromatic hydrocarbons.]   |           |            |                                   |                          |                                |                          |                                 |                                  |                 |
| 649-437-00-4 | Distillates (petroleum), light hydrocracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons from distillation of the products from a hydro-cracking process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>18</sub> and boiling in the range of approximately 160 °C to 320 °C (320 °F to 608 °F).] | 265-078-2 | 64741-77-1 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-438-00-X | Distillates (petroleum), light thermal cracked;<br>Cracked gasoil;   | 265-084-5 | 64741-82-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes         |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |               |
|              | [A complex combination of hydrocarbons from the distillation of the products from a thermal cracking process. It consists predominantly of unsaturated hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>22</sub> and boiling in the range of approximately 160 °C to 370 °C (320 °F to 698 °F).]   |           |            |                                   |                          |                                |                          |                                 |                                  |               |
| 649-439-00-5 | Distillates (petroleum), hydrosulfurized light catalytic cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by treating light catalytic cracked distillates with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>9</sub> through C <sub>25</sub> and boiling in the range of approximately 150 °C to 400 °C (302 °F to 752 °F). It contains a relatively large proportion of bicyclic aromatic hydrocarbons.] | 269-781-5 | 68333-25-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> ◀ |
| 649-440-00-0 | Distillates (petroleum), light steam-cracked naphtha;<br>Cracked gasoil;  | 270-662-5 | 68475-80-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes   |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|---------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |         |
|              | [A complex combination of hydrocarbons from the multiple distillation of products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> through C <sub>18</sub> .]  |           |            |                                   |                          |                                |                          |                                 |                                  |         |
| 649-441-00-6 | Distillates (petroleum), cracked steam-cracked petroleum distillates;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by distilling cracked steam cracked distillate and/or its fractionation products. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>10</sub> to low molecular weight polymers.] | 270-727-8 | 68477-38-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |
| 649-442-00-1 | Gas oils (petroleum), steam-cracked;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons produced by distillation of the products from a steam cracking process. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>9</sub> and boiling in the range of from approximately 205 °C to 400 °C (400 °F to 752 °F).]       | 271-260-2 | 68527-18-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀ |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-443-00-7 | Distillates (petroleum), hydrodesulfurized thermal cracked middle;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by fractionation from hydrodesulfurized thermal cracker distillate stocks. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>11</sub> to C <sub>25</sub> and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).] | 285-505-6 | 85116-53-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-444-00-2 | Gas oils (petroleum), thermal-cracked, hydrodesulfurized;<br>Cracked gasoil  | 295-411-7 | 92045-29-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-445-00-8 | Residues (petroleum), hydrogenated steam-cracked naphtha;<br>Cracked gasoil;<br>[A complex combination of hydrocarbons obtained as a residual fraction from the distillation of hydrotreated steam-cracked naphtha. It consists predominantly of hydrocarbons boiling in the range of approximately 200 °C to 350 °C (32 °F to 662 °F).]   | 295-514-7 | 92062-00-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-446-00-3 | Residues (petroleum), steam-cracked naphtha distn.; Cracked gasoil;<br>[A complex combination of hydrocarbons obtained as a column bottom from the separation of effluents from steam cracking naphtha at a high temperature. It boils in the range of approximately 147 °C to 300 °C (297 °F to 572 °F) and produces a finished oil having a viscosity of 18cSt at 50 °C.]   | 295-517-3 | 92062-04-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-447-00-9 | Distillates (petroleum), light catalytic cracked, thermally degraded; Cracked gasoil;<br>[A complex combination of hydrocarbons produced by the distillation of products from a catalytic cracking process which has been used as a heat transfer fluid. It consists predominantly of hydrocarbons boiling in the range of approximately 190 °C to 340 °C (374 °F to 644 °F). This stream is likely to contain organic sulfur compounds.] | 295-991-1 | 92201-60-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-448-00-4 | Residues (petroleum), steam-cracked heat-soaked naphtha; Cracked gasoil;<br>[A complex combination of hydrocarbons obtained as residue from the distillation of steam cracked heat soaked naphtha and boiling in the range of approximately 150 °C to 350 °C (302 °F to 662 °F).]   | 297-905-8 | 93763-85-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <b>M2</b> — ◀ |
| 649-449-00-X | Hydrocarbons, C <sub>16-20</sub> , solvent-dewaxed hydrocracked paraffinic distn. residue; Cracked gasoil;<br>[A complex combination of hydrocarbons obtained by solvent dewaxing of a distillation residue from a hydrocracked paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>20</sub> and boiling in the range of approximately 360 °C to 500 °C (680 °F to 932 °F). It produces a finished oil having a viscosity of 4,5 cSt at approximately 100 °C (212 °F).] | 307-662-2 | 97675-88-2 | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | ► <b>M2</b> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes           |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-----------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                 |
| 649-450-00-5 | Gas oils (petroleum), light vacuum, thermal-cracked hydrodesulfurized; Cracked gasoil; [A complex combination of hydrocarbons obtained by catalytic dehydrosulfurization of thermal-cracked light vacuum petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>14</sub> through C <sub>20</sub> and boiling in the range of approximately 270 °C to 370 °C (518 °F to 698 °F).] | 308-278-8 | 97926-59-5  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-451-00-0 | Distillates (petroleum), hydrodesulfurized middle coker; Cracked gasoil; [A complex combination of hydrocarbons by fractionation from hydrodesulfurised coker distillate stocks. Is consists of hydro-carbons having carbon numbers predominantly in the range of C <sub>12</sub> through C <sub>21</sub> and boiling in the range of approximately 200 °C to 360 °C (392 °F to 680 °F).]   | 309-865-1 | 101316-59-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |
| 649-452-00-6 | Distillates (petroleum), heavy steam-cracked; Cracked gasoil;   | 309-939-3 | 101631-14-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀ |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by distillation of steam cracking heavy residues. It consists predominantly of highly alkylated heavy aromatic hydrocarbons boiling in the range of approximately 250 °C to 400 °C (482 °F to 752 °F).]   |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-453-00-1 | Distillates (petroleum), heavy hydrocracked;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons from the distillation of the products from a hydrocracking process. It consists predominantly of saturated hydrocarbons having carbon numbers in the range of C <sub>15</sub> -C <sub>39</sub> and boiling in the range of approximately 260 °C to 600 °C (500 °F to 1112 °F).]  | 265-077-7 | 64741-76-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-454-00-7 | Distillates (petroleum), solvent-refined heavy paraffinic;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] | 265-090-8 | 64741-88-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-455-00-2 | Distillates (petroleum), solvent-refined light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C).] | 265-091-3 | 64741-89-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-456-00-8 | Residual oils (petroleum), solvent deasphalted; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the solvent soluble fraction from C <sub>3</sub> -C <sub>4</sub> solvent deasphalting of a residuum. It consists of hydrocarbons having carbon numbers predominantly higher than C <sub>25</sub> and boiling above approximately 400 °C (752 °F).]   | 265-096-0 | 64741-95-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-457-00-3 | Distillates (petroleum), solvent-refined heavy naphthenic; Baseoil — unspecified;  | 265-097-6 | 64741-96-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt a 40 °C). It contains relatively few normal paraffins.]   |           |            |                                   |                          |                                |                          |                                 |                                  |              |
| 649-458-00-9 | Distillates (petroleum), solvent-refined light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-098-1 | 64741-97-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-459-00-4 | Residual oils (petroleum,) solvent-refined; Baseoil — unspecified;  | 265-101-6 | 64742-01-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes    |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |          |
|              | [A complex combination by hydrocarbons obtained as the solvent insoluble fraction from solvent refining of a residuum using a polar organic solvent such as phenol or furfural. It consists of hydrocarbons having carbon numbers predominantly higher than C <sub>25</sub> and boiling above approximately 400 °C (752 °F).]  |           |            |                                   |                          |                                |                          |                                 |                                  |          |
| 649-460-00-X | Distillates (petroleum), clay-treated paraffinic;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-137-2 | 64742-36-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-461-00-5 | Distillates (petroleum), clay-treated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-138-8 | 64742-37-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-462-00-0 | Residual oils (petroleum), clay-treated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of a residual oil with a natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly higher than C <sub>25</sub> and boiling above approximately 400 °C (752 °F).]   | 265-143-5 | 64742-41-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-463-00-6 | Distillates (petroleum), clay-treated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-146-1 | 64742-44-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-464-00-1 | Distillates (petroleum), clay-treated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contacting or percolation process to remove the trace amounts of polar compounds and impurities present. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces   | 265-147-7 | 64742-45-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |



## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-465-00-7 | Distillates (petroleum), hydro-treated heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]                   | 265-155-0 | 64742-52-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-466-00-2 | Distillates (petroleum), hydro-treated light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-156-6 | 64742-53-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀L     |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-467-00-8 | Distillates (petroleum), hydro-treated heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]                   | 265-157-1 | 64742-54-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-468-00-3 | Distillates (petroleum), hydro-treated light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 265-158-7 | 64742-55-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-469-00-9 | Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C).] | 265-159-2 | 64742-56-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-470-00-4 | Residual oils (petroleum), hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>25</sub> and boiling above approximately 400 °C (752 °F).]  | 265-160-8 | 64742-57-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-471-00-X | Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified;  | 265-166-0 | 64742-62-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by removal of long, branched chain hydrocarbons from a residual oil by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly greater than C <sub>25</sub> and boiling above approximately 400 °C (752 °F).]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-472-00-5 | Distillates (petroleum), solvent-dewaxed heavy naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil of not less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-167-6 | 64742-63-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-473-00-0 | Distillates (petroleum), solvent-dewaxed light naphthenic; Baseoil — unspecified;   | 265-168-1 | 64742-64-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]  |           |            |                                   |                          |                                |                          |                                 |                                  |              |
| 649-474-00-6 | Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity not less than 100 SUS at 100 °F (19cSt at 40 °C).] | 265-169-7 | 64742-65-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-475-00-1 | Naphthenic oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified;   | 265-172-3 | 64742-68-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-476-00-7 | Naphthenic oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-173-9 | 64742-69-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-477-00-2 | Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified;   | 265-174-4 | 64742-70-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-478-00-8 | Paraffin oils (petroleum), catalytic dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C).] | 265-176-5 | 64742-71-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-479-00-3 | Naphthenic oils (petroleum), complex dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by removing straight chain   | 265-179-1 | 64742-75-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | paraffin hydrocarbons as a solid by treatment with an agent such as urea. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil having a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]   |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-480-00-9 | Naphthenic oils (petroleum), complex dewaxed light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil having a viscosity less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 265-180-7 | 64742-76-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-481-00-4 | Lubricating oils (petroleum), C <sub>20-50</sub> , hydrotreated neutral oil-based, high-viscosity; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil, and  | 276-736-3 | 72623-85-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes    |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |          |
|              | solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil having a viscosity of approximately 112cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.]   |           |            |                                   |                          |                                |                          |                                 |                                  |          |
| 649-482-00-X | Lubricating oils (petroleum), C <sub>15-30</sub> , hydrotreated neutral oil-based;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-737-9 | 72623-86-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-483-00-5 | Lubricating oils (petroleum), C <sub>20-50</sub> , hydrotreated neutral oil-based;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by treating light vacuum gas oil, heavy vacuum gas oil and solvent deasphalted residual oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of approximately 32cSt at 40 °C. It contains a relatively large proportion of saturated hydrocarbons.] | 276-738-4 | 72623-87-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-484-00-0 | Lubricating oils;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained from solvent extraction and dewaxing processes. It consists predominantly of saturated hydrocarbons having carbon numbers in the range C <sub>15</sub> through C <sub>50</sub> .]   | 278-012-2 | 74869-22-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-485-00-6 | Distillates (petroleum), complex dewaxed heavy paraffinic;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by dewaxing heavy paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of equal to or greater than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.] | 292-613-7 | 90640-91-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-486-00-1 | Distillates (petroleum), complex dewaxed light paraffinic;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by dewaxing light paraffinic distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>12</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]                | 292-614-2 | 90640-92-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-487-00-7 | Distillates (petroleum), solvent dewaxed heavy paraffinic, clay-treated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by treating dewaxed heavy paraffinic distillate with neutral or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> .] | 292-616-3 | 90640-94-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-488-00-2 | Hydrocarbons, C <sub>20-50</sub> , solvent dewaxed heavy paraffinic, hydrotreated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons produced by treating dewaxed heavy paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> .]                       | 292-617-9 | 90640-95-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-489-00-8 | Distillates (petroleum), solvent dewaxed light paraffinic, clay-treated;  | 292-618-4 | 90640-96-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | Baseoil — unspecified;<br>[A complex combination of hydrocarbons resulting from treatment of dewaxed light paraffinic distillate with natural or modified clay in either a contacting or percolation process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> .]   |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-490-00-3 | Distillates (petroleum), solvent dewaxed light paraffinic, hydro-treated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons produced by treating a dewaxed light paraffinic distillate with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> .] | 292-620-5 | 90640-97-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-491-00-9 | Residual oils (petroleum), hydrotreated solvent dewaxed;<br>Baseoil — unspecified  | 292-656-1 | 90669-74-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-492-00-4 | Residual oils (petroleum), catalytic dewaxed;<br>Baseoil — unspecified   | 294-843-3 | 91770-57-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-493-00-X | Distillates (petroleum), dewaxed heavy paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>25</sub> through C <sub>39</sub> and produces a finished oil with a viscosity of approximately 44 cSt at 50 °C.] | 295-300-3 | 91995-39-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-494-00-5 | Distillates (petroleum), dewaxed light paraffinic, hydrotreated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from an intensive treatment of dewaxed distillate by hydrogenation in the presence of a catalyst. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C <sub>21</sub> through C <sub>29</sub> and produces a finished oil with a viscosity of approximately 13 cSt at 50 °C.] | 295-301-9 | 91995-40-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-495-00-0 | Distillates (petroleum), hydro-cracked solvent-refined, dewaxed; Baseoil — unspecified;   | 295-306-6 | 91995-45-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of liquid hydrocarbons obtained by recrystallization of dewaxed hydrocracked solvent-refined petroleum distillates.]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-496-00-6 | Distillates (petroleum), solvent-refined light naphthenic, hydro-treated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst and removing the aromatic hydrocarbons by solvent extraction. It consists predominantly of naphthenic hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> and produces a finished oil with a viscosity of between 13-15cSt at 40 °C.] | 295-316-0 | 91995-54-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-497-00-1 | Lubricating oils (petroleum), C <sub>17-35</sub> , solvent-extd., dewaxed, hydrotreated;<br>Baseoil — unspecified  | 295-423-2 | 92045-42-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-498-00-7 | Lubricating oils (petroleum), hydrocracked nonarom. solvent-deparaffined;<br>Baseoil — unspecified   | 295-424-8 | 92045-43-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-499-00-2 | Residual oils (petroleum), hydrocracked acid-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons produced by solvent removal of paraffins from the residue of the distillation of acid-treated, hydrocracked heavy paraffins and boiling approximately above 380 °C (716 °F).] | 295-499-7 | 92061-86-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-500-00-6 | Paraffin oils (petroleum), solvent-refined dewaxed heavy; Baseoil — unspecified; [A complex combination of hydrocarbons obtained from sulfur-containing paraffinic crude oil. It consists predominantly of a solvent refined deparaffinated lubricating oil with a viscosity of 65cSt at 50 °C.]                  | 295-810-6 | 92129-09-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-501-00-1 | Lubricating oils (petroleum), base oils, paraffinic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by refining of crude oil. It consists predominantly of aromatics, naphthenics and paraffinics and produces a finished oil with a viscosity of 120 SUS at 100 °F (23cSt at 40 °C).]    | 297-474-6 | 93572-43-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-502-00-7 | Hydrocarbons, hydrocracked paraffinic distn. residues, solvent-dewaxed; Baseoil — unspecified  | 297-857-8 | 93763-38-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-503-00-2 | Hydrocarbons, C <sub>20-50</sub> , residual oil hydrogenation vacuum distillate; Baseoil — unspecified   | 300-257-1 | 93924-61-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-504-00-8 | Distillates (petroleum), solvent-refined hydrotreated heavy; hydrogenated; Baseoil — unspecified   | 305-588-5 | 94733-08-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-505-00-3 | Distillates (petroleum), solvent-refined hydrocracked light; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent dearomatization of the residue of hydrocracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>18</sub> through C <sub>27</sub> and boiling in the range of approximately 370 °C to 450 °C (698 °F to 842 °F).] | 305-589-0 | 94733-09-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-506-00-9 | Lubricating oils (petroleum), C <sub>18-40</sub> , solvent-dewaxed hydrocracked distillate-based; Baseoil — unspecified;   | 305-594-8 | 94733-15-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
|              | [A complex combination of hydrocarbons obtained by solvent deparaffination of the distillation residue from hydro-cracked petroleum. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>18</sub> through C <sub>40</sub> and boiling in the range of approximately 370 °C to 550 °C (698 °F to 1022 °F).]  |           |            |                                   |                          |                                |                          |                                 |                                  |                      |
| 649-507-00-4 | Lubricating oils (petroleum), C <sub>18-40</sub> , solvent-dewaxed hydrogenated raffinate-based; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent deparaffination of the hydrogenated raffinate obtained by solvent extraction of a hydrotreated petroleum distillate. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>18</sub> through C <sub>40</sub> and boiling in the range of approximately 370 °C to 550 °C (698 °F to 1022 °F).] | 305-595-3 | 94733-16-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-508-00-X | Hydrocarbons, C <sub>13-30</sub> , arom.-rich, solvent-extd. naphthenic distillate; Baseoil — unspecified  | 305-971-7 | 95371-04-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-509-00-5 | Hydrocarbons, C <sub>16-32</sub> , arom. rich, solvent-extd. naphthenic distillate;<br>Baseoil — unspecified   | 305-972-2 | 95371-05-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-510-00-0 | Hydrocarbons, C <sub>37-68</sub> , dewaxed deasphalted hydrotreated vacuum distn. residues;<br>Baseoil — unspecified   | 305-974-3 | 95371-07-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-511-00-6 | Hydrocarbons, C <sub>37-65</sub> , hydro-treated deasphalted vacuum distn. residues;<br>Baseoil — unspecified  | 305-975-9 | 95371-08-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-512-00-1 | Distillates (petroleum), hydro-cracked solvent-refined light;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by the solvent treatment of a distillate from hydrocracked petroleum distillates. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>18</sub> through C <sub>27</sub> and boiling in the range of approximately 370 °C to 450 °C (698 °F to 842 °F.)] | 307-010-7 | 97488-73-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-513-00-7 | Distillates (petroleum), solvent-refined hydrogenated heavy;<br>Baseoil — unspecified;   | 307-011-2 | 97488-74-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | [A complex combination of hydrocarbons, obtained by the treatment of a hydrogenated petroleum distillate with a solvent. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>19</sub> through C <sub>40</sub> and boiling in the range of approximately 390 °C to 550 °C (734 °F to 1022 °F).]  |           |            |                                   |                          |                                |                          |                                 |                                  |              |
| 649-514-00-2 | Lubricating oils (petroleum), C <sub>18-27</sub> , hydrocracked solvent-dewaxed;<br>Baseoil — unspecified  | 307-034-8 | 97488-95-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-515-00-8 | Hydrocarbons, C <sub>17-30</sub> , hydro-treated solvent-deasphalted atm. distn. residue, distn. lights;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the treatment of a solvent deasphalted short residue with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>17</sub> through C <sub>30</sub> and boiling in the range of approximately 300 °C to 400 °C (572 °F to 752 °F). It produces a finished oil having a viscosity of 4cSt at approximately 100 °C (212 °F).] | 307-661-7 | 97675-87-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀L     |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-516-00-3 | Hydrocarbons, C <sub>17-40</sub> , hydro-treated solvent-deasphalted distn. residue, vacuum distn. lights;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained as first runnings from the vacuum distillation of effluents from the catalytic hydrotreatment of a solvent deasphalted short residue having a viscosity of 8cSt at approximately 100 °C (212 °F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>17</sub> through C <sub>40</sub> and boiling in the range of approximately 300 °C to 500 °C (592 °F to 932 °F).] | 307-755-8 | 97722-06-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-517-00-9 | Hydrocarbons, C <sub>13-27</sub> , solvent-extd. light naphthenic;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 9.5cSt at 40 °C (104 °F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>27</sub> and boiling in the range of approximately 240 °C to 400 °C (464 °F to 752 °F).]   | 307-758-4 | 97722-09-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-518-00-4 | Hydrocarbons, C <sub>14-29</sub> , solvent-extd. light naphthenic; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by extraction of the aromatics from a light naphthenic distillate having a viscosity of 16cSt at 40 °C (104 °F). It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>14</sub> through C <sub>29</sub> and boiling in the range of approximately 250 °C to 425 °C (482 °F to 797 °F).] | 307-760-5 | 97722-10-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-519-00-X | Hydrocarbons, C <sub>27-42</sub> , dearomatized; Baseoil — unspecified   | 308-131-8 | 97862-81-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-520-00-5 | Hydrocarbons, C <sub>17-30</sub> , hydro-treated distillates, distn. lights; Baseoil — unspecified   | 308-132-3 | 97862-82-3 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-521-00-0 | Hydrocarbons, C <sub>27-45</sub> , naphthenic vacuum distn.; Baseoil — unspecified   | 308-133-9 | 97862-83-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-522-00-6 | Hydrocarbons, C <sub>27-45</sub> , dearomatized; Baseoil — unspecified   | 308-287-7 | 97926-68-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-523-00-1 | Hydrocarbons, C <sub>20-58</sub> , hydro-treated; Baseoil — unspecified  | 308-289-8 | 97926-70-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-524-00-7 | Hydrocarbons, C <sub>27-42</sub> , naphthenic; Baseoil — unspecified   | 308-290-3 | 97926-71-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-525-00-2 | Residual oils (petroleum), carbon-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by the treatment of solvent-dewaxed petroleum residual oils with activated charcoal for the removal of trace polar constituents and impurities.]   | 309-710-8 | 100684-37-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-526-00-8 | Residual oils (petroleum), clay-treated solvent-dewaxed; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by treatment of solvent-dewaxed petroleum residual oils with bleaching earth for the removal of trace polar constituents and impurities.]  | 309-711-3 | 100684-38-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-527-00-3 | Lubricating oils (petroleum), C <sub>&gt;25</sub> , solvent-extd., deasphalted, dewaxed, hydrogenated; Baseoil — unspecified; [A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of vacuum distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly greater than C <sub>25</sub> and produces a finished oil with a viscosity in the order of 32cSt to 37cSt at 100 °C (212 °F).] | 309-874-0 | 101316-69-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-528-00-9 | Lubricating oils (petroleum), C <sub>17-32</sub> , solvent-extd., dewaxed, hydrogenated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>17</sub> through C <sub>32</sub> and produced a finished oil with a viscosity in the order of 17cSt to 23cSt at 40 °C (104 °F).] | 309-875-6 | 101316-70-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-529-00-4 | Lubricating oils (petroleum), C <sub>20-35</sub> , solvent-extd., dewaxed, hydrogenated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>35</sub> and produces a finished oil with a viscosity in the order of 37cSt to 44cSt at 40 °C (104 °F).] | 309-876-1 | 101316-71-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |



▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-530-00-X | Lubricating oils (petroleum), C <sub>24-50</sub> , solvent-extd., dewaxed, hydrogenated;<br>Baseoil — unspecified;<br>[A complex combination of hydrocarbons obtained by solvent extraction and hydrogenation of atmospheric distillation residues. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>24</sub> through C <sub>50</sub> and produces a finished oil with a viscosity in the order of 16cSt to 75cSt at 40 °C (104 °F).] | 309-877-7 | 101316-72-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-531-00-5 | Extracts (petroleum), heavy naphthenic distillate solvent, arom. conc.;<br>Distillate aromatic extract (treated);<br>[An aromatic concentrate produced by adding water to heavy naphthenic distillate solvent extract and extraction solvent.]  | 272-175-3 | 68783-00-6  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-532-00-0 | Extracts (petroleum), solvent-refined heavy paraffinic distillate solvent;<br>Distillate aromatic extract (treated);  | 272-180-0 | 68783-04-0  | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
|              | [A complex combination of hydrocarbons obtained as the extract from the re-extraction of solvent-refined heavy paraffinic distillate. It consists of saturated and aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> .]  |           |            |                                   |                          |                                |                          |                                 |                                  |              |
| 649-533-00-6 | Extracts (petroleum), heavy paraffinic distillates, solvent-deasphalted;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as the extract from a solvent extraction of heavy paraffinic distillate.]  | 272-342-0 | 68814-89-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-534-00-1 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrotreated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by treating a heavy naphthenic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> and produces a finished oil of at least 19cSt at 40 °C (100 SUS at 100 °F).] | 292-631-5 | 90641-07-9 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-535-00-7 | Extracts (petroleum), heavy paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons produced by treating a heavy paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>21</sub> through C <sub>33</sub> and boiling in the range of approximately 350 °C to 480 °C (662 °F to 896 °F).  | 292-632-0 | 90641-08-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-536-00-2 | Extracts (petroleum), light paraffinic distillate solvent, hydrotreated; Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons produced by treating a light paraffinic distillate solvent extract with hydrogen in the presence of a catalyst. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>17</sub> through C <sub>26</sub> and boiling in the range of approximately 280 °C to 400 °C (536 °F to 752 °F).] | 292-633-6 | 90641-09-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes        |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|--------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |              |
| 649-537-00-8 | Extracts (petroleum), hydro-treated light paraffinic distillate solvent;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as the extract from solvent extraction of intermediate paraffinic top solvent distillate that is treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>36</sub> .]  | 295-335-4 | 91995-73-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |
| 649-538-00-3 | Extracts (petroleum), light naphthenic distillate solvent, hydrodesulfurized;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by treating the extract, obtained from a solvent extraction process, with hydrogen in the presence of a catalyst under conditions primarily to remove sulfur compounds. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>30</sub> . This stream is likely to contain 5 wt.% or more of 4- to 6-membered condensed ring aromatic hydrocarbons.] | 295-338-0 | 91995-75-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ►M2 — ◀<br>L |

▼**B**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-539-00-9 | Extracts (petroleum), light paraffinic distillate solvent, acid-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as a fraction of the distillation of an extract from the solvent extraction of light paraffinic top petroleum distillates that is subjected to a sulfuric acid refining. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>32</sub> .]   | 295-339-6 | 91995-76-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-540-00-4 | Extracts (petroleum), light paraffinic distillate solvent, hydrodesulfurized;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by solvent extraction of a light paraffin distillate and treated with hydrogen to convert the organic sulfur to hydrogen sulfide which is eliminated. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>40</sub> and produces a finished oil with a viscosity of greater than 10cSt at 40 °C.] | 295-340-1 | 91995-77-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-541-00-X | Extracts (petroleum), light vacuum gas oil solvent, hydro-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons, obtained by solvent extraction from light vacuum petroleum gas oils and treated with hydrogen in the presence of a catalyst. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>30</sub> .]   | 295-342-2 | 91995-79-8 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-542-00-5 | Extracts (petroleum), heavy paraffinic distillate solvent, clay-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons resulting from treatment of a petroleum fraction with natural or modified clay in either a contact or percolation process to remove the trace amounts of polar compounds and impurities present. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> . This stream is likely to contain 5 wt.% or more 4-6 membered ring aromatic hydrocarbons.] | 296-437-1 | 92704-08-0 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-543-00-0 | Extracts (petroleum), heavy naphthenic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.]                                 | 297-827-4 | 93763-10-1 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-544-00-6 | Extracts (petroleum), solvent-dewaxed heavy paraffinic distillate solvent, hydrodesulfurized; Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained from a solvent dewaxed petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C <sub>15</sub> through C <sub>50</sub> and produces a finished oil with a viscosity of greater than 19cSt at 40 °C.] | 297-829-5 | 93763-11-2 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|---|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |   |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-545-00-1 | Extracts (petroleum), light paraffinic distillate solvent, carbon-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillate treated with activated charcoal to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>32</sub> .] | 309-672-2 | 100684-02-4 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-546-00-7 | Extracts (petroleum), light paraffinic distillate solvent, clay-treated;<br>Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained as a fraction from distillation of an extract recovered by solvent extraction of light paraffinic top petroleum distillates treated with bleaching earth to remove traces of polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>16</sub> through C <sub>32</sub> .]     | 309-673-8 | 100684-03-5 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |



## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|-------------|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|----------------------|
|              |  |           |             | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-547-00-2 | Extracts (petroleum), light vacuum, gas oil solvent, carbon-treated; Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oil treated with activated charcoal for the removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>30</sub> .] | 309-674-3 | 100684-04-6 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-548-00-8 | Extracts (petroleum), light vacuum gas oil solvent, clay-treated; Distillate aromatic extract (treated);<br>[A complex combination of hydrocarbons obtained by solvent extraction of light vacuum petroleum gas oils treated with bleaching earth for removal of trace polar constituents and impurities. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C <sub>13</sub> through C <sub>30</sub> .]          | 309-675-9 | 100684-05-7 | Carc. 1B                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  | ► <u>M2</u> — ◀<br>L |

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification  |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes                |
|--------------|--|-----------|------------|---|--|---|--|---------------------------------|----------------------------------|----------------------|
|              |  |           |            | Hazard Class and Category Code(s)   | Hazard statement Code(s)   | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)   | Suppl. Hazard statement Code(s) |                                  |                      |
| 649-549-00-3 | Foots oil (petroleum);<br>Foots oil;<br>[A complex combination of hydrocarbons obtained as the oil fraction from a solvent deoiling or a wax sweating process. It consists predominantly of branched chain hydrocarbons having carbon numbers predominantly in the range of C <sub>20</sub> through C <sub>50</sub> .] | 265-171-8 | 64742-67-2 | Carc. 1B  | H350   | GHS08<br>Dgr                            | H350   |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 649-550-00-9 | Foots oil (petroleum), hydro-treated;<br>Foots oil   | 295-394-6 | 92045-12-0 | Carc. 1B  | H350   | GHS08<br>Dgr                            | H350   |                                 |                                  | ► <u>M2</u> — ◀<br>L |
| 650-002-00-6 | turpentine, oil  | 232-350-7 | 8006-64-2  | Flam. Liq. 3<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Asp. Tox. 1<br>Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 2 | H226<br>H332<br>H312<br>H302<br>H304<br>H319<br>H315<br>H317<br>H411 | GHS02<br>GHS08<br>GHS07<br>GHS09<br>Dgr | H226<br>H332<br>H312<br>H302<br>H304<br>H319<br>H315<br>H317<br>H411 |                                 |                                  |                      |
| 650-003-00-1 | fenson (ISO);<br>4-chlorophenyl benzenesulphonate;   | 201-274-6 | 80-38-6    | Acute Tox. 4 *<br>Eye Irrit. 2<br>Aquatic Chronic 2   | H302<br>H319<br>H411   | GHS07<br>GHS09<br>Wng                   | H302<br>H319<br>H411   |                                 |                                  |                      |
| 650-004-00-7 | norbormide (ISO);<br>5-( $\alpha$ -hydroxy- $\alpha$ -2-pyridylbenzyl)-7-( $\alpha$ -2-pyridylbenzylidene)bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide   | 213-589-6 | 991-42-4   | Acute Tox. 4 *  | H302   | GHS07<br>Wng                            | H302   |                                 |                                  |                      |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No     | Classification   |  | Labelling                      |                                      |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|------------|--|--|--------------------------------|--------------------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)             | Suppl. Hazard statement Code(s) |                                  |       |
| 650-005-00-2 | (2 <i>R</i> ,6 <i>aS</i> ,12 <i>aS</i> )-1,2,6,6 <i>a</i> ,12,12 <i>a</i> -hexahydro-2-isopropenyl-8,9-dimethoxychromeno[3,4- <i>b</i> ]furo[2,3- <i>h</i> ]chromen-6-one, rotenone   | 201-501-9 | 83-79-4    | Acute Tox. 3 *<br>Eye Irrit. 2<br>STOT SE 3<br>Skin Irrit. 2<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H301<br>H319<br>H335<br>H315<br>H400<br>H410 | GHS06<br>GHS09<br>Dgr          | H301<br>H319<br>H335<br>H315<br>H410 |                                 |                                  |       |
| 650-006-00-8 | benquinox (ISO);<br><i>p</i> -benzoquinone 1-benzoylhydrazone 4-oxime   | 207-807-9 | 495-73-8   | Acute Tox. 3 *<br>Acute Tox. 4 *   | H301<br>H312                                 | GHS06<br>Dgr                   | H301<br>H312                         |                                 |                                  |       |
| 650-007-00-3 | chlordimeform (ISO);<br><i>N</i> <sub>2</sub> -(4-chloro- <i>o</i> -tolyl)- <i>N</i> <sub>1</sub> , <i>N</i> <sub>1</sub> -dimethylformamidine  | 228-200-5 | 6164-98-3  | Carc. 2<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                  | H351<br>H312<br>H302<br>H400<br>H410         | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H312<br>H302<br>H410         |                                 |                                  |       |
| 650-008-00-9 | drazoxolon (ISO);<br>4-(2-chlorophenylhydrazono)-3-methyl-5-isoxazolone   | 227-197-8 | 5707-69-7  | Acute Tox. 3 *<br>Aquatic Acute 1<br>Aquatic Chronic 1   | H301<br>H400<br>H410                         | GHS06<br>GHS09<br>Dgr          | H301<br>H410                         |                                 |                                  |       |
| 650-009-00-4 | chlordimeform hydrochloride;<br><i>N</i> '-(4-chloro- <i>o</i> -tolyl)- <i>N</i> , <i>N</i> -dimethylformamidine monohydrochloride;<br><i>N</i> <sup>2</sup> -(4-chloro- <i>o</i> -tolyl)- <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> -dimethylformamidine hydrochloride | 243-269-1 | 19750-95-9 | Carc. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                                    | H351<br>H302<br>H400<br>H410                 | GHS08<br>GHS07<br>GHS09<br>Wng | H351<br>H302<br>H410                 |                                 |                                  |       |
| 650-010-00-X | benzyl violet 4B;<br>$\alpha$ -[4-(4-dimethylamino- $\alpha$ -{4-[ethyl(3-sodiosulphonatobenzyl)amino] phenyl}benzylidene)cyclohexa-2,5-dienylidene(ethyl)ammonio]toluene-3-sulphonate  | 216-901-9 | 1694-09-3  | Carc. 2  | H351   | GHS08<br>Wng                   | H351                                 |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification  | EC No                               | CAS No  | Classification                    |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-------------------------------------|---|-----------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |  |                                     |   | Hazard Class and Category Code(s) | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 650-012-00-0 | erionite   | —                                   | 12510-42-8  | Carc. 1A                          | H350                     | GHS08<br>Dgr                   | H350                     |                                 |                                  |       |
| 650-013-00-6 | asbestos   | —<br>—<br>—<br>—<br>—<br>—          | 12001-28-4<br>132207-32-0<br>12172-73-5<br>77536-66-4<br>77536-68-6<br>77536-67-5<br>12001-29-5 | Carc. 1A<br>STOT RE 1             | H350<br>H372 **          | GHS08<br>Dgr                   | H350<br>H372 **          |                                 |                                  |       |
| 650-014-00-1 | diethyl 2,4-dihydroxycyclodisiloxane-2,4-diylbis(trimethylene)diphosphonate, tetrasodium salt, reaction products with disodium metasilicate  | 401-770-4                           | —   | Skin Corr. 1B<br>Acute Tox. 4 *   | H314<br>H302             | GHS05<br>GHS07<br>Dgr          | H314<br>H302             |                                 |                                  |       |
| 650-015-00-7 | rosin;<br>colophony  | 232-475-7<br>232-484-6<br>277-299-1 | 8050-09-7<br>8052-10-6<br>73138-82-6  | Skin Sens. 1                      | H317                     | GHS07<br>Wng                   | H317                     |                                 |                                  |       |
| 650-016-00-2 | Mineral wool, with the exception of those specified elsewhere in this Annex; [Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na <sub>2</sub> O+K <sub>2</sub> O+CaO+MgO+BaO) content greater than 18 % by weight] | —                                   | —   | Carc. 2                           | H351                     | GHS08<br>Wng                   | H351                     |                                 |                                  | AQR   |

▼ **M1**

▼ **M1**

| Index No     | International Chemical Identification  | EC No     | CAS No     | Classification   |  | Labelling  |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|------------|--|--|--|--|---------------------------------|----------------------------------|-------|
|              |  |           |            | Hazard Class and Category Code(s)  | Hazard statement Code(s)                             | Pictogram, Signal Word Code(s)                   | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 650-017-00-8 | Refractory Ceramic Fibres, Special Purpose Fibres, with the exception of those specified elsewhere in this Annex;<br>[Man-made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na <sub>2</sub> O+K <sub>2</sub> O+CaO+MgO+BaO) content less or equal to 18 % by weight] | —         | —          | Carc. 1B   | H350i  | GHS08<br>Dgr                                     | H350i  |                                 |                                  | AR    |
| 650-018-00-3 | Reaction product of: acetophenone, formaldehyde, cyclohexylamine, methanol and acetic acid   | 406-230-1 | —          | Flam. Liq. 3<br>Carc. 2<br>Skin Corr. 1B<br>Acute Tox. 4 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H226<br>H351<br>H314<br>H332<br>H317<br>H400<br>H410 | GHS02<br>GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H226<br>H351<br>H314<br>H332<br>H317<br>H410 |                                 |                                  |       |
| 650-031-00-4 | bis(4-hydroxy- <i>N</i> -methylanilinium) sulphate   | 200-237-1 | 55-55-0    | Acute Tox. 4 *<br>STOT RE 2 *<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                              | H302<br>H373 **<br>H317<br>H400<br>H410              | GHS08<br>GHS07<br>GHS09<br>Wng                   | H302<br>H373 **<br>H317<br>H410              |                                 |                                  |       |
| 650-032-00-X | cyproconazole (ISO);<br>(2 <i>RS</i> ,3 <i>RS</i> ;2 <i>RS</i> ,3 <i>SR</i> )-2-(4-chlorophenyl)-3-cyclopropyl-1-(1 <i>H</i> -1,2,4-triazol-1-yl)butan-2-ol  | —         | 94361-06-5 | Repr. 2<br>Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1  | H361d ***<br>H302<br>H400<br>H410                    | GHS08<br>GHS07<br>GHS09<br>Wng                   | H361d ***<br>H302<br>H410                    |                                 |                                  |       |

▼ **B**

## ▼B

| Index No     | International Chemical Identification  | EC No     | CAS No      | Classification  |                              | Labelling                      |                              |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|--|-----------|-------------|---|------------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|-------|
|              |  |           |             | Hazard Class and Category Code(s)                                     | Hazard statement Code(s)     | Pictogram, Signal Word Code(s) | Hazard statement Code(s)     | Suppl. Hazard statement Code(s) |                                  |       |
| —            | —  | —         | —           | —   | —                            | —                              | —                            | —                               | —                                | —     |
| 650-041-00-9 | triasulfuron (ISO);<br>1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)urea  | —         | 82097-50-5  | Aquatic Acute 1<br>Aquatic Chronic 1                                  | H400<br>H410                 | GHS09<br>Wng                   | H410                         |                                 |                                  |       |
| 650-042-00-4 | reaction product of: polyethylene-polyamine-(C <sub>16</sub> -C <sub>18</sub> )-alkylamides with monothio-(C <sub>2</sub> )-alkyl phosphonates                                 | 417-450-2 | —           | Eye Irrit. 2<br>Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Chronic 3    | H319<br>H315<br>H317<br>H412 | GHS07<br>Wng                   | H319<br>H315<br>H317<br>H412 |                                 |                                  |       |
| 650-043-00-X | reaction product of: 3,5-bis- <i>tert</i> -butylsalicylic acid and aluminiumsulfate  | 420-310-3 | —           | Acute Tox. 4 *<br>Aquatic Acute 1<br>Aquatic Chronic 1                | H302<br>H400<br>H410         | GHS07<br>GHS09<br>Wng          | H302<br>H410                 |                                 |                                  |       |
| 650-044-00-5 | mixed linear and branched C <sub>14-15</sub> alcohols ethoxylated, reaction product with epichlorohydrin   | 420-480-9 | 158570-99-1 | Skin Irrit. 2<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1 | H315<br>H317<br>H400<br>H410 | GHS07<br>GHS09<br>Wng          | H315<br>H317<br>H410         |                                 |                                  |       |
| 650-045-00-0 | reaction product of: 1,2,3-propanetricarboxylic acid, 2-hydroxy, diethyl ester, 1-propanol and zirconium tetra- <i>n</i> -propanolate  | 417-110-3 | —           | Flam. Liq. 2<br>Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2      | H225<br>H315<br>H318<br>H411 | GHS02<br>GHS05<br>GHS09<br>Dgr | H225<br>H315<br>H318<br>H411 |                                 |                                  |       |
| 650-046-00-6 | di(tetramethylammonium)(29 <i>H</i> ,31 <i>H</i> -phthalocyanin- <i>N</i> 29, <i>N</i> 30, <i>N</i> 31, <i>N</i> 32)disulfonamide disulfonate, cuprate(2-)complex, derivatives | 416-180-2 | 12222-04-7  | Acute Tox. 4 *<br>STOT RE 2 *<br>Aquatic Chronic 2                    | H302<br>H373 **<br>H411      | GHS08<br>GHS07<br>GHS09<br>Wng | H302<br>H373 **<br>H411      |                                 |                                  |       |

## ▼B

| Index No     | International Chemical Identification   | EC No     | CAS No      | Classification   |  | Labelling                               |  |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--|--|---|--|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)  | Hazard statement Code(s)                     | Pictogram, Signal Word Code(s)          | Hazard statement Code(s)                     | Suppl. Hazard statement Code(s) |                                  |       |
| 650-047-00-1 | dibenzylphenylsulfonium hexafluoroantimonate  | 417-760-8 | 134164-24-2 | STOT RE 1<br>Acute Tox. 4 *<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Chronic 2                               | H372 **<br>H302<br>H318<br>H317<br>H411      | GHS08<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H372 **<br>H302<br>H318<br>H317<br>H411      |                                 |                                  |       |
| 650-048-00-7 | reaction product of: borax, hydrogen peroxide, acetic acid anhydride and acetic acid  | 420-070-1 | —           | Org. Perox. D ****<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Acute Tox. 4 *<br>Skin Corr. 1A<br>Aquatic Acute 1 | H242<br>H332<br>H312<br>H302<br>H314<br>H400 | GHS02<br>GHS05<br>GHS07<br>GHS09<br>Dgr | H242<br>H332<br>H312<br>H302<br>H314<br>H400 |                                 |                                  |       |
| 650-049-00-2 | 2-alkoxyloxyethyl hydrogen maleate, where alkoyl represents (by weight) 70 to 85 % unsaturated octadecoyl, 0.5 to 10 % saturated octadecoyl, and 2 to 18 % saturated hexadecoyl   | 417-960-5 | —           | Skin Irrit. 2<br>Eye Dam. 1<br>Skin Sens. 1<br>Aquatic Acute 1<br>Aquatic Chronic 1                          | H315<br>H318<br>H317<br>H400<br>H410         | GHS05<br>GHS07<br>GHS09<br>Dgr          | H315<br>H318<br>H317<br>H410                 |                                 |                                  |       |
| 650-050-00-8 | reaction mass of: 1-methyl-3-hydroxypropyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydro-cinnamate and/or 3-hydroxybutyl 3,5-[1,1-dimethylethyl]-4-hydroxydihydrocinnamate;<br>1,3-butanediol bis[3-(3'-(1,1-dimethylethyl)4'-hydroxyphenyl)propionate] isomers;<br>1,3-butanediol bis[3-(3',5'-(1,1-dimethylethyl)-4'-hydroxyphenyl)propionate] isomers | 423-600-8 | —           | Aquatic Chronic 2  | H411   | GHS09                                   | H411   |                                 |                                  |       |

▼ **B**

| Index No     | International Chemical Identification     | EC No     | CAS No      | Classification                       |                          | Labelling                      |                          |                                 | Specific Conc. Limits, M-factors | Notes |
|--------------|---|-----------|-------------|--------------------------------------|--------------------------|--------------------------------|--------------------------|---------------------------------|----------------------------------|-------|
|              |   |           |             | Hazard Class and Category Code(s)    | Hazard statement Code(s) | Pictogram, Signal Word Code(s) | Hazard statement Code(s) | Suppl. Hazard statement Code(s) |                                  |       |
| 650-055-00-5 | silver sodium zirconium hydrogenphosphate | 422-570-3 | 155925-27-2 | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410             | GHS09<br>Wng                   | H410                     |                                 |                                  |       |

▼ **M13**





## ANNEX VII

**Translation table from classification under Directive 67/548/EEC to classification under this Regulation**

This Annex includes a table to assist translation of a classification made for a substance or a mixture under Directive 67/548/EEC or Directive 1999/45/EC, respectively, into the corresponding classification under this Regulation. Whenever data for the substance or mixture are available, an evaluation and classification shall be done in accordance with Articles 9 to 13 of this Regulation.

**1. Translation table**

The codes used are introduced in Table 1.1 and section 1.1.2.2 of Annex VI.

*Table 1.1*

**Translation between classification in accordance with Directive 67/548/EEC and this Regulation**

| Classification under Directive 67/548/EEC | Physical state of the substance when relevant | Classification under this Regulation  |                  | Note |
|---|---|---|------------------|------|
|   |   | Hazard Class-and-Category   | Hazard statement |      |
| E; R2                                     |   | No direct translation possible.   |                  |      |
| E; R3                                     |   | No direct translation possible.   |                  |      |
| O; R7                                     |   | Org. Perox. CD  | H242             |      |
|   |   | Org. Perox. EF  | H242             |      |
| O; R8                                     | gas   | Ox. Gas 1   | H270             |      |
| O; R8                                     | liquid, solid                                 | No direct translation possible.   |                  |      |
| O; R9                                     | liquid  | Ox. Liq. 1  | H271             |      |
| O; R9                                     | solid   | Ox. Sol. 1  | H271             |      |
| R10                                       | liquid  | No direct translation possible.<br>Correct translation of R10, liquid is:<br>— Flam. Liq. 1, H224 if flashpoint < 23 °C and initial boiling point ≤ 35 °C<br>— Flam. Liq. 2, H225 if flashpoint < 23 °C and initial boiling point > 35 °C<br>— Flam. Liq. 3, H226 if flashpoint ≥ 23 °C |                  |      |
| F; R11                                    | liquid  | No direct translation possible.<br>Correct translation of F; R11, liquid is:<br>— Flam. Liq. 1, H224 if initial boiling point ≤ 35 °C<br>— Flam. Liq. 2, H225 if initial boiling point > 35 °C  |                  |      |
| F; R11                                    | solid   | No direct translation possible.   |                  |      |

**▼B**

| Classification under Directive 67/548/EEC | Physical state of the substance when relevant | Classification under this Regulation   |                  | Note |
|---|---|--|------------------|------|
|   |   | Hazard Class-and-Category  | Hazard statement |      |
| F+; R12                                   | gas   | No direct translation possible.<br>Correct translation of F+; R12, gaseous results either in Flam. Gas 1, H220 or Flam. Gas 2, H221. |                  |      |
| F+; R12                                   | liquid  | Flam. Liq. 1   | H224             |      |
| F+; R12                                   | liquid  | Self-react. CD   | H242             |      |
|   |   | Self-react. EF   | H242             |      |
|   |   | Self-react. G  | none             |      |
| F; R15                                    |   | No translation possible.   |                  |      |
| F; R17                                    | liquid  | Pyr. Liq. 1  | H250             |      |
| F; R17                                    | solid   | Pyr. Sol. 1  | H250             |      |
| Xn; R20                                   | gas   | Acute Tox. 4   | H332             | (1)  |
| Xn; R20                                   | vapours                                       | Acute Tox. 4   | H332             | (1)  |
| Xn; R20                                   | dust/mist                                     | Acute Tox. 4   | H332             |      |
| Xn; R21                                   |   | Acute Tox. 4   | H312             | (1)  |
| Xn; R22                                   |   | Acute Tox. 4   | H302             | (1)  |
| T; R23                                    | gas   | Acute Tox. 3   | H331             | (1)  |
| T; R23                                    | vapour  | Acute Tox. 2   | H330             |      |
| T; R23                                    | dust/mist                                     | Acute Tox. 3   | H331             | (1)  |
| T; R24                                    |   | Acute Tox. 3   | H311             | (1)  |
| T; R25                                    |   | Acute Tox. 3   | H301             | (1)  |
| T+; R26                                   | gas   | Acute Tox. 2   | H330             | (1)  |
| T+; R26                                   | vapour  | Acute Tox. 1   | H330             |      |
| T+; R26                                   | dust/mist                                     | Acute Tox. 2   | H330             | (1)  |
| T+; R27                                   |   | Acute Tox. 1   | H310             |      |
| T+; R28                                   |   | Acute Tox. 2   | H300             | (1)  |
| R33                                       |   | STOT RE 2  | H373             | (3)  |
| <b>▼M12</b>                               |   |  |                  |      |
| C; R34                                    |   | Skin Corr. 1   | H314             | (2)  |
| C; R35                                    |   | Skin Corr. 1A  | H314             |      |
| <b>▼B</b>                                 |   |  |                  |      |
| Xi; R36                                   |   | Eye Irrit. 2   | H319             |      |
| Xi; R37                                   |   | STOT SE 3  | H335             |      |

## ▼B

| Classification under Directive 67/548/EEC | Physical state of the substance when relevant | Classification under this Regulation |                  | Note |
|---|---|--------------------------------------|------------------|------|
|   |   | Hazard Class-and-Category            | Hazard statement |      |
| Xi; R38                                   |   | Skin Irrit. 2                        | H315             |      |
| T; R39/23                                 |   | STOT SE 1                            | H370             | (3)  |
| T; R39/24                                 |   | STOT SE 1                            | H370             | (3)  |
| T; R39/25                                 |   | STOT SE 1                            | H370             | (3)  |
| T+; R39/26                                |   | STOT SE 1                            | H370             | (3)  |
| T+; R39/27                                |   | STOT SE 1                            | H370             | (3)  |
| T+; R39/28                                |   | STOT SE 1                            | H370             | (3)  |
| Xi; R41                                   |   | Eye Dam. 1                           | H318             |      |
| R42                                       |   | Resp. Sens. 1                        | H334             |      |
| R43                                       |   | Skin Sens. 1                         | H317             |      |
| Xn; R48/20                                |   | STOT RE 2                            | H373             | (3)  |
| Xn; R48/21                                |   | STOT RE 2                            | H373             | (3)  |
| Xn; R48/22                                |   | STOT RE 2                            | H373             | (3)  |
| T; R48/23                                 |   | STOT RE 1                            | H372             | (3)  |
| T; R48/24                                 |   | STOT RE 1                            | H372             | (3)  |
| T; R48/25                                 |   | STOT RE 1                            | H372             | (3)  |
| R64                                       |   | Lact.                                | H362             |      |
| Xn; R65                                   |   | Asp. Tox. 1                          | H304             |      |
| R67                                       |   | STOT SE 3                            | H336             |      |
| Xn; R68/20                                |   | STOT SE 2                            | H371             | (3)  |
| Xn; R68/21                                |   | STOT SE 2                            | H371             | (3)  |
| Xn; R68/22                                |   | STOT SE 2                            | H371             | (3)  |
| Carc. Cat. 1; R45                         |   | Carc. 1A                             | H350             |      |
| Carc. Cat. 2; R45                         |   | Carc. 1B                             | H350             |      |
| Carc. Cat. 1; R49                         |   | Carc. 1A                             | H350i            |      |
| Carc. Cat. 2; R49                         |   | Carc. 1B                             | H350i            |      |
| Carc. Cat. 3; R40                         |   | Carc. 2                              | H351             |      |
| Muta. Cat. 2; R46                         |   | Muta. 1B                             | H340             |      |
| Muta. Cat. 3; R68                         |   | Muta. 2                              | H341             |      |
| Repr. Cat. 1; R60                         |   | Repr. 1A                             | H360F            | (4)  |
| Repr. Cat. 2; R60                         |   | Repr. 1B                             | H360F            | (4)  |
| Repr. Cat. 1; R61                         |   | Repr. 1A                             | H360D            | (4)  |

**▼B**

| Classification under Directive 67/548/EEC | Physical state of the substance when relevant | Classification under this Regulation |                  | Note |
|---|---|--------------------------------------|------------------|------|
|   |   | Hazard Class-and-Category            | Hazard statement |      |
| Repr. Cat. 2; R61                         |   | Repr. 1B                             | H360D            | (4)  |
| Repr. Cat. 3; R62                         |   | Repr. 2                              | H361f            | (4)  |
| Repr. Cat. 3; R63                         |   | Repr. 2                              | H361d            | (4)  |
| Repr. Cat. 1; R60-61                      |   | Repr. 1A                             | H360FD           |      |
| Repr. Cat. 1; R60<br>Repr. Cat. 2; R61    |   | Repr. 1A                             | H360FD           |      |
| Repr. Cat. 2; R60<br>Repr. Cat. 1; R61    |   | Repr. 1A                             | H360FD           |      |
| Repr. Cat. 2; R60-61                      |   | Repr. 1B                             | H360FD           |      |
| Repr. Cat. 3; R62-63                      |   | Repr. 2                              | H361fd           |      |
| Repr. Cat. 1; R60<br>Repr. Cat. 3; R63    |   | Repr. 1A                             | H360Fd           |      |
| Repr. Cat. 2; R60<br>Repr. Cat. 3; R63    |   | Repr. 1B                             | H360Fd           |      |
| Repr. Cat. 1; R61<br>Repr. Cat. 3; R62    |   | Repr. 1A                             | H360Df           |      |
| Repr. Cat. 2; R61<br>Repr. Cat. 3; R62    |   | Repr. 1B                             | H360Df           |      |

**▼C1**

|        |  |                 |      |  |
|--------|--|-----------------|------|--|
| N; R50 |  | Aquatic Acute 1 | H400 |  |
|--------|--|-----------------|------|--|

**▼B**

|           |  |                                      |                    |  |
|-----------|--|--------------------------------------|--------------------|--|
| N; R50-53 |  | Aquatic Acute 1<br>Aquatic Chronic 1 | H400<br>H410       |  |
| N; R51-53 |  | Aquatic Chronic 2                    | H411               |  |
| R52-53    |  | Aquatic Chronic 3                    | H412               |  |
| R53       |  | Aquatic Chronic 4                    | H413               |  |
| N; R59    |  | Ozone                                | ► <b>M2</b> H420 ◀ |  |

*Note 1*

For these classes it is possible to use the recommended minimum classification as defined in section 1.2.1.1 in Annex VI. Data or other information may be available to indicate that re-classification in a more severe category is appropriate.

**▼M12***Note 2*

Going back to original data may not result in a possibility to distinguish between Category 1B or 1C, since the exposure period has normally been up to 4 hours according to Regulation (EC) No 440/2008. In these cases, Category 1 shall be assigned. However, when data are derived from tests following a sequential approach as foreseen in the Regulation (EC) No 440/2008, further sub-categorisation into Category 1B or Category 1C shall be considered.

**▼ B***Note 3*

The route of exposure could be added to the hazard statement if it is conclusively proven that no other routes of exposure cause the hazard.

**▼ M4***Note 4*

Hazard statements H360 and H361 indicate a general concern for effects on fertility and/or development: 'May damage/Suspected of damaging fertility or the unborn child'. According to the criteria, the general hazard statement can be replaced by the hazard statement indicating the specific effect of concern in accordance with section 1.1.2.1.2 of Annex VI. When the other differentiation is not mentioned, this is due to evidence proving no such effect, inconclusive data or no data and the obligations in Article 4(3) shall apply for that differentiation.

**▼ B***Table 1.2*

**Translation between risk phrases assigned under Directive 67/548/EEC and supplementary labelling requirements under this Regulation**

| Directive 67/548/EEC | This Regulation |
|----------------------|-----------------|
| R1                   | EUH001          |
|                      |                 |
|                      |                 |
| R14                  | EUH014          |
| R18                  | EUH018          |
| R19                  | EUH019          |
| R44                  | EUH044          |
| R29                  | EUH029          |
| R31                  | EUH031          |
| R32                  | EUH032          |
| R66                  | EUH066          |
| R39-41               | EUH070          |

**▼ M4****▼ B**