Ι

(Acts whose publication is obligatory)

## COUNCIL REGULATION (EEC) No 1533/81

## of 19 May 1981

## temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

# THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or nonexistent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION:

#### Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid:

- from 1 July to 31 December 1981 for the products listed in Table I,
- from 1 July 1981 to 30 June 1982 for the products listed in Table II.

#### Article 2

This Regulation shall enter into force on 1 July 1981.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 May 1981.

For the Council The President D. F. van der MEI

# ANNEX

# TABLE I

CCT heading No	heading Description		
ex 29.04 A III a)	2-Methylpropan-2-ol ( <i>tert</i> -butyl alcohol) with a purity of not less than 90 % but not more than 96 % by weight	0	
ex 29.08 A III c)	2-Bromo-6-methoxynaphthalene	0	
ex 29.11 C II	A mixture of 3-0-cumenyl-2-methylpropionaldehyde and 3-p-cumenyl-2- methylpropionaldehyde (cyclamen aldehyde)	o	
ex 29.16 A II	L-Malic acid and its salts and esters	Ó	
ex 29.19 C	2,2-Bis(chloromethyl) trimethylene tetrakis(2-chloroethyl) bis(phosphate)	5	
ex 29.19 C and ex 38.19 U	Tetrakis(2-chloroethyl) ethylene bis (phosphate)	5	
ex 29.22 D I	3,5-Dichloroaniline	6.3	
ex 29.23 A II	1-Deoxy-1-(octylamino)- <i>D</i> -glucitol	7.1	
ex 29.25 A II	2-Acrylamido-2-methylpropanesulphonic acid	o	
x 29.25 B III b)	Bendiocarb (ISO)	0	
x 29.27	4-Bromophenylacetonitrile	o	
ex 29.31 B	Biosynthetic peptide having the structure of the 'A' chain of human insulin, in the form of a salt of the S-sulphonate derivative	0	
ex 29.31 B	4,4'-Sulphonyldiphenol, not less than 99.5 % pure	0	
ex 29.34 C	Trichloronat (ISO)	0	
ex 29.35 Q	Biosynthetic peptide having the structure of the 'B' chain of human insulin, in the form of a salt of the S-sulphonate derivative	o	
ex 29.35 Q	Diazoxide (INN)	0	
ex 29.35 Q	(6R,7R)-7-Amino-3-(5-methyl-1,3,4-thiadiazol-2-ylthiomethyl)-8-oxo-5-thia-1- azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts	0	
ex 29.35 Q	Tolmetin sodium (INNM)	0	
ex 29.39 D II	Betamethasone 17,21-dipropionate (INNM)	0	
ex 29.39 D II	Methylprednisolone (INN)	8	
ex 29.39 D II	Triamcinolone hexacetonide (INN)	6.6	
ex 29.39 D II	Diflorasone di (acetate) (INNM)	0	

CCT heading No		
x 29.44 C	Cefoxitin sodium (INNM)	0
x 29.44 C	Cefradine (INN)	o
x 29.44 C	Cefamandol (INN) and its salts and esters	0
x 29.44 C	Cefazolin (INN) and its salts	0
x 29.44 C	(6R, 7R)-7-[2-Carboxy-2-(4-hydroxyphenyl)acetamido]-7-methoxy-3-(1-methyl- 1H-tetrazol-5-ylthiomethyl)-8-oxo-5-oxa-1-azabicyclo[4.2.0]-oct-2-ene-2-carbo- xylic acid and its salts and esters	o
x 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplane spacing (d values) of $0.44$ , $0.40$ , $0.33$ and $0.25$ nm the line corresponding to $0.40$ nm being the most intense, for the manufacture of self-copy paper (a)	O
38.07 A	Gum spirits of turpentine	3
38.07 B	Spirits of sulphate turpentine; crude dipentene	3
38.07 C	Spirits of wood turpentine; terpenic solvents produced by the distillation or other treatment of coniferous woods; sulphite turpentine; pine oil (excluding 'pine oils' not rich in terpineol)	3
k 38.08 C	Rosin hydrogenated, polymerized, dimerized or oxodized	5
x 38.19 G	Catalysts in the form of rodlets having a diameter of not less than $1.5$ mm and not more than $9.5$ mm, containing not less than $60\%$ by weight of diiron- trioxide, not less than $8\%$ by weight of dipotassiumoxide and not less than $2\%$ by weight of dichromiumtrioxide, for use in the production of styrene from ethylbenzene (a)	o
x 38.19 G	<ul> <li>Catalysts consisting of a mixture of oxides on an silicon dioxide support and containing by weight:</li> <li>(a) Not less than 25 % and not more than 40 % of antimony</li> <li>(b) Not less than 5 % and not more than 10 % of iron</li> <li>(c) Not less than 0.2 % and not more than 1.5 % of molybdenum</li> <li>(d) Not less than 0.8 % and not more than 4.0 % of tellurium</li> </ul>	0
x 38.19 G	Catalysts in the form of rodlets having a length of not more than $5.0$ mm and in diameter of not more than $3.6$ mm consisting of copper oxide and dichromium trioxide	0
x 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	o
x 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen, with a surface area of less than 90 $m^2/g$ (a)	o
x 38.19 U	Dibutylmagnesium dissolved in organic solvents to a concentration of less than $28 \%$ by weight	0
x 38.19 U	Flame retardant reaction products of acetaldehyde, ethylene oxide and phosphorous trichloride	0
	Reflecting polyester sheeting, whether or not in rolls	0

No L 155/4

CCT heading No	ding Description		
ex 39.01 C V	Polyurethane reflecting sheeting whether or not in rolls	o	
ex 39.01 C VII	alpha-4-Hydroxybuthyl-omega-hydroxypoly (oxytetramethylene)	0	
ex 39.02 C I b)	Transparent polyethylene film which will split longitudinally when stretched at right angles to its length, and having a density of not less than $0.925$ gm/cc and yielding not less than 7 g/m <sup>2</sup> and not more than 19 g/m <sup>2</sup> , for the manufacture of typewriter ribbon (a)	- 0	
х 39.02 С VI b)	Reflecting foil of a terpolymer of vinyl chloride with styrene and an acrylic ester embossed on one side with a regular pattern on which there is a thin layer of aluminium whether or not in rolls	о	
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting wholly embossed on one side in a regular pyramidal pattern, whether or not in rolls	o	
ex 39.02 C XIV a)	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-termi- nal carboxy group as a substituent, compounded with silica	12.5	
ex 39.02 C XIV a)	Alternating copolymer of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0	
x 39.02 C XIV a)	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer for use as a thickener in textile pigment printing pastes (a)	5	
x 39.02 C XIV b)	Sheets consisting of a woven textile fabric covered on both sides with a copolymer of poly(tetrafluoroethylene) and poly[oxy(perfluoro-2-methylethylene)] with terminal carboxyl groups, whether or not in rolls	0	
x 44.28 C	Match splints manufactured from aspen ( <i>Populus tremuloides</i> ) for the manufacture of matches, not requiring a specific striking surface (so called 'strike-anywhere' matches) (a)	o	
ex 51.01 A	Yarn of a copolymer of glycollic acid lactic acid for the manufacture of surgical sutures (a)	o	
x 51.01 A	Yarn wholly of polyglycollic acid	0	
x 51.01 A	Yarn of poly(p-phenyleneterephthalamide), for uses other than the manufacture of tyres (a)	2	
x 51.01 A	Yarn of poly(1,4-Dioxanone)	0	
x 51.02 A I	Monofil of poly(1,4-Dioxanone)	0	
x 56.01 A and x 59.01 B I	Fibres of poly( <i>p</i> -phenyleneterephthalamide)	2	
x 58.07 A and x 59.04	Braid wholly of polyglycollic acid yarn	0	
x 58.07 A and x 59.04	Braid of yarn of a copolymer of glycollic acid and lactic acid, whether or not coated, for the manufacture of surgical sutures (a)	o	
x 59.17 A	Needle punched synthetic fibre felts on a woven synthetic fibre base coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products (a)	o	

CCT heading No	Description		
ex 59.17 D	Yarn of impregnated poly(p-phenyleneterephthalamide), oiled	0	
ex 70.20 B	Yarns of 34 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than $5 \cdot 2$ and not more than $6 \cdot 2$ micrometres, other than those treated so as to improve their adhesion to elastomers	6-3	
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than $5.8$ and not more than $6.4$ micrometres, other than those treated so as to improve their adhesion to elastomers	6.3	
ex 84.18 C II b)	Apparatus, for the separation of gas from gas mixtures, of a total length of not less than 375 cm and not more than 690 cm consisting essentially of a metal cylinder, whose diameter is not less than $10.5$ cm and not more than $22.5$ cm, containing bundles of hollow permeable fibres	o	
ex 84.55 C	Opto-electric encoder for electronic typewriters consisting of electronic circuits, a light-emitting diode (LED), a rotating disc with radial openings, a fixed mask and a single chip photovoltaic cell, contained in two plastic shells forming a housing of a size not exceeding $60 \times 48 \times 16$ mm	o	
ex 85.19 B	Potentiometers, contained in a housing whose diameter does not exceed $4.5 \text{ mm}$ , whether or not fitted with an on/off switch, for the manufacture of products falling under tariff subheading 90.19 B I (a)	0	
ex 85.21 A V	Digital displays in the form of a tube consisting of a glass housing mounted on a board whose dimensions do not exceed $350 \times 300$ mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallized base which is covered with fluorescent or phosphorescent substances which give off light when bombarded with electrons	0	
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding $35 \times 90$ mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is composed of seven segments plus a decimal point and the line of digits has a protective cover of transparent plastic	0	
ex 85.21 D II	Digital displays, consisting of a printed circuit board of a size not exceeding $35 \times 90$ mm with a single line of characters not less than two in number comprising light-emitting diodes made from gallium-based semi-conductor compounds mounted thereon. Each character is composed of up to eight segments and the line of characters has a protective cover of transparent plastic	0	
ex 85.21 D II	Electronic programmable read only memories (EPROMS) UV erasable, with a storage capacity of 32 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed $17 \times 39$ mm, with a quartz window on the upper surface, and bearing:		
	<ul> <li>an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations:</li> <li>2532</li> <li>25 A 32</li> <li>25 L 32</li> <li>2732</li> <li>or</li> </ul>		
	<ul> <li>other identification markings relating to EPROMS complying with the above- mentioned description</li> </ul>	8.5	

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Electronic programmable read only memories (EPROMS) UV erasable, with a storage capacity of 64 K bits in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed $17 \times 39$ mm, with a quartz window on the upper surface, and bearing:	
	- an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations:	
	2564 68764 68 A 764	
	or — other identification markings relating to EPROMS complying with the abovementioned description	5
ex 85.21 D II	Random access memories (RAMS) with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed $9 \times 23$ mm with 16 connecting pins, and bearing:	
	- an identification marking either consisting of one of the following combinations of figures or including one of those combinations:	
	3764 4164 4864 6664	
	6665 8164 or	
	<ul> <li>other identification markings relating to RAMS complying with the abovementioned description</li> </ul>	5
ex 85.21 D II	C-MOS random access memories (RAMS of complementary MOS technology), with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed $11 \times 31$ mm with 18, 20 or 22 connecting pins, and bearing:	
	- an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations:	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
<b>.</b> *	or — other identification markings relating to C-MOS RAMS complying with the	
	abovementioned description	10

heading No			Description		autonomou duty (%)
« 85.21 D II	pacity of 4 K bits housing whose ex	s in the form of a	a monolithic integrate do not exceed 17 ×	MS) with a storage ca- d circuit contained in a 34 mm, with not more	
	an identificat combinations combinations:	of figures or fig	her consisting of ures and letters or	one of the following including one of those	
	18 S 42	38510	74 S 472 `		
	18 S 46		74 S 473		
	18 SA 42	5340	74 S 474		
	18 SA 46	5341 5348	74 S 475 74 S 476		
	24 S 41	5349	74 S 476 74 S 477		
	24 SA 41	5350	74 S 572		
		5351	74 S 573		
	27 S 15	5352	,		
	27 S 26	5353	7640		
	27 S 27	54 5 473	7641 7642		-
	27 S 28 27 S 29	54 S 472 54 S 473	7642 7643		
	27 S 29 27 S 30	54 S 474	7644		
	27 S 31	54 S 475	7645	•	
	27 S 32	54 S 476	7647		
	27 S 33	54 S 477	7648		
	20 1 42	54 S 572	7649		
	28 L 42 28 L 45	54 S 573 54 740	82 S 115		
	28 P 42	54 741	82 S 136		
	28 P 45		82 S 137		
	28 R 45	5605	82 S 140		
	28 S 42	5625	82 S 141	,	[
	28 S 45	(340	82 S 142 82 S 146		
	29620	6340 6341	82 S 146 82 S 147		
	29621	6348	02 0 1 17		
	29622	6349	93 438		
	29623	6350	93 448		
	29624 29625	6351 6352	93 452 93 453		
	29625	6352	73 433		
	29627	0555			
		7121			
	3604	7122			
	3624	7123			
	3625	7125 7126			
		. 120			
	or				
	- other identif	ication markings ed description	relating to PROM	S complying with the	8.5
x 85.21 D II	consisting of an read only memo memory (RAM)	8 bit central proce ry (ROM) with with a capacity	ssor, and 8 bit timer, a capacity of 8 K bit	lithic integrated circuit 18 input/output gates, a is and a random access ed in a housing, whose pins	
	The package bear	rs:			
	- one of the fol	lowing markings:			
	D 8041				
	P 8041				
	or				
	— other mark	ings relating t	o microcomputers	complying with the	
					· · · · ·

•

CCT heading No			Descripti	on		Rate of autonomou duty (%)
ex 85.21 D II	form of a mo dímensions d	nolithic integr o not exce	ated circuit co ed 53 × 14	rating an elapsed ti ontained in a housi mm, with 40 locks and clocks of	ng whose exterior connecting pins,	
	The package b	ears:				
	— the followin	ng identificatio	n marking:			
	MM 53124					
	or					
		ification mark oned description		to clock circuits c	omplying with the	0
ex 85.21 D II	pacity of 8 K l	oits in the for exterior dime	m of a monoli ensions do not	emories (PROMS) thic integrated circ exceed 17 × 34 m	uit, contained in a	
	– an identifi combination combination	ns of figures	ng either co or figures an	nsisting of one d letters or includ	of the following ling one of those	
	24 S 81	29650	74 LS 478 74 S 2708	TBPS 81 M 82707		
	24 SA 81	29651	74 S 454	82708	•	
	2708-65	29652 29653	74 S 455 74 S 478	82 LS 180 82 LS 181		
	2700-05	27033	74 S 479	82 S 180		
	27 S 180 27 S 181	3628	7409	82 S 181 82 S 182		
	27 3 101	5380	7608 7680	82 S 182 82 S 183		
	28 L 85	5381	7681	82 S 184		
	28 L 86 28 P 85	54 LS 478 54 S 2708	7684 7685	82 S 185 82 S 2708		
	28 F 85 28 R 85	54 S 454	7686	87 S 180		1
	28 S 2708	54 S 455	7687	87 S 181		
	28 S 85	54 S 478		87 S 184		
	28 S 86 28 SA 86	54 S 479	77 S 180 77 S 181	87 S 185 87 S 186		
	20 5/1 00	6380	77 S 181	87 S 180		
	29630	6381	77 S 185			
	29631	7107	77 S 186	93450		
	29632 29633	7127 7128	77 S 187	93451 93460		
	29634	7129		93461		
	29635	7130		93465		
	29636	7131		93466		
	29637	7132		93 L 450 93 L 451		
				9460		
	or					
	— other iden	tification mar oned descriptio	kings relating	to PROMS con	mplying with the	

t

٠

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Single-chip microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of 4 bits plus a read only memory (ROM) with a capacity of not less than 18 K bits and not more than 65 K bits and a random access memory (RAM) with a capacity of not less than 512 bits and not more than 4 K bits, contained in a housing whose exterior dimensions do not exceed $16 \times 54$ mm with not more than 40 connecting pins	
	The package bears:	
	— one of the following identification markings:	
	CD 3200 to 3299 TMC 0270 to 0279 TMC 0500 to 0599 TMC 0980 to 0989 TMC 1500 to 1599 TMC 1980 to 1999 TP 0310 to 0329 TP 0450 to 0459 TP 0480 to 0489 TP 0500 to 0599	
	or	
	<ul> <li>other identification markings relating to microcomputers complying with the abovementioned description</li> </ul>	0
ex 85.21 D II	Amplifier in the form of a monolithic integrated analog circuit contained in a housing whose dimensions do not exceed $3 \cdot 56 \times 3 \cdot 56 \times 1 \cdot 65$ mm with not more than 10 connecting pins for use in products falling within subheading 90.19 B I (a)	
	The package bears:	
	- one of the following identification markings:	
	V 35 C 05	
	or	
	<ul> <li>other identification markings relating to amplifiers complying with the abovementioned description</li> </ul>	o

١

## TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed pyrethrum	0
ex 27.13 B II	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1 560	0
ex 28.04 B	Helium	0
ex 28.04 C III	Tellurium	o
ex 28.13 IJ	Tellurium dioxide	o
ex 28.21	Chromium dioxide	0
ex 28.31 C	Lithium hypochlorite	0
ex 28.38 C	Potassium hydrogenperoxomonosulphate	o
ex 28.40 B II	pentaCalcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy (a)	0
ex 28.42 A VI	Lithium carbonates not corresponding to the following specifications: — In the form of white powder — Containing 98.5 % or more of Li <sub>2</sub> CO <sub>3</sub> and: — Less than 2 ppm of arsenic — Less than 200 ppm of calcium — Less than 200 ppm of chlorides — Less than 200 ppm of chlorides — Less than 20 ppm of iron — Less than 150 ppm of magnesium — Less than 20 ppm of heavy metals — Less than 300 ppm of potassium — Less than 300 ppm of sodium — Less than 200 ppm of sulphates	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28,47 F	Calcium wolframate, for the manufacture of ferro-alloys or deca-ammonium 41-oxododecawolframate (ammonium paratungstate) (a)	0
ex 28.48 B III	Hydrotalcite (INN)	0
28.51 A	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (Euratom)	0
ex 28.57 A	Silane (silicon hydride)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	beta-Pinene	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.01 D VII	Vinyltoluenes	0
ex 29.02 A I	Carbon tetrafluoride (tetrafluoromethane)	o
ex 29.02 A II b)	1,2,3-Trichloropropenes	o
ex 29.02 A III	Vinyl bromide	0
ex 29.02 A III	1,2-Dibromoethane	4
ex 29.02 A V	Bromochloromethane	o
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1.6 <sup>9</sup> .0 <sup>2,13</sup> .0 <sup>5,10</sup> ] octadeca-7,15-diene, for use in the manufacture of polyamide (a)	o
ex 29.03 B II	Nitromethane	o
ex 29.03 B II	1-Nitropropane	0
ex 29.03 B II	2-Nitropropane	o
ex 29.03 B II	Nitroethane	o
ex 29.03 C I	Methanesulphonyl chloride	o
ex 29.04 C I	Butane-1,3-diol	o
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol	o
ex 29.06 A IV	2-tert-Butyl-4-ethylphenol	o
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	4,4'-(2,3-Dimethyltetramethylene)dipyrocatechol, not less than 98 % pure	o
ex 29.06 B V	6,6',6"-Tri- <i>tert</i> -butyl-4,4',4"-(1-methylpropan-1-yl-3-ylidene) tri- <i>m</i> -cresol, whether or not containing toluene of crystallization	o
ex 29.06 B V	2,5-Di( <i>tert</i> -pentyl)hydroquinone	o
ex 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	o
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	o
ex 29.09 B	1,2-Epoxybutane	7
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 A I	3,3-Dimethylbutanone	0
ex 29.13 B I b)	Refined natural bornan-2-one(camphor)	0
ex 29.13 D I b)	3- <i>beta</i> -Hydroxy-16- <i>alpha</i> -methylpregn-5-en-20-one	6

١

CCT heading No	Description	Rate of autonomo duty (%)
ex 29.13 D I b)	11- <i>alpha</i> ,17,21-Trihydroxy-16- <i>beta</i> -methylpregna-1,4-diene-3,20-dione	o
ex 29.13 E	4-Methoxy-4-methylpentan-2-one	0
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	1-Chloro-3,3-dimethylbutanone	0
ex 29.14 A II c) 4	16- <i>alpha</i> ,17- <i>alpha</i> -Epoxy-20-oxopregn-5-en-3- <i>beta</i> -yl acetate	6
ex 29.14 A II c) 4	11- <i>alpha</i> ,17- <i>alpha</i> ,21-Trihydroxy-16- <i>alpha</i> -methyl-5- <i>alpha</i> -pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	. 9
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3- <i>beta-</i> yl acetate	0
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
29.15 A IV a)	Azelaic acid and sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4,tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate	0
ex 29.15 C III	Tetrabromophthalic anhydride	0
29.16 A III a)	Crude calcium tartrate	3.5
ex 29.16 A VIII a)	2,2-Bis(hydroxymethyl)propionic acid	0
ex 29.16 B III	2-Ethylhexyl-4-hydroxybenzoate	0
ex 29.16 B VI	Octadecyl-3-(3,5-di- <i>tert</i> -butyl-4-hydroxphenyl)propionate	0
ex 29.16 B VI	Pentaerythritol tetrakis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 A III	tert-Butylamine	0
ex 29.22 B II	N, N, N', N'-Tetrabutylhexamethylenediamine	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	<i>m</i> -Phenylenebis(methylamine)	0
ex 29.23 A II	Dinoprost(INN), Trometamol salt (INN)	. 0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	Ö
ex 29.23 B II	Dobutamine (INN) and its salts	0

j,P

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.23 C	Ketamine hydrochloride (INNM)	0
ex 29.23 D V	Tranexamic acid (INN)	o
ex 29.23 D V	beta-Alanine	o
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	o
ex 29.23 E	Methyldopa (INN)	o
ex 29.23 E	Diethyl 1,3-benzodioxol-5-ylaminomethylenemalonate	0
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride	o
ex 29.23 E	Levodopa (INN)	0
ex 29.25 A II	N-Acetyl-DL-valine	0
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride	o
29.25 B II a)	Phenobarbital (INN) and its salts	11
ex 29.25 B II c)	Barbituric acid	0
ex 29.25 B III b)	2'-Benzoyl-4'-chloro-N-(2-hydroxypropyl)glycinanilide	0
ex 29.26 B II c)	1,1,3,3-Tetramethylguanidine	0
ex 29.27	(—)-N-( <i>alpha</i> -Cyano-4-hydroxy-3-methoxy- <i>alpha</i> -methylphenethyl)acetamide	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	Carbidopa (INN)	0
ex 29.29	Robenidine hydrochloride (INNM)	0
ex 29.29	N, N-Diethylhydroxylamine	0
ex 29.30	0,0-Bis(4-tert-butylphenyl) N-cyclohexylphosphoramidothioate	o
ex 29.30	Methyl isocyanate	9
ex 29.30	Methylenedicyclohexyl di-isocyanate, mixed isomers	0
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	Tolnaftate (INN)	o
ex 29.31 B	2,2'-Thiodiethyl bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder, for the production of goods falling within Chapter 70 (a)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.34 C	2-Chloroethylphosphonic acid	7.6
ex 29.34 C	2-Diphenylphosphinobenzoic acid	0
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl)phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl-p-cresol	0
ex 29.35 Q	2,6-Di- <i>tert</i> -butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-yl-amino]phenol	0
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts	o
ex 29.35 Q	()-1- <i>tert</i> -Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	. 0
ex 29.35 Q	Clotiazepam (INN)	0
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0
ex 29.35 Q	2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	Carpipramine dihydrochloride (INNM)	0
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5-g]cinnoline-3-carbonitrile	0
ex 29.35 Q-	Indometacin (INN)	0
ex 29.35 Q	Diphemanil metilsulphate (INN)	0
ex 29.35 Q	Orazamide (INN)	o
ex 29.35 Q	(25R)-Spirost-5-en-3-beta-ol(diosgenin) and its esters	0
ex 29.35 Q	L-Tryptophan	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-chloro-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2- carboxylate and its salts	0
ex 29.35 Q	Azatadine dimaleate (INNM)	0
ex 29.35 Q	Amprolium hydrochloride (INNM)	o
ex 29.35 Q	2-(4-Pyridyl)ethanesulphonic acid	0
ex 29.35 Q	Prifinium bromide (INN)	o
ex 29.35 Q	Glucurolactone (INN)	0
ex 29.35 Q	2-Chlorodibenz[b,f][1,4]oxazepin-11(10H)-one	0
ex 29.35 Q	2,3,5,6-Tetrachloropyridine	o
ex 29.35 Q	Diltiazem hydrochloride (INNM)	0

• •

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	(6R,7R)-3-Acetoxymethyl-7-[(R)-2-formyloxy-2-phenylacetamido]-8-0x0-5-thia- 1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts and esters	0
ex 29.35 Q and ex 30.03 A II b)	Buspirone hydrochloride (INNM)	0
29.35 Q and ex 30.03 A II b)	Encainide hydrochloride (INNM)	0
ex 29.35 Q	5-Bromopyrimidine	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfaguanidine (INN)	o
ex 29.36	Sulfathiazole (INN)	0
ex 29.36	4-Chloro-5-sulphamoylanthranil-0-toluidide	0
ex 29.38 A	Nicotinic acid (INN)	ο
ex 29.38 B II	Panthenol (INN)	ο
ex 29.38 B III	Polic acid (INN)	0
ex 29.38 B V	Nicotinamide (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	o
ex 29.39 E	Calcitonin (INN), salmon-type and its salts	0
ex 29.39 E	Prasterone (INN)	0
ex 29.39 E	Calcitonin (INN), porcine	o
ex 29.41 D	Purified mixture of glycosides from the fermentation of Streptomyces avermitilis	o
ex 29.42 C VII	Pilocarpine hydrochloride	o
ex 29.42 C VII	Pilocarpine nitrate	, о
ex 29.42 C VII	(22R,25R)-Tomat-5-enin-3-beta-ol (Solasodine)	o
ex 29.42 C VII	Vindesine sulphate (INNM)	o
ex 29.43 B	Ribose	o
ex 29.43 B	Sucralfate (INN)	o
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	o
ex 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Minocycline mono-hydrochloride dihydrate (INNM)	o

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.44 C	Clindamycin (INN) and its salts and esters	o
ex 29.44 C	Spectinomycin dihydrochloride pentahydrate (INNM)	0
ex 29.44 C	Gentamicin (INN) and its salts	o
ex 29.44 C	Nystatin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin sulphate (INNM)	0
ex 29.44 C	Sisomicin sulphate (INNM)	o
ex 29.44 C	Spectinomycin sulphate (INNM)	o
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters, for the manufacture of products falling within heading No 30.03 (a)	o
ex 29.44 C	Monensin (INN) and its salts	o
ex 29.44 C	Cefaclor (INN) and its hydrates, salts and esters	o
ex 29.44 C	Fumagillin dicyclohexylammonium (INNM)	o
ex 29.44 C	Netilmicin sulphate (INNM)	0
ex 29.44 C	Dibekacin sulphate (INNM)	o
ex 29.45	Potassium tert-butoxide	o
ex 30.01 A	Bovine livers for organotherapeutic purposes, dried	0
ex 30.01 B II	Extracts of liver of bovine animals	0
ex 30.01 B II	Extracts of suprarenal glands	0
ex 30.02 A	Tetanus immunoglobulin	o
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.02 A	German measles immunoplasma	0
ex 30.02 A	Mumps immunoplasma	0
ex 30.02 A	Whooping-cough immunoplasma	0
ex 30.02 A	Rabies immunoplasma	0
ex 30.03 A II b) B II b)	Human albumin, whether or not in solution	O
ex 30.03 A II b) B II b)	Human fibrinogen	O
ex 30.03 A II b) B II b)	Preserved serum prepared on a basis of human blood	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 30.03 A II b) B II b)	Anti-haemophilic globulin and anti-P(D)-globulin derived from human blood	0
ex 30.03 A II b)	Cisplatin (INN)	o
ex 30.03 A II b)	Mixture of oestrogens, of equine origin in powder form	0
ex 30.03 B II b)	Gamma-globulin, in solution, derived from human blood	0
ex 30.03 B II b)	Lyophilized gamma-globulin derived from human blood	0
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	. 0
ex 32.01 A IV	Tanning extracts of eucalyptus	3 · 2
ex 32.07 B	Inorganic colouring matter preparations mentioned in Note 3 to Chapter 32, in hollow polyurethane spheres having a diamater of less than 200 micrometres	o
ex 32.08 D	Glass in the form of flakes of a length not less than $0.1$ mm and not more than $3.5$ mm of a thickness not less than two and not more than five micrometres	0
ex 32.09 A II and ex 39.01 C V	Polyurethane of 2,2'-( <i>tert</i> -butylimino)diethanol and 4,4'-methylenedi(cyclohexyl- isocyanate, dissolved in $N_i$ N-diamethylaceramide, with a copolymer content of not less than 48 % by weight	o
ex 32.09 A II and ex 39.02 C XIV a)	Copolymer of <i>p</i> -cresol and divinylbenzene, dissolved in $N, N$ -dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 35.07	Bromelains (INN)	0
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 35.07	Peroxidase	0
ex 37.02 B	Colour negative film of a width not less than 75 mm and not more than 105 mm and of a length of 100 m or more, for use in the manufacture of instant picture film packs (a)	0
ex 38.08 C	Hydroabietyl alcohol	o
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	o
ex 38.19 G	Catalysts in the form of spherical grains with a diameter of not less than 1.4 mm and not more than 1.8 mm consisting of boron trifluoride on an aluminium oxide support	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ex 38.19 U	Lyophilized extract of the blood cells of the crab <i>Limulus polyphemus</i> (Lyophilized Limulus amebocyte lysate)	o
ex 38.19 U	Calcined bauxite (refactory grade)	o

<sup>(</sup>a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 U	Diosgenin crude	0
ex 38.19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide dissolved in toluene	,0
ex 38.19 U	Mixtures of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'- isopropylidenediphenol	0
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	4
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2- <i>p</i> -chloro- phenylbenzoxazol-5-yl) propiononitrile	o
ex 38.19 U	Residues of manufacture containing not less than 40 % by weight of 11- <i>beta</i> , 17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one 21-acetate	0
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	6.7
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less than 36 % and not more than 44 % zirconium dioxide	6.7
ex 38.19 U	N-(2-Methyl-2-nitropropyl)-4-nitrosoaniline containing not less than 65 % by weight of an inert filler	. 0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 38.19 U	Cholic acid and 3- <i>alpha</i> , 12- <i>alpha-</i> dihydroxy-5- <i>beta-</i> cholan-24-oic acid (deoxycholic acid), crude	0
ex 38.19 U	Crude bile acids	0
ex 38.19 U	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Streptomyces tenebrarius</i> , whether or not dried	0
ex 39.01 A	Colestipol hydrochloride (INNM)	0
ex 39.01 C II a)	Polycondensation products of formaldehyde and a mixture of toluene-2-sul- phonamide and toluene-4-sulphonamide	0
ex 39.01 C III a)	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C III b) and ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	o
ex 39.01 C III b)	Waste and scrap of polyester sheets coated with tungsten compounds	o
ex 39.01 C III b)	Polyester of a mixture of isophthalic acid and terephthalic acid with 4,4'- isopropylidenediphenol	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C V	Polyurethane polymers in one of the forms mentioned in Note 3 (a) to Chapter 39, based on a mixture of 2-methyl and 4-methyl- <i>m</i> -phenylene di-isocyanates and branched chain triols with an average molecular weight of not less than 6 000, and containing terminal epoxy groups	10
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.01 C VII	Poly[oxy(2,6-dibromo-1,4-phenylene)] for use in the manufacture of polyamide (a)	0
ex 39.01 C VII	Poly[oxy(2,6-dibromo-1,4-phenylene)] for use in the manufacture of polypropylene (a)	o
ex 39.01 C VII	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene- 1,4-phenylene), in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C II	Microporous polytetrafluoroethylene film, not less than 30 cm in width and weighing not more than $22 \cdot 4 \text{ g/m}^2$ whether or not in rolls	0
ex 39.02 C II	Microporous polytetrafluoroethylene film coated on one side with a polymer permeable to water vapour, not less than 30 cm in width and weighing not more than 50 g/m <sup>2</sup> , whether or not in rolls	o
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI a) b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VI a)	Copolymer of maleic anhydride and styrene, whether or not containing a styrene- butadiene block copolymer in one of the forms mentioned in Note 3 (b) to Chapter 39	o
ex 39.02 C VI a)	An A-B-A block copolymer of polystyrene ethylene-butylene copolymer and polystyrene containing not more than 35 % by weight of styrene, in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than $79.5$ % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	0
ex 39.02 C XI	Poly(vinyl formal), in one of the forms mentioned in Note 3 (b) to Chapter 39, having a molecular weight not less than 10 000 and not more than 40 000 and containing by weight:	
	- Not less than 9.5 % and not more than 13 % of the acetyl groups, expressed as vinyl acetate	
	<ul> <li>Not less than 5 % and not more than 6.5 % of the hydroxy groups, expressed as vinyl alcohol</li> </ul>	- 0
ex 39.02 C XII	Poly(2-diethylaminoethyl methacrylate) dissolved in $N_cN$ -dimethylacetamide, with a polymer content of not less than 55 % by weight	0

,

1

.

CCT heading	Description	Rate of autonomous
No		duty (%)
ex 39.02 C XII	Copolymer of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in $N_s N$ -dimethylacetamide, with a copolymer content of not less than 55 % by weight	o
x 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
x 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometres, whether or not in rolls	o
x 39.02 C XII	Copolymer of acrylic acid and 2-ethylhoxyl acrylate containing not less than 10 % and not more than 11 % by weight of 2-ethylhoxyl acrylate	o
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than four and not more than 20 micrometres	o
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than $89\%$ and not more than $92\%$ of vinyl chloride, not less than $2\%$ and not more than $6\%$ of vinyl acetate and not less than $4\%$ and not more than $8\%$ of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter $39$	0
x 39.02 C XIV a)	Fluorinated ethylene propylene copolymers, for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
x 39.02 C XIV a)	Poly(1-ethylethylene) (Polybutene-1) in one of the forms mentioned in Note 3 (b) to Chapter 39	o
ex 39.02 C XIV b)	Polyvinyl fluoride sheet, whether or not in rolls	0
x 39.02 C XIV b)	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde, whether or not in rolls	o
x 39.02 C XIV b)	Polyvinylidene fluoride film, whether or not in rolls	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
x 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	. 4
x 39.03 B V a) 2	Hydroxypropylcellulose	0
x 39.06 B	0-(2-hydroxyethyl)amylopectin hydrolysate	0
x 39.07 B V d)	Perforated polyethylene film of a width of not less than $4.5$ cm and not more than $5.5$ cm and having a molecular weight of not less than $4000000$ in rolls for use as conveyor belts in machines for manufacturing cigars (a)	0
41.02 B	Bovine cattle leather (including buffalo leather) not further prepared than chrome- tanned, in the wet-blue state	o
x 41.02 C	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4.5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preser- vative treatment with oil, but obviously unsuitable for immediate use in the manu- facture of leather articles	0
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0

CCT heading No	Description	Rate of autonomou duty (%)
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	o
ex 44.22 B	Used casks and barrels of oak, whether assembled or not; their staves and heads	0
ex 44.28 D II	Shingles for roofs and walls of coniferous wood	0
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork	0
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 48.07 D	Kraft paper with latex addition to the stock, coated on one side with polybu- tadiene-styrene weighing not less than 104 g and not more than 130 g/m <sup>2</sup> , for the manufacture of all-in-one disposable nappies (a)	6
ex 49.11 B	Microcopies on an opaque base for data banks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Yarn of polytetrafluorethylene	0
ex 51.01 A	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50 $^{\circ}$ C for use in the manufacture of weftless 'felts' for papermaking machines (a)	0
ex 51.01 A	Yarn, multiple, of polyamide, coated, impregnated or covered with a phenolic resin	0
ex 51.01 A	Yarn of synthetic textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
ex 51.02 A I	Monofil of polytetrafluoroethylene	0
ex 51.02 A II	Polyimide strip, whether or not in rolls	0
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls with an extension at break not exceeding 25 %	o
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	o
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns fot the footwear industry or for whipping cables (a)	0
ex 56.01 A	Textile fibres of polytetrafluoroethylene	0
ex 56.01 A	Textile fibres of aromatic polyamides obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 58.01 B	Carpets, carpeting and rugs, of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil (b)	20 with a maximum duty of 4 ECU per m <sup>2</sup>
x 59.03	Bonded-fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man- made fibres obtained by polycondensation of $m$ -phenylenediamine and isophthalic acid	0
ex 59.03	Bonded-fibre fabrics, with a thickness of not more than 300 micrometres, of spunbonded polyethylene fibres, with a weight not exceeding 115 $g/m^2$ , whether or not in rolls	o
ex 59.04	Coir yarn, for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.08	Knitted or woven fabric coated or covered on one side with artificial plastic ma- terial in which are embedded glass microspheres	o
ex 59.12	Cotton fabric coated with adhesive in which are embedded glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 g/m <sup>2</sup> and not more than 550 g/m <sup>2</sup>	o
x 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	o
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	o
62.03 B I a)	Sacks and bags of the kind used for the packing of goods, used, of flax or of sisal	0
x 68.02 B	Artificially coloured granules and chippings	0
x 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circu- lar or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm <sup>2</sup> running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 %	
	and not more than 80 % of the whole cross-section area	0
x 70.19 A IV b)	Glass beads of a diameter of less than $0.1 \text{ mm}$ and with a refractive index of $2.26$	0
x 70.20 A	Mats of non-textile glass fibres of a weight per square metre of a not more than 100 g and a fibre diameter of not more than seven micrometres	o
x 70.20 B	Glass-fibre yarns, with a filament diameter of not more than four micrometres, for the manufacture of carpets (a)	0
x 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than $2.5$ and not more than $5.1$ micrometres other than those treated so as to improve their adhesion to elastomers	o
x 74.05 B	Non-rigid sheets and plates of polytetrafluoroethylene, with aluminium oxide as a filler or reinforced with glass-fibre fabric, laminated on both sides with copper foil	0
x 75.04 A	Tubes of nickel, not alloyed, of a purity not less than 99 %, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either:	
	- Not less than 213.36 mm and not more than 214 mm, or	
	<ul> <li>Not less than 209.95 mm and not more than 210.59 mm, or</li> <li>Not less than 168.28 mm and not more than 168.78 mm</li> </ul>	0

<sup>(</sup>a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.(b) The Additional Note to Chapter 58 shall apply here.

CCT heading No	Description	Rate of autonomou duty (%)
76.01 B I b)	Waste of aluminium, other (including factory rejects)	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than $0.7$ % by weight and not more than $1.5$ % by weight of copper as the major alloying elements and having a width of not less than 75 and not more than 230 mm and a thickness of not less than 3 and not more than $6.5$ mm	o
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than $0.2$ mm and not more than $0.5$ mm, for the manufacture of capacitors (a)	0
ex 81.04 D I b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than $0.10$ % by weight of total oxygen, not more than $0.15$ % by weight of total aluminium and not more than $0.001$ % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a)	
	<ul> <li>Blades, fixed or movable, including their rings</li> <li>Vanes</li> <li>Nozzles</li> </ul>	0
ex 81.04 G I	Electrolytic manganese of a purity of at least $99.7$ %, for the chemical industry (a)	0
ex 81.04 K I	Waste and scrap titanium	0
ex 81.04 K I	Titanium sponge	0
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0
ex 84.31 A	Suction roll shells, not drilled, being alloy steel tubes with a length of not less than 5 207 mm and an outside diameter of not less than 754 mm for use in machinery for making paper or paperboard (a)	o
ex 84.51 A	Typewriters with Braille characters	· 0
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 84.55 C	Parts and accessories of electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	o
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes, for reactor pressure vessels	0
ex 84.63 D	Forged and roughly shaped generator and turbine shafts of a weight exceeding 180 tonnes	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 A III	Vascular prostheses	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo- transistors transmits letters onto a scanning board with piezo-electric pencils, and its parts and accessories	0