

## I

*(Acts whose publication is obligatory)***COMMISSION REGULATION (EEC) No 2384/85**

of 30 July 1985

**amending Council Regulation (EEC) No 3626/82 on the implementation in the Community of the Convention on international trade in endangered species of wild fauna and flora**

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 3626/82 of 3 December 1982 on the implementation in the Community of the Convention on international trade in endangered species of wild fauna and flora (<sup>1</sup>), as last amended by Regulation (EEC) No 3646/83 (<sup>2</sup>), and in particular Article 4 thereof,

Whereas, at the fifth session of the conference of the parties to the Convention on international trade in endangered species of wild fauna and flora, held in Buenos Aires from 22 April to 3 May 1985, amendments were made to Appendices I and II to the Convention; whereas alterations were made to Appendix III to the Convention; whereas Appendices I, II and III of Annex A to Regulation (EEC) No 3626/82 should now be amended to incorporate the amendments accepted by the Community, and parts 1 and 2 of Annex C to that Regulation should be altered;

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 30 July 1985.

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Committee on the Convention on International Trade in Endangered Species of Wild Fauna and Flora,

HAS ADOPTED THIS REGULATION:

*Article 1*

Appendices I, II and III of Annex A and parts 1 and 2 of Annex C to Regulation (EEC) No 3626/82 are hereby replaced by the Annexes to this Regulation.

*Article 2*

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

It shall apply from 1 August 1985.

*For the Commission*

Stanley CLINTON DAVIS

*Member of the Commission*

(<sup>1</sup>) OJ No L 384, 31. 12. 1982, p. 1.

(<sup>2</sup>) OJ No L 367, 28. 12. 1983, p. 2.

**ANNEX A***Appendices I and II<sup>(1)</sup> (<sup>(2)</sup>)***Interpretation**

1. Species included in these appendices are referred to:
  - (a) by the name of the species; or
  - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation 'spp.' is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only.
4. The abbreviation 'p.e.' is used to denote species which are possibly extinct.
5. An asterisk (\*) placed against the name of a species or higher taxon indicates that one or more geographically separate populations, sub-species or species of that species or taxon are included in Appendix I and that those populations, sub-species or species are excluded from Appendix II.
6. Two asterisks (\*\*) placed against the name of a species or higher taxon indicate that one or more geographically separate populations, sub-species or species of that species or taxon are included in Appendix II and that those populations, sub-species or species are excluded from Appendix I.
7. The symbol '—' followed by a number placed against the name of a species or higher taxon denotes that designated geographically separate populations, sub-species, species, groups of species or families of that species or taxon are excluded from the appendix concerned, as follows:
  - 101 Population of West Greenland.
  - 102 Populations of Bhutan, India, Nepal and Pakistan.
  - 103 Population of China.
  - 104 *Panthera tigris altaica* (= *amurensis*).
  - 105 Population of Australia.
  - 106 Populations of Afghanistan, Bhutan, Burma, India, Nepal and Pakistan.
  - 107 *Cathartidae*.
  - 108 Population of the United States of America.
  - 109 *Melopsittacus undulatus*, *Nymphicus hollandicus* and *Psittacula krameri*.
  - 110 Population of Zimbabwe and populations of the following countries subject to the specified annual export quotas:
 

Cameroon	20	Mozambique	1 000
Congo	1 000	Sudan	5 000
Kenya	150	United Republic	
Madagascar	1 000	of Tanzania	1 000
Malawi	500	Zambia	2 000
  - 111 Populations of Australia and Papua New Guinea and population of Indonesia subject to an annual export quota of 2 000.
  - 112 Population of Chile.
  - 113 Coastal population of Chile.
  - 114 All species which are not succulent.

<sup>(1)</sup> The entries '(C 1)' and '(C 2)' after the name of a species or a higher taxon show that one or more sub-species of species, of that species or taxon, appear in part 1 or 2 of Annex C to the Regulation.

<sup>(2)</sup> The translation of the Latin names are given as a guide only.

8. The symbol '+' followed by a number placed against the name of a species or higher taxon denotes that only designated geographically separate populations, sub-species or species of that species or taxon are included in the appendix concerned, as follows:

- + 201 Population of South America.
- + 202 Populations of Bhutan, India, Nepal and Pakistan.
- + 203 All North American sub-species and European population, except the USSR.
- + 204 Populations of Cameroon and Nigeria.
- + 205 Population of Asia.
- + 206 Population of India.
- + 207 Population of Australia.
- + 208 Populations of Afghanistan, Bhutan, Burma, India, Nepal and Pakistan.
- + 209 Population of Mexico.
- + 210 Populations of Algeria, Bourkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, Niger, Nigeria, Senegal and Sudan.
- + 211 All New Zealand species.
- + 212 Population of Chile.
- + 213 All species of the family in the Americas.
- + 214 Coastal population of Chile.

9. The symbol '=' followed by a number placed against the name of a species or higher taxon denotes that the name of that species or taxon shall be interpreted as follows:

- = 301 Includes family *Tupaiidae*.
- = 302 Includes generic synonym *Leontideus*.
- = 303 Includes synonym *Saguinus geoffroyi*.
- = 304 Includes synonym *Cercopithecus roloway*.
- = 305 Includes synonym *Colobus badius kirki*.
- = 306 Includes synonym *Colobus badius rufomitratus*.
- = 307 Includes generic synonym *Simias*.
- = 308 Includes generic synonym *Mandrillus*.
- = 309 Includes generic synonym *Rhinopithecus*.
- = 310 Includes synonyms *Bradypus boliviensis* and *Bradypus griseus*.
- = 311 Includes synonym *Priodontes giganteus*.
- = 312 Includes synonym *Physeter catodon*.
- = 313 Includes synonym *Eschrichtius glaucus*.
- = 314 Includes generic synonym *Eubalaena*.
- = 315 Includes synonym *Dusicyon fulvipes*.
- = 316 Includes generic synonym *Fennecus*.
- = 317 Also referenced as *Ursus thibetanus*.
- = 318 Includes generic synonym *Thalarctos*.
- = 319 Also referenced as *Aonyx microdon* or as *Paraonyx microdon*.
- = 320 Includes synonyms *Lutra annectens*, *Lutra enudris*, *Lutra incarum* and *Lutra platensis*.
- = 321 Includes synonym *Eupleres major*.
- = 322 Also referenced as *Lynx caracal* includes generic synonym *Caracal*.

- = 323 Also referenced as *Lynx rufus esquinapae*.
- = 324 Includes synonyms *Equus kiang* and *Equus onager*.
- = 325 Includes generic synonym *Dama*, includes synonym *dama*.
- = 326 Includes generic synonyms *Axis* and *Hyelaphus*.
- = 327 Includes synonym *Bos frontalis*.
- = 328 Includes synonym *Bos grunniens*.
- = 329 Includes generic synonym *Novibos*.
- = 330 Includes generic synonym *Anoa*.
- = 331 Includes synonym *Oryx tao*.
- = 332 Includes synonym *Ovis aries ophion*.
- = 333 Also referenced as *Anas platyrhynchos laysanensis*.
- = 334 Includes synonym *Cygnus bewickii jankowskii*.
- = 335 Includes synonyms *Falco pelegrinoides* and *Falco babylonicus*.
- = 336 Includes generic synonym *Pipile*.
- = 337 Includes generic synonym *Mitu*.
- = 338 Includes generic synonym *Lyrurus*.
- = 339 Also referenced as *Eupodotis bengalensis*.
- = 340 Often traded under the incorrect designation *Ara caninde*.
- = 341 Includes generic synonym *Cyclopsitta*.
- = 342 Formerly included in genus *Gallirex*.
- = 343 Also referenced as *Mimizuku gurneyi*.
- = 344 Formerly included in genus *Ramphodon*.
- = 345 Also referenced as *Muscicapa rueckii*.
- = 346 Formerly included in genus *Spinus*.
- = 347 Includes generic synonyms *Nicoria* and *Geoemyda* (part).
- = 348 Also referenced in genus *Testudo*.
- = 349 Formerly included in *Podocnemis spp.*
- = 350 Includes *Alligatoridae*, *Crocodylidae* and *Gavialidae*.
- = 351 Formerly included in *Chamaeleo spp.*
- = 352 Includes synonym *Pseudoboa cloelia*.
- = 353 Also referenced as *Hydrodynastes gigas*.
- = 354 Formerly included in *Thamnophis elegans*.
- = 355 Includes generic synonym *Megalobatrachus*.
- = 356 *Sensu D'Abra*.
- = 357 Formerly included in genus *Mytilus*.
- = 358 Also referenced in genus *Dysnomia*.
- = 359 Includes generic synonym *Proptera*.
- = 360 Also referenced in genus *Carunculina*.
- = 361 Includes generic synonym *Micromya*.
- = 362 Includes generic synonym *Papuina*.
- = 363 Also referenced in genus *Escobaria*.
- = 364 Also referenced in genus *Neolloydia*.
- = 365 Also referenced as *Nopalxochia macdougallii*.

- = 366 Also referenced as *Solisia pectinata*.
  - = 367 Includes sub-families *Apostasioideae* and *Cypripedioideae*.
  - = 368 Also referenced as *Lycaste skinneri* var. *alba*.
  - = 369 Includes synonym *Stangeria paradoxa*.
  - = 370 Includes synonym *Basiloxylon excelsum*.
  - = 371 Includes synonym *Welwitschia mirabilis*.
10. In accordance with paragraph (b) (iii) of Article I of the Convention, 'the symbol  $\dagger$ ' followed by a number placed against the name of a species or higher taxon included in Appendix II designates parts or derivatives which are specified in relation thereto, for the purposes of the Convention, as follows:
- $\dagger$  1 Designates all parts and derivatives, except:
    - (a) seeds, spores and pollen (including pollinia); and
    - (b) tissue cultures and flasked seedling cultures.
  - $\dagger$  2 Designates roots and readily recognizable parts thereof.
  - $\dagger$  3 Designates all parts and derivatives, except:
    - (a) seeds, spores and pollen (including pollinia);
    - (b) tissue cultures and flasked seedling cultures;
    - (c) fruits and parts and derivatives thereof of naturalized or artificially propagated plants; and
    - (d) separate stem joints (pads) and parts and derivatives thereof of naturalized or artificially propagated *Opuntia* spp. sub-genus *Opuntia*.
  - $\dagger$  4 Designates all parts and derivatives, except:
    - (a) seeds, spores and pollen (including pollinia);
    - (b) tissue cultures and flasked seedling cultures; and
    - (c) fruits and parts and derivatives thereof of naturalized or artificially propagated plants.
  - $\dagger$  5 Designates all parts and derivatives, except:
    - (a) spores and pollen (including pollinia); and
    - (b) tissue cultures and flasked seedling cultures.
  - $\dagger$  6 Designates all parts and derivatives, except:
    - (a) seeds, spores and pollen (including pollinia);
    - (b) tissue cultures and flasked seedling cultures; and
    - (c) separate leaves and parts and derivatives thereof of naturalized or artificially propagated *Aloe vera*.
  - $\dagger$  7 Designates all parts and derivatives, except:
    - (a) seeds, spores and pollen (including pollinia);
    - (b) tissue cultures and flasked seedling cultures;
    - (c) cut flowers of artificially propagated plants, and
    - (d) fruits and parts and derivatives thereof of artificially propagated *Vanilla* spp.

	Appendix I	Appendix II
	<b>FAUNA ANIMALS</b>	
	<b>MAMMALIA MAMMALS</b>	
<b>MONOTREMATA</b>		
Monotremes		
<i>Tachyglossidae</i>		
Echidnas or spiny ant-eaters		<i>Zaglossus spp.</i> (C 2) All long-nosed echidnas (New Guinea echidnas), including egg-laying ant-eaters or long-snouted echidnas
<b>MARSUPIALIA</b>		
Marsupials		
<i>Dasyuridae</i>		
Marsupial mice	<i>Sminthopsis longicaudata</i> Long-tailed dunnart or long-tailed marsupial-mouse or long-tailed sminthopsis	
<i>Thylacinidae</i>		
Thylacines	<i>Sminthopsis psammophila</i> Sandhill dunnart or sandhill sminthopsis or large desert marsupial-mouse	
<i>Peramelidae</i>		
Bandicoots	<i>Thylacinus cynocephalus p.e.</i> Tasmanian wolf or Thylacine or Tasmanian tiger	
<i>Thylacomyidae</i>		
	<i>Chaeropus ecaudatus p.e.</i> Pig-footed bandicoot	
	<i>Perameles bougainville</i> (Western) barred bandicoot or (little) marl	
	<i>Macrotis lagotis</i> Rabbit bandicoot or bilby or dalgite or rabbit-eared bandicoot	
	<i>Macrotis leucura</i> White-tailed rabbit bandicoot or lesser rabbit (-eared) bandicoot or yallara or lesser bilby	
<i>Phalangeridae</i>		
Phalangers and cuscuses		<i>Phalanger maculatus</i> Spotted cuscus or spotted phalanger
<i>Burramyidae</i>		<i>Phalanger orientalis</i> Grey cuscus
Pygmy possums		<i>Burramys parvus</i> Mountain pygmy possum or burramys or Broom's pigmy possum
<i>Vombatidae</i>		
Wombats	<i>Lasiorhinus krefftii</i> Queensland hairy-nosed wombat	
<i>Macropodidae</i>		
Wallabies and kangaroos	<i>Bettongia spp.</i> All rat-kangaroos or bettongs	
	<i>Caloprymnus campestris p.e.</i> Desert rat-kangaroo or plains rat-kangaroo or bluff-nosed rat-kangaroo	
	<i>Lagorchestes hirsutus</i> Western hare-wallaby or wurrup or ormala	<i>Dendrolagus bennettianus</i> (C 2) Bennett's tree kangaroo or dusty tree kangaroo or tcharibbeena
	<i>Lagostrophus fasciatus</i> Banded hare-wallaby or munning	<i>Dendrolagus inustus</i> (C 2) Grizzled grey tree kangaroo
	<i>Onychogalea fraenata</i> Bridle nail-tailed wallaby or merrin or bridled wallaby	<i>Dendrolagus lumboltzi</i> (C 2) Lumholtz's tree kangaroo or boongary
	<i>Onychogalea lunata</i> Crescent nail-tailed wallaby or wurrung	<i>Dendrolagus ursinus</i> (C 2) Black tree kangaroo

	Appendix I	Appendix II
<b>INSECTIVORA</b>		
Insectivores		
<i>Erinaceidae</i>	<i>Erinaceus frontalis</i>	
Hedgehogs and gymnures	Cape hedgehog or southern African hedgehog	
<b>PRIMATES</b>		
Primates		<i>PRIMATES spp. (*)</i> (C 2)
<i>Lemuridae</i>	<i>Lepilemur spp.</i>	All primates
Lemurs	All lemurs	
<i>Cheirogaleidae</i>	<i>Cheirogaleus spp.</i>	
	All dwarf and mouse lemurs	
<i>Indriidae</i>	<i>Indriidae spp.</i>	
Indris, sifakas and avahis	All indris, sifakas and avahis	
<i>Daubentonidae</i>	<i>Daubentonia madagascariensis</i>	
Aye-ayes	Aye-aye	
<i>Callithricidae</i>	<i>Callithrix jacchus aurita</i>	
Tamarins and marmosets	White-eared marmoset	
	<i>Callithrix jacchus flaviceps</i>	
	Buff-headed marmoset	
	<i>Leontopithecus spp. = 302</i>	
	Golden (lion) tamarins or golden marmosets or maned tamarins	
	<i>Saguinus bicolor</i>	
	Pied or bare-faced tamarin	
	<i>Saguinus leucopus</i>	
	White-footed tamarin	
	<i>Saguinus oedipus = 303</i>	
	Cotton-headed tamarin or cotton-top marmoset or pinche marmoset or Liszt monkey or cotton-top tamarin (Geoffroy tamarin included)	
<i>Callimiconidae</i>	<i>Callimico goeldii</i>	
	Goeldi's marmoset or Goeldi's tamarin	
<i>Cebidae</i>	<i>Alouatta palliata</i>	
New world monkeys	Mantled howler and Guatemalan howler	
	<i>Ateles geoffroyi frontatus</i>	
	Black-browed spider monkey	
	<i>Ateles geoffroyi panamensis</i>	
	Red (bellied) spider monkey or Panama spider monkey	
	<i>Brachyteles arachnoides</i>	
	Woolly spider monkey	
	<i>Cacajao spp.</i>	
	All uakaris	
	<i>Chiropotes albinasus</i>	
	White-nosed saki	
	<i>Lagothrix flavicauda</i>	
	<i>Saimiri oerstedii</i>	
	Red-backed squirrel monkey or Central American squirrel monkey	
<i>Cercopithecidae</i>	<i>Cercocebus galeritus galeritus</i>	
Old world monkeys	Tana river mangabey (monkey)	
	<i>Cercopithecus diana = 304</i>	
	Diana monkey (Roloway monkey included)	
	<i>Colobus pennanti kirki = 305</i>	
	Kirk's or Zanzibar red colobus	
	<i>Colobus rufomitratus = 306</i>	
	Tana river red colobus	
	<i>Macaca silenus</i>	
	Lion-tailed macaque or wanderoo	
	<i>Nasalis spp. = 307</i>	
	Proboscis monkey	
	<i>Papio leucophaeus = 308</i>	
	Drill	
	<i>Papio sphinx = 308</i>	
	Mandrill	

	Appendix I	Appendix II
<i>Hylobatidae</i> Gibbons <i>Pongidae</i> Great apes	<i>Presbytis entellus</i> Entellus, true, hanuman or common langur <i>Presbytis geei</i> Golden langur <i>Presbytis pileata</i> Capped langur or capped monkey or bonneted langur <i>Presbytis potenziani</i> Mentawai leaf monkey or long-tailed langur <i>Pygathrix spp.</i> = 309 Douc langur <i>Hylobatidae spp.</i> All gibbons <i>Pongidae spp.</i> All great apes (gorilla, orang-utan and chimpanzees)	
<b>EDENTATA</b> Édentatés <i>Myrmecophagidae</i> Ant-eaters		<i>Myrmecophaga tridactyla</i> (C 1) Giant ant-eater <i>Tamandua tetradactyla chapadensis</i> (C 1) Mato grosso tamandua or Mato grosso collared ant-eater <i>Bradypus variegatus</i> = 310 Bolivian three-toed sloth
<i>Bradyopodidae</i> Sloths <i>Dasylopodidae</i> Armadillos	<i>Priodontes maximus</i> = 311 Giant armadillo	<i>Manis crassicaudata</i> (C 1) Indian pangolin <i>Manis javanica</i> (C 1) Malayan pangolin <i>Manis pentadactyla</i> (C 1) Chinese pangolin
<b>PHOLIDOTA</b> Pangolins or scaly ant-eaters <i>Manidae</i> Pangolins	<i>Manis temmincki</i> South African or Cape pangolin or scaly ant-eater	
<b>LAGOMORPHA</b> Lagomorphs (double-toothed rodents) <i>Leporidae</i> Rabbits and hares	<i>Caprolagus hispidus</i> Assam rabbit or hispid hare <i>Romerolagus diazi</i> Volcano rabbit	<i>Nesolagus netscheri</i> Sumatra (short-eared) rabbit
<b>RODENTIA</b> Rodents <i>Sciuridae</i> Squirrels and marmots	<i>Cynomys mexicanus</i> Mexican prairie dog or Mexican prairie marmot	<i>Lariscus hosei</i> Four-striped ground squirrel <i>Ratufa spp.</i> (C 1) All giant squirrels <i>Dipodomys phillipsii phillipsii</i> Phillips' kangaroo rat
<i>Heteromyidae</i> Pocket mice and kangaroo mice <i>Muridae</i> Rats and mice	<i>Leporillus conditor</i> Stick-nest rat or house-building rat <i>Pseudomys fumeus</i> Smokey (false) mouse <i>Pseudomys paeconis</i> Shark Bay (false) mouse	<i>Notomys spp.</i> All Australian hopping mice

	Appendix I	Appendix II
<i>Chinchillidae</i> Chincillas	<i>Xeromys myoides</i> False water-rat <i>Zyzomys pedunculatus</i> Central thick-tailed rat or Macdonnell Range rock-rat <i>Chinchilla spp.</i> + 201 All chinchillas	<i>Pseudomys shortridgei</i> Shortridge's (false) mouse or blunt-faced rat or Shortridge's native mouse
<i>CETACEA</i> Cetaceans (whales, dolphins and porpoises)		<i>CETACEA spp.</i> (*) All whales, dolphins and porpoises (C 1)
<i>Platanistidae</i> River dolphins	<i>Lipotes vexillifer</i> White flag dolphin or white fin dolphin or Chinese river dolphin or Baiji or Chinese lake dolphin <i>Platanista spp.</i> Susus or Ganges and Indus river dolphins <i>Berardius spp.</i> <i>Hyperoodon spp.</i> <i>Physeter macrocephalus</i> = 312 Sperm whale or spermaceti whale or cachalot or pot whale <i>Sotalia spp.</i> All South American river dolphins <i>Sousa spp.</i> All humpbacked dolphins <i>Neophocaena phocaenoides</i> (Indian) finless porpoise or finless black porpoise or black finless porpoise <i>Phocoena sinus</i> Cochito or vaguita or Gulf of California harbour porpoise <i>Eschrichtius robustus</i> (= glaucus) Grey whale or gray whale or California gray or devil fish or hard head or mussel digger or gray back or rip sack	
<i>Delphinidae</i> Dolphins		
<i>Phocoenidae</i>		
<i>Eschrichtidae</i> Grey whales		
<i>Balaenopteridae</i> Rorquals	<i>Balaenoptera acutorostrata</i> (**) — 101 (¹) <i>Balaenoptera borealis</i> Sei whale or Rudophi's rorqual or pollack whale or coalfish whale <i>Balaenoptera edeni</i> Bryde's whale <i>Balaenoptera musculus</i> Blue whale or Sibbald's rorqual or sulphur bottom <i>Balaenoptera physalus</i> (True) fin whale or (common) finback or common rorqual or finner or herring whale or razorback or fin-backed whale <i>Megaptera novaeangliae</i> Humpback (whale) or humpbacked whale or hump whale or bunch or hunchbacked whale	
<i>Balaenidae</i> Right whales	<i>Balaena spp.</i> = 313 Right whale <i>Caperea marginata</i> (¹)	
<i>CARNIVORA</i> Carnivores		
<i>Canidae</i> Dogs, wolves and foxes	<i>Canis lupus</i> (**) + 202 Grey wolf or wolf or gray wolf or common wolf or timber wolf	<i>Canis lupus</i> (*) — 102 Grey wolf (C 2) <i>Chrysocyon brachyurus</i> Maned wolf (C 2) <i>Cuon alpinus</i> Asiatic wild dog or dhole or Indian wild dog <i>Dusicyon culpaeus</i> Colpeo fox or colpeo or red fox

(¹) Enters into force on 1 January 1986.

	Appendix I	Appendix II
<i>Ursidae</i> Bears	<p><i>Speothos venaticus</i> Bush dog or savannah dog</p> <p><i>Ailuropoda melanoleuca</i> Giant panda</p> <p><i>Selenarctos thibetanus</i> = 317 Asiatic black bear or Himalayan (black) bear</p> <p><i>Tremarctos ornatus</i> Spectacled bear or Andean bear</p> <p><i>Ursus arctos isabellinus</i> Himalayan brown bear or red bear</p> <p><i>Ursus arctos nelsoni</i> Mexican (grizzly) bear</p> <p><i>Ursus arctos pruinosus</i> Tibet(an) brown bear</p>	<p><i>Dusicyon griseus</i> = 315 Chico grey fox or chilla or Argentine grey fox or little fox</p> <p><i>Vulpes cana</i> Dog fox, corsac or steppe fox or Afghan fox or Blandford's fox</p> <p><i>Vulpes zerda</i> = 316 Fennec fox</p> <p><i>Ursus arctos</i> (*) + 203 Brown bear or grizzly bear</p>
<i>Procyonidae</i> Raccoons		
<i>Mustelidae</i> Weasels, badgers, skunks and others	<p><i>Aonyx congica</i> (**) + 204 = 319 Cameroon clawless otter or small-toothed clawless otter or small-clawed otter</p> <p><i>Enhydra lutris nereis</i> Southern sea otter or Californian sea otter</p> <p><i>Lutra felina</i> Marine otter or chungungo or sea cat or chinungo</p> <p><i>Lutra longicaudis</i> = 320 Long-tailed otter (La Plata otter or South American otter or lobito de rio and Central American otter included)</p> <p><i>Lutra lutra</i> Eurasian or European (river) otter or Old World otter or common otter</p> <p><i>Lutra provocax</i> Southern river otter or luillin</p> <p><i>Mustela nigripes</i> Black-footed ferret</p> <p><i>Pteronura brasiliensis</i> Giant otter or Brazilian otter</p>	<p><i>Ursus maritimus</i> = 318 (C 2) Polar bear</p> <p><i>Ailurus fulgens</i> (C 2) Lesser panda or red panda or red cat-bear</p> <p><i>Conepatus humboldtii</i> Patagonian skunk</p> <p><i>Lutrinae</i> spp. (*) All otters</p>
<i>Viverridae</i> Genets, civets and mongooses		<p><i>Cryptoprocta ferox</i> Fossa (cat)</p> <p><i>Cynogale bennettii</i> (C 1) Otter civet</p> <p><i>Eupleres goudotii</i> = 321 (C 1) Fanalouc or fanalouc (mongoose) or Malagasy mongoose or small-toothed mongoose or slender fanalouc</p> <p><i>Fossa fossa</i> (C 1) Malagasy civet or fanaloka (civet)</p> <p><i>Hemigalus derbyanus</i> Banded palm civet or Hardwick's civet banded musang</p> <p><i>Prionodon linsang</i> (C 1) (Banded) linsang</p>
<i>Hyaenidae</i> Hyaenas	<p><i>Prionodon pardicolor</i> Spotted linsang or tiger-civet</p> <p><i>Hyaena brunnea</i> Brown hyaena</p>	

*Felidae*  
Cats or felines

## Appendix I

- Acinonyx jubatus*  
Cheetah or hunting leopard
- Felis bengalensis bengalensis* — 103  
Leopard cat (sub-species)
- Felis caracal* (\*\*) + 205 = 322  
Caracal (lynx) or desert lynx
- Felis concolor coryi*  
Florida puma or Florida cougar or Florida panther
- Felis concolor costaricensis*  
Costa Rican puma or Central American puma
- Felis concolor cougar*  
Eastern puma or Eastern cougar or Eastern panther
- Felis jacchita*  
Andean or mountain cat
- Felis marmorata*  
Marbled cat
- Felis nigripes*  
Black-footed cat
- Felis pardalis mearnsi*  
Costa Rican ocelot
- Felis pardalis mitis*  
Brazilian ocelot
- Felis planiceps*  
Flat-headed cat
- Felis rubiginosa* (\*\*) + 206  
Rusty-spotted cat
- Felis rufa escuinapae* = 323  
Mexican bobcat
- Felis temmincki*  
Asiatic golden cat or Temminck's (golden) cat
- Felis tigrina oncilla*  
Little spotted cat or tiger cat (sub-species)
- Felis wiedii nicaraguae*  
Nicaraguan margay
- Felis wiedii salvinia*  
Guatemalan margay
- Felis yagouaroundi cacomitli*  
Jaguarundi of Eastern Mexico
- Felis yagouaroundi fossata*  
Jaguarundi of Southern Mexico
- Felis yagouaroundi panamensis*  
Panama jaguarundi

## Appendix II

- Felidae spp.* (\*) [C 2: *Felis bengalensis* (\*)  
All cats
- Felis concolor* (\*)
- Felis geoffroii*
- Felis pajeros*
- Felis pardalis* (\*)
- Felis serval*
- Felis tigrina* (\*)
- Felis wiedii* (\*)
- Felis yagouaroundi* (\*)
- Lynx lynx*
- Lynx pardinus*
- Felis sylvestris*]

	Appendix I	Appendix II
	<p><i>Felis yagouaroundi tolteca</i> Jaguarundi of Western Mexico</p> <p><i>Neofelis nebulosa</i> Clouded leopard</p> <p><i>Panthera leo persica</i> Asiatic lion or Indian lion</p> <p><i>Panthera onca</i> Jaguar</p> <p><i>Panthera pardus</i> Leopard</p> <p><i>Panthera tigris (**)</i> — 104 Tiger (except Siberian tiger)</p> <p><i>Panthera uncia</i> Snow leopard</p>	
<b>PINNIPEDIA</b>		
Seals and walruses		
<i>Otariidae</i>		
Eared seals		<i>Arctocephalus spp.</i> (*) All (Southern) fur seals
<i>Phocidae</i>		
True seals	<i>Arctocephalus townsendi</i> Guadalupe fur seal or Lower Californian fur seal	<i>Mirounga spp.</i> Elephant seals (C 1)
	<i>Monachus spp.</i> All monk seals	
<b>TUBULIDENTATA</b>		
Aardvarks or ant bears		
<i>Orycteropodidae</i>		
Aardvarks		<i>Orycteropus afer</i> Aardvark or ant bear
<b>PROBOSCIDEA</b>		
Proboscideans		
<i>Elephantidae</i>		
Elephants	<i>Elephas maximus</i> Asian elephant or Indian elephant	<i>Loxodonta africana</i> (C 2) African elephant
<b>SIRENIA</b>		
Sea cows		
<i>Dugongidae</i>		
Dugongs	<i>Dugong dugon</i> (**) — 105 Dugong or sea cow	<i>Dugong dugon</i> (*) + 207 (C 1) Dugong or sea cow
<i>Trichechidae</i>		
Manatees	<i>Trichechus inunguis</i> Amazonian or South American manatee	
	<i>Trichechus manatus</i> West Indian or North American or Caribbean manatee	
		<i>Trichechus senegalensis</i> (C 1) West African manatee
<b>PERISSODACTYLA</b>		
Odd-toed ungulates		
<i>Equidae</i>		
Horses	<i>Equus africanus</i> <i>Equus grevyi</i> Grevy's zebra	<i>Equus hemionus</i> (*) = 324 (C 1) Asiatic wild ass or Asian wild ass
	<i>Equus hemionus hemionus</i> Mongolian wild ass or Oziggetai or kulan	
	<i>Equus hemionus khur</i> Indian wild ass or khar or ghor-khar	
	<i>Equus przewalskii</i> Przewalski's horse or Mongolian wild horse	

	Appendix I	Appendix II	
<i>Tapiridae</i> Tapirs	<i>Equus zebra zebra</i> Cape mountain zebra  <i>Tapiridae spp. (**)</i> Tapirs	<i>Equus zebra hartmannae</i> Hartmann's mountain zebra	(C 1)
<i>Rhinocerotidae</i> Rhinoceroses	<i>Rhinocerotidae spp.</i> All rhinoceroses or rhinos	<i>Tapirus terrestris</i> South American or Brazilian tapir	(C 1)
<i>ARTIODACTYLA</i> Even-toed ungulates			
<i>Suidae</i> Old World pigs or swine	<i>Babirousa babyrussa</i> Babirusa or deer hog or babiroussa  <i>Sus salvianus</i> Pygmy hog		
<i>Hippopotamidae</i> Hippopotamuses		<i>Choeropsis liberiensis</i> Pygmy hippopotamus	(C 2)
<i>Camelidae</i> Camels and lamas		<i>Lama guanicoe</i> Guanaco	
<i>Cervidae</i> True deer	<i>Vicugna vicugna</i> Vicugna or vicugna  <i>Blastocerus dichotomus</i> Marsh deer or guascu pucu  <i>Cervus dama mesopotamicus</i> = 325 Persian fallow deer or Mesopotamian fallow deer  <i>Cervus duvauceli</i> Swamp deer or barasingha  <i>Cervus elaphus hanglu</i> Kashmir stag or hanglu or Kashmir deer  <i>Cervus eldi</i> Brow-antlered deer or Eld's deer or thamin  <i>Cervus porcinus annamiticus</i> = 326 Ganges or Thai hog deer  <i>Cervus porcinus calamianensis</i> = 326 Calamian (hog) deer or Philippine deer  <i>Cervus porcinus kuhli</i> = 326 Kuhl's (hog) deer or Bawean (hog) deer  <i>Hippocamelus spp.</i> Andean, Chilean or Peruvian huemal or taruca or Chilean or Peruvian guemal or Andean huemul or Chilean or Peruvian huemul  <i>Moschus spp. (**)</i> + 208 Musk deer  <i>Muntiacus crinifrons</i> Black muntjac  <i>Ozotoceros bezoarticus</i> Pampas deer  <i>Pudu pudu</i> Chilean pudu  <i>Addax nasomaculatus</i> Addax	<i>Cervus elaphus bactrianus</i> Bactrian (red) deer or Bokharan deer or Bactrian wapiti  <i>Moschus spp. (**)</i> — 106 Musk deer  <i>Pudu mephistophiles</i> Northern pudu	(C 2)
<i>Bovidae</i> Cattle, sheep, goats, antelopes, etc.		<i>Ammotragus lervia</i> <i>Antilocapra americana mexicana</i> Mexican pronghorn	(C 1)

	Appendix I	Appendix II
	<p><i>Antilocapra americana peninsularis</i> Lower California pronghorn or peninsular pronghorn</p> <p><i>Antilocapra americana sonoriensis</i> Sonoran pronghorn</p> <p><i>Bison bison athabascae</i> Wood bison</p> <p><i>Bos gaurus</i> = 327 Gaur or saladang or seladang or Indian wild ox</p> <p><i>Bos mutus</i> = 328 Wild yak</p> <p><i>Bos sauveti</i> = 329 Kouprey</p> <p><i>Bubalus depressicornis</i> = 330 Lowland anoa</p> <p><i>Bubalus mindorensis</i> = 330 Tamaraw or tamarou</p> <p><i>Bubalus quarlesi</i> = 330 Mountain anoa</p>	
		<p><i>Budorcas taxicolor</i> Takin (Bovid)</p> <p><i>Capra falconeri</i> (*) Markhor</p>
	<p><i>Capra falconeri chiltanensis</i> Chiltan markhor</p> <p><i>Capra falconeri jerdoni</i> Straight-horned markhor</p> <p><i>Capra falconeri megaceros</i> Kabul markhor</p> <p><i>Capricornis sumatraensis</i> Serow</p>	<p><i>Cephalophus dorsalis</i></p> <p><i>Cephalophus jentinki</i></p> <p><i>Cephalophus monticola</i> Blue duiker (antelope)</p> <p><i>Cephalophus ogilbyi</i></p> <p><i>Cephalophus sylviculator</i></p> <p><i>Cephalophus zebra</i></p> <p><i>Damaliscus dorcus dorcus</i> Bontebok (antelope)</p>
	<p><i>Gazella dama</i></p> <p><i>Hippotragus niger variani</i> Giant sable antelope</p> <p><i>Nemorhaedus goral</i> Goral</p> <p><i>Oryx dammah</i> = 331 Scimitar-horned or white oryx</p> <p><i>Oryx leucoryx</i> Arabian oryx</p>	<p><i>Hippotragus equinus</i> Roan antelope</p> <p><i>Kobus leche</i> Lechwe (antelope)</p> <p><i>Ovis ammon</i> (*) Argali or Marco Polo sheep</p>

	Appendix I	Appendix II
	<p><i>Ovis ammon hodgsoni</i> Great Tibetan sheep or nyan</p> <p><i>Ovis orientalis ophion</i> = 332 Cyprian mouflon</p> <p><i>Ovis vignei</i> Urial or shapu or shapo</p> <p><i>Pantholops hodgsoni</i> Chiru or orong or Tibetan antelope</p> <p><i>Rupicapra rupicapra ornata</i> Abruzzi chamois</p>	<p><i>Ovis canadensis</i> + 209 Mountain or bighorn sheep</p>
	<i>AVES</i> <i>BIRDS</i>	
<b>STRUTHIONIFORMES</b>		
<i>Struthionidae</i>	<i>Struthio camelus</i> + 210	
<b>RHEIFORMES</b>		
<i>Rheas</i>		
<i>Rheidae</i>	<i>Pterocnemia pennata</i> Lesser or Darwin's rhea or Puna rhea	<i>Rhea americana albescens</i> Argentine (greater) rhea or Argentine (commone) rhea
<b>TINAMIFORMES</b>		
Tinamous		
<i>Tinamidae</i>		
Tinamous		
	<i>Tinamus solitarius</i> Solitary tinamou	
<b>SPHENISCIFORMES</b>		
Penguins		
<i>Spheniscidae</i>		
Penguins	<i>Spheniscus humboldti</i>	<i>Spheniscus demersus</i> Black-footed penguin or jackan penguin (C 1)
<b>PODICIPEDIFORMES</b>		
Grebes		
<i>Podicipedidae</i>		
Grebes		
	<i>Podilymbus gigas</i> Atitlan (pied-billed) grebe or giant pied-billed grebe	
<b>PROCELLARIIFORMES</b>		
Tube-nosed swimmers		
<i>Diomedeidae</i>		
Albatrosses		
	<i>Diomedea albatrus</i> Short-tailed albatross or Steller's albatross	
<b>PELECANIFORMES</b>		
Pelicans and kin		
<i>Pelecanidae</i>		
Pelicans	<i>Pelecanus crispus</i> Dalmatian pelican	

	Appendix I	Appendix II
<i>Sulidae</i> Boobies and gannets	<i>Sula abbotti</i> Abbott's booby	
<i>Fregatidae</i> Frigate birds	<i>Fregata andrewsi</i> Christmas Island frigate bird	
<i>CICONIIFORMES</i> Wading birds (herons and kin)	<i>Ciconia ciconia boyciana</i> Japanese white stork or white oriental stork	
<i>Ciconiidae</i> Storks	<i>Jabiru mycteria</i> Jabiru stork	<i>Ciconia nigra</i> Black stork (C 1)
<i>Threskiornithidae</i> Ibis and spoonbills	<i>Geronticus eremita</i> Hermit ibis <i>Nipponia nippon</i> Japanese crested ibis	<i>Geronticus calvus</i> (Southern) bald ibis
<i>Phoenicopteridae</i> Flamingos		<i>Platalea leucorodia</i> White or Eurasian spoonbill (C 1)
<i>ANSERIFORMES</i> Waterfowl		<i>Phoenicopteridae spp.</i> [C 1: <i>Phoenicoparrus andinus</i> Andean flamingo <i>Phoenicoparrus jamesi</i> James' flamingo <i>Phoenicopterus chilensis</i> Chilean flamingo <i>Phoenicopterus ruber ruber</i> Caribbean flamingo or American flamingo or Cuban flamingo or rosy flamingo or West Indian flamingo]
<i>Anatidae</i> Ducks, geese and swans	<i>Anas aucklandica nesiotis</i> Campbell Island brown or Campbell Island flightless teal <i>Anas laysanensis</i> = 333 Laysan duck or Laysan teal <i>Anas oustaleti</i> Marianas (Island) duck or Oustalet's grey duck or Marianas mallard (duck) <i>Branta canadensis leucopareia</i> Aleutian Canada goose	<i>Anas aucklandica aucklandica</i> Auckland Island flightless teal (C 2) <i>Anas aucklandica chlorotis</i> New Zealand brown teal (C 2)
	<i>Branta sandvicensis</i> Hawaiian goose or néné <i>Cairina scutulata</i> White-winged wood duck	<i>Anas bernieri</i> Madagascar teal (C 2)
		<i>Branta ruficollis</i> Red-breasted goose (C 1)
		<i>Coscoroba coscoroba</i> Coscoroba (swan) (C 1)
		<i>Cygnus columbianus jankowskii</i> Eastern Bewick's swan or Jankowski's swan (C 1)
		<i>Cygnus melanocoryphus</i> Black-necked swan

	Appendix I	Appendix II
<b>FALCONIFORMES</b> Birds of prey		<i>Dendrocygna arborea</i> Black-billed whistling duck or Cuban tree duck <i>Oxyura leucocephala</i>
<i>Cathartidae</i> New World vultures	<i>Rhodonessa caryophyllacea</i> p.e. Pink-headed duck	<i>Sarkidiornis melanotos</i> Comb duck or knob-billed duck
<i>Accipitridae</i> True hawks	<i>Gymnogyps californianus</i> California condor <i>Vultur gryphus</i> Andean condor <i>Aquila heliaca</i> Imperial eagle <i>Chondrohierax wilsonii</i> Cuba(n) hook-billed kite <i>Haliaeetus albicilla</i> White-tailed (sea) eagle or grey sea eagle <i>Haliaeetus leucocephalus</i> American bald eagle <i>Harpia harpyja</i> Harpy eagle <i>Pithecopaga jefferyi</i> Monkey-eating or Philippine eagle	<i>FALCONIFORMES spp.</i> (*) — 107 (C 1) Diurnal birds of prey (except New World vultures)
<i>Falconidae</i> Falcons and caracaras	<i>Falco araea</i> Seychelles kestrel <i>Falco jugger</i> Laggar falcon <i>Falco newtoni aldabranus</i> Aldabra kestrel <i>Falco peregrinus</i> = 335 Peregrine' falcon (Barbary falcon/Shahneen included) <i>Falco punctatus</i> Mauritius kestrel <i>Falco rusticolus</i> Gyrfalcon	
<b>GALLIFORMES</b> Game birds of fowl-like birds		
<i>Megapodiidae</i> Mound or builders	<i>Macrocephalon maleo</i> Maleo (bird) or maleo megapode	<i>Megapodius freycinet abbotti</i> Abbott's scrub fowl or Abbott's megapode <i>Megapodius freycinet nicobariensis</i> Nicobar scrub fowl or Nicobar megapode
<i>Cracidae</i> Curassows and guans	<i>Aburria jacutinga</i> = 336 Black-fronted piping guan or black-faced piping guan or black-faced curassow or jacutinga <i>Aburria pipile pipile</i> = 336 Trinidad white-headed curassow or Trinidad white-headed piping guan <i>Crax blumenbachii</i> Red-billed curassow or mutum <i>Crax mitu mitu</i> = 337 Razor-billed curassow or mitu <i>Oreophasis derbianus</i> Horned guan <i>Penelope albipennis</i> White-winged guan	

	Appendix I	Appendix II
<i>Phasianidae</i> Pheasants, partridges, quails and peacocks		
	<i>Catreus wallichii</i> Cheer pheasant	<i>Argusianus argus</i> Great argus pheasant
	<i>Colinus virginianus ridgwayi</i> Masked bobwhite	
	<i>Crossoptilon crossoptilon</i> White-eared pheasant or Tibetan-eared pheasant	<i>Cyrtonyx montezumae mearnsi</i> — 108 (C 1) Mearn's Montezuma quail or Mearn's harlequin quail
	<i>Crossoptilon mantchuricum</i> Brown-eared pheasant	<i>Cyrtonyx montezumae montezumae</i> (C 1) Montezuma quail or Massena harlequin quail
	<i>Lophophorus spp.</i> Monals or monal pheasants	<i>Francolinus ochropectus</i> (C 1) Pale-bellied francolin; Tadjoura francolin
	<i>Lophura edwardsi</i> Edward's pheasant	<i>Francolinus swierstrai</i> (C 1) Swierstra's francolin
	<i>Lophura imperialis</i> Imperial pheasant	<i>Gallus sonneratii</i> (C 1) Grey jungle fowl; Sonnerat's jungle fowl
	<i>Lophura swinhoii</i> Swinhoe's pheasant	<i>Ithaginis cruentus</i> (C 1) Blood pheasant
	<i>Polyplectron emphanum</i> Palawan or peacock pheasant	<i>Pavo muticus</i> (C 1) Green pea fowl
	<i>Syrmaticus ellioti</i> Elliot's pheasant	<i>Polyplectron bicalcaratum</i> (C 1) Grey or common peacock-pheasant
	<i>Syrmaticus humiae</i> Hume's pheasant or (Hume's) bar-tailed pheasant	<i>Polyplectron germaini</i> (C 1) Germain's peacock pheasant
	<i>Syrmaticus mikado</i> Mikado pheasant	<i>Polyplectron malacense</i> (C 1) Malay(sian) peacock pheasant
	<i>Tetraogallus caspius</i> Caspian snowcock	<i>Tetrao mlokosiewiczi</i> = 338 (C 1) Caucasian black grouse or Caucasian blackcock
	<i>Tetraogallus tibetanus</i> Tibetan snowcock	
	<i>Tragopan blythii</i> Blyth's tragopan	
	<i>Tragopan caboti</i> Cabot's tragopan	
	<i>Tragopan melanocephalus</i> Western (horned) tragopan	
	<i>Tympanuchus cupido attwateri</i> Attwater's (greater) prairie chicken	

	Appendix I	Appendix II
<b>GRUIFORMES</b> Cranes, rails and kin		
<i>Turnicidae</i>		<i>Turnix melanogaster</i> Black-breasted button quail
<i>Pedionomidae</i>		<i>Pedionomus torquatus</i> Plains wanderer
<i>Gruidae</i> Cranes	<i>Grus americana</i> Whooping crane <i>Grus canadensis nesiotes</i> Cuba sandhill crane <i>Grus canadensis pulla</i> Mississippi sandhill crane <i>Grus japonensis</i> Manchurian or red-crowned crane or Japanese crane <i>Grus leucogeranus</i> Siberian white crane or snow crane <i>Grus monacha</i> Hooded crane <i>Grus nigricollis</i> Black-necked crane or Tibetan crane <i>Grus vipio</i> White naped crane or white-necked crane	<i>Gruidae spp.</i> [C 1: <i>Grus canadensis pratensis</i> All cranes Florida sandhill crane]
<i>Rallidae</i> Rails	<i>Tricholimnas sylvestris</i> Lord Howe wood rail or Lord Howe Island wood hen	<i>Gallirallus australis hectori</i> (C 2) New Zealand wood rail or Eastern Weka rail
<i>Rhynochetidae</i> Kagu	<i>Rhynochetus jubatus</i> Kagu	
<i>Otididae</i> Bustards	<i>Chlamydotis undulata</i> Houbara bustard <i>Choriotis nigriceps</i> Great Indian bustard <i>Eupodotis bengalensis</i> = 339 Bengal florican or Bengal bustard	<i>Otis tarda</i> (C 1) Great bustard
<b>CHARADRIIFORMES</b> Waders, gulls and auks		
<i>Scolopacidae</i> Sandpipers	<i>Numenius borealis</i> Eskimo curlew	<i>Numenius minutus</i> Little or Pygmy curlew or whimbrel or Siberian baby curlew
<i>Laridae</i> Gulls and terns	<i>Numenius tenuirostris</i> Slender-billed or long-billed curlew <i>Tringa guttifer</i> Nordmann's or spotted greenshank <i>Larus relictus</i> Relict gull or khar turunt tsakhiai	<i>Larus brunnicephalus</i> (C 1) Brown-headed gull
<b>COLUMBIIFORMES</b> Pigeons, sandgrouse and dodos		
<i>Columbidae</i> Pigeons and doves	<i>Caloenas nicobarica</i> Nicobar dove or pigeon <i>Ducula mindorensis</i> Mindoro imperial pigeon or Mindoro zone-tailed pigeon	

	Appendix I	Appendix II
<b>PSITTACIFORMES</b> Parrots and kin		
<b>Psittacidae</b> Parrots	<i>Amazona arausiaca</i> Red-necked amazon or jacquot <i>Amazona barbadensis</i> Yellow-shouldered amazon <i>Amazona brasiliensis</i> Red-tailed amazon <i>Amazona dufresniana rhodocorytha</i> Red-crowned amazon or red-browed parrot or red-crowned parrot <i>Amazona guildingii</i> St Vincent parrot or St Vincent amazon <i>Amazona imperialis</i> Imperial amazon or imperial parrot <i>Amazona leucocephala</i> Cuban amazon or Cuban parrot or Bahamas parrot or Bahaman parrot <i>Amazona pretrei</i> Red-spectacled amazon or red-spectacled parrot <i>Amazona versicolor</i> St Lucia amazon or St Lucia parrot <i>Amazona vinacea</i> Vinaceous amazon or vinaceous (breasted) parrot <i>Amazona vittata</i> Puerto Rican amazon or Puerto Rico parrot or Puerto Rican parrot or red-fronted amazon <i>Anodorhynchus glaucus</i> p.e. Glaucous macaw <i>Anodorhynchus leari</i> Lear's or Indigo macaw <i>Ara glaucogularis</i> = 340 <i>Ara ambiguus</i> <i>Ara macao</i> <i>Ara guarouba</i> Golden parakeet or golden conure or Queen of Bavaria or Queen of Bavaria's conure <i>Cyanopsitta spixii</i> Little blue or Spix's macaw <i>Cyanoramphus auriceps forbesi</i> Forbes parakeet or Forbes' kakariki <i>Cyanoramphus novaezelandiae</i> Red-fronted parakeet or red-fronted kakariki or New Zealand parakeet <i>Geopsittacus occidentalis</i> p.e. (Australian) night parrot <i>Neophema chrysogaster</i> Orange-bellied parakeet or orange-bellied parrot <i>Ognorhynchus icterotis</i> <i>Oropsitta diophthalma coxeni</i> = 341 Coxen blue-browed fig parrot or Coxen two-eyed fig parrot or Coxen double-eyed fig parrot <i>Pezoporus wallicus</i> Ground parrot or ground parakeet or swamp parakeet <i>Pionopsitta pileata</i> Pileated or red-capped parrot <i>Psephotus chrysoterygius</i> Golden-shouldered parakeet and hooded parakeet <i>Psephotus pulcherimus</i> p.e. Paradise parrot or beautiful parakeet <i>Psittacula echo</i> Mauritius ring-necked parakeet	<i>Gallicolumba luzonica</i> (C 2) Bleeding heart pigeon or bleeding heart dove <i>Goura spp.</i> (C 1) All crowned pigeons or gouras <b>PSITTACIFORMES</b> spp. (*) — 109 (C 2) Parrots and related birds (except: budgerigar, cockatiel and rose-ringed parakeet)

	Appendix I	Appendix II
<b>CUCULIFORMES</b> Cuckoos and kin <i>Musophagidae</i> Turacos or plantain eaters	<i>Psittacus erithacus princeps</i> Fernando Poo grey or Principe parrot <i>Pyrrhura cruentata</i> Blue-throated conure or ochre-marked parakeet or red-rumped conure <i>Rhynchopsitta spp.</i> Thick-billed parrot and maroon-fronted parrot <i>Strigops habroptilus</i> Kakapo or owl parrot	
<b>STRIGIFORMES</b> Owls <i>Tytonidae</i> Barn owls <i>Strigidae</i> Typical owls	<i>Tyto soumagnei</i> Madagascar owl or Soumagne's owl <i>Athene blewitti</i> Forest spotted owl or forest little owl <i>Ninox novaeseelandiae rohana</i> Norfolk Island boobook owl <i>Ninox squamipila natalis</i> Christmas Island (hawk) owl <i>Otus gurneyi</i> = 343 Giant scops owl	<i>Tauraco corythaix</i> (C 1) Helmeted or knysna turaco <i>Tauraco porphyreolophus</i> = 342 (C 1) Purple- or violet-crested turaco <b>STRIGIFORMES spp. (*)</b> (C 1) Nocturnal birds of prey or owls
<b>APODIFORMES</b> Swifts and hummingbirds <i>Trochilidae</i> Hummingbirds	<i>Ramphodon dohrnii</i> = 344 Hook-billed hermit	
<b>TROGONIFORMES</b> Trogons <i>Trogonidae</i> Trogons	<i>Pharomachrus mocinno</i> Quetzal <i>Pharomachrus mocinno mocinno</i> Mexican resplendent quetzal or magnificent quetzal	
<b>CORACIIFORMES</b> Kingfishers and kin <i>Bucerotidae</i> Hornbills	<i>Buceros bicornis homrai</i> Homrai pied hornbill or Homrai great Indian hornbill or Northern great pied hornbill  <i>Rhinoplax vigil</i> Helmeted hornbill	<i>Aceros narcondami</i> (C 1) Narcondam hornbill <i>Buceros bicornis</i> (*) (C 1) Great pied hornbill or great Indian hornbill  <i>Buceros hydrocorax hydrocorax</i> (C 1) Luzon rufous hornbill or Philippine hornbill <i>Buceros rhinoceros rhinoceros</i> (C 1) Malayan rhinoceros hornbill
<b>PICIFORMES</b> Woodpeckers, toucans and kin <i>Picidae</i> Woodpeckers	<i>Campephilus imperialis</i> Imperial woodpecker <i>Dryocopus javensis richardsi</i> Tristram's or white-bellied black woodpecker	<i>Picus squamatus flavirostris</i> (C 1) Western scaly-bellied green woodpecker; Western scaly woodpecker

	Appendix I	Appendix II
<b>PASSERIFORMES</b> Songbirds or perching birds		
<i>Cotingidae</i> Cotingas	<i>Cotinga maculata</i> Banded or spotted cotinga	<i>Rupicola spp.</i> Cocks (C 2)
<i>Pittidae</i> Pittas	<i>Xipholena atropurpurea</i> White-winged cotinga	<i>Pitta brachyura nymphula</i> Japanese fairy pitta (C 2)
<i>Atrichornithidae</i> Scrub-birds	<i>Pitta kochi</i> Koch's pitta	
<i>Hirundinidae</i> Swallows and martins	<i>Atrichornis clamosus</i> Noisy scrub-bird or Western scrub-bird	<i>Pseudochelidon sirintarae</i> White-eyed river martin (C 1)
<i>Muscicapidae</i> Old World flycatchers	<i>Dasyornis broadbenti littoralis</i> p.e. Western rufous bristlebird or lesser rufous bristlebird or rufous-headed bristlebird	
	<i>Dasyornis longirostris</i> Western bristlebird or long-billed bristlebird	<i>Niltava ruecki</i> = 345 Rueck's blue flycatcher
	<i>Picathartes spp.</i> Rock-fowl	<i>Psophodes nigrogularis</i> Western whipbird or black-throated whipbird or mallee whipbird (C 2)
<i>Zosteropidae</i> White-eyes	<i>Zosterops albogularis</i> White-breasted silver-eye	
<i>Meliphagidae</i> Honeyeaters	<i>Meliphaga cassidix</i> Helmeted honeyeater or subcrested honeyeater	
<i>Fringillidae</i> Finches or New World seedeaters	<i>Carduelis cucullatus</i> = 346 Red siskin	<i>Carduelis yarrellii</i> = 346 Yellow-faced siskin
<i>Estrildidae</i>		<i>Emblema oculata</i> Red-eared fire-tail
<i>Sturnidae</i> Starlings	<i>Leucopsar rothschildi</i> Rothschild's mynah or Rothschild's starling or Bali mynah or white starling	<i>Poephila cincta cincta</i> Black-throated finch
<i>Paradisaeidae</i> Birds of paradise		<i>Paradisaeidae spp.</i> Birds of paradise (C 1)

**REPTILIA**  
**REPTILES**

<b>TESTUDINATA</b> Chelonians, tortoises terrapins and turtles		
<i>Dermatemydidae</i>		<i>Dermatemys mawii</i> Central American river turtle
<i>Emydidae</i> Freshwater turtles	<i>Batagur baska</i> Common batagur or river terrapin or tuntong	<i>Clemmys muhlenbergi</i> Bog turtle or Muhlenberg's turtle
	<i>Geoclemys hamiltonii</i> Black pond turtle or Hamilton's terrapin or spotted pond turtle	
	<i>Kachuga tecta tecta</i> India tent turtle or India roof(ed) turtle or India sawback turtle or dura turtle	

	Appendix I	Appendix II
<i>Testudinidae</i> Land tortoises	<p><i>Melanochelys tricarinata</i> = 347 Three-keeled turtle or Bengal three-keeled land terrapin or Asian three-keeled turtle or three-keeled land tortoise</p> <p><i>Morenia ocellata</i> Burmese swamp turtle or Bengal eyed terrapin or Burmese peacock turtle</p> <p><i>Terrapene coahuila</i> Aquatic box turtle or water box turtle or coahuila turtle</p>	<p><i>Testudinidae spp. (*)</i> Land tortoises</p> <p>[C 1: <i>Testudo graeca</i> <i>Testudo hermanni</i> <i>Testudo marginata</i>] (C 2)</p>
<i>Cheloniidae</i> Sea turtles	<i>Geochelone elephantopus</i> = 348 Galapagos giant tortoise	
<i>Dermochelyidae</i> Leather-back turtles	<i>Geochelone radiata</i> = 348 (Madagascar) radiated tortoise	
<i>Trionychidae</i> Soft-shelled turtles	<p><i>Geochelone yniphora</i> = 348 Madagascar tortoise or angulated tortoise or angonoka</p> <p><i>Gopherus flavomarginatus</i> Bolson tortoise or Mexican giant gopher tortoise</p> <p><i>Psammobates geometricus</i> = 348 Geometric tortoise</p> <p><i>Cheloniidae spp.</i> (True) sea turtles</p> <p><i>Dermochelys coriacea</i> Leather-back turtle or luth turtle or leathery turtle</p> <p><i>Lissemys punctata punctata</i> India flap-shell(ed) turtle or flap-shell(ed) spotted turtle</p> <p><i>Trionyx ater</i> Black soft-shell(ed) turtle or black mud turtle or Cuatro Cienages soft-shell(ed) turtle</p> <p><i>Trionyx gangeticus</i> Ganges soft-shell(ed) turtle or Indian soft-shell(ed) turtle</p> <p><i>Trionyx burum</i> Peacock-marked soft-shell(ed) turtle or brown soft-shell(ed) turtle or peacock softshell(ed) turtle</p> <p><i>Trionyx nigricans</i> Dark-coloured soft-shell(ed) turtle or sacred black mud turtle</p>	
<i>Pelomedusidae</i> Side-necked turtles		<p><i>Erymnochelys madagascariensis</i> = 349 (C 2)</p> <p><i>Peltocephalus dumeriliana</i> = 349 (C 2)</p> <p><i>Podocnemis spp.</i> River turtles or sideneck turtles (C 2)</p>
<i>Chelidae</i> Snake-necked turtles	<i>Pseudemydura umbrina</i> Short-necked (swamp) turtle or (western) swamp turtle	
<i>CROCODYLIA</i> Crocodilians		<i>CROCODYLIA spp. (*)</i> = 350 (C 2)
<i>Alligatoridae</i> Alligators and caimans	<p><i>Alligator sinensis</i> China alligator or Chinese alligator</p> <p><i>Caiman crocodilus apaporiensis</i> Rio Apaporis (spectacled) caiman or Apaporis river caiman</p> <p><i>Caiman latirostris</i> Broad-nosed caiman or broad-snouted caiman</p> <p><i>Melanosuchus niger</i> Black caiman</p>	
<i>Crocodylidae</i> True crocodiles and false gavial	<p><i>Crocodylus acutus</i> American crocodile</p> <p><i>Crocodylus cataphractus</i> African slender-snouted crocodile or African sharp-nosed crocodile</p>	

	Appendix I	Appendix II
	<p><i>Crocodylus intermedius</i> Orinoco crocodile</p> <p><i>Crocodylus moreletii</i> Morelet's crocodile</p> <p><i>Crocodylus niloticus</i> (**) — 110 Nile crocodile or African crocodile</p> <p><i>Crocodylus novaeguineae mindorensis</i> Philippine or Mindoro crocodile</p> <p><i>Crocodylus palustris</i> Mugger (crocodile) or marsh crocodile or broad-snouted crocodile</p> <p><i>Crocodylus porosus</i> (**) — 111 Saltwater crocodile or estuarine crocodile</p> <p><i>Crocodylus rhombifer</i> Cuban crocodile</p> <p><i>Crocodylus siamensis</i> Siamese crocodile</p> <p><i>Osteolaemus tetraspis</i> (African) dwarf crocodile</p> <p><i>Tomistoma schlegelii</i> False gavial or tomistoma (crocodile) or false gharial</p> <p><i>Gavialis gangeticus</i> (Indian) gavial or gharial</p>	
<i>Gavialidae</i> Gavials		
<i>RHYNCHOCEPHALIA</i> Mesozoic rhynchocephalia		
<i>Sphenodontidae</i> Tuatara	<i>Sphenodon punctatus</i> Tuatara	
<i>SAURIA</i> Lizards		
<i>Gekkonidae</i> Geckos		<i>Cyrtodactylus serpensinsula</i> Serpent Island gecko
<i>Pygopodidae</i> Snake lizards		<i>Phelsuma spp.</i> (C 2) Day geckos
<i>Agamidae</i> Agamids		<i>Paradelma orientalis</i> Queensland snake-lizard or Queensland flap-footed lizard
<i>Chamaeleonidae</i> Chameleons		<i>Uromastyx spp.</i> (C 2) Spiny-tailed lizards or mastigures or spiny-tailed agamids or dabb lizards or palm lizards
<i>Iguanidae</i> Iguanids	<p><i>Brachylophus spp.</i> Banded and Fiji chested iguanas</p> <p><i>Cyclura spp.</i> Ground iguanas or West Indian rock iguanas</p> <p><i>Sauromalus varius</i></p>	<p><i>Bradypodion spp.</i> = 351</p> <p><i>Chamaeleo spp.</i> [C 1: <i>Chamaeleo chamaeleon</i>] Chameleons</p> <p><i>Amblyrhynchus cristatus</i> (C 2) Galapagos marine iguana</p> <p><i>Conolophus spp.</i> (C 2) (Galapagos) land iguanas or land lizards</p> <p><i>Iguana spp.</i> (Common) iguanas</p> <p><i>Phrynosoma coronatum blainvilliei</i> San Diego or Blainville horned lizard</p> <p><i>Cordylus spp.</i> Girdled lizards</p> <p><i>Pseudocordylus spp.</i> Crag lizards</p>
<i>Cordylidae</i>		

	Appendix I	Appendix II
<i>Teiidae</i> Teiid lizard		<i>Cremidophorus hyperythrus</i> (C 1) Orange-throated whiptail (lizard) or orange-throated race runner
<i>Helodermatidae</i> Gila monster or beaded lizards		<i>Crocodilurus lacertinus</i> Dragon lizard or dragon lizardet
<i>Varanidae</i> Monitors	<i>Varanus bengalensis</i> Bengal or Indian monitor <i>Varanus flavescens</i> Yellow monitor or ruddy snub-nosed monitor or yellow land lizard or (Indian) oralgrain lizard <i>Varanus griseus</i> Desert or grey monitor <i>Varanus komodoensis</i> Komodo dragon or Komodo (Island) monitor or ora	<i>Dracaena guianensis</i> Caiman lizard or armoured teyou or four-foot caiman lizard or croco-teju <i>Tupinambis spp.</i> Tegus or tegu lizard
<b>SERPENTES</b> Snakes		<i>Heloderma spp.</i> (C 1) Gila monster and beaded lizard or poisonous lizards
<i>Boidae</i> Giant snakes (boas and pythons)	<i>Acrantophis spp.</i> Madagascar boas <i>Bolyeria multocarinata</i> Round Island boas <i>Casarea dussumieri</i> Keel-scaled boas or Round Island boas <i>Epicrates inornatus</i> Yellow tree or Puerto Rican boa or culebra grande <i>Epicrates monensis</i> <i>Epicrates subflavus</i> Jamaica(n) boa <i>Python molurus molurus</i> Indian (rock) python or tiger python <i>Sanzinia madagascariensis</i> Sanzinia or Madagascar tree boa	<i>Boidae spp. (*)</i> [C 2: <i>Constrictor</i> (=Boa) <i>constrictor</i> Giant snakes or boids or boas and pythons or giant constricting snakes <i>Eunectes spp.</i> <i>Python spp. (*)</i> <i>Eryx jaculus</i> ]
<i>Colubridae</i> Colubrid snakes (water snakes, grass snakes and tree snakes)		<i>Clelia clelia</i> = 352 Mussurana (snake) or usurana <i>Cyclagras gigas</i> = 353 (C 2) South American false cobra or South American water cobra or beach cobra or surucucu <i>Elachistodon westermanni</i> Indian egg-eating snake or Indian egg-eater or Westermann's snake <i>Thamnophis couchi hammondi</i> = 354 Two-striped garter snake <i>Hoplocephalus bungaroides</i> Broad-headed snake
<i>Elapidae</i>		

	Appendix I	Appendix II
	<b>AMPHIBIA</b> <b>AMPHIBIANS</b>	
<b>CAUDATA</b>		
Tailed amphibians		
<i>Ambystomidae</i>		
Mole salamanders		
<i>Cryptobranchidae</i>		
Giant salamanders	<i>Andrias spp.</i> = 355 Giant salamanders	
<b>ANURA</b>		
Tail-less amphibians (frogs and toads)		
<i>Bufonidae</i>		
True toads	<i>Atelopus varius zeteki</i> Zetek's frog or (Panamanian) golden frog or golden arrow poison frog	
<i>Myobatrachidae</i>		
<i>Ranidae</i>	<i>Bufo superciliaris</i> Cameroon toad	
	<i>Nectophrynoides spp.</i> Viviparous African toads	
		<i>Bufo retiformis</i> Sonoran green toad
		(C 2)
<b>CERATODIFORMES</b>		
<i>Ceratodidae</i>		
Ceratodes		
<b>COELACANTHIFORMES</b>		
<i>Coelacanthidae</i>		
<b>ACIPENSERIFORMES</b>		
Sturgeon and paddlefishes		
<i>Acipenseridae</i>		
Sturgeons	<i>Acipenser brevirostrum</i> Shortnose sturgeon	
	<i>Acipenser sturio</i> Common sturgeon or Baltic sturgeon	
<b>OSTEOGLOSSIFORMES</b>		
Bonytongues and kin		
<i>Osteoglossidae</i>		
Bony-tongues		
	<i>Scleropages formosus</i> Asiatic bony-tongue or Asian bony-tongue or kelesa or golden dragon fish or golden dragon fish or golden arowana	
		<i>Neoceratodus forsteri</i> Australian lungfish or ceratodus or Queensland lungfish
		<i>Latimeria chalumnae</i> Coelacanth
		<i>Acipenser oxyrinchus</i> Atlantic sturgeon
		<i>Arapaima gigas</i> Arapaima or pirarucu
		(C 1)

	Appendix I	Appendix II
<b>SALMONIFORMES</b> Salmon <i>Salmonidae</i> Salmonids		<i>Salmo chrysogaster</i> Mexican golden trout <i>Stenodus leucichthys leucichthys</i> Beloribitsa
<b>CYPRINIFORMES</b> Carp and carp-like-fish <i>Cyprinidae</i> Carp	<i>Probarbus jullieni</i> Ikan temoleh or pla eesok (Thai) or ikaa temelian (Malay)	<i>Caecobarbus geerti</i> African blind barb fish or Congo blind barb <i>Plagopterus argentissimus</i> Woundfin
<i>Catastomidae</i>	<i>Chasmistes cujus</i> Cui-ui	<i>Ptychocheilus lucius</i> Colorado river squawfish or Colorado squawfish
<b>SILURIFORMES</b> Catfish <i>Schilbeidae</i> Schilbeid catfish	<i>Pangasianodon gigas</i> Giant catfish	
<b>ATHERINIFORMES</b> Silversides <i>Cyprinodontidae</i> Toothed carp		<i>Cynolebias constanciae</i> Annual tropical killifish or pearlfish <i>Cynolebias marmoratus</i> Annual tropical killifish or ginger pearlfish <i>Cynolebias minimus</i> Annual tropical killifish or minute pearlfish <i>Cynolebias opalescens</i> Annual tropical killifish or opalescent pearlfish <i>Cynolebias splendens</i> Annual tropical killifish or splendid pearlfish <i>Xiphophorus couchianus</i> Monterrey platyfish
<i>Poeciliidae</i> Guppies, platies and kin (livebearers)		
<b>PERCIFORMES</b> Perch-like fish <i>Sciaenidae</i> Drumfish or croakers	<i>Cynoscion macdonaldi</i> Totoaba or MacDonald weakfish	<b>INSECTA</b> <b>INSECTS</b>
<b>LEPIDOPTERA</b> Butterflies and moths <i>Papilionidae</i> Swallowtails and parnassian		<i>Ornithoptera spp.</i> = 356 Birdwing butterflies (C 1) <i>Parnassius apollo</i> Apollo butterfly or mountain apollo <i>Trogonoptera spp.</i> = 356 Birdwing butterflies (C 1) <i>Troides spp.</i> = 356 Birdwing butterflies (C 1)

	Appendix I	Appendix II
<b>ARACHNIDA</b> <b>ARANEAE</b> <i>Theraphosidae</i>		<i>Brachypelma smithi</i> Mexican red-legged or red knee tarantula
<b>MYTILOIDA</b> <i>Mytilidae</i>	<b>MOLLUSCA</b> <b>MOLLUSCS</b>	
<b>VENEROIDA</b> <i>Tridacnidae</i> Giant clams		<i>Choromytilus chorus</i> = 357 <i>Tridacnidae spp.</i> Giant clams
<b>UNIONOIDA</b> Naiads or freshwater bivalves <i>Unionidae</i> Freshwater mussels	<i>Conradilla caelata</i> Birdwing pearl mussel or rimosa naiad  <i>Dromus dromas</i> Dromedary pearly mussel or Dromedary naiad <i>Epioblasma curtisi</i> = 358 Curtis pearly mussel or Curtis' naiad <i>Epioblasma florentina</i> = 358 Yellow-blossom pearly mussel or yellow-blossom naiad <i>Epioblasma sampsoni</i> = 358 Sampson's pearly mussel or Sampson's naiad <i>Epioblasma sulcata perobliqua</i> = 358 White catspaw mussel or white cat's paw mussel <i>Epioblasma torulosa gubernaculum</i> = 358 Green-blossomed pearly mussel or green-blossomed naiad  <i>Epioblasma torulosa torulosa</i> = 358 Tubercled blossom pearly mussel or tubercled-blossom naiad <i>Epioblasma turgidula</i> = 358 Turgid blossom pearly mussel or turgid-blossom naiad <i>Epioblasma walkeri</i> = 358 Brown blossom pearly mussel or brown-blossom naiad or tan riffleshell <i>Fusconaia cuneolus</i> Fine-rayed pigtoe pearly mussel or fine-rayed pigtoe <i>Fusconaia edgariana</i> Shiny pigtoe (pearly mussel)  <i>Lampsilis higginsi</i> Higgin's eye (pearly mussel) <i>Lampsilis orbiculata orbiculata</i> Pink mucket (pearly mussel) <i>Lampsilis satura</i> Pain pocketbook (mussel) <i>Lampsilis virescens</i> Alabama lamp pearly mussel or Alabama lamp naiad  <i>Plethobasus cicatricosus</i> White wartyback (pearly mussel) <i>Plethobasus cooperianus</i> Orange-footed pimpleback  <i>Pleurobema plenum</i> Rough pigtoe (pearly mussel) <i>Potamilus capax</i> = 359 Fat pocketbook (pearly mussel) <i>Quadrula intermedia</i> Cumberland monkey face or Cumberland monkey face pearly mussel <i>Quadrula sparsa</i> Appalachian monkey face or Appalachian monkey face pearly mussel <i>Toxolasma cylindrella</i> = 360 Pale lilliput pearly mussel or pale lilliput naiad <i>Unio nickliniana</i> Nicklin's pearly mussel <i>Unio tampicoensis tecumensis</i> Tampico pearly mussel (sub-species) <i>Villosa trabalis</i> = 361 Cumberland bean (pearly mussel)	<i>Cyprogenia aberti</i> Edible pearly mussel or edible naiad  <i>Epioblasma torulosa rangiana</i> = 358 Tan blossom naiad or tan-blossomed pearly mussel  <i>Fusconaia subrotunda</i> Long solid mussel or long solid naiad <i>Lampsilis brevicula</i> Ozark lamp pearly mussel or ozark lamp naiad  <i>Lexingtonia dolabelloides</i> Slab sided naiad  <i>Pleurobema clava</i>

	Appendix I	Appendix II
<b>STYLOMMAТОPHORA</b> Land snails		
<i>Camaenidae</i> American land snails		<i>Papustyla pulcherrima</i> = 362 Manus Island tree snail or green tree snails or emerald green snail
<i>Paryphantidae</i>		<i>Paryphanta</i> spp. + 211 New Zealand amber snails
<b>MESAGASTROPODA</b> Fore-gill snails		
<i>Hydrobiidae</i> Freshwater snails		<i>Coabulix hubbsi</i> Coahulix de Hubbs <i>Cochliopina milleri</i> Miller's <i>Durangonella coahuilae</i> Durangonello de Coahuila <i>Mexipyrgus carrranzae</i> Mexipyrgus de Carranza <i>Mexipyrgus churinceanus</i> Mexipyrgus de Churince <i>Mexipyrgus escobedae</i> Mexipyrgus de Escobeda <i>Mexipyrgus lugoi</i> Mexipyrgus de Lugo <i>Mexipyrgus mojarralis</i> Mexipyrgus de West el Mojarral <i>Mexipyrgus multilineatus</i> Mexipyrgus de East el Mojarral <i>Mexithauma quadripaludium</i> Mexithauma de Ciénegas <i>Nymphophilus minckleyi</i> Nymphophilos de Minckley <i>Paludiscala caramba</i> Paludiscala de Oro
		<b>ANTHOZOA</b>
<b>ANTIPATHARIA</b>		<i>ANTIPATHARIA</i> spp. (C 2) Black corals or antipatharians
<b>SCLERACTINIA</b>		
<i>Pocilloporidae</i>		<i>Seriatopora</i> spp. Birds nest corals <i>Pocillopora</i> spp. Brown stem cluster corals <i>Stylophora</i> spp. Cauliflower corals
<i>Acroporidae</i>		<i>Acropora</i> spp. Branch corals
<i>Agaricidae</i>		<i>Pavona</i> spp. Cactus corals
<i>Fungiidae</i>		<i>Fungia</i> spp. Mushroom corals <i>Halomitra</i> spp. Bowl corals <i>Polyphyllia</i> spp. Feather corals
<i>Faviidae</i>		<i>Favia</i> spp. Brain corals <i>Platygyra</i> spp. Brain corals
<i>Merulinidae</i>		<i>Merulina</i> spp. Merulina corals
<i>Mussidae</i>		<i>Lobophyllia</i> spp. Brain root corals
<i>Pectiniidae</i>		<i>Pectinia</i> spp. Lettuce corals
<i>Caryophylliidae</i>		<i>Euphyllia</i> spp. Brain trumpet corals
		<b>HYDROZOA</b>

	Appendix I	Appendix II
<b>ATHECATA</b>		
<i>Milleporidae</i>		<i>Millepora spp.</i> Yellow fire corals
<b>ALCYONARIA</b>		
<b>COENOTHECALIA</b>		
<i>Helioporidae</i>		<i>Heliopora spp.</i> Blue corals
<b>STOLONIFERA</b>		
<i>Tubiporidae</i>		<i>Tubipora spp.</i> Organpipe corals
<b>FLORA</b>		
<b>AGAVACEAE</b>	<i>Agave arizonica</i> <i>Agave parviflora</i>  <i>Nolina interrrata</i>	<i>Agave victoriae-reginae</i> ≠ 1
<b>APOCYNACEAE</b>	<i>Pachypodium namaquanum</i>	<i>Pachypodium spp. (*)</i> ≠ 1 Elephant's trunks or halfmen
<b>ARACEAE</b> Arum family	<i>Alocasia sanderana</i> Arum <i>Alocasia zebrina</i> Arum	
<b>ARALIACEAE</b>		<i>Panax quinquefolius</i> ≠ 2 American ginseng or celery-leaved panax
<b>ARAUCARIACEAE</b> Monkey puzzle family	<i>Araucaria araucana</i> (**) + 212 Monkey-puzzle tree or hardy monkey-puzzle	<i>Araucaria araucana</i> (*) — 112 ≠ 1 Monkey-puzzle tree or hardy monkey-puzzle
<b>ASCLEPIADACEAE</b>		<i>Ceropogia spp.</i> ≠ 1 Rosary vines <i>Frerea indica</i> ≠ 1 Milkweed
<b>BYBLIDACEAE</b>		<i>Byblis spp.</i> ≠ 1 Byblis or rainbow plants
<b>CACTACEAE</b> Cactus family	<i>Ancistrocactus tobuschii</i> <i>Ariocarpus agavooides</i> Living rock cactus <i>Ariocarpus scapharostrus</i> Living rock cactus <i>Ariocarpus trigonus</i> <i>Aztekium ritteri</i> Aztec cactus <i>Backebergia militaris</i> <i>Coryphanta minima</i> = 363 <i>Coryphanta sneedii</i> = 363	<i>CACTACEAE spp. (*)</i> + 213 ≠ 3 Cacti

	Anhang I	Anhang II
	<i>Coryphanta werdermannii</i> <i>Echinocereus lindsayi</i> Lindsay's cactus <i>Echinomastus erectocentrus</i> = 364 <i>Echinomastus mariposensis</i> = 364 <i>Leuchtenbergia principis</i> <i>Lobeira macdougallii</i> = 365 <i>Mammillaria pectinifera</i> = 366 <i>Mammillaria plumosa</i> <i>Mammillaria solisioides</i> <i>Obregonia denegrii</i> Peyote or artichoke cactus <i>Pediocactus bradyi</i> <i>Pediocactus despainii</i> <i>Pediocactus knowltonii</i> <i>Pediocactus papyracanthus</i> <i>Pediocactus paradisei</i> <i>Pediocactus peeblesianus</i> <i>Pediocactus sileri</i> <i>Pediocactus winkleri</i> <i>Pelecyphora spp.</i>	<i>Rhipsalis spp.</i> ≠ 4 Coral cacti
	<i>Sclerocactus glaucus</i> <i>Sclerocactus mesae — verdae</i> <i>Sclerocactus pubispinus</i> <i>Sclerocactus wrightiae</i> <i>Strombocactus disciformis</i> <i>Turbinicarpus spp.</i> <i>Wilcoxia schmollii</i>	
CARYOCARACEAE	<i>Caryocar costaricense</i>	
CEPHALOTACEAE		<i>Cephalotus follicularis</i> ≠ 1 Albany pitcher plant
COMPOSITAE Composite family	<i>Saussurea lappa</i> Costas	
CRASSULACEAE	<i>Dudleya stolonifera</i> <i>Dudleya traskiae</i>	
CUPRESSACEAE Cypress family	<i>Fitz-Roya cupressoides</i> (**) — 113 Alerce or Chilean false larch <i>Pilgerodendron uviferum</i>	<i>Fitz-Roya cupressoides</i> (*) + 214 ≠ 1
CYATHEACEAE Tree-fern family		<i>CYATHEACEAE spp.</i> ≠ 1 Tree ferns
CYCADACEAE Cycads		<i>CYCADACEAE spp.</i> ≠ 5 Cycads
DIAPENSIACEAE		<i>Shortia galacifolia</i> ≠ 1
DICKSONIACEAE Dicksonia family		<i>DICKSONIACEAE spp.</i> ≠ 1 Tree ferns

	Appendix I	Appendix II
DIDIEREACEAE		<i>DIDIEREACEAE spp. + 1</i> Tree ferns
DIOSCOREACEAE <i>Yams</i>		<i>Dioscorea deltoidea</i> + 1 Elephant's foot
ERICACEAE		<i>Kalmia cuneata</i> + 1
EUPHORBIACEAE Euphorbias		<i>Euphorbia spp.</i> — 114 + 1 Euphorbias
FAGACEAE Beech family		<i>Quercus copeyensis</i> + 1 Copey oak
FOUQUIERIACEAE	<i>Fouquieria fasciculata</i> <i>Fouquieria purpusii</i>	<i>Fouquieria columnaris</i> + 1
GENTIANACEAE Gentian family	<i>Prepusa hookeriana</i> Scarlet flowered prepusa or white flowered prepusa	
HUMIRIACEAE	<i>Vantanea barbourii</i> Ira chiricana	
JUGLANDACEAE Walnut, hickory and pecan family	<i>Engelhardtia pterocarpa</i>	
LEGUMINOSAE Laburnum family	<i>Cynometra hemitomophylla</i> <i>Platymiscium pleiostachyum</i> Quira macawood <i>Tachigalia versicolor</i>	<i>Thermopsis mongolica</i>
LILIACEAE Lily family	<i>Aloe albida</i> <i>Aloe pillansii</i> <i>Aloe polyphylla</i> Spiral aloe <i>Aloe thornicroftii</i> <i>Aloe vossii</i>	<i>Aloe spp. (*)</i> + 6 Aloes
MELASTOMATACEAE	<i>Lavoisiera itambana</i>	
MELIACEAE Mahogany family	<i>Guarea longipetiolata</i> Musk-wood	<i>Swietenia humilis</i> + 1 Honduras mahogany or baywood
MORACEAE	<i>Batocarpus costaricensis</i> A mulberry	
NEPENTHACEAE	<i>Nepenthes rajah</i> Giant tropical pitcher-plant	
ORCHIDACEAE Orchid family	<i>Cattleya skinneri</i> Skinner's cattleya or white nun <i>Cattleya trianae</i> Winter cattleya or Christmas orchid <i>Didiccia cunninghamii</i>	<i>ORCHIDACEAE spp. (*)</i> = 367 + 7 Orchids (C 1: 106 species)

	Appendix I	Appendix II
<b>PALMAE</b> Palm family	<i>Laelia jongheana</i> <i>Laelia lobata</i> <i>Lycaste virginalis</i> var. <i>alba</i> = 368 White nun <i>Peristeria elata</i> Holy Ghost or dove orchid or dove flower or Holy Ghost flower <i>Renanthera imschootiana</i> Red vanda <i>Vanda coerulea</i> Blue vanda	<i>Areca ipot</i> ≠ 1  <i>Chrysalidocarpus decipiens</i> ≠ 1 Butterfly palm <i>Chrysalidocarpus lutescens</i> ≠ 1 Madagascar palm <i>Neodypsis decaryi</i> ≠ 1 <i>Phoenix hanceana</i> var. <i>philippinensis</i> ≠ 1 <i>Salacca clemensiana</i> ≠ 1
<b>PINACEAE</b> Pine family	<i>Abies guatemalensis</i> Guatamalan fir or pinabete	
<b>PODOCARPACEAE</b> Podocarpus family	<i>Podocarpus costalis</i>  <i>Podocarpus parlatorei</i> Parlatore's podocarp	
<b>PORTULACACEAE</b> Purslane family		<i>Anacampseros</i> spp. ≠ 1 Purslanes <i>Lewisia cotyledon</i> ≠ 1 <i>Lewisia maguirei</i> ≠ 1 <i>Lewisia serrata</i> ≠ 1 <i>Lewisia tweedyi</i> ≠ 1
<b>PRIMULACEAE</b> Primrose family		<i>Cyclamen</i> spp. ≠ 1 [C 1: <i>Cyclamen graecum</i> (incl. <i>Cyclamen mindleri</i> ) <i>Cyclamen creticum</i> <i>Cyclamen balearicum</i> C 2: <i>Cyclamen</i> spp.]
<b>PROTEACEAE</b> Protea family	<i>Orothamnus zeyheri</i> Marsh-rose <i>Protea odorata</i>	
<b>RUBIACEAE</b> Madder family	<i>Balmea stormae</i> Ayugue	
<b>SARRACENIACEAE</b>	<i>Sarracenia alabamensis</i> <i>alabamensis</i> <i>Sarracenia jonesii</i> <i>Sarracenia oreophila</i>	<i>Darlingtonia californica</i> ≠ 1
<b>STANGERIACEAE</b> Cycad family	<i>Stangeria eriopus</i> = 369 Hottentot's head	
<b>STERCULIACEAE</b> Sterculia family		<i>Pterygota excelsa</i> = 370 ≠ 1

	Appendix I	Appendix II
<b>THEACEAE</b>		<i>Camellia chrysanthra</i>
<b>WELWITSCHIACEAE</b>	<i>Welwitschia bainesii</i> = 371	
<b>ZAMIACEAE</b> Cycad (palm) family	<i>Ceratozamia spp.</i> <i>Encephalartos spp.</i> Bread-palms or bread trees <i>Microcyas calocoma</i> Palma corcho	<i>ZAMIACEAE spp. (*)</i> ≠ 5 <i>Cycas</i>
<b>ZINGIBERACEAE</b> Ginger family	<i>Hedychium philippinense</i> Philippine garland-flower	
<b>ZYGOPHYLLACEAE</b> Lignum vitae family		<i>Guaiacum sanctum</i> ≠ 1 Lignum-vitae or holy wood or tree of life

*Appendix III<sup>(1)</sup> (2)***Interpretation**

1. Species included in this appendix are referred to:
  - (a) by the name of the species; or
  - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation 'spp.' is used to denote all species of a higher taxon occurring on the territory of the party which has submitted that taxon for inclusion in this appendix.
3. Other references to taxa higher than species are for the purpose of information or classification only.
4. An asterisk (\*) placed against the name of a species or higher taxon indicates that one or more geographically separate populations, sub-species or species, of that species or taxon, are included in Appendix I and that those populations, sub-species or species are excluded from Appendix III.
5. Two asterisks (\*\*) placed against the name of a species or higher taxon indicate that one or more geographically separate populations, sub-species or species, of that species or taxon, are included in Appendix II and that those populations, sub-species or species are excluded from Appendix III.
6. The symbol '=' followed by a number placed against the name of a species denotes that the name of that species shall be interpreted as follows:
  - = 372 Includes synonym *Tamandua mexicana*.
  - = 373 Includes synonym *Cabassous gymnurus*.
  - = 374 Includes synonym *Manis longicaudata*.
  - = 375 Includes generic synonym *Coendou*.
  - = 376 Includes synonym *Galictis allamandi*.
  - = 377 Includes generic synonym *Viverra*.
  - = 378 Also referenced *Tragelaphus eurycerus*; includes generic synonym *Taurotragus*.
  - = 379 Also referenced as *Ardeola ibis*.
  - = 380 Also referenced as *Egretta alba*.
  - = 381 Also referenced as *Columba mayeri*.
  - = 382 Also referenced as *Terpsiphone bourbonnensis*.
  - = 383 Formerly included in genus *Natrix*.
7. The name of the countries placed against the names of species or other taxa are those of the parties submitting these species or taxa for inclusion in this appendix.
8. Any animal or plant, whether live or dead, of a species or other taxon listed in this appendix, is covered by the provisions of the Convention, as is any readily recognizable part or derivative thereof, except plant seeds, spores and tissue cultures (conference resolution 4.24).

<sup>(1)</sup> The entries '(C 1)' and '(C 2)' after the name of a species or a higher taxon show that one or more sub-species or species, of that species or taxon, appear in part 1 or 2 of Annex C to the Regulation.

<sup>(2)</sup> The translations of the Latin names are given as a guide only.

	Species	Country
<b>FAUNA ANIMALS</b>		
<b>MAMMALIA MAMMALS</b>		
<b>CHIROPTERA</b>		
Bats		
<i>Phyllostomidae</i> New World leaf-nosed bats	<i>Vampyrops lineatus</i> False vampire bat	Uruguay
<b>EDENTATA</b>		
Edentates		
<i>Myrmecophagidae</i>	<i>Tamandua tetradactyla</i> (**) = 372	Guatemala
<i>Choloepidae</i> Sloths	<i>Choloepus hoffmanni</i> Hoffmann's sloth	Costa Rica
<i>Dasypodidae</i> Armadillos	<i>Cabassous centralis</i>	Costa Rica
	<i>Cabassous tatouay</i> = 373 Eleven-banded or broad-banded armadillo	Uruguay
<b>PHOLIDOTA</b>		
Pangolins or scaly ant-eaters		
<i>Manidae</i> Pangolins	<i>Manis gigantea</i> (C 1) Giant pangolin	Ghana
	<i>Manis tetradactyla</i> = 374 (C 1) Long-tailed pangolin	Ghana
	<i>Manis tricuspis</i> (C 1) Small-scaled tree pangolin	Ghana
<b>RODENTIA</b>		
Rodents		
<i>Sciuridae</i> Squirrels and marmots	<i>Epixerus ebii</i> Ebian's palm squirrel	Ghana
	<i>Sciurus deppei</i>	Costa Rica
<i>Anomaluridae</i> Scaly-tailed squirrels	<i>Anomalurus spp.</i> All large scaly-tailed flying squirrels	Ghana
	<i>Idiurus spp.</i> All small scaly-tailed flying squirrels	Ghana
<i>Hystricidae</i> Old World porcupines	<i>Hystrix spp.</i> All Old World crested porcupines	Ghana
<i>Erethizontidae</i> New World porcupines	<i>Sphiggurus spinosus</i> = 375 South American tree-porcupines	Uruguay
<b>CARNIVORA</b>		
Carnivores		
<i>Procyonidae</i> Raccoons	<i>Bassaricyon gabbii</i> Olingo	Costa Rica
	<i>Bassariscus sumichrasti</i> Mexican cacomistle	Costa Rica
	<i>Nasua nasua solitaria</i> Ring-tailed or red coati	Uruguay

	Species	Country
<i>Mustelidae</i> Weasels, badgers, skunks and others	<i>Galictis vittata</i> = 376 Grison	Costa Rica
	<i>Mellivora capensis</i> Ratel or honey-badger	Ghana, Botswana
<i>Viverridae</i> Genets, civets and mongooses	<i>Civettictis civetta</i> = 377 African civet or civet cat	Botswana
<i>Protelidae</i> Hyaenas	<i>Proteles cristatus</i> Aardwolf	Botswana
<i>PINNIPEDIA</i> Seals and walruses		
<i>Odobenidae</i> Walruses	<i>Odobenus rosmarus</i> Atlantic walrus	Canada
<i>ARTIODACTYLA</i> Even-toed ungulates		
<i>Tayassuidae</i>	<i>Tayassu tajacu</i>	Guatemala
<i>Hippopotamidae</i> Hippopotamuses	<i>Hippopotamus amphibius</i> (C 2) Common hippopotamus	Ghana
<i>Tragulidae</i> Chevrotains	<i>Hyemoschus aquaticus</i> Water chevrotain	Ghana
<i>Cervidae</i> True deer	<i>Cervus elaphus barbarus</i> Barbary deer	Tunisia
	<i>Mazama americana cerasina</i>	Guatemala
	<i>Odocoileus virginianus mayensis</i>	Guatemala
<i>Bovidae</i> Cattle, sheep, goats, antelopes, etc.	<i>Antilope cervicapra</i> Blackbuck or Indian antelope	Nepal
	<i>Boocercus eurycerus</i> = 378 Bongo	Ghana
	<i>Bubalus bubalis</i> Asiatic or water buffalo, or arna	Nepal
	<i>Damaliscus lunatus</i> Swift topi or sassaby	Ghana
	<i>Gazella cuvieri</i> Cuvier's gazelle	Tunisia
	<i>Gazella dorcas</i> Dorcas gazelle	Tunisia
	<i>Gazella leptoceros</i> Slender-horned or Loder's gazelle	Tunisia
	<i>Tetracerus quadricornis</i> Four-horned antelope or chousingha	Nepal
	<i>Tragelaphus spekei</i> Sitatunga or marshbuck	Ghana
	<i>AVES</i> <i>BIRDS</i>	
<i>RHEIFORMES</i> Rheas		
<i>Rheidae</i> Rheas	<i>Rhea americana</i> (**) Common rhea or nandu, so South American ostrich	Uruguay
<i>CICONIIFORMES</i> Wading birds (herons and kin)		
<i>Ardeidae</i> Heron and bitterns	<i>Ardea goliath</i> Goliath heron	Ghana

	Species	Country
Ciconiidae Storks	<i>Bubulcus ibis</i> = 379 Cattle egret	(C 1) Ghana
	<i>Casmerodius albus</i> = 380 Common or great egret	(C 1) Ghana
	<i>Egretta garzetta</i> Little egret	(C 1) Ghana
	<i>Ephippiorhynchus senegalensis</i> Saddle-billed stork	Ghana
	<i>Leptoptilos crumeniferus</i> Marabou (adjutant) stork	Ghana
Threskiornithidae Ibis and spoonbills	<i>Hagedashia hagedash</i> Hadada ibis	Ghana
	<i>Lamprabis rara</i> Spotted-breasted ibis	Ghana
	<i>Threskiornis aethiopicus</i> Sacred ibis	Ghana
<b>ANSERIFORMES</b> Waterfowl		
Anatidae Ducks, geese and swans	<i>Anatidae spp.</i> (*) (**) [C 1: <i>Alopochen aegyptiacus</i> <i>Anas querquedula</i> <i>Aythya nyroca</i> ]	Ghana
<b>GALLIFORMES</b> Gamebirds or fowl-like birds		
Cracidae	<i>Crax rubra</i> Great curassow	(C 2) Costa Rica, Guatemala
	<i>Ortalis vetula</i>	(C 2) Guatemala
	<i>Penelopina nigra</i>	(C 2) Guatemala
Phasianidae Pheasants, partridges, quails and peacocks	<i>Agelastes meleagrides</i> White-breasted guineafowl	Ghana
	<i>Agriocharis ocellata</i>	Guatemala
	<i>Tragopan satyra</i> Horned tragopan or pheasant	Nepal
<b>CHARADRIIFORMES</b>		
Burhinidae	<i>Burhinus bistriatus</i>	Guatemala
<b>COLUMBIFORMES</b> Pigeons, sandgrouse and dodos		
Columbidae Pigeons and doves	<i>Columbidae spp.</i> (*) (**) (C 1: <i>Columba livia</i> ) All pigeons and doves	Ghana
	<i>Nesoenas mayeri</i> = 381	Mauritius
<b>PSITTACIFORMES</b> Parrots and kin		
Psittacidae Parrots	<i>Psittacula krameri</i> (*)	Ghana

	Species	Country
<b>CUCULIFORMES</b> Cuckoos and kin		
<i>Musophagidae</i> Turacos or plantain eaters	<i>Musophagidae spp. (**)</i> All turacos	Ghana
<b>PICIFORMES</b>		
<i>Rhamphastidae</i>	<i>Ramphastos sulphuratus</i>	Guatemala
<b>PASSERIFORMES</b> Song birds or perching birds		
<i>Muscicapidae</i> Old World flycatchers	<i>Bebrornis rodericanus</i> (...) brush warbler	Mauritius
	<i>Tchitrea bourbonnensis</i> = 382 Paradise flycatcher	Mauritius
<i>Emberizidae</i> Buntings	<i>Gubernatrix cristata</i> Green or yellow cardinal	Uruguay
<i>Icteridae</i> Icterids	<i>Xanthopsar flavus</i>	Uruguay
<i>Fringillidae</i> Finches or New World seedeaters	<i>Fringillidae spp. (*) (**)</i> All finches or New World seedeaters	Ghana
<i>Ploceidae</i> Weaver bird	<i>Ploceidae spp.</i> All ploceid weaver birds	Ghana

**REPTILIA**  
**REPTILES**

<b>TESTUDINATA</b> Chelonians (tortoises, terrapins and turtles)		
<i>Trionychidae</i> Soft-shelled turtles	<i>Trionyx triunguis</i> Nile soft-shelled turtle	Ghana
<i>Pelomedusidae</i> Side-necked turtles	<i>Pelomedusa subrufa</i> Helmeted turtle	Ghana
	<i>Pelusios spp.</i> Side-necked turtles	Ghana
<b>SERPENTES</b>		
<i>Colubridae</i>	<i>Atretium schistosum</i> Olive keelback water snake	India
	<i>Cerberus rhyincrops</i> Dog-faced water snake	India
	<i>Natrix pector</i> Checkered keelback water snake	India
	<i>Ptyas mucosus</i> Indian rat snake	India
<i>Elapidae</i>	<i>Naja naja</i> Indian cobra	India
	<i>Ophiophagus hannah</i> King cobra	India
<i>Viperidae</i>	<i>Vipera russellii</i> Russell's viper	India

	Species	Country
<b>FLORA PLANTS</b>		
<i>GNETACEAE</i>	<i>Gnetum montanum</i>	Nepal
<i>MAGNOLIACEAE</i> Magnolia family	<i>Talauma hodgsonii</i> Safan	Nepal
<i>PAPAVERACEAE</i> Poppy family	<i>Meconopsis regia</i>	Nepal
<i>PODOCARPACEAE</i> Podocarpus family	<i>Podocarpus nerifolius</i> Yellow wood	Nepal
<i>TETRACENTRACEAE</i>	<i>Tetracentron spp.</i>	Nepal

**ANNEX C**

**LIST OF SPECIES  
given special treatment by the Community**

**NB:**

An asterisk (\*) placed after the name of a species or a higher taxon shows that one or more geographically separate populations, sub-species or species, of that species or taxon, are already included in Appendix I to the Convention.

**PART 1****SPECIES REFERRED TO IN ARTICLE 3 (1)****FAUNA****MAMMALIA****EDENTATA***Myrmecophagidae**Myrmecophaga tridactyla**Tamandua tetradactyla chapadensis***PHOLIDOTA***Manidae**Manis spp. (\*)***RODENTIA***Sciuridae**Ratufa spp.**CETACEA spp. (\*) (¹)***CARNIVORA***Viverridae**Cynogale bennetti**Eupleres goudotii* = 321*Fossa fossa**Prionodon linsang***PINNIPEDIA***Phocidae**Mirounga spp.***SIRENIA***Dugongidae**Dugong dugon (\*) + 207**Trichechidae**Trichechus senegalensis***PERISSODACTYLA***Equidae**Equus hemionus (\*) = 324**Equus zebra hartmannae**Tapiridae**Tapirus terrestris***ARTIODACTYLA***Bovidae**Antilocapra americana mexicana**Capra falconeri (\*)*

(¹) With the exception of specimens of the species listed in Appendix II to the Convention, and the products and derivatives thereof, taken by the people of Greenland under licence granted by the competent authorities of Greenland or Denmark.

***Statement on Article 2***

The Council and the Commission state that, in view of the predominantly cultural nature of the making of certain handicraft articles in Greenland from specimens of *Cetacea* and of the low volume of such activity, it shall not be regarded as predominantly commercial, and that the granting of appropriate export and import licences may therefore be regarded as consistent with the relevant provisions of the Regulation.

The management authorities in Denmark will, in consultation with the Commission, monitor such exports and imports, which must not significantly exceed the present low level.

**AVES****SPHENISCIFORMES**

*Spheniscidae*  
*Spheniscus demersus*

**CICONIIFORMES***Ardeidae*

*Bubulcus ibis* = 379  
*Casmerodius albus* = 380  
*Egretta garzetta*  
*Ciconiidae*  
*Ciconia nigra*  
*Threskiornithidae*  
*Platalea leucorodia*  
*Phoenicopteridae*  
*Phoenicoparrus andinus*  
*Phoenicoparrus jamesi*  
*Phoenicopterus chilensis*  
*Phoenicopterus ruber ruber*

**ANSERIFORMES**

*Anatidae*  
*Branta ruficollis*  
*Coscoroba coscoroba*  
*Cygnus columbianus jankowskii* = 334  
*Alopochen aegyptiacus*  
*Anas querquedula*  
*Aythya nyroca*

**FALCONIFORMES spp. (\*)** — 107

**GALLIFORMES**

*Phasianidae*  
*Argusianus argus*  
*Cyrtonyx montezumae mearnsi* — 108  
*Cyrtonyx montezumae montezumae*  
*Francolinus ochropectus*  
*Gallus sonneratii*  
*Ithaginis cruentus*  
*Polyplectron bicalcaratum*  
*Polyplectron germaini*  
*Polyplectron malacense*

**GRUIFORMES**

*Gruidae*  
*Grus canadensis pratensis*  
*Otididae*  
*Otis tarda*

**CHARADRIIFORMES**

*Laridae*  
*Larus brunnicephalus*

**COLUMBIFORMES**

*Columbidae*  
*Columba livia*  
*Goura spp.*

**CUCULIFORMES**

*Musophagidae*  
*Tauraco corythaix*  
*Tauraco porphyreolophus* = 342

**STRIGIFORMES spp. (\*)**

**CORACIFORMES**  
*Bucerotidae*  
*Aceros narcondami*  
*Buceros bicornis* (\*)  
*Buceros hydrocorax hydrocorax*  
*Buceros rhinoceros rhinoceros*

**PICIFORMES**

*Picidae*  
*Picus squamatus flavirostris*

**PASSERIFORMES**

*Hirundinidae*  
*Pseudochelidon sirintarae*  
*Paradisaeidae spp.*

**REPTILIA****TESTUDINATA**

*Testudinidae*  
*Testudo graeca*  
*Testudo hermanni*  
*Testudo marginata*

**SAURIA**

*Chamaeleonidae*  
*Chamaeleo chamaeleon*  
*Teiidae*  
*Cnemidophorus hyperythrus*  
*Helodermatidae*  
*Heloderma spp.*

**PISCES****OSTEOGLOSSIFORMES**

*Osteoglossidae*  
*Arapaima gigas*

## INSECTA

## LEPIDOPTERA

*Papilionidae**Ornithoptera spp.* = 356*Parnassius apollo**Trogonoptera spp.* = 356*Troides spp.* = 356

## FLORA

## ORCHIDACEAE

*Cypripedium calceolus*  
*Epipactis palustris*  
*Epipactis helleborine*  
*Epipactis leptochila*  
*Epipactis muelleri*  
*Epipactis dunensis*  
*Epipactis purpurata*  
*Epipactis phyllanthes*  
*Epipactis atrorubens*  
*Epipactis microphylla*  
*Cephalanthera damasonium*  
*Cephalanthera longifolia*  
*Cephalanthera cucullata*  
*Cephalanthera epipactoides*  
*Cephalanthera rubra*  
*Limodium abortivum*  
*Epipogium aphyllum*  
*Neottia nidus-avis*  
*Listera ovata*  
*Listera cordata*  
*Spiranthes spiralis*  
*Spiranthes aestivalis*  
*Spiranthes romanzoffiana*  
*Goodyera repens*  
*Gennaria diphylla*  
*Herminium monorchis*  
*Neottianthe cucullata*  
*Platanthera bifolia*  
*Platanthera chlorantha*  
*Chamorchis alpina*  
*Gymnadenia conopsea*  
*Gymnadenia odoratissima*  
*Pseudorchis albida*  
*Pseudorchis frivaldii*  
*Nigritella nigra*  
*Coeloglossum viride*  
*Dactylorhiza iberica*  
*Dactylorhiza sambucina*  
*Dactylorhiza sulphurea*  
*Dactylorhiza incarnata*  
*Dactylorhiza majalis*  
*Dactylorhiza cordigera*  
*Dactylorhiza traunsteineri*  
*Dactylorhiza russowii*  
*Dactylorhiza elata*  
*Dactylorhiza maculata*  
*Dactylorhiza fuchsii*  
*Dactylorhiza saccifera*  
*Neotinea maculata*  
*Traunsteinera globosa*  
*Orchis papilionacea*  
*Orchis boryi*  
*Orchis morio*  
*Orchis longicornu*  
*Orchis coriophora*

*Orchis sancta*  
*Orchis ustulata*  
*Orchis tridentata*  
*Orchis lactea*  
*Orchis italica*  
*Orchis simia*  
*Orchis militaris*  
*Orchis punctulata*  
*Orchis purpurea*  
*Orchis saccata*  
*Orchis patens*  
*Orchis spitzelii*  
*Orchis mascula*  
*Orchis pallens*  
*Orchis provincialis*  
*Orchis anatolica*  
*Orchis quadripunctata*  
*Orchis laxiflora*  
*Aceras anthropophorum*  
*Himantoglossum hircinum*  
*Barlia robertiana*  
*Anacamptis pyramidalis*  
*Serapias cordigera*  
*Serapias neglecta*  
*Serapias vomeracea*  
*Serapias lingua*  
*Serapias parviflora*  
*Ophrys insectifera*  
*Ophrys speculum*  
*Ophrys lutea*  
*Ophrys fusca*  
*Ophrys pallida*  
*Ophrys sphegodes*  
*Ophrys spruneri*  
*Ophrys ferrum-equinum*  
*Ophrys bertolonii*  
*Ophrys lunulata*  
*Ophrys argolica*  
*Ophrys reinholdii*  
*Ophrys cretica*  
*Ophrys carmeli*  
*Ophrys scolopax*  
*Ophrys fuciflora*  
*Ophrys arachnitiformis*  
*Ophrys tenthredinifera*  
*Ophrys apifera*  
*Ophrys bombyliflora*  
*Corallorrhiza trifida*  
*Liparis loeselii*  
*Microstylis monophyllos*  
*Hammarbya paludosa*

## PRIMULACEAE

*Cyclamen graecum* (incl. *Cyclamen mindleri*)  
*Cyclamen creticum*  
*Cyclamen balearicum*

## PART 2

## SPECIES REFERRED TO IN ARTICLE 3 (2)

## FAUNA

## MAMMALIA

## MONOTREMATA

*Tachyglossidae**Zaglossus spp.*

## MARSUPIALIA

*Macropodidae**Dendrolagus bennettianus**Dendrolagus inustus**Dendrolagus lumboltzi**Dendrolagus ursinus*

## PRIMATES spp. (\*)

## CARNIVORA

*Canidae**Canis lupus* (\*)*Chrysocyon brachyurus**Ursidae**Ursus maritimus* = 318*Procyonidae**Ailurus fulgens**Felidae**Felis bengalensis* (\*)*Felis concolor* (\*)*Felis geoffroyi**Felis pajeros**Felis pardalis* (\*)*Felis serval**Felis tigrina* (\*)*Felis wiedii* (\*)*Felis yagouaroundi* (\*)*Lynx lynx**Lynx pardinus**Felis sylvestris*

## PROBOSCIDEA

*Elephantidae**Loxodonta africana*

## ARTIODACTYLA

*Hippopotamidae**Choeropsis liberiensis**Hippopotamus amphibius**Cervidae**Pudu mephistophiles**Bovidae**Ovis ammon* (\*)

## AVES

## ANSERIFORMES

*Anatidae**Anas aucklandica aucklandica**Anas aucklandica chlorotis**Anas bernieri*

## GALLIFORMES

*Cracidae**Crax rubra**Ortalis vetula**Penelopina nigra*

## GRUIFORMES

*Rallidae**Gallirallus australis hectori*

## COLUMBIFORMES

*Columbidae**Gallicolumba luzonica*

## PSITTACIFORMES spp. (\*) — 109

## PASSERIFORMES

*Cotingidae**Rupicola spp.**Pittidae**Pitta brachyura nymph**Muscicapidae**Psophodes nigrogularis*

## REPTILIA

## TESTUDIANATA

*Testudinidae* spp. (except for *Testudo graeca*, *Testudo hermanni* and *Testudo marginata*, which are included in part 1 of Annex C)

*Pelomedusidae**Erymnochelys madagascariensis* = 349*Peltocephalus dumeriliana* = 349*Podocnemis spp.**Crocodylia* spp. (\*) = 350

## SAURIA

*Gekkonidae**Phelsuma spp.**Agamidae**Uromastyx spp.*

*Iguanidae*

*Amblyrhynchus cristatus*  
*Conolophus spp.*

*Varanidae*

*Varanus spp. (\*)*

*SERPENTES**Boidae*

*Constrictor constrictor* (syn. *Boa constrictor*)  
*Eunectes spp.*  
*Python spp. (\*)*  
*Eryx jaculus*

*Colubridae*

*Cyclagras gigas* = 353

*AMPHIBIA**ANURA*

*Buonidae*  
*Bufo retiformis*

*ANTHOZOA*

*ANTIPATHARIA spp.*

*FLORA**PRIMULACEAE*

*Cyclamen spp.*

---