

COMMISSION REGULATION (EU) No 1127/2014**of 20 October 2014**

amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for amitrole, dinocap, fipronil, flufenacet, pendimethalin, propyzamide, and pyridate in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC (¹), and in particular Article 14(1)(a) and Articles 18(4) and 49(2) thereof,

Whereas:

- (1) For amitrole, flufenacet, pendimethalin, propyzamide and pyridate, maximum residue levels (MRLs) were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For dinocap and fipronil, MRLs were set in Part A of Annex III to that Regulation.
- (2) For amitrole, the European Food Safety Authority, hereinafter ‘the Authority’, submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof (²). The Authority concluded that concerning the MRLs in citrus fruits, almonds, hazelnuts, walnuts, pome fruits, stone fruits, table and wine grapes, currants, gooseberries, table olives and olives for oil production some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (3) For dinocap, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof (³). All existing authorisations for plant protection products containing the active substance dinocap have been revoked. It is therefore appropriate to set the MRLs at the specific limit of determination or the level of Codex MRLs which are safe for consumers in the Union. It is also appropriate to change the residue definition.
- (4) The Authority indicated that the existing MRLs for dinocap in wine grapes and melons may raise concerns of consumer protection. The MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (5) For fipronil, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof (⁴). It recommended lowering the MRLs for flowering and head brassicas, swine, bovine, sheep and goat fat and liver, swine kidney, poultry liver and eggs. For other products it recommended raising or keeping the existing MRLs.
- (6) In accordance with Article 53 of Regulation (EC) No 1107/2009 of the European Parliament and of the Council (⁵), Germany notified on 10 February 2012 to the Commission the temporary authorisation of plant

(¹) OJ L 70, 16.3.2005, p. 1.

(²) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for amitrole according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(6):2763. [35 pp.].

(³) European Food Safety Authority; Review of the existing maximum residue levels (MRLs) for dinocap according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2011;9(8):2340. [33 pp.].

(⁴) European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for fipronil according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2688. [44 pp.].

(⁵) Regulation (EC) No 1107/2009 of the European Parliament and of the Council of 21 October 2009 concerning the placing of plant protection products on the market and repealing Council Directives 79/117/EEC and 91/414/EEC (OJ L 309, 24.11.2009, p. 1).

protection products containing the active substance fipronil, due to an outbreak of *Elateridae* species, a danger that could not be contained effectively by any other reasonable means. Consequently, Germany also notified the other Member States, the Commission and the Authority in accordance with Article 18(4) of Regulation (EC) No 396/2005 of its request for an increase of the MRL in poultry fat, as potatoes containing fipronil residues compliant with the existing MRL in potatoes may be fed to chicken, leading to residues above the existing MRL in poultry fat.

- (7) Germany submitted to the Commission an appropriate consumer risk assessment and proposed temporary MRLs on that basis.
- (8) The Authority assessed the data provided and issued a reasoned opinion on the safety of the proposed temporary MRLs in accordance with Article 18(4) of Regulation (EC) No 396/2005⁽¹⁾. It concluded that a potential long-term consumer health risk could not be excluded.
- (9) As exposure to residues from different products contributed to the potential long-term consumer health risk, the authorisations for the uses on head cabbage and kale were withdrawn at the request of the authorisation holder.
- (10) Commission Regulation (EU) No 212/2013⁽²⁾ entered into force on 1 April 2013, thereby amending Annex I to Regulation (EC) No 396/2005.
- (11) The European Commission requested the Authority to recalculate the expected residue levels of fipronil in commodities of animal origin and the consumer exposure resulting from those residue levels, taking into account the withdrawal of authorisations for uses on head cabbage and kale and the amendment of Annex I to Regulation (EC) No 396/2005. The Authority submitted a reasoned opinion on the modification of MRLs following the withdrawal of uses on head cabbage and kale in accordance with Article 43 of Regulation (EC) No 396/2005⁽³⁾. It concluded that the proposed MRLs are adequately supported by data and no risk for consumers was identified.
- (12) For flufenacet, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽⁴⁾. It recommended lowering the MRLs for swine, bovine, sheep, goat and poultry liver. For other products it recommended raising or keeping the existing MRLs. The Authority concluded that concerning the MRLs in strawberries, blueberries, cranberries, currants and gooseberries some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (13) For pendimethalin, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof⁽⁵⁾. It recommended lowering the MRLs for carrots, legume vegetables (fresh), pulses (dry), peanuts, sunflower seed, soya bean, cotton seed, swine, bovine, sheep, goat and poultry meat and fat, milk and birds' eggs. Taking into account additional information on the good agricultural practice provided by Germany and the Netherlands and as there is no risk for consumers, the MRL for carrots should be set in Annex II to Regulation (EC) No 396/2005 at the existing level. That MRL will be reviewed; the review will take into account the information available within two years from the publication of this Regulation. For other products the Authority recommended raising or keeping the existing MRLs.
- (14) The Authority concluded that concerning the MRLs for pendimethalin in strawberries, garlic, onions, shallots, tomatoes, peppers, aubergines, cucurbits with edible and inedible peel, globe artichokes, leek, swine, bovine,

⁽¹⁾ European Food Safety Authority; Reasoned opinion on the modification of the existing MRL for fipronil in poultry fat. EFSA Journal 2012;10(5):2707. [32 pp.].

⁽²⁾ Commission Regulation (EU) No 212/2013 of 11 March 2013 replacing Annex I to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards additions and modifications with respect to the products covered by that Annex (OJ L 68, 12.3.2013, p. 30).

⁽³⁾ European Food Safety Authority; Reasoned opinion on the modification of maximum residue levels (MRLs) for fipronil following the withdrawal of the authorised uses on kale and head cabbage. EFSA Journal 2014;12(1):3543. [37 pp.].

⁽⁴⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for flufenacet according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2689. [52 pp.].

⁽⁵⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for pendimethalin according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2683. [57 pp.].

sheep and goat liver and kidney, and poultry liver some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.

- (15) The Authority concluded that concerning the MRLs for pendimethalin in witloof, rape seed, herbal infusions (dried, flowers) and spices (fruits and berries) no information was available and that further consideration by risk managers was required. The MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (16) The Authority concluded that concerning the MRLs for pendimethalin in horseradish, parsnips and parsley root no information was available and that further consideration by risk managers was required. Taking into account additional information on the good agricultural practices provided by Germany, Latvia and the Netherlands and as there is no risk for consumers, the MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (17) As regards pendimethalin in salsify, herbal infusions (dried, roots), spices (seeds) and caraway, the Authority submitted an opinion concerning MRLs for those products ⁽¹⁾.
- (18) For propyzamide, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof ⁽²⁾. It proposed to change the residue definition. It recommended lowering the MRLs for table and wine grapes, strawberries, cane fruits, blueberries, cranberries, currants, gooseberries, elderberries, salsify, witloof, rhubarb, sunflower seed, rape seed, soya bean, sugar beet (root) and chicory roots. For other products it recommended keeping the existing MRLs.
- (19) The Authority concluded that concerning the MRLs for propyzamide in lamb's lettuce, lettuce, escarole, cress, rocket (rucola), leaves and sprouts of brassica, herbs, beans (dry), lentils, peas (dry), swine, bovine, sheep and goat meat, fat, liver and kidney, and ruminant milk some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.
- (20) The Authority concluded that concerning the MRLs for propyzamide in leek and hops no information was available and that further consideration by risk managers was required. The MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (21) As regards propyzamide in herbal infusions (dried), the Authority submitted an opinion concerning MRLs for those products ⁽³⁾.
- (22) For pyriproxyfen, the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction with Article 12(1) thereof ⁽⁴⁾. The Authority concluded that concerning the MRLs in salsify, garlic, onions, shallots, spring onions, sweet corn, flowering brassica, Brussels sprouts, head cabbage, kale, kohlrabi, chives, asparagus, leek, lupins, poppy seed, rape seed, maize, herbal infusions (dried, flowers), herbal infusions (dried, leaves), herbal infusions (dried, roots), spices (seeds), spices (fruits and berries), swine, bovine, sheep and goat meat, fat, liver and kidney, poultry meat, fat and liver, ruminant milk and birds' eggs some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, MRLs for those products should be set in Annex II to Regulation (EC)

⁽¹⁾ European Food Safety Authority; Reasoned opinion on the modification of the existing MRLs for pendimethalin in various crops. EFSA Journal 2013;11(5):3217. [27 pp.].

⁽²⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for propyzamide according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2690. [54 pp.].

⁽³⁾ European Food Safety Authority; Reasoned opinion on the modification of the existing MRLs for propyzamide in leaves, flowers and roots of herbal infusions. EFSA Journal 2013;11(9):3378. [28 pp.].

⁽⁴⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for pyriproxyfen according to Article 12 of Regulation (EC) No 396/2005. EFSA Journal 2012;10(4):2687. [47 pp.].

No 396/2005 at the existing level or the level identified by the Authority. Those MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.

- (23) The Authority concluded that concerning the MRLs for pyriproxyfen in globe artichokes, barley, rice and wheat no information was available and that further consideration by risk managers was required. The MRLs for those products should be set at the specific limit of or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (24) As regards pyriproxyfen in celery leaves (dill leaves), the Authority submitted an opinion concerning the MRL for that product (1).
- (25) As regards products for which neither relevant authorisations or import tolerances were reported at Union level nor Codex MRLs were available, the Authority concluded that further consideration by risk managers was required. Taking into account the current scientific and technical knowledge, MRLs for those products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (26) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Articles 14(2) and 18(4) of Regulation (EC) No 396/2005.
- (27) Through the World Trade Organisation, the trading partners of the Union were consulted on the new MRLs and their comments have been taken into account.
- (28) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (29) In order to allow for the normal marketing, processing and consumption of products, this Regulation should provide for a transitional arrangement for products which have been lawfully produced before the modification of the MRLs and for which information shows that a high level of consumer protection is maintained.
- (30) A reasonable period should be allowed to elapse before the modified MRLs become applicable in order to permit Member States, third countries and food business operators to prepare themselves to meet the new requirements which will result from the modification of the MRLs.
- (31) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II and III to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

As regards the active substances in and on products, as set out in the following list, Regulation (EC) No 396/2005 as it stood before being amended by this Regulation shall continue to apply to products which were lawfully produced before 13 May 2015:

- (1) amitrole: all products;
- (2) dinocap: all products except wine grapes and melons;
- (3) sipropropyl, flufenacet, pendimethalin, propyzamide and pyriproxyfen: all products.

(1) European Food Safety Authority; Reasoned opinion on the modification of the existing MRL for pyriproxyfen in celery leaves (dill leaves). EFSA Journal 2012;10(9):2892. [25 pp.]

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

However, it shall apply from 13 May 2015.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 October 2014.

For the Commission

The President

José Manuel BARROSO

ANNEX

Annexes II and III to Regulation (EC) No 396/2005 are amended as follows:

(1) Annex II is amended as follows:

(a) the columns for amitrole, flufenacet, pendimethalin, propyzamide and pyridate are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Amitrole	Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0100000	1. FRUIT FRESH OR FROZEN NUTS		0,05 (*)	0,05 (*)		0,05 (*)
0110000	(i) Citrus fruit	0,01 (*) (+)			0,01 (*)	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)					
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)					
0110030	Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))					
0110040	Limes					
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>))					
0110990	Others					
0120000	(ii) Tree nuts	0,02 (*)				
0120010	Almonds	(+)			0,02	
0120020	Brazil nuts				0,01 (*)	
0120030	Cashew nuts				0,01 (*)	
0120040	Chestnuts				0,02	
0120050	Coconuts				0,01 (*)	
0120060	Hazelnuts (Filbert)	(+)			0,02	
0120070	Macadamia				0,01 (*)	
0120080	Pecans				0,01 (*)	

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0120090	Pine nuts				0,01 (*)	
0120100	Pistachios				0,01 (*)	
0120110	Walnuts	(+)			0,02	
0120990	Others				0,01 (*)	
0130000	(iii) Pome fruit	0,01 (*) (+)			0,02	
0130010	Apples (Crab apple)					
0130020	Pears (Oriental pear)					
0130030	Quinces					
0130040	Medlar					
0130050	Loquat					
0130990	Others					
0140000	(iv) Stone fruit	0,01 (*) (+)			0,02	
0140010	Apricots					
0140020	Cherries (Sweet cherries, sour cherries)					
0140030	Peaches (Nectarines and similar hybrids)					
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))					
0140990	Others					
0150000	(v) Berries & small fruit				0,01 (*)	
0151000	(a) <i>Table and wine grapes</i>	0,05 (+)				
0151010	Table grapes					
0151020	Wine grapes					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0152000	(b) Strawberries	0,01 (*)	(+)	(+)		
0153000	(c) Cane fruit	0,01 (*)				
0153010	Blackberries					
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)					
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))					
0153990	Others					
0154000	(d) Other small fruit & berries	0,01 (*)				
0154010	Blueberries (Bilberries)		(+)			
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		(+)			
0154030	Currants (red, black and white)	(+)	(+)			
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	(+)	(+)			
0154050	Rose hips					
0154060	Mulberries (Arbutus berry)					
0154070	Azarole (mediterranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))					
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea-sallowthorn, hawthorn, serviceberries, and other treeberries)					
0154990	Others					

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0160000	(vi) Miscellaneous fruit				0,01 (*)	
0161000	(a) <i>Edible peel</i>					
0161010	Dates	0,01 (*)				
0161020	Figs	0,01 (*)				
0161030	Table olives	0,05 (*) (+)				
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))	0,01 (*)				
0161050	Carambola (Bilimbi)	0,01 (*)				
0161060	Persimmon	0,01 (*)				
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (<i>Eugenia uniflora</i>))	0,01 (*)				
0161990	Others	0,01 (*)				
0162000	(b) <i>Inedible peel, small</i>	0,01 (*)				
0162010	Kiwi					
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)					
0162030	Passion fruit					
0162040	Prickly pear (cactus fruit)					
0162050	Star apple					
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0162990	Others					
0163000	(c) Inedible peel, large	0,01 (*)				
0163010	Avocados					
0163020	Bananas (Dwarf banana, plantain, apple banana)					
0163030	Mangoes					
0163040	Papaya					
0163050	Pomegranate					
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized <i>Annonaceae</i> fruits)					
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))					
0163080	Pineapples					
0163090	Bread fruit (Jackfruit)					
0163100	Durian					
0163110	Soursop (guanabana)					
0163990	Others					
0200000	2. VEGETABLES FRESH OR FROZEN					
0210000	(i) Root and tuber vegetables	0,01 (*)			0,01 (*)	0,05 (*)
0211000	(a) Potatoes		0,15	0,05 (*)		
0212000	(b) Tropical root and tuber vegetables		0,05 (*)	0,05 (*)		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)					
0212020	Sweet potatoes					
0212030	Yams (Potato bean/yam bean, Mexican yam bean)					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0212040	Arrowroot					
0212990	Others					
0213000	(c) Other root and tuber vegetables except sugar beet		0,05 (*)			
0213010	Beetroot			0,05 (*)		
0213020	Carrots			0,2 (+)		
0213030	Celeriac			0,1		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)			0,2 (+)		
0213050	Jerusalem artichokes (Crosne)			0,05 (*)		
0213060	Parsnips			0,2 (+)		
0213070	Parsley root			0,2 (+)		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))			0,05 (*)		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)			0,2		(+)
0213100	Swedes			0,05 (*)		
0213110	Turnips			0,05 (*)		
0213990	Others			0,05 (*)		
0220000	(ii) Bulb vegetables	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)	
0220010	Garlic			(+)		0,05 (*) (+)
0220020	Onions (Other bulb onions, silverskin onions)			(+)		0,05 (*) (+)
0220030	Shallots			(+)		0,05 (*) (+)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0220040	Spring onions and welsh onions (Other green onions and similar varieties)					1 (+)
0220990	Others					0,05 (*)
0230000	(iii) Fruiting vegetables	0,01 (*)	0,05 (*)	0,05 (*)		0,05 (*)
0231000	(a) Solanaceae				0,01 (*)	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)			(+)		
0231020	Peppers (Chilli peppers)			(+)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))			(+)		
0231040	Okra (lady's fingers)					
0231990	Others					
0232000	(b) Cucurbits — edible peel			(+)		
0232010	Cucumbers				0,01 (*)	
0232020	Gherkins				0,01 (*)	
0232030	Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)				0,02	
0232990	Others				0,01 (*)	
0233000	(c) Cucurbits-inedible peel			(+)		
0233010	Melons (Kiwano)				0,01 (*)	

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0233020	Pumpkins (Winter squash, marrow (late variety))				0,02	
0233030	Watermelons				0,01 (*)	
0233990	Others				0,01 (*)	
0234000	(d) Sweet corn (Baby corn)				0,01 (*)	(+)
0239000	(e) Other fruiting vegetables				0,01 (*)	
0240000	(iv) Brassica vegetables	0,01 (*)	0,05 (*)			
0241000	(a) Flowering brassica			0,05 (*)	0,02	0,05 (*) (+)
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)					
0241020	Cauliflower					
0241990	Others					
0242000	(b) Head brassica			0,05 (*)	0,01 (*)	
0242010	Brussels sprouts					0,05 (*) (+)
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)					1,5 (+)
0242990	Others					0,05 (*)
0243000	(c) Leafy brassica			0,5	0,01 (*)	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)					0,05 (*)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)					0,2 (+)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0243990	Others					0,05 (*)
0244000	(d) Kohlrabi			0,3	0,01 (*)	0,05 (*) (+)
0250000	(v) Leaf vegetables & fresh herbs		0,05 (*)			
0251000	(a) Lettuce and other salad plants including Brassicaceae	0,01 (*)				0,05 (*)
0251010	Lamb's lettuce (Italian corn salad)			0,6	0,6 (+)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			0,05 (*)	0,6 (+)	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens)			0,05 (*)	0,6 (+)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)			0,6	0,2 (+)	
0251050	Land cress			0,05 (*)	0,01 (*)	
0251060	Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))			0,6	0,2 (+)	
0251070	Red mustard			0,05 (*)	0,01 (*)	
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)			0,6	0,2 (+)	
0251990	Others			0,05 (*)	0,01 (*)	

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0252000	(b) Spinach & similar (leaves)	0,01 (*)		0,05 (*)	0,01 (*)	0,05 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/ bitawiri)					
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti (<i>Salsola soda</i>))					
0252030	Beet leaves (chard) (Leaves of beet-root)					
0252990	Others					
0253000	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (<i>Acacia pennata</i>))	0,01 (*)		0,05 (*)	0,01 (*)	0,05 (*)
0254000	(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (<i>Ipomea aquatica</i>), water clover, water mimosa)	0,01 (*)		0,05 (*)	0,01 (*)	0,05 (*)
0255000	(e) Witloof	0,01 (*)		0,05 (*)	0,01 (*)	0,05 (*)
0256000	(f) Herbs	0,02 (*)			0,2 (+)	
0256010	Chervil			0,6		0,05 (*)
0256020	Chives			0,6		0,05 (*) (+)
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cисely and other <i>Apiaceae</i> leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))			0,6		0,3
0256040	Parsley (leaves of root parsley)			2		0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)			2		0,05 (*)
0256060	Rosemary			0,6		0,05 (*)
0256070	Thyme (Marjoram, oregano)			0,6		0,05 (*)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)			0,6		0,05 (*)
0256090	Bay leaves (laurel) (Lemon grass)			0,6		0,05 (*)
0256100	Tarragon (Hyssop)			0,6		0,05 (*)
0256990	Others			0,6		0,05 (*)
0260000	(vi) Legume vegetables (fresh)	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)					
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)					
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)					
0260040	Peas (without pods) (Garden pea, green pea, chickpea)					
0260050	Lentils					
0260990	Others					
0270000	(vii) Stem vegetables (fresh)	0,01 (*)	0,05 (*)			
0270010	Asparagus			0,05 (*)	0,01 (*)	0,05 (*) (+)
0270020	Cardoons (<i>Borago officinalis</i> stems)			0,05 (*)	0,02	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0270030	Celery			0,1	0,01 (*)	0,05 (*)
0270040	Fennel			0,1	0,01 (*)	0,05 (*)
0270050	Globe artichokes (Banana flower)			0,05 (*) (+)	0,02	0,05 (*)
0270060	Leek			0,05 (*) (+)	0,01 (*)	1 (+)
0270070	Rhubarb			0,05 (*)	0,01 (*)	0,05 (*)
0270080	Bamboo shoots			0,05 (*)	0,01 (*)	0,05 (*)
0270090	Palm hearts			0,05 (*)	0,01 (*)	0,05 (*)
0270990	Others			0,05 (*)	0,01 (*)	0,05 (*)
0280000	(viii) Fungi	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))					
0280020	Wild fungi (Chanterelle, truffle, morel, cep)					
0280990	Others					
0290000	(ix) Sea weeds	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)
0300000	3. PULSES, DRY	0,01 (*)	0,05 (*)	0,15	0,01 (*)	0,05 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)				(+)	
0300020	Lentils				(+)	
0300030	Peas (Chickpeas, field peas, chickling vetch)				(+)	
0300040	Lupins					(+)
0300990	Others					
0400000	4. OILSEEDS AND OILFRUITS		0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)
0401000	(i) Oilseeds	0,02 (*)				
0401010	Linseed					
0401020	Peanuts					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0401030	Poppy seed					(+)
0401040	Sesame seed					
0401050	Sunflower seed					
0401060	Rape seed (Bird rapeseed, turnip rape)					(+)
0401070	Soya bean					
0401080	Mustard seed					
0401090	Cotton seed					
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i>)					
0401110	Safflower					
0401120	Borage (Purple viper's bugloss/Canary flower (<i>Echium plantagineum</i>), Corn Gromwell (<i>Buglossoides arvensis</i>))					
0401130	Gold of pleasure					
0401140	Hempseed					
0401150	Castor bean					
0401990	Others					
0402000	(ii) Oilfruits					
0402010	Olives for oil production	0,05 (*) (+)				
0402020	Palm nuts (palmoil kernels)	0,02 (*)				
0402030	Palmfruit	0,02 (*)				
0402040	Kapok	0,02 (*)				
0402990	Others	0,02 (*)				
0500000	5. CEREALS	0,01 (*)		0,05 (*)	0,01 (*)	0,05 (*)
0500010	Barley		0,1			
0500020	Buckwheat (<i>Amaranthus</i> , quinoa)		0,05 (*)			
0500030	Maize		0,05 (*)			(+)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		0,05 (*)			
0500050	Oats		0,05 (*)			
0500060	Rice (Indian/wild rice (<i>Zizania aquatica</i>))		0,05 (*)			
0500070	Rye		0,05 (*)			
0500080	Sorghum		0,05 (*)			
0500090	Wheat (Spelt, triticale)		0,1			
0500990	Others (Canary grass seeds (<i>Phalaris canariensis</i>))		0,05 (*)			
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,05 (*)	0,05 (*)			
0610000	(i) Tea			0,05 (*)	0,05 (*)	0,05 (*)
0620000	(ii) Coffee beans			0,05 (*)	0,05 (*)	0,05 (*)
0630000	(iii) Herbal infusions (dried)					
0631000	(a) Flowers			0,05 (*)	0,4	2 (+)
0631010	Camomile flowers					
0631020	Hybiscus flowers					
0631030	Rose petals					
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))					
0631050	Lime (linden)					
0631990	Others					
0632000	(b) Leaves			0,05 (*)	0,4	2 (+)
0632010	Strawberry leaves					
0632020	Rooibos leaves (Ginkgo leaves)					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0632030	Maté					
0632990	Others					
0633000	(c) Roots			0,5	0,05 (*)	0,05 (*) (+)
0633010	Valerian root					
0633020	Ginseng root					
0633990	Others					
0639000	(d) Other herbal infusions			0,05 (*)	0,05 (*)	0,05 (*)
0640000	(iv) Cocoabeans (fermented or dried)			0,05 (*)	0,05 (*)	0,05 (*)
0650000	(v) Carob (st johns bread)			0,05 (*)	0,05 (*)	0,05 (*)
0700000	7. HOPS (dried)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0800000	8. SPICES					
0810000	(i) Seeds	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,15 (+)
0810010	Anise					
0810020	Black caraway					
0810030	Celery seed (Lovage seed)					
0810040	Coriander seed					
0810050	Cumin seed					
0810060	Dill seed					
0810070	Fennel seed					
0810080	Fenugreek					
0810090	Nutmeg					
0810990	Others					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Anitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0820000	(ii) Fruits and berries	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,15 (+)
0820010	Allspice					
0820020	Sichuan pepper (Anise pepper, Japan pepper)					
0820030	Caraway					
0820040	Cardamom					
0820050	Juniper berries					
0820060	Pepper, black, green and white (Long pepper, pink pepper)					
0820070	Vanilla pods					
0820080	Tamarind					
0820990	Others					
0830000	(iii) Bark	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0830010	Cinnamon (Cassia)					
0830990	Others					
0840000	(iv) Roots or rhizome					
0840010	Liquorice	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0840020	Ginger	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0840040	Horseradish	(+)	(+)	(+)	(+)	(+)
0840990	Others	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0850000	(v) Buds	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0850010	Cloves					
0850020	Capers					
0850990	Others					

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
0860000	(vi) Flower stigma	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0860010	Saffron					
0860990	Others					
0870000	(vii) Aril	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
0870010	Mace					
0870990	Others					
0900000	9. SUGAR PLANTS	0,01 (*)	0,05 (*)	0,05 (*)		0,05 (*)
0900010	Sugar beet (root)				0,08	
0900020	Sugar cane				0,01 (*)	
0900030	Chicory roots				0,01 (*)	
0900990	Others				0,01 (*)	
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS					
1010000	(i) Tissue	0,01 (*)		0,01 (*)		
1011000	(a) Swine				(+)	
1011010	Muscle		0,05 (*)		0,01 (*)	0,05 (*) (+)
1011020	Fat		0,05 (*)		0,01 (*)	0,05 (*) (+)
1011030	Liver		0,02 (*)	(+)	0,1 (*)	0,1 (+)
1011040	Kidney		0,05 (*)	(+)	0,1 (*)	0,3 (+)
1011050	Edible offal		0,05 (*)		0,1 (*)	0,3 (+)
1011990	Others		0,05 (*)		0,1 (*)	0,3 (+)
1012000	(b) Bovine				(+)	
1012010	Muscle		0,05 (*)		0,01 (*)	0,05 (*) (+)
1012020	Fat		0,05 (*)		0,01 (*)	0,05 (*) (+)
1012030	Liver		0,02 (*)	(+)	0,1 (*)	0,2 (+)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin (F)	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
1012040	Kidney		0,05 (*)	(+)	0,1 (*)	2 (+)
1012050	Edible offal		0,05 (*)		0,1 (*)	2 (+)
1012990	Others		0,05 (*)		0,1 (*)	2 (+)
1013000	(c) Sheep				(+)	
1013010	Muscle		0,05 (*)		0,01 (*)	0,05 (*) (+)
1013020	Fat		0,05 (*)		0,01 (*)	0,05 (*) (+)
1013030	Liver		0,02 (*)	(+)	0,1 (*)	0,2 (+)
1013040	Kidney		0,05 (*)	(+)	0,1 (*)	2 (+)
1013050	Edible offal		0,05 (*)		0,1 (*)	2 (+)
1013990	Others		0,05 (*)		0,1 (*)	2 (+)
1014000	(d) Goat				(+)	
1014010	Muscle		0,05 (*)		0,01 (*)	0,05 (*) (+)
1014020	Fat		0,05 (*)		0,01 (*)	0,05 (*) (+)
1014030	Liver		0,02 (*)	(+)	0,1 (*)	0,2 (+)
1014040	Kidney		0,05 (*)	(+)	0,1 (*)	2 (+)
1014050	Edible offal		0,05 (*)		0,1 (*)	2 (+)
1014990	Others		0,05 (*)		0,1 (*)	2 (+)
1015000	(e) Horses, asses, mules or hinnies				(+)	
1015010	Muscle		0,05 (*)		0,01 (*)	0,05 (*) (+)
1015020	Fat		0,05 (*)		0,01 (*)	0,05 (*) (+)
1015030	Liver		0,02 (*)		0,1 (*)	0,2 (+)
1015040	Kidney		0,05 (*)		0,1 (*)	2 (+)
1015050	Edible offal		0,05 (*)		0,1 (*)	2 (+)
1015990	Others		0,05 (*)		0,1 (*)	2 (+)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon					0,05 (*)
1016010	Muscle		0,05 (*)		0,01 (*)	(+)
1016020	Fat		0,05 (*)		0,01 (*)	(+)
1016030	Liver		0,02 (*)	(+)	0,1 (*)	(+)
1016040	Kidney		0,05 (*)		0,1 (*)	
1016050	Edible offal		0,05 (*)		0,1 (*)	
1016990	Others		0,05 (*)		0,1 (*)	
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)				(+)	
1017010	Muscle		0,05 (*)		0,01 (*)	0,05 (*) (+)
1017020	Fat		0,05 (*)		0,01 (*)	0,05 (*) (+)
1017030	Liver		0,02 (*)		0,1 (*)	0,2 (+)
1017040	Kidney		0,05 (*)		0,1 (*)	2 (+)
1017050	Edible offal		0,05 (*)		0,1 (*)	2 (+)
1017990	Others		0,05 (*)		0,1 (*)	2 (+)
1020000	(ii) Milk	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*) (+)	0,05 (*) (+)
1020010	Cattle					
1020020	Sheep					
1020030	Goat					
1020040	Horse					
1020990	Others					
1030000	(iii) Bird eggs	0,05 (*)	0,05 (*)	0,01 (*)	0,01 (*)	0,05 (*) (+)
1030010	Chicken					
1030020	Duck					
1030030	Goose					

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Amitrole	Flufenacet (sum of all compounds containing the N-fluorophenyl-N-isopropyl moiety expressed as flufenacet)	Pendimethalin	Propyzamide (F) (R)	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
1030040	Quail					
1030990	Others					
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,01 (*)	0,05 (*)	0,01 (*)	0,02 (*)	0,05 (*)
1060000	(vi) Snails	0,01 (*)	0,05 (*)	0,01 (*)	0,02 (*)	0,05 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,01 (*)	0,05 (*)	0,01 (*)	0,02 (*)	0,05 (*)

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(^a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) Fat soluble

Amitrole

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0110000 (i) Citrus fruit

0110010 Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)

0110020 Oranges (Bergamot, bitter orange, chinotto and other hybrids)

0110030 Lemons (Citron, lemon, Buddha's hand (*Citrus medica* var. *sarcodactylis*))

0110040 Limes

0110050 Mandarins (Clementine, tangerine, mineola and other hybrids tangor (*Citrus reticulata* × *sinensis*))

0110990 Others

0120010 Almonds

0120060 Hazelnuts (Filbert)

0120110 Walnuts

0130000 (iii) Pome fruit

0130010 Apples (Crab apple)

0130020 Pears (Oriental pear)

0130030 Quinces

0130040 Medlar

0130050 Loquat

0130990 Others

0140000 (iv) Stone fruit

0140010 Apricots

0140020 Cherries (Sweet cherries, sour cherries)

0140030 Peaches (Nectarines and similar hybrids)

0140040 Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (*Ziziphus zizyphus*))

0140990 Others

0151000 (a) Table and wine grapes

0151010 Table grapes

0151020 Wine grapes

0154030 Currants (red, black and white)

0154040 Gooseberries (Including hybrids with other *Ribes* species)

- (+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0161030 Table olives

0402010 Olives for oil production

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0152000 (b) Strawberries

0154010 Blueberries (Bilberries)

0154020 Cranberries (Cowberries/red bilberries (*V. vitis-idaea*))

0154030 Currants (red, black and white)

0154040 Gooseberries (Including hybrids with other *Ribes* species)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Pendimethalin (F)

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016+B517, or, if that information is not submitted by that date, the lack of it.

0152000 (b) Strawberries

0213020 Carrots

0213040 Horseradish (Angelica roots, lovage roots, gentiana roots)

0213060 Parsnips

0213070 Parsley root

0220010 Garlic

0220020 Onions (Other bulb onions, silverskin onions)

0220030 Shallots

0231010 Tomatoes (Cherry tomatoes, *Physalis* spp., gojiberry, wolfberry (*Lycium barbarum* and *L. chinense*), tree tomato)

0231020 Peppers (Chilli peppers)

0231030 Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*))

0232000 (b) Cucurbits — edible peel

0232010 Cucumbers

0232020 Gherkins

0232030 Courgettes (Summer squash, marrow (patisson), lauki (*Lagenaria siceraria*), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)

0232990 Others

0233000 (c) Cucurbits-inedible peel

0233010 Melons (Kiwano)

0233020 Pumpkins (Winter squash, marrow (late variety))

0233030 Watermelons

0233990 Others

0270050 Globe artichokes (Banana flower)

0270060 Leek

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

1011030 Liver

1011040 Kidney

1012030 Liver

1012040 Kidney**1013030** Liver**1013040** Kidney**1014030** Liver**1014040** Kidney**1016030** Liver**Propyzamide (F) (R)**

(R) = The residue definition differs for the following combinations pesticide-code number:

Propyzamide — code 1000000: Sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid moiety, expressed as propyzamide

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0251010 Lamb's lettuce (Italian corn salad)**0251020** Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)**0251030** Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (*C. endivia* var. *crispum/C. intybus* var. *foliosum*), dandelion greens)**0251040** Cress (Mung bean sprouts, alfalfa sprouts)**0251060** Rocket, Rucola (Wild rocket (*Diplotaxis* spp.))**0251080** Leaves and sprouts of *Brassica* spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)**0256000** (f) Herbs**0256010** Chervil**0256020** Chives**0256030** Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cисely and other *Apiaceae* leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*))**0256040** Parsley (leaves of root parsley)**0256050** Sage (Winter savory, summer savory, *Borago officinalis* leaves)**0256060** Rosemary**0256070** Thyme (Marjoram, oregano)**0256080** Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)**0256090** Bay leaves (laurel) (Lemon grass)**0256100** Tarragon (Hyssop)**0256990** Others

- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

0300010 Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)**0300020** Lentils**0300030** Peas (Chickpeas, field peas, chickling vetch)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

1011000 (a) Swine

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

1012000 (b) Bovine

1012010 Muscle

1012020 Fat

1012030 Liver

1012040 Kidney

1012050 Edible offal

1012990 Others

1013000 (c) Sheep

1013010 Muscle

1013020 Fat

1013030 Liver

1013040 Kidney

1013050 Edible offal

1013990 Others

1014000 (d) Goat

1014010 Muscle

1014020 Fat

1014030 Liver

1014040 Kidney

1014050 Edible offal

1014990 Others

1015000 (e) Horses, asses, mules or hinnies

1015010 Muscle

1015020 Fat

1015030 Liver

- 1015040** Kidney
1015050 Edible offal
1015990 Others
1017000 (g) Other farm animals (Rabbit, kangaroo, deer)
1017010 Muscle
1017020 Fat
1017030 Liver
1017040 Kidney
1017050 Edible offal
1017990 Others
1020000 (ii) Milk
1020010 Cattle
1020020 Sheep
1020030 Goat
1020040 Horse
1020990 Others

Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016+B814, or, if that information is not submitted by that date, the lack of it.

- 0213090** Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)
0220010 Garlic
0220020 Onions (Other bulb onions, silverskin onions)
0220030 Shallots
0220040 Spring onions and welsh onions (Other green onions and similar varieties)
0234000 (d) Sweet corn (Baby corn)
0241000 (a) Flowering brassica
0241010 Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020 Cauliflower
0241990 Others
0242010 Brussels sprouts
0242020 Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243020 Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0244000 (d) Kohlrabi
0256020 Chives
0270010 Asparagus
0270060 Leek
0300040 Lupins
0401030 Poppy seed
0401060 Rape seed (Bird rapeseed, turnip rape)
0500030 Maize

- 0631000 (a) Flowers**
- 0631010 Camomille flowers**
- 0631020 Hibiscus flowers**
- 0631030 Rose petals**
- 0631040 Jasmine flowers (Elderflowers (*Sambucus nigra*))**
- 0631050 Lime (linden)**
- 0631990 Others**
- 0632000 (b) Leaves**
- 0632010 Strawberry leaves**
- 0632020 Rooibos leaves (Ginkgo leaves)**
- 0632030 Maté**
- 0632990 Others**
- 0633000 (c) Roots**
- 0633010 Valerian root**
- 0633020 Ginseng root**
- 0633990 Others**
- 0810000 (i) Seeds**
- 0810010 Anise**
- 0810020 Black caraway**
- 0810030 Celery seed (Lovage seed)**
- 0810040 Coriander seed**
- 0810050 Cumin seed**
- 0810060 Dill seed**
- 0810070 Fennel seed**
- 0810080 Fenugreek**
- 0810090 Nutmeg**
- 0810990 Others**
- 0820000 (ii) Fruits and berries**
- 0820010 Allspice**
- 0820020 Sichuan pepper (Anise pepper, Japan pepper)**
- 0820030 Caraway**
- 0820040 Cardamom**
- 0820050 Juniper berries**
- 0820060 Pepper, black, green and white (Long pepper, pink pepper)**
- 0820070 Vanilla pods**
- 0820080 Tamarind**
- 0820990 Others**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on storage stability and analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 24.10.2016, or, if that information is not submitted by that date, the lack of it.

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

1012010 Muscle

1012020 Fat

1012030 Liver

1012040 Kidney

1012050 Edible offal

1012990 Others

1013010 Muscle

1013020 Fat

1013030 Liver

1013040 Kidney

1013050 Edible offal

1013990 Others

1014010 Muscle

1014020 Fat

1014030 Liver

1014040 Kidney

1014050 Edible offal

1014990 Others

1015010 Muscle

1015020 Fat

1015030 Liver

1015040 Kidney

1015050 Edible offal

1015990 Others

1016010 Muscle

1016020 Fat

1016030 Liver

1017010 Muscle

1017020 Fat

1017030 Liver

- 1017040** Kidney
1017050 Edible offal
1017990 Others
1020000 (ii) Milk
1020010 Cattle
1020020 Sheep
1020030 Goat
1020040 Horse
1020990 Others
1030000 (iii) Bird eggs
1030010 Chicken
1030020 Duck
1030030 Goose
1030040 Quail
1030990 Others'

(b) the following columns for dinocap and fipronil are added:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (^a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46 136) expressed as fipronil) (F)
0100000	1. FRUIT FRESH OR FROZEN NUTS		0,005 (*)
0110000	(i) Citrus fruit	0,02 (*)	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>))		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0110990	Others		
(ii) Tree nuts		0,05 (*)	
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
(iii) Pome fruit		0,02 (*)	
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
(iv) Stone fruit		0,02 (*)	
0140010	Apricots		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))		
0140990	Others		
0150000	(v) Berries & small fruit	0,02 (*)	
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberies and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))		
0153990	Others		
0154000	(d) <i>Other small fruit & berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>)))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries (Arbutus berry)		
0154070	Azarole (mediterranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea swallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) Miscellaneous fruit	0,02 (*)	
0161000	(a) Edible peel		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilean cherry, Surinam cherry/grumichama (<i>Eugenia uniflora</i>))		
0161990	Others		
0162000	(b) Inedible peel, small		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0162990	Others		
0163000	(c) Inedible peel, large		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	2. VEGETABLES FRESH OR FROZEN		
0210000	(i) Root and tuber vegetables	0,02 (*)	
0211000	(a) Potatoes		0,01 (+)
0212000	(b) Tropical root and tuber vegetables		0,005 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0213000	(c) Other root and tuber vegetables except sugar beet		0,005 (*)
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) Bulb vegetables	0,02 (*)	
0220010	Garlic	0,005 (*)	
0220020	Onions (Other bulb onions, silverskin onions)	0,02	
0220030	Shallots	0,02	
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	0,005 (*)	
0220990	Others	0,005 (*)	
0230000	(iii) Fruiting vegetables	0,005 (*)	
0231000	(a) Solanaceae	0,02 (*)	
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) Cucurbits — edible peel	0,05 (*)	
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) Cucurbits-inedible peel		
0233010	Melons (Kiwano)	0,02 (*)	
0233020	Pumpkins (Winter squash, marrow (late variety))	0,05 (*)	
0233030	Watermelons	0,02 (*)	
0233990	Others	0,05 (*)	
0234000	(d) Sweet corn (Baby corn)	0,02 (*)	
0239000	(e) Other fruiting vegetables	0,02 (*)	
0240000	(iv) Brassica vegetables	0,02 (*)	
0241000	(a) Flowering brassica		0,01
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0242000	(b) Head brassica		
0242010	Brussels sprouts		0,01
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		0,005 (*)
0242990	Others		0,005 (*)
0243000	(c) Leafy brassica		0,005 (*)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) Kohlrabi		0,005 (*)
0250000	(v) Leaf vegetables & fresh herbs		0,005 (*)
0251000	(a) Lettuce and other salad plants including Brassicaceae	0,02 (*)	
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))		
0251070	Red mustard		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) <i>Spinach & similar (leaves)</i>	0,02 (*)	
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti (<i>Salsola soda</i>))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (<i>Acacia pennata</i>))	0,02 (*)	
0254000	(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (<i>Ipomea aquatica</i>), water clover, water mimosa)	0,02 (*)	
0255000	(e) Witloof	0,02 (*)	
0256000	(f) Herbs	0,05 (*)	
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cисely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
(vi) Legume vegetables (fresh)		0,02 (*)	0,005 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
(vii) Stem vegetables (fresh)		0,02 (*)	
0270010	Asparagus		0,005 (*)
0270020	Cardoons (<i>Borago officinalis</i> stems)		0,005 (*)
0270030	Celery		0,005 (*)
0270040	Fennel		0,005 (*)
0270050	Globe artichokes (Banana flower)		0,005 (*)
0270060	Leek		0,01
0270070	Rhubarb		0,005 (*)
0270080	Bamboo shoots		0,005 (*)
0270090	Palm hearts		0,005 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0270990	Others		0,005 (*)
(viii) Fungi		0,02 (*)	0,005 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, <i>fungus mycelium</i> (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
(ix) Sea weeds		0,02 (*)	0,005 (*)
0300000	3. PULSES, DRY	0,05 (*)	0,005 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. OILSEEDS AND OILFRUITS	0,05 (*)	0,005 (*)
(i) Oilseeds			
0401000	Linseed		
0401010	Peanuts		
0401020	Poppy seed		
0401030	Sesame seed		
0401040	Sunflower seed		
0401050	Rape seed (Bird rapeseed, turnip rape)		
0401060	Soya bean		
0401070	Mustard seed		
0401080	Cotton seed		
0401090			

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0401100	Pumpkin seeds (Other seeds of <i>Cucurbitaceae</i>) Safflower Borage (Purple viper's bugloss/Canary flower (<i>Echium plantagineum</i>), Corn Gromwell (<i>Buglossoides arvensis</i>)) Gold of pleasure Hempseed Castor bean Others		
0402000	(ii) Oilfruits		
0402010 0402020 0402030 0402040 0402990	Olives for oil production Palm nuts (palmoil kernels) Palmfruit Kapok Others		
0500000	5. CEREALS	0,05 (*)	0,005 (*)
0500010 0500020 0500030 0500040 0500050 0500060 0500070 0500080 0500090 0500990	Barley Buckwheat (<i>Amaranthus</i> , quinoa) Maize Millet (Foxtail millet, teff, finger millet, pearl millet) Oats Rice (Indian/wild rice (<i>Zizania aquatica</i>)) Rye Sorghum Wheat (Spelt, triticale) Others (Canary grass seeds (<i>Phalaris canariensis</i>))		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0.1 (*)	0,005 (*)
(i) Tea			
(ii) Coffee beans			
(iii) Herbal infusions (dried)			
(a) Flowers			
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))		
0631050	Lime (linden)		
0631990	Others		
(b) Leaves			
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
(c) Roots			
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
(d) Other herbal infusions			
(iv) Cocoabeans (fermented or dried)			
(v) Carob (st johns bread)			

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0700000	7. HOPS (dried)	0.1 (*)	0,005 (*)
0800000	8. SPICES		
0810000	(i) Seeds	0.1 (*)	0,005 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) Fruits and berries	0.1 (*)	0,005 (*)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
0820990	Others		
0830000	(iii) Bark	0.1 (*)	0,005 (*)
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) Roots or rhizome		
0840010	Liquorice	0.1 (*)	0,005 (*)
0840020	Ginger	0.1 (*)	0,005 (*)
0840030	Turmeric (Curcuma)	0.1 (*)	0,005 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	0.1 (*)	0,005 (*)
0850000	(v) Buds	0.1 (*)	0,005 (*)
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) Flower stigma	0.1 (*)	0,005 (*)
0860010	Saffron		
0860990	Others		
0870000	(vii) Aril	0.1 (*)	0,005 (*)
0870010	Mace		
0870990	Others		
0900000	9. SUGAR PLANTS	0,02 (*)	0,005 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(a)			Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
		Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)		
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS			
1010000	(i) Tissue			
1011000	(a) <i>Swine</i>			
1011010	Muscle	0,05 (*)	0,005 (*)	
1011020	Fat	0,05 (*)	0,07 (+)	
1011030	Liver	0,1 (*)	0,015 (+)	
1011040	Kidney	0,05 (*)	0,015 (+)	
1011050	Edible offal	0,1 (*)	0,07 (+)	
1011990	Others	0,1 (*)	0,07 (+)	
1012000	(b) <i>Bovine</i>			
1012010	Muscle	0,05 (*)	0,006 (+)	
1012020	Fat	0,05 (*)	0,09 (+)	
1012030	Liver	0,1 (*)	0,02 (+)	
1012040	Kidney	0,05 (*)	0,015 (+)	
1012050	Edible offal	0,1 (*)	0,09 (+)	
1012990	Others	0,1 (*)	0,09 (+)	
1013000	(c) <i>Sheep</i>			
1013010	Muscle	0,05 (*)	0,006 (+)	
1013020	Fat	0,05 (*)	0,9 (+)	
1013030	Liver	0,1 (*)	0,02 (+)	
1013040	Kidney	0,05 (*)	0,015 (+)	
1013050	Edible offal	0,1 (*)	0,09 (+)	
1013990	Others	0,1 (*)	0,09 (+)	

Code number	Groups and examples of individual products to which the MRLs apply ^(a)		Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
	Product	Category		
1014000	(d) Goat			
1014010	Muscle		0,05 (*)	0,006 (+)
1014020	Fat		0,05 (*)	0,09 (+)
1014030	Liver		0,1 (*)	0,02 (+)
1014040	Kidney		0,05 (*)	0,015 (+)
1014050	Edible offal		0,1 (*)	0,09 (+)
1014990	Others		0,1 (*)	0,09 (+)
1015000	(e) Horses, asses, mules or hinnies			
1015010	Muscle		0,05 (*)	0,006 (+)
1015020	Fat		0,05 (*)	0,09 (+)
1015030	Liver		0,1 (*)	0,02 (+)
1015040	Kidney		0,05 (*)	0,015 (+)
1015050	Edible offal		0,1 (*)	0,09 (+)
1015990	Others		0,1 (*)	0,09 (+)
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon			
1016010	Muscle		0,05 (*)	0,015 (+)
1016020	Fat		0,05 (*)	0,02 (+)
1016030	Liver		0,1 (*)	0,015 (+)
1016040	Kidney		0,05 (*)	0,005 (*)
1016050	Edible offal		0,1 (*)	0,005 (*)
1016990	Others		0,1 (*)	0,005 (*)
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)			
1017010	Muscle		0,05 (*)	0,006 (+)
1017020	Fat		0,05 (*)	0,09 (+)
1017030	Liver		0,1 (*)	0,02 (+)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only mepyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of mepyldinocap are to be applied.)	Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)
1017040	Kidney	0,05 (*)	0,015 (+)
1017050	Edible offal	0,1 (*)	0,09 (+)
1017990	Others	0,1 (*)	0,09 (+)
1020000	(ii) Milk	0,03 (*)	0,01 (+)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) Bird eggs	0,05 (*)	0,015 (+)
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,005 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,05 (*)	0,005 (*)
1060000	(vi) Snails	0,05 (*)	0,005 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,05 (*)	0,005 (*)

(*) Indicates lower limit of analytical determination

(^a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) Fat soluble

Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap) (F) (Where only meptyldinocap or its corresponding phenol are detected but none of the other components constituting dinocap (including their corresponding phenols), the MRLs and residue definition of meptyldinocap are to be applied.)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F)

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

0211000 (a) Potatoes

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1011020 Fat

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1011030 Liver

1011040 Kidney

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1011050 Edible offal

1011990 Others

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1012010 Muscle

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1012020 Fat

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1012030 Liver

- (+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1012040 Kidney

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1012050 Edible offal

1012990 Others

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1013010 Muscle

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1013020 Fat

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1013030 Liver

- (+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1013040 Kidney

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1013050 Edible offal**1013990 Others**

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1014010 Muscle

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1014020 Fat

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1014030 Liver

- (+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1014040 Kidney

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1014050 Edible offal**1014990 Others**

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1015010 Muscle

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1015020 Fat

- (+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1015030 Liver

- (+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1015040 Kidney

- (+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1015050 Edible offal**1015990 Others**

- (+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1016010 Muscle

- (+) MRL applicable until 31 December 2016, after that date 0,006 will be applicable unless modified by a Regulation.

1016020 Fat

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1016030 Liver

1017010 Muscle

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1017020 Fat

(+) MRL applicable until 31 December 2016, after that date 0,015 will be applicable unless modified by a Regulation.

1017030 Liver

(+) MRL applicable until 31 December 2016, after that date 0,009 will be applicable unless modified by a Regulation.

1017040 Kidney

(+) MRL applicable until 31 December 2016, after that date 0,06 will be applicable unless modified by a Regulation.

1017050 Edible offal

1017990 Others

(+) MRL applicable until 31 December 2016, after that date 0,008 will be applicable unless modified by a Regulation.

1020000 (ii) Milk

1020010 Cattle

1020020 Sheep

1020030 Goat

1020040 Horse

1020990 Others

(+) MRL applicable until 31 December 2016, after that date 0,005 (*) will be applicable unless modified by a Regulation.

1030000 (iii) Bird eggs

1030010 Chicken

1030020 Duck

1030030 Goose

1030040 Quail

1030990 Others'

(2) in Annex III, the columns for amitrole, dinocap, fipronil, flufenacet, pendimethalin, propyzamide and pyridate are deleted.
