

**COUNCIL REGULATION (EU) 2018/2070****of 20 December 2018****amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure the sufficient and uninterrupted supply of certain goods insufficiently produced in the Union and to avoid disturbances on the market for certain agricultural and industrial products, autonomous tariff quotas were opened by Council Regulation (EU) No 1388/2013 <sup>(1)</sup>. Products within those tariff quotas can be imported into the Union at reduced or zero duty rates.
- (2) For those reasons, it is necessary to open, with effect from 1 January 2019, six new tariff quotas with order numbers 09.2600, 09.2617, 09.2720, 09.2738, 09.2740 and 09.2742 at zero duty rates for appropriate volumes of those products. For the two new tariff quotas with order numbers 09.2740 and 09.2742, it is in the interest of the Union to open those tariff quotas only for the purposes of using the products concerned for the manufacture of specific goods produced in the Union. The application of those two tariff quotas should therefore be made conditional on the specific use of the products in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council <sup>(2)</sup>.
- (3) In the case of four tariff quotas with order numbers 09.2684, 09.2686, 09.2723 and 09.2864, the quota volumes should be increased, as an increase is in the interest of the Union.
- (4) For one tariff quota with order number 09.2850, the classification in the Combined Nomenclature (CN) of the products covered by that tariff quota should be amended.
- (5) The classification in the CN of the products currently covered by the tariff quota with order number 09.2844 has been clarified. For the sake of clarity and legal certainty, that tariff quota should be replaced by a new tariff quota with order number 09.2820, indicating the applicable CN code.
- (6) In the case of five tariff quotas with order numbers 09.2684, 09.2728, 09.2730, 09.2734 and 09.2736, the quota period should be extended with effect from 1 January 2019, as those tariff quotas were opened for a period of six months only and it is still in the interest of the Union to maintain those tariff quotas.
- (7) As the scope of the five tariff quotas with order numbers 09.2620, 09.2668, 09.2736, 09.2850 and 09.2908 has become inadequate to fulfil the needs of the economic operators of the Union, the description of the products covered by those tariff quotas should be amended. For the two tariff quotas with order numbers 09.2668 and 09.2850, it is in the interest of the Union to maintain those tariff quotas only for the purposes of the incorporation of the products concerned into specific goods produced in the Union. The application of those two tariff quotas should therefore be made conditional on the specific use of the products in accordance with Article 254 of Regulation (EU) No 952/2013.
- (8) As it is no longer in the interest of the Union to maintain the seven tariff quotas with order numbers 09.2695, 09.2726, 09.2732, 09.2818, 09.2836, 09.2838 and 09.2886, they should be closed with effect from 1 January 2019.
- (9) In the interest of clarity, and taking into account the number of amendments to be made, the Annex to Regulation (EU) No 1388/2013 should be replaced.
- (10) Regulation (EU) No 1388/2013 should therefore be amended accordingly.

<sup>(1)</sup> Council Regulation (EU) No 1388/2013 of 17 December 2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010 (OJ L 354, 28.12.2013, p. 319).

<sup>(2)</sup> Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

- (11) In order to avoid any interruption of the application of the tariff quota scheme and to comply with the guidelines set out in the communication from the Commission concerning autonomous tariff suspensions and quotas <sup>(1)</sup>, the changes provided for in this Regulation regarding the tariff quotas for the products concerned have to apply from 1 January 2019. This Regulation should therefore enter into force as a matter of urgency,

HAS ADOPTED THIS REGULATION:

*Article 1*

The Annex to Regulation (EU) No 1388/2013 is replaced by the text set out in the Annex to this Regulation.

*Article 2*

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2019.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 December 2018.

*For the Council*  
*The President*  
E. KÖSTINGER

---

<sup>(1)</sup> OJ C 363, 13.12.2011, p. 6.

## ANNEX

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2637	ex 0710 40 00 ex 2005 80 00	20 30	Corn cobs ( <i>Zea Mays Saccharata</i> ) whether or not cut, with a diameter of 10 mm or more but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking <sup>(1)</sup> <sup>(2)</sup>	1.1.-31.12.	550 tonnes	0 % <sup>(3)</sup>
09.2849	ex 0710 80 69	10	Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals <sup>(1)</sup> <sup>(2)</sup>	1.1.-31.12.	700 tonnes	0 %
09.2664	ex 2008 60 39	30	Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products <sup>(2)</sup>	1.1.-31.12.	1 000 tonnes	10 %
09.2740	ex 2309 90 96	97	Soya bean protein concentrate containing by weight: — 60 % ( $\pm$ 10 %) of crude protein, — 5 % ( $\pm$ 3 %) of crude fibre, — 5 % ( $\pm$ 3 %) of crude ash, and — 3 % or more but not more than 6,9 % of starch, for use in the manufacture of animal feed products <sup>(2)</sup>	1.1.-31.12.	30 000 tonnes	0 %
09.2913	ex 2401 10 35 ex 2401 10 70 ex 2401 10 95 ex 2401 10 95 ex 2401 10 95 ex 2401 20 35 ex 2401 20 70 ex 2401 20 95 ex 2401 20 95 ex 2401 20 95	91 10 11 21 91 91 10 11 21 91	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than Euro 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 <sup>(2)</sup>	1.1.-31.12.	6 000 tonnes	0 %
09.2828	2712 20 90		Paraffin wax containing by weight less than 0,75 % of oil	1.1.-31.12.	120 000 tonnes	0 %
09.2600	ex 2712 90 39	10	Slack wax (CAS RN 64742-61-6)	1.1.-31.12.	100 000 tonnes	0 %
09.2928	ex 2811 22 00	40	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	1.1.-31.12.	1 700 tonnes	0 %
09.2806	ex 2825 90 40	30	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	1.1.-31.12.	12 000 tonnes	0 %
09.2872	ex 2833 29 80	40	Cesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of cesium sulphate	1.1.-31.12.	160 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2929	2903 22 00		Trichloroethylene (CAS RN 79-01-6)	1.1.-31.12.	15 000 tonnes	0 %
09.2837	ex 2903 79 30	20	Bromochloromethane (CAS RN 74-97-5)	1.1.-31.12.	600 tonnes	0 %
09.2933	ex 2903 99 80	30	1,3-Dichlorobenzene (CAS RN 541-73-1)	1.1.-31.12.	2 600 tonnes	0 %
09.2700	ex 2905 12 00	10	Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)	1.1.-31.12.	15 000 tonnes	0 %
09.2830	ex 2906 19 00	40	Cyclopropylmethanol (CAS RN 2516-33-8)	1.1.-31.12.	20 tonnes	0 %
09.2851	ex 2907 12 00	10	O-Cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight	1.1.-31.12.	20 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	1.1.-31.12.	500 tonnes	0 %
09.2624	2912 42 00		Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4)	1.1.-31.12.	1 950 tonnes	0 %
09.2683	ex 2914 19 90	50	Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form (2)	1.1.-31.12.	150 tonnes	0 %
09.2852	ex 2914 29 00	60	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.1.-31.12.	300 tonnes	0 %
09.2638	ex 2915 21 00	10	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more	1.1.-31.12.	1 000 000 tonnes	0 %
09.2972	2915 24 00		Acetic anhydride (CAS RN 108-24-7)	1.1.-31.12.	50 000 tonnes	0 %
09.2679	2915 32 00		Vinyl acetate (CAS RN 108-05-4)	1.1.-31.12.	350 000 tonnes	0 %
09.2728	ex 2915 90 70	85	Ethyl trifluoroacetate (CAS RN 383-63-1)	1.1.-31.12.	400 tonnes	0 %
09.2665	ex 2916 19 95	30	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	1.1.-31.12.	8 250 tonnes	0 %
09.2684	ex 2916 39 90	28	2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)	1.1.-31.12.	400 tonnes	0 %
09.2769	ex 2917 13 90	10	Dimethyl sebacate (CAS RN 106-79-6)	1.1.-31.12.	1 000 tonnes	0 %
09.2634	ex 2917 19 80	40	Dodecanedioic acid (CAS RN 693-23-2), of a purity by weight of more than 98,5 %	1.1.-31.12.	4 600 tonnes	0 %
09.2808	ex 2918 22 00	10	O-acetylsalicylic acid (CAS RN 50-78-2)	1.1.-31.12.	120 tonnes	0 %
09.2646	ex 2918 29 00	75	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate (CAS RN 2082-79-3) with — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (2)	1.1.-31.12.	380 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2647	ex 2918 29 00	80	Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) — with a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 110 °C or more but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (2)	1.1.-31.12.	140 tonnes	0 %
09.2975	ex 2918 30 00	10	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)	1.1.-31.12.	1 000 tonnes	0 %
09.2688	ex 2920 29 00	70	Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)	1.1.-31.12.	6 000 tonnes	0 %
09.2648	ex 2920 90 10	70	Dimethyl Sulphate (CAS RN 77-78-1)	1.1.-31.12.	18 000 tonnes	0 %
09.2649	ex 2921 29 00	60	Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)	1.1.-31.12.	1 700 tonnes	0 %
09.2682	ex 2921 41 00	10	Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more	1.1.-31.12.	150 000 tonnes	0 %
09.2617	ex 2921 42 00	89	4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)	1.1.-31.12.	500 tonnes	0 %
09.2602	ex 2921 51 19	10	O-phenylenediamine (CAS RN 95-54-5)	1.1.-31.12.	1 800 tonnes	0 %
09.2730	ex 2921 59 90	80	4,4'-Methanedioldianiline (CAS RN 101-77-9) in form of granules, for use in the manufacture of prepolymers (2)	1.1.-31.12.	200 tonnes	0 %
09.2854	ex 2924 19 00	85	3-Iodoprop-2-ynyl N-butylcarbamate (CAS RN 55406-53-6)	1.1.-31.12.	250 tonnes	0 %
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.1.-31.12.	20 000 tonnes	0 %
09.2742	ex 2926 10 00	10	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 (2)	1.1.-31.12.	50 000 tonnes	0 %
09.2856	ex 2926 90 70	84	2-Nitro-4(trifluoromethyl)benzotrile (CAS RN 778-94-9)	1.1.-31.12.	900 tonnes	0 %
09.2708	ex 2928 00 90	15	Monomethylhydrazine (CAS 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 (± 5) %	1.1.-31.12.	900 tonnes	0 %
09.2685	ex 2929 90 00	30	Nitroguanidine (CAS RN 556-88-7)	1.1.-31.12.	6 500 tonnes	0 %
09.2842	2932 12 00		2-Furaldehyde (furfuraldehyde)	1.1.-31.12.	10 000 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2955	ex 2932 19 00	60	Flurtamone (ISO) (CAS RN 96525-23-4)	1.1.-31.12.	300 tonnes	0 %
09.2696	ex 2932 20 90	25	Decan-5-olide (CAS RN 705-86-2)	1.1.-31.12.	6 000 kilograms	0 %
09.2697	ex 2932 20 90	30	Dodecan-5-olide (CAS RN 713-95-1)	1.1.-31.12.	6 000 kilograms	0 %
09.2812	ex 2932 20 90	77	Hexan-6-olide (CAS RN 502-44-3)	1.1.-31.12.	4 000 tonnes	0 %
09.2858	2932 93 00		Piperonal (CAS RN 120-57-0)	1.1.-31.12.	220 tonnes	0 %
09.2878	ex 2933 29 90	85	Enzalutamide INN (CAS RN 915087-33-1)	1.1.-31.12.	1 000 kilograms	0 %
09.2673	ex 2933 39 99	43	2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5)	1.1.-31.12.	1 000 tonnes	0 %
09.2674	ex 2933 39 99	44	Chlorpyrifos (ISO) (CAS RN 2921-88-2)	1.1.-31.12.	9 000 tonnes	0 %
09.2880	ex 2933 59 95	39	Ibrutinib (INN) (CAS RN 936563-96-1)	1.1.-31.12.	5 tonnes	0 %
09.2860	ex 2933 69 80	30	1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)	1.1.-31.12.	600 tonnes	0 %
09.2658	ex 2933 99 80	73	5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)	1.1.-31.12.	400 tonnes	0 %
09.2675	ex 2935 90 90	79	4-[[[(2-Methoxybenzoyl)amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)	1.1.-31.12.	1 000 tonnes	0 %
09.2710	ex 2935 90 90	91	2,4,4-Trimethylpentan-2-aminium (3R,5S,E)-7-(4-(4-fluorophenyl)-6-isopropyl-2-(N-methylmethylsulfonamido)pyrimidin-5-yl)-3,5-dihydroxyhept-6-enoate (CAS RN 917805-85-7)	1.1.-31.12.	5 000 kilograms	0 %
09.2945	ex 2940 00 00	20	D-Xylose (CAS RN 58-86-6)	1.1.-31.12.	400 tonnes	0 %
09.2686	ex 3204 11 00	75	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight	1.1.-31.12.	250 tonnes	0 %
09.2676	ex 3204 17 00	14	Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight	1.1.-31.12.	50 tonnes	0 %
09.2698	ex 3204 17 00	30	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight	1.1.-31.12.	150 tonnes	0 %
09.2659	ex 3802 90 00	19	Soda flux calcinated diatomaceous earth	1.1.-31.12.	35 000 tonnes	0 %
09.2908	ex 3804 00 00	10	Sodium lignosulphonate (CAS RN 8061-51-6)	1.1.-31.12.	40 000 tonnes	0 %
09.2889	3805 10 90		Sulphate turpentine	1.1.-31.12.	25 000 tonnes	0 %
09.2935	ex 3806 10 00	10	Rosin and resin acids obtained from fresh oleoresins	1.1.-31.12.	280 000 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2832	ex 3808 92 90	40	Preparation containing 38 % or more but not more than 50 % by weight of pyrrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	1.1.-31.12.	500 tonnes	0 %
09.2876	ex 3811 29 00	55	Additives consisting of reaction products of diphenylamine and branched nonenes containing by weight: <ul style="list-style-type: none"> <li>— 28 % or more but not more than 55 % of 4-monononyldiphenylamine,</li> <li>— 45 % or more but not more than 65 % of 4,4'-dinonyldiphenylamine, and</li> <li>— not more than 5 % of 2,4-dinonyldiphenylamine and 2,4'-dinonyldiphenylamine,</li> </ul> for use in the manufacture of lubricating oils (?)	1.1.-31.12.	900 tonnes	0 %
09.2814	ex 3815 90 90	76	Catalyst consisting of titanium dioxide and tungsten trioxide	1.1.-31.12.	3 000 tonnes	0 %
09.2820	ex 3824 79 00	10	Mixtures containing by weight: <ul style="list-style-type: none"> <li>— 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2),</li> <li>— 8 % or more but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8),</li> <li>— 5 % or more but not more than 23 % of 2-chloropropane (CAS RN 75-29-6),</li> <li>— not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and</li> <li>— not more than 1 % of ethyl chloride (CAS RN 75-00-3)</li> </ul>	1.1.-31.12.	6 000 tonnes	0 %
09.2644	ex 3824 99 92	77	Preparation containing by weight: <ul style="list-style-type: none"> <li>— 55 % or more but not more than 78 % of dimethyl glutarate,</li> <li>— 10 % or more but not more than 30 % of dimethyl adipate, and</li> <li>— not more than 35 % of dimethyl succinate</li> </ul>	1.1.-31.12.	10 000 tonnes	0 %
09.2681	ex 3824 99 92	85	Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)	1.1.-31.12.	9 000 tonnes	0 %
09.2650	ex 3824 99 92	87	Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %	1.1.-31.12.	2 000 tonnes	0 %
09.2888	ex 3824 99 92	89	Mixture of tertiary alkyldimethyl amines containing by weight: <ul style="list-style-type: none"> <li>— 60 % or more but not more than 80 % of dodecyldimethylamine (CAS RN 112-18-5), and</li> <li>— 20 % or more but not more than 30 % of dimethyl(tetradecyl)amine (CAS RN 112-75-4)</li> </ul>	1.1.-31.12.	16 000 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2829	ex 3824 99 93	43	Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics: <ul style="list-style-type: none"> <li>— a resin acid content not exceeding 30 % by weight,</li> <li>— an acid number not exceeding 110, and</li> <li>— a melting point of 100 °C or more</li> </ul>	1.1.-31.12.	1 600 tonnes	0 %
09.2907	ex 3824 99 93	67	Mixture of phytosterols, in the form of powder, containing by weight: <ul style="list-style-type: none"> <li>— 75 % or more of sterols, and</li> <li>— not more than 25 % of stanols,</li> </ul> for use in the manufacture of stanols/sterols or stanol/sterol esters (²)	1.1.-31.12.	2 500 tonnes	0 %
09.2639	3905 30 00		Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups	1.1.-31.12.	15 000 tonnes	0 %
09.2671	ex 3905 99 90	81	Poly(vinyl butyral)(CAS RN 63148-65-2): <ul style="list-style-type: none"> <li>— containing by weight 17,5 % or more but not more than 20 % of hydroxyl groups, and</li> <li>— with a median particle size (D50) of more than 0,6 mm</li> </ul>	1.1.-31.12.	12 500 tonnes	0 %
09.2846	ex 3907 40 00	25	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2)	1.1.-31.12.	2 000 tonnes	0 %
09.2723	ex 3911 90 19	10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenylene-oxy-4,4'-biphenylene)	1.1.-31.12.	5 000 tonnes	0 %
09.2816	ex 3912 11 00	20	Cellulose acetate flakes	1.1.-31.12.	75 000 tonnes	0 %
09.2864	ex 3913 10 00	10	Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)	1.1.-31.12.	10 000 tonnes	0 %
09.2641	ex 3913 90 00	87	Sodium hyaluronate, non sterile, with: <ul style="list-style-type: none"> <li>— a weight average molecular weight (<math>M_w</math>) of not more than 900 000,</li> <li>— an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,</li> <li>— an ethanol content of not more than 1 % by weight, and</li> <li>— an isopropanol content of not more than 0,5 % by weight</li> </ul>	1.1.-31.12.	200 kilograms	0 %
09.2661	ex 3920 51 00	50	Sheets of polymethylmethacrylate conforming to standards: <ul style="list-style-type: none"> <li>— EN 4364 (MIL-P-5425E) and DTD5592A, or</li> <li>— EN 4365 (MIL-P-8184) and DTD5592A</li> </ul>	1.1.-31.12.	100 tonnes	0 %



Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2645	ex 3921 14 00	20	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm ( $\pm$ 10 cm) $\times$ 100 cm ( $\pm$ 10 cm) $\times$ 40 cm ( $\pm$ 5 cm)	1.1.-31.12.	1 700 tonnes	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	1.1.-31.12.	10 000 tonnes	0 %
09.2721	ex 5906 99 90	20	Woven and laminated rubberised textile fabric with the following characteristics: <ul style="list-style-type: none"> <li>— with three layers,</li> <li>— one outer layer consists of acrylic fabric,</li> <li>— the other outer layer consists of polyester fabric,</li> <li>— the middle layer consists of chlorobutyl rubber,</li> <li>— the middle layer has a weight of 452 g/m<sup>2</sup> or more but not more than 569 g/m<sup>2</sup>,</li> <li>— the textile fabric has a total weight of 952 g/m<sup>2</sup> or more but not more than 1 159 g/m<sup>2</sup>, and</li> <li>— the textile fabric has a total thickness of 0,8 mm or more but not more than 4 mm,</li> </ul> for use in the manufacture of retractable roofs of motor vehicles <sup>(2)</sup>	1.1.-31.12.	375 000 square meters	0 %
09.2866	ex 7019 12 00 ex 7019 12 00	06 26	S glass stratifils (rovings): <ul style="list-style-type: none"> <li>— composed of continuous glass filaments of 9 <math>\mu</math>m (<math>\pm</math> 0,5 <math>\mu</math>m),</li> <li>— measuring 200 tex or more but not more than 680 tex,</li> <li>— not containing any calcium oxide, and</li> <li>— with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09,</li> </ul> for use in the manufacture of aeronautics <sup>(2)</sup>	1.1.-31.12.	1 000 tonnes	0 %
09.2870	ex 7019 40 00 ex 7019 52 00	70 30	E-fibre glass fabrics: <ul style="list-style-type: none"> <li>— having a weight of 20 g/m<sup>2</sup> or more but not more than 214 g/m<sup>2</sup>,</li> <li>— impregnated with silane,</li> <li>— in rolls,</li> <li>— having a humidity content by weight of 0,13 % or less, and</li> <li>— having not more than 3 hollow fibres out of 100 000 fibres,</li> </ul> for the exclusive use in the manufacture of prepregs and copper clad laminates <sup>(2)</sup>	1.1.-30.6.	3 000 000 meters	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2628	ex 7019 52 00	10	Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m <sup>2</sup> ( $\pm$ 10 g/m <sup>2</sup> ), of a type for use in the manufacture of rolling insect screens with fixed frames	1.1.-31.12.	3 000 000 square meters	0 %
09.2799	ex 7202 49 90	10	Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium	1.1.-31.12.	50 000 tonnes	0 %
09.2652	ex 7409 11 00 ex 7410 11 00	20 30	Refined copper foil and strips, electrolytically coated	1.1.-31.12.	1 020 tonnes	0 %
09.2734	ex 7409 19 00	20	Plates or sheets consisting of: <ul style="list-style-type: none"> <li>— a layer of a silicon nitride ceramic with a thickness of 0,32 mm (<math>\pm</math> 0,1 mm) or more but not more than 1,0 mm (<math>\pm</math> 0,1 mm),</li> <li>— covered on both sides with a foil of refined copper with a thickness of 0,8 mm (<math>\pm</math> 0,1 mm), and</li> <li>— on one side partially covered with a coating of silver</li> </ul>	1.1.-31.12.	7 000 000 pieces	0 %
09.2662	ex 7410 21 00	55	Plates: <ul style="list-style-type: none"> <li>— consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,</li> <li>— covered on one or both sides with copper foil with a thickness of not more than 0,15 mm,</li> <li>— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</li> <li>— with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, and</li> <li>— with a comparative tracking index (CTI) of 600 or more</li> </ul>	1.1.-31.12.	80 000 square meters	0 %
09.2834	ex 7604 29 10	20	Aluminium alloy rods with a diameter of 200 mm or more but not exceeding 300 mm	1.1.-31.12.	2 000 tonnes	0 %
09.2835	ex 7604 29 10	30	Aluminium alloy rods with a diameter of 300,1 mm or more but not more than 533,4 mm	1.1.-31.12.	1 000 tonnes	0 %
09.2736	ex 7607 11 90	83	Aluminium and magnesium alloy strip or foil: <ul style="list-style-type: none"> <li>— of an alloy conforming to standards 5182-H19 or 5052-H19,</li> <li>— in rolls with an outside diameter of minimum 1 250 mm but not more than 1 350 mm,</li> </ul>	1.1.-31.12.	600 tonnes	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
			<ul style="list-style-type: none"> <li>— of a thickness (tolerance - 0,006 mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm,</li> <li>— of a width ( tolerance <math>\pm</math> 0,3 mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm,</li> <li>— having a camber tolerance of not more than 0,4 mm/750 mm,</li> <li>— of a flatness measurement: I-unit <math>\pm</math> 4,</li> <li>— having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and</li> <li>— of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %,</li> </ul> for use in the manufacture of slats for blinds (?)			
09.2906	ex 7609 00 00	20	Aluminium tube or pipe fittings for affixing to radiators of motor bikes (?)	1.1.-31.12.	3 000 000 pieces	0 %
09.2722	8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	1.1.-31.12.	80 000 tonnes	0 %
09.2840	ex 8104 30 00	20	Magnesium powder: <ul style="list-style-type: none"> <li>— of purity by weight of 98 % or more but not more than 99,5 %, and</li> <li>— with a particle size of 0,2 mm or more but not more than 0,8 mm</li> </ul>	1.1.-31.12.	2 000 tonnes	0 %
09.2629	ex 8302 49 00	91	Aluminium telescopic handle for use in the manufacture of luggage (?)	1.1.-31.12.	1 500 000 pieces	0 %
09.2720	ex 8413 91 00	50	Pump head for two cylinder high pressure pump made of forged steel, with: <ul style="list-style-type: none"> <li>— milled threaded fittings with a diameter of 10 mm or more but not more than 36,8 mm, and</li> <li>— drilled fuel channels with a diameter of 3,5 mm or more but not more than 10 mm,</li> </ul> of a kind for use in the manufacture of diesel injection systems	1.1.-31.12.	65 000 pieces	0 %
09.2850	ex 8414 90 00	70	Aluminium alloy compressor wheel with: <ul style="list-style-type: none"> <li>— a diameter of 20 mm or more but not more than 130 mm, and</li> <li>— a weight of 5 g or more but not more than 800 g,</li> </ul> for use in the assembly of turbochargers without further machining (?)	1.1.-31.12.	5 900 000 pieces	0 %
09.2909	ex 8481 80 85	40	Exhaust valve for use in the manufacture of motor-cycle exhaust gas systems (?)	1.1.-31.12.	1 000 000 pieces	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2738	ex 8482 99 00	20	Brass cages: — continuously or centrifugally cast, — turned, — containing by weight 35 % or more but not more than 38 % of tin, — containing by weight 0,75 % or more but not more than 1,25 % of lead, — containing by weight 1,0 % or more but not more than 1,4 % of aluminium, and — with a tensile strength of 415 Pa or more, of a kind for use in the manufacture of ball bearings		35 000 pieces	0 %
09.2690	ex 8483 30 80	20	Wave slide bearing for axial applications, of FeP01 steel (according to EN 10130-1991) with a sliding layer of porous sinter bronze and poly(tetrafluoroethylene), suitable for installation into motor bike suspension units	1.1.-31.12.	1 500 000 pieces	0 %
09.2763	ex 8501 40 20 ex 8501 40 80	40 30	Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm ( $\pm 0,2$ mm) but not more than 135 mm ( $\pm 0,2$ mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners (?)	1.1.-31.12.	2 000 000 pieces	0 %
09.2633	ex 8504 40 82	20	Electric rectifier, with a capacity of not more than 1 kVA, for use in the manufacture of appliances falling within subheading 8509 80 and heading 8510 (?)	1.1.-31.12.	4 500 000 pieces	0 %
09.2643	ex 8504 40 82	30	Power supply boards for use in the manufacture of goods falling under heading 8521 and 8528 (?)	1.1.-31.12.	15 000 000 pieces	0 %
09.2620	ex 8526 91 20	20	Assembly for GPS system having a position determination function, without display, and a weight of not more than 2 500 g, whether or not incorporated in a housing	1.1.-30.6. 2019	1 500 000 pieces	0 %
09.2672	ex 8529 90 92 ex 9405 40 39	75 70	Printed circuit board with LED diodes: — whether or not equipped with prisms/lens, and — whether or not fitted with connector(s), for use in the manufacture of backlight units for goods of heading 8528 (?)	1.1.-31.12.	115 000 000 pieces	0 %
09.2003	ex 8543 70 90	63	Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm $\times$ 30 mm	1.1.-31.12.	1 400 000 pieces	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 <sup>(2)</sup>	1.1.-31.12.	200 000 pieces	0 %
09.2694	ex 8714 10 90	30	Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind for use in the manufacture of motor bikes	1.1.-31.12.	1 000 000 pieces	0 %
09.2868	ex 8714 10 90	60	Pistons for suspension systems, having a diameter of not more than 55 mm, of sintered steel	1.1.-31.12.	2 000 000 pieces	0 %
09.2668	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	21 31 75	Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including e-bikes) <sup>(2)</sup>	1.1.-31.12.	350 000 pieces	0 %
09.2631	ex 9001 90 00	80	Unmounted glass lenses, prisms and cemented elements for use in the manufacture or repair of goods of CN codes 9002, 9005, 9013 10 and 9015 <sup>(2)</sup>	1.1.-31.12.	5 000 000 pieces	0 %
09.2932	ex 9027 10 90	20	Lambda sensors for permanent incorporation into motor cycle exhaust systems <sup>(2)</sup>	1.1.-31.12.	1 000 000 pieces	0 %

<sup>(1)</sup> However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

<sup>(2)</sup> Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1)

<sup>(3)</sup> Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.