

This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

► **B**

**COMMISSION REGULATION (EC) No 2430/1999
of 16 November 1999**

**linking the authorisation of certain additives belonging to the group of coccidiostats and other
medicinal substances in feedingstuffs to persons responsible for putting them into circulation**

(Text with EEA relevance)

(OJ L 296, 17.11.1999, p. 3)

Amended by:

		Official Journal		
		No	page	date
► <u>M1</u>	Council Regulation (EC) No 1756/2002 of 23 September 2002	L 265	1	3.10.2002
► <u>M2</u>	Commission Regulation (EC) No 2037/2005 of 14 December 2005	L 328	21	15.12.2005



**COMMISSION REGULATION (EC) No 2430/1999
of 16 November 1999**

**linking the authorisation of certain additives belonging to the group
of coccidiostats and other medicinal substances in feedingstuffs to
persons responsible for putting them into circulation**

(Text with EEA relevance)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 70/524/EEC of 23 November 1970 concerning additives in feedingstuffs ⁽¹⁾, as last amended by Commission Regulation (EC) No 1636/1999 ⁽²⁾, and in particular Article 9h(3)(b) and Article 9i(3)(b) thereof,

Whereas:

- (1) because of the risk for human and animal health posed by the circulation in the Community of poor copies of zootechnical additives, Directive 70/524/EEC, as amended by Council Directive 96/51/EC ⁽³⁾, provides for the linking of the authorisation of certain classes of additives to the person responsible for putting them into circulation;
- (2) in particular Article 9h of Directive 70/524/EEC provides for the replacement of the provisional authorisations of additives included in Annex I after 31 December 1987 and belonging to the group of coccidiostats and other medicinal substances and transferred to Chapter II of Annex B by authorisations linked to the person responsible for putting them into circulation for a period of 10 years;
- (3) in particular Article 9i of Directive 70/524/EEC provides for the replacement of the provisional authorisations of additives included in Annex II before 1 April 1998 and belonging to the group of coccidiostats and other medicinal substances and transferred to Chapter III of Annex B by provisional authorisations linked to the person responsible for putting them into circulation;
- (4) the additives listed in the Annexes to this Regulation were the subject of new applications for authorisation by the person responsible for the dossier on the basis of which the former authorisations were given or by their successors. The applications relating to those additives were accompanied by the required monographs and identification notes;
- (5) the linking of the authorisation to a person responsible for putting the additive into circulation is based on a purely administrative procedure and did not entail a fresh assessment of the additives. Although the authorisations are given for a specified period they may be withdrawn at any time in accordance with Article 9m and Article 11 of Directive 70/524/EEC. In particular, authorisations of additives may be withdrawn as a result of the re-evaluation carried out under Article 9g of Directive 70/524/EEC;
- (6) the measures provided for in this Regulation are in accordance with the opinion of the Standing Committee for Feedingstuffs,

⁽¹⁾ OJ L 270, 14.12.1970, p. 1.

⁽²⁾ OJ L 194, 27.7.1999, p. 17.

⁽³⁾ OJ L 235, 17.9.1996, p. 39.



HAS ADOPTED THIS REGULATION:

Article 1

The provisional authorisations of the additives listed in Annex I to this Regulation are replaced by authorisations granted to the person responsible for putting the additive in circulation, inserted in the second column of Annex I.

Article 2

The provisional authorisations of the additives listed in Annex II to this Regulation are replaced by provisional authorisations granted to the person responsible for putting the additive into circulation, inserted in the second column of Annex II.

Article 3

This Regulation shall enter into force on the seventh day of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼ B

ANNEX I

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	Period of authorisation	► M2 Maximum Residue Limits (MRLs) ▼
E 758	Roche Vitamins Europe Ltd	Robenidine hydrochloride 66 g/kg (Cycostat 66 G)	Additive composition: Robenidine hydrochloride: 66 g/kg Lignosulfonate: 40 g/kg Calcium sulfate dihydrate: 894 g/kg Active substance: Robenidine hydrochloride, $C_{15}H_{13}Cl_2N_5 \cdot HCl$, 1,3-bis[(p-chlorobenzylidene)amino]guanidine hydrochloride, CAS number: 25875-50-7 Related impurities: N,N',N''-Tris[(p-Cl-benzylidene)amino]guanidine: $\leq 1 \%$ Bis-[4-Cl-benzylidene]hydrazine: $\leq 1 \%$	Rabbits for breeding purposes	—	50	66	Use prohibited at least five days before slaughter	30.9.2009	

▼ M2

Coccidiostats and histomonostats

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	Period of authorisation	► M2 Maximum Residue Limits (MRLs) ▼
E 763	Alpharma (Belgium) BV/BA	Lasalocid A sodium 15 g/100 g (Avatec 15 % cc)	Additive composition: Lasalocid A sodium: 15 g/100 g Corn cob meal: 80,95 g/100 g Lecithin: 2 g/100 g Soya oil: 2 g/100 g Ferric oxide: 0,05 g/100 g Active substance:	Turkeys	12 weeks	90	125	Use prohibited at least five days before slaughter. Indicate in the instructions for use: 'Dangerous for equine species' 'This feedingstuff contains an ionophore: simultaneous use with certain medicinal	30.9.2009	Regulation (EEC) No 2377/90

▼ M2

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Maximum content		Other provisions	Period of authorisation	► M2 Maximum Residue Limits (MRLs) ▼
						Minimum content	Maximum content			
			Lasalocid A sodium, $C_{34}H_{33}O_8Na$, CAS number: 25999-20-6, sodium salt of 6-[(3R, 4S, 5S, 7R)-7-[(2S, 3S, 5S)-5-ethyl-5-[(2R, 5R, 6S)-5-ethyl-5-hydroxy-6-methyltetrahydro-2H-pyran-2-yl]-tetrahydro-3-methyl-2-furyl]-4-hydroxy-3,5-dimethyl-6-oxononyl]-2,3-cresotic acid, produced by <i>Streptomyces lasaliensis</i> subsp. <i>lasaliensis</i> (ATCC 31180) Related impurities: Lasalocid sodium B-E: ≤ 10 %					substances can be contraindicated'.		
		Lasalocid A sodium 15 g/100 g (Avatec 150 G)	Additive composition: Lasalocid A sodium: 15 g/100 g Calcium sulphate dihydrate: 80,9 g/100 g Calcium lignosulphonate 4 g/100 g Ferric oxide: 0,1 g/100 g Active substance: Lasalocid A sodium, $C_{34}H_{33}O_8Na$, CAS number: 25999-20-6, sodium salt of 6-[(3R, 4S, 5S, 7R)-7-[(2S, 3S, 5S)-5-ethyl-5-[(2R, 5R, 6S)-5-ethyl-5-hydroxy-6-methyltetrahydro-2H-pyran-2-yl]-tetrahydro-3-methyl-2-furyl]-4-hydroxy-3,5-dimethyl-6-oxononyl]-2,3-cresotic acid, produced by <i>Streptomyces lasaliensis</i> subsp. <i>lasaliensis</i> (ATCC 31180) Related impurities:	Turkeys	12 weeks	90	125	Use prohibited at least five days before slaughter. Indicate in the instructions for use: 'Dangerous for equine species' 'This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances can be contraindicated'.	30.9.2009	Regulation (EEC) No 2377/90

▼ M2

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	Period of authorisation	► M2 Maximum Residue Limits (MRLs) ▼
			Lasalocid sodium B-E: ≤ 10 %							
E 764	Hoechst Roussel Vet GmbH	Halofuginone hydrobromide 6 g/kg (Stenorol)	Additive composition: Halofuginone gydrobromide: 6 g/kg Gelatine: 13,2 g/kg Starch: 19,2 g/kg Sugar: 21,6 g/kg Calcium carbonate: 940 g/kg Active substance: Halofuginone hydrobromide, $C_{16}H_{17}BrClN_3O_3$, HBr DL-trans-7-bromo-6-chloro-3-(3-(3-hydroxy-2-piperidyl)acetyl)quinazolin-4(3H)-one hydrobromide, CAS number: 64924-67-0 Related impurities: Cis-isomer of halofuginone: < 1,5 %	Chickens for laying	16 weeks	2	3	—	30.9.2009	
E 770	Roche Vitamins Europe Ltd	Maduramicin ammonium alpha 1 g/100 g (Cygro 1 %)	Additive composition: Maduramicin ammonium alpha: 1 g/100 g Benzyl alcohol: 5 g/100 g	Chickens for fattening	—	5	5	Use prohibited at least five days before slaughter	30.9.2009	

▼ M1

▼ B

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	Period of authorisation	► M2 Maximum Residue Limits (MRLs) ▼
						mg of active substance/kg of complete feedingsuff				
			Corn cob grits qs 100 g Active substance: Maduramicin ammonium alpha, C ₄₇ H ₈₃ O ₁₇ N ₃ , CAS number: 84878-61-5, ammonium salt of a polyether mono-carboxylic acid produced by <i>Actinomadura yumaensis</i> (ATCC 31585) (NRRL 12515) Related impurities: Maduramicin ammonium beta: < 10 %					Indicate in the instructions for use: 'Dangerous for equines' 'This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances (e.g. tiamulin) can be contra-indicate'		
E 771	Janssen Animal Health B. V./B.A	Diclazuril 0,5 g/100 g (Clinacox 0,5 % Premix) Diclazuril 0,2 g/100 g (Clinacox 0,2 % Premix)	Additive composition: Diclazuril: 0,5 g/100 g. Soybean meal: 99,25 g/100 g Polyvidone K 30: 0,2 g/100 g Sodium hydroxyde: 0,0538 g/100 g Diclazuril: 0,2 g/100 g Soybean meal: 39,7 g/100 g Polyvidone K 30: 0,08 g/100 g Sodium hydroxide: 0,0215 g/100 g Wheat middlings: 60 g/100 g Active substance: Diclazuril, C ₁₇ H ₉ Cl ₃ N ₄ O ₂ ,	Chickens for fattening	—	1	1	Use prohibited as least five days before slaughter	30.9.2009	

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Maximum content		Other provisions	Period of authorisation	► M2 Maximum Residue Limits (MRLs) ▼
						Minimum content	Maximum content			
			(±)-4-chlorophenyl[2,6-dichloro-4-(2,3,4,5-tetrahydro-3,5-dioxo-1,2,4-triazin-2-yl)phenyl]acetone nitrile, CAS number: 101831-37-2 Related impurities: Degradation compound (R064318): ≤ 0,2 % Other related impurities (R066891, R066896, R068610, R070156, R068584, R070016): ≤ 0,5 % individually Total impurities: ≤ 1,5 %							
E 772	Eli Lilly and Company Ltd	Narasin 80 g/kg — Nicarbazin 80 g/kg (Maxiban G160)	Additive composition: Narasin: 80 g activity/kg Nicarbazin: 80 g/kg Soyabean oil or mineral oil: 10-30 g/kg Vermiculite: 0-20 g/kg Microtracer F-Red: 11 g/kg Corn cob grits or rice hulls qs 1 kg Active substance: (a) Narasin, $C_{43}H_{72}O_{11}$, CAS number: 55134-13-9, polyether monocarboxylic acid produced by <i>Streptomyces aureofaciens</i> (NRRL 8092), in granular form, narasin A activity: ≥ 85 %	Chickens for fattening	—	80	100	Use prohibited at least five days before slaughter Indicate in the instructions for use: ‘Dangerous for equines’ ‘This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances (e.g.	30.9.2009	

▼B

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	Period of authorisation	►M2 Maxi- mum Residue Limits (MRLs) ▼
			(b) Nicarbazin, $C_{19}H_{18}N_6O_6$; CAS number: 330-95-0 Equimolecular complex of 1,3-bis (4-nitrophenyl) urea and 4,6- dimethylpyrimidin-2-ol, in granular form Related impurities: p-nitroaniline: $\leq 1\%$					tiamulin) can be contra- indicated'		

▼M1

ANNEX II

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	mg of active substance/kg of complete feedingstuff		Other provisions	Period of authorisation
						Minimum content	Maximum content		
26	Hoechst Roussel Vet GmbH	Salinomycin sodium 120 g/kg (Sacox 120)	Additive composition: Salinomycin sodium ≥ 120 g/kg Silicium dioxide 10-100 g/kg Calcium carbonate: 350-700 g/kg Active substance: Salinomycin sodium, $C_{42}H_{69}O_{11}Na$, CAS number: 53003-10-4, sodium salt of a polyether monocarboxylic acid produced by fermentation of <i>Streptomyces albus</i> (DSM 12217) Related impurities: < 42 mg elaiophylin/kg salinomycin sodium < 40 g 17-epi-20-desoxy-salinomycin/kg salinomycin sodium	Rabbits for fattening	—	20	25	Use prohibited at least five days before slaughter Indicate in the instructions for use: ‘Dangerous for equines’ ‘This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances (e.g. tiamulin) can be contraindicated’	30.9.2000 ⁽¹⁾
27	Janssen Animal Health V.B.A.	Diclazuril 0,5 g/100 g (Clinacox 0,5 % Premix) Diclazuril 0,2 g/100 g (Clinacox 0,2 % Premix)	Additive composition: Diclazuril: 0,5 g/100 g Soybean meal: 99,25 g/100 g Polyvidone K 30: 0,2 g/100 g Sodium hydroxyde: 0,0538 g/100 g Diclazuril: 0,2 g/100 g Soybean meal: 39,7 g/100 g	Turkeys	12 weeks	1	1	Use prohibited at least five days before slaughter	30.9.2000 ⁽¹⁾
				Chickens reared for laying	16 weeks	1	1	—	30.9.2000 ⁽²⁾

Registration number of additive	Name and registration number of person responsible for putting additive into circulation	Additive (trade name)	Composition, chemical formula, description	Species or category of animal	Maximum age	mg of active substance/kg of complete feedingstuff		Other provisions	Period of authorisation
						Minimum content	Maximum content		
			Polyvidone K 30: 0,08 g/100 g Sodium hydroxide: 0,0215 g/100 g Wheat middlings: 60 g/100 g Active substance: Diclazuril, C₁₇H₉ClN₃O₂, (±)-4-chlorophenyl[2,6-dichloro-4-(2,3,4,5-tetrahydro-3,5-dioxo-1,2,4-triazin-2-yl)phenyl]acetone nitrile, CAS number: 101831-37-2 Related impurities: Degradation compound (R064318): ≤ 0,2 % Other related impurities (R066891, R066896, R068610, R070156, R068584, R070016): ≤ 0,5 % individually Total impurities: ≤ 1,5 %						
28	Roche Vitamins Europe Ltd	Maduramicin ammonium alpha I g/100 g (Cygro 1 %)	Additive composition: Maduramicin ammonium alpha: 1 g/100 g Benzyl alcohol: 5 g/100 g Corn cob grits qs 100 g Active substance: Maduramicin ammonium alpha, C₄₇H₈₃O₁₇N, CAS number: 84878-61-5,	Turkeys	16 weeks	5	5	Use prohibited at least five days before slaughter Indicate in the instructions for use: ‘Dangerous for equines’ ‘This feedingstuff contains an ionophore: simultaneous use with certain medicinal substances (e.g. tiamulin) can be contraindicated’	30.9.2000 ⁽²⁾

