

Official Journal of the European Union

C 284



English edition

Information and Notices

Volume 58

28 August 2015

Contents

II *Information*

INFORMATION FROM EUROPEAN UNION INSTITUTIONS, BODIES, OFFICES AND AGENCIES

European Commission

2015/C 284/01	Common catalogue of varieties of agricultural plant species — sixth supplement to the 33rd complete edition	1
2015/C 284/02	Common catalogue of varieties of vegetable species — fifth supplement to the 33rd complete edition	48

EN

II

(Information)

INFORMATION FROM EUROPEAN UNION INSTITUTIONS, BODIES, OFFICES
AND AGENCIES

EUROPEAN COMMISSION

COMMON CATALOGUE OF VARIETIES OF AGRICULTURAL PLANT SPECIES

sixth supplement to the 33rd complete edition

(2015/C 284/01)

Contents

	Page
Legend	4
List of agricultural species	4
I. Beet	
1. <i>Beta vulgaris</i> L. Sugar beet	5
II. Fodder plants	
5. <i>Agrostis stolonifera</i> L. Creeping bent	7
6. <i>Agrostis capillaris</i> L. Brown top	7
12. <i>Dactylis glomerata</i> L. Cocksfoot	7
13. <i>Festuca arundinacea</i> Schreber Tall fescue	7
15. <i>Festuca ovina</i> L. Sheep's fescue	7
16. <i>Festuca pratensis</i> Huds. Meadow fescue	7
17. <i>Festuca rubra</i> L. Red fescue	8
18. <i>Festuca trachyphylla</i> (Hack.) Krajina Hard fescue	8
19. × <i>Festulolium</i> Asch. et Graebn. Hybrids resulting from the crossing of a species of the genus <i>Festuca</i> with a species of the genus <i>Lolium</i>	8

	Page
20. <i>Lolium multiflorum</i> Lam. Italian ryegrass (including Westerwold ryegrass)	8
20.1 <i>Ssp. alternativum</i>	8
20.2 <i>Ssp. non alternativum</i>	8
21. <i>Lolium perenne</i> L. Perennial ryegrass	9
22. <i>Lolium × boucheanum</i> Kunth Hybrid ryegrass	10
25. <i>Phleum pratense</i> L. Timothy	10
29. <i>Poa pratensis</i> L. Smooth-stalked meadowgrass	10
30. <i>Poa trivialis</i> L. Rough-stalked meadowgrass	11
34. <i>Lotus corniculatus</i> L. Birdsfoot trefoil.	11
35. <i>Lupinus albus</i> L. White lupin	11
39. <i>Medicago sativa</i> L. Lucerne	11
42. <i>Pisum sativum</i> L. (Partim) Field pea.	11
43. <i>Trifolium alexandrinum</i> L. Berseem/Egyptian clover	12
46. <i>Trifolium pratense</i> L. Red clover	12
47. <i>Trifolium repens</i> L. White clover.	12
49. <i>Trigonella foenum-graecum</i> L. Fenugreek.	13
50. <i>Vicia faba</i> L. (Partim) Field bean	13
52. <i>Vicia sativa</i> L. Common vetch.	13
54. <i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Rchb. Swede	13

III. Oil and fibre plants

58. <i>Arachis hypogea</i> L. Groundnut/Peanut.	14
60. <i>Brassica juncea</i> (L.) Czern. Brown mustard	14
61. <i>Brassica napus</i> L. (partim) Swede rape	14
66. <i>Gossypium</i> spp. Cotton.	18
67. <i>Helianthus annuus</i> L. Sunflower.	18
68. <i>Linum usitatissimum</i> L. Flax, Linseed.	24
69. <i>Papaver somniferum</i> L. Poppy.	24
70. <i>Sinapis alba</i> L. White mustard	24
71. <i>Glycine max</i> (L.) Merrill Soya bean	25

IV. Cereals

72. <i>Avena nuda</i> L. Small naked oat / Hulless oat	26
73. <i>Avena sativa</i> L. (including <i>A. byzantina</i> K. Koch) Oat and Red oat	26

	Page
75. <i>Hordeum vulgare</i> L. Barley	26
75.1 2-row barley	26
75.2 6-row barley	29
76. <i>Oryza sativa</i> L. Rice	30
78. <i>Secale cereale</i> L. Rye	30
79. <i>Sorghum bicolor</i> (L.) Moench Sorghum	30
81. <i>Sorghum bicolor</i> (L.) Moench × <i>Sorghum sudanense</i> (Piper) Stapf. Hybrids resulting from the crossing of <i>Sorghum bicolor</i> and <i>Sorghum sudanense</i>	31
82. × <i>Triticosecale</i> Wittm. ex A. Camus Hybrids resulting from the crossing of a species of the genus <i>Triticum</i> and a species of the genus <i>Secale</i>	31
83. <i>Triticum aestivum</i> L. Wheat	31
84. <i>Triticum durum</i> Desf. Durum wheat	34
85. <i>Triticum spelta</i> L. Spelt wheat	34
86. <i>Zea mays</i> L. Maize	34
V. Potatoes	
87. <i>Solanum tuberosum</i> L. Potato	46

LEGEND

1. This 6th supplement to the 33rd complete edition of the common catalogue of varieties of agricultural plant species ⁽¹⁾ takes up the modifications which have been necessary to add, in order to take into account information that the Commission has received from the Member States.
 2. The present supplement follows the subdivision adopted in the 33rd complete edition. Reference can be made to the legend of this edition.
 3. This supplement covers the period up to 15 June 2015.
 4. The modifications made to the 33rd complete edition are indicated in column 4 in the following way:
 - ‘(add.)’ means a new position introduced into the common catalogue,
 - ‘(mod.)’ means a modification to an existing position. The indications relating to this position in the current supplement replace those in the 33rd complete edition,
 - ‘(del.)’ means that the position and all indications which relate to it are deleted from the common catalogue.
 5. This supplement concerns the varieties notified for which the provisions laid down in Article 16(1) of Council Directive 2002/53/EC ⁽²⁾ apply.
 6. When the code of a maintainer does not appear in the 33rd complete edition, the name of the maintainer and his address may be obtained from the authority indicated in the list for the Member State or EFTA country concerned.
-

⁽¹⁾ OJ C 450, 16.12.2014, p. 1.

⁽²⁾ OJ L 193, 20.7.2002, p. 1.

I

1. Beta vulgaris L. - Sugar beet

1	2	3	4
Alisha KWS	*UK 611		D m (2) (add.)
Arcas	*EL 13, *HR 251, *RO 2132		D m (2) (mod.)
Aristea KWS	*ES 1105		D m (2) (add.)
Bali	*DK 81, *NL 704, *SE 143		D m (2) (mod.)
Baltika	*HU 107770		D m (2) (mod.)
Bartok	*HR 249, *LT 145, *HU 100418, *RO 2119		D m (2) (mod.)
Bivoj	*CZ 1209		D m (2) (add.)
Brian	*CZ 1244, *HU 100418, *SK 457		D m (2) (mod.)
BTS 245	*ES 1105		D m (2) (add.)(32)
BTS 260	*UK 611		D m (2) (add.)(32)
BTS 625	*NL 785		D m (2) (add.)(32)
BTS 655	*DE 9210, *ES 1105		D m (2) (mod.)(32)
BTS 860	*UK 611		D m (2) (add.)(32)
Cantona KWS	*DK 28, *SE 89		m (2) (mod.)
Casata			f: 30.6.2017
Collins	*IT 1104		D m (add.)
Darnella KWS	*DK 28, *SE 89, *UK 611		D m (2) (mod.)
Davy	*UK 6186		D m (2) (add.)
Dickens	*FR S13489, *UK 6186		D m (2) (mod.)
Doctor	*CZ 316		D m (2) (add.)
Drake	*CZ 316		D m (2) (add.)
Gazeta	*HR 143, *HU 100528, *SK 173		D m (2) (mod.)
Gorilla	*CZ 1209		D m (2) (add.)
Havana	*IT 571		P (add.)
Helenika KWS	*HR 38, *HU 149293, *AT 618		D m (2) (mod.)

1. *Beta vulgaris* L. - Sugar beet

1	2	3	4
Jagger	*CZ 1244, *PL 906		D m (2) (mod.)
Leesha KWS	*UK 611		D m (2) (add.)
Lemoore	*IT 1104		D m (add.)
Mesange	*CZ 335, *FR S8444, *PL 57		D m (2) (mod.)
Mitika	*IT 1104		D m (add.)
Paula	*IT 1104		P (add.)
Puma	*IT 547		D m (2) (add.)
Steffka KWS	*HR 38, *HU 149293, *PL 52		D m (2) (mod.)
Tabatha KWS	*UK 611		D m (2) (add.)

II

5. *Agrostis stolonifera* L. - Creeping bent

1	2	3	4
Kromi	*CZ 115, *DK 17, *EE 13, *LT 64, *RO 2059, *SK 185		(mod.) ⁽¹⁾

6. *Agrostis capillaris* L. - Brown top

1	2	3	4
Bardot	*CZ 497, *EE 3, *FR 8016, *NL 205	*IS 3, *NO 8	(mod.) ⁽¹⁾

12. *Dactylis glomerata* L. - Cocksfoot

1	2	3	4
Artabro	*ES x		(mod.)
Barexcel	*HR 152, *LU 21002, *AT 581, *SK 8		(mod.) ⁽¹⁷⁾

13. *Festuca arundinacea* Schreber - Tall fescue

1	2	3	4
Cochise	*IT 304		(mod.) ⁽¹⁾
Finelawn	*CZ 115, *IT 304, *RO 2059		(mod.) ⁽¹⁾
Marvla	*RO 1004		(add.)
Ninkoko	*CZ 115		(add.)
Rahela	*CZ 1367, *PL 824		(mod.)
Vlarom	*RO 1004		(add.)

15. *Festuca ovina* L. - Sheep's fescue

1	2	3	4
Big Horn GT			(del.)

16. *Festuca pratensis* Huds. - Meadow fescue

1	2	3	4
Baraika	*RO 2133, *SK 8		(mod.) ⁽¹⁷⁾

16. *Festuca pratensis* Huds. - Meadow fescue

1	2	3	4
Carpathi	*SK 8		(add.) ⁽¹⁷⁾
Eevert	*FI 6102		(add.) ⁽¹⁷⁾
Lukana	*SK 629		(add.) ⁽¹⁷⁾
Vollan		*NO 499	(add.) ⁽¹⁷⁾

17. *Festuca rubra* L. - Red fescue

1	2	3	4
Bargreen	*CZ 497, *DE 9, *EE 3, *FR 8016, *HR 152, *NL 205, *SK 8	*IS 3, *NO 8	(mod.) ⁽¹⁾ (⁷)
Barpaul	*DE 7663		(add.) ⁽¹⁾ (⁷)
Reda	*CZ 1367, *PL 1		(mod.) ⁽⁸⁾

18. *Festuca trachyphylla* (Hack.) Krajina - Hard fescue

1	2	3	4
Big Horn GT	*IT 777		(add.) ⁽¹⁾

19. ×*Festulolium* Asch. et Graebn. - Hybrids resulting from the crossing of a species of the genus *Festuca* with a species of the genus *Lolium*

1	2	3	4
Hathor	*CZ 201		T (add.)
Hermes	*CZ 201		T (add.)
Hostyn	*CZ 201, *SK 170		T (mod.) ⁽¹⁷⁾
Lenor	*SK 629		P (add.) ⁽¹⁷⁾

20. *Lolium multiflorum* Lam. - Italian ryegrass (including Westerwold ryegrass)

1	2	3	4
1	Ssp. alternativum -		
Bigboss	*IT 328		(add.)
Condado	(*)LU 21016, *NL 682, *FI 6130	*IS 23	T (mod.)
ED	*IT 328		(add.) ⁽³²⁾
Rockin R	*IT 531		(add.)
2	Ssp. non alternativum -		
Bilovka	*CZ 201		(add.)

20. *Lolium multiflorum* Lam. - Italian ryegrass (including Westerwold ryegrass)

1	2	3	4
Cazzano	*UK 600		(add.)
Danergo	*LU 7001, *AT 579, *UK 600	*IS 7	T (mod.)
Lipurus	(*)LU 5001	*CH 162	T (mod.)
Protektor	*CZ 147		(add.)
Turtetra	*CZ 1367, *PL 153, *FI 6108		T (mod.)
Yacht	*UK 6192		(add.)

21. *Lolium perenne* L. - Perennial ryegrass

1	2	3	4
Aberzeus	*UK 131		D (add.)
Allodia	*DE 2661	*CH 162	T (mod.) ⁽¹⁷⁾
Antonella	*DE 283, *FR S8116, *NL 603		D (mod.) ⁽¹⁾
Arelío	*DE 39, *NL 786, *UK 719		D (add.)
Barhoney	*DE 7663, *NL 205		D (add.)
Barlunca	*RO 2133		D (add.)
Boccacio	*DE 936		T (add.)
Candice	*NL 603		D (add.) ⁽¹⁾
Casero	*DE 936, *FR S8442		T (mod.)
Charisma	*DE 147, *AT 532, *UK 6192		T (mod.)
Conductor	*DE 39, *NL 682		T (mod.)
Cosaco	*IT 789		D (add.) ⁽¹⁾
Diwan	*DE 283, *FR S8116, *NL 745, *UK 600		T (mod.)
Florianne	*DE 283, *NL 603		D (mod.) ⁽¹⁾
Gerrison			(del.)
Indra	*DE 7352, *FR S13804		D (mod.)
Kubus	*CZ 24, *DE 147		T (mod.)
Lihersa			f: 30.6.2018
Lipresso	*DE 39, *IT 458	*CH 182	D (mod.)
Marava	*DE 2661		D (add.)

21. *Lolium perenne* L. - Perennial ryegrass

1	2	3	4
Marcellina	*NL 603, *UK 600		D (mod.) ⁽¹⁾
Masai	*DK 14		T (mod.) ⁽¹⁷⁾
Mavuna	*NL 603		T (add.)
Melbolt	*NL 603		T (add.)
Missinger	*UK 600		T (add.)
Mohos	*RO 1093		D (add.)
Nagano	*DE 283, *NL 603		D (mod.) ⁽¹⁾
Prunella	*NL 603, *UK 600		D (mod.) ⁽¹⁾
Rastro	*DE 39		D (mod.)
SW Birger	*FI 6124, *SE 71	*IS 19	T (mod.)
SW Corvus	*SE 71		(mod.) ⁽¹⁾
Taya	*DK 17, *DE 3025, *EE 13, *LT 64, *PL 161, *SK 185	*NO 29	D (mod.) ⁽¹⁾

22. *Lolium × boucheanum* Kunth - Hybrid ryegrass

1	2	3	4
Barvitra	*FR S13797, *UK 33		T (mod.)

25. *Phleum pratense* L. - Timothy

1	2	3	4
Bottnia ii			f: 30.6.2016
Niilo			f: 30.6.2018
Spector	*RO 2133		(add.)

29. *Poa pratensis* L. - Smooth-stalked meadowgrass

1	2	3	4
Baron	*CZ 497, *DE 9, *EE 3, *NL x, *PL 302	*NO 8	(mod.) ⁽¹⁾ ⁽¹²⁾
Baronial	*CZ 497, *HU 107813, *SK 8		(mod.) ⁽¹⁾ ⁽¹²⁾
Bradley	*CZ 201, *AT 579		(mod.)

29. *Poa pratensis* L. - Smooth-stalked meadowgrass

1	2	3	4
Dolfine			f: 30.6.2018

30. *Poa trivialis* L. - Rough-stalked meadowgrass

1	2	3	4
Racehorse	*CZ 957		(add.) (1)(12)

34. *Lotus corniculatus* L. - Birdsfoot trefoil

1	2	3	4
Tenor	*CZ 544		(add.)

35. *Lupinus albus* L. - White lupin

1	2	3	4
Mihai	*RO 1026		(add.)

39. *Medicago sativa* L. - Lucerne

1	2	3	4
Bardine	*FR S8016, *RO 2133		(mod.)
OS 101	*RO 2126		(add.)
SK Rasa	*LV 20		(add.)

42. *Pisum sativum* L. (Partim) - Field pea

1	2	3	4
Alek	*HR 111		(mod.) ⁽¹⁷⁾
Brutus			f: 30.6.2017
Crackerjack	*UK 1731		(mod.)
Falstaff			(del.)
Genki	*UK 1731		(mod.) ⁽¹⁶⁾
Hydra			(del.)
Nitouche	*UK 224		(mod.)
Rose	*UK 1731		(mod.)
Sakura	*UK 1731		(mod.)

42. *Pisum sativum* L. (Partim) - Field pea

1	2	3	4
Tudor			(del.)
Venture	*UK 1731		(mod.)

43. *Trifolium alexandrinum* L. - Berseem/Egyptian clover

1	2	3	4
Otto	*DE 404		(add.)

46. *Trifolium pratense* L. - Red clover

1	2	3	4
Cyllene	*CZ 201		D (add.)
David Liv	*RO 1017		D (add.)
Feng	*CZ 147		D (add.)
Fregata	*DE 61	*CH 162	T (mod.)
Gandalf		*NO 499	(add.)
Isomäki			f: 30.6.2016
Isomäki	*FI 6160		
Maragato	*ES x		D (mod.)
Tinu Liv	*RO 1017		D (add.)
Viola	*CZ 1368		D (mod.)

47. *Trifolium repens* L. - White clover

1	2	3	4
Bobr	*CZ 171, *DE 147		(mod.)
Coolfin	*DE 4397		(add.)
Hobbit	*DE 61		(add.)
Largo		*NO 499	(add.)
Merlyn	*DE 61, *AT 657, *SI 524		(mod.) ⁽¹⁷⁾
Silvester	*DK 14, *DE 283, *AT 579	*NO 29	(mod.)

47. *Trifolium repens* L. - White clover

1	2	3	4
SW Hebe	*AT 558, *FI 6124, *SE 71	*NO 499	(mod.)

49. *Trigonella foenum-graecum* L. - Fenugreek

1	2	3	4
Óvári 4			(del.)
Óvári 4	*HU 169794		(add.)

50. *Vicia faba* L. (Partim) - Field bean

1	2	3	4
Boxer	*EE 46, *LT 42, *UK 1717		(mod.) ⁽¹⁶⁾
Fabiola	*ES 10		(add.)
Louhi	*FI 6102		(add.)
Lynx	*DK 44, *UK 652		(mod.) ⁽¹⁶⁾
Sampo	*FI 6102		(add.)
SF511	*ES 10		(add.) ⁽³²⁾

52. *Vicia sativa* L. - Common vetch

1	2	3	4
Eszter	*HU 151751		(mod.)
Rasina	*IT 486		(add.)

54. *Brassica napus* L. var. *napobrassica* (L.) Rchb. - Swede

1	2	3	4
Champion	(*)NL 771		(mod.)
- Jaune à collet rouge	*FR 9676		

III

58. *Arachis hypogea* L. - Groundnut/Peanut

1	2	3	4
Dabuleni 14	*RO 1073		(add.)
Viviana	*RO 1073		(add.)

60. *Brassica juncea* (L.) Czern. - Brown mustard

1	2	3	4
Virginia	*RO 1078		(add.)

61. *Brassica napus* L. (partim) - Swede rape

1	2	3	4
Alabama	*SK 441, *UK 6132		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Alexander	*FR 44360, *HU 132938, *SK 406		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Alzza	*UK 652		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Aquarel CL	*UK 1397		H (add.) ant. CWH192 CL ⁽¹⁵⁾ ⁽³²⁾ ⁽³⁸⁾
Arazzo	*DK 44, *HU 108227, *SK 520, *UK 6192		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Asteran	*DK 223, (*)FR 44360, *SK 406		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Atlantic	*HU 106674, *SK 406, *UK 224		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Axana	*IT 2029, *LV 171, *LT 82, *FI 6217		H (mod.) ⁽¹⁶⁾ ⁽³⁸⁾
Barbados	*UK 6111		(add.) ⁽¹⁵⁾
Berny	*HU 106630, *SK 508		H (mod.) ⁽¹⁵⁾ ⁽³⁰⁾
Brander	*LV 171, *LT 82, *FI 6217		H (mod.) ⁽¹⁶⁾ ⁽³⁸⁾
Brother	*UK 6284		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
Builder	*EE 39, *LV 171, *LT 82, *FI 6217, *UK 6284		H (mod.) ⁽¹⁶⁾ ⁽³⁸⁾
Carnival			(del.)
CB Sigurdie	*RO 2081		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
Chandler	*UK 6284		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾

61. Brassica napus L. (partim) - Swede rape

1	2	3	4
Click CL	(*DE 147, *LT 44		H (mod.) ⁽¹⁵⁾ ⁽¹⁶⁾ ⁽³⁸⁾
Codicol	*IT 345		H (add.) ⁽³⁰⁾
Croft			(del.)
CWH192 CL			(del.)
DK Exadix	*UK 1397		(add.) ⁽¹⁵⁾ ⁽³⁸⁾
DK Exoma	*UK 1397		(add.) ⁽¹⁵⁾ ⁽³⁸⁾
DK Imaret CL	*SK 598		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
DK Impression CL	*CZ 25, *EE 11, *LT 51, *HU 100452, *PL 205, *RO 2135		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
DK 7175 CL	*LT 125, *FI 6212		H (mod.) ⁽¹⁶⁾ ⁽³²⁾ ⁽³⁸⁾
Dobrava	*CZ 1405, *PL 872, *RO 2111		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Dodger	*LV 171, *LT 82, *PL 903, *FI 6217, *UK 6284		H (mod.) ⁽¹⁶⁾ ⁽³⁸⁾
Dual			f: 30.6.2018
Duster	*SK 63		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
Dylan	*LT 42		H (mod.) ⁽¹⁶⁾ ⁽³⁸⁾
Elmer CL	*RO 2149		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Alonso	*RO 2084, *SK 507, *UK 1083		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Angel	*IT 1171		H (add.) ⁽³⁰⁾
ES Betty	*LT 106, *UK 1083		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
ES Danube	*BG 22, *FR 12749		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Domino	*PL 741		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Hydromel	*UK 1083		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Jason	*BG 22, *HU 104164, *SK 507		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
ES Mercure	*BG 22, *FR 12749, *PL 741, *RO 2084, *UK 1083		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Natalie	*BG 22, (*)FR 12749, *HR 26, *HU 102786, *RO 2084		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
ES Neptune	*BG 22, *FR 12749, *HU 102786, *RO 2084, *SK 507		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Odice	*HU 104164, *RO 2084, *SK 507		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
ES Saphir			f: 30.6.2016
ES Silene	*RO 2084, *SK 507		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
ES Solist	*HU 104164, *RO 2084		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾

61. Brassica napus L. (partim) - Swede rape

1	2	3	4
Fashion	*DK 241, *HU 108371, *UK 1717		(mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Finley	*SK 508		(add.) ⁽¹⁵⁾ ⁽³⁸⁾
Flower	*UK 6284		H (add.) ⁽¹⁶⁾ ⁽³⁸⁾
Fusili CS	*SK 500		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
Gaelis	*FR 11827, *UK 1379		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Galileo	*FR 12946, *LT 42, *LU 6025, *UK 1717		(mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Gardenia	*UK 6111		(add.) ⁽¹⁵⁾
GK Csenge	*HU 149567, *RO 2043		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
GK Reka	*RO 2043		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
Gloria	*AT 847, *UK 1791		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Harcot	*IT 441		H (add.) ⁽³⁰⁾
Legba	*RO 2123		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
Mandela	*DK 44, *EE 31, *LT 44, *PL 159, *SE 79, *UK 6192		H (mod.) ⁽¹⁶⁾ ⁽³⁹⁾
Marcelo	*SK 390		(add.) ⁽¹⁵⁾ ⁽³⁸⁾
Marley	*SK 508		(add.) ⁽¹⁵⁾ ⁽³⁹⁾
Marsot	*IT 370		H (add.) ⁽³⁰⁾
Marstrip	*IT 370, *RO 2123		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Mazari CS	*IT 345		H (add.) ⁽³⁰⁾
Medicus	*DK 44, *EE 31, *LT 44, *PL 159, *SE 79, *UK 6192		H (mod.) ⁽¹⁶⁾ ⁽³⁹⁾
Mendelson	*DK 44, *LU 6016		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Menhir	*UK 6192		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
MH09H3	*IT 441		H (add.) ⁽³⁰⁾ ⁽³²⁾
Monroe	*UK 224		H (add.) ⁽¹⁵⁾
Nelson	*LT 152		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Nimbus	*HU 106300, *PL 159, *SK 63		H (mod.) ⁽¹⁵⁾ ⁽³⁹⁾
NK Aviator	*FR S14123, *HR 100		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
NK Petrol	*BG 25, *CZ 711, *HR 100, *LT 152, *HU 103431, *UK 1791		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Odeon	*SK 242		(add.) ⁽¹⁵⁾ ⁽³⁸⁾

61. Brassica napus L. (partim) - Swede rape

1	2	3	4
Odetta	*SK 242		(add.) ⁽¹⁵⁾ ⁽³⁸⁾
Ogusti CS	*IT 345		H (add.) ⁽³⁰⁾
Olifant			(del.)
Orwell			(del.)
Palladium			(del.)
Poldie	*RO 2081		H (add.) ⁽¹⁵⁾ ⁽³⁸⁾
PR44D07	*FI 6218		(add.) ⁽¹⁵⁾ ⁽³²⁾
PR46W24	*DK 87, *HR 214, *SI 482, *FI 6218		(mod.) ⁽¹⁵⁾ ⁽³²⁾ ⁽³⁸⁾
PT231	(*)FR S10858, *RO 2097		H (mod.) ⁽¹⁵⁾ ⁽³²⁾ ⁽³⁸⁾
PT238	*RO 2097, *UK 1891		H (mod.) ⁽¹⁵⁾ ⁽³²⁾ ⁽³⁸⁾
PT244	*UK 1891		H (add.) ⁽¹⁵⁾ ⁽³²⁾ ⁽³⁸⁾ ant. PT224
Puncher	*HU 186908, *RO 2149		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Rinker	*UK 6284		(add.) ⁽¹⁵⁾
Rozzelin			(del.)
Sázava	*CZ 231		(add.) ⁽¹⁶⁾
Senator	*LT 42		(mod.) ⁽¹⁶⁾ ⁽³⁸⁾
Shelley			(del.)
Siska	*CZ 1242, *EE 39, *HR 726, *AT 676, *SK 80		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Stepper	*RO 2149, *SK 643		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Sunder	*EE 39, *LV 171, *LT 82		H (mod.) ⁽¹⁶⁾ ⁽³⁸⁾
SY Medal	*PL 787, *UK 1791		H (mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Tactic	*SK 443, *UK 1791		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾
Toccatà	*HR 100		(mod.) ⁽¹⁵⁾ ⁽³⁹⁾
Unicorn	*UK 224		(add.) ⁽¹⁷⁾
Vectra	*BG 30, *CZ 1242, *EE 39, *HR 726, *LV 171, *LT 82, *HU 186908, *AT 676, *PL 903, *RO 2149, *SK 80		(mod.) ⁽¹⁵⁾ ⁽³⁸⁾

61. *Brassica napus* L. (partim) - Swede rape

1	2	3	4
Vision	*DK 116, *DE 4635, *IE 312, *FR 12946, *SK 399, *UK 1717		(mod.) ⁽¹⁵⁾ (³⁸)
Voyager	*HU 100452, *SK 224		H (mod.) ⁽¹⁵⁾ (³⁹)
Wapiti CS	*SK 500		H (add.) ⁽¹⁵⁾ (³⁸)
71 30 CL	*LT 125, *FI 6212		H (mod.) ⁽¹⁶⁾ (³²)(³⁸)

66. *Gossypium* spp. - Cotton

1	2	3	4
Sirius	*BG 33		(add.)

67. *Helianthus annuus* L. - Sunflower

1	2	3	4
Aitana	*ES 44, *RO 2084		H S (mod.) ⁽³⁵⁾
Antalia			f: 30.6.2017
Ariadna	*ES 44		S (mod.) ⁽³⁵⁾
Armagnac OL	*RO 2123		H S (add.)
Astigi	*IT 336		H S (add.)
Aurasol	*FR S14123		H S (mod.)
- Orasole	*PT 556		
Baraka	*IT 370, *RO 2123		H S (add.)
Bastia CS	*RO 2129		H T (add.)
Bosanova	*RO 2082		H S (add.)
Cadillac CL	*IT 370		H S (add.)
Candia CS	*RO 2129		H T (add.)
Carrera CLP	*ES 2099, *IT 370		H S (add.)
Caspian	*IT 370		H S (add.)
Casto ST	*IT 2059		H S (add.)
Celso ST	*IT 1259		H S (add.)
Codiflash	*IT 1164, *RO 2129		H S (add.)

67. *Helianthus annuus* L. - Sunflower

1	2	3	4
Codiflex	*PT 555, *RO 2129		H S (mod.)
Codiflorum CL	*IT 345, *PT 555, *RO 2129		H S (mod.)
Codipad	*SK 500		H S (add.)
Codistar	*RO 2129		H S (mod.)
Codiwer			f. 30.6.2017
Cressidia CS	*IT 345, *RO 2129		H S (mod.)
Daytona	*RO 2166		H T (add.)
Dea	*RO 2143		H S (add.)
Duet CL	*IT 2070		H S (add.)
ES Baghera	*IT 1171		H S (add.)
ES Bellamis CL	*BG 22, *HU 102786		H S (mod.)
ES Camila	*ES 44		H S (mod.) ⁽³⁵⁾
ES Erika	*CZ 1133, *IT 1171		H S (mod.)
ES Euromis CL	*BG 22, *RO 2084		H S (mod.)
ES Fluoric	*IT 1171		H S (add.)
ES Idillic	*IT 1171		H S (add.)
ES Lolita	*CZ 1133, (*)FR 12749, *IT 1171, *HU 102786		H S (mod.)
ES Melanic	*IT 1171		H S (add.)
ES Novamis CL	*BG 22, *IT 1171, *RO 2084		H S (mod.)
ES Orama	*RO 2084		H S (mod.)
ES Oriental	*IT 1171		H S (add.)
ES Romantic	*BG 22, (*)FR S12749, *IT 1171		H S (mod.)
ES Strabella	*RO 2084		H S (add.)
ES Terramis CL	*BG 22, *RO 2084		H S (mod.)
ES Trivia	*FR S12749		H S (add.)
ES Twistic	*FR S12749		H T (add.)
ES Whisky	*IT 1171		H S (mod.)
Europa CLP	*IT 345		H S (add.)
Fabulo CLP	*IT 370		H S (add.)

67. *Helianthus annuus* L. - Sunflower

1	2	3	4
Fausto ST	*IT 2059		H S (add.)
Floresta CL	*RO 2003		H S (add.)
Freya	*IT 2057		H S (add.)
Fusion	*RO 2082		H S (add.)
Greta	*IT 2057		H S (add.)
Heroic			f: 30.6.2018
Himalia CL	*IT 345, *RO 2129		H S (mod.)
Hornet	*IT 2070		H S (add.)
Hysun 231 HO			(del.)
Hysun 231 HO CL	*RO 2148		H S (add.) ant. Hysun 231 HO
Inesol	*IT 2053		H T (add.)
Iolen	*IT 2054		H S (add.)
Jazzy	*FR S14123		H S (mod.) ⁽³⁵⁾
Joana			f: 30.6.2018
Leila	*ES 44		H T (mod.) ⁽³⁵⁾
LG5380			(del.)
LG5380M	*FR 13724, *HR 162, *IT 368		H S (mod.) ⁽³²⁾
LG5424	*IT 1243		H S (mod.) ⁽³²⁾
LG5425	*IT 837		H S (add.) ⁽³²⁾
LG5428	*IT 837		H S (add.) ⁽³²⁾
LG5444			(del.)
LG5458HO			f: 30.6.2017
LG5468HO	*FR 45000		H S (add.) ⁽³²⁾
LG5471HO CP	*SK 406		H S (add.) ⁽³²⁾
LG5483	*IT 1243		H S (mod.) ⁽³²⁾
LG5490B	*IT 837		H S (add.) ⁽³²⁾
LG5499	*FR 45000		H S (add.) ⁽³²⁾
LG5504HO	*IT 837		H S (add.) ⁽³²⁾
LG5530	*IT 1243		H S (mod.) ⁽³²⁾
LG5531 CLP	*IT 837		H S (add.) ⁽³²⁾

67. *Helianthus annuus* L. - Sunflower

1	2	3	4
LG5555 CLP	*IT 837		H S (add.) ⁽³²⁾
LG5593	*IT 837		H S (add.) ⁽³²⁾
LG5629	*IT 837, *SK 406		H S (add.) ⁽³²⁾
LG5631CL	*RO 2111, *SK 679		H S (mod.) ⁽³²⁾
LG5637 CLP	*IT 837		H S (add.) ⁽³²⁾
LG5638	*IT 837		H S (add.) ⁽³²⁾
LG5668			f: 30.6.2017
LG5671 CLP	*IT 837		H S (add.) ⁽³²⁾
LG5672HO	*IT 1243		H S (mod.) ⁽³²⁾
LG5678 CLP	*IT 837		H S (add.) ⁽³²⁾
LG5696 CLP	*IT 837		H S (add.) ⁽³²⁾
LG5698HO	*FR 45000, *IT 837		H S (add.) ⁽³²⁾
Mahe	*FR S13804		H S (add.)
Marbelia CL	*IT 345, *RO 2129		H S (add.)
Marquesa CL	*RO 2003		H S (add.)
MAS 80D	*IT 370		H S (add.) ⁽³²⁾
MAS 81OL	*IT 370		H S (add.) ⁽³²⁾
MAS 84IR	*IT 370		H S (add.) ⁽³²⁾
MAS 85SU	*RO 2123		H S (add.) ⁽³²⁾
MAS 86IO	*RO 2123		H S (add.) ⁽³²⁾
MAS 86K	*IT 370, *RO 2123		H S (mod.) ⁽³²⁾
MAS 86OL	*FR S12208, *IT 370		H S (add.) ⁽³²⁾
MAS 87IR	*ES 2099, *IT 370, *RO 2123		H S (mod.) ⁽³²⁾
MAS 87OL	*RO 2123		H S (add.) ⁽³²⁾
MAS 88D	*IT 370		H S (mod.) ⁽³²⁾
MAS 89M	*FR S12923, *IT 370, *RO 2123		H S (mod.) ⁽³²⁾
MAS 90F	*IT 370, *RO 2123		H S (add.) ⁽³²⁾
MAS 92CP	*ES 2099, *RO 2123		H S (mod.) ⁽³²⁾
MAS 93T	*IT 370		H S (add.) ⁽³²⁾

67. Helianthus annuus L. - Sunflower

1	2	3	4
MAS 97A	*ES 2099, *FR 12208, *IT 370, *HU 132961, *RO 2123		H S (mod.) ⁽³²⁾ ⁽³⁵⁾
MAS 98M	*IT 370		H S (mod.) ⁽³²⁾
Maxtor	*IT 2070		H S (add.)
NK Adagio	*HU 102335, *SK 219		H S (mod.)
NK Alego	*HU 102335, *SK 446		H S (mod.) ⁽³⁵⁾
NK Armoni	*FR S14123, *HR 102, *HU 102335		H S (mod.) ⁽³⁵⁾
NK Brio			(mod.)= Tekny
NK Kondi	*FR S14123, *HR 102, *HU 102335		H S (mod.)
NK Neoma	*HR 102, *AT 833, *SK 219		H S (mod.) ⁽³⁵⁾
NS Probus	*RO 2012		H S (add.)
NS Rafaelo	*RO 2012		H S (add.)
NS Sonata	*RO 2012		H S (add.)
Numantia	*IT 336		H S (add.)
NX89011	*RO 2082		H S (add.) ⁽³²⁾
Olesis	*IT x		H S (add.)
Orasole			= Aurasol
Orfeo ST	*IT 2059		H S (add.)
Pacific	*FR 12749, *IT 468, *SK 398		H S (mod.)
Patricia CL	*IT 345		H S (add.)
Pomar RM	*IT 468		H S (mod.)
PRO121SU	*RO 1098		H S (add.) ⁽³²⁾
PRO122SU	*RO 1098		H S (add.) ⁽³²⁾
PRO132	*RO 1098		H S (add.) ⁽³²⁾
PRO138	*RO 1098		H S (add.) ⁽³²⁾
PR63A04	*IT 681		H S (mod.) ⁽³²⁾

67. Helianthus annuus L. - Sunflower

1	2	3	4
PR63A82	*FR 10858, *IT x, *HU 149204		H S (mod.) ⁽³²⁾
PR64A88	*IT 681		H S (mod.) ⁽³²⁾
PR64H24			f: 30.6.2018
PR64H61	*IT x		H S (mod.) ⁽³²⁾
P62LL109	*CZ 776		H S (add.) ⁽³²⁾
P63LE113	*RO 2097		H S (add.) ⁽³²⁾
P64LC53	*ES 142, *IT 1057, *RO 2097		H S (mod.) ⁽³²⁾⁽³⁵⁾
P64LL115	*RO 2097		H S (add.) ⁽³²⁾
P64LL82	*FR S10858, *HR 214, *RO 2097, *SK 450		H S (mod.) ⁽³²⁾
P64LL92	*FR S10858, *HR 214, *RO 2097		H S (mod.) ⁽³²⁾
RGT Fellini	*FR S13804		H S (add.)
RGT Volluto	*FR S13804		H S (add.)
Robia CS	*IT 345		H S (mod.)
Rufo ST	*IT 2059		H S (add.)
Sarita			f: 30.6.2017
Sevar	*RO 2143		H S (add.)
Subaro	*IT 1164, *RO 2082		H S (mod.)
Sullik	*IT 1125		H S (mod.)
Sumiko	*IT 1164, *HU 156097, *RO 2082		H S (mod.)
Suntec HO CL	*RO 2003		H S (add.)
Surimi CL	*RO 2003		H S (add.)
Surprimus CL Plus	*RO 2003		H S (add.)
Surprise CL Plus	*RO 2003		H S (add.)
SY Arisona	*IT 1164, *SK 219		H S (mod.)
SY Gracia CLP	*IT 1164, *PT 586		H S (mod.)
SY Guardia CLP	*IT 1164, *SK 219		H S (mod.)
SY Neostar CLP	*IT 1164, *SK 219		H S (mod.)
SY Rialto	*FR S14123, *PT 586, *SK 219		H S (mod.)

67. *Helianthus annuus* L. - Sunflower

1	2	3	4
Tekny	*FR S14123		H S (mod.) ⁽³⁵⁾
- NK Brio	*CZ 711, *HU 102335		
Tellia	*FR S13804, *HR 73, *SK 520		H S (mod.)
Tenerif	*FR S13804		H S (add.)
Tristan	*ES 6212		H S (mod.)
Vouillac	*FR S13804		H S (add.)
Xilo	*IT 2054		H S (add.)
X9668	*SK 712		H T (add.) ⁽³²⁾
X9767	*SK 712		H T (add.) ⁽³²⁾
8H270CLDM	*IT 1326		H T (add.) ⁽³²⁾

68. *Linum usitatissimum* L. - Flax, Linseed

1	2	3	4
Alaska			(del.)
Aquarius	*UK 1252		(add.) ⁽¹⁸⁾
Boudica	*UK 1361		(add.) ⁽¹⁸⁾
Carina	*UK 1252		(add.) ⁽¹⁸⁾
Empress	*UK 1882		(add.) ⁽¹⁸⁾
Octal	*UK 263		(add.) ⁽¹⁸⁾

69. *Papaver somniferum* L. - Poppy

1	2	3	4
Opex	*CZ 1354		(add.)

70. *Sinapis alba* L. - White mustard

1	2	3	4
Agent	*CZ 172		(add.)
Bella	*RO 1078		(add.)
Cezanne	*NL 609		(add.)
Cezara	*RO 1078		(add.)
Cratos	*NL 296		(add.)

70. *Sinapis alba* L. - White mustard

1	2	3	4
Iris	*DE 2418, *NL 609		(mod.)
Ultimo	*NL 296		(add.)

71. *Glycine max* (L.) Merrill - Soya bean

1	2	3	4
Amphor	*FR 12749, *IT 373, *AT 814		(mod.)
Bia TD	*RO 1005		(add.)
Blancas	*IT 224		(add.)
Caro TD	*RO 1005		(add.)
Favorit	*RO 2012		(add.)
Fortuna	*RO 2012		(add.)
Ilinca TD	*RO 1005		(add.)
Jana			f: 30.6.2018
Jutra	*IT 229		(add.)
Kofu	*CZ 771		(add.)
Mea	*SK 745		(add.)
NS Maximus	*RO 2012		(add.)
NS Virtus	*RO 2012		(add.)
Procera 1012	*RO 1098		(add.) ant. PS1012 ⁽³²⁾
Procera 1020	*RO 1098		(add.) ant. PS1020 ⁽³²⁾
PS1012			(del.)
PS1020			(del.)
Sava	*RO 2012		(add.)
SG Anser	*RO 2165		(add.)
SG Calao	*RO 2165		(add.)
SG Nation	*RO 2165		(add.)
SG Stern	*RO 2165		(add.)
Tajfun	*IT x, *RO 2012		(mod.)
Victoria	*RO 2012		(add.)

IV

72. *Avena nuda* L. - Small naked oat / Hulless oat

1	2	3	4
Dunajec	*SK 134		(add.) ⁽¹⁶⁾
Hynek	*CZ 172		(add.) ⁽¹⁶⁾
Patrik	*CZ 172		(add.) ⁽¹⁶⁾

73. *Avena sativa* L. (including *A. byzantina* K. Koch) - Oat and Red oat

1	2	3	4
Avetron	*FI 6146, *SE 123		(mod.)
Bingo	*CZ 1053, *PL 611		(mod.) ⁽¹⁶⁾
Carron			f: 30.6.2017
Dovre		*NO 499	(add.)
Harald	*FI 6206		(add.)
Hugo	*FR S8583		(add.) ⁽¹⁶⁾
Hurum		*NO 499	(add.)
Persane			f: 30.6.2018
PS Pankrac	*SK 134		(add.) ⁽¹⁵⁾
Sorin	*RO 1002		(add.) ⁽¹⁵⁾
Spartan	*CZ 77, *AT 500		(mod.) ⁽¹⁶⁾
Vit	*SK 134		(add.) ⁽¹⁶⁾
Våler		*NO 499	(add.)

75. *Hordeum vulgare* L. - Barley

1	2	3	4
1	2-row barley		
Alveston			(del.)
Auriga			f: 30.6.2017
Blazing			(del.)
Boreale	*FR 8520, *IT x, *HU 100760, *SK 239		(mod.) ⁽¹⁵⁾
Braemar	(*)LU 6031, *HU 106849, *UK 897		(mod.) ⁽¹⁶⁾
Bunting			(del.)
Butler			(del.)

75. *Hordeum vulgare* L. - Barley

1	2	3	4
Cellar	*NL 637		(mod.) ⁽¹⁶⁾
Ceria	*FR S13841		(add.) ⁽¹⁶⁾
Chalice			(del.)
Challenge	*FR S13496		(add.) ⁽¹⁶⁾
Checkmate			(del.)
Class	*DK 120, *LV 132, *HU 104076, *NL x, *PL 716		(mod.) ⁽¹⁶⁾
Cocktail			(del.)
Corinna	*SK 595		(add.) ⁽¹⁶⁾
Crescendo	*FR S8520, *UK 733		(mod.) ⁽¹⁶⁾
Cruiser			f: 30.6.2016
Diligence	*FR 1263		(add.) ⁽¹⁶⁾
Dorinka	*FR S8359		(add.) ⁽¹⁶⁾
Dragoon	*FR 45067, *LT 141, *UK 897		(mod.) ⁽¹⁶⁾
Eifel	*AT 671, *FI 6170		(mod.) ⁽¹⁶⁾
Exalis	*SK 113		(add.) ⁽¹⁶⁾
Fabiola	*AT 500, *FI 6205		(mod.) ⁽¹⁶⁾
Fennica	*FI 6102		(add.)
Fentara			(del.)
Forensic			(del.)
Fortuna	*DE 8905, *FI 6210		(mod.) ⁽¹⁶⁾
Gesine	*CZ 77, *DE 9056, *FR S8583, *HU 107747, *FI 6205		(mod.) ⁽¹⁶⁾
Glassel			(del.)
Haven			(del.)
Imax	*FR S13157		(add.) ⁽¹⁵⁾
IS Perlina	*SK 115		(add.) ⁽¹⁶⁾
JB Maltasia	*UK 1863		(mod.) ⁽¹⁶⁾
Jubiley 100			(del.)
Justina	*PL 306		(mod.) ⁽¹⁶⁾
Kampa	*CZ 1405		(add.) ⁽¹⁶⁾
Krasy 2			(del.)
Kvorning	*CZ 1261, *DK 218		(mod.) ⁽¹⁶⁾
KWS Ariane	*CZ 31, *DE 129		(mod.) ⁽¹⁵⁾

75. *Hordeum vulgare* L. - Barley

1	2	3	4
KWS Asta	*CZ 31, *DK 230, *DE 129, *EE 28, *LT 41, *AT 504, *SK 591		(mod.) ⁽¹⁶⁾
KWS Rose	*DK 230, *UK 1335		(mod.) ⁽¹⁵⁾
KWS Thessa	*DE 129, *EE 28, *AT 504, *SK 591		(mod.) ⁽¹⁶⁾
Luhkas	*ES 2041, *FI 6214, *SE 142		(mod.) ⁽¹⁶⁾
Maaren			f: 30.6.2016
Maltesse	*FR S8520, *UK 733		(add.) ⁽¹⁵⁾
Maraca			(del.)
Marylin	*FR S14288		(add.) ⁽¹⁶⁾
Melius	*DE 6880, *LT 141, *FI 6215, *UK 897		(mod.) ⁽¹⁶⁾
Montoya	*CZ 1261, *DE 8905, *EE 40, *FR S13496, *LT 57, *SK 595, *UK 618		(mod.) ⁽¹⁶⁾
Odyssey	*CZ 1405, *FR 12965, *LT 150, *NL 756, *SK 594, *UK 224		(mod.) ⁽¹⁶⁾
Oglon			(del.)
Olympic	*CZ 345, *FR S13804, *HU 104076, *PL 716, *SK 520		(mod.) ⁽¹⁶⁾
Overture	*CZ 1405, *DE 1323, *FR 12965, *LT 150, *SK 594, *FI 6102, *UK 224		(mod.) ⁽¹⁶⁾
Patrik			f: 30.6.2018
Paustian	*DK 35, *DE 6918, *EE 69, *IE 222, *FR S12599, *LT 105, *NL 749		(mod.) ⁽¹⁶⁾
Penthouse			(del.)
Poet			(del.)
Pompe	*FI 6205, *SE 41		(mod.) ⁽¹⁶⁾
Premuda	*SK 448		(mod.) ⁽¹⁵⁾
Prodigal			(del.)
Publican	*DK 211, *LV 58, *FI 6163		(mod.) ⁽¹⁶⁾
Purdey			(del.)
Quantum	*FR S8520		(add.) ⁽¹⁶⁾
Renaissance			(del.)
RGT Bazille	*FR S13804		(add.) ⁽¹⁶⁾
Ruen			(del.)
Rusalka	*AT 505, *FI 6210		(mod.) ⁽¹⁶⁾
Sanette	*CZ 1507, *DK 211, *EE 47, *IE 313, *FR 45052, *LV 180, *LT 141, *UK 897		(mod.) ⁽¹⁶⁾
Sangria	*FR S13496		(add.) ⁽¹⁶⁾

75. *Hordeum vulgare* L. - Barley

1	2	3	4
Shaloo	*DK 211		(mod.) ⁽¹⁶⁾
Snapper			(del.)
Soldo	*EE 33, *IE 115, *LT 60, *HU 107747, *PL 306, *SK 295, *UK 1801		(mod.) ⁽¹⁶⁾
Soloman			f: 30.6.2016
Soulmate	*DK 220, *EE 67, *FR S13483, *LT 144, *FI 6196		(mod.) ⁽¹⁶⁾
Static			(del.)
Sumit			(del.)
SY Aboyne			(del.)
SY Barrell			(del.)
SY Firkin			f: 30.6.2016
SY Universal			(del.)
Tartan			(del.)
Tatum	*EE 33, *HU 107747, *AT 500, *SK 295		(mod.) ⁽¹⁶⁾
Tolkien			f: 30.6.2017
Torbellino	*FR 45067		(add.) ⁽¹⁶⁾
Totem			(del.)
Trick			(del.)
Typhoon			(del.)
Vilgott	*FI 6124, *SE 71		(mod.) ⁽¹⁶⁾
Wicket	*IE 118		(mod.) ⁽¹⁶⁾
2	6-row barley		
Alvari	*FI 6102		(add.)
Balloon			(del.)
Paso	*BE 216, *CZ 1062, *RO 2111		(mod.) ⁽¹⁵⁾
Simbol	*RO 1001		(add.) ⁽¹⁵⁾
Tiril		*IS 22, *NO 499	(mod.) ⁽¹⁶⁾
Troophy			(del.)

75. *Hordeum vulgare* L. - Barley

1	2	3	4
Vertti	*FI 6102		(add.)

76. *Oryza sativa* L. - Rice

1	2	3	4
Bulgarka			(del.)
Illeta	*ES 275		(add.)
Mariana			(del.)
Prostor			(del.)

78. *Secale cereale* L. - Rye

1	2	3	4
Dańkowskie Agat	*DK 229, *FI 6216		(mod.) ⁽¹⁵⁾
Kier	*HR 195, *AT 516		(mod.) ⁽¹⁵⁾
Ponsi			f: 31.10.2015
Ursus			(del.)

79. *Sorghum bicolor* (L.) Moench - Sorghum

1	2	3	4
Arizona	*FR S13860		H S (add.)
DK 18			f: 30.6.2017
ES Athena	*FR S13860		H (add.)
ES Passat	*FR S13860		H S (add.)
Etrusco	*IT 1355		H S (add.)
Friggo			f: 30.6.2017
Kinggo			f: 30.6.2017
Novograss	*ES 6248		H S (add.)
RGT Benggal	*IT 1125		H S (add.)
RGT Flagg	*IT 1125		H S (add.)
SBG 5874	*BG 27		H (add.) ⁽³²⁾
Taxus	*IT x		H S (add.)

79. *Sorghum bicolor* (L.) Moench - Sorghum

1	2	3	4
Tonga	*FR S13858, *IT 1321		H S (mod.)
Turbograss	*ES 6248		H T (add.)

81. *Sorghum bicolor* (L.) Moench × *Sorghum sudanense* (Piper) Stapf. - Hybrids resulting from the crossing of *Sorghum bicolor* and *Sorghum sudanense*

1	2	3	4
Fortin	*IT 1356		(add.)
KWS Inka			f. 30.6.2018

82. ×*Triticosecale* Wittm. ex A. Camus - Hybrids resulting from the crossing of a species of the genus *Triticum* and a species of the genus *Secale*

1	2	3	4
Agostino	*CZ 930, *DE 3032, *FR 12814, *AT 542, *PL 792, *UK 1603		(mod.) ⁽¹⁵⁾
Blagovest	*BG 1		(add.)
Kargo	*LT 59, *PL 611		(mod.) ⁽¹⁶⁾
KWS Fido	*FR S12946, *UK 1603		(mod.)
MT0809	*RO 2056		(add.) ⁽¹⁵⁾
MT0810	*RO 2056		(add.) ⁽¹⁵⁾⁽³²⁾
Riparo	*IT 474		(add.)
Ruja	*EE 48		(mod.) ⁽¹⁵⁾
Tradiro	*UK 1603		(mod.)
Woltario		*NO 186	(mod.) ⁽¹⁵⁾

83. *Triticum aestivum* L. - Wheat

1	2	3	4
Akamar	*BG 21, *IT x, *RO 2111		(mod.) ⁽¹⁵⁾
Alhambra	*ES 200, *FR 44360, *SK 671		(mod.) ⁽¹⁵⁾
Alka	*CZ 172		(mod.) ⁽¹⁵⁾
Angelus	*AT 124, *SK 508		(mod.) ⁽¹⁵⁾
Aprilio	*BG 21, *FR 12814, *RO 2111		(mod.) ⁽¹⁵⁾
Arkeos	*BG 21, *FR 44360, *RO 2111		(mod.) ⁽¹⁵⁾
Ascott	*BG 21, *FR 44360, *RO 2111		(mod.) ⁽¹⁵⁾
Astana	*BG 21, *IT 838		(mod.) ⁽¹⁵⁾

83. Triticum aestivum L. - Wheat

1	2	3	4
Balitus	*CZ 1052, *HU 106630, *RO 2165		(mod.) ⁽¹⁵⁾
Banderola	*CZ 385, *PL 153		(mod.) ⁽¹⁵⁾
Barroko	*SK 537		(mod.) ⁽¹⁵⁾
BC Anica	*HR 10, *RO 2131		(mod.) ⁽¹⁵⁾
Bernstein	*CZ 1151, *DE 3032, *AT 542		(mod.) ⁽¹⁵⁾
Biscay	*DE 129, *UK 1335		(mod.) ⁽¹⁵⁾
Bonanza	*CZ 66, *DE 25		(mod.) ⁽¹⁵⁾
Calixo	*EE 102, *LT 160, *FI 6170, *UK 1010		(mod.) ⁽¹⁶⁾
Ceylon	*FI 6124, *SE 71		(mod.) ⁽¹⁵⁾
Codru	*RO 1005		(add.) ⁽¹⁵⁾
Cornetto	*DE 1410, *EE 102, *LT 160, *FI 6170, *UK 1010		(mod.) ⁽¹⁶⁾
Dafne	*CZ 172, *FI 6105		(mod.) ⁽¹⁶⁾
Denman			(del.)
Effekt	*SE 71		(add.) ⁽¹⁵⁾
Ellen	*SE 71		(add.) ⁽¹⁵⁾
Erika	*SE 91		(add.) ⁽¹⁵⁾
Fajer	*SE 71		(add.) ⁽¹⁵⁾
Feeling	*FR S8128		(add.) ⁽¹⁶⁾
Festival	*SE 71		(add.) ⁽¹⁵⁾
Franz	*DE 9056, *HU 107747, *PL 306, *SE 41		(mod.) ⁽¹⁵⁾
Frisky	*CZ 1405, *AT 826		(mod.) ⁽¹⁵⁾
Gines			(del.)
GTW Anna			(del.)
Gunbo			f: 31.10.2017
Happy	*SE 71		(add.) ⁽¹⁶⁾
Hereford	*DK 35		(mod.) ⁽¹⁵⁾
Herttua	*FI 6102		(add.) ⁽¹⁶⁾
Hybery	*FR 11615, *UK 1040		H (mod.) ⁽¹⁵⁾
Hypnotic			f: 30.6.2018
Hypod			f: 30.6.2018
Hyrise			f: 30.6.2018
IS Laudis	*SK 115		(add.) ⁽¹⁵⁾
IS Leticia	*SK 115		(add.) ⁽¹⁵⁾

83. Triticum aestivum L. - Wheat

1	2	3	4
Kingdom	*IE 118		(mod.) ⁽¹⁵⁾
Konrad	*SK 508		(add.) ⁽¹⁵⁾
Konzil	*BE 717, *SK 441		(mod.) ⁽¹⁵⁾
Kranich	*DE 3710, *LT 108, *PL 1043, *SE 92		(mod.) ⁽¹⁵⁾
Kreivi	*FI 6102		(add.) ⁽¹⁶⁾
Kristalina	*BG 1		(add.) ⁽¹⁵⁾
Nimfodora	*BG 90		(add.) ⁽¹⁵⁾
NS Futura	*BG 23		(add.) ⁽¹⁵⁾
NS Ilina	*BG 23		(add.) ⁽¹⁵⁾
NS 5007	*BG 23		(add.) ⁽¹⁵⁾ ⁽³²⁾
Olivin	*EE 54, *LV 132, *PL 631	*NO 499	(mod.) ⁽¹⁵⁾
OS Alka	*HR 67, *RO 2126, *SI 198		(mod.) ⁽¹⁵⁾
Pankratz	*CZ 1364, *AT 546		(mod.) ⁽¹⁵⁾
Paris	*SK 583		(add.) ⁽¹⁵⁾
PG102	*RO 1125		(add.) ⁽¹⁵⁾ ⁽³²⁾
Piccolo	*EE 40		(mod.) ⁽¹⁶⁾
Pitar	*RO 1001		(add.) ⁽¹⁵⁾
Prosa	*FI 6213	*CH 41	(mod.) ⁽¹⁶⁾
PS Jeldka	*SK 134		(add.) ⁽¹⁵⁾
PS Puqa	*SK 134		(add.) ⁽¹⁵⁾
Rajka	*SK 89		(add.) ⁽¹⁵⁾
RGT Gejzír	*SK 401		(add.) ⁽¹⁵⁾
RGT Matahari	*CZ 1162		(add.) ⁽¹⁵⁾
RGT Reform	*DE 7352, *NL 359, *SE 142		(mod.) ⁽¹⁵⁾
Sirael			(del.)
Sokarno	*IT 345		(mod.)
Solution			f: 30.6.2017
Svilena			(del.)
Talia			f: 30.6.2018
Tjalve			(del.)

83. *Triticum aestivum* L. - Wheat

1	2	3	4
Topolitsa	*BG 36		(add.) ⁽¹⁵⁾
Urbanus	*RO 2165, *SK 508		(add.) ⁽¹⁵⁾
Xeela	*BG 36		(add.) ⁽¹⁵⁾

83. *Triticum aestivum* L. - Wheat - Conservation varieties

1	2	3	4
Caaveiro	*ES 398		(add.) Region of origin:Galicia ⁽¹⁶⁾

84. *Triticum durum* Desf. - Durum wheat

1	2	3	4
Arnacoris			(del.)
Artemide			(del.)
Durfort			(del.)
Haristide	*FR S8197		(add.)
IS Spiradur	*SK 115		(add.) ⁽¹⁵⁾
Kehlibar	*BG 33		(add.)
Maestà	*IT 1143		(add.)
Sesostri			(del.)
Trakiets	*BG 33		(add.)

85. *Triticum spelta* L. - Spelt wheat

1	2	3	4
Holdlander	*NL 609		(mod.)

86. *Zea mays* L. - Maize

1	2	3	4	4	4
Aadress	*SK 406		Index maturi- tas ^(23>)	Forma H ^(26>)	(mod.)
Acropole	*FR S12266		330	S	(add.)
Aimeri				T	f: 30.6.2017
Alvarez KWS	*DK 28, *UK 611			S	(mod.)

86. Zea mays L. - Maize

1	2	3	4	4	4
Amaverde	*NL 301			S	(add.)
Ambiance					(del.)
Ampli				S	f: 30.6.2017
Anjou 277 YG					(del.)
Aristis	*ES 2431		700	S	(mod.)
Assist	*NL 243			S	(add.)
Asteri Duo					f: 30.6.2017
Asturial	(*)FR 12533, *HR 179, *SI 182		600	S	(mod.) ex: PL (8.5.2006)*
Athos	*FR S12266			T	(add.)
Aurelia	*NL 712			S	(mod.) ⁽¹⁷⁾
Aurelius KWS	*DK 28, *UK 611			S	(mod.)
Axxo	*HR 73, *IT 1125, *HU 103716		400	S	(mod.)
Balma	*RO 2123		350	T	(add.)
Bamaco	*FR S12266			T	(add.)
Banjo	*FR S12266			T	(mod.)
Batisti CS	*DE 9090, *SK 500		290	T	(mod.)
Batz			200	S	f: 30.6.2016
BC 424	*HR 10		400	S	(add.) ⁽³²⁾
BC 525	*HR 10		500	S	(add.) ⁽³²⁾
Belami	*FR S14123			S	(add.)
Borsalino	*FR S13804			S	(add.)
Boxxis				S	f: 30.6.2016
Bruno	*LT 138, *SK 571		220	S	(mod.)
Calango KWS	*FR S12266			S	(add.)
Careli	*IT 345		200	S	(mod.)
Casino	*FR S12266			S	(add.)
Cathleen	*SK 406		290	T	(add.)
Cera 270	*RO 1098		250	S	(add.)
Cera 310	*RO 1098		350	S	(add.)
Cera 320	*RO 1098		350	S	(add.)

86. Zea mays L. - Maize

1	2	3	4	4	4
Cera 380	*RO 1098		450	S	(add.)
Cera 391 Qtek	*RO 1098		450	S	(add.)
Cera 395	*RO 1098		450	T	(add.)
Cera 450	*RO 1098		450	S	(add.)
Cesone	*SK 164		250	S	(add.)
Cetip	*SK 164		240	T	(add.)
Cisko	*CZ 711, *FR 12584, *HR 102, *IT 423, *HU 102335		300	S	(mod.)
Clarica	*ES 5052, *FR 8309, *PL 802		300	S	(mod.)
Clariti CS	*IT 345		200	S	(mod.)
Codexa	*SK 365		240	T	(add.)
Codibel	*SK 500		300	T	(add.)
Codistar	*SI 400		600	S	H (mod.) ex: PL (8.5.2006)*
Comotti	*FR S13804			S	(add.)
Complice	(*)FR S14123, *UK 1961			S	(mod.)
Craziwax				S	f: 30.6.2017
CSM1879	*RO 2129		550	S	(add.) ⁽³²⁾
Cuartal	*BG 22, *IT 389		600	S	(mod.)
Diamento	*FR S12266			T	(add.)
DK 312	*RO 2101, *SK 520		300	S	(mod.) ⁽³²⁾
DKC3150	*NL 694			T	(add.) ⁽³²⁾
DKC3240					(del.)
DKC3333	*EE 107, *IT x, *NL 694, *UK 1397		200	S	(mod.) ⁽¹⁶⁾ ⁽³²⁾
DKC3343	*FR S12142			T	(add.) ⁽³²⁾
DKC3350	*FR S12142, *IT x		200	S	(mod.) ⁽³²⁾
DKC3352	*FR S12161			S	(add.) ⁽³²⁾
DKC3553	*FR S12142, *IT x		200	S	(mod.) ⁽³²⁾
DKC3811	*HU 132949, *RO 2081		300	S	(mod.) ⁽³²⁾
DKC4014	*HU 108843, *RO 2081		290	S	(mod.) ⁽³²⁾

86. Zea mays L. - Maize

1	2	3	4	4	4
DKC4082	*CZ 1114, *HR 47, *IT x, *HU 108843, *SK 217		290	S	(mod.) ⁽³²⁾
DKC4444	*FR S12142, *IT x		300	S	(mod.) ⁽³²⁾
DKC4557YG				S	f: 30.6.2017
DKC4626	*HR 130, *HU 108843		400	S	(mod.) ex: PL (8.5.2006)* ⁽³²⁾
DKC4650	*FR S12142			S	(add.) ⁽³²⁾
DKC4740YG				S	f: 30.6.2017
DKC4779YG				S	f: 30.6.2017
DKC5051YG				S	f: 30.6.2017
DKC5320				S	f: 30.6.2017
DKC5671YG				S	f: 30.6.2017
DKC5740YG				S	f: 30.6.2017
DKC5741	*FR S12142			S	(add.) ⁽³²⁾
DKC5830	*IT x, *PT 374		400	S	(mod.) ⁽³²⁾
DKC6125YG				S	f: 30.6.2017
DMS Adapter	*RO 2123		450	S	(add.)
DS1120D	*FR S13583, *SI 554		440	S	(mod.) ⁽³²⁾
DS1157A	*FR S13583			S	(add.) ⁽³²⁾
DS1164	*UK 6202			S	(add.) ⁽³²⁾
DS1284C	*FR S13583			S	(add.) ⁽³²⁾
Elamia	*SK 586		200	T	(add.)
ES Baroque	*FR 11619			S	(add.)
ES Bastion	*IT 1171		400	S	(mod.)
ES Benita	*IT 1171, *HU 102786, *PT 590, *SI 400		300	S	(mod.)
ES Brillant	(*)FR 11619, *AT 772, *SK 507		270	T	(mod.)
ES Creative	*FR 11619			S	(add.)
ES Crossman	*DE 3501, *FR S12749, *NL 671			S	(mod.)
ES Diademe	(*)FR 12749, *IT 1171, *RO 2084		200	T	(mod.)
ES Fortress	*IT 1171, *AT 772		200	S	(mod.)

86. Zea mays L. - Maize

1	2	3	4	4	4
ES Gallery	*CZ 1133, *FR S12749, *AT 772, *SK 507		340	S	(mod.)
ES Garant	*BG 22, *CZ 1133, *DE 7875, *FR 12749, *AT 772, *RO 2084		300	T	(mod.)
ES Jasmine	*FR 11619			S	(add.)
ES Lovely	*UK 6058			T	(add.)
ES Mandoline	*FR 11619			S	(add.)
ES Metronom	*DE 3501, *FR 11619, *PL 741		240	S	(mod.)
ES Milonga				S	f: 30.6.2017
ES Paolis					f: 30.6.2017
ES Paolis YG	*ES x		400	S	(mod.) ⁽³⁴⁾
ES Pearl	*NL 671, *UK 6058			S	(mod.)
ES Quadron				S	f: 30.6.2017
ES Sensor	*BG 22, *IT 1171, *HU 102786, *AT 772, *RO 2084		300	T	(mod.)
ES Tendance	*FR 11619			S	(add.)
ES Viole	*FR 11619			T	(add.)
Esquadrille				S	f: 30.6.2017
Eurytmi	*UK 1940			T	(add.)
Extasia	*FR S12142			S	(add.)
Fabius					(del.)
Falbala				S	f: 30.6.2017
Feiri					f: 30.6.2017
Feldi CS	*CZ 167			T	(mod.)
Fiacre			400	S	f: 30.6.2018
Figaro	*FR S12266			S	(add.)
Fixxif					(del.)
Flavi	*IT 345		300	S	(mod.)
Florenca	*HR 214, *HU 149204		600	S	(mod.)
Formi				S	f: 30.6.2017
Fulbi CS	*SK 500		280	S	(mod.)
F423	*RO 1001		450	S	(add.) ⁽³²⁾
GKT271	*SK 215		280	S	(add.) ⁽³²⁾

86. Zea mays L. - Maize

1	2	3	4	4	4
GKT381	*SK 215		350	S	(add.) ⁽³²⁾
GKT384	*SK 215		360	T	(add.) ⁽³²⁾
Gregorio	*FR S12266, *IT 264		300	S	(mod.)
Harmonium	*FR S12142			S	(add.)
Heliostar					(del.)
Jacuzi	*FR S12142			S	(add.)
Jennifer	*HR 10, *HU 106146				(mod.) BC 418 B HR
Juvento	*BE 713, *FR S12266, *NL 301			T	(mod.)
Kalideas	*FR S12266			S	(add.)
Kaliffo	*BG 16		510	S	(mod.)
Kamparis	*BG 16, *HR 38, *RO 2032		400	S	(mod.)
Kamponi CS	*FR S8197, *IT 345		200	S	(mod.)
Kapsus	*BG 16, *AT 618		430	S	(mod.)
Karamelis	*FR S12266			S	(add.)
Katarsis	*FR S12266			S	(add.)
Kelastis	*FR S12266			S	(add.)
Kenobis	*FR S12266, *IT 264		300	S	(mod.)
Kirghis	*FR S12266, *IT 264		300	S	(mod.)
Kodeks	*RO 2032		350	S	(add.)
Kolossalis	*FR S12266			T	(add.)
Kompares	*FR S12266			S	(add.)
Kompetens	*BE 713, *NL 301			S	(mod.)
Kondor	*RO 2074		450	S	(add.)
Konfirmas	*RO 2032		350	S	(add.)
Konfites	*BG 16, *HR 38, *IT 264, *RO 2032		400	S	(mod.)
Konfluens	*FR S12266			T	(add.)
Korneli	*IT 345		200	S	(mod.)
Kriteres	*FR S12266			T	(add.)
Kursus	*BG 16, *HU 149293		400	S	(mod.) ex: PL (8.5.2006)* ⁽³²⁾
Kuxxar	*FR S13804, *HU 103716, *SK 520		300	S	(mod.)
KWS2323	*AT 618, *SK 221		320	S	(mod.) ⁽³²⁾

86. Zea mays L. - Maize

1	2	3	4	4	4
KWS2370	*HU 149293, *RO 2032, *SI 282		290	S	(mod.) ⁽³²⁾
KWS2482	*BG 16, *HR 38, *RO 2032, *SK 221		400	S	(mod.) ⁽³²⁾
KWS3479	*RO 2032		350	S	(add.) ⁽³²⁾
Labeli CS	*HR 182, *IT 345		400	S	(mod.)
Lacta	*DE 105		240	S	(mod.)
Lampard	*FR S12142			S	(add.)
Laxxot	*ES 2023, *FR S13804, *IT 1125, *HU 103716, *SI 401, *SK 520		300	S	H (mod.)
Lazulia	*SK 586		200	T	(add.)
LBS1371	*SI 481		240	S	(add.) ⁽³²⁾
LBS1379	*NL 711, *SK 450		180	S	(mod.) ⁽³²⁾
LBS1567	*SK 450		200	S	(add.) ⁽³²⁾
LBS2077	*NL 711, *SK 450		200	S	(mod.) ⁽³²⁾
LBS3403	*FR S10858			S	(add.) ⁽³²⁾
LBS4414	*RO 2097		450	S	(add.) ⁽³²⁾
LG30215	*BE 842, *DE 8033, *FR 44360, *NL 756, *AT 562, *PL 738		250	S	(mod.) ⁽³²⁾
LG30231	*FR 44420			S	(add.) ⁽³²⁾
LG30248	*BE 842, *DE 2787, *FR 44420, *NL 756			S	(mod.) ⁽³²⁾
LG30254	*DE 8600			S	(add.) ⁽³²⁾
LG30257	*SK 406		280	T	(add.) ⁽³²⁾
LG30268	*FR 44360			S	(add.) ⁽³²⁾
LG30273	*CZ 1405, *FR 44360, *AT 562, *PL 738		260	S	(mod.) ⁽³²⁾
LG30307	(*)FR 44420, *SK 406		300	S	(mod.) ⁽³²⁾
LG30315	*SK 406		340	S	(add.) ⁽³²⁾
LG30360	*BG 21, *RO 2111, *SK 406		350	T	(mod.) ⁽³²⁾
LG30389	*RO 2111, *SK 406		420	S	(mod.) ⁽³²⁾
LG30430	*RO 2111, *SK 406		400	S	(mod.) ⁽³²⁾
LG30444	*FR 44360, *IT x		400	S	(mod.) ⁽³²⁾

86. Zea mays L. - Maize

1	2	3	4	4	4
LG3211					(del.)
LG3233 DUO					(del.)
LG3233YG					(del.)
LG3252	*FR 44420, *PL 738		250	T	(mod.) ⁽³²⁾
LG3391	*ES x		300	S	(mod.) ⁽³²⁾
Lisetta	*ES 2099		500	S	(mod.)
Litchi RH	*FR S8197			D	(add.)
Maja	*HR 7		400	S	(add.)
Mansion	*SK 406		200	T	(add.)
MAS 09P	*LT 161, *RO 2123		200	T	(mod.) ⁽³²⁾
MAS 11B	*NL 743, *UK 820			S	(add.) ⁽³²⁾
MAS 26T	*DE 900, *IT 370, *SK 365		200	S	(mod.) ⁽³²⁾
MAS 40F	*FR S12923, *IT 370, *RO 2123		300	S	(mod.) ⁽³²⁾
MAS 52K	*FR S12923, *IT 370, *RO 2123		400	S	(mod.) ⁽³²⁾
MAS 56A	*ES 2099, *FR S12208		500	S	(mod.) ⁽³²⁾
MAS 58M	*ES 2099, *IT 370		600	S	(mod.) ⁽³²⁾
MAS 60WX	*IT 370		500	S	(mod.) ⁽³²⁾
Mastri CS	*CZ 167			S	(mod.)
Mehari				S	f: 30.6.2017
Méribel				S	f: 30.6.2017
Meridien			450	S	f: 30.6.2017
MLB5510				S	f: 30.6.2017
Monipeni	*FR 44420			S	(add.)
Moscato	*FR S13804, *AT 775		330	S	(mod.)
Naudi	*IT 345		400	S	(mod.)
Neffel	*RO 2081		350	S	(add.)
NS 3022	*SI 160		390	S	(mod.) ⁽³²⁾
NS 5051	*BG 23		470	S	(add.) ⁽³²⁾
Occitan	*HU 107857		300	S	(mod.)

86. Zea mays L. - Maize

1	2	3	4	4	4
Opcja	*PL 618, *SI 569		240	T	(mod.)
Oxanna	*SK 604		200	T	(add.)
Panash	*SK 365		230	T	(add.)
Patrick	*DE 1323, *FR 44420		270	S	(mod.)
Pensil	*SK 701		250	T	(add.)
Phantom	*FR 44420		250	S	(mod.)
Portorico	*FR S12266			S	(add.)
Promi	*IT 345		400	S	(mod.) ex: PL (8.5.2006)*
Prophet	*LT 138, *SK 571		210	T	(mod.)
PR37K92	*HR 138, *IT x, *HU 106168, *AT 513, *SI 481		400	S	(mod.) ⁽³²⁾
PR38M27	*AT 806, *SI 481		300	S	(mod.) ⁽³²⁾
PR39F58	*DE 8346, *FR 10858, *HR 63, *PL 48		260	S	(mod.) ⁽³²⁾
PR39H84					(del.)
PR39H93					(del.)
Puymauri CS	*HR 182, *RO 2129		500	S	(mod.)
P0023	*IT x, *RO 2097, *SI 481		300	S	(mod.) ⁽³²⁾
P0247	(*)FR S10858, *IT x, *RO 2097		300	S	(mod.) ⁽³²⁾
P0531	*IT x, *RO 2097		400	S	(mod.) ⁽³²⁾
P1517W	*IT x, *RO 2097		600	S	(mod.) ⁽³²⁾
P1570Y	*ES 142		600	S	(add.) ⁽³²⁾ ⁽³⁴⁾
P7054	*SK 450		170	S	(add.) ⁽³²⁾
P7326	*DK 87, *UK 1891			S	(mod.) ⁽³²⁾
P7465	*NL 711			S	(add.) ⁽³²⁾
P7535	*RO 2097		200	S	(add.) ⁽³²⁾
P7539	*NL 685			T	(mod.) ⁽³²⁾
P7708	*NL 685			S	(mod.) ⁽³²⁾
P7724	*NL 711, *SK 450		180	T	(mod.) ⁽³²⁾

86. Zea mays L. - Maize

1	2	3	4	4	4
P7923	*NL 711			S	(add.) ⁽³²⁾
P8079	(*)FR S10858, *SI 481, *SK 450		240	S	(mod.) ⁽³²⁾
P8318	*SK 450		240	S	(add.) ⁽³²⁾
P8631	*DE 8035			S	(add.) ⁽³²⁾
P8688	*RO 2097		200	T	(add.) ⁽³²⁾
P8925	*RO 2097, *SK 450		250	T	(add.) ⁽³²⁾
P8943	*SK 450		270	S	(add.) ⁽³²⁾
P9135	*RO 2097		250	T	(add.) ⁽³²⁾
P9213	*FR S10858, *IT x, *RO 2097		200	S	(mod.) ⁽³²⁾
P9261	*FR S10858, *RO 2097		250	S	(mod.) ⁽³²⁾
P9606	*IT x, *RO 2097, *SI 481		300	S	(mod.) ⁽³²⁾
P9721	*HU 166210, *RO 2097		410	S	(mod.) ⁽³²⁾
Quantico KWS	*CZ 69		280	T	(add.)
Rafalot	*SK 586		300	T	(add.)
Reason	*UK 1033			T	(add.)
Renfor	*RO 2081		350	S	(add.)
RGT Afixx	*FR S13804, *IT 1125		200	S	(mod.)
RGT Culturexx	*FR S13804			S	(add.)
RGT Denomixx	(*)FR S13804, *IT 1125, *SK 520		200	S	(mod.)
RGT Emerixx	*FR S13804			S	(add.)
RGT Exxaltan	*FR S13804			S	(add.)
RGT Exxclusiv Duo	*FR S13804			S	(add.)
RGT Fuxxter	*FR S13804			S	(add.)
RGT Huxxtor	*FR S13804			S	(add.)
RGT Oxxgood	*DK 208, *UK 652			S	(mod.)
RGT Planoxx	*FR S13804			S	(add.)
RGT Prefixx	*FR S13804, *IT 1125		200	S	(mod.)

86. Zea mays L. - Maize

1	2	3	4	4	4
RGT Profilexx	*PT 594, *SK 520		200	T	(mod.)
RGT Xxavi	*FR S13804			S	(add.)
Ronny	*FR 44360			S	(add.)
Rulexx	(*)FR S13804, *HU 103716		370	S	(mod.)
Ruse 555					(del.)
San Diano RH	*FR 72			T	(add.)
San Leo RH	*FR 72			T	(add.)
Saxxoo	*FR S13804, *AT 620		280 380*	S	(mod.)
Scandi CS	*IT 345, *SK 500		300	S	(mod.)
Scofield	*SK 500		250	S	(add.)
Selti CS	*UK 1940			T	(mod.)
Sesame	*FR S12266			T	(add.)
Shelbey	*FR 44420			S	(add.)
Shirkan	*RO 2123		250	S	(add.)
Sibylys					(del.)
Sidony				S	f: 30.6.2017
Sinatra			370	S	f: 30.6.2018
Sinteria	*SK 586		250	T	(add.)
Sloogui CS	*CZ 167			T	(mod.)
SNH2504	*RO 2163		500	S	(add.) ⁽³²⁾
Softi CS				S	f: 30.6.2017
Solario	*FR S12266			S	(add.)
Solferino	*FR S12266			S	(add.)
Splav MS290	*RO 2123		350	S	(add.)
Spyci CS	*IT 345, *UK 1940		200	S	(mod.)
Staccato	*CZ 414		270	S	(add.)
Stivi CS	*DE 4409, *IT 345, *AT 649, *SK 500		200	S	(mod.)

86. Zea mays L. - Maize

1	2	3	4	4	4
Successor KWS	*BE 713, *NL 301			S	(mod.)
Surterra	*DE 214, *SK 604		250	S	(mod.)
SY Dartona	*FR S14123, *IT 1164		200	S	(mod.)
SY Fenomen	*FR S14123			S	(add.)
SY Izoar	*FR S14123, *IT 1164		300	S	(mod.)
SY Kreon	*FR S14123, *IT 1164		300	S	(mod.)
SY Madras	*BE 881, *FR S14123			S	(mod.)
SY Miller	*SK 219		300	S	(add.)
SY Nordicstar	*DK 187, (*)FR S14123, *NL 610, *UK 1961			S	(mod.)
SY Salvi	*FR S14123, *SK 219		260	S	(add.)
SY Triade	*FR S14123, *IT 1164		300	S	(mod.)
SY Valetta	*FR S14123, *SK 219		300	S	(add.)
Taranis	(*)FR 12533, *IT 373, *SK 398		350	S	(mod.)
Texxud	*FR S13804			S	(mod.)
Topsil	*SK 701		260	T	(add.)
Traci CS	*IT 345, *RO 2129		400	S	(mod.)
Trocadero	*FR S12266			S	(add.)
Troubadour	*FR 44420			S	(mod.)
Tyrex	*ES 2023, *FR S13804, *IT 1125		500	S	(mod.) ex: PL (8.5.2006)*
Valverdi CS	*SI 556		530	S	(add.)
Vaska	*IT 370		500	S	(mod.)
Veracruz	*BG 92		600	S	(add.) ex: PL (8.5.2006)*
Vialli	*IT 345		200	T	(mod.)
Vicbil				S	f: 30.6.2017
Volodia	*FR S12142			S	(add.)
Walki CS				S	f: 30.6.2017
Wisdom	*UK 1033			T	(add.)
Yogi CS	*CZ 167, *IT 345		200	S	(mod.)
ZE Hilda	*SK 250		400	S	(add.)
ZE Zeamax	*SK 250		430	S	(add.)
ZE Zelstar	*SK 250		310	S	(add.)
ZP161	*RO 2025		200	T	(add.) ⁽³²⁾
ZP280	*RO 2025		250	T	(add.) ⁽³²⁾
Zuma	*SK 409		220	S	(add.)

V

87. *Solanum tuberosum* L. - Potato

1	2	3	4
Amandine	*FR 12855		(mod.)
Appell			f: 30.6.2016
Arielle	*NL 408, *PL 238, *SK 4, *FI 6158	*NO 587	(mod.)
Camel	*HR 29, *NL 545		(mod.)
Carminelle	*NL 429		(add.)
Carmona			(del.)
Castrum	*RO 1008		(add.)
Corinna	*DE 3532		(add.)
Daisy	*FR 12855		(mod.)
Entzia	*ES 112		(add.)
Esprit			(del.)
Flora			(del.)
Fontane	*HR 718, *NL 270, *AT 563, *PT 752, *SK 4	*NO 617	(mod.)
Futura	*NL 515		(mod.)
Jasmina	*CZ 216		(add.)
Jupiter	*HU 107132, *SK 143		(mod.)
Karo	*CZ 216		(add.)
Kulta			f: 30.6.2017
Levinata KWS	*NL 545		(add.)
Loreen	*DE 1703		(add.)
Maestro	*CZ 727, *FR 12855, *SK 192		(mod.)
Marine	*FR 12855		(mod.)
Marvis	*RO 1008		(add.)
Minerva	*NL 514, *AT 647		(mod.)
Nixe	*DE 3052		(add.)
Oxania	*DE 1703		(add.)
Paroli	*DE 3052		(add.)

87. *Solanum tuberosum* L. - Potato

1	2	3	4
Ramos	*CZ 1245, *EL 114, *HR 29, *NL 545, *SK 512		(mod.)
Redlana	*DE 1703		(add.)
Redstar	*NL 429		(mod.)
Royata KWS	*HR 29, *NL 545		(mod.)
Salome	*DE 3052		(mod.)
Samson	*DE 55		(add.)
Santana	*NL 545	*NO 578	(mod.)
Sarion	*CZ 1481, *HU 106751		(mod.)
Sarmis	*RO 1008		(add.)
Sonate			(del.)
Stirling	*UK 1759		(mod.)
Swing	*DE 3052		(add.)
Vales Everest	*UK 1759		(mod.)

COMMON CATALOGUE OF VARIETIES OF VEGETABLE SPECIES

fifth supplement to the 33rd complete edition

(2015/C 284/02)

Contents

	Page
Legend	51
List of vegetable species	51
1. <i>Allium cepa</i> L.	52
1.1 <i>Allium cepa</i> L. Aggregatum group - Shallot	52
1.2 <i>Allium cepa</i> L. Cepa group - Onion, Echalion	52
2. <i>Allium fistulosum</i> L. Japanese bunching onion / Welsh onion	52
3. <i>Allium porrum</i> L. Leek.	52
7. <i>Apium graveolens</i> L. Celery	52
7.1 <i>Apium graveolens</i> L. Celery	52
7.2 <i>Apium graveolens</i> L. Celeriac	53
9. <i>Beta vulgaris</i> L.	53
9.1 <i>Beta vulgaris</i> L. Beetroot, including Cheltenham beet.	53
9.2 <i>Beta vulgaris</i> L. Spinach beet or Chard	53
10. <i>Brassica oleracea</i> L.	53
10.1 <i>Brassica oleracea</i> L. Curly kale	53
10.2 <i>Brassica oleracea</i> L. Cauliflower	53
10.3 <i>Brassica oleracea</i> L. Sprouting broccoli / Calabrese.	54
10.4 <i>Brassica oleracea</i> L. Brussels sprouts	54
10.5 <i>Brassica oleracea</i> L. Savoy cabbage	54
10.6 <i>Brassica oleracea</i> L. White cabbage	54
10.7 <i>Brassica oleracea</i> L. Red cabbage.	55
10.8 <i>Brassica oleracea</i> L. Kohlrabi	55
11. <i>Brassica rapa</i> L.	55
11.1 <i>Brassica rapa</i> L. Chinese cabbage	55
11.2 <i>Brassica rapa</i> L. Turnip.	56
12. <i>Capsicum annum</i> L. Chili, Pepper	56

	Page
13. <i>Cichorium endivia</i> L. Endive.	57
13.1 <i>Cichorium endivia</i> L. Curled-leaved endive	57
13.2 <i>Cichorium endivia</i> L. Plain-leaved endive	57
14. <i>Cichorium intybus</i> L. Chicory.	57
14.1 <i>Cichorium intybus</i> L. Witloof chicory	57
14.2 <i>Cichorium intybus</i> L. Large-leaved chicory / Italian chicory	58
14.3 <i>Cichorium intybus</i> L. Industrial chicory	58
15. <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai Watermelon.	58
16. <i>Cucumis melo</i> L. Melon	58
17. <i>Cucumis sativus</i> L. Cucumber/Gherkin.	60
17.1 <i>Cucumis sativus</i> L. Cucumber	60
17.2 <i>Cucumis sativus</i> L. Gherkin	60
18. <i>Cucurbita Maxima</i> Duchesne Gourd.	61
19. <i>Cucurbita pepo</i> L. Marrow or Courgette.	61
21. <i>Daucus carota</i> L. Carrot	61
21.1 <i>Daucus carota</i> L. Carrot	61
21.2 <i>Daucus carota</i> L. Fodder carrot	62
23. <i>Lactuca sativa</i> L. Lettuce.	62
24. <i>Solanum lycopersicum</i> L. Tomato.	64
27. <i>Phaseolus vulgaris</i> L. French bean	66
27.1 <i>Phaseolus vulgaris</i> L. Dwarf French bean	66
27.2 <i>Phaseolus vulgaris</i> L. Climbing French bean	67
28. <i>Pisum sativum</i> L. (partim) Pea	67
28.1 <i>Pisum sativum</i> L. (partim) Wrinkled pea.	67
28.2 <i>Pisum sativum</i> L. (partim) Round pea	67
28.3 <i>Pisum sativum</i> L. (partim) Sugar pea	67
29. <i>Raphanus sativus</i> L.	67
29.1 <i>Raphanus sativus</i> L. Radish	67
29.2 <i>Raphanus sativus</i> L. Black radish	68
32. <i>Solanum melongena</i> L. Aubergine / Egg plant	68
33. <i>Spinacia oleracea</i> L. Spinach	68
35. <i>Vicia faba</i> L. (partim) Broad bean.	69

	Page
36. <i>Zea mays</i> L. (partim)	69
36.1 <i>Zea mays</i> L. Sweet corn.	69
36.2 <i>Zea mays</i> L. Popcorn	69
37. Species and interspecific crossings for use as rootstocks	69
37.1 <i>Cucurbita ficifolia</i> Bouché.	69
37.2 <i>Cucurbita maxima</i> Duch. x <i>C. moschata</i> Duch.	69
37.3 <i>Lagenaria siceraria</i> (Mol.) Standl.	70
37.4 <i>Solanum lycopersicum</i> L. x <i>S. habrochaites</i>	70
37.5 <i>Solanum lycopersicum</i> L. x <i>S. pimpinellifolium</i>	70
37.6 <i>Sicyos angulatus</i>	70
37.7 <i>Cucurbita moschata</i>	70
37.8 <i>Solanum torvum</i> Sw.	70
37.9 <i>Solanum hybride</i>	70
37.10 <i>Solanum lycopersicum</i> L. x <i>S. peruvianum</i>	70
37.11 <i>Solanum lycopersicum</i> L.	70
37.12 <i>Solanum aethiopicum</i> L.	70
37.13 <i>Capsicum annuum</i> L.	70
37.14 <i>Citrullus lanatus</i> (Thunb) Matsum. et Nakai	70

LEGEND

1. This 5th supplement to the 33rd complete edition of the common catalogue of varieties of vegetable species ⁽¹⁾ takes up the modifications which have been necessary to add, in order to take into account information that the Commission has received from the Member States.
 2. The present supplement follows the subdivision adopted in the 33rd complete edition. Reference can be made to the legend of this edition.
 3. This supplement covers the period up to 30 June 2015.
 4. The modifications made to the 33rd complete edition are indicated in column 4 in the following way:
 - ‘(add.)’ means a new position introduced into the common catalogue;
 - ‘(mod.)’ means a modification to an existing position. The indications relating to this position in the current supplement replace those in the 33rd complete edition;
 - ‘(del.)’ means that the position and all indications which relate to it are deleted from the common catalogue.
 5. This supplement concerns the varieties notified for which the provisions laid down in Article 16(1) of Council Directive 2002/55/EC ⁽²⁾ apply.
 6. When the code of a maintainer does not appear in the 33rd complete edition, the name of the maintainer and his address may be obtained from the authority indicated in the list for the Member State or EFTA country concerned.
-

⁽¹⁾ OJ C 446, 12.12.2014, p. 1.

⁽²⁾ OJ L 193, 20.7.2002, p. 33.

1. Allium cepa L. -

1	2	3	4
1	Allium cepa L. - Aggregatum group - Shallot		
2	Allium cepa L. - Cepa group - Onion, Echalion		
Meryt	a NL 375		(mod.)
Oloroso	a NL 60		H (add.)
Paradiso	a NL 105		H (add.)
Prospector	a NL 30a		H (add.)

1. Allium cepa L. - Varieties developed for growing under particular conditions

1	2	3	4
1	Allium cepa L. - Aggregatum group - Shallot		
2	Allium cepa L. - Cepa group - Onion, Echalion		
Paris Silverskin	b UK 108		(mod.)
Purplette	b UK 108		(mod.)

2. Allium fistulosum L. - Japanese bunching onion / Welsh onion

1	2	3	4
Kaj	a CZ 239		(add.)

3. Allium porrum L. - Leek

1	2	3	4
SV3274ZL	b NL 77		H (mod.) ⁽¹⁾

7. Apium graveolens L. - Celery

1	2	3	4
1	Apium graveolens L. - Celery		
Albedo	a FR S14212		H (add.)

7. *Apium graveolens* L. - Celery

1	2	3	4
2 Apollo	Apium graveolens L. - Celeriac b NL 98c, a RO 2134		(mod.)

9. *Beta vulgaris* L. -

1	2	3	4
1 Golden eye	Beta vulgaris L. - Beetroot, including Cheltenham beet a FR S12893		(add.)
2 Egnathia	Beta vulgaris L. - Spinach beet or Chard a IT 1389		(add.)

9. *Beta vulgaris* L. - - Varieties developed for growing under particular conditions

1	2	3	4
1 Rubidus	Beta vulgaris L. - Beetroot, including Cheltenham beet b UK 108		(mod.)
2	Beta vulgaris L. - Spinach beet or Chard		

10. *Brassica oleracea* L. -

1	2	3	4
1	Brassica oleracea L. - Curly kale		
2 Aalsmeer	Brassica oleracea L. - Cauliflower b NL 139		(mod.)
Aprilia	a FR S14212		H (add.)
Balzac	a FR S12821		H (add.)
Bodilis	a FR 8067, a HU 101921		H (mod.)
Boris	a FR 8067, a HU 101921		H (mod.)
Cornelio	a FR S14212		H (add.)

10. Brassica oleracea L. -

1	2	3	4
Idris	a FR S8067		H (add.)
Jerez	b NL 8		H (mod.)
Karneval	a FR S12893		H (add.)
Locris	a FR 8067, a HU 101921		H (mod.)
Longships	b NL 139		H (mod.)
Lundy	b NL 139		H (mod.)
Maelig	a FR S11588		H (add.)
Marcan	a FR S11588		H (add.)
Romy	a IT 66		H (add.)
Stromis	a FR S8067		H (add.)
Tullio	a FR S14212		H (add.)
Vassallo	b HU 171328		H (add.)
Wrangle	b NL 139		H (mod.)
Yunis	a FR S8067		H (add.)
3	Brassica oleracea L. - Sprouting broccoli / Calabrese		
CLX 35984	a FR S13433		H (add.) ⁽¹⁾
Domino	a FR 45109		H (add.)
Eos	a FR S12893		H (add.)
Triton	a FR S12893		H (add.)
4	Brassica oleracea L. - Brussels sprouts		
Hemera	a NL 8		H (add.)
5	Brassica oleracea L. - Savoy cabbage		
6	Brassica oleracea L. - White cabbage		
Annelisa	a FR S12893		H (add.)
Conquistador	a FR S12893		H (mod.)
Constable	a FR S14212		H (add.)
Monroo	a FR S12893		H (add.)
Picador			f: 30.6.2017

10. Brassica oleracea L. -

1	2	3	4
Samudra	a FR S14212		H (add.)
7	Brassica oleracea L. - Red cabbage		
Rostok	a NL 105		H (add.)
8	Brassica oleracea L. - Kohlrabi		
Ametyst	a CZ 1495		H (add.)

10. Brassica oleracea L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Brassica oleracea L. - Curly kale		
Nero di Toscana	b DE 8147, b UK 1981		(mod.)
2	Brassica oleracea L. - Cauliflower		
Cheesy	b UK 1981		(mod.)
3	Brassica oleracea L. - Sprouting broccoli / Calabrese		
4	Brassica oleracea L. - Brussels sprouts		
5	Brassica oleracea L. - Savoy cabbage		
6	Brassica oleracea L. - White cabbage		
Jersey Wakefield	b UK		(mod.)
7	Brassica oleracea L. - Red cabbage		
8	Brassica oleracea L. - Kohlrabi		

11. Brassica rapa L. -

1	2	3	4
1	Brassica rapa L. - Chinese cabbage		
Natsuki	a FR S12893		H (add.)

11. Brassica rapa L. -

1	2	3	4
2	Brassica rapa L. - Turnip		
Richelieu	a FR S14212		H (add.)
Royal Crown	b NL 75		H (add.)

12. Capsicum annuum L. - Chili, Pepper

1	2	3	4
Ariadni	a FR S14063		H (add.)
Azahar	a FR S14212		H (add.)
Bambino	a FR S12893		H (add.)
Basalt	a FR S14212		H (add.)
Bélorožec	a CZ 239		(add.)
Chenzo	a NL 280		H (add.) ⁽⁴⁾
Chergui			f: 30.6.2017
Chouca	a FR S14212		H (add.)
Destello	a FR S14212		H (add.)
Elogio			f: 30.6.2017
Ibis			f: 30.6.2017
Jablina	a CZ 239		H (add.)
Jaime	a NL 9f		(add.)
Lily	b NL 26		H (add.)
Loco	a NL 280		H (add.) ⁽⁴⁾
Midired	a FR S11516		H (add.)
Nestoss	a NL 99		H (add.)
Niagara			f: 30.6.2017
Pálinda	a CZ 239		H (add.) ⁽⁴⁾
Panama	a FR 45006		H (add.) ⁽⁴⁾
Rodri	a FR S8067		H (add.)
Salmeron	a NL 79		H (add.)
SLP2B322	a NL 79		H (add.) ⁽¹⁾
Snackyl	a FR S11516		H (add.)
SV1211PB	a NL 77		H (add.) ⁽¹⁾
Viana	a NL 108		H (add.)

12. *Capsicum annuum* L. - Chili, Pepper

1	2	3	4
1601m	b NL 117		(add.) ⁽¹⁾

12. *Capsicum annuum* L. - Chili, Pepper - Varieties developed for growing under particular conditions

1	2	3	4
Sweetonia Chocolate	UK		(add.)
Sweetonia Orange	UK		(add.)
Sweetonia Red	UK		(add.)

13. *Cichorium endivia* L. - Endive

1	2	3	4
1	<i>Cichorium endivia</i> L. - Curled-leaved endive		
Calafine	a NL 26		(add.)
Daisy			f: 30.6.2017
Wendy			f: 30.6.2017
2	<i>Cichorium endivia</i> L. - Plain-leaved endive		
Avral	a FR S8332		(add.)
Kassy	a FR S14212		(add.)
Minelly	a FR S14212		(add.)
Misty	a FR S14212		(add.)
Tessaly	a FR S14212		(add.)
Timehal	a FR S8332		(add.)
Vodka			f: 30.6.2017

14. *Cichorium intybus* L. - Chicory

1	2	3	4
1	<i>Cichorium intybus</i> L. - Witloof chicory		
Ax	a FR S11436		(add.)
Bingo	a FR S13170		H (add.)
Bobine	a FR S8067		(add.)
Dentelis	a FR S11436		H (add.)

14. *Cichorium intybus* L. - Chicory

1	2	3	4
2	<i>Cichorium intybus</i> L. - Large-leaved chicory / Italian chicory		
Rosa	a IT 1240		(add.)
Zago	a IT 1389		(add.)
3	<i>Cichorium intybus</i> L. - Industrial chicory		
Benulite	a NL 241		H (add.)
Fabulite	a NL 241		H (add.)
Polanowicka	a CZ 1187, a PL 1078		(mod.)

15. *Citrullus lanatus* (Thunb.) Matsum. et Nakai - Watermelon

1	2	3	4
Aubie			f: 30.6.2017
Fabiola			f: 30.6.2017
SP6	a NL 79		(add.) ⁽¹⁾
Vishal	a NL 35		H (add.)

16. *Cucumis melo* L. - Melon

1	2	3	4
Aurelio			f: 30.6.2017
Barriol	a FR S8332		H (add.)
Capit	a FR S13768		H (add.)
Capstor	a FR S13768		H (add.)
Centyon			f: 30.6.2017
César			f: 30.6.2017
Chardonnay			f: 30.6.2017
Concurent	b BG 131		H (mod.)
Cosbuc	a CZ 1269		(add.)
Dario			f: 30.6.2017
Darius			f: 30.6.2017
Demetra	a FR S12567		H (add.)
Django	a FR S14212		H (add.)
Dubellay			f: 30.6.2017

16. Cucumis melo L. - Melon

1	2	3	4
Ectorius			f: 30.6.2017
Ellington	a FR S8332		H (add.)
Elsur	a FR S14212		H (add.)
Enduro	a FR S12893		H (add.)
Galoubet			f: 30.6.2017
Grappelli	a FR S8332		H (add.)
Kiara			f: 30.6.2017
Lamazou	a FR S8332		H (add.)
Magma			f: 30.6.2017
Magyar kincs	a CZ 1269, a HU 139146		(mod.)
Moras			f: 30.6.2017
Nogaro			f: 30.6.2017
NUN 8562ME	a NL 60		H (add.) ⁽¹⁾
Pallar	a NL 108		H (add.)
Portoalto	a NL 108		H (add.)
Rais	a FR S14212		H (add.)
Rina	a IT 1401		H (add.)
Santon			f: 30.6.2017
Signol	a FR S8332		H (add.)
Soliman	a FR S14212		H (add.)
Sphinx	a FR S8332		H (add.)
SV2529MP	a NL 77		H (add.) ⁽¹⁾
SV6234MC	a FR S14063		H (add.) ⁽¹⁾
SV6556MC	a FR S14063		H (add.) ⁽¹⁾
Taxi	a IT 1433		H (add.)
Tell			f: 30.6.2017
Thamaro			f: 30.6.2017
Tofee	a IT 1433		H (add.)
Yoga	a FR S12821		H (add.)

16. Cucumis melo L. - Melon

1	2	3	4
Zico			f: 30.6.2017

16. Cucumis melo L. - Melon - Varieties developed for growing under particular conditions

1	2	3	4
Bandit	UK		(add.)

17. Cucumis sativus L. - Cucumber/Gherkin

1	2	3	4
1	Cucumis sativus L. - Cucumber		
Alister	a NL 105		H (add.)
Bonnet	a NL 108		H (mod.)
Delistar	a NL 105		H (add.)
Flamingo	b NL x		H (mod.)
Matsun	b NL 108		H (add.)
Monroe	a NL 79		H (add.)
Paska	b NL x		H (mod.)
Superina	a NL 105		H (add.)
Swing	b NL 122		H (mod.)
Veolla	a NL 60		H (add.)
Vergel	a NL 108		H (add.)
2	Cucumis sativus L. - Gherkin		
Dafne	a CZ 239		H (add.)
NUN 4044PU	a NL 60		H (add.) ⁽¹⁾
Profi	b NL x		H (mod.)
Svatava	a CZ 1449		H (add.)

17. Cucumis sativus L. - Cucumber/Gherkin - Varieties developed for growing under particular conditions

1	2	3	4
1	Cucumis sativus L. - Cucumber		
Nimrod	UK		(add.)

17. *Cucumis sativus* L. - Cucumber/Gherkin - Varieties developed for growing under particular conditions

1	2	3	4
2	Cucumis sativus L. - Gherkin		

18. *Cucurbita Maxima* Duchesne - Gourd

1	2	3	4
Norma	a IT 1433		H (add.)
Uchiki Kuri	b NL x		(mod.)

19. *Cucurbita pepo* L. - Marrow or Courgette

1	2	3	4
Alice			f: 30.6.2017
Caliph	a FR S14212		H (add.)
Gloria	a FR S14212		H (add.)
Malena	a FR S11516		H (add.)
Sandra			f: 30.6.2017
Stradia	a FR S9478		H (add.)
Venus			f: 30.6.2017
Wrangler			f: 30.6.2017
Yolanda			f: 30.6.2017

19. *Cucurbita pepo* L. - Marrow or Courgette - Varieties developed for growing under particular conditions

1	2	3	4
Golden Griller	UK		(add.)
Green Griller	UK		(add.)
Grey Griller	UK		(add.)

21. *Daucus carota* L. - Carrot

1	2	3	4
1	Daucus carota L. - Carrot		
Agatha	a FR S9504, a NL 14		H (mod.)
Artico			f: 30.6.2017
Aurantina	b NL 81		H (add.)
Borec			f: 30.6.2017

21. *Daucus carota* L. - Carrot

1	2	3	4
Chambor			f: 30.6.2017
Circeo			f: 30.6.2017
Gema			f: 30.6.2017
Grace			f: 30.6.2017
Lince	a FR S13433		H (add.)
Melodio	a FR S8067		H (add.)
Niagara	b NL 8, a SK 172		H (mod.)
Primo			f: 30.6.2017
Privilège			f: 30.6.2017
Prominence	b NL 134a		H (add.)
Set			f: 30.6.2017
Siroco	a FR 8067, a HU 101921		H (mod.)
Tangerina	b NL 134a		H (add.)
2	Daucus carota L. - Fodder carrot		

21. *Daucus carota* L. - Carrot - Varieties developed for growing under particular conditions

1	2	3	4
1	Daucus carota L. - Carrot		
Atomic red	b UK 108		(mod.)
Bollin	b DE 9646		(add.)
Cosmic Purple	b UK 108		(mod.)
Silberstedter	b DE 9646		(add.)
Treenetaler	b DE 9646		(add.)
2	Daucus carota L. - Fodder carrot		

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Abruzia	a FR S8067		(add.)
Adorale			f: 30.6.2017
Aïdo			f: 30.6.2017
Alega	a NL 26		(mod.)

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Alisiane	a FR S8067		(add.)
Australe			f: 30.6.2017
Banga	a FR S12821		(add.)
Belanice	a FR S12821		(add.)
Boxer	a FR S12821		(add.)
Byzantine	a FR S8067		(add.)
Calandra	a NL 26		(add.)
Capoeira	a FR S8067		(add.)
Celtic	a FR S12821		(add.)
Cencibel	a NL 108		(add.)
Earibel	b NL 2a		(add.)
Ersilie	a FR S8332		(add.)
Exupery	a FR S12821		(add.)
Fullarde	a FR S12821		(add.)
Funarte			f: 30.6.2017
Galiano			f: 30.6.2017
Guitry	a FR S12821		(add.)
Herkules	a CZ 1495		(add.)
Ivernice	a FR S12821		(add.)
Janero	a NL 108		(add.)
Juliet			f: 30.6.2017
Kazova	a NL 108		(add.)
Kimpala	a FR S8332		(add.)
Kindle	a UK 6153		(add.)
Kuzco	a FR S12821		(add.)
Lalane	a FR S8067		(add.)
Libeccio	a NL 108		(add.)
Madie	a NL 108		(add.)
Nuansai	a NL 108		(add.)
Oakly	b NL 2a		(add.)
Panukia	a NL 79		(add.)
Pourpine	a FR S8067		(add.)
Probel	b NL 2a		(add.)

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Prolific			f: 30.6.2017
Raggioverde	a FR S8067		(add.)
Rebelina	a FR S12821		(add.)
Rivero			f: 30.6.2017
Serpico	a FR S12821		(add.)
Solasie	a FR S8332		(add.)
Spectation	b NL 2a		(add.)
Stefano	a NL 108		(add.)
SV0967LB	a NL 77		(add.) ⁽¹⁾
SV2538LA	a NL 78		(add.) ⁽¹⁾
Triskel	a FR S12821		(add.)
Turkuaz	a NL 108		(add.)
Vardac			f: 30.6.2017
Verala	a CZ 1495		(add.)
Veronys	a FR S12821		(add.)
Windfall	a UK 6153		(add.)
Zarafa	a FR S12821		(add.)

23. *Lactuca sativa* L. - Lettuce - Varieties developed for growing under particular conditions

1	2	3	4
Relic	b UK 108		(mod.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Abel	a NL 118		H (add.)
Ajeet	a NL 35		H (add.)
Apeticio	a FR S12821		H (add.)
Arenal	a IT 141		H (add.)
Aubade	a FR S12821		H (add.)
Audacia			f: 30.6.2017
Avenger	a FR S12821		H (add.)
Bacioty	a IT 1401		H (add.)
Baron	a CZ 1187		H (mod.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Bartolina	a FR S12821		H (add.)
Campiello	a IT 141		H (add.)
Charanda			f: 30.6.2017
Daiquiri			f: 30.6.2017
Energy			f: 30.6.2017
Fernova			f: 30.6.2017
Ghania			f: 30.6.2017
Granate			f: 30.6.2017
Gregorio	a FR S14212		H (add.)
Jos	a NL 118		H (add.)
Margold	a FR S12821		H (add.)
Marnero	a FR S12821		H (add.)
Nimba	a IT 1512		H (add.)
Palermo			f: 30.6.2017
PDT420090	b NL 66		H (add.) ⁽¹⁾
PHBD410070	b NL 66		H (add.) ⁽¹⁾
PHBT410080	b NL 66		H (add.) ⁽¹⁾
PJT422090	b NL 66		H (add.) ⁽¹⁾
PTPR430060	b NL 66		H (add.) ⁽¹⁾
Rebellion 2	a FR S8067		H (add.)
Roel	a NL 118		H (add.)
Simson			f: 30.6.2017
TS500	a IT 1315		H (add.) ⁽¹⁾
TS515	a IT 1315		H (add.) ⁽¹⁾
Valina			f: 30.6.2017
Vijay	a NL 35		H (add.)
VP2	a FR S8067		H (add.) ⁽¹⁾
Yup	b IT 125		H (add.)

24. *Solanum lycopersicum* L. - Tomato - Varieties developed for growing under particular conditions

1	2	3	4
Cherry Cascade	b UK 108		(mod.)
Dule	b SI 570		(add.)

24. *Solanum lycopersicum* L. - Tomato - Varieties developed for growing under particular conditions

1	2	3	4
Milka	b SI 570		(add.)
Super Marmande	b UK 108		(mod.)
Tomi	b SI 570		(add.)

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
1	Phaseolus vulgaris L. - Dwarf French bean		
Bahia	a FR 12925		(add.)
Bamako	a FR S8067		(add.)
Bravissimo	a FR S14212		(add.)
Buzz	a FR 12925		(add.)
Clarke	a FR S14212		(add.)
Crosser	a FR S8067		(add.)
Declic			f: 30.6.2017
GTB Blyan	a BG 1		(add.)
GTB Ustrem	a BG 1		(add.)
GTB Vezhen	a BG 1		(add.)
Hickok	a FR S14212		(add.)
Krypton	a FR S12821		(add.)
Macao			f: 30.6.2017
Majestik	a FR S14212		(add.)
Mistik	a FR S14212		(add.)
Oakley	a FR S14212		(add.)
Rubico			f: 30.6.2017
Terra	a NL 37		(add.)
Tintoretto	a FR 44867		(add.)

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
2	Phaseolus vulgaris L. - Climbing French bean		
Faiza	a NL 108		(add.)
Robin			f: 30.6.2017

28. *Pisum sativum* L. (partim) - Pea

1	2	3	4
1	Pisum sativum L. (partim) - Wrinkled pea		
Boston	b NL 109e		(add.)
Cepia			f: 30.6.2017
Dommel	b NL 109e		(add.)
Ida	a SE 147		(add.)
Odet	b NL 109e		(add.)
Primana	a NL 60, a SE 121		(mod.)
Saga			f: 30.6.2017
Savannah	a NL 275		(add.)
Tacoma			f: 30.6.2017
Temeraire			f: 30.6.2017
Valkon	b NL 109e		(add.)
2	Pisum sativum L. (partim) - Round pea		
Atila			f: 30.6.2017
Auréole			f: 30.6.2017
Elixia	a FR S8067		(add.)
Tonnant			f: 30.6.2017
3	Pisum sativum L. (partim) - Sugar pea		

29. *Raphanus sativus* L. -

1	2	3	4
1	Raphanus sativus L. - Radish		
Corox	b NL 122		H (mod.)
Famox	b NL 122		H (mod.)

29. *Raphanus sativus* L. -

1	2	3	4
Girox	b NL 122		H (mod.)
Janox	b NL 122		H (mod.)
Java			f: 30.6.2017
Lennox	b NL 122		H (mod.)
Logo	a FR S8067		H (add.)
2	Raphanus sativus L. - Black radish		

29. *Raphanus sativus* L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Raphanus sativus L. - Radish		
Prinz Rotin	b UK 1981		(mod.)
Hilds blauer Herbst und Winter	b FR S11343		(add.) ant. Blauer Herbst und Winter
2	Raphanus sativus L. - Black radish		

32. *Solanum melongena* L. - Aubergine / Egg plant

1	2	3	4
Agata	a IT 1412		H (add.)
Esmeray			f: 30.6.2017
Fabina	a FR 45107		H (mod.)
Gobi	a CZ 1495		(add.)
Romanov	a FR S12893		H (add.)
Vinetal	a FR S8067		H (add.)

33. *Spinacia oleracea* L. - Spinach

1	2	3	4
Bongo	a NL 95		H (add.)

33. *Spinacia oleracea* L. - Spinach

1	2	3	4
Gator	b NL 108		H (add.)

35. *Vicia faba* L. (partim) - Broad bean

1	2	3	4

35. *Vicia faba* L. (partim) - Broad bean - Varieties developed for growing under particular conditions

1	2	3	4
Crimson Flowered	b UK 108		(mod.)

36. *Zea mays* L. (partim) -

1	2	3	4
1 Chall - Challenger	Zea mays L. - Sweet corn b NL 78 b BG 24, b HU 100747		H (add.)
2 OS504PC	Zea mays L. - Popcorn		f: 30.6.2018

36. *Zea mays* L. (partim) - - Varieties developed for growing under particular conditions

1	2	3	4
1 Dolcina	Zea mays L. - Sweet corn b DE 9667		(add.)
2	Zea mays L. - Popcorn		

37. - Species and interspecific crossings for use as rootstocks

1	2	3	4
1 Triumpf	Cucurbita ficifolia Bouché - b DE 2549		H (add.)
2	Cucurbita maxima Duch. x C. moschata Duch. -		

37. - Species and interspecific crossings for use as rootstocks

1	2	3	4
3	Lagenaria siceraria (Mol.) Standl. -		
4 Buffon	Solanum lycopersicum L. x S. habrochaites - a NL 79		H (add.)
5	Solanum lycopersicum L. x S. pimpinellifolium -		
6	Sicyos angulatus -		
7	Cucurbita moschata -		
8	Solanum torvum Sw. -		
9	Solanum hybride -		
10	Solanum lycopersicum L. x S. peruvianum -		
11	Solanum lycopersicum L.		
12	Solanum aethiopicum L.		
13	Capsicum annuum L.		
14	Citrullus lanatus (Thunb) Matsum. et Nakai		

ISSN 1977-091X (electronic edition)
ISSN 1725-2423 (paper edition)



Publications Office of the European Union
2985 Luxembourg
LUXEMBOURG

EN