

Official Journal of the European Communities

ISSN 0378-6978

L 15

Volume 31

20 January 1988

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

Commission Regulation (EEC) No 127/88 of 19 January 1988 fixing the import levies on cereals and on wheat or rye flour, groats and meal	1
Commission Regulation (EEC) No 128/88 of 19 January 1988 fixing the premiums to be added to the import levies on cereals, flour and malt	3
Commission Regulation (EEC) No 129/88 of 19 January 1988 concerning applications for STM licences in the beef and veal sector submitted during the first 10 days of January 1988	5
Commission Regulation (EEC) No 130/88 of 18 January 1988 on the issuing of a standing invitation to tender for the resale on the internal market of 15 400 tonnes of rye held by the Danish intervention agency	6
Commission Regulation (EEC) No 131/88 of 18 January 1988 on the issuing of a standing invitation to tender for the resale on the internal market of 120 000 tonnes of rye for bread making held by the German intervention agency	7
Commission Regulation (EEC) No 132/88 of 18 January 1988 on the issuing of a standing invitation to tender for the resale on the internal market of 42 000 tonnes of durum wheat held by the French intervention agency	8
* Commission Regulation (EEC) No 133/88 of 19 January 1988 laying down protective measures on imports of hybrid maize for use as seed	9
Commission Regulation (EEC) No 134/88 of 19 January 1988 altering the import levies on products processed from cereals and rice	11

Commission

88/27/ECSC :

* **Commission Recommendation of 22 December 1987 amending High Authority recommendation No 1/64 of 15 January 1964 to the Governments of the Member States concerning an increase in the protective duty on iron and steel products at the external frontiers of the Community** 13

Corrigenda

* **Corrigendum to Commission Regulation (EEC) No 3773/87 of 16 December 1987 amending Regulation (EEC) No 1577/81 establishing a system of simplified procedures for the determination of the customs value of certain perishable goods (OJ No L 355 of 17.12.1987)** 28

Corrigendum to Commission Regulation (EEC) No 3964/87 of 23 December 1987 fixing the export refunds on beef and veal (OJ No L 371 of 30.12.1987) 28

I

*(Acts whose publication is obligatory)***COMMISSION REGULATION (EEC) No 127/88**

of 19 January 1988

fixing the import levies on cereals and on wheat or rye flour, groats and meal

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to the Act of Accession of Spain and Portugal,

Having regard to Council Regulation (EEC) No 2727/75 of 29 October 1975 on the common organization of the market in cereals (¹), as last amended by Regulation (EEC) 3989/87 (²), and in particular Article 13 (5) thereof,Having regard to Council Regulation (EEC) No 1676/85 of 11 June 1985 on the value of the unit of account and the exchange rates to be applied for the purposes of the common agricultural policy (³), as last amended by Regulation (EEC) No 1636/87 (⁴), and in particular Article 3 thereof,

Having regard to the opinion of the Monetary Committee,

Whereas the import levies on cereals, wheat and rye flour, and wheat groats and meal were fixed by Commission Regulation (EEC) No 4047/87 (⁵) and subsequent amending Regulations ;

Whereas, if the levy system is to operate normally, levies should be calculated on the following basis :

— in the case of currencies which are maintained in relation to each other at any given moment within a band

of 2,25 %, a rate of exchange based on their central rate, multiplied by the corrective factor provided for in the last paragraph of Article 3 (1) of Regulation (EEC) No 1676/85,

— for other currencies, an exchange rate based on the arithmetic mean of the spot market rates of each of these currencies recorded for a given period in relation to the Community currencies referred to in the previous indent, and the aforesaid coefficient ;

Whereas these exchange rates being those recorded on 18 January 1988 ;

Whereas the aforesaid corrective factor affects the entire calculation basis for the levies, including the equivalence coefficients ;

Whereas it follows from applying the detailed rules contained in Regulation (EEC) No 4047/87 to today's offer prices and quotations known to the Commission that the levies at present in force should be altered to the amounts set out in the Annex hereto,

HAS ADOPTED THIS REGULATION :

Article 1

The import levies to be charged on products listed in Article 1 (a), (b) and (c) of Regulation (EEC) No 2727/75 shall be as set out in the Annex hereto.

Article 2

This Regulation shall enter into force on 20 January 1988.

(¹) OJ No L 281, 1. 11. 1975, p. 1.(²) OJ No L 377, 31. 12. 1987, p. 1.(³) OJ No L 164, 24. 6. 1985, p. 1.(⁴) OJ No L 153, 13. 6. 1987, p. 1.(⁵) OJ No L 378, 31. 12. 1987, p. 99.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

ANNEX

to the Commission Regulation of 19 January 1988 fixing the import levies on cereals and on wheat or rye flour, groats and meal

(ECU/tonne)

CN code	Levies	
	Portugal	Third country
0709 90 60	8,43	166,34
0712 90 19	8,43	166,34
1001 10 10	62,91	248,87 (1) (2)
1001 10 90	62,91	248,87 (1) (2)
1001 90 91	19,06	192,64
1001 90 99	19,06	192,64
1002 00 00	44,06	162,71 (3)
1003 00 10	37,33	181,07
1003 00 90	37,33	181,07
1004 00 10	93,75	146,58
1004 00 90	93,75	146,58
1005 10 90	8,43	166,34 (2) (3)
1005 90 00	8,43	166,34 (2) (3)
1007 00 90	31,95	175,57 (4)
1008 10 00	37,33	96,57
1008 20 00	37,33	129,12 (4)
1008 30 00	37,33	56,89 (4)
1008 90 10	(5)	(5)
1008 90 90	37,33	56,89
1101 00 00	41,01	284,02
1102 10 00	75,79	242,12
1103 11 10	111,02	399,25
1103 11 90	42,85	305,30

(1) Where durum wheat originating in Morocco is transported directly from that country to the Community, the levy is reduced by 0,60 ECU/tonne.

(2) In accordance with Council Regulation (EEC) No 486/85 the levies are not applied to imports into the French overseas departments of products originating in the African, Caribbean and Pacific States or in the 'overseas countries and territories'.

(3) Where maize originating in the ACP or OCT is imported into the Community the levy is reduced by 1,81 ECU/tonne.

(4) Where millet and sorghum originating in the ACP or OCT is imported into the Community the levy is reduced by 50 %.

(5) Where durum wheat and canary seed produced in Turkey are transported directly from that country to the Community, the levy is reduced by 0,60 ECU/tonne.

(6) The import levy charged on rye produced in Turkey and transported directly from that country to the Community is laid down in Council Regulation (EEC) No 1180/77 and Commission Regulation (EEC) No 2622/71.

(7) The levy applicable to rye shall be charged on imports of the product falling within subheading 1008 90 10 (triticale).

COMMISSION REGULATION (EEC) No 128/88

of 19 January 1988

fixing the premiums to be added to the import levies on cereals, flour and malt

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to the Act of Accession of Spain and Portugal,

Having regard to Council Regulation (EEC) No 2727/75 of 29 October 1975 on the common organization of the market in cereals (¹), as last amended by Regulation (EEC) No 3989/87 (²), and in particular Article 15 (6) thereof,Having regard to Council Regulation (EEC) No 1676/85 of 11 June 1985 on the value of the unit of account and the exchange rates to be applied for the purposes of the common agricultural policy (³), as last amended by Regulation (EEC) No 1636/87 (⁴), and in particular Article 3 thereof,

Having regard to the opinion of the Monetary Committee,

Whereas the premiums to be added to the levies on cereals and malt were fixed by Commission Regulation (EEC) No 4048/87 (⁵) and subsequent amending Regulations;

Whereas, if the levy system is to operate normally, levies should be calculated on the following basis:

- in the case of currencies which are maintained in relation to each other at any given moment within a band of 2,25 %, a rate of exchange based on their central rate, multiplied by the corrective factor provided for in the last paragraph of Article 3 (1) of Regulation (EEC) No 1676/85,
- for other currencies, an exchange rate based on the arithmetic mean of the spot market rates of each of

these currencies recorded for a given period in relation to the Community currencies referred to in the previous indent, and the aforesaid coefficient;

Whereas these exchange rates being those recorded on 18 January 1988;

Whereas, on the basis of today's cif prices and cif forward delivery prices, the premiums at present in force, which are to be added to the levies, should be altered to the amounts set out in the Annex hereto,

HAS ADOPTED THIS REGULATION:

Article 1

1. The premiums referred to in Article 15 of Regulation (EEC) No 2727/75 to be added to the import levies fixed in advance in respect of cereals and malt coming from Portugal shall be zero.

2. The premiums referred to in Article 15 of Regulation (EEC) No 2727/75 to be added to the import levies fixed in advance in respect of cereals and malt coming from third countries shall be as set out in the Annex hereto.

Article 2

This Regulation shall enter into force on 20 January 1988.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

(¹) OJ No L 281, 1. 11. 1975, p. 1.

(²) OJ No L 377, 31. 12. 1987, p. 1.

(³) OJ No L 164, 24. 6. 1985, p. 1.

(⁴) OJ No L 153, 13. 6. 1987, p. 1.

(⁵) OJ No L 378, 31. 12. 1987, p. 102.

ANNEX

to the Commission Regulation of 19 January 1988 fixing the premiums to be added to the import levies on cereals, flour and malt from third countries

A. Cereals and flour

(ECU/tonne)

CN code	Current	1st period	2nd period	3rd period
	1	2	3	4
0709 90 60	0	0	0	0
0712 90 19	0	0	0	0
1001 10 10	0	0	0	0
1001 10 90	0	0	0	0
1001 90 91	0	0	0	0
1001 90 99	0	0	0	0
1002 00 00	0	0	0	0
1003 00 10	0	0	0	0
1003 00 90	0	0	0	0
1004 00 10	0	0	0	0
1004 00 90	0	0	0	0
1005 10 90	0	0	0	0
1005 90 00	0	0	0	0
1007 00 90	0	0	0	0
1008 10 00	0	0	0	0
1008 20 00	0	0	0	0
1008 30 00	0	0	0	0
1008 90 90	0	0	0	0
1101 00 00	0	0	0	0

B. Malt

(ECU/tonne)

CN code	Current	1st period	2nd period	3rd period	4th period
	1	2	3	4	5
1107 10 11	0	0	0	0	0
1107 10 19	0	0	0	0	0
1107 10 91	0	0	0	0	0
1107 10 99	0	0	0	0	0
1107 20 00	0	0	0	0	0

COMMISSION REGULATION (EEC) No 129/88
of 19 January 1988
concerning applications for STM licences in the beef and veal sector submitted
during the first 10 days of January 1988

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to the Act of Accession of Spain and Portugal,

Having regard to Council Regulation (EEC) No 569/86 of 25 February 1986 laying down general rules for the application of the supplementary trade mechanism (STM) (1), as last amended by Regulation (EEC) No 2297/86 (2), and in particular Article 7 thereof,

Having regard to Commission Regulation (EEC) No 574/86 of 28 February 1986 laying down detailed rules for the application of the supplementary trade mechanism (STM) (3), as last amended by Regulation (EEC) No 2159/87 (4), and in particular Article 6 thereof,

Whereas Regulation (EEC) No 569/86 provides for the use of STM licences in order to ensure that the tonnages traded of certain products do not exceed those laid down in the Act of Accession and in Article 5 of Commission Regulation (EEC) No 3955/86 (5), as amended by Regulation (EEC) No 3601/87 (6); whereas, therefore, the Commission has to decide, in accordance with Article 6 of Regulation (EEC) No 574/86, whether STM licences can be issued for all, some, or none of the tonnages applied for;

Whereas, in the light of the quantities available and the applications for licences submitted during the first 10

days of January 1988, licences may, for certain products, be issued for the tonnages applied for and shall not be issued for the tonnages applied for in the case of other products,

HAS ADOPTED THIS REGULATION :

Article 1

Applications for STM licences, submitted during the first 10 days of January 1988 and notified to the Commission,

- (a) shall be accepted for the tonnages applied for in the case of the following products :
 meat of animals of the bovine species, frozen, and offal of animals of the bovine species ;
- (b) shall, in the case of the following products, be accepted up to the percentage shown :
 fresh or chilled meat of animals of the bovine species : 1,028 % ;
 live animals of the bovine species, other than pure-bred breeding animals and animals for bull fights : 0,728 %.

Article 2

This Regulation shall enter into force on 20 January 1988.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

(1) OJ No L 55, 1. 3. 1986, p. 106.

(2) OJ No L 201, 24. 7. 1986, p. 3.

(3) OJ No L 57, 1. 3. 1986, p. 1.

(4) OJ No L 202, 23. 7. 1987, p. 30.

(5) OJ No L 365, 24. 12. 1986, p. 55.

(6) OJ No L 339, 1. 12. 1987, p. 58.

COMMISSION REGULATION (EEC) No 130/88

of 18 January 1988

on the issuing of a standing invitation to tender for the resale on the internal market of 15 400 tonnes of rye held by the Danish intervention agency

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 2727/75 of 29 October 1975 on the common organization of the market in cereals (¹), as last amended by Regulation (EEC) No 3989/87 (²), and in particular Article 7 (7) thereof,

Whereas Article 3 of Council Regulation (EEC) No 1581/86 of 23 May 1986 laying down general rules for intervention on the market in cereals (³) provides that cereals held by the intervention agency are to be sold by tender;

Whereas Commission Regulation (EEC) No 1836/82 (⁴), as last amended by Regulation (EEC) No 2418/87 (⁵), lays down the procedure and conditions for the disposal of cereals held by intervention agencies;

Whereas, in the present market situation, a standing invitation to tender for the resale on the internal market of 15 400 tonnes of rye held by the Danish intervention agency should be issued;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Management Committee for Cereals,

HAS ADOPTED THIS REGULATION:

Article 1

The Danish intervention agency shall issue a standing invitation to tender for the resale on the internal market

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 18 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

(¹) OJ No L 281, 1. 11. 1975, p. 1.

(²) OJ No L 377, 31. 12. 1987.

(³) OJ No L 139, 24. 5. 1986, p. 36.

(⁴) OJ No L 202, 9. 7. 1982, p. 23.

(⁵) OJ No L 223, 11. 8. 1987, p. 5.

of 15 400 tonnes of rye held by it in accordance with Regulation (EEC) No 1836/82.

Article 2

1. The final date for the submission of tenders for the first partial invitation to tender shall be 16 February 1988.

2. The final date for the submission of tenders for the last partial invitation to tender shall be 15 March 1988.

3. Tenders must be lodged with the Danish intervention agency:

Direktoratet for markedsordningerne,
EF-Direktoratet,
Frederiksborrgade 18,
DK-1360 København K,
Tel.: (01) 92 70 00, Telex 151 37 DK.

Article 3

Not later than Tuesday of the week following the final date for the submission of tenders, the Danish intervention agency shall notify the Commission of the quantities and average prices of the various lots sold.

Article 4

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

COMMISSION REGULATION (EEC) No 131/88

of 18 January 1988

on the issuing of a standing invitation to tender for the resale on the internal market of 120 000 tonnes of rye for bread making held by the German intervention agency

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 2727/75 of 29 October 1975 on the common organization of the market in cereals (¹), as last amended by Regulation (EEC) No 3989/87 (²), and in particular Article 7 (7) thereof,

Whereas Article 3 of Council Regulation (EEC) No 1581/86 of 23 May 1986 laying down general rules for intervention on the market in cereals (³) provides that cereals held by the intervention agency are to be sold by tender;

Whereas Commission Regulation (EEC) No 1836/82 (⁴), as last amended by Regulation (EEC) No 2418/87 (⁵), lays down the procedure and conditions for the disposal of cereals held by intervention agencies;

Whereas, in the present market situation, a standing invitation to tender for the resale on the internal market of 120 000 tonnes of rye for bread making held by the German intervention agency should be issued;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Management Committee for Cereals,

HAS ADOPTED THIS REGULATION :

Article 1

The German intervention agency shall issue a standing invitation to tender for the resale on the internal market

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 18 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

(¹) OJ No L 281, 1. 11. 1975, p. 1.

(²) OJ No L 377, 31. 12. 1987.

(³) OJ No L 139, 24. 5. 1986, p. 36.

(⁴) OJ No L 202, 9. 7. 1982, p. 23.

(⁵) OJ No L 223, 11. 8. 1987, p. 5.

of 120 000 tonnes of rye for bread making held by it in accordance with Regulation (EEC) No 1836/82.

Article 2

1. The final date for the submission of tenders for the first partial invitation to tender shall be 16 February 1988.
2. The final date for the submission of tenders for the last partial invitation to tender shall be 15 March 1988.
3. Tenders must be lodged with the German intervention agency:

Bundesanstalt für landwirtschaftliche Marktordnung BALM,
Adickesallee 40,
D-6000 Frankfurt am Main,
(Telex: 4-11475, 4-16044).

Article 3

Not later than Tuesday of the week following the final date for the submission of tenders, the German intervention agency shall notify the Commission of the quantities and average prices of the various lots sold.

Article 4

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

COMMISSION REGULATION (EEC) No 132/88
of 18 January 1988

on the issuing of a standing invitation to tender for the resale on the internal market of 42 000 tonnes of durum wheat held by the French intervention agency

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 2727/75 of 29 October 1975 on the common organization of the market in cereals⁽¹⁾, as last amended by Regulation (EEC) No 3989/87⁽²⁾, and in particular Article 7 (7) thereof,

Whereas Article 3 of Council Regulation (EEC) No 1581/86 of 23 May 1986 laying down general rules for intervention on the market in cereals⁽³⁾ provides that cereals held by the intervention agency are to be sold by tender;

Whereas Commission Regulation (EEC) No 1836/82⁽⁴⁾, as last amended by Regulation (EEC) No 2418/87⁽⁵⁾, lays down the procedure and conditions for the disposal of cereals held by intervention agencies;

Whereas, in the present market situation, a standing invitation to tender for the resale on the internal market of 42 000 tonnes of durum wheat held by the French intervention agency should be issued;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Management Committee for Cereals,

HAS ADOPTED THIS REGULATION :

Article 1

The French intervention agency shall issue a standing invitation to tender for the resale on the internal market

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 18 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

⁽¹⁾ OJ No L 281, 1. 11. 1975, p. 1.

⁽²⁾ OJ No L 377, 31. 12. 1987.

⁽³⁾ OJ No L 139, 24. 5. 1986, p. 36.

⁽⁴⁾ OJ No L 202, 9. 7. 1982, p. 23.

⁽⁵⁾ OJ No L 223, 11. 8. 1987, p. 5.

of 42 000 tonnes of durum wheat held by it in accordance with Regulation (EEC) No 1836/82.

Article 2

1. The final date for the submission of tenders for the first partial invitation to tender shall be 18 February 1988.

2. The final date for the submission of tenders for the last partial invitation to tender shall be 17 March 1988.

3. Tenders must be lodged with the French intervention agency :

Office national interprofessionnel des céréales,
 21, avenue Bosquet,
 F-75326 Paris Cedex 07
 (télex : OFIBLE A 200490F).

Article 3

Not later than Tuesday of the week following the final date for the submission of tenders, the French intervention agency shall notify the Commission of the quantities and average prices of the various lots sold.

Article 4

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

COMMISSION REGULATION (EEC) No 133/88

of 19 January 1988

laying down protective measures on imports of hybrid maize for use as seed

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Regulation (EEC) No 2358/71 of 26 October 1971 on the common organization of the market in seeds (¹), and in particular Article 7 (2) thereof,

Whereas, on 12 January 1988, the French Republic submitted to the Commission a request for the application of protective measures to imports into the Community of hybrid maize for use as seed; whereas the Commission has requested additional information regarding the type of measures desired by the French Government; whereas the reply to that question reached the Commission on 18 January and stated that a suitable measure should involve a measure suspending all imports of hybrid maize for use as seed under the so-called 'open market' system and the immediate convening of a working group with the task of determining the measures to be taken in forthcoming marketing years to enable the Community system for producing maize seed to be maintained;

Whereas the latter part of the French request comes within the normal management of the sector and therefore, irrespective of its validity, does not require immediate action in the way of protective measures;

Whereas, on the other hand, the data provided by the French authorities relating to the market situation for hybrid maize for use as seed show that Community production in the 1987/88 marketing year has fallen substantially after years of constant increase; whereas at the same time the quantities imported under contracts or freely have also increased substantially;

Whereas, therefore, while the trend in imports is in line with the trend in Community production, the Community market does not appear to be suffering from an imbalance; whereas, while imports in forthcoming months remain at the level reached last marketing year, the result for Community production in 1988/89 is a situation which is liable to jeopardize the objectives of Article 39 of the Treaty, particularly when it is considered that there appear to be substantial stocks of hybrid maize for use as seed on the Community market;

Whereas, according to information available, imports should be maintained at the level of the previous year, which could have a long-lasting effect on Community production; whereas, under those conditions, the Community market is liable to be seriously disturbed

owing to such imports; whereas, as a consequence, imports should be made subject to a surveillance system enabling the Commission to intervene at all times by virtue of its market management responsibilities;

Whereas the most suitable measure in this respect involves introducing a period of time for reflection between the date of the lodging of the application for an import licence and its issue in order to enable, where necessary, the Commission to take the measures required in the interim,

HAS ADOPTED THIS REGULATION:

Article 1

By way of derogation from Article 19 (1) of Commission Regulation (EEC) No 3183/80 (²), import licences for hybrid maize for use as seed shall be issued only on the fifth working day following the date of lodging of the application provided special measures are not taken during that time.

Article 2

1. The Member States shall notify the Commission:
 - of quantities of hybrid maize for use as seed for which import licences have been applied for,
 - of the country of origin,

broken down in accordance with the combined nomenclature (CN codes 1005 10, 11, 13, 15, 19). Such notification shall take place at the following intervals:

- each Wednesday for applications lodged on Monday and Tuesday,
- each Friday for applications lodged on Wednesday and Thursday,
- each Monday for applications lodged on Friday of the previous week.

If no application for an import licence has been lodged during any of the periods referred to in the first subparagraph, the Member State in question shall so inform the Commission by telex sent on the abovementioned days.

2. The Member States shall forward to the Commission each Monday the originals of the documents referred to in the first indent of Article 2 (1).

Article 3

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

(¹) OJ No L 246, 5. 11. 1971, p. 1.

(²) OJ No L 338, 13. 12. 1980.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

COMMISSION REGULATION (EEC) No 134/88
of 19 January 1988
altering the import levies on products processed from cereals and rice

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to the Act of Accession of Spain and Portugal,

Having regard to Council Regulation (EEC) No 2727/75 of 29 October 1975 on the common organization of the market in cereals⁽¹⁾, as last amended by Regulation (EEC) No 3989/87⁽²⁾, and in particular Article 14 (4) thereof,

Having regard to Council Regulation (EEC) No 1418/76 of 21 June 1976 on the common organization of the market in rice⁽³⁾, as last amended by Regulation (EEC) No 3990/87⁽⁴⁾, and in particular Article 12 (4) thereof,

Having regard to Council Regulation No 1676/85 of 11 June 1985 on the value of the unit of account and the exchange rates to be applied for the purposes of the common agricultural policy⁽⁵⁾, as last amended by Regulation (EEC) No 1636/87⁽⁶⁾, and in particular Article 3 thereof,

Having regard to the opinion of the Monetary Committee,

Whereas the import levies on products processed from cereals and rice were fixed by Commission Regulation (EEC) No 4013/87⁽⁷⁾, as last amended by Regulation (EEC) No 117/88⁽⁸⁾;

Whereas Council Regulation (EEC) No 1906/87⁽⁹⁾ as amended by Council Regulation (EEC) No 2744/75⁽¹⁰⁾ as regards products falling within subheadings 2302 10, 2302 20, 2302 30 and 2302 40 of the combined nomenclature;

Whereas, if the levy system is to operate normally, levies should be calculated on the following basis:

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 January 1988.

For the Commission

Frans ANDRIESSEN

Vice-President

⁽¹⁾ OJ No L 281, 1. 11. 1975, p. 1.

⁽²⁾ OJ No L 377, 31. 12. 1987.

⁽³⁾ OJ No L 166, 25. 6. 1976, p. 1.

⁽⁴⁾ OJ No L 377, 31. 12. 1987.

⁽⁵⁾ OJ No L 164, 24. 6. 1985, p. 1.

⁽⁶⁾ OJ No L 153, 13. 6. 1987, p. 1.

⁽⁷⁾ OJ No L 378, 31. 12. 1987, p. 13.

⁽⁸⁾ OJ No L 12, 16. 1. 1988, p. 29.

⁽⁹⁾ OJ No L 182, 3. 7. 1987, p. 49.

⁽¹⁰⁾ OJ No L 281, 1. 11. 1975, p. 65.

⁽¹¹⁾ OJ No L 168, 25. 6. 1974, p. 7.

ANNEX

to the Commission Regulation of 19 January 1988 altering the import levies on products processed from cereals and rice

(ECU/tonne)

CN code	Import levies	
	Third countries (other than ACP or OCT)	ACP or OCT
1102 90 30 (2)	271,38	265,34
1103 12 00 (2)	271,38	265,34
1103 29 30 (2)	271,38	265,34
1104 12 10 (2)	153,38	150,36
1104 12 90 (2)	300,86	294,82
1104 22 10 (2)	268,36	265,34
1104 22 30 (2)	268,36	265,34
1104 22 50 (2)	238,88	235,86
1104 22 90 (2)	153,38	150,36

(2) For the purpose of distinguishing between products falling within heading Nos 1101, 1102, 1103 and 1104 and those falling within subheadings 2302 10, 2302 20, 2302 30 and 2302 40, products falling within heading Nos 1101, 1102, 1103 and 1104 shall be those meeting the following specifications:

- a starch content (determined by the modified Ewert polarimetric method), referred to dry matter, exceeding 45 % by weight,
- an ash content, by weight, referred to dry matter (after deduction of any added minerals), not exceeding 1,6 % for rice, 2,5 % for wheat, 3 % for barley, 4 % for buckwheat, 5 % for oats and 2 % for other cereals.

Germ of cereals, whole, rolled, flaked or ground, falls in all cases within heading Nos 1103 and 1104.

II

(Acts whose publication is not obligatory)

COMMISSION

COMMISSION RECOMMENDATION of 22 December 1987

**amending High Authority recommendation No 1/64 of 15 January 1964 to the
Governments of the Member States concerning an increase in the protective
duty on iron and steel products at the external frontiers of the Community**

(88/27/ECSC)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to Articles 2 to 5, 8, 14, 57, 71, 74, 81 and 86 of the Treaty establishing the European Coal and Steel Community and Annex I thereto,

Whereas the Community is a Contracting Party to the International Convention on the Harmonized Commodity Description and Coding System, hereinafter referred to as the 'harmonized system', which is intended to replace the Convention on Nomenclature of 15 December 1950 for the classification of goods in the customs tariff;

Whereas Council Regulation (EEC) No 2658/87⁽¹⁾ established from 1 January 1988 a combined nomenclature of goods based on the nomenclature of the harmonized system which will meet at one and the same time the requirements of the Common Customs Tariff; whereas the combined nomenclature also covers ECSC products;

Whereas it is accordingly necessary to establish the descriptions and tariff numbers of the products listed in the Annex to High Authority recommendation No

1/64⁽²⁾ in line with the combined nomenclature based on the harmonized system and thereby to take into account the resulting tariff adjustments,

HAS ADOPTED THIS RECOMMENDATION :

Article 1

The Annex to High Authority recommendation No 1/64 is hereby replaced by the Annex hereto.

Article 2

This recommendation is addressed to the Member States.

Done at Brussels, 22 December 1987.

For the Commission

Willy DE CLERCQ

Member of the Commission

ANNEX

CN code	Description	Minimum duty rate (%)
1	2	3
I. Primary materials: products in granular or powder form		
7201 Pig iron and spiegeleisen in pigs, blocks or other primary forms:		
7201 10	– Non-alloy pig iron containing by weight 0,5 % or less of phosphorus:	
	– – Containing by weight not less than 0,4 % of manganese:	
	– – – Containing by weight 1 % or less of silicon	3,2
	– – – Containing by weight more than 1 % of silicon	3,2
7201 10 11	– – Containing by weight not less than 0,1 % but less than 0,4 % of manganese	3,2
7201 10 19	– – Containing by weight less than 0,1 % of manganese	3,2
7201 10 30	– Non-alloy pig iron containing by weight more than 0,5 % of phosphorus	4
7201 10 90	– Alloy pig iron:	
7201 10 90	– – Containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium	Free
7201 30 90	– – Other	3,2
7201 40 00	– Spiegeleisen	3,2
7202 Ferro-alloys:		
	– Ferro-manganese:	
7202 11	– – Containing by weight more than 2 % of carbon:	
7202 11 10	– – – With a granulometry not exceeding 10 mm and a manganese content by weight exceeding 65 %	4
7202 11 90	– – – Other	4
7202 99	– – Other:	
	– – – Ferro-phosphorus:	
7202 99 11	– – – – Containing by weight more than 3 % but less than 15 % of phosphorus	4
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms:	
7203 10 00	– Ferrous products obtained by direct reduction of iron ore	2,5 ⁽¹⁾
7203 90 00	– Other	3,2
7204 Ferrous waste and scrap; remelting scrap ingots of iron or steel:		
7204 10 00	– Waste and scrap of cast iron	Free
	– Waste and scrap of alloy steel:	
7204 21 00	– – Of stainless steel	Free
7204 29 00	– – Other	Free
7204 30 00	– Waste and scrap of tinned iron or steel	Free
	– Other waste and scrap:	
7204 41	– – Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles:	
7204 41 10	– – – Turnings, shavings, chips, milling waste, sawdust and filings	Free
	– – – Trimmings and stampings:	
7204 41 91	– – – – In bundles	Free
7204 41 99	– – – – Other	Free

⁽¹⁾ Autonomous total suspension for an indefinite period.

CN code	Description	Minimum duty rate (%)
1	2	3
7204 49	— Other :	
7204 49 10	— — Fragmentized (shredded)	Free
7204 49 30	— — Other :	
	— — — In bundles	Free
	— — — Other :	
7204 49 91	— — — — Neither sorted nor graded	Free
7204 49 99	— — — — Other	Free
7204 50	— Remelting scrap ingots :	
7204 50 10	— — Of alloy steel	Free
7204 50 90	— — Other	2,5
II. Iron and non-alloy steel		
7206	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading No 7203) :	
7206 10 00	— Ingots	2,5
7206 90 00	— Other	2,5
7207	Semi-finished products of iron or non-alloy steel :	
	— Containing by weight less than 0,25 % of carbon :	
7207 11	— — Of rectangular (including square) cross-section, the width measuring less than twice the thickness :	
	— — — Rolled or obtained by continuous casting :	
7207 11 11	— — — — Of free-cutting steel	3,2
7207 11 19	— — — — Other	3,2
7207 12	— — Other, of rectangular (other than square) cross-section :	
	— — — Rolled or obtained by continuous casting :	
7207 12 11	— — — — Of a thickness of 50 mm or more	3,2
7207 12 19	— — — — Of a thickness of less than 50 mm	3,2
7207 19	— — Other :	
	— — — Of circular or polygonal cross-section :	
	— — — — Rolled or obtained by continuous casting :	
7207 19 11	— — — — — Of free-cutting steel	6
7207 19 15	— — — — Other	4,4
	— — — Blanks for angles, shapes and sections :	
7207 19 31	— — — — Rolled or obtained by continuous casting	4,4
7207 20	— Containing by weight 0,25 % or more of carbon :	
	— — Of rectangular (including square) cross-section, the width measuring less than twice the thickness :	
	— — — Rolled or obtained by continuous casting :	
7207 20 11	— — — — Of free-cutting steel	3,2
	— — — — Other, containing by weight :	
7207 20 15	— — — — — 0,25 % or more but less than 0,6 % of carbon	3,2
7207 20 17	— — — — — 0,6 % or more of carbon	3,2
	— — — Other, of rectangular (other than square) cross-section :	
	— — — — Rolled or obtained by continuous casting :	

CN code	Description	Minimum duty rate (%)
1	2	3
7207 20 31	— — — Of a thickness of 50 mm or more	3,2
7207 20 33	— — — Of a thickness of less than 50 mm	3,2
	— — Of circular or polygonal cross-section:	
	— — — Rolled or obtained by continuous casting:	
7207 20 51	— — — — Of free-cutting steel	6
	— — — — Other:	
7207 20 55	— — — — Containing by weight 0,25 % or more but less than 0,6 % of carbon	4,4
7207 20 57	— — — — Containing by weight 0,6 % of carbon	4,4
	— — Blanks for angles, shapes and sections:	
7207 20 71	— — — Rolled or obtained by continuous casting	4,4
7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	
	— In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
7208 11 00	— — Of a thickness exceeding 10 mm	4,4
7208 12	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
7208 12 10	— — — Intended for re-rolling (1)	3,8
	— — — Other:	
7208 12 91	— — — — With patterns in relief	4,4
7208 12 99	— — — — Other	4,4
7208 13	— — Of a thickness of 3 mm or more but less than 4,75 mm:	
7208 13 10	— — — Intended for re-rolling (1)	3,8
	— — — Other:	
7208 13 91	— — — — With patterns in relief	4,4
7208 13 99	— — — — Other	4,4
7208 14	— — Of a thickness of less than 3 mm:	
7208 14 10	— — — Intended for re-rolling (1)	3,8
7208 14 90	— — — Other	4,4
	— Other, in coils, not further worked than hot-rolled:	
7208 21	— — Of a thickness exceeding 10 mm:	
7208 21 10	— — — With patterns in relief	4,4
7208 21 90	— — — Other	4,4
7208 22	— — Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
7208 22 10	— — — Intended for re-rolling (1)	3,8
	— — — Other:	
7208 22 91	— — — — With patterns in relief	4,4
7208 22 99	— — — — Other	4,4
7208 23	— — Of a thickness of 3 mm or more but less than 4,75 mm:	
7208 23 10	— — — Intended for re-rolling (1)	3,8
	— — — Other:	
7208 23 91	— — — — With patterns in relief	4,4
7208 23 99	— — — — Other	4,4
7208 24	— — Of a thickness of less than 3 mm:	
7208 24 10	— — — Intended for re-rolling (1)	3,8

(1) Entry under this subheading is subject to conditions laid down in the relevant Community provisions.

CN code	Description	Minimum duty rate (%)
1	2	3
7208 24 90	— — — Other — Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	4,4
7208 31 00	— — Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief	4,4
7208 32	— — Other, of a thickness exceeding 10 mm:	
7208 32 10	— — — With patterns in relief	4,9
	— — — Other, of a thickness:	
7208 32 30	— — — — Exceeding 20 mm	4,9
	— — — — Exceeding 15 mm but not exceeding 20 mm, of a width of:	
7208 32 51	— — — — — 2 050 mm or more	4,9
7208 32 59	— — — — — Less than 2 050 mm	4,9
	— — — — Exceeding 10 mm but not exceeding 15 mm, of a width of:	
7208 32 91	— — — — — 2 050 mm or more	4,9
7208 32 99	— — — — — Less than 2 050 mm	4,9
7208 33	— — Other, of a thickness of 4,75 mm or more but not exceeding 10 mm:	
7208 33 10	— — — With patterns in relief	4,9
	— — — Other, of a width of:	
7208 33 91	— — — — 2 050 mm or more	4,9
7208 33 99	— — — — Less than 2 050 mm	4,9
7208 34	— — Other, of a thickness of 3 mm or more but less than 4,75 mm:	
7208 34 10	— — — With patterns in relief	4,9
7208 34 90	— — — Other	4,9
7208 35	— — Other, of a thickness of less than 3 mm:	
7208 35 10	— — — Of a thickness of 2 mm or more	4,9
	— — — Of a thickness of less than 2 mm:	
7208 35 91	— — — — Of a thickness of 1 mm or more but less than 2 mm	4,4
7208 35 93	— — — — Of a thickness of 0,5 mm or more but less than 1 mm	4,4
7208 35 99	— — — — Of a thickness of less than 0,5 mm	4,4
	— Other, not in coils, not further worked than hot-rolled:	
7208 41 00	— — Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief	4,4
7208 42	— — Other, of a thickness exceeding 10 mm:	
7208 42 10	— — — With patterns in relief	4,9
	— — — Other, of a thickness:	
7208 42 30	— — — — Exceeding 20 mm	4,9
	— — — — Exceeding 15 mm but not exceeding 20 mm, of a width of:	
7208 42 51	— — — — — 2 050 mm or more	4,9
7208 42 59	— — — — — Less than 2 050 mm	4,9
	— — — — Exceeding 10 mm but not exceeding 15 mm, of a width of:	
7208 42 91	— — — — — 2 050 mm or more	4,9
7208 42 99	— — — — — Less than 2 050 mm	4,9

CN code	Description	Minimum duty rate (%)
1	2	3
7208 43	— Other, of a thickness of 4,75 mm or more but not exceeding 10 mm:	
7208 43 10	— — — With patterns in relief	4,9
7208 43 91	— — — Other, of a width of:	
7208 43 99	— — — — 2 050 mm or more	4,9
7208 44	— — — — Less than 2 050 mm	4,9
7208 44 10	— — Other, of a thickness of 3 mm or more but less than 4,75 mm:	
7208 44 90	— — — With patterns in relief	4,9
7208 45	— — — Other	4,9
7208 45 10	— — Other, of a thickness of less than 3 mm:	
7208 45 91	— — — Of a thickness of 2 mm or more	4,9
7208 45 93	— — — Of a thickness of less than 2 mm:	
7208 45 99	— — — — Of a thickness of 1 mm or more but less than 2 mm	4,4
7208 90	— — — — Of a thickness of 0,5 mm or more but less than 1 mm	4,4
7208 90 10	— — — — Of a thickness of less than 0,5 mm	4,4
7209	— Other:	
7209 10 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	4,9
7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:	
7209 11 00	— In coils, not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
7209 12	— — Of a thickness of 3 mm or more	4,9
7209 12 10	— — Of a thickness exceeding 1 mm but less than 3 mm:	
7209 12 90	— — — 'Electrical'	4,9
7209 13	— — — Other	4,4
7209 13 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm:	
7209 13 90	— — — 'Electrical'	4,9
7209 14	— — — Other	5,3
7209 14 10	— — Of a thickness of less than 0,5 mm:	
7209 14 90	— — — 'Electrical'	4,9
7209 21 00	— — — Other	5,3
7209 22	— Other, in coils, not further worked than cold-rolled (cold reduced):	
7209 22 10	— — Of a thickness of 3 mm or more	4,9
7209 22 90	— — Of a thickness exceeding 1 mm but less than 3 mm:	
7209 23	— — — 'Electrical'	4,9
7209 23 90	— — — Other	4,4
7209 24	— — Of a thickness of less than 0,5 mm:	
7209 24 10	— — — 'Electrical'	4,9
7209 24 91	— — — Other:	
7209 24 99	— — — — Of a thickness of 0,35 mm or more but less than 0,5 mm	5,3
7209 24 99	— — — — Of a thickness of less than 0,35 mm	5,3
7209 31 00	— Not in coils, not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
7209 31 00	— — Of a thickness of 3 mm or more	4,9

CN code	Description	Minimum duty rate (%)
1	2	3
7209 32	— Of a thickness exceeding 1 mm but less than 3 mm :	
7209 32 10	— — — 'Electrical'	4,9
7209 32 90	— — — Other	4,4
7209 33	— Of a thickness of 0,5 mm or more but not exceeding 1 mm :	
7209 33 10	— — — 'Electrical'	4,9
7209 33 90	— — — Other	5,3
7209 34	— Of a thickness of less than 0,5 mm :	
7209 34 10	— — — 'Electrical'	4,9
7209 34 90	— — — Other	5,3
7209 41 00	— Other, not in coils, not further worked than cold-rolled (cold-reduced) :	
7209 42	— — Of a thickness of 3 mm or more	4,9
7209 42 10	— — — Of a thickness exceeding 1 mm but less than 3 mm :	
7209 42 90	— — — — 'Electrical'	4,9
7209 43	— — — Other	4,4
7209 43 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm :	
7209 43 90	— — — 'Electrical'	4,9
7209 44	— — — Other	5,3
7209 44 10	— — Of a thickness of less than 0,5 mm :	
7209 44 90	— — — 'Electrical'	4,9
7209 90	— — — Other	5,3
7209 90 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
7210	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated :	4,9
7210 11	— Plated or coated with tin :	
7210 11 10	— — Of a thickness of 0,5 mm or more	
7210 12	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	4,9
7210 12 11	— — Of a thickness of less than 0,5 mm :	
7210 12 19	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square) :	
7210 20	— — — — Tinplate	4,9
7210 20 10	— — — — Other	4,9
7210 31	— Plated or coated with lead, including terne-plate :	
7210 31 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
7210 39	— — — Electrolytically plated or coated with zinc :	
7210 39 10	— — — — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa :	
7210 41	— — — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
7210 41 10	— — — — Other :	5,3
7210 41 40	— — — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	5,3
7210 41 41	— — — — Otherwise plated or coated with zinc :	
7210 41 42	— — — — Corrugated :	
7210 41 43	— — — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	5,3

CN code	Description	Minimum duty rate (%)
1	2	3
7210 49	— Other:	
7210 49 10	— Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	5,3
7210 50	— Plated or coated with chromium oxides or with chromium and chromium oxides:	
7210 50 10	— Not further worked than surface treated or simply cut into shapes other than rectangular (including square)	4,9
7210 60	— Plated or coated with aluminium:	
7210 60 11	— Not further worked than surface-treated or simply cut into shapes other than rectangular (including square):	4,9
7210 60 19	— Plated or coated with aluminium-zinc alloys	4,9
7210 70	— Other	4,9
7210 70 11	— Painted, varnished or coated with plastics:	
7210 70 19	— Not further worked than surface-treated or simply cut into shapes other than rectangular (including square):	4,9
7210 90	— Tin plate, varnished	4,9
7210 90 11	— Other	4,9
7210 90 19	— Other:	
7210 90 31	— Other:	4,9
7210 90 33	— Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square):	4,9
7210 90 35	— Clad	4,9
7210 90 39	— Tinned and printed	4,9
7211	— Plated or coated with chromium or nickel	4,9
7211	— Other	4,9
7211 11 00	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
7211 11 10	— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	4,4
7211 11 20	— Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	4,4
7211 11 30	— Other, of a thickness of 4,75 mm or more:	4,4
7211 11 40	— Of a width exceeding 500 mm	4,4
7211 11 50	— Of a width not exceeding 500 mm	5,3
7211 11 60	— Other:	
7211 11 70	— Of a width exceeding 500 mm	4,4
7211 11 80	— Of a width not exceeding 500 mm:	
7211 11 90	— Of a thickness of 3 mm or more but less than 4,75 mm	5,3
7211 11 91	— Of a thickness of less than 3 mm	5,3
7211 11 99	— Other, not further worked than hot-rolled:	
7211 21 00	— Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	4,4
7211 21 10	— Other, of a thickness of 4,75 mm or more:	4,4
7211 21 20	— Of a width exceeding 500 mm	4,4
7211 21 30	— Of a width not exceeding 500 mm	5,3
7211 21 40	— Other:	
7211 21 50	— Of a width exceeding 500 mm	4,4
7211 21 60	— Of a width not exceeding 500 mm:	
7211 21 70	— Of a thickness of 3 mm or more but less than 4,75 mm	5,3
7211 21 80	— Of a thickness of less than 3 mm	5,3

CN code	Description	Minimum duty rate (%)
1	2	3
7211 30	— Not further worked than cold-rolled (cold-reduced), of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: — — Of a width exceeding 500 mm — — Other, not further worked than cold-rolled (cold-reduced):	4,9
7211 30 10	— — — Containing by weight less than 0,25 % of carbon:	4,9
7211 41	— — — — Of a width exceeding 500 mm	4,9
7211 41 10	— — — — Of a width not exceeding 500 mm: — — — — — In coils intended for the manufacture of tin plate	5,3
7211 41 91	— — — — Other:	4,9
7211 49	— — — — Of a width exceeding 500 mm	4,9
7211 49 10	— — Other: — — Of a width exceeding 500 mm:	4,9
7211 90	— — — Not further worked than surface-treated	4,9
7211 90 11	Flat-rolled products of iron or non-alloys steel, of a width of less than 600 mm, clad, plated or coated:	
7212	— Plated or coated with tin: — — Tin plate, not further worked than surface-treated	4,9
7212 10	— — Other: — — — Of a width exceeding 500 mm:	4,9
7212 10 10	— — — — Not further worked than surface-treated	4,9
7212 10 91	— Electrolytically plated or coated with zinc: — — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	4,9
7212 21	— — — Of a width exceeding 500 mm: — — — — Not further worked than surface-treated	5,3
7212 21 11	— — — Other:	5,3
7212 29	— — — Of a width exceeding 500 mm: — — — — Not further worked than surface-treated	5,3
7212 29 11	— — — Other:	5,3
7212 30	— Otherwise plated or coated with zinc: — — Of a width exceeding 500 mm:	5,3
7212 30 11	— — — Not further worked than surface-treated	5,3
7212 40	— Painted, varnished or coated with plastics:	4,9
7212 40 10	— Tin plate, not further worked than varnished	4,9
7212 40 91	— — Other: — — — Of a width exceeding 500 mm:	4,9
7212 50	— — — — Not further worked than surface-treated	4,9
7212 50 31	— — — Other:	5,3
7212 50 51	— — — — Not further worked than surface-treated	4,9
7212 60	— Clad: — — Of a width exceeding 500 mm:	4,9
7212 60 11	— — — Not further worked than surface-treated	4,9
7212 60 91	— — — Of a width not exceeding 500 mm: — — — — Not further worked than surface-treated:	4,9
	— — — — — Hot-rolled, not further worked than clad	4,9

CN code	Description	Minimum duty rate (%)
1	2	3
7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel:	
7213 10 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process	4,9
7213 20 00	- Of free-cutting steel	6
7213 31 00	- Other, containing by weight less than 0,25 % of carbon:	
7213 39 00	-- Of circular cross-section measuring less than 14 mm in diameter	4,9
7213 41 00	-- Other:	4,9
7213 49 00	- Other, containing by weight 0,25 % or more but less than 0,6 % of carbon:	
7213 50 00	-- Of circular cross-section measuring less than 14 mm in diameter	4,9
7214	- Other, containing by weight 0,6 % or more of carbon	4,9
7214 20 00	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:	
7214 30 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	4,4
7214 40	- Of free-cutting steel	6
7214 40 10	- Other, containing by weight less than 0,25 % of carbon:	
7214 40 91	-- Of rectangular (other than square) cross-section, rolled on four faces	4,4
7214 40 99	-- Other, with a maximum cross-sectional dimension of:	
7214 50	--- 80 mm or more	4,4
7214 50 99	--- Less than 80 mm	4,4
7214 50 10	- Other, containing by weight 0,25 % or more but less than 0,6 % of carbon:	
7214 50 91	-- Of rectangular (other than square) cross-section, rolled on four faces	4,4
7214 50 99	-- Other, with a maximum cross-sectional dimension of:	
7214 50 91	--- 80 mm or more	4,4
7214 50 99	--- Less than 80 mm	4,4
7214 60 00	- Other, containing by weight 0,6 % or more of carbon	4,4
7215	Other bars and rods of iron or non-alloy steel:	
7215 90	- Other:	
7215 90 10	-- Hot-rolled, hot-drawn or extruded, not further worked than clad	3,8
7216	Angles, shapes and sections of iron or non-alloy steel:	
7216 10 00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	4,4
7216 21 00	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:	
7216 22 00	-- L sections	4,4
7216 31 00	-- T sections	4,4
7216 32 00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:	
7216 33 00	-- U sections	4,4
7216 40	-- I sections	4,4
7216 40 10	-- H sections	4,4
7216 40 90	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:	
7216 50	-- L sections	4,4
7216 50 10	-- T sections	4,4
7216 50 90	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:	
7216 50 99	-- With a cross-section which is capable of being enclosed in a square the side of which is 80 mm	4,4
7216 90	-- Other:	4,4
7216 90 10	-- Hot-rolled, hot-drawn or extruded, not further worked than clad	3,8

CN code	Description	Minimum duty rate (%)
1	2	3
III. Stainless steel		
7218	Stainless steel in ingots or other primary forms ; semi-finished products of stainless steel :	
7218 10 00	- Ingots and other primary forms	2,5
7218 90	- Other :	
	-- Of rectangular (including square) cross-section :	
	--- Rolled or obtained by continuous casting :	
	---- Of a width measuring less than twice the thickness, containing by weight :	
7218 90 11	----- 2,5 % or more of nickel	3,2
7218 90 13	----- Less than 2,5 % of nickel	3,2
	----- Other, containing by weight :	
7218 90 15	----- 2,5 % or more of nickel	3,2
7218 90 19	----- Less than 2,5 % of nickel	3,2
	----- Other :	
7218 90 50	----- Rolled or obtained by continuous casting	6
7219	Flat-rolled products of stainless steel, of a width of 600 mm or more :	
	- Not further worked than hot-rolled, in coils :	
7219 11	-- Of a thickness exceeding 10 mm :	
7219 11 10	--- Containing by weight 2,5 % or more of nickel	6
7219 11 90	--- Containing by weight less than 2,5 % of nickel	6
7219 12	-- Of a thickness of 4,75 mm or more but not exceeding 10 mm :	
7219 12 10	--- Containing by weight 2,5 % or more of nickel	6
7219 12 90	--- Containing by weight less than 2,5 % of nickel	6
7219 13	-- Of a thickness of 3 mm or more but less than 4,75 mm :	
7219 13 10	--- Containing by weight 2,5 % or more of nickel	6
7219 13 90	--- Containing by weight less than 2,5 % of nickel	6
7219 14	-- Of a thickness of less than 3 mm :	
7219 14 10	--- Containing by weight 2,5 % or more of nickel	6
7219 14 90	--- Containing by weight less than 2,5 % of nickel	6
	- Not further worked than hot-rolled, not in coils :	
7219 21	-- Of a thickness exceeding 10 mm :	
7219 21 10	--- Containing by weight 2,5 % or more of nickel	6
7219 21 90	--- Containing by weight less than 2,5 % of nickel	6
7219 22	-- Of a thickness of 4,75 mm or more but not exceeding 10 mm :	
7219 22 10	--- Containing by weight 2,5 % or more of nickel	6
7219 22 90	--- Containing by weight less than 2,5 % of nickel	6
7219 23	-- Of a thickness of 3 mm or more but less than 4,75 mm :	
7219 23 10	--- Containing by weight 2,5 % or more of nickel	6
7219 23 90	--- Containing by weight less than 2,5 % of nickel	6
7219 24	-- Of a thickness of less than 3 mm :	
7219 24 10	--- Containing by weight 2,5 % or more of nickel	6
7219 24 90	--- Containing by weight less than 2,5 % of nickel	6
	- Not further worked than cold-rolled (cold-reduced) :	
7219 31	-- Of a thickness of 4,75 mm or more :	
7219 31 10	--- Containing by weight 2,5 % or more of nickel	6
7219 31 90	--- Containing by weight less than 2,5 % of nickel	6

CN code	Description	Minimum duty rate (%)
1	2	3
7219 32	— Of a thickness of 3 mm or more but less than 4,75 mm:	
7219 32 10	— — Containing by weight 2,5 % or more of nickel	6
7219 32 90	— — Containing by weight less than 2,5 % of nickel	6
7219 33	— Of a thickness exceeding 1 mm but less than 3 mm:	
7219 33 10	— — Containing by weight 2,5 % or more of nickel	6
7219 33 90	— — Containing by weight less than 2,5 % of nickel	6
7219 34	— Of a thickness of 0,5 mm or more but not exceeding 1 mm:	
7219 34 10	— — Containing by weight 2,5 % or more of nickel	6
7219 34 90	— — Containing by weight less than 2,5 % of nickel	6
7219 35	— Of a thickness of less than 0,5 mm:	
7219 35 10	— — Containing by weight 2,5 % or more of nickel	6
7219 35 90	— — Containing by weight less than 2,5 % of nickel	6
7219 90	— Other:	
7219 90 11	— — Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square): — — — Containing by weight 2,5 % or more of nickel	6
7219 90 19	— — — Containing by weight less than 2,5 % of nickel	6
7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:	
7220 11 00	— Not further worked than hot-rolled:	
7220 12 00	— — Of a thickness of 4,75 mm or more	6
7220 20	— — Of a thickness of less than 4,75 mm	6
7220 20 10	— Not further worked than cold-rolled (cold-reduced):	
7220 90	— — Of a width exceeding 500 mm	6
7220 90 11	— Other:	
7220 90 19	— — Of a width exceeding 500 mm:	
7220 90 11 00	— — — Not further worked than surface-treated, including cladding	6
7220 90 11 10	— — — Of a width not exceeding 500 mm:	
7220 90 11 20	— — — — Not further worked than surface-treated, including cladding:	
7220 90 31	— — — — Hot-rolled, not further worked than clad	6
7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel:	
7221 00 10	— Containing by weight 2,5 % or more of nickel	6
7221 00 90	— Containing by weight less than 2,5 % of nickel	6
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:	
7222 10	— Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:	
7222 10 10	— — Of circular cross-section of a diameter of 80 mm or more, containing by weight:	
7222 10 11	— — — 2,5 % or more of nickel	6
7222 10 19	— — — Less than 2,5 % of nickel	6
7222 10 91	— — Other, containing by weight:	
7222 10 99	— — — 2,5 % or more of nickel	6
7222 30	— — — Less than 2,5 % of nickel	6
7222 30 10	— Other bars and rods:	
7222 30 11	— — Hot-rolled, hot-drawn or extruded, not further worked than clad	5

CN code	Description	Minimum duty rate (%)
1	2	3
7222 40	— Angles, shapes and sections :	
	— — Not further worked than hot-rolled, hot-drawn or extruded :	
7222 40 11	— — — Containing by weight 2,5 % or more of nickel	6
7222 40 19	— — — Containing by weight less than 2,5 % of nickel	6
	— — Other :	
7222 40 30	— — — Hot-rolled, hot-drawn or extruded, not further worked than clad	5
	IV. Other alloy steel : hollow drill bars and rods, of alloy or non-alloy steel	
7224	Other alloy steel in ingots or other primary forms ; semi-finished products of other alloy steel :	
7224 10 00	— Ingots and other primary forms	2,5
7224 90	— Other :	
	— — Of rectangular (including square) cross-section :	
7224 90 11	— — — Hot-rolled or obtained by continuous casting	3,2
	— — Other :	
7224 90 30	— — — Hot-rolled or obtained by continuous casting	6
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more :	
7225 10	— Of silicon-electrical steel :	
7225 10 10	— — Hot-rolled	6
	— — Cold-rolled :	
7225 10 91	— — — Grain oriented	6
7225 10 99	— — — Non grain oriented	6
7225 20	— Of high-speed steel :	
	— — Not further worked than rolled :	
7225 20 11	— — — Not further worked than hot-rolled	6
7225 20 19	— — — Not further worked than cold-rolled (cold-reduced)	6
	— — Other :	
7225 20 30	— — — Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	6
7225 30 00	— Other, not further worked than hot-rolled, in coils	6
7225 40	— Other, not further worked than hot-rolled, not in coils :	
7225 40 10	— — Of a thickness exceeding 20 mm	6
7225 40 30	— — Of a thickness exceeding 15 mm but not exceeding 20 mm	6
7225 40 50	— — Of a thickness of 4,75 mm or more but not exceeding 15 mm	6
7225 40 70	— — Of a thickness of 3 mm or more but less than 4,75 mm	6
7225 40 90	— — Of a thickness of less than 3 mm	6
7225 50 00	— Other, not further worked than cold-rolled (cold-reduced)	6
7225 90	— Other :	
7225 90 10	— — Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	6
7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm :	
7226 10	— Of silicon-electrical steel :	
7226 10 10	— — Not further worked than hot-rolled	6
	— — Other :	
7226 10 30	— — — Of a width exceeding 500 mm	6

CN code	Description	Minimum duty rate (%)
1	2	3
7226 20	- Of high-speed steel :	
7226 20 10	- - Not further worked than hot-rolled	6
7226 20 31	- - Not further worked than cold-rolled (cold-reduced) :	
7226 20 31	- - - Of a width exceeding 500 mm	6
7226 20 31	- - - Other :	
7226 20 31	- - - - Of a width exceeding 500 mm :	
7226 20 51	- - - - Not further worked than surface-treated, including cladding	6
7226 20 51	- - - - Of a width not exceeding 500 mm :	
7226 20 51	- - - - Not further worked than surface-treated, including cladding :	
7226 20 71	- - - - - Hot-rolled, not further worked than clad	6
7226 20 71	- - Other :	
7226 91 00	- - Not further worked than hot-rolled	6
7226 92	- - Not further worked than cold-rolled (cold-reduced) :	
7226 92 10	- - - Of a width exceeding 500 mm	6
7226 99	- - - Other :	
7226 99 11	- - - - Of a width exceeding 500 mm :	
7226 99 11	- - - - Not further worked than surface-treated, including cladding	6
7226 99 11	- - - - Of a width not exceeding 500 mm :	
7226 99 11	- - - - Not further worked than surface-treated, including cladding :	
7226 99 31	- - - - - Hot-rolled, not further worked than clad	6
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel :	
7227 10 00	- Of high-speed steel	6
7227 20 00	- Of silico-manganese steel	6
7227 90	- Other :	
7227 90 10	- - Containing by weight 0,0008 % or more of boron	6
7227 90 90	- - Other	6
7228	Other bars and rods of other alloy steel ; angles, shapes and sections, of other alloy steel ; hollow drill bars and rods, of alloy or non-alloy steel :	
7228 10	- Bars and rods, of high-speed steel :	
7228 10 10	- - Not further worked than hot-rolled, hot-drawn or extruded	6
7228 10 10	- - Other :	
7228 10 30	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad	5
7228 20	- Bars and rods, of silico-manganese steel :	
7228 20 11	- - Not further worked than hot-rolled, hot-drawn or extruded :	
7228 20 19	- - - Of rectangular (other than square) cross-section, rolled on four faces	6
7228 20 19	- - - Other	6
7228 20 30	- - - Other :	
7228 30	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad	5
7228 30 10	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded :	6
7228 30 90	- - Of circular cross-section of a diameter of 80 mm or more	6
7228 60	- - Other	6
7228 60 10	- - Other bars and rods :	
7228 60 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad	5

CN code 1	Description 2	Minimum duty rate (%) 3
7228 70	— Angles, shapes and sections :	
7228 70 10	— — Not further worked than hot-rolled, hot-drawn or extruded	6
	— — Other :	
7228 70 31	— — — Hot-rolled, hot-drawn or extruded, not further worked than clad	5
7228 80	— Hollow drill bars and rods :	
7228 80 10	— — Of alloy steel	6
7228 80 90	— — Of non-alloy steel	3,8
7301	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements ; welded angles, shapes and sections, of iron or steel :	
7301 10 00	— Sheet piling	4,4
7302	Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails :	
7302 10	— Rails :	
	— — Other :	
	— — — New :	
7302 10 31	— — — — Of a weight per m of 20 kg or more	4,4
7302 10 39	— — — — Of a weight per m of less than 20 kg	4,4
7302 10 90	— — — Used	2,5
7302 20 00	— Sleepers (cross-ties)	3,8
7302 40	— Fish-plates and sole plates :	
7302 40 10	— — Rolled	3,8
7302 90	— Other :	
7302 90 10	— — Check-rails	3,8

CORRIGENDA

Corrigendum to Commission Regulation (EEC) No 3773/87 of 16 December 1987 amending Regulation (EEC) No 1577/81 establishing a system of simplified procedures for the determination of the customs value of certain perishable goods

(Official Journal of the European Communities No L 355 of 17 December 1987)

Page 21, Annex, heading 1.30, column 3 :

for: 'Onions (other than seed)',

read: 'Onions (other than sets)'.

Corrigendum to Commission Regulation (EEC) No 3964/87 of 23 December 1987 fixing the export refunds on beef and veal

(Official Journal of the European Communities No L 371 of 30 December 1987)

Page 50, note ⁽⁸⁾, code 05 :

The following phrase is inserted after 'Greenland' :

'and the destinations referred to in Article 34 of Regulation (EEC) No 3665/87 (OJ No L 351, 14. 12. 1987, p. 1)',
