

Official Journal

of the European Communities

ISSN 0378-6978

L 254

Volume 45

23 September 2002

English edition

Legislation

Contents

I Acts whose publication is obligatory

| | |
|--|---|
| ★ Commission Directive 2002/75/EC of 2 September 2002 amending Council Directive 96/98/EC on marine equipment ⁽¹⁾ | 1 |
|--|---|

I

*(Acts whose publication is obligatory)***COMMISSION DIRECTIVE 2002/75/EC****of 2 September 2002****amending Council Directive 96/98/EC on marine equipment****(Text with EEA relevance)**

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community, and in particular Article 80(2) thereof,

Having regard to Council Directive 96/98/EC of 20 December 1996 on marine equipment (¹), as last amended by Commission Directive 2001/53/EC (²), and in particular first and second indent of Article 17 thereof,

Whereas:

- (1) For the purposes of Directive 96/98/EC, the international conventions, including the 1974 SOLAS Convention, and testing standards are those, together with their amendments, in force on 1 January 2001.
- (2) Amendments to the SOLAS Convention and to other international conventions and new testing standards have entered into force after 1 January 2001 or will enter into force shortly.
- (3) New rules regarding the equipment to be placed on board ships have been laid down by those instruments.
- (4) Directive 96/98/EC should be amended accordingly.
- (5) The measures provided for in this Directive are in accordance with the opinion of the Committee set up by Article 12 of Council Directive 93/75/EEC (³),

1. Article 2 is amended as follows:

In points (c), (d) and (n), the date '1 January 2001' is replaced by the date '1 July 2002';

2. Annex A is replaced by the text in the annex to this Directive.

Article 2

Equipment listed as 'new item' under the heading 'item designation' of Annex A.1 which was manufactured before the date referred to in Article 3(1) in accordance with procedures for type-approval already in force before the date of adoption of this Directive within the territory of the Member State mentioned below, as well as equipment listed in Annex A.1, Sections 4 and 5, bearing the mark and manufactured before the date referred to in Article 3(1), may be placed on the market and on board a Community ship, the certificates of which were issued by or on behalf of a Member State in accordance with international conventions, during the two years following that referred to in Article 3(1).

Article 3

1. Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with this Directive not later than six months after its date of entry into force. They shall forthwith inform the Commission thereof.

When Member States adopt those provisions, they shall contain a reference to this Directive or be accompanied by such a reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

2. Member States shall communicate to the Commission the provisions of national law, which they adopt in the field covered by this Directive.

HAS ADOPTED THIS DIRECTIVE:

Article 1

Directive 96/98/EC is amended as follows:

(¹) OJ L 46, 17.2.1997, p. 25.

(²) OJ L 204, 28.7.2001, p. 1.

(³) OJ L 247, 5.10.1993, p. 19.

Article 4

This Directive shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

Article 5

This Directive is addressed to the Member States.

Done at Brussels, 2 September 2002

For the Commission

Loyola DE PALACIO

Member of the Commission

ANNEX

'ANNEX A

ANNEX A.1: Equipment for which detailed testing standards already exist in international instruments*Notes applicable to the whole of Annex A.1*

General: in addition to the testing standards specifically mentioned, a number of provisions, which must be checked during type-examination (type approval) as referred to in the modules for conformity assessment in Annex B, are to be found in the applicable requirements of the international conventions and the relevant resolutions and circulars of the IMO.

Column 5: Where IMO Resolutions are cited, only the testing standards contained in relevant parts of the Annexes to the Resolutions are applicable and exclude the provisions of the Resolutions themselves.

Column 5: For the purpose of identifying correctly the relevant standards, the test reports and the appropriate type-approval certificates shall specify the specific testing standard applied and its version, as identified in column 5.

Column 5: Where two sets of testing standards are indicated (separated by a " ;" or separated by a "or"), each set fulfils all the testing requirements to meet IMO Performance Standards. Thus testing to one set is sufficient to demonstrate compliance with the requirements of the relevant International Instruments.

Column 6: Where module H appears, module H plus design-examination certificate is to be understood.

1. Life-saving appliances*Notes applicable to section 1: Life saving appliances*

Columns 3 and 4: Where these columns are split into two levels for a particular item designator, the upper level refers where applicable to vessels constructed under the HSC Code prior to 1 July 2002, and the lower box refers to vessels where applicable operating under the HSC Code on or after 1 July 2002.

| No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | | | Testing standards | | | Modules for conformity assessment | | |
|---------|------------------|--|--|--|----------------------------|-------------------|---|---|-----------------------------------|--|--|
| | | | B + C | B + D | B + E | B + F | G | H | | | |
| 1 | 2 | 3 | 4 | 4 | 5 | 5 | 5 | 6 | | | |
| A.1/1.1 | Lifebuoys | Regulation III/4, Regulation X/3 | Regulation III/7.1 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1.3, 8.3 (1994 HSC Code) | Regulation III/7.1 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1.3, 8.3 (1994 HSC Code) | IMO Resolution MSC.81 (70) | X | X | X | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|--|---------------------------------|---|---|---------------------------|
| A.1/1.2 | Position-indicating lights for life-saving appliances (a) For survival craft and rescue boats (b) For lifebuoys (c) For lifejackets | Regulation II/4, Regulation X/3 | Regulation II/7.1.3, II/22.1.2, III/22.3.1, III/32.1, III/32.2 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.3 and 8.10 (1994 HSC Code), IMO MSC/Circ. 88/5 | IMO Resolution MSC.81 (70), except for battery requirements as specified in EN 394 (1993) which only apply to lifejacket lights | X X X X |
| A.1/1.3 | Lifebuoys self-activating smoke signals | Regulation II/4, Regulation X/3 | Regulation II/7.1.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.3 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X X X |
| A.1/1.4 | Lifejackets | Regulation II/4, Regulation X/3 | Regulation II/7.1.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97(73) 8.1, 8.3 (2000 HSC Code) | IMO Resolution MSC.81(70), except for battery requirements as specified in EN 394 (1993) which only apply to lifejacket lights | X X X X |
| A.1/1.5 | Immersion suits and anti-exposure suits — insulated or not insulated | Regulation II/4, Regulation X/3 | Regulation II/7.2 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.3 (1994 HSC Code) | Regulation II/7.2 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97(73) 8.1, 8.3 (2000 HSC Code) | IMO Resolution MSC.81(70) |
| | | Regulation II/4, Regulation X/3 | Regulation II/7.3, II/22.4, III/32.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.3 (1994 HSC Code) | Regulation II/7.3, II/22.4, III/32.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97(73) 8.1, 8.3 (2000 HSC Code) | X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|----------------------------------|--|---------------------------|-------|
| A.1/1.6 | Immersion suits and anti exposure suits classified as lifejackets | Regulation III/4, Regulation X/3 | Regulation III/7.3, III/22.4, III/32.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.3 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X X |
| A.1/1.7 | Thermal protective aids | Regulation III/4 | Regulation III/7.3, III/22.4, III/32.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97(73) 8.1, 8.3 (2000 HSC Code) | IMO Resolution MSC.81(70) | X X X |
| A.1/1.8 | Rocket parachute flares (pyrotechnics) | Regulation III/4, Regulation X/3 | Regulation III/6.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.2 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X |
| A.1/1.9 | Hand flares (pyrotechnics) | Regulation III/4, Regulation X/3 | Regulation III/6.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97(73) 8.1, 8.2 (2000 HSC Code) | IMO Resolution MSC.81(70) | X X |
| A.1/1.10 | Buoyant smoke signals (pyrotechnics) | Regulation III/4 | Regulation III/34, IMO Resolution MSC.48 (66) | IMO Resolution MSC.81(70) | X X |
| A.1/1.11 | Line-throwing appliances (pyrotechnics) | Regulation III/4, Regulation X/3 | Regulation III/18 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.8 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X |
| | | Regulation III/4, Regulation X/3 | Regulation III/18 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97(73) 8.1, 8.8 (2000 HSC Code) | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---------------------------------------|----------------------------------|---|---------------------------|---|
| A.1/1.12 | Inflatable liferafts | Regulation III/4, Regulation X/3 | Regulation II/21.1, III/31.1 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ.811, IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6, 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/21.1, III/31.1 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ.811, IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6, 8.7 and 8.10 (2000 HSC Code) | IMO Resolution MSC.81(70) | X |
| A.1/1.13 | Rigid liferafts | Regulation III/4, Regulation X/3 | Regulation II/21.1, III/31.1.1.2 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 811, IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6, 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/21.1, III/31.1.1.2 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 811, IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6, 8.7 and 8.10 (2000 HSC Code) | IMO Resolution MSC.81(70) | X |
| A.1/1.14 | Automatically self-righting liferafts | Regulation III/4, Regulation X/3 | Regulation II/26.2.4 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 809 (1), IMO MSC/Circ. 811, IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6, 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/26.2.4 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 809 (1), IMO MSC/Circ. 811, IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6, 8.7 and 8.10 (2000 HSC Code) | IMO Resolution MSC.81(70) | X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|----------------------------------|---|---------------------------|---|
| A.1/1.15 | Canopied reversible liferafts | Regulation III/4, Regulation X/3 | Regulation III/26.2.4 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 809 (1), IMO MSC/Circ.811, IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation III/26.2.4 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 809 (1), IMO MSC/Circ.811, IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6, 8.7 and 8.10 (2000 HSC Code) | IMO Resolution MSC.81(70) | X |
| A.1/1.16 | Float-free arrangements for liferafts (hydrostatic release units) | Regulation III/4, Regulation X/3 | Regulation III/13.4.2, III/26.2.2 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 811, IMO Resolution MSC.36 (63) 8.1 and 8.6 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation III/13.4.2, III/26.2.2 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 811, IMO Resolution MSC.97 (73) 8.1 and 8.6 (2000 HSC Code) | IMO Resolution MSC.81(70) | X |
| A.1/1.17 | Lifeboats | Regulation III/4, Regulation X/3 | Regulation III/21.1, III/31.1.1.1, III/31.1.2.1, III/31.1.6, III/31.1.7 and III/34, IMO Resolution MSC.48 (66) | IMO Resolution MSC.81(70) | X |
| A.1/1.18 | Rigid rescue boats | Regulation III/4, Regulation X/3 | Regulation III/21.2, III/31.2 and III/34, IMO Resolution MSC.48(66), IMO Resolution MSC.36(63) 8.1, 8.10 1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation III/21.2, III/31.2 and III/34, IMO Resolution MSC.48(66), IMO Resolution MSC.97(73) 8.1, 8.10 2000 HSC Code) | IMO Resolution MSC.81(70) | X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|----------------------------------|--|---------------------------|---|
| A.1/1.19 | Inflated rescue boats | Regulation III/4, Regulation X/3 | Regulation II/21.2, III/31.2 and III/34, IMO Resolution MSC.48(66), IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6, 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/21.2, III/31.2 and III/34, IMO Resolution MSC.48(66), IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6, 8.7 and 8.10 (2000 HSC Code) | | X |
| A.1/1.20 | Fast rescue boats | Regulation III/4, Regulation X/3 | Regulation III/26.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1 (1994 HSC Code), IMO MSC/Circ.809 (1) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/26.3 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1 (2000HSC Code), IMO MSC/Circ.809 (1) | | X |
| A.1/1.21 | Launching appliances using fall and winch (davits) | Regulation III/4, Regulation X/3 | Regulation II/23, III/33 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6 and 8.7 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/23, III/33 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6 and 8.7 (2000 HSC Code) | | X |
| A.1/1.22 | Float-free launching appliances for survival craft | Moved to Annex A.2 | | | |
| A.1/1.23 | Launching appliances for free-fall lifeboats | Regulation III/4, Regulation X/3 | Regulation II/33 and II/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36(63) 8.1, 8.5 and 8.7 (1994 HSC Code) | IMO Resolution MSC.81(70) | X |
| | | Regulation III/4, Regulation X/3 | Regulation II/33 and II/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1, 8.5 and 8.7 (2000 HSC Code) | | X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|----------------------------------|---|---------------------------|-----------|
| A.1/1.24 | Liferaft launching appliances | Regulation III/4, Regulation X/3 | Regulation III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.5, 8.6 and 8.7 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| | | Regulation III/4, Regulation X/3 | Regulation III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6 and 8.7 (2000 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| A.1/1.25 | Fast rescue boat launching appliances | Regulation III/4, Regulation X/3 | Regulation III/26.3.2 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1 (1994 HSC Code), IMO MSC/Circ. 809 (1) | IMO Resolution MSC.81(70) | X X X X X |
| | | Regulation III/4, Regulation X/3 | Regulation III/26.3.2 and III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1 (2000 HSC Code), IMO MSC/Circ. 809 (1) | IMO Resolution MSC.81(70) | X X X X X |
| A.1/1.26 | Release mechanism for (a) lifeboats and rescue boats and (b) Liferafts Launched by a fall or falls | Regulation III/4, Regulation X/3 | Regulation III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1 and 8.5 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| | | Regulation III/4, Regulation X/3 | Regulation III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1 and 8.5 (2000 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| A.1/1.27 | Marine evacuation systems | Regulation III/4, Regulation X/3 | Regulation III/15, III/26.2.1, III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1, 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| | | Regulation III/4, Regulation X/3 | Regulation III/15, III/26.2.1, III/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1, 8.7 and 8.10 (2000 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| A.1/1.28 | Means of rescue | Regulation III/4, Regulation X/3 | Regulation III/26.4 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 810 (1), IMO Resolution MSC.36 (63) 8.1, 8.5 and 8.10 (1994 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |
| | | Regulation III/4, Regulation X/3 | Regulation III/26.4 and III/34, IMO Resolution MSC.48 (66), IMO MSC/Circ. 810 (2), IMO Resolution MSC.97 (73) 8.1, 8.5 and 8.10 (2000 HSC Code) | IMO Resolution MSC.81(70) | X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|------------------------------------|--|---|-----------|
| A.1/1.29 | Embarkation ladders | Item moved to A.2/1.4 | | | |
| A.1/1.30 | Retro-reflective materials | Regulation II/4 MSC.48 (66) | Regulation II/34, IMO Resolution MSC.48 (66) | IMO Resolution A.658 (16) Annex 2 | X X X X |
| A.1/1.31 | Survival craft two-way VHF radio telephone apparatus | Moved to A.1/5.17 and A.1/5.18 | | | |
| A.1/1.32 | 9GHz SAR transponder (SART) | Moved to A.1/4.18 | | | |
| A.1/1.33 | Radar reflector for lifeboats and rescue boats | Regulation II/4, Regulation X/3 | Regulation II/34, IMO Resolution MSC.48 (66) | IMO Resolution A.384 (X), EN/ISO 8729 (1998) IMO Resolution A.384 (X), ISO 8729 (1997) | X X X X X |
| A.1/1.34 | Compass for lifeboats and rescue boats | Moved to A.1/4.23 | | | |
| A.1/1.35 | Portable fire-extinguishing equipment for lifeboats and rescue boats | Moved to A.1/3.38 | | | |
| A.1/1.36 | Lifeboat/rescue boat propulsion engine | Regulation II/4 MSC.48 (66) | Regulation II/34, IMO Resolution MSC.48 (66) | IMO Resolution MSC.81(70) | X X X X |
| A.1/1.37 | Rescue boat propulsion engine-outboard motor | Regulation II/4 MSC.48 (66) | Regulation II/34, IMO Resolution MSC.48 (66) | IMO Resolution MSC.81(70) | X X X X |
| A.1/1.38 | Searchlights for use in Lifeboats and Rescue Boats | Regulation II/4, Regulation X/3 | Regulation II/34, IMO Resolution MSC.48 (66) | IMO Resolution MSC.81(70) | X X X X |
| A.1/1.39 | Open reversible liferafts | Regulation II/4, Regulation X/3 | IMO Resolution MSC.36 (63) 8.1, 8.5, 8.7 and 8.10 (1994 HSC Code) | IMO Resolution MSC.36 (63) Annex 10 (1994 HSC Code) | X |
| | | Regulation II/4, Regulation X/3 | IMO Resolution MSC.97 (73) 8.1, 8.5, 8.6, 8.7 and 8.10 (2000 HSC Code) | IMO Resolution MSC.97 (73) Annex 11 (2000 HSC Code) | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-------------------------|------------------------|---------------------|---|----------------|---------|
| A.1/1.40 ex A.1/4.17 | Mechanical pilot hoist | Regulation V/17 (b) | Regulation V/17 (f), IMO Resolution A.889 (21), IMO MSC/Circ. 773 | ISO 799 (1986) | X X X X |
| | | Regulation V/23 | Regulation V/23.6, IMO Resolution A.889 (21), IMO MSC/Circ. 773 | | |

(¹) MSC Circ. 809 is only applicable if the equipment is to be fitted on ro-ro passenger ships.
 (²) SC Circ. 810 is only applicable if the equipment is to be fitted on ro-ro passenger ships.

2. Marine-pollution prevention

| No | Item designation | Regulation Marpol 73/78 as amended where "type-approval" is required | Applicable Regulations of Marpol 73/78, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | Modules for conformity assessment | | |
|---------|--|--|---|------------------------------|-------|-----------------------------------|-------|---|
| | | | | B + C | B + D | B + E | B + F | G |
| 1 | 2 | 3 | 4 | 5 | 5 | X | X | X |
| A.1/2.1 | Oil-filtering equipment (for an oil content of the effluent not exceeding 15 p.p.m.) | Annex I, Regulation 16(4) and (5) | Annex I, Regulation 16(1) and (2) | IMO Resolution MEPC.60 (33) | | | | |
| A.1/2.2 | Oil/water interface detectors | Annex I, Regulation 15(3)(b) | Annex I, Regulation 15(3)(b) | IMO Resolution MEPC.5 (XIII) | | X | X | |
| A.1/2.3 | Oil-content meters | Annex I, Regulation 16(4) and (5) | Annex I, Regulation 16(1) and (2) | IMO Resolution MEPC.60 (33) | | X | X | |
| A.1/2.4 | Process units intended for attachment to existing oily water separating equipment (for an oil content of the effluent not exceeding 15 p.p.m.) | Item deleted | | | | | | |
| A.1/2.5 | Oil discharge monitoring and control system for an oil tanker | Annex I, Regulation 15(3)(a) | Annex I, Regulation 15(3) | IMO Resolution A.586 (14) | | X | X | X |
| A.1/2.6 | Sewage treatment plants | Annex IV, Regulation 8(1)(b) | Annex IV, Regulation 8(1)(b) | IMO Resolution MEPC.2 (VI) | | X | X | X |
| A.1/2.7 | Shipboard incinerators | Annex VI, Regulation 16(2)(a) | Annex VI, Regulation 16(2)(a) | IMO Resolution MEPC.76 (40) | | X | X | X |

3. Fire protection

Notes applicable to section 3: Fire protection

Columns 3 and 4: Where these columns are split into two levels for a particular item designator, the upper level refers to the Regulations applicable to ships built before 1 July 2002, the lower level refers to ships built on or after 1 July 2002 (but may also apply to ships built before 1 July 2002).

Column 5: in column 5 many items have more than one testing standard listed. It is up to the testing authority to ensure that the applicable testing standard is applied to the item so that it meets the international requirements of the convention.

| No | Item designation | Regulation SOLAS 74, as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | | | Modules for conformity assessment | | | |
|---------|---|---|---|--|-------|-------|-------|-----------------------------------|---|--|--|
| | | | | B + C | B + D | B + E | B + F | G | H | | |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | |
| A.1/3.1 | Primary deck coverings | Regulation II-2/34.8, II-2/49.3 | Regulation II-2/34.8, II-2/49.3 | IMO Resolution MSC.61(67) Annex 1, Parts 2 and 6, Annex 2, IMO MSC/Circ. 1004 | X | X | | | | | |
| | | Regulation II-2/4.4.4, II-2/6.3 | Regulation II-2/4.4.4, II-2/6.3 | | | | | | | | |
| A.1/3.2 | Portable fire extinguishers | Regulation II-2/6.1, Regulation X/3 | Regulation II-2/6.1, IMO Resolution A.602 (15), IMO Resolution MSC.36(63) 7.7.7 and 7.8.4.1.3 (1994 HSC Code) | EN 3-1 (1996), 3-2 (1996), 3-3 (1994), 3-4 (1996), 3-5 (1996) + AC (1997), 3-6 (1995) + A1: (1999) | X | X | X | X | | | |
| | | | Regulation II-2/10.3.1, Regulation X/3, IMO Resolution MSC.98(73) Chapter 4.1.2 (FSS Code) | Regulation II-2/10.3, IMO Resolution A.602(15), IMO Resolution MSC.97(73) 7.7.4, 7.8.4.1.3, 7.17.3.7 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 4.1.2.. 4.2.1 (FSS Code) | | | | | | | |
| A.1/3.3 | Fire-fighter's outfit: protective clothing (close proximity clothing) | Regulation II-2/17.1.1.1, Regulation X/3 | Regulation II-2/17.1.1.1, IMO Resolution MSC.36(63) 7.10.3.1.1 (1994 HSC Code), IMO MSC/Circ.847 | EN 469 (1995), EN 531 (1995) + A1 (1998), EN 1486 (1996), ISO 15538 (2001) | X | | | | | | |
| | | | Regulation II-2/10.10.1, Regulation X/3, IMO Resolution MSC.98(73) Chapter 3.2.1.1.1 (FSS Code) | Regulation II-2/10.10.1, IMO Resolution MSC. 97(73) 7.10.3.1.1 (2000 HSC Code), IMO Resolution MSC. 98(73) Chapter 3.2.1.1.1 (FSS Code) | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|--|---|---|---|---|
| A.1/3.4 | Firefighter's outfit: boots | Regulation II-2/17.1.1.2, Regulation X/3 | Regulation II-2/17.1.1.2, IMO Resolution MSC.36(63) 7.10.3.1.2 (1994 HSC Code) | EN 344 (1992) + AC (1993) + A1 (1997), EN 344-2 (1996), EN 345 (1992) + A1 (1997), EN 345-2 (1996) Class 2, IEC 60903 (1993) | X |
| A.1/3.5 | Firefighter's outfit: gloves | Regulation II-2/17.1.1.2, Regulation X/3 | Regulation II-2/17.1.1.2, IMO Resolution MSC.36(63) 7.10.3.1.2 (1994 HSC Code), IMO MSC/Circ.847 | EN 659 (1996) | X |
| A.1/3.6 | Firefighter's outfit: helmet | Regulation II-2/17.1.1.3, Regulation X/3 | Regulation II-2/17.1.1.3, IMO Resolution MSC.36(63) 7.10.3.1.3 (1994 HSC Code) | EN 443 (1997) | X |
| A.1/3.7 | Self-contained compressed-air-operated breathing apparatus (1) | Regulation II-2/17.1.2, Regulation X/3 | Regulation II-2/17.1.2.2, IMO Resolution MSC.36(63) 7.10.3.2.2, 7.10.3.2.3 (1994 HSC Code) | EN 137 (1993), EN 136 (1998) | X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|---|---|---|--|
| A.1/3.8 | Air-supplied breathing apparatus for use with a smoke helmet or smoke mask ⁽¹⁾ | Regulation II-2/17.1.2, Regulation X/3 | Regulation II-2/17.1.2.1 IMO Resolution MSC.36 (63) 7.10.3.2.1 (1994 HSC Code) | EN 138 (1994) | |
| A.1/3.9 | Sprinkler systems components for accommodation spaces, service spaces and control stations equivalent to that referred to in SOLAS 74 Regulation II-2/12 II-2/7.5.2, II-2/10.6.1.1, II-2/10.6.1.2, IMO Resolution MSC.98(73) Chapter 8.1 (FSS Code) | Regulation II-2/36.1.2, II-2/36.2, II-2/41.2.5, II-2/52.2 | Regulation II-2/12, II-2/36.1.2, II-2/36.2, II-2/41.2.5, II-2/42.5.2, II-2/52.2 | IMO Resolution A.800(19) | X |
| A.1/3.10 | Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces | Moved to A2/3.11 | | | X |
| A.1/3.11 | "A" and "B" Class divisions, fire integrity (a) "A" class divisions (b) "B" class divisions | Regulation II-2/3.3.5, II-2/3.4.4 | Regulation II-2/3.3.5, II-2/3.4.4, II-2/16.11 | IMO Resolution A.754 (18), IMO Resolution MSC.61(67) Annex 1, Part 3, and Annex 2 (FTP Code), IMO MSC/Circ 91/6, IMO MSC/Circ 100/4, IMO MSC/Circ 100/5 | X |
| A.1/3.12 | Devices to prevent the passage of flame into the cargo tanks in oil tankers (high velocity valves only) | Regulation II-2/59.1.5, II-2/59.2 | Regulation II-2/59.1.5, II-2/59.2 | IMO MSC/Circ.677, MSC/Circ 1009 | X |
| A.1/3.13 | Non-combustible materials | Regulation II-2/3.1, Regulation X/3 | Regulation II-2/4.5.3.3, II 2/4.5.3.4.1, II-2/4.5.6.1, II-2/16.3.2.2.3 | Regulation II-2/4.5.3.3, II-2/4.5.3.4.1.4, II-2/4.5.6.1, II-2/16.3.2.2.3 | IMO Resolution A.799(19), IMO Resolution MSC.36(63) 7.2.4 (1994 HSC Code) |
| | | Regulation II-2/3.33, Regulation X/3 | Regulation II-2/3.33, IMO Resolution MSC.97(73) 7.2.3 (2000 HSC Code) | IMO Resolution A.799(19), IMO Resolution MSC.61(67) Annex 1, Part 1, and Annex 2 | X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|---|--|-------|
| A.1/3.14 | Materials other than steel for pipes penetrating "A" or "B" Class division | Regulation II-2/18.2.1 Regulation II-2/9.3.1, II-2/9.3.2 | Regulation II-2/18.2.1 Regulation II-2/9.3.1, II-2/9.3.2 | IMO Resolution A.753(18), IMO Resolution A.754(18), IMO Resolution MSC.61(67) Annex 1, Part 3 | X X X |
| A.1/3.15 | Materials other than steel for pipes conveying oil or fuel oil: (a) pipes and fittings (b) valves (c) flexible pipe assemblies | Regulation II-2/15.2.8, II-2/18.2.2, Regulation X/3 Regulation II-2/4.2.2.5.1, II-2/4.2.2.5.6, Regulation X/3 | Regulation II-2/15.2.8, II-2/18.2.2, IMO Resolution MSC.36(63) 7.5.4 (1994 HSC Code) | IMO Resolution A.753(18), ISO 15540 (1999), ISO 15541 (1999) | X X X |
| A.1/3.16 | Fire doors | Regulation II-2/31.1.1 and II-2/4.7 | Regulation II-2/4.2.2.5.1, II-2/4.2.2.5.6, IMO Resolution MSC.97(73) 7.5.4 (2000 HSC Code) | IMO Resolution A.754(18) IMO Resolution MSC.61(67) Annex 1, Part 3, IMO MSC/Circ 916, IMO MSC/Circ 1004 | X X X |
| A.1/3.17 | Fire door control systems components ⁽³⁾ | Regulation II-2/9.4.1.1.2, II-2/9.4.1.2.1, II-2/9.4.2 | Regulation II-2/9.4.1.1.2, II-2/9.4.1.2.1, II-2/9.4.2 | IMO Resolution MSC.61(67) Annex 1, Part 4 | X X X |
| A.1/3.18 | Surface materials and floor coverings with low flame-spread characteristics ⁽⁴⁾ : (a) decorative veneers (b) paint systems (c) floor coverings (d) pipe insulation covers | Regulation II-2/30.4.15, Regulation X/3 Regulation II-2/9.4.1.1.4.15, Regulation X/3 | Regulation II-2/30.4.15, IMO Resolution MSC.36(63) 7.9.3.3 (1994 HSC Code) | IMO Resolution A.653(16), IMO Resolution MSC.61(67), Annex 1, Parts 2 and 5, and Annex 2 ISO 1716 (1973) ⁽⁵⁾ IMO MSC/Circ 916 amended by IMO MSC/Circ 1008, IMO MSC/Circ 1004 | X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|--|---|-------|
| A.1/3.19 | Draperys, curtains and other suspended textile materials and films | Regulation II-2/3.23.3, Regulation X/3 | Regulation II-2/3.23.3, IMO Resolution MSC.36(63) 7.4.3.3.3 (1994 HSC Code) | IMO Resolution MSC.61(67) Annex 1, Part 7 | X X X |
| A.1/3.20 | Upholstered furniture | Regulation II-2/3.40.3, II-2/9.2.2.3.2, Regulation X/3 | Regulation II-2/3.40.3, II-2/9.2.2.3.2 IMO Resolution MSC.97(73) 7.4.3.3.3 (2000 HSC Code) | IMO Resolution A.652(16), IMO Resolution MSC.61(67) Annex 1, Part 8 | X X X |
| A.1/3.21 | Bedding components | Regulation II-2/3.23.6, Regulation X/3 | Regulation II-2/3.23.6, II-2/34.6, IMO Resolution MSC.36(63) 7.4.3.3.4 (1994 HSC Code) | IMO Resolution A.688(17), IMO Resolution MSC.61(67) Annex 1, Part 9 | X X X |
| A.1/3.22 | Fire dampers | Regulation II-2/3.40.6, II-2/9.2.2.3.2, Regulation X/3 | Regulation II-2/3.40.6, II-2/9.2.2.3.2, II-2/5.3.3 IMO Resolution MSC.97(73) 7.4.3.3.4 (2000 HSC Code) | IMO Resolution A.754(18), IMO Resolution MSC.61(67) Annex 1, Part 3 | X X X |
| A.1/3.23 | Non-combustible duct penetrations through "A" class divisions | Regulation II-2/16.11.1 | Regulation II-2/16, II-2/32, II-2/48 | | |
| A.1/3.24 | Electric Cable Transits through "A" class divisions | Regulation II-2/9.7.1.2 | Regulation II-2/9.7.1.1 | | |
| | | Moved to A.1/3.26 | Moved to A.1/3.26 | | |
| | | Moved to A.1/3.26 | Moved to A.1/3.26 | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|--|--|--|
| A.1/3.25 | Windows and side scuttles | Regulation II-2/33 | Regulation II-2/33, MSC/Circ.847 | IMO Resolution A.754(18), IMO Resolution MSC.61(67) Annex 1 Part 3, ISO 614 (1989), ISO 1095 (1989), ISO 1751 (1993), ISO 3254 (1989), ISO 3903 (1993), ISO 3904 (1994), IMO MSC/Circ 1004 | X X X |
| A.1/3.26 | Penetrations through "A" class divisions (a) electric cable transits (b) pipe, duct, trunk, etc penetrations | Regulation II-2/18.1.1 Regulation II-2/9.3.1 | Regulation II-2/18.1.1 Regulation II-12/9.3.1 | IMO Resolution A.754(18), IMO Resolution MSC.61(67) Annex 1, Part 3 | X X X |
| A.1/3.27 | Penetrations through "B" class (a) electric cable transits (b) pipe, duct, trunk, etc penetrations | Regulation II-2/18.1.2 Regulation II-2/9.3.2 | Regulation II-2/18.1.2 Regulation II-2/9.3.2 | IMO Resolution A.754(18), IMO Resolution MSC.61(67) Annex 1, Part 3 | X X X |
| A.1/3.28 | Sprinkler systems (limited to sprinkler heads and to the method of automatic sprinkling and signalling e.g. flow switches, alarm panels) | Regulation II-2/12.3, II-2/36.1.2, II-2/36.2, II-2/41-2.5 and II-2/52.2 | Regulation II-2/12, II-2/36.1.2, II-2/36.2, II-2/41-2.5 and II-2/52.2 | EN 12259-1 (1999), EN 12259-2 (1999), EN 12259-3 (2000), EN 12259-4 (2000) EN 12259-5, ISO 6182-1 (1993), ISO 6182-2 (1993), ISO 6182-3 (1993), ISO 6182-5 (1995) | X X X |
| A.1/3.29 | Fire hoses | Regulation II-2/10.6.1.2, II-2/10.6.1.1, II-2/10.6.2 IMO Resolution MSC.98(73) Chapter 8.1, Chapter 8.2.5.2.3 (FSS Code) | Regulation II-2/10.6.1.2, II-2/10.6.1.1, II-2/10.6.2, IMO Resolution MSC.98 (73) Chapter 8.1, Chapter 8.2.5.2.3 (FSS Code) | Regulation II-2/10.6.1.2, II-2/10.6.1.1, II-2/10.6.2, IMO Resolution MSC.98 (73) Chapter 8.1, Chapter 8.2.5.2.3 (FSS Code) | EN 671-2 (2001), EN ISO15540 (2001), EN ISO 15541 (2001), ISO 15540 (1999), ISO 15541 (1999) |
| | | Regulation II-2/4.7.1, Regulation X/3 | Regulation II-2/4.7.1, IMO Resolution MSC.36 (63) 7.7.8.5 (1994 HSC Code) | Regulation II-2/10.2.3.1.1, IMO Resolution MSC.97 (73) 7.7.5.5 (2000 HSC Code) | X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|-------------------|--|--|---------|
| A.1/3.30 | Oxygen analysis and gas detection equipment | Regulation VI/3.1 | Regulation II-2/59.5, II-2/59.4.4.1, II-2/62.1.7, II-2/59.5, Regulation VI/3.1, MSC/Circ.774 (Fixed Installations) | EN 50104 (1999) Oxygen, EN 50054 (1991), EN 50057 (1999) Combustible Gases | X X X X |
| A.1/3.31 | Fixed sprinkler systems components for high-speed craft | Regulation X/3 | IMO Resolution MSC.36 (63) 7.1.3.1 (1994 HSC Code), MSC/Circ.912 IMO Resolution MSC.97 (73) 7.1.3.1 (2000 HSC Code), IMO MSC/Circ 912 | IMO Resolution MSC.44(65), IMO Resolution A.800(19) | X X X X |
| A.1/3.32 | Fire restricting materials (except furniture) for high-speed craft | Regulation X/3 | IMO Resolution MSC.36 (63) 7.2.2 (1994 HSC Code) IMO Resolution MSC.97 (73) 7.2.2 (2000 HSC Code) | IMO Resolution MSC.40(64), IMO Resolution MSC.90(71) | X X X X |
| A.1/3.33 | Fire restricting materials for furniture for high-speed craft | Regulation X/3 | IMO Resolution MSC.36 (63) 7.2.2 (1994 HSC Code) IMO Resolution MSC.97 (73) 7.2.2 (2000 HSC Code) | IMO Resolution MSC.40(64), IMO Resolution MSC.90(71) | X X X X |
| A.1/3.34 | Fire resisting divisions for high-speed craft | Regulation X/3 | IMO Resolution MSC.36 (63) 7.2.1 (1994 HSC Code) IMO Resolution MSC.97 (73) 7.2.1 (2000 HSC Code) | IMO Resolution MSC.45(65) | X X X X |
| A.1/3.35 | Fire doors on high-speed craft | Regulation X/3 | IMO Resolution MSC.36 (63) 7.2.1, 7.4.2.6 (1994 HSC Code) IMO Resolution MSC.97 (73) 7.2.1, 7.4.2.6 (2000 HSC Code) | IMO Resolution MSC.45(65) | X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-------------------------|---|--|--|---|---|
| A.1/3.36 | Fire dampers on high-speed craft | Regulation X/3 | IMO Resolution MSC.36(63) 7.6.4 (1994 HSC Code) | IMO Resolution MSC.45(65) | |
| | | | IMO Resolution MSC.97(73) 7.6.4 (2000 HSC Code) | | |
| A.1/3.37 | Penetrations through fire resisting divisions on high-speed craft (a) electric cable transits (b) pipe, duct, trunk etc penetrations | Regulation X/3 | IMO Resolution MSC.36(63) 7.4.2.6 (1994 HSC Code) | IMO Resolution MSC.45(65) | |
| | | | IMO Resolution MSC.97(73) 7.4.2.6 (2000 HSC Code) | | |
| A.1/3.38 Ex A.1/1.35 | Portable fire-extinguishing equipment for lifeboats and rescue boats | Regulation III/4, Regulation X/3 | Regulation III/34, IMO Resolution MSC.48 (66), IMO Resolution A.602 (15) IMO Resolution MSC.36 (63) 8.1.2 (1994 HSC Code) | EN 3-1 (1996), 3-2 (1996), 3-3 (1994), 3-4 (1996), 3-5 (1996) + AC (1997), 3-6 (1995) + A1 (1999) | |
| | | | Regulation III/34, IMO Resolution MSC.97(73) 8.1.2 (2000 HSC Code) | | |
| A.1/3.39 | Alternative arrangements for halon fire extinguishing systems components in machinery spaces and pump rooms — equivalent water-based fire extinguishing system components | Regulation II-2/10.1, II-2/63.1.3 | Regulation II-2/10.1, II-2/63.1.3 | IMO MSC/Circ 668, IMO MSC/Circ.728 | |
| | | Regulation II-2/10.4.1.1.3, II-2/10.9.1 | Regulation II-2/10.4.1.1.3, II-2/10.9.1, II-2/10.9.3, IMO Resolution MSC.98(73) Chapter 7.2.2 (FSS Code) | | |
| A.1/3.40 | Low-location lighting systems (components only) (New item) | Regulation II-2/28.1.10, II-2/41-2.4.7 | Regulation II-2/28.1.10, II-2/28.1.11, II-2/41-2.4.7 | IMO Resolution A.752 (18) or ISO 15370 (2001) | |
| | | Regulation II-2/13.3.2.5.1, II-2/13.3.2.5.2, IMO Resolution MSC.98(73) Chapter 11 (FSS Code) | Regulation II-2/13.3.2.5.1, II-2/13.3.2.5.2 IMO Resolution MSC.98 (73) Chapter 11 (FSS Code) | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|---|---|---|
| A.1/3.41 | Emergency escape breathing devices (EEBD) (New item) | (⁶) | | | |
| | Regulation II-2/1.2.2.2, II-2/1.3.3.4, II-2/13.4.3 | Regulation II-2/1.2.2.2, II-2/13.3.4, II-2/13.4.3, IMO Resolution MSC.98(73) Chapter 3.2.2 (FSS Code), IMO MSC/Circ 849 | EN 400 (1993), EN 401 (1993), EN 402 (1993), EN 1146 (1997), EN 1061 (1996) | X | X |
| A.1/3.42 | Inert gas systems components (New item) | Regulation II-2/62.1 Regulation II-2/4.5.5 | Regulation II-2/62, IMO MSC/Circ 847 Regulation II-2/4.5.5, IMO Resolution MSC.98(73) Chapter 15 (FSS Code), IMO MSC/Circ 847 | IMO MSC/Circ.1009, 677, 485, 450/Rev.1, 387, 353 and 282, IMO Resolution A.567(14) and Corr.1 | X |
| A.1/3.43 | Deep fat cooking equipment fire extinguishing systems components (automatic or manual type) (New item) | (⁷) | Regulation II-2/1.2.2.3, II-2/10.6.4, Regulation X/3 | ISO 15371 (2000), ISO 6182-1 (1993) | X |
| A.1/3.44 | Firefighters outfit — lifeline (New item) | Regulation II-2/17.2, Regulation X/3 | Regulation II-2/17.2, IMO Resolution MSC.36(63) 7.10.3.3 (1994 HSC Code) | IMO MSC.98(73) Chapter 3.2.1.3 (FSS Code) (⁸) | X |
| A.1/3.45 | Equivalent fixed gas fire extinguishing systems components for machinery spaces and cargo pump rooms (New item) | Regulation II-2/10.1, Regulation X/3 | Regulation II-2/10.1, IMO Resolution MSC.97(73) 7.10.3.3 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 3.2.1.3 (FSS Code) | IMO MSC/Circ. 848 | X |
| A.1/3.46 | Equivalent fixed gas fire extinguishing systems components for machinery spaces (aerosol systems) (New item) | Regulation II-2/7.1.1, Regulation X/3 | Regulation II-2/7.1.1, IMO Resolution MSC.36(63) 7.7.4 (1994 HSC Code) | IMO MSC/Circ. 1007 | X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|---|--|--|-----------|
| A.1/3.47 | Concentrate for fixed high expansion foam fire extinguishing systems for machinery spaces and cargo pump rooms ⁽⁷⁾ (New item) | Regulation II-2/9 Regulation II-2/10.4.1.1.2 | Regulation II-2/9 Regulation II-2/10.4.1.1.2, IMO Resolution MSC.98(73) Chapter 6.2.2 (FSS Code) | IMO MSC/Circ. 670 | X X X X X |
| A.1/3.48 | Fixed water based local application fire fighting systems components for use in category "A" machinery spaces. (New item) | (¹⁰) Regulation II-2/1.2.2.4, Regulation X/3 II-2/10.5.6, Regulation X/3 | Regulation II-2/1.2.2.4, II-2/10.5.6, IMO Resolution MSC.97(73) 7.7.3.2.1 (2000 HSC Code) | IMO MSC/Circ. 913 | X X X X X |
| A.1/3.49 | Nozzles for fixed pressure water-spraying fire-extinguishing systems for special category spaces, ro-ro cargo spaces, ro-ro spaces and vehicle spaces (New item) | Regulation II-2/37.1.3, II-2/54.2.9 Regulation X/3 | Regulation II-2/37.1.3, II-2/38.2.2, II-2/38-1.2, II-2/38-1/3, II-2/53.2.2.1.4, II-2/53.2.2, II-2/54.2.9, IMO Resolution MSC.36(63) 7.8.2 (1994 HSC Code) | IMO Resolution A.123 (V) (Performance), IMO MSC/Circ 914 | X X X X X |
| A.1/3.50 | Protective clothing resistant to chemical attack (New item) | Regulation II-2/19.3.1.3, II-2/19.3.9, II-2/20.6.1.2, Regulation X/3, IMO Resolution MSC.98(73) Chapter 7 (FSS Code) | Regulation II-2/19.3.1.3, II-2/19.3.9, II-2/20.6.1.3, II-2/20.6.1.2, II-2/20.6.1.3, II-2/20.6.1.4, IMO Resolution MSC.97(73) 7.8.2 (2000 HSC Code), IMO Resolution 98 (73) Chapter 7 (FSS Code) | EN 368 (1992), EN 369 (1993), EN 463 (1994), EN 943-2 (2001) | X X X X X |

⁽¹⁾ For use in accidents involving dangerous goods a positive pressure type mask is required.

⁽²⁾ Not included in new Chapter II-2 Regulations (IMO Resolution MSC.99(73)) or FSS Code (IMO Resolution MSC.98(73)).

⁽³⁾ When the term "system components" is used in column 2 it may be that a single component, a group of components or the whole system needs to be tested to ensure that the international requirements are fulfilled. Surfaces referred to in Regulations II-2/34.3, 34.7, 49.1 and 49.2 in columns 3 and 4 are those of bulkheads, decks, floor coverings, wall linings and ceilings as appropriate. The requirements described within these regulations are not meant to apply to plastic pipes, electric cables and furniture (ref. MSC/Circ.965).

⁽⁴⁾ Where the surface material is required to have a certain maximum calorific value, this shall be measured in accordance with ISO 1716.

⁽⁵⁾ Ships constructed before 1 July 2002 shall comply with Regulations II-2/1.2.2.2 and II-2/1.3.4.3 (IMO Resolution MSC.99(73)) not later than the date of the first survey after 1 July 2002.

⁽⁶⁾ Ships constructed before 1 July 2002 shall comply with Regulations II-2/1.2.2.3 and II-2/10.6.4 (IMO Resolution MSC.99(73)) for new installations only.

⁽⁷⁾ This standard only applies to ships constructed on or after 1 July 2002.

⁽⁸⁾ The fixed high expansion foam fire extinguishing system for machinery spaces and cargo pump rooms must still be tested with the approved concentrate to the satisfaction of the Administration.
⁽¹⁰⁾ Passenger ships of 2000 gross tonnage and above, excluding high-speed craft passenger craft, constructed before the 1 July 2002 shall comply with Regulations II-2/1.2.2.4 and II-2/10.5.6 (IMO Resolution MSC.99(73)) not later than 1 October 2005.

4. Navigation equipment

Notes applicable to section 4: Navigation

Columns 3 and 4: Where these columns are split into two levels for a particular item designator, the upper level refers to the Regulations applicable to ships built before 1 July 2002, the lower level refers to ships built on or after 1 July 2002 (but may also apply to ships built before 1 July 2002).

Column 4: ITU recommendations cited are those referred to in the international conventions and the relevant resolutions and decisions of the IMO

Column 5. Whenever reference is made to EN/IEC 61 160 the relevant product testing standard shall be modified to define the applicable part of EN/IEC 61 160.

| No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | | | | | | Modules for conformity assessment | | | | | |
|---------|--|--|--|--|--|--|---|---|-----------------------------------|-------|-------|-------|---|---|
| | | | B + C | B + D | B + E | B + F | G | H | B + C | B + D | B + E | B + F | G | H |
| 1 | 2 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | | | | | | |
| A.1/4.1 | Magnetic compass | Regulation V/12.(f) Regulation V/18.1 | Regulation V/12 (b), IMO Resolution A.382 (X), IMO Resolution A.694 (17) | Regulation V/19.2.1.1, IMO Resolution A.382 (X), IMO Resolution A.694 (17) | EN ISO 449 (1999), EN ISO 694 (2001), ISO 1069 (1973), ISO 2269 (1992), EN 60945 (1997) | ISO 449 (1997), ISO 694 (2000), ISO 1069 (1973), ISO 2269 (1992), IEC 60945 (1996) | X | X | X | X | X | X | X | X |
| A.1/4.2 | Transmitting magnetic heading device (previously electro-magnetic compass) | Regulation V/12(f), Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation V/12 (b), IMO Resolution MSC.36 (63) 13.2.5, (1994 HSC Code), IMO Resolution MSC.86 (70) annex 2, IMO Resolution A.694 (17) | Regulation V/19.2.3.5, IMO Resolution 97 (73) 13.2.5, (2000 HSC Code), IMO Resolution MSC.86 (70) annex 2, IMO Resolution A.694 (17) | EN ISO 11606 (2001), EN 60945 (1997), EN 61162; ISO 11606 (2000) IEC 60945 (1996), IEC 61162 | X | X | X | X | X | X | X | X | |
| A.1/4.3 | Gyro compass | Regulation V/12 (f) | Regulation V/12 (d), IMO Resolution A.424 (X), IMO Resolution A.694 (17) | Regulation V/19.2.5.1, IMO Resolution A.424 (X), IMO Resolution A.694 (17) | EN ISO 8728 (1998), EN 60945 (1997), EN 61162 | ISO 8728 (1997), IEC 60945 (1996), IEC 61162 | X | X | X | X | X | X | X | |
| A.1/4.4 | Radar equipment | Regulation V/18.1 | | | | | | | | | | | | |

Moved to A.1/4.34, A.1/4.35 and A.1/4.36

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|--|--|---|---|-----------|
| A.1/4.5 | Automatic radar plotting aid (ARPA) | Moved to A.1/4.34 | | | |
| A.1/4.6 | Echo-sounding equipment | Regulation V/12 (r), Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation V/12 (k), IMO Resolution MSC.36 (63) 13.4 (1994 HSC Code), IMO Resolution A.224 (VII) as amended by IMO Resolution MSC.74 (69) Annex 4, IMO Resolution A.694 (17) | EN ISO 9875 (1997), EN 60945 (1997), EN 61162; ISO 9875 (2000), IEC 60945 (1996), IEC 61162 | X X X X X |
| A.1/4.7 | Speed and distance measuring equipment (SDME) | Regulation V/18.1, Regulation X/3, IMO Resolution 97 (73) 13.17.1 (2000 HSC Code) | Regulation V/19.2.3.1, IMO Resolution 97 (73) 13.4.1 (2000 HSC Code), IMO Resolution A.224 (VII) as amended by IMO Resolution MSC.74 (69) Annex 4, IMO Resolution A.694 (17) | EN 61023 (1999), EN 60945 (1997), EN 61162; IEC 61023 (1999), IEC 60945 (1996), IEC 61162 | X X X X X |
| A.1/4.8 | Rudder angle, rpm, pitch indicator | Item split in three. Moved to A.1/4.20-21-22 | | | |
| A.1/4.9 | Rate-of-turn indicator | Regulation V/12 (r), Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation V/12 (n), IMO Resolution MSC.36 (63) 13.7.1 (1994 HSC Code), IMO Resolution A.526 (13), IMO Resolution A. 694 (17) | IMO Resolution A.526 (13), EN 60945 (1997), EN 61162; IMO Resolution A.526 (13), IEC 60945 (1996), IEC 61162 | X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--------------------------|--|--|--|--|
| A.1/4.10 | Direction finder | Item deleted | | | |
| A.1/4.11 | Loran-C equipment | Regulation V/12 (r), Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation V/12 (p), IMO Resolution MSC.36 (63) 13.6 (1994 HSC Code), IMO Resolution A.694 (17), IMO Resolution A.818 (19) | EN 61075 (1993), EN 60945 (1997) EN 61162; IEC 61075 (1991), IEC 60945 (1996), IEC 61162 | X X X X |
| A.1/4.12 | Chayka equipment | Regulation V/18.1, Regulation X/3, IMO Resolution 97 (73) 13.17.1 (2000HSC Code) | Regulation V/19.2.1.6, IMO Resolution 97 (73) 13.6 (2000 HSC Code), IMO Resolution A.818 (19). IMO Resolution A.694 (17) | Regulation V/12 (p), IMO Resolution MSC.36 (63) 13.6 (1994 HSC Code), IMO Resolution A.818 (19), IMO Resolution A.694 (17) | EN 61075 (1993), EN 60945 (1997), EN 61162; IEC 61075 (1991), IEC 60945 (1996), IEC 61162 |
| A.1/4.13 | Deca navigator equipment | Item deleted | Regulation V/18.1, Regulation X/3, IMO Resolution 97 (73) 13.17.1 (2000 HSC Code) | Regulation V/19.2.1.6, IMO Resolution 97 (73) 13.6 (2000 HSC Code), IMO Resolution A.818 (19), IMO Resolution A.694 (17) | |
| A.1/4.14 | GPS equipment | Regulation V/12 (r), Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation V/12 (p), IMO Resolution MSC.36 (63) 13.6 (1994 HSC Code), IMO Resolution A.819 (19), IMO Resolution A.694 (17) | EN 61108-1 (1996), EN 60945 (1997), EN 61162; IEC 61108-1 (1994), IEC 60945 (1996), IEC 61162 | X X X X |
| A.1/4.15 | GLOASS equipment | Regulation V/18.1, Regulation X/3, IMO Resolution 97 (73) 13.17.1 (2000 HSC Code) | Regulation V/12 (p), IMO Resolution MSC.36 (63) 13.6 (1994 HSC Code), IMO Resolution MSC.53 (66), IMO Resolution A.694 (17) | Regulation V/12 (p), IMO Resolution MSC.36 (63) 13.6 (1994 HSC Code), IMO Resolution MSC.53 (66), IMO Resolution A.694 (17) | EN 61108-2 (1998), EN 60945 (1997), EN 61162; IEC 61108-2 (1998), IEC 60945 (1996), IEC 61162 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|---|---|---|--|
| A.1/4.16 | Heading control system (HCS) (formerly auto-pilot) | Regulation V/18.1 | Regulation V/19.2.8.2, IMO Resolution A.342 (IX), as amended by IMO Resolution MSC.64 (67) Annex 3, IMO Resolution A.694 (17) | EN/ISO 11674 (2001), EN 60945 (1997), EN 61162; ISO 11674 (2000), IEC 60945 (1996), IEC 61162 | X X X X X X |
| A.1/4.17 | Mechanical pilot hoist | Moved to A.1/1.40 | | | |
| A.1/4.18 | 9 GHz SAR transponder (SART) | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation II/4, Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 8.2.1.2 (1994 HSC Code), IMO Resolution A.530 (13), IMO Resolution A.802 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93) | Regulation II/6.2.2, Regulation IV/7.1.3, IMO Resolution MSC.36 (63) 8.2.1.2 (1994 HSC Code), IMO Resolution A.530 (13), IMO Resolution A.802 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93) | EN 61097-1 (1993), EN 60945 (1997); IEC 61097-1 (1992), IEC 60945 (1996) |
| A.1/4.19 | Radar equipment for high-speed craft | Moved to A.1/4.37 | | | |
| A.1/4.20 | Rudder angle indicator | Regulation V/12 (r), Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation V/12 (m), IMO Resolution MSC.36 (63) 13.7.2 (1994 HSC Code) IMO Resolution A.694 (17) | Regulation II/6.2.2, Regulation IV/7.1.3, IMO Resolution MSC.97 (73) 14.7.1.3 (2000 HSC Code), IMO Resolution A.530 (13), IMO Resolution A.802 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93) | EN 60945 (1997); IEC 60945 (1996) |
| A.1/4.21 | Propeller revolution indicator | Regulation V/12 (r) | Regulation V/12 (m), IMO Resolution A.694 (17) | Regulation V/19.2.5.4, IMO Resolution 97 (73) 13.7.2 (2000 HSC Code), IMO Resolution A.694 (17) | EN 60945 (1997); IEC 60945 (1996) |
| A.1/4.22 | Pitch indicator | Regulation V/18.1 | Regulation V/19.2.5.4, IMO Resolution A.694 (17) | Regulation V/19.2.5.4, IMO Resolution A.694 (17) | EN 60945 (1997); IEC 60945 (1996) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|---|---|-----------|
| A.1/4.23 | Compass for lifeboats and rescue boats | Regulation II/4, Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | Regulation II/34, IMO Resolution MSC.36 (63) 8.1 (1994 HSC Code), IMO Resolution MSC.48 (66) 4.4.8.5, 5.1.2.2.3 | EN ISO 613 (2001), ISO 10316 (1990) ISO 613 (2000), ISO 10316 (1990) | X X X X X |
| A.1/4.24 | Automatic radar plotting aid (ARPA) for high-speed craft | Regulation II/4, Regulation X/3, IMO Resolution 97 (73) 8.1.6 and 13.17.1 (2000 HSC Code) | Regulation II/34, IMO Resolution 97 (73) 8.1.2 (2000 HSC Code), IMO Resolution MSC.48 (66) 4.4.8.5, 5.1.2.2.3 | | |
| A.1/4.25 | Automatic tracking aid (ATA) for high-speed craft | | Moved to A.1/4.37 | | |
| A.1/4.26 | Automatic tracking aid (ATA) for high-speed craft | | Moved to A.1/4.35 | | |
| A.1/4.27 | Electronic plotting aid (EPA) | | Moved to A.1/4.36 | | |
| A.1/4.28 | Integrated bridge system (New item) | Regulation V/18.7, Regulation X/3, IMO Resolution MSC.97 (73) 13.17.4 (2000 HSC Code) | Regulation V/19.6, IMO Resolution MSC.97 (73) 15.4.3 (2000 HSC Code), IMO Resolution MSC.64 (67) Annex 1, IMO Resolution A.694 (17) | EN 61209 (1999), EN 60945 (1997), EN 61162; IEC 61209 (1999), IEC 60945 (1996), IEC 61162 | X X X X X |
| A.1/4.29 | Voyage data recorder (VDR) (New item) | Regulation V/18.1, V/20.2 Regulation X/3, IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation V/20, IMO Resolution A.861 (20), IMO Resolution MSC.97 (73) 13.16 (2000 HSC Code), IMO Resolution A.694 (17) | EN 61996 (2001), EN 60945 (1997), EN 61162; IEC 61996 (2000), IEC 60945 (1996), IEC 61162 | X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|---|---|---|-------------|
| A.1/4.30 | Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS) (New item) | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.1 (2000 HSC Code) | Regulation V/19.2.1.4, Regulation V/19.2.1.5, IMO Resolution MSC.97 (7/3) 13.8 (2000 HSC Code) IMO Resolution A.817 (19) as amended by IMO Resolution MSC.64 (67) Annex 5 and by IMO Resolution MSC.86 (70) Annex 4, IMO Resolution A.694 (17) | EN 61174 (2002), EN 60945 (1997), EN 61162; IEC 61174 (2002), IEC 60945 (1996), IEC 61162 | X X X X X X |
| A.1/4.31 | Gyro compass for high-speed craft (New item) | Regulation X/3, IMO Resolution MSC.36 (6/3) 13.13.1 (1994 HSC Code) | IMO Resolution MSC.36 (63) 13.2.6 (1994 HSC Code), IMO Resolution A.821 (19), IMO Resolution A.694 (17) | ISO 16328 (2001), EN 60945 (1997), EN 61162; ISO 16328 (2001) IEC 60945 (1996), IEC 61162 | X X X X X X |
| A.1/4.32 | Universal automatic identification system equipment (AIS) (New item) | Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.4 (2000 HSC Code) | IMO Resolution MSC.97 (73) 13.2.6 (2000 HSC Code), IMO Resolution A.821 (19), IMO Resolution A.694 (17) | EN 61993-2 (2002), EN 60945 (1997), EN 61162; IEC 61993-2 (2002), IEC 60945 (1996), IEC 61162 | X X X X X X |
| A.1/4.33 | Track control system (New item) | Regulation V/18.7, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.4 (2000 HSC Code) | Regulation V/19.2.8.2, IMO Resolution MSC.97 (73) 13.12 (2000 HSC Code) IMO Resolution MSC.74 (69) Annex 2, IMO Resolution A.694 (17) | IEC 62065 (2002), EN 60945 (1997), EN 61162; IEC 62065 (2002), IEC 60945 (1996), IEC 61162 | X X X X X X |
| A.1/4.34 | Radar equipment with automatic radar plotting aid (ARPA) | Regulation V/12 (r) | Regulation V/12 (g), Regulation V/12 (h), Regulation V/12 (l), IMO Resolution A.278 (VIII) IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.823 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | EN 60936-1 (2000), EN 60872-1 (1998), EN 60945 (1997), EN 61162; IEC 60936-1 (1999), IEC 60872-1 (1998), IEC 60945 (1996), IEC 61162 | X X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|--|---|---------|
| | Regulation V/18.1 | Regulation V/19.2.3.2, Regulation V/19.2.7.1, Regulation V/19.2.8.1, IMO Resolution A.278 (VII) IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.823 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | | | |
| A.1/4.35 | Radar equipment with automatic tracking aid (ATA) | Regulation V/12 (f) Regulation V/12 (g), Regulation V/12 (h), Regulation V/12 (i), IMO Resolution A.278 (VII) IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.694 (17) ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | EN 60936-1 (2000), EN 60872-2 (1998), EN 60945 (1997), EN 61162; IEC 60936-1 (1999), IEC 60872-2 (1998), IEC 60945 (1996), IEC 61162 | X | X X X X |
| | Regulation V/18.1 | Regulation V/19.2.3.2, Regulation V/19.2.7.1, Regulation V/19.2.5.5, IMO Resolution A.278 (VII) IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.694 (17) ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | | | |
| A.1/4.36 | Radar equipment with electronic plotting aid (EPA) | Regulation V/12 (f) Regulation V/12 (g), Regulation V/12 (h), Regulation V/12 (i), IMO Resolution A.278 (VII) IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | EN 60936-1 (2000), EN 60872-3 (1999), EN 60945 (1997), EN 61162; IEC 60936-1 (1999), IEC 60872-3 (1999), IEC 60945 (1996), IEC 61162 | X | X X X X |
| | Regulation V/18.1 | Regulation V/19.2.3.2, Regulation V/19.2.3.3, Regulation V/19.2.7.1, IMO Resolution A.278 (VII) IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.694 (17) ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|--|---|---|-----------|
| A.1/4.37 | Radar equipment with automatic radar plotting aid (ARPA) for high-speed craft | Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | IMO Resolution MSC.36 (63) 13.5 (1994 HSC Code), IMO Resolution A.820 (19), IMO Resolution A.823 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | EN 60936-2 (1999), EN 60872-1 (1998), EN 61162, EN 60945 (1997); IEC 60936-2 (1998), IEC 60872-1 (1998), IEC 61162, EN 60945 (1997) | X X X X X |
| | | Regulation X/3, IMO Resolution 97 (73) 13.17.1 (2000 HSC Code) | IMO Resolution MSC.97 (73) 13.5 (2000 HSC Code), IMO Resolution A.823 (19), IMO Resolution A.820 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | IMO Resolution MSC.97 (73) 13.5 (2000 HSC Code), IMO Resolution A.820 (19), IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | X X X X X |
| A.1/4.38 | Radar equipment with automatic tracking aid (ATA) for high-speed craft | Regulation X/3, IMO Resolution MSC.36 (63) 13.13.1 (1994 HSC Code) | IMO Resolution MSC.36 (63) 13.5 (1994 HSC Code), IMO Resolution A.820 (19), IMO Resolution MSC.64 (6/7) Annex 4, IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | EN 60936-2 (1999), EN 60872-2 (1998), EN 61162, EN 60945 (1997); IEC 60936-2 (1998), IEC 60872-2 (1998), IEC 61162, EN 60945 (1997) | X X X X X |
| | | Regulation X/3, IMO Resolution 97 (73) 13.17.1 (2000 HSC Code) | IMO Resolution MSC.97 (73) 13.5 (2000 HSC Code), IMO Resolution A.820 (19), IMO Resolution MSC.64 (6/7) Annex 4, IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | IMO Resolution MSC.97 (73) 13.5 (2000 HSC Code), IMO Resolution A.820 (19), IMO Resolution MSC.64 (6/7) Annex 4, IMO Resolution A.694 (17), ITU-R M.628-3 (11/93), ITU-R M.1177-2 (05/00) | X X X X X |
| A.1/4.39 | Radar reflector (New item) | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97(73) 13.17.1 (2000 HSC Code) | Regulation V/19.2.1.7, IMO Resolution MSC.97(73) 13.13 | IMO Resolution A.384 (X), EN 60945 (1997), EN ISO 8729 (1998); IMO Resolution A.384 (X), IEC 60945 (1996), ISO 8729 (1997) | X X X X X |

(¹) ITUR.M.1371-1 Annex 3 shall only be applicable in accordance with the requirements of IMO Resolution MSC.74 (69).

5. Radiocommunication equipment

Notes applicable to section 5: Radiocommunication equipment

- Column 4: ITU recommendations cited are those referred to in the international conventions and the relevant resolutions and circulars of the IMO.
- Column 5: In case of conflicting requirements between IMO MSC/Circ 862, cited for several items, and the product testing standards, the IMO MSC/Circ 862 requirements shall take precedence.
- Column 6: Wherever reference is made to EN/IEC 61 162, the relevant product testing standard shall be verified to define the applicable part of EN/IEC 61 162.

| No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | | | Modules for conformity assessment | | | |
|---------|--|--|--|--|-------|-------|-------|-----------------------------------|---|---|--|
| | | | | B + C | B + D | B + E | B + F | G | H | | |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | |
| A.1/5.1 | VHF radio capable of transmitting and receiving DSC and radiotelephony | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.1.1, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.1 (2000 HSC Code), IMO Resolution A.524 (13), IMO Resolution A.803 (19) as amended by IMO Resolution MSC.68 (68) annex 1, IMO Resolution A.694 (17), ITU R. M.489-2 (10/95), ITU-R M.493-10 (05/00), ITU-R. M.541-8 (10/97), ITU-R M.689-2 (11/93), IMO MSC/Circ 862 | ETS 300 1162-1 (2000-12), EN 301 925 (V1.1.1), EN 300 338 (V1.2.1 1999.04), EN 300 828 (V1.1.1 1998-03), IMO MSC/Circ 862, EN 61162; IEC 61097-3 (1994), IEC 61097-7 (1996), IEC 60945 (1996), IMO MSC/Circ 862, IEC 61162 | X | X | X | X | X | X | |
| A.1/5.2 | VHF DSC watch-keeping receiver | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.1.2, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.2 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.2 (2000 HSC Code), IMO Resolution A.803 (19), IMO Resolution MSC.68 (68) Annex 1, IMO Resolution A.694 (17), ITU R M.489-2 (10/95), ITU-R.M.493-10 (05/00), ITU-R M.541-8 (10/97). | EN 300 338 (V1.2.1 1999-04), EN 301 033 (V1.1.1 1998-08), EN 300 828 (V1.1.1 1998-03), EN 60945 (1997); IEC 61097-3 (1994), IEC 61097-8 (1998), IEC 60945 (1996). | X | X | X | X | X | X | |
| A.1/5.3 | NAVTEX receiver | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.1.4, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.4 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.4 (2000 HSC Code), IMO Resolution A.525 (13), IMO Resolution A.694 (17), ITU-R M.540-2 (06/90), ITU-R M.625-3 (10/95) | EN 300 065 V 1.1.3 (2001-5), EN 301 011 V 1.1 (1998-09); IEC 61097-6 (1995), IEC 60945 (1996) | X | X | X | X | X | X | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|---|--|---|--|-----------|
| A.1/5.4 | EGC receiver | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.1.5, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.5 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.5 (2000 HSC Code), IMO Resolution A.570 (14), IMO Resolution A.664 (16), IMO Resolution A.694 (17) | ETS 300 460 Ed.1 (1997-11) +A1 (1997-11), EN 300 829 V1.1.1 (1998-03); IEC 61097-4 (1994), IEC 60945 (1996) | X X X X X |
| A.1/5.5 | HF marine safety information (MSI) equipment (HF NBDP receiver) | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 3.17.1 (2000 HSC Code) | Regulation IV/7.1.5, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.5 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.5 (2000 HSC Code), IMO Resolution A.699(17), IMO Resolution A.700 (17), IMO Resolution A.806 (19), IMO Resolution A.694 (17), ITU-R M.491-1 (07/86), ITU-R M.492-6 (10/95), ITU-R M.540-2 (06/90), ITU-R M.625-3 (10/95), ITU-R M.688 (06/90) | ETS 300 067 Ed.1 (1992-09) +A1 (1998-09), EN 60945 (1997), EN 61162; ETS 300 067 Ed.1 (1992-09) +A1 (1998-09), IEC 60945 (1996), IEC 61162 | X X X X X |
| A.1/5.6 | 406 MHz (COSPAS-SARSAT) | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.1.6, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.6 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.6 (2000 HSC Code), IMO Resolution A.662 (16), IMO Resolution A.696 (17), IMO Resolution A.810 (19) as amended by IMO Resolution MSC.56 (66) and IMO Resolution MSC.120 (74), IMO Resolution A.694 (17), ITU-R M633-2 (05/00), ITU-R M.690-1 (10/95), IMO MSC/Circ 862 | ETS 300 066 V 1.3.1 (2001-01), EN 60945 (1997), MSC/Circ 862 (1); IEC 61097-2 (1994), IEC 60945 (1996), MSC/Circ 862 | X X X X X |
| A.1/5.7 | L-band EPIRB (INMARSAT) | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.1.6, Regulation X/3, IMO Resolution MSC.36 (63) 14.6.1.6 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.7.1.6 (2000 HSC Code), IMO Resolution A.662 (16), IMO Resolution A.812 (19), IMO Resolution A.694 (17), ITU-R M.632-3 (02/97), ITU-R M.690-1 (10/95), IMO MSC/Circ 862 | ETS 300 372 Ed.1 (1996-05), EN 60945 (1997), MSC/Circ 862 (1); IEC 61097-5 (1997), MSC/Circ 862 | X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|---|--|-----------|
| A.1/5.8 | 2182 kHz watch receiver | Item deleted | | | |
| A.1/5.9 | Two-tone alarm generator | Item deleted | | | |
| A.1/5.10 | MF radio capable of transmitting and receiving DSC and radiotelephony ⁽²⁾ | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/9.1.1, IV/10.1.2, Regulation X/3, IMO Resolution MSC.36 (63) 14.8.1.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.9.1.1 (2000 HSC Code), IMO Resolution A.804 (19) as amended by IMO Resolution MSC.68 (68) Annex 2, IMO Resolution A.694 (17), ITU-R M.493-10 (05/00), ITU-R M.541-8 (10/97) | EN 300 338 V1.2.1 (1999-04), ETS 300 373 ed.1 (1995-08) + A1 (1997-08), EN 60945 (1997), MSC/Circ 862, EN 61162; IEC 61097-3 (1994), IEC 61097-9 (1997), IEC 60945 (1996), MSC/Circ 862, IEC 61162 | X X X X X |
| A.1/5.11 | MF DSC watch-keeping receiver | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/9.1.2, Regulation IV/10.1.3, Regulation X/3, IMO Resolution MSC.36 (63) 14.8.1.2 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.9.1.2 (2000 HSC Code), IMO Resolution A.804 (19) as amended by IMO Resolution MSC.68 (68) Annex 2, IMO Resolution A.694 (17), ITU-R M.493-10 (05/00), ITU-R M.541-8 (10/97), ITU-R.M.1173 (10/95) | EN 301 033 V1.1.1 (1998-08), EN 300 338 V1.2.1 (1999-04), EN 60945 (1997) IEC 61097-3 (1994), IEC 61097-8 (1998), IEC 60945 (1996) | X X X X X |
| A.1/5.12 | Inmarsat-B SES | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/10.1.1, Regulation X/3, IMO Resolution MSC.36 (63) 14.9.1.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.10.1.1 (2000 HSC Code), IMO Resolution A.570 (14), IMO Resolution A.808 (19), IMO Resolution A.694 (17), IMO MSC/Circ 862 | IEC 61097-10 (1999), MSC/Circ 862, IEC 60945 (1996) | X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|---|---|--|-------------|
| A.1/5.13 | Inmarsat-C SES | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.1.3.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/10.1.1, Regulation X/3, IMO Resolution MSC.36 (63) 14.9.1.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.10.1.1 (2000 HSC Code), IMO Resolution A.570 (14), IMO Resolution A.664 (3), IMO Resolution A.807 (19) as amended by IMO Resolution MSC.68 (68) Annex 4, IMO Resolution A.694 (17), IMO MSC/Circ 862 | ETS 300 460 ed.1 (1996-05) +A1 (1997-11), EN 300 829 V1.1.1 (1998-03), EN 61162, MSC/Circ. 862; IEC 61097-4 (1994), IEC 60945 (1996), IEC 61162, MSC/Circ. 862 | X X X X X X |
| A.1/5.14 | MF/HF radio capable of transmitting and receiving DSC, NBDP and radiotelephony (4) | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.1.3.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/ 10.2.1, Regulation X/3, IMO Resolution MSC.36 (63) 14.9.2.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.10.2.1 (2000 HSC Code), IMO Resolution A.806 (19) as amended by IMO Resolution MSC.68 (68) Annex 3, IMO Resolution A.694 (17), ITU-R M.476-5 (10/95), ITU-R M.491-1 (07/86), ITU-R M.492-6 (10/95), ITU-R M.493-10 (05/00), ITU-R M.541-8 (10/97), ITU-R.M.625-3 (10/95), ITU-R.M.1173 (10/95), IMO MSC/Circ. 862 | ETS 300 373 ed.1 (1995-08) + A1 (1997-08), EN 300 338 V1.2.1 (1999-04), ETS 300 067 Ed.1 (1990-11) +A1 (1993-10), EN 60945 (1997), EN 61162, MSC/Circ 862; IEC 61097-3 (1994), IEC 61097-9 (1997), IEC 61097-11 (2000), IEC 60945 (1996), IEC 61162, MSC/Circ. 862 | X X X X X X |
| A.1/5.15 | MF/HF DSC watch keeping receiver | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.1.3.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/10.2.2, Regulation X/3, IMO Resolution MSC.36 (63) 14.9.2.2 (1994 HSC Code), IMO Resolution MSC.97 (73) 14.10.2.2 (2000 HSC Code), IMO Resolution A.806 (19) as amended by IMO Resolution MSC.68 (68) Annex 3, IMO Resolution A.694 (17), ITU-R M.493-10 (05/00), ITU-R.M.541-8 (10/97) | EN 301 033 V1.1.1 (1998-08), ETS 300 338 V1.2.1 (1999-04), EN 60945 (1997); IEC 61097-3 (1994), IEC 61097-8 (1998), IEC 60945 (1996) | X X X X X X |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|--|--|---|-----------|
| A.1/5.16 | Aeronautical two way VHF radio telephone apparatus | Regulation IV/14, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation IV/7.5, IMO Resolution 97 (73) 14.7.2 (2000 HSC Code) IMO Resolution MSC.80 (70) Annex 1 and 2; IMO Resolution A.694 (17), ICAO Convention, Annex 10, Radio Regulations | EN 301 688 V1.1.1 (2000-07), EN 60945 (1997); EN 301 688 V1.1.1 (2000-07), IEC 60945 (1996) | X X X X X |
| A.1/5.17 | Portable Survival craft two-way VHF radiotelephone apparatus | Regulation III/4, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 8.1.6 and 13.17.1 (2000 HSC Code) | Regulation II/6.2.1, IMO Resolution MSC.36 (63) 8.2.1.1 (1994 HSC Code), IMO Resolution 97 (73) 8.2.1.1 (2000 HSC Code) IMO Resolution A.809 (19) Annex 1, IMO Resolution A.694 (17), ITU R M.489-2 (10/95), ITU-R M.542.1 (07/82) | ETS 300 225 Ed 3 (1998-01), EN 300 828 V1.1.1 (1998-03), EN 60945 (1997); IEC 61097-12 (1996), IEC 60945 (1996) | X X X X X |
| A.1/5.18 | Fixed Survival craft two-way VHF radiotelephone apparatus | Regulation III/4, Regulation X/3, IMO Resolution MSC.36 (63) 14.13.1 (1994 HSC Code), IMO Resolution MSC.97 (73) 8.1.6 and 13.17.1 (2000 HSC Code) | Regulation II/6.2.1, IMO Resolution MSC.36 (63) 8.2.1.1 (1994 HSC Code), IMO Resolution 97 (73) 8.2.1.1 (2000 HSC Code), IMO Resolution A.809 (19) Annex 2, IMO Resolution A.694 (17), ITU R M.489-2 (10/95) | EN 301 466 (2000-11), EN 60945 (1997); EN 301 466 (2000-11), IEC 60945 (1997) | X X X X X |

(¹) IMO MSC/Circ 862 is applicable only to the optional remote activation device, not to the EPIRB itself.

(²) In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on H3E are no longer applicable in the testing standards.

(³) Applicable only if the Immarsat CSES comprises the EGC functions.

(⁴) In line with IMO and ITU decisions, the requirements for Two Tone Alarm generator and transmission on A3H are no longer applicable in the testing standards.

ANNEX A.2: EQUIPMENT FOR WHICH NO DETAILED TESTING STANDARDS EXIST IN INTERNATIONAL INSTRUMENTS

Notes applicable to the whole of Annex A.2

Column 3: Where a package of testing standards is indicated for an item, it is either incomplete or contains standards that have not yet been adopted.

1. Life-saving appliances

| No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | | | Modules for conformity assessment | | | |
|------------------------|---|--|---|--|-------|-------|-------|-----------------------------------|---|--|--|
| | | | | B + C | B + D | B + E | B + F | G | H | | |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | | | |
| A.2/1.1 | Radar reflector for liferafts | Regulation II/4, III/34, Regulation X/3 | IMO Resolution MSC 48 (66) | | | | | | | | |
| A.2/1.2 | Immersion suit materials | Regulation II/4, III/34 | IMO Resolution MSC 48 (66) | | | | | | | | |
| A.2/1.3 ex A.1/1.22 | Float-free launching appliances for survival craft | Regulation II/34 | IMO Resolution MSC 48 (66) | | | | | | | | |
| A.2/1.3 (New item) | Public address and general emergency alarm system | Regulation II/6(5) | LSA Code 7.2, IMO Resolution A.830 (18), MSC/Circ.808, IMO Resolution MSC.97(73) 4.2.2 (2000 HSC Code) | | | | | | | | |
| A.2/1.4 ex A.1/1.29 | Embarkation ladders | Regulation II/4, Regulation X/3 | Regulation II/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.36 (63) 8.1 (1994 HSC Code) | ISO 799-19980 | | | | | | | |
| | | | Regulation II/4, Regulation X/3 | Regulation II/34, IMO Resolution MSC.48 (66), IMO Resolution MSC.97 (73) 8.1 (2000 HSC Code) | | | | | | | |

2. Marine pollution prevention

| No | Item designation | Regulation Marpol 73/78 as amended where "type-approval" is required | Applicable regulations of Marpol 73/78, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | Modules for conformity assessment | | | |
|-----------------------|---|--|--|------------------------|-------|-----------------------------------|-------|---|---|
| | | | | B + C | B + D | B + E | B + F | G | H |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| A.2/2.1 (New item) | On board NO _x monitoring and recording devices | Annex VI Resolution 2 Chapter 1 Regulation I.3.9, Resolution 2 Chapter 2 Regulation 2.1.2.5 and Resolution 2 Chapter 6.1 | Annex VI Resolution 2 Chapter 1 Regulation I.3.9, Resolution 2 Chapter 2 Regulation 2.1.2.5 and Resolution 2 Chapter 6.1 | To be developed by IMO | | | | | |
| A.2/2.2 (New item) | On board exhaust gas cleaning systems | Annex VI Regulation 13.3(b)(i) and Regulation 14.4(b) | Annex VI Regulation 13.3(b)(i) and Regulation 14.4(b) | To be developed by IMO | | | | | |
| A.2/2.3 (New item) | Equivalent methods to reduce on board NO _x emissions | Annex VI Regulation 13.3(b)(ii) | Annex VI Regulation 13.3(b)(ii) | To be developed by IMO | | | | | |
| A.2/2.4 (New item) | Other technological methods to limit SO _x emissions | Annex VI Regulation 14.4(c) | Annex VI Regulation 14.4(c) | To be developed by IMO | | | | | |

3. Fire protection

| No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Modules for conformity assessment | | | | | |
|---------|--|---|---|-----------------------------------|-------|-------|-------|---|---|
| | | | | B + C | B + D | B + E | B + F | G | H |
| 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| A.2/3.1 | Non-portable and transportable extinguishers | Regulation II-2/6.1, II-2/7.1.3, II-2/7.2.3, II-2/7.3.1, Regulation X/3 | Regulation II-2/6.1, II-2/7.1.3, II-2/7.2.3, II-2/7.3.1, IMO Resolution MSC.36(63) 7.5.6.11.2, 7.5.6.11.3 (1994 HSC Code) | EN 1866 (1998) ISO 11601 (1999) | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|---|--|--|---|--|
| A.2/3.2 | Nozzles for fixed pressure water-spraying fire-extinguishing systems for special category spaces | Moved to A.1/3.49 | | | |
| A.2/3.3 | Cold-weather starting of generator sets (starting devices) | Regulation II-1/44.2, Regulation X/3 | Regulation II-1/44.2, IMO Resolution MSC.36(63) 12.4 (1994 HSC Code) | Regulation II-1/44.2, IMO Resolution MSC.97(73) 12.4 (2000 HSC Code) | |
| A.2/3.4 | Dual purpose type nozzles (spray/jet type) | Regulation II-2/4.8.4, II-2/41.2.1.5, Regulation X/3 | Regulation II-2/4.8.4, II-2/41-2.1.5 IMO Resolution MSC.36(63) 7.7.8.6 (1994 HSC Code) | Regulation II-2/10.2.3.3.4, IMO Resolution MSC.97(73) 7.7.5.6 (2000 HSC Code) | |
| A.2/3.5 | Fixed fire detection and fire alarm systems components for control stations, service spaces, accommodation spaces, machinery spaces and unattended machinery spaces | Regulation II-2/11.3, II-2/14.1, Regulation X/3 | Regulation II-2/11.3, II-2/14.1 IMO Resolution MSC.36 (63) 7.7.1 (1994 HSC Code) | Regulation II-2/11.3, II-2/14.1 IMO Resolution MSC.97(73) 7.7.1 (1999 HSC Code) | EN 54-2 (1997) + AC (1999) EN 54-4 (1997) + AC (1999) |
| A.2/3.6 | Smoke detectors | Regulation II-2/13.3.2, Regulation X/3 | Regulation II-2/13.3.2, IMO Resolution MSC.36(63) 7.7.1 (1994 HSC Code) | Regulation II-2/13.3.2, IMO Resolution MSC.36(63) 7.7.1 (1994 HSC Code) | EN 54-7 (2000), pr EN 54-12, pr EN 54-15 |
| A.2/3.7 | Heat detectors | Regulation II-2/13.3, Regulation X/3 | Regulation II-2/13.3, IMO Resolution MSC.36(63) 7.7.1 (1994 HSC Code) | Regulation II-2/13.3.3, IMO Resolution MSC.97(73) 7.7.1 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 9.2.3.1.2 (FSS Code) | EN 54-5 (2000), EN 54-6 (1982) + A1 (1998); pr EN 54-15 |
| | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|-------------------------|--|---|--|--|---|
| A.2/3.8 | Electric safety lamp | Regulation II-2/17.1.1.4, Regulation X/3 | Regulation II-2/17.1.1.4, IMO Resolution MSC.36(63) 7.1.0.3.1.4 (1994 HSC Code) | IEC Publication 79 | |
| | | Regulation II-2/10.10, Regulation X/3, IMO Resolution MSC.98(73) Chapter 3.2.1.1.4 (FSS Code) | Regulation II-2/10, IMO Resolution MSC.97(73) 7.1.0.3.1.4 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 3.2.1.1.4 (FSS Code) | | |
| A.2/3.9 | Protective clothing resistant to chemical attack | Moved to A.1/3.50 | | | |
| A.2/3.10 | Low-location lighting systems | Moved to A.1/3.40 | | | |
| A.2/3.11 ex A.1/3.10 | Nozzles for fixed pressure water spraying fire extinguishing systems for machinery spaces | Regulation II-2/10.1, Regulation X/3 | Regulation II-2/10.1, IMO Resolution MSC.36(63) 7.7.4 (1994 HSC Code) | | |
| | Regulation II-2/10.4, IMO Resolution MSC.98(73) Chapter 7 (FSS Code), NB Not included in the 2000 HSC Code | Regulation II-2/10.4, IMO Resolution MSC.98(73) Chapter 7 (FSS Code) | | | |
| A.2/3.12 | Equivalent fixed gas fire extinguishing systems for machinery spaces and cargo pump rooms | Moved to A.1/3.45 | | | |
| A.2/3.13 | Compressed airline breathing apparatus | Regulation II-2/17.1.2, Regulation X/3 | Regulation II-2/17.1.2, IMO Resolution MSC.36 (63) 7.10.3.2.1 (1994 HSC Code) | EN 139 (1994) + AC (1995) + A1 (1999) | |
| | Regulation II-2/10.10.1, Regulation X/3, IMO Resolution MSC.98(73) Chapter 3 (FSS Code) | Regulation II-2/10.10.1, IMO Resolution MSC.97(73) 7.1.0.3.2.1 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 3 (FSS Code) | | | |
| A.2/3.14 | Fire hoses (reel type) | Regulation II-2/4.7.1, Regulation X/3 | Regulation II-2/4.7.1, IMO Resolution MSC.36 (63) 7.7.8.5 (1994 HSC Code) | EN 671-1 (1994) + AC (1995) | |
| | Regulation II-2/10.2.3.1.1, II-2/10.2.3.3.2, Regulation X/3 | Regulation II-2/10.2.3.1.1, II-2/10.2.3.3.2, IMO Resolution MSC.97(73) 7.7.5.5 (2000 HSC Code) | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|---|--|-------------------|---|
| A.2/3.15 | Sample extraction smoke detection systems components | Regulation II-2/13-1 | Regulation II-2/13-1 | | |
| | | Regulation II-2/7.6, II-2/19.3.3, II-2/20.4.2, IMO Resolution MSC.98(73) Chapter 10 (FSS Code) | Regulation II-2/7.6, II-2/19.3.3, II-2/20.4.2, IMO Resolution MSC.98(73) Chapter 10 (FSS Code) | | |
| A.2/3.16 | Flame detectors | Regulation II-2/132, Regulation X/3 | Regulation II-2/13, IMO Resolution MSC.36 (63) 7.7.1 (1994 HSC Code) | Pr EN 54-10 | |
| | | Regulation II-2/7.1, II-2/7.2.2, Regulation X/3, IMO Resolution MSC.98(73) Chapter 9.2.3.1.1 (FSS Code) | Regulation II-2/7.1, II-2/7.2.2, IMO Resolution MSC.97(73) 7.7.1, 7.7.1..5 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 9.2.3.1.1 (FSS Code) | | |
| A.2/3.17 | Manual call points | Regulation II-2/13, Regulation X/3 | Regulation II-2/13, IMO Resolution MSC.36 (63) 7.7.1 (1994 HSC Code) | Pr EN 54-11 | |
| | | Regulation II-2/7.1, II-2/7.2.2, Regulation X/3, IMO Resolution MSC.98(73) Chapter 9.2.1.1 (FSS Code) | Regulation II-2/7.1, II-2/7.2.2, IMO Resolution MSC.97(73) 7.7.1 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 9.2.1.1 (FSS Code) | | |
| A.2/3.18 | Alarm devices | Regulation II-2/13, Regulation X/3 | Regulation II-2/13, IMO Resolution MSC.36 (63) 7.7.1 (1994 HSC Code) | Pr EN 54-3 (2001) | |
| | | Regulation II-2/7.1, II-2/7.2.2, Regulation X/3, IMO Resolution MSC.98(73) Chapter 9.2.5 (FSS Code) | Regulation II-2/7.1, II-2/7.2.2, IMO Resolution MSC.97(73) 7.7.1 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 9.2.5 (FSS Code) | | |
| A.2/3.19 | Fixed water based local application fire fighting systems components for use in category "A" machinery spaces | Moved to A.1/3.48 | | | |
| A.2/3.20 | Upholstered furniture | Moved to A.1/3.20 | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|------------------------|--|--|--|---|--|
| A.2/3.21 (New item) | Paint lockers and flammable liquid lockers fire extinguishing systems components | Regulation II-2/18.7 Regulation II-2/10.6.3 | Regulation II-2/18.7 Regulation II-2/10.6.3 | IMO MSC/Circ 847 | |
| A.2/3.22 (New item) | Galley exhaust duct fixed fire extinguishing systems components | Regulation II-2/16.7.4, II-2/32.1.9.3 | Regulation II-2/16.7.4, II-2/32.1.9.3 | | |
| A.2/3.23 (New item) | Helicopter deck fire extinguishing systems components | Regulation II-2/9.7.5 | Regulation II-2/9.7.5 | IMO Resolution A.855(20) | |
| A.2/3.24 (New item) | Portable foam applicator units | Regulation II-2/18.8.2.3 Regulation II-2/18.1.2 | Regulation II-2/18.8.2.3 Regulation II-2/18.1.2 | | |
| A.2/3.25 (New item) | C class divisions | Regulation X/3 | Regulation II-2/6.4, Regulation X/3 | Regulation II-2/6.4, IMO Resolution MSC. 36(63) 7.8.4.1.2 (1994 HSC Code) | |
| A.2/3.26 (New item) | Gaseous fuel systems used for domestic purposes (components) | Regulation II-2/3.5 Regulation II-2/3.10 | Regulation II-2/3.5 Regulation II-2/3.10 | IMO Resolution MSC. 97(73) 7.8.4.1.2 (2000 HSC Code), IMO Resolution MSC.98(73) Chapter 4.1.2 (FSS Code) | |
| A.2/3.27 (New item) | Fixed gas fire extinguishing systems (CO_2) components | Regulation II-2/4.3 | Regulation II-2/5.1 Regulation II-2/4.3 | Regulation II-2/5.2, Regulation X/3 | IMO Resolution A.799(19), IMO Resolution A.653(16), IMO Resolution MSC.61(67) Annex 1 Parts 1, 2 and 5 and Annex 2, ISO 1716 (1973) |
| | | | | | Pr EN.12094, Parts 1—20 |
| | | | | | Regulation II-2/5.2, II-2/38.2.1, II-2/39.1, II-2/53.1, II-2/53.2.2.1, II-2/63.1.1 IMO Resolution MSC.36(63) 7.7.6.2, 7.15 (1994 HSC Code) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|------------------------|--|---|--|------------------------------|---|
| | Regulation II-2/10.4.1.1.1, Regulation X/3 | Regulation II-2/10.4.1.1.1, I-2/10.5.1.1, II-2/10.6.3.1.1, II-2/10.7.1.1.II-2/10.7.1.3, II-2/10.9.1.1 IMO Resolution 97(73) 7.7.3.3. 7.15.7.17.3.8.1 (2000 HSC Code) IMO Resolution MSC.98(73) Chapter 5.2.2 (FSS Code) | | | |
| A.2/3.28 (New item) | Medium expansion foam fire extinguishing systems components — fixed deck foam for tankers | Regulation II-2/61.4 Regulation II-2/10.8.1 Resolution MSC.98(73) Chapter 14 (FSS Code) | Regulation II-2/61.4 Regulation II-2/10.8.1, IMO Resolution MSC.98(73) Chapter 14 (FSS Code) | IMO MSC/Circ 798 | |
| A.2/3.29 (New item) | Fixed low expansion foam fire extinguishing systems components for machinery spaces and tanker deck protection | Regulation II-2/8, II-2/61.4 Regulation II-2/10.8.1 Regulation II-2/10.8.1, IMO Resolution MSC.98(73) Chapter 6.2.3. Chapter 14 (FSS Code) | Regulation II-2/8, II-2/61.4 Regulation II-2/10.8.1, IMO Resolution MSC.98(73) Chapter 6.2.3. Chapter 14 (FSS Code) | IMO MSC/Circ 582 and Corr. 1 | |
| A.2/3.30 (New item) | Expansion foam for fixed fire extinguishing systems for chemical tankers | IMO Resolution MSC.4(48) Chapter 11 paragraph 11.3 (IBC Code) | IMO Resolution MSC.4(48) Chapter 11 paragraph 11.3 (IBC Code) | IMO MSC/Cires 799, 582, 553 | |

4. Navigation equipment

Notes for Annex A.2 section 4 Navigation equipment.

Columns 3 and 4: References to SOLAS Chapter V are to SOLAS 1974 as amended by MSC 73 and entering into force on 1 July 2002.

Column 4: ITU Recommendations cited are those referred to in the international conventions and the relevant resolutions and circulars of the IMO.

| No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Modules for conformity assessment | | | | |
|---------|--------------------------------------|---|---|-----------------------------------|-------|-------|-------|-------|
| | | | | Testing standards | B + C | B + D | B + E | B + F |
| 1 | 2 | 3 | 4 | 5 | | | | 6 |
| A.2/4.1 | Gyro compass for high-speed craft | Item moved to A.1/4.31 | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|--|---|--|--|---|
| A.2/4.2 | Heading control system for high-speed craft (formerly auto-pilot) | Regulation X/3, IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | IMO Resolution MSC.97 (73) 13.12 (2000 HSC Code), IMO Resolution A.822 (19), IMO Resolution A.694 (17) | Future ISO 16329, EN 60945 (1997), EN 61162; Future ISO 16329, IEC 60945 (1996), IEC 61162 | |
| A.2/4.3 | Transmitting heading device THD (GNSS method) (formerly electromagnetic compass) | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation V/19.2.5.1, IMO Resolution MSC.97 (73) 13.2.5 (2000 HSC Code), IMO Resolution A.382 (X), IMO Resolution MSC.116 (73), IMO Resolution A.694 (17) | Future ISO 22090-X, EN 60945 (1997), EN 61162; Future ISO 22090-X, IEC 60945 (1996), IEC 61162 | |
| A.2/4.4 | Daylight signalling lamp | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | Regulation V/19.2.2.2, IMO Resolution MSC.95 (72), IMO Resolution MSC.97 (73) 13.9 (2000 HSC Code), IMO Resolution A.694 (17) | EN 60945 (1997); IEC 60945 (1996) | |
| A.2/4.5 | Searchlight for high-speed craft | Regulation X/3, IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | IMO Resolution MSC.97 (73) 13.9 (2000 HSC Code), IMO Resolution A.694 (17) | EN 60945 (1997), EN 61162; IEC 60945 (1996), IEC 61162 | |
| A.2/4.6 | Night vision equipment for high-speed craft | Regulation X/3, IMO Resolution MSC.97 (73) 13.17.1 (2000 HSC Code) | IMO Resolution MSC.97 (73) 13.10 (2000 HSC Code), IMO Resolution MSC.94 (72), IMO Resolution A.694 (17) | Future EN ISO 16273, EN 60945 (1997), EN 61162; Future ISO 16273, IEC 60945 (1996), IEC 61162 | |
| A.2/4.7 | Track control system | Moved to A.1/4.33 | | | |
| A.2/4.8 | Electronic chart display and information system (ECDIS) | Moved to A.1/4.30 | | | |
| A.2/4.9 | Electronic chart display and information system (ECDIS) backup | Moved to A.1/4.30 | | | |
| A.2/4.10 | Raster chart display system (RCDS) | Moved to A.1/4.30 | | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---------------------------------------|---|--|---|---|
| A.2/4.11 | Combined GPS/GLONASS equipment | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.1 (2000 HSC Code) | Regulation V/19.2.1.6, IMO Resolution MSC.97 (7/3) 13.6 (2000 HSC Code), IMO Resolution MSC.74 (6/9) Annex 1, IMO Resolution A.694 (17) | Future EN 61108-3, EN 60945 (1997), EN 61162; Future IEC 61108-3, IEC 60945 (1996), IEC 61162 | |
| A.2/4.12 | DGPS, DGGLONASS equipment | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.1 (2000 HSC Code) | Regulation V/19.2.1.6, IMO Resolution MSC.97 (7/3) 13.6 (2000 HSC Code), IMO Resolution MSC.64 (6/7) Annex 2, IMO Resolution MSC.36 (6/3) 7.7.1 (1994 HSC Code), IMO Resolution A.694 (17) | Future EN 61108-4, EN 60945 (1997), EN 61162; Future IEC 61108-4, IEC 60945 (1996), IEC 61162 | |
| A.2/4.13 | Gyro compass for high-speed craft | Moved to A.1/4.31 | | | |
| A.2/4.14 | Voyage data recorder (VDR) | Moved to A.1/4.29 | | | |
| A.2/4.15 | Integrated navigation system | Regulation V/18.7, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.4 (2000 HSC Code) | Regulation V/19.6, IMO Resolution MSC.86 (7/0) Annex 3, IMO Resolution A.694 (17) | Future EN 611924, EN 60945 (1997), EN 61162; Future IEC 611924, IEC 60945 (1996), IEC 61162 | |
| A.2/4.16 | Integrated bridge system | Moved to A.1/4.28 | | | |
| A.2/4.17 | Radar target enhancer | Regulation V/18.7, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.4 (2000 HSC Code) | ITU-R M.1176-(10/95), IMO Resolution A.694 (17) | EN 60945 (1997); IEC 60945 (1996) | |
| A.2/4.18 | Sound reception system | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.1 (2000 HSC Code) | Regulation V/19.2.1.8, IMO Resolution MSC.97 (7/3) 13.14 (2000 HSC Code), IMO Resolution MSC.86(70) Annex 1, IMO Resolution A.694 (17) | EN 60945 (1997), EN 61162; IEC 60945 (1996), IEC 61162 | |
| A.2/4.19 | Magnetic compass for high-speed craft | Regulation X/3, IMO Resolution MSC.97 (7/3) 13.1.2 (2000 HSC Code) | IMO Resolution MSC.97 (7/3) 13.2 (2000 HSC Code), IMO Resolution A.382 (X), IMO Resolution A.694 (17) | ISO 449 (1997), ISO 694 (2000), ISO 1069 (1973), ISO 2269 (1992), EN 60945 (1997) ISO 449 (1997), ISO 694 (2000), ISO 1069 (1973), ISO 2269 (1992), IEC 60945 (1996) | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|----------|---|--|---|---|---|
| A.2/4.20 | Track control system for high-speed craft | Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.4 (2000 HSC Code) | IMO Resolution MSC.97 (7/3) 13.12 (2000 HSC Code), IMO Resolution A.694 (17) | EN 60945 (1997), EN 61162; IEC 60945 (1996), IEC 61162 | |
| A.2/4.21 | Chart facilities for shipborne radar | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.17.1 (2000 HSC Code) | Regulation V/19.2.3.2, IMO Resolution MSC.97 (7/3) 13.2 (2000 HSC Code), IMO Resolution A.817 (19) as amended by IMO Resolution MSC.64 (67) Annex 5, IMO Resolution A.477 (XII) as amended by IMO Resolution MSC.64 (67) Annex 4, IMO Resolution A.694 (17) | Future EN 60936-3 (2001), EN 60945 (1997), EN 61162; Future IEC 60936-3 (2001), IEC 60945 (1996), IEC 61162 | |
| A.2/4.22 | Transmitting heading device THD (Gyroscopic method) | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.1.2 (2000 HSC Code) | Regulation V/19.2.3.5, IMO Resolution MSC.97 (7/3) 13.2 (2000 HSC Code), IMO Resolution MSC.116 (73), IMO Resolution A.694 (17) | Future ISO 22090-1, EN 60945 (1997), EN 61162; Future ISO 22090-1, IEC 60945 (1996), IEC 61162 | |
| A.2/4.23 | Transmitting heading device THD (Magnetic method) | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.1.2 (2000 HSC Code) | Regulation V/19.2.3.5, IMO Resolution MSC.97 (7/3) 13.2 (2000 HSC Code), IMO Resolution MSC.86 (70) Annex 2, IMO Resolution MSC.116 (73), IMO Resolution A.694 (17) | Future ISO 22090-2, EN 60945 (1997), EN 61162; Future ISO 22090-2, IEC 60945 (1996), IEC 61162 | |
| A.2/4.24 | Thrust indicator | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.1.2 (2000 HSC Code) | Regulation V/19.2.3.5, IMO Resolution MSC.97 (7/3) 13.2 (2000 HSC Code), IMO Resolution A.694 (17) | Regulation V/19.2.5.4, IMO Resolution MSC.36 (63) 13.11.2 (1994 HSC Code), IMO Resolution MSC.97 (7/3) 13.11.2 (2000 HSC Code), IMO Resolution A.694 (17) | |
| A.2/4.25 | Lateral thrust, pitch and mode indicators | Regulation V/18.1, Regulation X/3, IMO Resolution MSC.97 (7/3) 13.1.2 (2000 HSC Code) | Regulation V/19.2.5.4, IMO Resolution MSC.36 (63) 13.11.2 (1994 HSC Code), IMO Resolution MSC.97 (7/3) 13.11.2 (2000 HSC Code), IMO Resolution A.694 (17) | Regulation V/19.2.5.4, IMO Resolution MSC.36 (63) 13.11.2 (1994 HSC Code), IMO Resolution MSC.97 (7/3) 13.11.2 (2000 HSC Code), IMO Resolution A.694 (17) | |

5. Radiocommunication equipment

Notes for Annex A.2 section 5 Radiocommunication.

Column 4: ITU Recommendations cited are those referred to in the international conventions and the relevant resolutions and circulars of the IMO.

| No | Item designation | Regulation SOLAS 74, as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | Modules for conformity assessment | | | |
|---------|--------------------------------|---|--|--|-----------------------------------|-------|-------|-------|
| | | | | | B + C | B + D | B + E | B + F |
| 1 | 2 | 3 | 4 | 5 | 6 | | | |
| A.2/5.1 | VHF EPIRB | Regulation IV/14, Regulation X.3, IMO Resolution MSC.97 (73) 13.1.2 (2000 HSC Code) | Regulation IV/8.3 IMO Resolution MSC.97 (73) 14.8.3 (2000 HSC Code), IMO Resolution A.662 (16), IMO Resolution A.805 (19), IMO Resolution A.694 (17), ITU R M.489-2 (10/95), ITU-R M 693 (06/90) | EN 60945 (1997); IEC 60945 (1996) | | | | |
| A.2/5.2 | Radio reserve source of energy | Regulation IV/14, Regulation X.3, IMO Resolution MSC.97 (73) 13.1.2 (2000 HSC Code) | Regulation IV/13.2, IMO Resolution MSC.97 (73) 14.13 (2000 HSC Code), COMSAR Circ. 16, IMO Resolution A.694 (17) | Future EN 61097-14, EN 60945 (1997); Future IEC 61097-14 IEC 60945 (1996) | | | | |
| A.2/5.3 | Inmarsat-F SES | Regulation IV/14, Regulation X.3, IMO Resolution MSC.97 (73) 13.1.2 (2000 HSC Code) | Regulation IV/10.1.1, IMO Resolution MSC.97 (73) 14.10.1 (2000 HSC Code), IMO Resolution A.570 (14), IMO Resolution A.808 (19), IMO Resolution A.694 (17), IMO MSC/Circ 862 | Future IEC 61097-13, IEC 60945 (1996), IMO MSC/Circ 862 | | | | |
| A.2/5.4 | Distress panel | Regulation IV/14, Regulation X.3, IMO Resolution MSC.97 (73) 13.1.2 (2000 HSC Code) | Regulation IV/6.4, IMO Resolution MSC.97 (73) 14.6.4 (2000 HSC Code), IMO Resolution A.694 (17), IMO MSC/Circ 862 | EN 60945 (1997); IEC 60945 (1996) | | | | |
| A.2/5.5 | Distress alarm or alert panel | Regulation IV/14, Regulation X.3, IMO Resolution MSC.97 (73) 13.1.2 (2000 HSC Code) | Regulation IV/6.6, IMO Resolution MSC.97 (73) 14.6.6 (2000 HSC Code), IMO Resolution A.694 (17), IMO MSC/Circ 862 | EN 60945 (1997); IEC 60945 (1996) | | | | |

6. Equipment required under Colreg 72

| No | Item designation | Regulation Colreg 72 as amended where "type-approval" is required | Applicable regulations of Colreg 72, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | | | Modules for conformity assessment | | | |
|---------|-------------------------|---|--|---|-------|-------|-------|-----------------------------------|---|---|--|
| | | | | B + C | B + D | B + E | B + F | G | H | | |
| 1 | 2 | 3 | 4 | 4 | 4 | 5 | 5 | | | 6 | |
| A.2/6.1 | Navigation lights | Annex I/14 | Annex I/14, IMO Resolution A.694(17) | EN 60945 (1997), Colreg 72 Annex I (Performance); IEC 60945 (1996), Colreg 72 Annex I (Performance) | | | | | | | |
| A.2/6.2 | Sound signal appliances | Annex III/3 | Annex III/3 IMO Resolution A.694(17) | EN 60945 (1997), Whistles — Colreg 72 Annex III/1 (Performance), Bells or Gongs — Colreg 72 Annex III/2 (Performance); IEC 60945 (1996), Whistles — Colreg 72 Annex III/1 (Performance), Bells or Gongs — Colreg 72 Annex III/2 (Performance) | | | | | | | |

7. Bulk carrier safety equipment

| Item No | Item designation | Regulation SOLAS 74 as amended where "type-approval" is required | Applicable regulations of SOLAS 74, as amended, and the relevant resolutions and circulars of the IMO | Testing standards | | | | Modules for conformity assessment | | | |
|---------|--------------------|--|---|---|-------|-------|-------|-----------------------------------|---|---|--|
| | | | | B + C | B + D | B + E | B + F | G | H | | |
| 1 | 2 | 3 | 4 | 4 | 4 | 5 | 5 | | | 6 | |
| A.2/7.1 | Loading instrument | Regulation XII/11, 1997 SOLAS Conference Resolution 5 | Regulation XII/11, 1997 SOLAS Conference Resolution 5 | IACS Recommendation No 48 on loading instruments (SOLAS/CONF.4/7) | | | | | | | |