# Official Journal

L 207

# of the European Union



English edition

### Legislation

Volume 61

16 August 2018

#### Contents

II Non-legislative acts

#### INTERNATIONAL AGREEMENTS

\* Notice concerning the entry into force of the Partnership and Cooperation Agreement between the European Union and its Member States, of the one part, and the Republic of Iraq, of the other part .......

#### REGULATIONS

#### **DECISIONS**

\* Commission Implementing Decision (EU) 2018/1143 of 10 August 2018 amending Decisions 92/260/EEC and 93/197/EEC as regards the testing for equine viral arteritis (notified under document C(2018) 5071) (1)

#### ACTS ADOPTED BY BODIES CREATED BY INTERNATIONAL AGREEMENTS

(1) Text with EEA relevance.



Acts whose titles are printed in light type are those relating to day-to-day management of agricultural matters, and are generally valid for a limited period.

The titles of all other acts are printed in bold type and preceded by an asterisk.

II

(Non-legislative acts)

#### INTERNATIONAL AGREEMENTS

Notice concerning the entry into force of the Partnership and Cooperation Agreement between the European Union and its Member States, of the one part, and the Republic of Iraq, of the other part

The Partnership and Cooperation Agreement between the European Union and its Member States, of the one part, and the Republic of Iraq, of the other part (¹), entered into force on 1 August 2018, the procedure provided for in Article 116.1 of the Cooperation Agreement having been completed on 20 July 2018.

<sup>(1)</sup> OJ L 204, 31.7.2012, p. 20.

#### REGULATIONS

#### **COMMISSION REGULATION (EU) 2018/1142**

#### of 14 August 2018

amending Regulation (EU) No 1321/2014 as regards the introduction of certain categories of aircraft maintenance licences, the modification of the acceptance procedure of components from external suppliers and the modification of the maintenance training organisations' privileges

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 216/2008 of the European Parliament and of the Council of 20 February 2008 on common rules in the field of civil aviation and establishing a European Aviation Safety Agency, and repealing Council Directive 91/670/EEC, Regulation (EC) No 1592/2002 and Directive 2004/36/EC (¹), and in particular Articles 5(5) and 6(3) thereof,

#### Whereas:

- (1) Commission Regulation (EU) No 1321/2014 (²) establishes the implementing rules on the continuing airworthiness of aircraft and aeronautical products, parts and appliances and on the approval of organisations and personnel involved in these tasks.
- (2) In order to ensure a high uniform level of aviation safety, there is a need for a system, established at Union level, for the licencing of certifying staff involved in the maintenance of ELA1 aeroplanes and for aircraft other than aeroplanes and helicopters. That system should be simple and proportionate. Therefore, necessary measures should now be taken in order to set up such a system.
- (3) The existing requirements related to a licence for certifying staff involved in the maintenance of avionics and electrical systems of aircraft other than those in the group of complex aircraft are not proportionate to the lower complexity of those aircraft, in particular because a significant amount of basic knowledge requirements are only relevant in relation to complex aircraft. A new licence for such staff should there be introduced. The requirements for that new licence should ensure that the level of safety is not reduced compared to the one achieved with the existing licence. The introduction of that new licence should reduce potential safety risks which could occur as a consequence of insufficient adequately qualified and licensed staff being available for the maintenance tasks concerned.
- (4) During performance of maintenance, it is common that persons or organisations use components, parts or material provided by third parties. It is necessary to mitigate the risks associated to the acceptance of such components, parts or material and, in particular, to ensure that the persons and organisations concerned take the necessary measures to ensure proper acceptance, classification and segregation thereof.
- (5) A significant number of fraud cases, showing a deliberate violation of the examination standards set in accordance with Regulation (EU) No 1321/2014, have been reported to the European Aviation Safety Agency ('Agency'). Those cases related to basic knowledge examinations performed by approved maintenance training organisations for students who did not attend the basic training course. This situation has led to important safety concerns, in particular in light of the risk of licence holders releasing to service aircraft after maintenance without having the basic knowledge required. Measures should now be taken to address those safety concerns.
- (6) Pursuant to Regulation (EU) No 1321/2014, operators of complex motor-powered aircraft, in commercial or non-commercial operations, are to ensure that the tasks associated with continuing airworthiness are performed by an approved continuing airworthiness management organisation and that the maintenance of the aircraft

<sup>(1)</sup> OJ L 79, 19.3.2008, p. 1.

<sup>(2)</sup> Commission Regulation (EU) No 1321/2014 of 26 November 2014 on the continuing airworthiness of aircraft and aeronautical products, parts and appliances, and on the approval of organisations and personnel involved in these tasks (OJ L 362, 17.12.2014, p. 1).

and components for installation thereon is performed by an approved maintenance organisation. However, in certain cases, such as in the non-commercial operation of lighter twin-turboprop aeroplanes, the compliance effort that is required from such operators is disproportionate to the benefits that implementing those requirements bring to the safety of their operations. The requirements applicable in those cases should therefore be adapted. Considering those disproportionate compliance efforts, the time needed to adapt those requirements and that not applying them in those cases until they have been adapted is not assessed to pose any significant risks to aviation safety, those requirements should cease to apply for the time being and apply only from an appropriate later date.

- (7) Detailed rules regarding the use of Appendix VI of Annex III to Regulation (EU) No 1321/2014 were deleted by mistake when Regulation (EU) No 1321/2014 was amended by Regulation (EU) 2015/1536 (¹). That mistake should be corrected.
- (8) Certain editorial errors leading to implementation difficulties have been identified in Annex Va to Regulation (EU) No 1321/2014. Those errors should be corrected.
- (9) It is necessary to provide sufficient time to all parties concerned to adapt to the amended regulatory framework created as a consequence of the measures laid down in this Regulation. Those measures should therefore become applicable six months after the date of its entry into force. However, given their purpose and the absence of a need for any significant efforts to adapt by the parties concerned, certain measures should apply without delay. Certain other measures require more adaptation efforts and should therefore apply from an appropriate later date, however, because they entail the transition from regulation primarily under national law to the amended regulatory framework under Union law laid down in this Regulation.
- (10) Regulation (EU) No 1321/2014 should therefore be amended accordingly.
- (11) The measures provided for in this Regulation are in accordance with opinions of the Agency submitted pursuant to Article 19(1) of Regulation (EC) No 216/2008.
- (12) The measures provided for in this Regulation are in accordance with the opinion of the Committee established by Article 65 of Regulation (EC) No 216/2008,

HAS ADOPTED THIS REGULATION:

#### Article 1

Regulation (EU) No 1321/2014 is amended as follows:

- (1) in Article 5, paragraph 6 is replaced by the following:
  - '6. Until specific requirements for certifying staff for components are added to this Regulation, the requirements laid down in the national laws in force in the relevant Member State shall continue to apply, except for maintenance organisations located outside the Union where the requirements shall be approved by the Agency.';
- (2) Article 8 is amended as follows:
  - (a) in paragraph 2, point (b) is deleted;
  - (b) paragraph 5 is deleted;
  - (c) the following paragraph 7 is inserted:
    - '7. By way of derogation from paragraph 1, for aeroplanes of 5 700 kg MTOM and below which are equipped with multiple turboprop engines and which are not involved in commercial operations, points M.A.201(g)(2) and (g)(3) of Annex I (Part-M) shall apply from 1 January 2025.';

<sup>(</sup>¹) Commission Regulation (EU) 2015/1536 of 16 September 2015 amending Regulation (EU) No 1321/2014 as regards alignment of rules for continuing airworthiness with Regulation (EC) No 216/2008, critical maintenance tasks and aircraft continuing airworthiness monitoring (OJ L 241, 17.9.2015, p. 16).

- (3) Annex I (Part-M) is amended in accordance with Annex I to this Regulation;
- (4) Annex II (Part-145) is amended in accordance with Annex II to this Regulation;
- (5) Annex III (Part-66) is amended in accordance with Annex III to this Regulation;
- (6) Annex IV (Part-147) is amended in accordance with Annex IV to this Regulation;
- (7) Annex Va (Part-T) is amended in accordance with Annex V to this Regulation.

#### Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the Official Journal of the European Union.

It shall apply from 5 March 2019.

#### However,

- (1) Article 1(2)(c), Article 1(7) and point (1) of Annex IV shall apply from 5 September 2018;
- (2) for the maintenance of ELA1 aeroplanes not involved in CAT operations and of aircraft other than aeroplanes and helicopters:
  - (a) the requirement for the competent authority to issue aircraft maintenance licences in accordance with Annex III (Part-66), as new or as converted, pursuant to point 66.A.70 of that Annex, shall apply from 1 October 2019;
  - (b) the requirement for certifying staff to be qualified in accordance with Annex III (Part-66) laid down in points M.A.606(g) and M.A.801(b)(2) of Annex I (Part-M) and in point 145.A.30(g) and (h) of Annex II (Part-145) shall apply from 1 October 2020.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 14 August 2018.

For the Commission
The President
Jean-Claude JUNCKER

#### ANNEX I

Annex I is amended as follows:

- (1) the table of contents is amended as follows:
  - (a) Point M.A.501 is replaced by the following:

#### 'M.A.501 Classification and installation'

(b) Point M.A.504 is replaced by the following

#### 'M.A.504 Segregation of components';

(2) point M.A.501 is replaced by the following:

#### 'M.A.501 Classification and installation

- (a) All components shall be classified into the following categories:
  - (1) Components which are in a satisfactory condition, released on an EASA Form 1 or equivalent and marked in accordance with Subpart Q of Annex I (Part 21) to Regulation (EU) No 748/2012, unless otherwise specified in Annex I (Part 21) to Regulation (EU) No 748/2012 or in this Annex (Part-M).
  - (2) Unserviceable components which shall be maintained in accordance with this Regulation.
  - (3) Components categorised as unsalvageable because they have reached their certified life limit or contain a non-repairable defect.
  - (4) Standard parts used on an aircraft, engine, propeller or other aircraft component when specified in the maintenance data and accompanied by evidence of conformity traceable to the applicable standard.
  - (5) Material both raw and consumable used in the course of maintenance when the organisation is satisfied that the material meets the required specification and has appropriate traceability. All materials must be accompanied by documentation clearly relating to the particular material and containing a conformity to specification statement plus both the manufacturing and supplier source.
- (b) Components, standard parts and material shall only be installed on an aircraft or a component when they are in a satisfactory condition, belong to one of the categories listed in point (a) and the applicable maintenance data specifies the particular component, standard part or material.';
- (3) in point M.A.502, point (d) is replaced by the following:
  - '(d) By derogation from point (a) and point M.A.801(b)2, certifying staff referred to in point M.A.801(b)2 may perform, in accordance with component maintenance data, the following:
    - (1) Maintenance other than overhaul of components, while the component is installed or temporarily removed from ELA1 aircraft not used in commercial air transport;
    - (2) Overhaul of engines and propellers while installed or temporarily removed from CS-VLA, CS-22 and LSA aircraft not used in commercial air transport.

Component maintenance performed in accordance with point (d) is not eligible for the issuance of an EASA Form 1 and shall be subject to the aircraft release requirements provided for in point M.A.801.;

(4) point M.A.504 is replaced by the following:

#### 'M.A.504 Segregation of components

- (a) Unserviceable and unsalvageable components shall be segregated from serviceable components, standards parts and materials.
- (b) Unsalvageable components shall not be permitted to re-enter the component supply system unless certified life limits have been extended or a repair solution has been approved in accordance with Regulation (EU) No 748/2012.';

- (5) in point M.A.606, point (g) is replaced by the following:
  - '(g) The maintenance organisation shall have sufficient certifying staff to issue certificates of release to service for aircraft and components provided for in points M.A.612 and M.A.613. The staff shall comply with the following requirements:
    - 1. Annex III (Part-66) in the case of aircraft;
    - 2. Article 5(6) of this Regulation in the case of components.';
- (6) in point M.A.608, point(c) is replaced by the following:
  - '(c) The organisation shall inspect, classify and appropriately segregate all incoming components, standard parts and materials.';
- (7) in Appendix VII, the first sentence is replaced by the following:

'The following constitutes the complex maintenance tasks referred to in points M.A.801(b)2 and M.A.801(c)'.

#### ANNEX II

Annex II is amended as follows:

- (1) the table of contents is amended as follows:
  - (a) point 145.A.40 is replaced by the following:

#### '145.A.40 Equipment and tools';

(b) point 145.A.42 is replaced by the following:

#### '145.A.42 Components';

- (2) in point 145.A.30, points (f), (g), (h) and (i) are replaced by the following:
  - '(f) The organisation shall ensure that personnel who carry out or control a continued-airworthiness non-destructive test of aircraft structures or components, or both, are appropriately qualified for the particular non-destructive test in accordance with the European or equivalent standard recognised by the Agency. Personnel who carry out any other specialised task shall be appropriately qualified in accordance with officially recognised standards. By derogation from this point, personnel referred to in point (g), points (h)(1) and (h)(2), qualified in category B1, B3 or L in accordance with Annex III (Part-66), may carry out and/or control colour contrast dye penetrant tests.
  - (g) Any organisation maintaining aircraft, except where stated otherwise in point (j), shall in the case of aircraft line maintenance, have appropriate aircraft-rated certifying staff qualified as category B1, B2, B2L, B3 and L, as appropriate, in accordance with Annex III (Part-66) and point 145.A.35.
    - In addition such organisations may also use appropriately task-trained certifying staff holding the privileges set out in points 66.A.20(a)(1) and 66.A.20(a)(3)(ii) and qualified in accordance with Annex III (Part-66) and point 145.A.35 to carry out minor scheduled line maintenance and simple defect rectification. The availability of such certifying staff shall not replace the need for category B1, B2, B2L, B3 and L certifying staff, as appropriate.
  - (h) Any organisation maintaining aircraft, except where stated otherwise in point (j), shall:
    - 1. in the case of base maintenance of complex motor-powered aircraft, have appropriate aircraft-type-rated certifying staff, qualified as category C in accordance with Annex III (Part-66) and point 145.A.35. In addition, the organisation shall have sufficient aircraft-type-rated staff qualified as category B1 and B2, as appropriate, in accordance with Annex III (Part-66) and point 145.A.35 to support the category C certifying staff.
      - (i) Category B1 and B2 support staff shall ensure that all relevant tasks or inspections have been carried out to the required standard before the category C certifying staff issues the certificate of release to service.
      - (ii) The organisation shall maintain a register of any such category B1 and B2 support staff.
      - (iii) The category C certifying staff shall ensure that compliance with point (i) has been met and that all work required by the customer has been accomplished during the particular base maintenance check or work package, and shall also assess the impact of any work not carried out, with a view to either requiring its accomplishment or agreeing with the operator to defer such work to another specified check or time limit.
    - 2. in the case of base maintenance of aircraft other than complex motor-powered aircraft, have one of the following:
      - (i) appropriate aircraft-rated certifying staff, qualified as category B1, B2, B2L, B3 and L, as appropriate, in accordance with Annex III (Part-66) and point 145.A.35;
      - (ii) appropriate aircraft-rated certifying staff, qualified in category C and assisted by support staff, as set out in point 145.A.35(a)(i).
  - (i) Component certifying staff shall be qualified in accordance with Article 5(6) and point 145.A.35.';

- (3) points 145.A.35(a) and (b) are replaced by the following:
  - '(a) In addition to the requirements of points 145.A.30(g) and (h), the organisation shall ensure that certifying staff and support staff have an adequate understanding of the relevant aircraft or components, or both, to be maintained and of the associated organisation procedures. In the case of certifying staff, this shall be accomplished before the issue or reissue of the certification authorisation.
    - 1. 'Support staff' means those staff holding an aircraft maintenance licence under Annex III (Part-66) in category B1, B2, B2L, B3 and/or L with the appropriate aircraft ratings, working in a base maintenance environment while not necessarily holding certification privileges.
    - 2. 'Relevant aircraft and/or components', means those aircraft or components specified in the particular certification authorisation.
    - 3. 'Certification authorisation' means the authorisation issued to certifying staff by the organisation and which specifies the fact that those staff may sign certificates of release to service within the limitations stated in such authorisation on behalf of the approved organisation.
  - (b) Except for the cases listed in points 145.A.30(j) and 66.A.20(a)3(ii), the organisation may only issue a certification authorisation to certifying staff in relation to the basic categories or subcategories and, except for the category A licence, any type rating listed on the aircraft maintenance licence as required by Annex III (Part-66), subject to the licence remaining valid throughout the validity period of the authorisation and to the certifying staff remaining in compliance with Annex III (Part-66).';
- (4) point 145.A.40 is amended as follows:
  - (a) the title is replaced by the following:

#### '145.A.40 Equipment and tools';

- (b) point (a) is replaced by the following:
  - '(a) The organisation shall have available and use the necessary equipment and tools to perform the approved scope of work.
    - (i) Where the manufacturer specifies a particular tool or equipment, the organisation shall use that tool or equipment, unless the use of alternative tooling or equipment is agreed by the competent authority via procedures specified in the exposition.
    - (ii) Equipment and tools must be permanently available, except in the case of any tool or equipment that is so infrequently used that its permanent availability is not necessary. Such cases shall be detailed in an exposition procedure.
    - (iii) An organisation approved for base maintenance shall have sufficient aircraft access equipment and inspection platforms/docking as required for the proper inspection of the aircraft.;
- (5) point 145.A.42 is replaced by the following:

#### '145.A.42 Components

- '(a) Classification of components. All components shall be classified into the following categories:
  - (i) Components which are in a satisfactory condition, released on an EASA Form 1 or equivalent and marked in accordance with Subpart Q of the Annex I (Part 21) to Regulation (EU) No 748/2012, unless otherwise specified in Annex I (Part 21) to Regulation (EU) No 748/2012 or in this Annex II (Part 145).
  - (ii) Unserviceable components which shall be maintained in accordance with this Regulation.
  - (iii) Components categorised as unsalvageable because they have reached their certified life limit or contain a non-repairable defect.
  - (iv) Standard parts used on an aircraft, engine, propeller or other aircraft component when specified in the maintenance data and accompanied by evidence of conformity traceable to the applicable standard.

- (v) Material, both raw and consumable, used in the course of maintenance when the organisation is satisfied that the material meets the required specification and has appropriate traceability. All material shall be accompanied by documentation clearly relating to the particular material and containing a conformity to specification statement as well as the manufacturing and supplier source.
- (b) Components, standard parts and materials for installation
  - (i) The organisation shall establish procedures for the acceptance of components, standard parts and materials for installation to ensure that components, standard parts and materials are in satisfactory condition and meet the applicable requirements of point (a).
  - (ii) The organisation shall establish procedures to ensure that components, standard parts and materials shall only be installed on an aircraft or a component when they are in satisfactory condition, meet the applicable requirements of point (a) and the applicable maintenance data specifies the particular component, standard part or material.
  - (iii) The organisation may fabricate a restricted range of parts to be used in the course of undergoing work within its own facilities, provided procedures are identified in the exposition.
  - (iv) Components referred to in point 21.A.307(c) of the Annex I (Part 21) to Regulation (EU) No 748/2012 shall only be installed if considered eligible for installation by the aircraft owner on its own aircraft.

#### (c) Segregation of components

- (i) Unserviceable and unsalvageable components shall be segregated from serviceable components, standards parts and materials.
- (ii) Unsalvageable components shall not be permitted to re-enter the component supply system, unless certified life limits have been extended or a repair solution has been approved in accordance with Regulation (EU) No 748/2012.'.

#### ANNEX III

Annex III is amended as follows:

- (1) in the table of contents the following references to Appendixes VII and VIII are added:
  - 'Appendix VII Basic knowledge requirements for category L aircraft maintenance licence
  - Appendix VIII Basic examination standards for category L aircraft maintenance licence';
- (2) point 66.A.3 is replaced by the following:

#### '66.A.3 Licence categories and subcategories

Aircraft maintenance licences include the following categories and, where applicable, subcategories and system ratings:

- (a) Category A, divided into the following subcategories:
  - A1 Aeroplanes Turbine;
  - A2 Aeroplanes Piston;
  - A3 Helicopters Turbine;
  - A4 Helicopters Piston.
- (b) Category B1, divided into the following subcategories:
  - B1.1 Aeroplanes Turbine;
  - B1.2 Aeroplanes Piston;
  - B1.3 Helicopters Turbine;
  - B1.4 Helicopters Piston.
- (c) Category B2

The B2 licence is applicable to all aircraft.

(d) Category B2L

The B2L licence is applicable to all aircraft other than those in Group 1 as set out in Point 66.A.5(1) and is divided into the following 'system ratings':

- communication/navigation (com/nav),
- instruments,
- autoflight,
- surveillance,
- airframe systems.

A B2L licence shall contain, as a minimum, one system rating.

(e) Category B3

The B3 licence is applicable to piston-engine non-pressurised aeroplanes of 2 000 kg Maximum Take-off Mass (MTOM) and below.

- (f) Category L, divided into the following subcategories:
  - L1C: composite sailplanes,
  - L1: sailplanes,
  - L2C: composite powered sailplanes and composite ELA1 aeroplanes,
  - L2: powered sailplanes and ELA1 aeroplanes,
  - L3H: hot-air balloons,

- L3G: gas balloons,
- L4H: hot-air airships,
- L4G: ELA2 gas airships,
- L5: gas airships other than ELA2.
- (g) Category C

The C licence is applicable to aeroplanes and helicopters.';

(3) point 66.A.5 is replaced by the following:

#### '66.A.5 Aircraft groups

For the purpose of ratings on aircraft maintenance licences, aircraft shall be classified into the following groups:

(1) Group 1: complex motor-powered aircraft, helicopters with multiple engines, aeroplanes with maximum certified operating altitude exceeding FL290, aircraft equipped with fly-by-wire systems, gas airships other than ELA2 and other aircraft requiring an aircraft type rating when defined as such by the Agency.

The Agency may decide to classify into Group 2, Group 3 or Group 4, as appropriate, an aircraft which meets the conditions set out in the first subparagraph, if it considers that the lower complexity of the particular aircraft justifies so.

- (2) Group 2: aircraft other than those in Group 1 belonging to the following subgroups:
  - (i) subgroup 2a:
    - single turboprop engine aeroplanes,
    - those turbojet and multiple-turboprop aeroplanes classified by the Agency in this subgroup because of their lower complexity.
  - (ii) subgroup 2b:
    - single turbine engine helicopters,
    - those multiple turbine engine helicopters classified by the Agency in this subgroup because of their lower complexity.
  - (iii) subgroup 2c:
    - single piston engine helicopters,
    - those multiple piston engine helicopters classified by the Agency in this subgroup because of their lower complexity.
- (3) Group 3: piston engine aeroplanes other than those in Group 1.
- (4) Group 4: sailplanes, powered sailplanes, balloons and airships, other than those in Group 1.';
- (4) point 66.A.20(a) is amended as follows:
  - (a) points (4) and (5) are replaced by the following:
    - '4. A category B2L aircraft maintenance licence shall permit the holder to issue certificates of release to service and to act as B2L support staff for the following:
      - maintenance performed on electrical systems;
      - maintenance performed on avionics systems within the limits of the system ratings specifically endorsed on the licence, and
      - when holding the 'airframe system' rating, performance of electrical and avionics tasks within power plant and mechanical systems, requiring only simple tests to prove their serviceability.
    - 5. A category B3 aircraft maintenance licence shall permit the holder to issue certificates of release to service and to act as B3 support staff for the following:
      - maintenance performed on aeroplane structure, power plant and mechanical and electrical systems; and
      - work on avionics systems requiring only simple tests to prove their serviceability and not requiring troubleshooting.';

- (b) the following points (6) and (7) are added:
  - '6. A category L aircraft maintenance licence shall permit the holder to issue certificates of release to service and to act as L support staff for the following:
    - maintenance performed on aircraft structure, power plant and mechanical and electrical systems;
    - work on radio, Emergency Locator Transmitters (ELT) and transponder systems; and
    - work on other avionics systems requiring simple tests to prove their serviceability.

Subcategory L2 includes subcategory L1. Any limitation to subcategory L2 in accordance with point 66.A.45(h) becomes also applicable to subcategory L1.

Subcategory L2C includes subcategory L1C.

- 7. A category C aircraft maintenance licence shall permit the holder to issue certificates of release to service following base maintenance of the aircraft. The privileges apply to the aircraft in its entirety.';
- (5) in Point 66.A.25, point (a) is replaced by the following:
  - '(a) For licences other than categories B2L and L, an applicant for an aircraft maintenance licence, or for the addition of a category or subcategory to such a licence, shall demonstrate by examination a level of knowledge of the appropriate subject modules in accordance with Appendix I to Annex III (Part-66). The examination shall comply with the standard set out in Appendix II to Annex III (Part-66) and shall be conducted either by a training organisation appropriately approved in accordance with Annex IV (Part-147), or by the competent authority.';
- (6) point 66.A.25 is amended as follows:
  - (a) points (b) and (c) are replaced by the following:
    - '(b) An applicant for an aircraft maintenance licence in category L within a given subcategory, or for the addition of a different subcategory, shall demonstrate by examination a level of knowledge of the appropriate subject modules in accordance with Appendix VII to Annex III (Part-66). The examination shall comply with the standard set out in Appendix VIII to Annex III (Part-66) and shall be conducted by a training organisation appropriately approved in accordance with Annex IV (Part-147), by the competent authority or as agreed by the competent authority.

The holder of an aircraft maintenance licence in subcategory B1.2 or category B3 is deemed to meet the basic knowledge requirements for a licence in subcategories L1C, L1, L2C and L2.

The basic knowledge requirements for subcategory L4H include the basic knowledge requirements for subcategory L3H.

The basic knowledge requirements for subcategory L4G include the basic knowledge requirements for subcategory L3G.

- (c) An applicant for an aircraft maintenance licence in category B2L for a particular 'system rating', or for the addition of another 'system rating', shall demonstrate by examination a level of knowledge of the appropriate subject modules in accordance with Appendix I to Annex III (Part-66). The examination shall comply with the standard set out in Appendix II to Annex III (Part-66) and shall be conducted either by a training organisation appropriately approved in accordance with Annex IV (Part-147), or by the competent authority.'
- (b) the following points (d), (e) and (f) are added:
  - '(d) The training courses and examinations shall have been passed within 10 years prior to the application for an aircraft maintenance licence or the addition of a category or subcategory to such a licence. Should this not be the case, examination credits may be obtained in accordance with point (e).
  - (e) The applicant may apply to the competent authority for full or partial examination credits for the basic knowledge requirements for:
    - (i) basic knowledge examinations that do not meet the requirement laid down in point (d);
    - (ii) any other technical qualification considered by the competent authority to be equivalent to the knowledge standard of Annex III (Part-66).

Credits shall be granted in accordance with Subpart E of Section B of this Annex (Part-66).

- (f) Credits expire 10 years after they were granted to the applicant by the competent authority. The applicant may apply for new credits after expiration.';
- (7) in point 66.A.30(a) the following points (2a) and (2b) are inserted:

#### '2a. for category B2L:

- (i) 3 years of practical maintenance experience in operating aircraft, covering the corresponding system rating(s), if the applicant has no previous relevant technical training; or
- (ii) 2 years of practical maintenance experience in operating aircraft, covering the corresponding system rating(s), and completion of training, considered relevant by the competent authority, as a skilled worker in a technical trade; or
- (iii) 1 year of practical maintenance experience in operating aircraft, covering the corresponding system rating(s), and completion of a Part-147 approved basic training course.

For the addition of (a) new system rating(s) to an existing B2L licence, 3 months of practical maintenance experience relevant to the new system rating(s) shall be required for each system rating added.

#### 2b. for category L:

- (i) 2 years of practical maintenance experience in operating aircraft covering a representative cross section of maintenance activities in the corresponding subcategory;
- (ii) as a derogation from point (i), 1 year of practical maintenance experience in operating aircraft covering a representative cross section of maintenance activities in the corresponding subcategory, subject to the introduction of the limitation provided for in point 66.A.45(h)(ii)(3).

For the inclusion of an additional subcategory in an existing L licence, the experience required by points (i) and (ii) shall be 12 and 6 months respectively.

The holder of an aircraft maintenance licence in category/subcategory B1.2 or B3 is deemed to meet the basic experience requirements for a licence in subcategories L1C, L1, L2C and L2.';

(8) point 66.A.45 is replaced by the following:

#### '66.A.45 Endorsement with aircraft ratings

- (a) In order to be entitled to exercise certification privileges on a specific aircraft type, the holder of an aircraft maintenance licence needs to have their licence endorsed with the relevant aircraft ratings:
  - For category B1, B2 or C, the relevant aircraft ratings are the following:
    - (i) for Group 1 aircraft, the appropriate aircraft type rating;
    - (ii) for Group 2 aircraft, the appropriate aircraft type rating, manufacturer subgroup rating or full subgroup rating;
    - (iii) for Group 3 aircraft, the appropriate aircraft type rating or full group rating;
    - (iv) for Group 4 aircraft, for the category B2 licence, the full group rating.
  - For category B2L, the relevant aircraft ratings are the following:
    - (i) for Group 2 aircraft, the appropriate manufacturer subgroup rating or full subgroup rating;
    - (ii) for Group 3 aircraft, the full group rating;
    - (iii) for Group 4 aircraft, the full group rating.
  - For category B3, the relevant rating is 'piston-engine non-pressurised aeroplanes of 2 000 kg MTOM and below'.
  - For category L, the relevant aircraft ratings are the following:
    - (i) for subcategory L1C, the rating 'composite sailplanes';
    - (ii) for subcategory L1, the rating 'sailplanes';
    - (iii) for subcategory L2C, the rating 'composite powered sailplanes and composite ELA1 aeroplanes';

- (iv) for subcategory L2, the rating 'powered sailplanes and ELA1 aeroplanes';
- (v) for subcategory L3H, the rating 'hot-air balloons';
- (vi) for subcategory L3G, the rating 'gas balloons';
- (vii) for subcategory L4H, the rating 'hot-air airships';
- (viii) for subcategory L4G, the rating 'ELA2 gas airships';
- (ix) for subcategory L5, the appropriate airship type rating.
- For category A, no rating is required, subject to compliance with the requirements of point 145.A.35 of Annex II (Part-145).
- (b) The endorsement of aircraft type ratings requires the satisfactory completion of one of the following:
  - the relevant category B1, B2 or C aircraft type training in accordance with Appendix III to Annex III (Part-66);
  - in the case of gas airship type ratings on a B2 or L5 licence, a type training approved by the competent authority in accordance with point 66.B.130.
- (c) For other than category C licences, in addition to the requirements of point (b), the endorsement of the first aircraft type rating within a given category/subcategory requires satisfactory completion of the corresponding on-the-job training. This on-the-job training shall comply with Appendix III to Annex III (Part-66), except in the case of gas airships, where it shall be directly approved by the competent authority.
- (d) By derogation from points (b) and (c), for Group 2 and 3 aircraft, aircraft type ratings may also be endorsed on a licence after:
  - satisfactory completion of the relevant category B1, B2 or C aircraft type examination in accordance with Appendix III to this Annex (Part-66);
  - in the case of B1 and B2 category, demonstration of practical experience in the aircraft type. In that case, the practical experience shall include a representative cross section of maintenance activities relevant to the licence category.

In the case of a category C rating, for a person qualified by holding an academic degree as specified in point 66.A.30(a)(7), the first relevant aircraft type examination shall be at the category B1 or B2 level.

#### (e) For Group 2 aircraft:

- the endorsement of manufacturer subgroup ratings for category B1 and C licence holders requires complying with the aircraft type rating requirements for at least two aircraft types from the same manufacturer, which combined are representative of the applicable manufacturer subgroup;
- (ii) the endorsement of full subgroup ratings for category B1 and C licence holders requires complying with the aircraft type rating requirements for at least three aircraft types from different manufacturers, which combined are representative of the applicable subgroup;
- (iii) the endorsement of manufacturer subgroup and full subgroup ratings for category B2 and B2L licence holders requires demonstration of practical experience which shall include a representative cross section of maintenance activities relevant to the licence category and to the applicable aircraft subgroup and, in the case of the B2L licence, relevant to the applicable system rating(s);
- (iv) by derogation from point (e)(iii), the holder of a B2 or B2L licence, endorsed with a full subgroup 2b, is entitled to be endorsed with a full subgroup 2c.
- (f) For Group 3 and 4 aircraft:
  - (i) the endorsement of the full Group 3 rating for category B1, B2, B2L and C licence holders and the endorsement of the full Group 4 rating for B2 and B2L licence holders require demonstration of practical experience, which shall include a representative cross section of maintenance activities relevant to the licence category and to Group 3 or 4, as applicable;

- (ii) for category B1, unless the applicant provides evidence of appropriate experience, Group 3 rating shall be subject to the following limitations, which shall be endorsed on the licence:
  - pressurised aeroplanes,
  - metal-structure aeroplanes,
  - composite-structure aeroplanes,
  - wooden-structure aeroplanes,
  - aeroplanes with metal-tubing structure covered with fabric;
- (iii) by derogation from point (f)(i), the holder of a B2L licence, endorsed with a full subgroup 2a or 2b, is entitled to be endorsed with Groups 3 and 4.
- (g) For the B3 licence:
  - (i) the endorsement of the rating 'piston engine non-pressurised aeroplanes of 2 000 kg MTOM and below' requires demonstration of practical experience, which shall include a representative cross section of maintenance activities relevant to the licence category;
  - (ii) unless the applicant provides evidence of appropriate experience, the rating referred to in point (i) shall be subject to the following limitations, which shall be endorsed on the licence:
    - wooden-structure aeroplanes,
    - aeroplanes with metal-tubing structure covered with fabric,
    - metal-structure aeroplanes,
    - composite-structure aeroplanes.
- (h) For all L licence subcategories, other than L5:
  - (i) the endorsement of ratings requires demonstration of practical experience which shall include a representative cross section of maintenance activities relevant to the licence subcategory;
  - (ii) unless the applicant provides evidence of appropriate experience, the ratings shall be subject to the following limitations, which shall be endorsed on the licence:
    - (1) for ratings 'sailplanes' and 'powered sailplanes and ELA1 aeroplanes':
      - wooden-structure aircraft covered with fabric,
      - aircraft with metal-tubing structure covered with fabric,
      - metal-structure aircraft,
      - composite-structure aircraft,
    - (2) for the rating 'gas balloons':
      - other than ELA1 gas balloons; and
    - (3) if the applicant has only provided evidence of one-year experience in accordance with the derogation contained in point 66.A.30(a)(2b)(ii), the following limitation shall be endorsed on the licence:

'complex maintenance tasks provided for in Appendix VII to Annex I (Part-M), standard changes provided for in point 21.A.90B of Annex I (Part-21) to Regulation (EU) No 748/2012 and standard repairs provided for in point 21.A.431B of Annex I (Part-21) to Regulation (EU) No 748/2012.'

The holder of an aircraft maintenance licence in subcategory B1.2 endorsed with the Group 3 rating, or in category B3 endorsed with the rating 'piston engine non-pressurised aeroplanes of 2 000 kg MTOM and below', is deemed to meet the requirements for the issuance of a licence in subcategories L1 and L2 with the corresponding full ratings and with the same limitations as the B1.2/B3 licence held.';

- (9) in point 66.A.50, point (a) is replaced by the following:
  - '(a) Limitations introduced on an aircraft maintenance licence are exclusions from the certification privileges and, in the case of limitations referred to in point 66.A.45, they affect the aircraft in its entirety.';
- (10) in point 66.A.70, points (c) and (d) are replaced by the following:
  - '(c) Where necessary, the aircraft maintenance licence shall contain limitations in accordance with point 66.A.50 to reflect the differences between:
    - (i) the scope of the certifying staff qualification valid in the Member State before the entry into force of the applicable licence category or subcategory provided for in this Annex (Part-66);
    - (ii) the basic knowledge requirements and the basic examination standards laid down in Appendices I and II to this Annex (Part-66).
  - (d) By derogation from point (c), for aircraft not used by licenced air carriers in accordance with Regulation (EC) No 1008/2008, other than complex motor-powered aircraft, and for balloons, sailplanes, motor-powered sailplanes and airships, the aircraft maintenance licence shall contain limitations in accordance with point 66.A.50 to ensure that the certifying staff privileges valid in the Member State before the entry into force of the applicable Part-66 licence category/subcategory and those of the converted Part-66 aircraft maintenance licence remain the same.';
- (11) point 66.B.100(b) is replaced by the following:
  - '(b) The competent authority shall verify an applicant's examination status and/or confirm the validity of any credits to ensure that all module requirements of Appendix I or Appendix VII, as applicable, have been met as required by this Annex (Part-66).';
- (12) point 66.B.110 is replaced by the following:

## '66.B.110 Procedure for the change of an aircraft maintenance licence to include an additional basic category or subcategory

- (a) At the completion of the procedures specified in points 66.B.100 or 66.B.105, the competent authority shall endorse the additional basic category, subcategory or, for category B2L, system rating(s) on the aircraft maintenance licence by stamp and signature or shall reissue the licence.
- (b) The record system of the competent authority shall be changed accordingly.
- (c) Upon request by the applicant, the competent authority shall replace a licence in category B2L with a licence in category B2 endorsed with the same aircraft rating(s) when the holder has demonstrated both of the following:
  - (i) by examination the differences between the basic knowledge corresponding to the B2L licence held and the basic knowledge of the B2 licence, as set out in Appendix I;
  - (ii) the practical experience required in Appendix IV.
- (d) In the case of a holder of an aircraft maintenance licence in subcategory B1.2 endorsed with the Group 3 rating or in category B3 endorsed with the rating 'piston engine non-pressurised aeroplanes of 2 000 kg MTOM and below', the competent authority shall issue, upon application, a fully rated licence in subcategories L1 and L2, with the same limitations as the B1.2/B3 licence held.';
- (13) in point 66.B.115, point (f) is replaced by the following:
  - '(f) The competent authority shall ensure that compliance with the practical elements of the type training is demonstrated by one of the following:
    - (i) by the provision of detailed practical training records or a logbook provided by the organisation which delivered the course directly approved by the competent authority in accordance with point 66.B.130;
    - (ii) where available, by a training certificate, covering the practical training element, issued by a maintenance training organisation appropriately approved in accordance with Annex IV (Part-147).';

#### (14) in point 66.B.125 point (b), point (1) is replaced by the following:

- '(1) for category B1 or C:
  - helicopter piston engine, full group: converted to 'full subgroup 2c' plus the aircraft type ratings for those single piston engine helicopters which are in Group 1;
  - helicopter piston engine, manufacturer group: converted to the corresponding 'manufacturer subgroup 2c' plus the aircraft type ratings for those single piston engine helicopters of that manufacturer which are in Group 1;
  - helicopter turbine engine, full group: converted to 'full subgroup 2b' plus the aircraft type ratings for those single turbine engine helicopters which are in Group 1;
  - helicopter turbine engine, manufacturer group: converted to the corresponding 'manufacturer subgroup 2b'
    plus the aircraft type ratings for those single turbine engine helicopters of that manufacturer which are in
    Group 1;
  - aeroplane single piston engine metal structure, either full group or manufacturer group: converted to 'full group 3'. For the B1 licence, the following limitations shall be included: composite-structure aeroplanes, wooden-structure aeroplanes, and metal-tubing and fabric aeroplanes;
  - aeroplane multiple piston engines metal structure, either full group or manufacturer group: converted to 'full group 3' plus the aircraft type ratings for those aeroplanes with multiple piston engines of the corresponding full/manufacturer group which are in Group 1. For the B1 licence, the following limitations shall be included: composite-structure aeroplanes, wooden-structure aeroplanes and metal-tubing and fabric aeroplanes;
  - aeroplane single piston engine wooden structure, either full group or manufacturer group: converted to 'full group 3'. For the B1 licence, the following limitations shall be included: pressurised aeroplanes, metal-structure aeroplanes, composite-structure aeroplanes and metal-tubing and fabric aeroplanes;
  - aeroplane multiple piston engines wooden structure, either full group or manufacturer group: converted to 'full group 3'. For the B1 licence, the following limitations shall be included: pressurised aeroplanes, metal-structure aeroplanes, composite-structure aeroplanes and metal-tubing and fabric aeroplanes;
  - aeroplane single piston engine composite structure, either full group or manufacturer group: converted to 'full group 3'. For the B1 licence, the following limitations shall be included: pressurised aeroplanes, metal-structure aeroplanes, wooden-structure aeroplanes and metal-tubing and fabric aeroplanes;
  - aeroplane multiple piston engines composite structure, either full group or manufacturer group: converted to 'full group 3'. For the B1 licence, the following limitations shall be included: pressurised aeroplanes, metal-structure aeroplanes, wooden-structure aeroplanes and metal-tubing and fabric aeroplanes;
  - aeroplane turbine single engine, full group: converted to 'full sub-group 2a' plus the aircraft type ratings for those single turboprop aeroplanes which did not require an aircraft type rating in the previous system and are in Group 1;
  - aeroplane turbine single engine, manufacturer group: converted to the corresponding 'manufacturer subgroup 2a' plus the aircraft type ratings for those single turboprop aeroplanes of that manufacturer which did not require an aircraft type rating in the previous system and are in Group 1;
  - aeroplane turbine multiple engines, full group: converted to the aircraft type ratings for those aeroplanes with multiple turboprop engines which did not require an aircraft type rating in the previous system.';
- (15) point 66.B.130 is replaced by the following:

#### '66.B.130 Procedure for the direct approval of aircraft type training

(a) In the case of type training for aircraft other than airships, the competent authority may approve aircraft type training not conducted by a maintenance training organisation approved in accordance with Annex IV (Part-147), pursuant to point 1 of Appendix III to this Annex (Part-66). In such case, the competent authority shall have a procedure to ensure that the aircraft type training complies with Appendix III to this Annex (Part-66).

- (b) In the case of type training for airships in Group 1, the courses shall be directly approved by the competent authority in all cases. The competent authority shall have a procedure to ensure that the syllabus of the airship-type training covers all the elements contained in the maintenance data from the Design Approval Holder (DAH).';
- (16) in point 66.B.200, point (c) is replaced by the following:
  - '(c) Basic examinations shall follow the standard specified in Appendices I and II or in Appendices VII and VIII to this Annex (Part-66), as applicable.';
- (17) in point 66.B.305(b), the word 'Appendix III' is replaced by the word 'Appendix I';
- (18) point 66.B.405 is replaced by the following:

#### '66.B.405 Examination credit report

- (a) The credit report shall include a comparison between the following:
  - the modules, submodules, subjects and knowledge levels contained in Appendices I or VII to this Annex (Part-66), as applicable;
  - (ii) the syllabus of the technical qualification concerned, relevant to the particular category being sought.

This comparison shall state whether compliance has been demonstrated and contain the justifications for each statement.

- (b) Credits for examinations, other than basic knowledge examinations carried out in maintenance training organisations approved in accordance with Annex IV (Part-147), can only be granted by the competent authority of the Member State in which the qualification has been obtained, unless a formal agreement exists with such competent authority advising otherwise.
- (c) No credit can be granted unless there is a statement of compliance for each module and submodule, indicating where the equivalent standard can be found in the technical qualification.
- (d) The competent authority shall check on a regular basis whether the following have changed:
  - (i) the national qualification standard;
  - (ii) Appendices I or VII to this Annex (Part-66), as applicable.

The competent authority shall also assess if changes to the credit report are consequently required. Such changes shall be documented, dated and recorded.';

- (19) in point 66.B.410, point (c) is replaced by the following:
  - '(c) Upon expiration of the credits, the applicant may apply for new credits. The competent authority shall extend the validity of the credits for an additional period of 10 years without further consideration if the basic knowledge requirements defined in Appendices I or VII to this Annex (Part-66), as applicable, have not been changed.';
- (20) Appendix I is amended as follows:
  - (a) in point 1, the title and the first subparagraph are replaced by the following:

'Appendix I

#### **Basic Knowledge Requirements**

(except for category L licence)

#### 1. Knowledge levels for category A, B1, B2, B2L, B3 and C aircraft maintenance licences

Basic knowledge for categories A, B1, B2, B2L and B3 is indicated by knowledge levels (1, 2 or 3) of each applicable subject. Category C applicants shall meet either the category B1 or the category B2 basic knowledge levels.';

(b) in point 2, the title, the first subparagraph and the first table are replaced by the following:

#### <sup>1</sup>2. Modularisation

Qualification on basic subjects for each aircraft maintenance licence category or subcategory shall be in accordance with the following matrix, where applicable subjects are indicated by an 'X':

#### For categories A, B1 and B3:

Subject module	A or B1 aero	oplane with:	A or B1 helicopter with:		В3	
	Turbine engine(s)	Piston engine(s)	Turbine engine(s)	Piston engine(s)	Piston engine non-pressurised aeroplanes of 2 000 kg MTOM and below	
1	X	X	X	X	X	
2	X	X	X	X	X	
3	X	X	X	X	X	
4	X	X	X	X	X	
5	X	X	X	X	X	
6	X	X	X	X	X	
7A	X	X	X	X		
7B					X	
8	X	X	X	X	X	
9A	X	X	X	X		
9B					X	
10	X	X	X	X	X	
11A	X					
11B		X				
11C					X	
12			X	X		
13						
14						
15	X		X			
16		X		X	X	
17A	X	X				
17B					X	

#### For categories B2 and B2L:

Subject module/submodules	В2	B2L
1	X	X
2	X	X
3	X	X
4	X	X



Subject module/submodules	B2	B2L
5	X	X
6	X	X
7A	X	X
7B		
8	X	X
9A	X	X
9B		
10	X	X
11A		
11B		
11C		
12		
13.1 and 13.2	X	X
13.3(a)	X	X (for system rating 'Autoflight')
13.3(b)	X	
13.4(a)	X	X (for system rating 'Com/Nav')
13.4(b)	X	X (for system rating 'Surveillance')
13.4(c)	X	
13.5	X	X
13.6	X	
13.7	X	X (for system rating 'Autoflight')
13.8	X	X (for system rating 'Instruments')
13.9	X	X
13.10	X	
13.11 to 13.18	X	X (for system rating 'Airframe systems'
13.19 to 13.22	X	
14	X	X (for system ratings 'Instruments' and 'Airframe systems')'
15		
16		
17A		
17B		

(c) in the tables of the modules 1, 2, 3, 4, 5, 6, 7A, 8, 9A, 10 and 14, the content of box

LEVEL B2

is replaced by the following:

LEVEL B2 B2L

- (d) in the table of module 5, '1' is replaced by '—' from submodule 5.5(a) for the B3 licence;
- (e) in the table of module 7B, '—' is replaced by '1' from submodule 7.4 for the B3 licence;
- (f) in the table of module 7B submodule 7.10, '1' is replaced by '2' for the B3 licence;
- (g) in the table of module 11A submodule 11.8 point (b), '1' is replaced by '2' for the B1.1 licence;
- (h) in the table of module 11A, the context box of the first column of submodule 11.16 is replaced by the following:

#### '11.16 Pneumatic/Vacuum (ATA 36)

System lay-out;

Sources: engine/APU (Auxiliary Power Unit), compressors, reservoirs, ground supply;

Pressure and vacuum pumps

Pressure control;

Distribution:

Indications and warnings;

Interfaces with other systems.';

(i) in the table of module 11A, the context box of the first column of submodule 11.20 is replaced by the following:

#### '11.20 Cabin Systems (ATA44)

The units and components which furnish a means of entertaining the passengers and providing communication within the aircraft (Cabin Intercommunication Data System (CIDS)) and between the aircraft cabin and ground stations (Cabin Network Service (CNS)). They include voice, data, music and video transmissions.

CIDS provides an interface between cockpit/cabin crew and cabin systems. These systems support data exchange between the different related Line Replaceable Units (LRUs) and they are typically operated via Flight Attendant Panels (FAPs).

CNS typically consists of a server, interfacing with, among others, the following systems:

- Data/Radio Communication;
- Cabin Core System (CCS);
- In-flight Entertainment System (IFES);
- External Communication System (ECS);
- Cabin Mass Memory System (CMMS);
- Cabin Monitoring System (CMS);
- Miscellaneous Cabin Systems (MCSs).

CNS may host functions such as:

- access to pre-departure/departure reports;
- e-mail/intranet/internet access; passenger database.';
- (j) in the table of module 11B, submodule 11.8 point (b), '3' is replaced by '2' for the B1.2 licence;

(k) in the table of module 11B, the context box of the first column of submodule 11.16 is replaced by the following:

#### '11.16 Pneumatic/Vacuum (ATA 36)

System lay-out;

Sources: engine/APU, compressors, reservoirs, ground supply;

Pressure and vacuum pumps

Pressure control;

Distribution;

Indications and warnings;

Interfaces with other systems.';

(l) in the table of module 12, the context box of the first column of submodule 12.16 is replaced by the following:

#### '12.16 Pneumatic/Vacuum (ATA 36)

System lay-out;

Sources: engine/APU, compressors, reservoirs, ground supply;

Pressure and vacuum pumps

Pressure control;

Distribution;

Indications and warnings;

Interfaces with other systems.';

(m) module 13 is replaced by the following:

'MODULE 13 — AIRCRAFT AERODYNAMICS, STRUCTURES AND SYSTEMS

			LEVEL
			B2 B2L
13.1	The	ory of Flight	
	(a)	Aeroplane Aerodynamics and Flight Controls Operation and effect of:	1
		— roll control: ailerons and spoilers;	
		— pitch control: elevators, stabilators, variable incidence stabilisers and canards; and	
		— yaw control: rudder limiters;	
		Control using elevons, ruddervators;	
		High lift devices: slots, slats, flaps;	
		Drag inducing devices: spoilers, lift dumpers, speed brakes; and	
		Operation and effect of trim tabs, servo tabs and control surface bias.	
	(b)	High-Speed Flight	1
		Speed of sound, subsonic flight, transonic flight, supersonic flight;	
		Mach number, critical Mach number.	
	(c)	Rotary Wing Aerodynamics	1
		Terminology;	
		Operation and effect of cyclic, collective and anti-torque controls.	

		LEVEL
		B2 B2L
13.2	Structures — General Concepts	
	Fundamentals of Structural Systems	1
	Zonal and Station Identification Systems	2
	Electrical bonding	2
	Lightning strike protection provision.	2
3.3	Autoflight (ATA 22)	
	(a)	3
	Fundamentals of automatic flight control including working principles and current terminology; Command signal processing; Modes of operation: roll, pitch and yaw channels; Yaw dampers; Stability Augmentation System in helicopters; Automatic trim control; Autopilot navigation aids interface;	
	(b)	3
	Autothrottle systems;	
	Automatic landing systems: principles and categories, modes of operation, approach, glideslope, land, go-around, system monitors and failure conditions.	
13.4	Communication/Navigation (ATA 23/34)	
	(a)	3
	Fundamentals of radio wave propagation, antennas, transmission lines, communication, receiver and transmitter;  Working principles of following systems:  — Very High Frequency (VHF) communication;  — High Frequency (HF) communication;  — Audio;  — Emergency Locator Transmitters (ELTs);  — Cockpit Voice Recorder (CVR);  — Very High Frequency Omnidirectional Range (VOR);  — Automatic Direction Finding (ADF);  — Instrument Landing System (ILS);  — Flight Director Systems (FDSs), Distance Measuring Equipment (DME);  — Area navigation, RNAV systems;  — Flight Management Systems (FMSs);  — Global Positioning System (GPS), Global Navigation Satellite Systems (GNSSs);  — Data Link.	
	(b)	3
	<ul> <li>— Air Traffic Control transponder, secondary surveillance radar;</li> <li>— Traffic Alert and Collision Avoidance System (TCAS);</li> </ul>	

		LEVEL
		B2 B2L
	— Weather avoidance radar;	
	— Radio altimeter;	
	— Automatic Dependent Surveillance — Broadcast (ADS-B).	
	(c)	3
	— Microwave Landing System (MLS);	
	<ul> <li>Very Low Frequency and hyperbolic navigation (VLF/Omega);</li> </ul>	
	— Doppler navigation;	
	— Inertial Navigation System (INS);	
125	— ARINC (Aircraft Radio Incorporated) communication and reporting.	2
13.5	Electrical Power (ATA 24)	3
	Batteries installation and operation;	
	Direct Current (DC) power generation;	
	Alternating Current (AC) power generation; Emergency power generation;	
	Voltage regulation;	
	Power distribution;	
	Inverters, transformers, rectifiers;	
	Circuit protection;	
	External/Ground power.	
13.6	Equipment and Furnishings (ATA 25)	3
	Electronic emergency equipment requirements;	
	Cabin entertainment equipment.	
13.7	Flight Controls (ATA 27)	
	(a)	2
	Primary controls: aileron, elevator, rudder, spoiler;	
	Trim control;	
	Active load control;	
	High lift devices;	
	Lift dump, speed brakes;	
	System operation: manual, hydraulic, pneumatic;	
	Artificial feel, Yaw damper, Mach trim, rudder limiter, gust locks; Stall protection systems.	
	(b)	3
	System operation: electrical, fly-by-wire.	
13.8	Instruments (ATA 31)	3
	Classification;	
	Atmosphere;	
	Terminology;	
	Pressure-measuring devices and systems;	
	Pitot-static systems;	
	Altimeters;	
	Vertical-speed indicators;	

			LEVEL
			B2
			B2L
	Airspeed	indicators;	
	Machmet		
		reporting/alerting systems;	
		computers;	
		nt pneumatic systems;	
		iding pressure and temperature gauges;	
	-	ure-indicating systems;	
	-	tity-indicating systems;	
	Gyroscop Artificial	ic principles;	
	Slip indic		
	Direction:		
		Proximity Warning Systems (GPWSs);	
	Compass		
	-	ta Recording Systems (FDRSs);	
	Electronic	E Flight Instrument Systems (EFISs);	
	Instrumer warning p	nt warning systems including master warning systems and centralised panels;	
	Stall warr	ning systems and angle of attack-indicating systems;	
	Vibration	measurement and indication;	
	Glass coc	kpit.	
13.9	Lights (A7	ΓA 33)	3
		navigation, landing, taxiing, ice;	
		cabin, cockpit, cargo;	
	Emergeno		
13.10		Maintenance Systems (ATA 45)	3
		naintenance computers;	
		ling system;	
		z-library system;	
	Printing s	ystem; -monitoring system (damage tolerance monitoring).	
13.11		tioning and Cabin Pressurisation (ATA 21)	
13.11			
	13.11.1	Air Supply	2
		Sources of air supply including engine bleed, APU and ground cart;	
	13.11.2	Air Conditioning	
		Air-conditioning systems;	2
		Air cycle and vapour cycle machines;	3
		Distribution systems;	1
		Flow, temperature and humidity control system.	3
	13.11.3	Pressurisation	3
		Pressurisation systems;	
		Control and indication including control and safety valves; Cabin pressure controllers.	

		LEVEL
		B2 B2L
	13.11.4 Safety and Warning Devices	3
	Protection and warning devices.	
13.12	Fire Protection (ATA 26)	
	(a)	3
	Fire and smoke detection and warning systems;	
	Fire-extinguishing systems;	
	System tests.	
	(b)	1
	Portable fire extinguisher.	1
13.13	Fuel Systems (ATA 28)	
1 7.1 7	System layout;	1
	Fuel tanks;	1
	Supply systems;	1
	Dumping, venting and draining;	1
	Cross feed and transfer;	2
	Indications and warnings;	3
	Refuelling and defuelling;	2
	Longitudinal-balance fuel systems.	3
13.14	Hydraulic Power (ATA 29)	
1 7.1 1	System layout;	1
	Hydraulic fluids;	1
	Hydraulic reservoirs and accumulators;	1
	Pressure generation: electrical, mechanical, pneumatic;	3
	Emergency pressure generation;	3
	Filters;	1
	Pressure control;	3
	Power distribution;	1
	Indication and warning systems;	3
	Interface with other systems.	3
13.15	Ice and Rain Protection (ATA 30)	
1,11,	Ice formation, classification and detection;	2
	Anti-icing systems: electrical, hot-air and chemical;	2
	De-icing systems: electrical, hot-air, pneumatic, chemical;	3
	Rain-repellent;	1
	Probe and drain-heating;	3
	Wiper systems.	1
13.16	Landing Gear (ATA 32)	
	Construction, shock absorbing;	1
	Extension and retraction systems: normal and emergency;	3
	Indications and warnings;	3
	Wheels, brakes, antiskid and automatic braking systems;	3
	Tyres;	1
	Steering;	3
	Air-ground sensing.	3
13.17	Oxygen (ATA 35)	
/	System layout: cockpit, cabin;	3
	Sources, storage, charging and distribution;	3
	Supply regulation;	3

		LEVEL
		B2 B2L
13.18	Pneumatic/Vacuum (ATA 36)	522
	System layout;	2
	Sources: engine/APU, compressors, reservoirs, ground supply;	2
	Pressure control;	3
	Distribution;	1
	Indications and warnings;	3
	Interfaces with other systems.	3
13.19	Water/Waste (ATA 38)	2
	With a section leaves and alterative and decision	
	Water system layout, supply, distribution, servicing and draining; Toilet system layout, flushing and servicing.	
	Tollet system layout, mashing and servicing.	
13.20	Integrated Modular Avionics (IMA) (ATA 42)	3
	Core system;	
	Network components.	
	Note: Functions that may be typically integrated into the IMA modules are among others:  — bleed management;	
	— air pressure control;	
	— air ventilation and control;	
	— avionics and cockpit ventilation control, temperature control;	
	— air traffic communication;	
	— avionics communication router;	
	— electrical load management;	
	— circuit breaker monitoring;	
	— electrical system Built-In Test Equipment (BITE);	
	— fuel management;	
	— braking control;	
	— steering control;	
	— landing gear extension and retraction;	
	— tyre pressure indication;	
	— oleo pressure indication;	
	— brake temperature monitoring.	
13.21	Cabin Systems (ATA 44)	3
	The units and components which furnish a means of entertaining the passengers and providing communication within the aircraft (Cabin Intercommunication Data System (CIDS)) and between the aircraft cabin and ground stations (Cabin Network Service (CNS)). They include voice, data, music and video transmissions.	
	System (CIDS)) and between the aircraft cabin and ground stations (Cabin Network	

CIDS provides an interface between cockpit/cabin crew and cabin systems. These systems support data exchange between the different related Line Replaceable Units (LRUs) and they are typically operated via Flight Attendant Panels (FAPs).

		LEVEL
		B2 B2L
	CNS typically consists of a server, interfacing with, among others, the following systems:	
	— Data/Radio Communication;	
	— Cabin Core System (CCS);	
	— In-flight Entertainment System (IFES);	
	— External Communication System (ECS);	
	— Cabin Mass Memory System (CMMS);	
	— Cabin Monitoring System (CMS);	
	— Miscellaneous Cabin Systems (MCSs).	
	CNS may host functions such as:	
	<ul> <li>access to pre-departure/departure reports;</li> </ul>	
	— e-mail/intranet/internet access;	
	— passenger database.	
3.22	Information Systems (ATA 46)	3
	The units and components which furnish a means of storing, updating and retrieving digital information traditionally provided on paper, microfilm or microfiche. They include units that are dedicated to the information storage and retrieval function such as the electronic library mass storage and controller, but they do not include units or components installed for other uses and shared with other systems, such as flight deck printer or general-use display.	
	Typical examples include:	
	Air Traffic and Information Management systems and Network Server systems.	
	Aircraft general information system;	
	Flight deck information system;	
	— Maintenance information system;	
	— Passenger cabin information system;	
	Miscellaneous information systems.'	

- (21) Appendix II is amended as follows:
  - (a) the title is replaced by the following:

#### 'Appendix II

#### **Basic Examination Standard**

#### (except for category L licence)';

- (b) in points 2.2.1 to 2.2.10, the words 'Category B2' are replaced by the words 'Category B2 and B2L';
- (c) points 2.2.13 and 2.2.14 are replaced by the following:
  - '2.13. MODULE 13 AIRCRAFT AERODYNAMICS, STRUCTURES AND SYSTEMS

Category B2: 180 multiple-choice and 0 essay questions. Time allowed: 225 minutes. Questions and time allowed may be split into two examinations, as appropriate.

#### Category B2L:

System rating	Number of multiple- choice questions	Time allowed (minutes)
Basic requirements (Submodules 13.1, 13.2, 13.5 and 13.9)	28	35
COM/NAV (Submodule 13.4(a))	24	30
INSTRUMENTS (Submodule 13.8)	20	25
AUTOFLIGHT (Submodules 13.3(a) and 13.7)	28	35
SURVEILLANCE (Submodule 13.4(b))	8	10
AIRFRAME SYSTEMS (Submodules 13.11 to 13.18)	32	40

#### 2.14. MODULE 14 — PROPULSION

Category B2 and B2L: 24 multiple-choice and 0 essay questions. Time allowed: 30 minutes.

NOTE: The B2L examination for module 14 is only applicable to the 'Instruments' and 'Airframe Systems' ratings.';

#### (22) Appendix III is amended as follows:

- (a) in point 1.(a), point (ii) is replaced by the following:
  - '(ii) Shall comply, except as permitted by the differences training provided for in point (c), with the standard set out in point 3.1 of this Appendix and, if available, the relevant elements defined in the mandatory part of the operational suitability data established in accordance with Regulation (EU) No 748/2012.';
- (b) in point 1.(b), point (ii) is replaced by the following:
  - '(ii) Shall comply, except as permitted by the differences training described in point (c), with the standard set out in point 3.2 of this Appendix and, if available, the relevant elements defined in the mandatory part of the operational suitability data established in accordance with Regulation (EU) No 748/2012.';
- (c) in point 3.1(c), the footnotes in the table are replaced by the following:
  - $^{\circ}$ (1) For non-pressurised piston engine aeroplanes below 2 000 kg MTOM, the minimum duration can be reduced by 50 %.
  - (2) For helicopters in Group 2 (as defined in point 66.A.5), the minimum duration can be reduced by 30 %.';
- (d) in point 3.1(e), the level of training for the airframe system 21A 'Air Supply', corresponding to the column 'Helicopters Turbine', is replaced by the following:

(e) in point 3.1(e) the level of training for the airframe system 31A 'Instrument Systems', corresponding to the column 'Helicopters piston', is replaced by the following:

'3	1';

#### (23) Appendix IV is replaced by the following:

#### 'Appendix IV

#### Experience requirements for extending a Part-66 aircraft maintenance licence.

The table below shows the experience requirements for adding a new category or subcategory to an existing Part-66 licence.

The experience shall be practical maintenance experience in operating aircraft in the subcategory relevant to the application.

The experience requirement will be reduced by 50 % if the applicant has completed an approved Part-147 course relevant to the subcategory.

To From	A1	A2	A3	A4	B1.1	B1.2	B1.3	B1.4	В2	B2L	В3
A1	_	6 months	6 months	6 months	2 years	6 months	2 years	1 year	2 years	1 year	6 months
A2	6 months		6 months	6 months	2 years	6 months	2 years	1 year	2 years	1 year	6 months
A3	6 months	6 months	_	6 months	2 years	1 year	2 years	6 months	2 years	1 year	1 year
A4	6 months	6 months	6 months		2 years	1 year	2 years	6 months	2 years	1 year	1 year
B1.1	None	6 months	6 months	6 months	_	6 months	6 months	6 months	1 year	1 year	6 months
B1.2	6 months	None	6 months	6 months	2 years		2 years	6 months	2 years	1 year	None
B1.3	6 months	6 months	None	6 months	6 months	6 months	_	6 months	1 year	1 year	6 months
B1.4	6 months	6 months	6 months	None	2 years	6 months	2 years		2 years	1 year	6 months
В2	6 months	6 months	6 months	6 months	1 year	1 year	1 year	1 year	_	_	1 year
B2L	6 months	6 months	6 months	6 months	1 year	1 year	1 year	1 year	1 year		1 year
В3	6 months	None	6 months	6 months	2 years	6 months	2 years	1 year	2 years	1 year	<b>—</b> ';

#### (24) Appendix V is replaced by the following:

#### 'Appendix V

#### Application Form — EASA Form 19

- 1. This Appendix contains an example of the form used for applying for the aircraft maintenance licence referred to in Annex III (Part-66).
- 2. The competent authority of the Member State may modify the EASA Form 19 only to include additional information necessary to support the case where the national requirements permit or require the aircraft maintenance licence issued in accordance with Annex III (Part-66) to be used outside the requirements of Annex I (Part-M) and Annex II (Part-145).

APPLICATION	FOR INITIAL/AMENDM MAINTENANG			PART-66 AIR	CRAF	Т	EASA FOR	M 19
APPLICANT'S DETAI	LS:							
Address:								
Tel:			E-mail:					
Nationality:			Date and F	Place of Birth	:			
PART-66 AML DETAI	LS (if applicable):							
Licence No:			Date of Iss	ue:				
EMPLOYER'S DETAI	LS:							
Name:								
Address:								
Maintenance Organisa	ation Approval Reference	e:						
Tel:			Fax:					
APPLICATION FOR:	(Tick relevant boxes)							
Initial AML	Amendment of AML	. 🗆	Renewal of	AML 🗆				
(Sub)categories	A B1	B2	B2L	В3	С	L (see	below)	
Aeroplane Turbine								
Aeroplane Piston								
Helicopter Turbine								
Helicopter Piston								
Avionics			☐ See syst	tem ratings b	elow			
Piston engine non-pre	essurised aeroplanes of I	MTOM of 2t	and below					
Complex motor-power	red aircraft							
Aircraft other than cor	mplex motor-powered air	craft						
System ratings for B	32L licence:							
1. autoflight,								
2. instruments								
3. com/nav								
4. surveillance								
5. airframe systems	_							
L-licence subcatego						_		
L1C: Composite sailpl	lanes							
L1: Sailplanes		:t- El Ad						
-	ered sailplanes and comp	Josite ELA1	aeropianes					
L3H: Hot-air balloons	es and ELA1 aeroplanes							
L3G: Gas balloons								
L4H: Hot-air airships								
L4G: ELA2 gas airship	ns					$\overline{\Box}$		
L5: Gas airships other								
	ating endorsement/Limita	ation remov	al (if applicable	e):		_		
yp			( -  -  -  -  -  -  -  -  -  -  -  -	<i>,</i>				

EN

I wish to apply for initial/amendment of/renewal of Part-66 AML, as indicated, and confirm that the information contained in this form was correct at the time of application.
I herewith confirm that:
1. I am not holding any Part-66 AML issued in another Member State;
2. I have not applied for any Part-66 AML in another Member State; and
3. I never had a Part-66 AML issued in another Member State which was revoked or suspended in any other Member State.
I also understand that any incorrect information could disqualify me from holding a Part-66 AML.
Signed: Name:
Date:
I wish to claim the following credits (if applicable):
Experience credits for Part-147 training
Examination credits for equivalent exam certificates
Please enclose all relevant certificates
Recommendation (if applicable): It is hereby certified that the applicant has met the relevant Part-66 maintenance knowledge and experience requirements and it is recommended that the competent authority grants or endorses the Part-66 AML.
Signed: Name:
Position: Date:
EASA FORM 19 Issue 5';
(25) Appendix VI is amended as follows:
(a) the title is replaced by the following:
'Appendix VI – Aircraft Maintenance Licence referred to in Annex III (Part-66) – EASA Form 26';

- (b) in the beginning of the Appendix VI and before the existing EASA Form 26 the following text is inserted:
  - '1. An example of the aircraft maintenance licence referred to in Annex III (Part-66) can be found on the following pages.

- 2. The document shall be printed in the standardised form shown but may be reduced in size to allow it being generated by computer. When the size is reduced, care shall be taken to ensure that sufficient space is available in those places where official seals or stamps are required. Computer-generated documents need not have all the boxes incorporated when any such box remains blank, so long as the document can clearly be recognised as an aircraft maintenance licence issued in accordance with Annex III (Part-66).
- 3. The document may be filled in either in English or the official language of the Member State of the competent authority. In the latter case, a second copy in English shall be attached to the document for any licence holder who needs to use the licence outside that Member State to ensure understanding for the purpose of mutual recognition.
- 4. Each licence holder shall have a unique licence holder number, established on the basis of a national identifier and an alpha-numeric designator.
- 5. The document may have the pages in a different order to the one of this example and needs not have some or any divider lines as long as the information contained is positioned in such a manner that each page lay-out can clearly be identified with the format of the example of the aircraft maintenance licence contained herein.
- 6. The document shall be prepared by the competent authority. However, it may also be prepared by any maintenance organisation approved in accordance with Annex II (Part-145), where the competent authority agrees to this and the preparation takes place in accordance with a procedure laid down in the maintenance organisation exposition referred to in point 145.A.70 of Annex II (Part-145). In all cases, the competent authority shall issue the document.
- 7. The preparation of any change to an existing aircraft maintenance licence shall be carried out by the competent authority. However, it may also be prepared by any maintenance organisation approved in accordance with Annex II (Part- 145), where the competent authority agrees to this and the preparation takes place in accordance with a procedure laid down in the maintenance organisation exposition referred to in point 145.A.70 of Annex II (Part-145). In all cases, the competent authority shall change the document.
- 8. The holder of the aircraft maintenance licence shall keep it in good condition and shall ensure that no unauthorised entries are made. Failure to comply with this rule may invalidate the license or lead to the holder not being permitted to hold any certification privilege. It may also result in prosecution under national law.
- 9. The aircraft maintenance licence issued in accordance with Annex III (Part-66) shall be recognised in all Member States and it is not required to exchange the document when working in another Member State.
- 10. The Annex to EASA Form 26 is optional and may only be used to include national privileges, where such privileges are covered by national law outside the scope of Annex III (Part-66).
- 11. With regard to the aircraft type rating page of the aircraft maintenance licence, the competent authority may decide not to issue this page until the first aircraft type rating needs to be endorsed and may need to issue more than one aircraft type rating page depending on the number of type ratings to be listed.
- 12. Notwithstanding point 11, each page issued shall be in the format of this example and contain the specified information for that page.
- 13. The aircraft maintenance licence shall clearly indicate that the limitations are exclusions from the certification privileges. If there are no limitations applicable, the LIMITATIONS page shall state 'No limitations'.
- 14. Where a pre-printer format is used for issuing the aircraft maintenance licence, any category, subcategory or type rating box which does not contain a rating entry shall be marked to show that the rating is not held.';

#### (c) Form 26 is replaced by the following:

Ί.

**EUROPEAN UNION (\*)** 

[STATE]

[AUTHORITY NAME & LOGO]

II.

Part-66

**AIRCRAFT MAINTENANCE** 

**LICENCE** 

III.

Licence No [MEMBER STATE CODE].66.[XXXX]

EASA FORM	26	Issue	5
-----------	----	-------	---

VIII. CONDITIONS.	VIII.	CONDITIONS:
-------------------	-------	-------------

This licence shall be signed by the holder and be accompanied by an identity document containing a photograph of the licence holder.

Endorsement of any categories on the page(s) entitled 'Part-66 CATEGORIES' only, does not permit the holder to issue a certificate of release to service for an aircraft.

This licence, when endorsed with an aircraft rating, meets the intent of ICAO Annex 1.

The privileges of this licence holder are prescribed by Regulation (EU) No 1321/2014 and, in particular, Annex III (Part-66) thereto.

This licence remains valid until the date specified on the limitation page unless previously suspended or revoked.

The privileges of this licence may not be exercised unless in the preceding two-year period, the holder had either six months of maintenance experience in accordance with the privileges granted by the licence, or met the provisions for the issue of the appropriate privileges.

III. Licence No:

IVa.	Full name of holder:
IVb.	Date and place of birth:
V.	Address of holder:
VI.	Nationality of holder:
VII.	Signature of holder:

Licence No:

IX. Part-66 CATEGORIES								
VALIDITY	Α	В1	B2	B2L	ВЗ	L	С	
Aeroplanes Turbine			n.	/a	n/a	n/a	n/a	
Aeroplanes Piston			n.	/a	n/a	n/a	n/a	
Helicopters Turbine			n.	/a	n/a	n/a	n/a	
Helicopters Piston			n.	/a	n/a	n/a	n/a	
Avionics	n/a	n/a			n/a	n/a	n/a	
Complex motor- powered aircraft	n/a	n/a	n.	/a	n/a	n/a		
Aircraft other than complex motor-powered aircraft	n/a	n/a	n.	/a	n/a	n/a		
Sailplanes, powered sailplanes, ELA1 aeroplanes, balloons and airships	n/a	n/a	n/a		n/a		n/a	
Piston engine non pressurised aero- planes of 2 000 kg MTOM and below	n/a	n/a	n/a n/a		n/a			
X. Signature of issuing officer & date:								

Seal or stamp of issuing authority:

Licence No:

XII. PART-66 RA	ATINGS		XIII. PART-66 LIMITATIONS
Aircraft rating/ System ratings	Category/Subcategory	Stamp & Date	
			Valid until:
III. Licence No:			III. Licence No:
XIV. NATIONAL		e scope of Legislation]	INTENTIONALLY LEFT BLANK
III. Licence No:			
2.001100 140.			

EASA Form 26 Issue 5';

(26) the following Appendixes VII and VIII are added:

'Airships hot air/gas'

'Radio Com/ELT/Transponder/Instruments'

12L

# 'Appendix VII

# Basic knowledge requirements for category L aircraft maintenance licence

The definitions of the different levels of knowledge required in this Appendix are the same as those contained in point 1 of Appendix I to Annex III (Part-66).

pomi	To Tippendia To Times in (Furt 66).	
	Subcategories	Modules required for each subcategory (refer to the syllabus table below)
L1C:	composite sailplanes	1L, 2L, 3L, 5L, 7L and 12L
L1: sa	ailplanes	1L, 2L, 3L, 4L, 5L, 6L, 7L and 12L
	composite powered sailplanes and composite aeroplanes	1L, 2L, 3L, 5L, 7L, 8L and 12L
L2: p	owered sailplanes and ELA1 aeroplanes	1L, 2L, 3L, 4L, 5L, 6L, 7L, 8L and 12L
L3H:	hot-air balloons	1L, 2L, 3L, 9L and 12L
L3G:	gas balloons	1L, 2L, 3L, 10L and 12L
L4H:	hot-air airships	1L, 2L, 3L, 8L, 9L, 11L and 12L
L4G:	ELA2 gas airships	1L, 2L, 3L, 8L, 10L, 11L and 12L
L5: g	as airships above ELA2	Basic knowledge requirements for any B1 subcategory plus 8L (for B1.1 and B1.3), 10L, 11L and 12L
TABL	E OF CONTENTS:	
Modu	ule Designation	
1L	'Basic knowledge'	
2L	'Human factors'	
3L	'Aviation legislation'	
4L	'Airframe wooden/metal tube and fabric'	
5L	'Airframe composite'	
6L	'Airframe metal'	
7L	'Airframe general'	
8L	'Power plant'	
9L	'Balloon/Airship hot air'	
10L	'Balloon/Airship gas (free/tethered)'	

# MODULE 1L — BASIC KNOWLEDGE

	Level
1L.1 Mathematics	1
Arithmetic	
— Arithmetical terms and signs;	
<ul> <li>Methods of multiplication and division;</li> </ul>	
— Fractions and decimals;	
— Factors and multiples;	
— Weights, measures and conversion factors;	
— Ratio and proportion;	
— Averages and percentages;	
— Areas and volumes, squares, cubes.	
Algebra	
<ul> <li>Evaluating simple algebraic expressions: addition, subtraction, multiplication and division;</li> </ul>	
— Use of brackets;	
— Simple algebraic fractions.	
Geometry	
Simple geometrical constructions;	
<ul> <li>— Graphical representation: nature and uses of graphs.</li> </ul>	
Graphical representation, nature and uses of graphs.	
1L.2 Physics	1
Matter	
— Nature of matter: the chemical elements;	
— Chemical compounds;	
— States: solid, liquid and gaseous;	
— Changes between states.	
Mechanics	
Forces, moments and couples, representation as vectors;	
— Centre of gravity;	
— Tension, compression, shear and torsion;	
— Nature and properties of solids, fluids and gases.	
Temperature	
— Thermometers and temperature scales: Celsius, Fahrenheit and Kelvin;	
— Heat definition.	
1L.3 Electrics	1
DC Circuits	
— Ohm's law, Kirchoff's voltage and current laws;	
Significance of the internal resistance of a supply;	
— Significance of the internal resistance of a supply,  — Resistance/resistor;	
·	
Resistor colour code, values and tolerances, preferred values, wattage ratings;  Resistors in sories and parallel.	
— Resistors in series and parallel.	
11. 4. Aprodynamics/aprostatics	1
1L.4 Aerodynamics/aerostatics  International Standard Atmosphere (ISA) application to corodynamics and corostatics	1
International Standard Atmosphere (ISA), application to aerodynamics and aerostatics.	



	Level
Aerodynamics	Level
— Airflow around a body;	
Boundary layer, laminar and turbulent flow;	
— Thrust, weight, aerodynamic resultant;	
— Generation of lift and drag: angle of attack, polar curve, stall.	
Aerostatics	
Effect on envelopes, wind effect, altitude and temperature effects.	
1L.5 Workplace safety and environmental protection	2
— Safe working practices and precautions when working with electricity, gases (especially oxygen), oils and chemicals;	
— Labelling, storage and disposal of hazardous (to safety and environment) materials;	
<ul> <li>Remedial action in the event of a fire or another accident with one or more hazards, including knowledge of extinguishing agents.</li> </ul>	
MODULE 2L — HUMAN FACTORS	
	Level
2L.1 General	1
— The need to take human factors into account;	
— Incidents attributable to human factors/human error;	
— Murphy's Law.	
2L.2. Human performance and limitations	1
Vision, hearing, information processing, attention and perception, memory.	
2L.3 Social psychology	1
Responsibility, motivation, peer pressure, teamwork.	
2L.4 Factors affecting performance	1
Fitness/health, stress, sleep, fatigue, alcohol, medication, drug abuse.	1
2L.5 Physical environment	1
Working environment (climate, noise, illumination).	
MODULE 3L — AVIATION LEGISLATION	
	Level
3L.1 Regulatory framework	1
— Role of the European Commission, EASA and National Aviation Authorities (NAAs);	
— Applicable parts of Part-M and Part-66.	
3L.2 Repairs and modifications	2
<ul> <li>Approval of changes (repairs and modifications);</li> </ul>	
— Standard changes and standard repairs.	
3L.3 Maintenance data	2
— Airworthiness Directives (ADs), Instructions for Continuing Airworthiness (ICA) (AMM, IPC,	_
etc.);	
— Flight Manual;	
— Maintenance records.	

# ${\tt MODULE~4L-AIRFRAME~WOODEN/METAL~TUBE~AND~FABRIC}$

	Level
4L.1 Airframe wooden/combination of metal tube and fabric	2
— Timber, plywood, adhesives, preservation, power line, properties, machining;	
— Covering (covering materials, adhesives and finishes, natural and synthetic covering materials and adhesives);	
— Paint, assembly and repair processes;	
— Recognition of damages from overstressing of wooden/metal-tube and fabric structures;	
<ul> <li>Deterioration of wood components and coverings;</li> </ul>	
— Crack test (optical procedure, e.g., magnifying glass) of metal components. Corrosion and preventive methods. Health and fire safety protections.	
4L.2 Material	2
— Types of wood, stability, and machining properties;	
<ul> <li>Steel and light alloy tubes and fittings, fracture inspections of welded seams;</li> </ul>	
<ul> <li>Plastics (overview, understanding of the properties);</li> </ul>	
— Paints and paint removal;	
— Glues, adhesives;	
— Covering materials and technologies (natural and synthetic polymers).	
4L.3 Identifying damage	3
<ul> <li>Overstress of wood / metal-tubing and fabric structures;</li> </ul>	
— Load transfers;	
— Fatigue strength and crack testing.	
4L.4 Performance of practical activities	2
<ul> <li>Locking of pins, screws, castellated nuts, turnbuckles;</li> </ul>	
— Thimble splice;	
<ul> <li>Nicopress and Talurit repairs;</li> </ul>	
— Repair of coverings;	
— Repair of transparencies;	
Repair exercises (plywood, stringer, handrails, skins);	
<ul> <li>Aircraft Rigging. Calculation of control surface mass balance and range of movement of the control surfaces, measurement of operating forces;</li> </ul>	
<ul> <li>Performance of 100-hours/annual inspections on a wood or combination of metal-tube and fabric airframe.</li> </ul>	

# MODULE 5L — AIRFRAME COMPOSITE

	Level
5L.1 Airframe fibre-reinforced plastic (FRP)	2
— Basic principles of FRP construction;	
— Resins (Epoxy, polyester, phenolic resins, vinyl ester resins);	
— Reinforcement materials glass, aramide and carbon fibres, features;	
— Fillers;	
— Supporting cores (balsa, honeycombs, foamed plastics);	
— Constructions, load transfers (solid FRP shell, sandwiches);	

- Identification of damage during overstressing of components; - Procedure for FRP projects (according to Maintenance Organisation Manual) including storage conditions for material.  1.2. Material - Thermosetting plastics, thermoplastic polymers, catalysts; - Understanding properties, machining technologies, detaching, bonding, welding; - Resins for FRP: epoxy resins, polyester resins, vinyl ester resins, phenolic resins; - Reinforcement materials; - From elementary fibre to filaments (release agent, finish), weaving patterns; - Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre); - Problem with multiple-material systems, matrix; - Adhesion/cohesion, various behaviours of fibre materials; - Friling materials and pigments; - Technical requirements for filling materials; - Friling materials and pigments; - Technical requirements for filling materials; - Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; - Paint assembly and repair technologies; - Support materials; - Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  1.3. Assembly of Fibre-Reinforced Composite-Structure Airframes - Solid shell; - Sandwiches: - Assembly of aerofoils, fuselages, control surfaces.  1.4. Identifying Damage - Bechaviour of FRP components in the event of overstressing: - Identifying delaminations, loose bonds; - Bending vibration frequency in aerofoils; - Load transfer: - Frictional connection and positive locking; - Farigue strength and corrosion of metal parts; - Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  1.5. Mold making - Plaster molds, mold ceramics; - GFK molds, Gel-coat, reinforcement materials, rigidity problems; - Metal bonding: - Male and female molds.  1.6. Performance of practical activities - Locking of pin, screws, castellated nuts, turnbuckles; - Thimble splice; - Nicopress and Talurit repairs, - Rep		Level
Thermosetting plastics, thermoplastic polymers, catalysts;  Understanding properties, machining technologies, detaching, bonding, welding;  Resins for TRP: epoxy resins, polyester resins, vinyl ester resins, phenolic resins;  Reinforcement materials;  From elementary fibre to filaments (release agent, finish), weaving patterns;  Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre);  Problem with multiple-material systems, matrix;  Adhesion/cohesion, various behaviours of fibre materials;  Flilling materials and pigments;  Technical requirements for filling materials;  Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances;  Paint assembly and repair technologies;  Support materials;  Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer:  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L5 Mold making  Plaster molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L6 Performance of practical activities  Loking of pin, screws, castellated nuts, turnbuckles;  Thimble splice:  Nicopress and Talurit repairs;  Repair of coverings;	- Procedure for FRP projects (according to Maintenance Organisation Manual) including storage	
Understanding properties, machining technologies, detaching, bonding, welding:  Resins for FRP: epoxy resins, polyester resins, vinyl ester resins, phenolic resins:  Reinforcement materials:  From elementary fibre to filaments (release agent, finish), weaving patterns:  Properties of individual reinforcement materials (Fe-glass fibre, aramide fibre, carbon fibre):  Problem with multiple-material systems, matrix:  Adhesion/cohesion, various behaviours of fibre materials:  Filling materials and pigments:  Technical requirements for filling materials:  Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances;  Paint assembly and repair technologies;  Support materials;  Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell:  Sandwiches;  Assembly of aerofoils, fusclages, control surfaces.  L4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds:  Bending wibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L5 Mold making  Plaster molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice:  Nicopress and Talurit repairs;  Repair of coverings;	L.2 Material	2
Resins for FRP: epoxy resins, polyester resins, vinyl ester resins, phenolic resins; Reinforcement materials; From elementary fibre to filaments (release agent, finish), weaving patterns; Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre); Problem with multiple-material systems, matrix; Adhesion/cohesion, various behaviours of fibre materials; Filling materials and pigments; Filling materials and pigments: Technical requirements for filling materials; Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; Paint assembly and repair technologies; Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice: Nicopress and Talurit repairs; Repair of coverings;	Thermosetting plastics, thermoplastic polymers, catalysts;	
Resins for FRP: epoxy resins, polyester resins, vinyl ester resins, phenolic resins; Reinforcement materials; From elementary fibre to filaments (release agent, finish), weaving patterns; Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre); Problem with multiple-material systems, matrix; Adhesion/cohesion, various behaviours of fibre materials; Filling materials and pigments; Filling materials and pigments: Technical requirements for filling materials; Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; Paint assembly and repair technologies; Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice: Nicopress and Talurit repairs; Repair of coverings;	- Understanding properties, machining technologies, detaching, bonding, welding;	
Reinforcement materials; From elementary fibre to filaments (release agent, finish), weaving patterns; Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre); Protlem with multiple-material systems, matrix; Adhesion/cohesion, various behaviours of fibre materials; Filling materials and pigments; Technical requirements for filling materials; Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; Paint assembly and repair technologies; Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell: Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage Behaviour of FRP components in the event of overstressing: Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making Plaster molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L.6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice; Nicopress and Talurit repairs; Repair of coverings;		
Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre); Problem with multiple-material systems, matrix; Adhesion/cohesion, various behaviours of fibre materials; Filling materials and pigments; Technical requirements for filling materials; Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; Paint assembly and repair technologies; Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L.6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice; Nicopress and Talurit repairs; Repair of coverings;		
Properties of individual reinforcement materials (E-glass fibre, aramide fibre, carbon fibre); Problem with multiple-material systems, matrix; Adhesion/cohesion, various behaviours of fibre materials; Filling materials and pigments; Technical requirements for filling materials; Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; Paint assembly and repair technologies; Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L.6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice; Nicopress and Talurit repairs; Repair of coverings;	- From elementary fibre to filaments (release agent, finish), weaving patterns;	
Problem with multiple-material systems, matrix;  Adhesion/cohesion, various behaviours of fibre materials;  Filling materials and pigments;  Technical requirements for filling materials;  Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances;  Paint assembly and repair technologies;  Support materials;  Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fratique strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;		
Adhesion/cohesion, various behaviours of fibre materials; Filling materials and pigments; Technical requirements for filling materials: Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances; Paint assembly and repair technologies; Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L.6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice; Nicopress and Talurit repairs; Repair of coverings;		
Filling materials and pigments;  Technical requirements for filling materials;  Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances;  Paint assembly and repair technologies;  Support materials;  Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3. Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L.4. Identifying Damage  Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5. Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6. Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;		
Technical requirements for filling materials;  Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances;  Paint assembly and repair technologies;  Support materials;  Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;	·	
- Property change of the resin composition through the use of E-glass, micro balloon, aerosols, cotton, minerals, metal powder, organic substances;  - Paint assembly and repair technologies;  - Support materials;  - Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes  - Solid shell;  - Sandwiches;  - Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  - Behaviour of FRP components in the event of overstressing;  - Identifying delaminations, loose bonds;  - Bending vibration frequency in aerofoils;  - Load transfer;  - Frictional connection and positive locking;  - Fatigue strength and corrosion of metal parts;  - Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  - Plaster molds, mold ceramics;  - GFK molds, Gel-coat, reinforcement materials, rigidity problems;  - Metal molds;  - Male and female molds.  L.6 Performance of practical activities  - Locking of pin, screws, castellated nuts, turnbuckles;  - Thimble splice;  - Nicopress and Talurit repairs;  - Repair of coverings;		
cotton, minerals, metal powder, organic substances;  Paint assembly and repair technologies;  Support materials;  Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;		
Support materials; Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L.6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice; Nicopress and Talurit repairs; Repair of coverings;		
Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.  L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;	- Paint assembly and repair technologies;	
L.3 Assembly of Fibre-Reinforced Composite-Structure Airframes  Solid shell;  Sandwiches;  Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;	- Support materials;	
Solid shell; Sandwiches; Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage Behaviour of FRP components in the event of overstressing; Identifying delaminations, loose bonds; Bending vibration frequency in aerofoils; Load transfer; Frictional connection and positive locking; Fatigue strength and corrosion of metal parts; Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making Plaster molds, mold ceramics; GFK molds, Gel-coat, reinforcement materials, rigidity problems; Metal molds; Male and female molds.  L.6 Performance of practical activities Locking of pin, screws, castellated nuts, turnbuckles; Thimble splice; Nicopress and Talurit repairs; Repair of coverings;	- Honeycombs (paper, FRP, metal), balsa wood, Divinycell (Contizell), development trends.	
Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;	•	2
Assembly of aerofoils, fuselages, control surfaces.  L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;		
L.4 Identifying Damage  Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;		
Behaviour of FRP components in the event of overstressing;  Identifying delaminations, loose bonds;  Bending vibration frequency in aerofoils;  Load transfer;  Frictional connection and positive locking;  Fatigue strength and corrosion of metal parts;  Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  Plaster molds, mold ceramics;  GFK molds, Gel-coat, reinforcement materials, rigidity problems;  Metal molds;  Male and female molds.  L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;	, , , , , , , , , , , , , , , , , , , ,	
<ul> <li>Identifying delaminations, loose bonds;</li> <li>Bending vibration frequency in aerofoils;</li> <li>Load transfer;</li> <li>Frictional connection and positive locking;</li> <li>Fatigue strength and corrosion of metal parts;</li> <li>Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.</li> <li>L.5 Mold making</li> <li>Plaster molds, mold ceramics;</li> <li>GFK molds, Gel-coat, reinforcement materials, rigidity problems;</li> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>		3
<ul> <li>Bending vibration frequency in aerofoils;</li> <li>Load transfer;</li> <li>Frictional connection and positive locking;</li> <li>Fatigue strength and corrosion of metal parts;</li> <li>Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.</li> <li>L.5 Mold making</li> <li>Plaster molds, mold ceramics;</li> <li>GFK molds, Gel-coat, reinforcement materials, rigidity problems;</li> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>	•	
<ul> <li>Load transfer;</li> <li>Frictional connection and positive locking;</li> <li>Fatigue strength and corrosion of metal parts;</li> <li>Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.</li> <li>L.5 Mold making</li> <li>Plaster molds, mold ceramics;</li> <li>GFK molds, Gel-coat, reinforcement materials, rigidity problems;</li> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>	, 0	
<ul> <li>Frictional connection and positive locking;</li> <li>Fatigue strength and corrosion of metal parts;</li> <li>Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.</li> <li>L.5 Mold making</li> <li>Plaster molds, mold ceramics;</li> <li>GFK molds, Gel-coat, reinforcement materials, rigidity problems;</li> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>	- Bending vibration frequency in aerofoils;	
— Fatigue strength and corrosion of metal parts;  — Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making  — Plaster molds, mold ceramics;  — GFK molds, Gel-coat, reinforcement materials, rigidity problems;  — Metal molds;  — Male and female molds.  L.6 Performance of practical activities  — Locking of pin, screws, castellated nuts, turnbuckles;  — Thimble splice;  — Nicopress and Talurit repairs;  — Repair of coverings;	- Load transfer;	
— Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.  L.5 Mold making — Plaster molds, mold ceramics; — GFK molds, Gel-coat, reinforcement materials, rigidity problems; — Metal molds; — Male and female molds.  L.6 Performance of practical activities — Locking of pin, screws, castellated nuts, turnbuckles; — Thimble splice; — Nicopress and Talurit repairs; — Repair of coverings;	- Frictional connection and positive locking;	
L.5 Mold making  — Plaster molds, mold ceramics;  — GFK molds, Gel-coat, reinforcement materials, rigidity problems;  — Metal molds;  — Male and female molds.  L.6 Performance of practical activities  — Locking of pin, screws, castellated nuts, turnbuckles;  — Thimble splice;  — Nicopress and Talurit repairs;  — Repair of coverings;	- Fatigue strength and corrosion of metal parts;	
<ul> <li>Plaster molds, mold ceramics;</li> <li>GFK molds, Gel-coat, reinforcement materials, rigidity problems;</li> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>	- Metal bonding, surface finishing of steel and aluminium components during bonding with FRP.	
<ul> <li>Plaster molds, mold ceramics;</li> <li>GFK molds, Gel-coat, reinforcement materials, rigidity problems;</li> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>	I. 5. Mold making	2
— GFK molds, Gel-coat, reinforcement materials, rigidity problems; — Metal molds; — Male and female molds.  L.6 Performance of practical activities — Locking of pin, screws, castellated nuts, turnbuckles; — Thimble splice; — Nicopress and Talurit repairs; — Repair of coverings;	· · · · · · · · · · · · · · · · · · ·	_
<ul> <li>Metal molds;</li> <li>Male and female molds.</li> <li>L.6 Performance of practical activities</li> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>		
— Male and female molds.  2.6 Performance of practical activities  — Locking of pin, screws, castellated nuts, turnbuckles;  — Thimble splice;  — Nicopress and Talurit repairs;  — Repair of coverings;	· · ·	
L.6 Performance of practical activities  Locking of pin, screws, castellated nuts, turnbuckles;  Thimble splice;  Nicopress and Talurit repairs;  Repair of coverings;		
<ul> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> <li>Thimble splice;</li> <li>Nicopress and Talurit repairs;</li> <li>Repair of coverings;</li> </ul>	rane and female moids.	
<ul><li>Thimble splice;</li><li>Nicopress and Talurit repairs;</li><li>Repair of coverings;</li></ul>	L.6 Performance of practical activities	2
<ul><li>Nicopress and Talurit repairs;</li><li>Repair of coverings;</li></ul>	<ul> <li>Locking of pin, screws, castellated nuts, turnbuckles;</li> </ul>	
<ul><li>Nicopress and Talurit repairs;</li><li>Repair of coverings;</li></ul>		
- Repair of coverings;	-	

	Level
<ul> <li>Mold fabrication/molding of a component (e.g. fuselage nose, landing gear fairing, wing tip and winglet);</li> </ul>	
— Repair of sandwich shell where interior and exterior layer are damaged;	
— Repair of sandwich shell by pressing with a vacuum bag;	
— Transparency repair (PMMA) with one- and two-component adhesive;	
— Bonding of transparency with the canopy frame;	
— Tempering of transparencies and other components;	
— Performance of a repair on a sandwich shell (minor repair less than 20 cm);	
<ul> <li>Aircraft Rigging. Calculation of control surface mass balance and range of movement of the control surfaces, measurement of operating forces;</li> </ul>	
— Performance of 100-hour/annual inspections on an FRP airframe.	

# MODULE 6L — AIRFRAME METAL

	Level
<ul> <li>6L.1 Airframe metal</li> <li>Metallic materials and semi-finished products, machining methods;</li> <li>Fatigue strength and crack test;</li> <li>Assembly of metal-construction components, riveted joints, adhesive joints;</li> <li>Identification of damage to overstressed components, effects of corrosion;</li> <li>Health and fire protection.</li> </ul>	2
6L.2 Material  — Steel and its alloys;  — Light metals and their light alloys;  — Rivet materials;  — Plastics;  — Colours and paints;  — Metal adhesives;  — Types of corrosion;  — Covering materials and technologies (natural and synthetic).	2
6L.3 Identifying damage  — Overstressed metal airframes, levelling, measurement of symmetry;  — Load transfers;  — Fatigue strength and crack test;  — Identifying loose riveted joints.	3
6L.4 Assembly of metal- and composite-construction airframes  — Skins;  — Frames;  — Stringers and longerons;  — Frame construction;  — Problems in multiple-material systems.	2
6L.5 Fasteners  — Classifications of fits and clearances;  — Metric and imperial measuring systems;  — Oversize bolt.	2

	Level
6L.6 Performance of practical activities	2
<ul> <li>Locking of pins, screws, castellated nuts, turnbuckles;</li> </ul>	
— Thimble splice;	
— Nicopress and Talurit repairs;	
— Repair of coverings, surface damage, stop drilling techniques;	
— Repair of transparencies;	
— Cutting out sheet metals (aluminiums and light alloys, steel and alloys);	
— Folding bending, edging, beating, smoothening, beading;	
— Repair riveting of metal airframes according to repair instruction or drawings;	
— Evaluation of rivet errors;	
<ul> <li>Aircraft Rigging. Calculation of control surface mass balance and range of movement of the control surfaces, measurement of operating forces;</li> </ul>	
— Performance of 100-hour/annual inspections on a metal airframe.	

# MODULE 7L — AIRFRAME GENERAL

	Level
7L.1 Flight control system	3
— Cockpit controls: controls in cockpit, colour markings, knob shapes;	
— Flight controls surfaces, flaps, air brakes surfaces, controls, hinges, bearings, brackets, push-pull rods, bell cranks, horns, pulleys, cables, chains, tubes, rollers, tracks, jack screws, surfaces, movements, lubrication, stabilisers, balancing of controls;	
— Combination of controls: flap ailerons, flap air brakes;	
— Trim systems.	
7L.2 Airframe	2
<ul> <li>Landing gear: characteristics of landing gears and shock absorber strut, extension, brakes, drum, disks, wheel, tyre, retraction mechanism, electrical retraction, emergency;</li> </ul>	
— Wing to fuselage mounting points, empennage (fin and tail plane) to fuselage mounting points, control surface mounting points;	
— Permissible maintenance measures;	
— Towing: towing/lifting equipment/mechanism;	
— Cabin: seats and safety harness, cabin arrangement, windshields, windows, placards, baggage compartment, cockpit controls, cabin air system, blower;	
— Water ballast: water reservoirs, lines, valves, drains, vents, tests;	
— Fuel system: tanks, lines, filters, vents, drains, filling, selector valve, pumps, indication, tests, bonding;	
— Hydraulics: system layout, accumulators, pressure and power distribution, indication;	
- Liquid and gas: hydraulic, other fluids, levels, reservoir, lines, valves, filter;	
— Protections: firewalls, fire protection, lightning strike bonding, turnbuckles, locking devices, dischargers.	
7L.3 Fasteners	2
— Reliability of pins, rivets, screws;	_
— Control cables, turnbuckles;	
— Quick-release couplings (L'Hotellier, SZD, Poland).	

	Level
7L.4 Locking equipment  — Admissibility of locking methods, locking pins, spring steel pins, locking wire, stop nuts, paint;  — Quick-release couplings.	2
7L.5 Weight and balance levelling	2
7L.6 Rescue systems	2
<ul> <li>7L.7 On-board modules</li> <li>Pitot-static system, vacuum/dynamic system, hydrostatic test;</li> <li>Flight instruments: airspeed indicator, altimeter, vertical-speed indicator, connection and functioning, markings;</li> <li>Arrangement and display, panel, electrical wires;</li> <li>Gyroscopes, filters, indicating instruments; testing of function;</li> <li>Magnetic compass: installation and compass swing;</li> <li>Sailplanes: acoustic vertical-speed indicator, flight recorders, anticollision aid;</li> <li>Oxygen system.</li> </ul>	2
<ul> <li>7L.8 On-board modules installation and connections</li> <li>Flight instruments, mounting requirements (emergency landing conditions as per CS-22);</li> <li>Electric wiring, power sources, types of storage batteries, electrical parameters, electric generator, circuit breaker, energy balance, earth/ground, connectors, terminals, warnings, fuses, lamps, lightings, switches, voltmeters, ampere meters, electrical gauges.</li> </ul>	2
7L.9 Piston engine propulsion Interface between power plant and airframe.	2
7L.10 Propeller  — Inspection;  — Replacement;  — Balancing.	2
7L.11 Retraction system  — Propeller position control;  — Engine and/or propeller retraction system.	2
7L.12 Physical inspection procedures  — Cleaning, use of lighting and mirrors;  — Measuring tools;  — Measure of controls deflection;  — Torque of screws and bolts;  — Wear of bearings;  — Inspection equipment;  — Calibration of measuring tools.	2

# MODULE 8L — POWER PLANT

	Level
8L.1 Noise limits	1
<ul> <li>Explanation of the concept of 'noise level';</li> </ul>	
— Noise certificate;	
— Enhanced sound proofing;	
<ul> <li>Possible reduction of sound emissions.</li> </ul>	



	Level
8L.2 Piston engines	2
— Four-stroke spark ignition engine, air-cooled engine, fluid-cooled engine;	
— Two-stroke engine;	
— Rotary-piston engine;	
— Efficiency and influencing factors (pressure–volume diagram, power curve);	
— Noise control devices.	
8L.3 Propeller	2
Blade, spinner, backplate, accumulator pressure, hub;	
— Operation of propellers;	
<ul> <li>Variable-pitch propellers, ground and in-flight adjustable propellers, mechanically, electrically and hydraulically;</li> </ul>	
— Balancing (static, dynamic);	
— Noise problems.	
8L.4 Engine control devices	2
Mechanical control devices;	
— Electrical control devices;	
— Tank displays;	
— Functions, characteristics, typical errors and error indications.	
8L.5 Hosepipes	2
Material and machining of fuel and oil hoses;	
— Control of life limit.	
8L.6 Accessories	2
— Operation of magneto ignition;	
— Control of maintenance limits;	
— Operation of carburettors;	
<ul> <li>Maintenance instructions on characteristic features;</li> </ul>	
— Electric fuel pumps;	
— Operation of propeller controls;	
— Electrically operated propeller control;	
— Hydraulically operated propeller control.	
8L.7 Ignition system	2
— Constructions: coil ignition, magneto ignition, and thyristor ignition;	
— Efficiency of the ignition and preheat system;	
— Modules of the ignition and preheat system;	
— Inspection and testing of a spark plug.	
8L.8 Induction and exhaust systems	2
— Operation and assembly;	
<ul> <li>Silencers and heater installations;</li> </ul>	
— Nacelles and cowlings;	
— Inspection and test;	
— CO emission test.	

	Level
8L.9 Fuels and lubricants	2
— Fuel characteristics;	
— Labelling, environmentally friendly storage;	
— Mineral and synthetic lubricating oils and their parameters: labelling and characteristics, application;	
— Environmentally friendly storage and proper disposal of used oil.	
8L.10 Documentation	2
— Manufacturer documents for the engine and propeller;	
— Instructions for Continuing Airworthiness (ICA);	
— Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);	
— Time Between Overhaul (TBO);	
— Airworthiness Directives (ADs), technical notes and service bulletins.	
8L.11 Illustrative material	2
— Cylinder unit with valve;	
— Carburettor;	
— High-tension magneto;	
Differential-compression tester for cylinders;	
— Overheated/damaged pistons;	
— Spark plugs of engines that were operated differently.	
8L.12 Practical experience	2
— Work safety/accident prevention (handling of fuels and lubricants, start-up of engines);	
Rigging-engine control rods and Bowden cables;	
<ul><li>Setting of no-load speed;</li></ul>	
<ul> <li>Checking and setting the ignition point;</li> </ul>	
— Operational test of magnetos;	
<ul><li>Checking the ignition system;</li></ul>	
Testing and cleaning of spark plugs;	
— Performance of the engine tasks contained in an aeroplane 100-hour/annual inspection;	
— Cylinder compression test;	
— Static test and evaluation of the engine run;	
<ul> <li>Documentation of maintenance work including replacement of components.</li> </ul>	
8L.13 Gas exchange in internal-combustion engines	2
— Four-stroke reciprocating engine and control units;	
— Energy losses;	
— Ignition timing;	
<ul><li>Direct flow behaviour of control units;</li></ul>	
Wankel engine and control units;	
- Two-stroke engine and control units;	
— Scavenging;	
— Scavenging,  — Scavenging blower;	
— Idle range and power range.	
Taile Tailige and power range.	



	Level
8L.14 Ignition, combustion and carburation	2
— Ignition;	
— Spark plugs;	
— Ignition system;	
— Combustion process;	
— Normal combustion;	
Efficiency and medium pressure;	
— Engine knock and octane rating;	
— Combustion chamber shapes;	
— Fuel/air mix in the carburettor;	
— Carburettor principle, carburettor equation;	
— Simple carburettor;	
— Problems of the simple carburettor and their solutions;	
— Carburettor models;	
— Fuel/air mix during injection;	
— Mechanically controlled injection;	
— Electronically controlled injection;	
— Continuous injection;	
, and the second	
— Carburettor-injection comparison.	
8L.15 Flight instruments in aircraft with injection engines	2
— Special flight instruments (injection engine);	
— Interpretation of indications in a static test;	
— Interpretation of indications in flight at various flight levels.	
8L.16 Maintenance of aircraft with injection engines	2
— Documentation, manufacturer documents, etc.;	
— General maintenance instructions (hourly inspections);	
— Functional tests;	
— Ground test run;	
— Test flight;	
— Troubleshooting in the event of faults in the injection system and their correction.	
— froubleshooting in the event of faults in the injection system and their correction.	
8L.17 Workplace safety and safety provisions	2
Work safety and safety provisions for work on injection systems.	
8L.18 Visual aids:	2
— Carburettor;	
— Components of injection system;	
— Aircraft with injection engine;	
— Tool for work on injection systems.	
//	
8L.19 Electrical propulsion	2
— Energy system, accumulators, installation;	
— Electrical motor;	
— Electrical Hillott,	
— Electrical motor; — Heat, noise and vibration checks;	

	Level
Pylon, extension and retraction systems;	
— Motor/propeller brake systems;	
— Motor ventilation systems;	
— Practical experience of 100-hour/annual inspections.	
8L.20 Jet propulsion	2
— Engine installation;	
<ul><li>— Pylon, extension and retraction systems;</li></ul>	
— Fire protection;	
— Fuel systems including lubrication;	
— Engine starting systems, gas assist;	
— Engine damage assessment;	
— Engine servicing;	
— Engine removal / refit and test;	
<ul> <li>Practical experience of conditional / run time / annual inspections;</li> </ul>	
— Conditional inspections.	
8L.21 Full authority digital engine control (FADEC)	2

# MODULE 9L — BALLOON/AIRSHIP HOT AIR

9L.1 Basic principles and assembly of hot-air balloons/airships  — Assembly and individual parts;  — Envelopes;  — Envelope Materials;  — Envelope Systems;  — Conventional and special shapes;  — Fuel System;  — Burner, burner frame and burner support rods;  — Compressed-gas cylinders and compressed-gas hoses;  — Basket and alternative devices (seats);  — Rigging accessories;  — Maintenance and servicing tasks;  — Annual/100-hour inspection;  — Log Books;  — Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);  — Rigging and launch preparation (launch restraint);  — Launch.  9L.2 Practical training  Operating controls, maintenance and servicing jobs (according to flight manual).  9L.3 Envelope  — Fabrics;  — Seams;  — Load tapes, rip stoppers;  — Crown rings;		Level
<ul> <li>Envelopes;</li> <li>Envelope Materials;</li> <li>Envelope Systems;</li> <li>Conventional and special shapes;</li> <li>Fuel System;</li> <li>Burner, burner frame and burner support rods;</li> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	9L.1 Basic principles and assembly of hot-air balloons/airships	3
<ul> <li>Envelope Materials;</li> <li>Envelope Systems;</li> <li>Conventional and special shapes;</li> <li>Fuel System;</li> <li>Burner, burner frame and burner support rods;</li> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Assembly and individual parts;	
<ul> <li>Envelope Systems;</li> <li>Conventional and special shapes;</li> <li>Fuel System;</li> <li>Burner, burner frame and burner support rods;</li> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Envelopes;	
<ul> <li>Conventional and special shapes;</li> <li>Fuel System;</li> <li>Burner, burner frame and burner support rods;</li> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Envelope Materials;	
<ul> <li>Fuel System;</li> <li>Burner, burner frame and burner support rods;</li> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Envelope Systems;	
<ul> <li>Burner, burner frame and burner support rods;</li> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Conventional and special shapes;	
<ul> <li>Compressed-gas cylinders and compressed-gas hoses;</li> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Fuel System;	
<ul> <li>Basket and alternative devices (seats);</li> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Burner, burner frame and burner support rods;	
<ul> <li>Rigging accessories;</li> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Compressed-gas cylinders and compressed-gas hoses;	
<ul> <li>Maintenance and servicing tasks;</li> <li>Annual/100-hour inspection;</li> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Basket and alternative devices (seats);	
<ul> <li>— Annual/100-hour inspection;</li> <li>— Log Books;</li> <li>— Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>— Rigging and launch preparation (launch restraint);</li> <li>— Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>— Fabrics;</li> <li>— Seams;</li> <li>— Load tapes, rip stoppers;</li> </ul>	— Rigging accessories;	
<ul> <li>Log Books;</li> <li>Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Maintenance and servicing tasks;	
<ul> <li>— Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);</li> <li>— Rigging and launch preparation (launch restraint);</li> <li>— Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>— Fabrics;</li> <li>— Seams;</li> <li>— Load tapes, rip stoppers;</li> </ul>	— Annual/100-hour inspection;	
<ul> <li>Rigging and launch preparation (launch restraint);</li> <li>Launch.</li> <li>9L.2 Practical training</li> <li>Operating controls, maintenance and servicing jobs (according to flight manual).</li> <li>9L.3 Envelope</li> <li>Fabrics;</li> <li>Seams;</li> <li>Load tapes, rip stoppers;</li> </ul>	— Log Books;	
— Launch.  9L.2 Practical training Operating controls, maintenance and servicing jobs (according to flight manual).  9L.3 Envelope Fabrics; — Seams; — Load tapes, rip stoppers;	— Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);	
9L.2 Practical training Operating controls, maintenance and servicing jobs (according to flight manual).  9L.3 Envelope — Fabrics; — Seams; — Load tapes, rip stoppers;	— Rigging and launch preparation (launch restraint);	
Operating controls, maintenance and servicing jobs (according to flight manual).  9L.3 Envelope  — Fabrics;  — Seams;  — Load tapes, rip stoppers;	— Launch.	
9L.3 Envelope  — Fabrics;  — Seams;  — Load tapes, rip stoppers;	9L.2 Practical training	3
<ul><li>Fabrics;</li><li>Seams;</li><li>Load tapes, rip stoppers;</li></ul>	Operating controls, maintenance and servicing jobs (according to flight manual).	
<ul><li>— Seams;</li><li>— Load tapes, rip stoppers;</li></ul>	9L.3 Envelope	3
— Load tapes, rip stoppers;	— Fabrics;	
	— Seams;	
	— Load tapes, rip stoppers;	

	Level
— Parachute valve and fast-deflation systems;	
— Ripping panel;	
— Turning vent;	
— Diaphragms/catenaries (special shapes and airships);	
— Rollers, pulleys;	
— Control and shroud lines;	
— Knots;	
— Temperature indication label, temperature flag, envelope thermometer;	
— Flying wires;	
— Fittings, karabiners.	
9L.4 Burner and fuel system	3
— Burner coils;	
Blast, liquid and pilot valves;	
— Burners/jets;	
— Pilot lights/vaporisers/jets;	
— Burner frame;	
— Fuel lines/hoses;	
·	
— Fuel cylinders, valves and fittings.	
9L.5 Basket and basket suspension (incl. alternative devices)	3
Types of baskets (incl. alternative devices);	
<ul> <li>Basket materials: cane and willow, hide, wood, trim materials, suspension cables;</li> </ul>	
— Seats, roller bearings;	
Karabiner, shackle and pins;	
— Burner support rods;	
— Fuel cylinder straps;	
— Accessories.	
9L.6 Equipment	3
— Fire extinguisher, fire blanket;	
— Instruments (single or combined).	
9L.7 Minor repairs	3
— Stitching;	
— Bonding;	
Basket hide/trim repairs.	
	2
9L.8 Procedures for physical inspection	2
— Cleaning, use of lighting and mirrors;	
— Measuring tools;	
— Measure of controls deflection (only airships);	
— Torque of screws and bolts;	
— Wear of bearings (only airships);	
— Inspection equipment;	
— Calibration of measuring tools;	
— Fabric Grab Test.	

# MODULES 10L — BALLOON/AIRSHIP GAS (FREE/TETHERED)

	Level
10L.1 Basic principles and assembly of gas balloons/airships	3
— Assembly of individual parts;	
— Envelope and netting material;	
— Envelope, ripping panel, emergency opening, cords and belts;	
— Rigid gas valve;	
— Flexible gas valve (parachute);	
— Netting;	
— Load ring;	
— Basket and accessories (including alternative devices);	
— Electrostatic discharge paths;	
— Mooring line and drag rope;	
— Maintenance and servicing;	
— Annual inspection;	
— Flight papers;	
— Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);	
— Rigging and launch preparation;	
— Launch.	
10L.2 Practical training	3
Operating controls;	,
• •	
— Maintenance and servicing jobs (according to AMM and AFM);	
— Safety rules when using hydrogen as lifting gas.	
10L.3 Envelope	3
— Fabrics;	
— Poles and reinforcement of pole;	
— Ripping panel and cord;	
— Parachute and shroud lines;	
— Valves and cords;	
— Filler neck, Poeschel-ring and cords;	
— Electrostatic discharge paths.	
10L.4 Valve	3
— Springs;	,
— Gaskets;	
— Screwed joints;	
— Control lines;	
Electrostatic discharge paths.	
— Electrostatic discharge paths.	
10L.5 Netting or rigging (without net)	3
— Kinds of net and other lines;	
— Mesh sizes and angles;	
— Net ring;	
— Knotting methods;	
— Electrostatic discharge paths.	
Licenostate discharge pauls.	

	Level
10L.6 Load ring	3
10L.7 Basket (incl. alternative devices)  — Kinds of baskets (incl. alternative devices);  — Strops and toggles;  — Ballast system (bags and supports);  — Electrostatic discharge paths.	3
10L.8 Ripping cord and valve cords	3
10L.9 Mooring line and drag rope	3
10L.10 Minor repairs  — Bonding;  — Splicing hemp ropes.	3
10L.11 Equipment Instruments (single or combined).	3
<ul> <li>10L.12 Tether cable (tethered gas balloons (TGB) only)</li> <li>Kinds of cables;</li> <li>Acceptable damage of cable;</li> <li>Cable swivel;</li> <li>Cable clamps.</li> </ul>	3
10L.13 Winch (tethered gas balloons only)  — Kinds of winches;  — Mechanical system;  — Electrical system;  — Emergency system;  — Grounding/ballasting of winch.	3
10L.14 Procedures for physical inspection  — Cleaning, use of lighting and mirrors;  — Measuring tools;  — Measure of controls deflection (only airships);  — Torque of screws and bolts;  — Wear of bearings (only airships);  — Inspection equipment;  — Calibration of measuring tools;  — Fabric grab test.	2

# MODULES 11L — AIRSHIPS HOT AIR/GAS

	Level
11L.1 Basic principles and assembly of small airships	3
— Envelope, ballonnets;	
— Valves, openings;	
— Gondola;	
— Propulsion;	
— Aircraft Flight Manuals (AFMs) and Aircraft Maintenance Manuals (AMMs);	
— Rigging and launch preparation.	

	Level
11L.2 Practical training	3
— Operating controls;	
<ul> <li>Maintenance and servicing jobs (according to AMM and AFM).</li> </ul>	
11L.3 Envelope	3
— Fabrics;	
— Ripping panel and cords;	
— Valves;	
— Catenary system.	
11L.4 Gondola (incl. alternative devices)	3
— Kinds of gondolas (incl. alternative devices);	
— Airframe types and materials;	
— Identification of damage.	
11L.5 Electrical system	3
— Basics about on-board electrical circuits;	
— Electrical sources (accumulators, fixation, ventilation, corrosion);	
— Lead, nickel-cadmium (NiCd) or other accumulators, dry batteries;	
— Generators;	
— Wiring, electrical connections;	
— Fuses;	
— External power source;	
— Energy balance.	
11L.6 Propulsion	3
— Fuel system: tanks, lines, filters, vents, drains, filling, selector valve, pumps, indication, tests, bonding;	
— Propulsion instruments;	
— Basics about measuring and instruments;	
— Revolution measuring;	
— Pressure measuring;	
— Temperature measuring;	
— Available fuel/power measuring.	
11L.7 Equipment	3
— Fire extinguisher, fire blanket;	
— Instruments (single or combined).	

# ${\tt MODULE~12L-RADIO~COM/ELT/TRANSPONDER/INSTRUMENTS}$

	Level
12L.1 Radio Com/ELT	2
— Channel spacing;	
— Basic functional test;	
— Batteries;	
— Testing and maintenance requirements.	

	Level
12L.2 Transponder	2
— Basic operation;	
— Typical portable configuration including antenna;	
— Explanation of Modes A, C, S;	
— Testing and maintenance requirements.	
12L.3 Instruments	2
— Handheld altimeter/variometers;	
— Batteries;	
— Basic functional test.	

# Appendix VIII

## Basic examination standard for category L aircraft maintenance licence

- (a) The standardisation basis for examinations related to the Appendix VII basic knowledge requirements shall be as follows:
  - (i) all examinations must be carried out using the multiple-choice question format as specified in point (ii). The incorrect alternatives must seem equally plausible to anyone ignorant of the subject. All of the alternatives should be clearly related to the question and of similar vocabulary, grammatical construction and length. In numerical questions, the incorrect answers should correspond to procedural errors such as corrections applied in the wrong sense or incorrect unit conversions: they must not be mere random numbers;
  - (ii) each multiple-choice question must have three alternative answers of which only one must be the correct answer and the candidate must be allowed a time per module which is based upon a nominal average of 75 seconds per question;
  - (iii) the pass mark for each module is 75 %;
  - (iv) penalty marking (negative points for failed questions) is not to be used;
  - (v) the level of knowledge required in the questions must be proportionate to the level of technology of the aircraft category.
- (b) The number of questions per module shall be as follows:
  - (i) module 1L 'Basic knowledge': 12 questions. Time allowed: 15 minutes;
  - (ii) module 2L 'Human factors': 8 questions. Time allowed: 10 minutes;
  - (iii) module 3L 'Aviation legislation': 24 questions. Time allowed: 30 minutes;
  - (iv) module 4L 'Airframe wooden/metal tube and fabric': 32 questions. Time allowed: 40 minutes;
  - (v) module 5L 'Airframe composite': 32 questions. Time allowed: 40 minutes;
  - (vi) module 6L 'Airframe metal': 32 questions. Time allowed: 40 minutes;
  - (vii) module 7L 'Airframe general': 64 questions. Time allowed: 80 minutes;
  - (viii) module 8L 'Power plant': 48 questions. Time allowed: 60 minutes;
  - (ix) module 9L 'Balloon/Airship hot air': 36 questions. Time allowed: 45 minutes;
  - (x) module 10L 'Balloon/Airship gas (free/tethered)': 40 questions. Time allowed: 50 minutes;
  - (xi) module 11L 'Airships hot air/gas': 36 questions. Time allowed: 45 minutes;
  - (xii) Module 12L 'Radio Com/ELT/transponder/instruments': 16 questions. Time allowed 20 minutes.'.

#### ANNEX IV

Annex IV is amended as follows:

- (1) in point 147.A.145, point (a) is replaced by the following:
  - (a) The maintenance training organisation may carry out the following as permitted by and in accordance with the maintenance training organisation exposition:
    - (i) basic training courses to the Annex III (Part-66) syllabus, or part thereof;
    - (ii) aircraft type/task training courses in accordance with Annex III (Part-66);
    - (iii) the examination of students who attended the basic or aircraft type training course at the maintenance training organisation;
    - (iv) the examination of students who did not attend the aircraft type training course at the maintenance training organisation;
    - (v) the examination of students who did not attend the basic training course at the maintenance training organisation, provided that:
      - (1) the examination is conducted at one of the locations identified in the approval certificate, or
      - (2) if performed at locations not identified in the approval certificate, as permitted by points (b) and (c), either
        - the examination is provided through a European Central Question Bank (ECQB), or
        - in the absence of an ECQB, the competent authority selects the questions for the examination;
    - (vi) the issue of certificates in accordance with Appendix III following successful completion of the approved basic or aircraft type training courses and examinations specified in points (a)(i), (a)(ii), (a)(iii), (a)(iv) and (a)(v), as applicable.';
- (2) Appendixes I and II are replaced by the following:

'Appendix I

## Basic training course duration

The minimum duration of a complete basic training course shall be as follows:

Basic Course	Duration (in hours)	Theoretical Training Ratio (in %)
A1	800	30–35
A2	650	30-35
A3	800	30-35
A4	800	30-35
B1.1	2 400	50-60
B1.2	2 000	50-60
B1.3	2 400	50-60
B1.4	2 400	50-60
B2	2 400	50-60
B2L	1 500 (*)	50-60
В3	1 000	50-60
) This number of hours shall be increased	as follows, depending on the additional	system ratings selected:
System Rating	Duration (in hours)	Theoretical Training Ratio (in %)
COM/NAV	90	50-60
INSTRUMENTS	55	
AUTOFLIGHT	80	
SURVEILLANCE	40	
AIRFRAME SYSTEMS	100	

#### Appendix II

# Maintenance Training Organisation Approval referred to in Annex IV (Part-147) — EASA Form 11

Page 1 of 2

# [MEMBER STATE (\*)] A Member of the European Union (\*\*)

### MAINTENANCE TRAINING AND EXAMINATION ORGANISATION APPROVAL CERTIFICATE

Reference: [MEMBER STATE CODE (\*)].147.[XXXX]

Pursuant to Regulation (EC) No 216/2008 of the European Parliament and of the Council and to Commission Regulation (EU) No 1321/2014, for the time being in force and subject to the conditions specified below, the [COMPETENT AUTHORITY OF THE MEMBER STATE (\*)] hereby certifies:

## [COMPANY NAME AND ADDRESS]

as a maintenance training organisation in compliance with Section A of Annex IV (Part-147) of Regulation (EU) No 1321/2014, approved to provide training and conduct examinations listed in the approval schedule attached and to issue related certificates of recognition to students using the above references.

#### CONDITIONS:

- 1. This approval is limited to what is specified in the scope of work section of the approved maintenance training organisation exposition as referred to in Section A of Annex IV (Part-147); and
- 2. this approval requires compliance with the procedures specified in the approved maintenance training organisation exposition; and
- 3. this approval is valid whilst the approved maintenance training organisation remains in compliance with Annex IV (Part-147) of Regulation (EU) No 1321/2014; and
- 4. subject to compliance with the foregoing conditions, this approval shall remain valid for an unlimited duration unless the approval has previously been surrendered, superseded, suspended or revoked.

Date of original issue:	
Date of this revision:	
Revision No:	
Signed:	

For the competent authority: [COMPETENT AUTHORITY OF THE MEMBER STATE (\*)]

EASA Form 11 Issue 5

<sup>(\*)</sup> or EASA if EASA is the competent authority

<sup>(\*\*)</sup> Delete for non-EU Member States or EASA.

Page 2 of 2

### MAINTENANCE TRAINING AND EXAMINATION ORGANISATION APPROVAL SCHEDULE

Reference: [MEMBER STATE CODE (\*)].147.[XXXX]

Organisation: [COMPANY NAME AND ADDRESS]

CLASS LICENCE CATEGOR		LIMITATION			
BASIC (**)	B1 (**)	TB1.1 (**)	AEROPLANES TURBINE (**)		
		TB1.2 (**)	AEROPLANES PISTON (**)		
		TB1.3 (**)	HELICOPTERS TURBINE (**)		
		TB1.4 (**)	HELICOPTERS PISTON (**)		
	B2 (**)/(****)	TB2 (**)	AVIONICS (**)		
	B2L (**)	TB2L (**)	AVIONICS (indicate system ratings) (**)		
	B3 (**)	TB3 (**)	PISTON ENGINE NON-PRESSURISED AERO- PLANES OF 2 000 KG MTOM AND BELOW (**)		
	A (**)	TA.1 (**)	AEROPLANES TURBINE (**)		
		TA.2 (**)	AEROPLANES PISTON (**)		
		TA.3 (**)	HELICOPTERS TURBINE (**)		
		TA.4 (**)	HELICOPTERS PISTON (**)		
	L (**) (Only examination)	TL (**)	QUOTE THE SPECIFIC LICENCE SUB- CATEGORY (**)		
TYPE/TASK (**)	C (**)	T4 (**)	[QUOTE AIRCRAFT TYPE] (***)		
	B1 (**)	T1 (**)	[QUOTE AIRCRAFT TYPE] (***)		
	B2 (**)	T2 (**)	[QUOTE AIRCRAFT TYPE] (***)		
	A (**)	T3 (**)	[QUOTE AIRCRAFT TYPE] (***)		

This approval schedule is limited to those trainings and examinations specified in the scope of work section of the approved maintenance training organisation exposition.

Maintenance training organisation exposition reference:	

Date of original issue:

Date of last revision approved: Revision No:

Signed: .....

For the competent authority: [COMPETENT AUTHORITY OF THE MEMBER STATE (\*)]

EASA Form 11 Issue 5

<sup>(\*)</sup> or EASA if EASA is the competent authority.

 <sup>(\*\*)</sup> Delete as appropriate if the organisation is not approved.
 \*\*\*) Complete with the appropriate rating and limitation.

<sup>\*\*\*\*)</sup> The approval for the Basic B2 course/examination includes approval for B2L course/examination for all system ratings.';

(3) the EASA Form 149 Issue 2 contained in Ap-	opendix III is replaced by the following	<u>:</u> ا
--	--	------------

Page 1 of 1

# **CERTIFICATE OF RECOGNITION**

Reference: [MEMBER STATE CODE (\*)].147.[XXXX].[YYYY]

The certificate of recognition is issued to:

[NAME]

[DATE and PLACE OF BIRTH]

Ву:

[COMPANY NAME AND ADDRESS]

Reference: [MEMBER STATE CODE (\*)].147.[XXXX]

a maintenance training organisation approved to provide training and conduct examinations within its approval schedule and in accordance with Annex IV (Part-147) of Regulation (EU) No 1321/2014.

This certificate confirms that the above named person either successfully passed the theoretical (\*\*) and/or the practical elements (\*\*) of the approved type training course stated below and the related examinations in compliance with Regulation (EC) No 216/2008 of the European Parliament and of the Council and to Commission Regulation (EU) No 1321/2014 for the time being in force.

[AIRCRAFT TYPE TRAINING COURSE (\*\*)]

[START and END DATES]

[SPECIFY THEORETICAL ELEMENTS AND/OR PRACTICAL ELEMENTS]

or

[AIRCRAFT TYPE EXAMINATION (\*\*)]

[END DATE]

Date:	
Signed:	

For: [COMPANY NAME]

EASA Form 149 Issue 3

<sup>(\*)</sup> Or EASA if EASA is the competent authority

<sup>(\*\*)</sup> Delete as appropriate.

#### ANNEX V

Annex Va is amended as follows:

(1) in the table of contents, the following point T.A.501 is inserted after the entry 'Subpart E Maintenance Organisation':

# 'T.A.501 Maintenance Organisation';

- (2) in point T.A.201, point 3 is replaced by the following:
  - '(3) The continuing airworthiness management organisation referred to in point (2) shall ensure that the maintenance and release of the aircraft are performed by a maintenance organisation meeting the requirements of Subpart E of this Annex (Part-T). For this purpose, when the continuing airworthiness management organisation does not meet those requirements itself, it shall establish a contract with a maintenance organisation meeting those requirements.';
- (3) the following title is added to the provisions of Subpart E Maintenance Organisation:

### 'T.A. 501 Maintenance Organisation';

(4) Point T.A.716 is replaced by the following:

# T.A.716 Findings

After receipt of notification of findings according to T.B.705, the continuing airworthiness management organisation shall define a corrective action plan and demonstrate corrective action to the satisfaction of the competent authority within a period agreed with this authority.'.

# **DECISIONS**

# COMMISSION IMPLEMENTING DECISION (EU) 2018/1143 of 10 August 2018

## amending Decisions 92/260/EEC and 93/197/EEC as regards the testing for equine viral arteritis

(notified under document C(2018) 5071)

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Council Directive 2009/156/EC of 30 November 2009 on animal health conditions governing the movement and importation from third countries of equidae (1), and in particular point (a) and the first subparagraph of point (b)(ii) of Article 15, Article 16(2) and the introductory phrase and point (b) of Article 19 thereof,

#### Whereas:

- Directive 2009/156/EC lays down animal health conditions for the importation into the Union of live equidae. It empowers the Commission to lay down, amongst others, the special conditions for the temporary admission of registered equidae and imports into the Union of equidae.
- (2) Commission Decision 92/260/EEC (2) provides that Member States are to authorise the temporary admission into the Union of registered horses complying with the animal health conditions and veterinary certification requirements set out, amongst others in Annex II (A) to (E) thereto.
- (3) Commission Decision 93/197/EEC (3) provides that Member States are to authorise imports into the Union of registered equidae and equidae for breeding and production complying with the animal health conditions and veterinary certification requirements set out, amongst others in Annex II (A) to (E) thereto.
- (4) If they come from a third country in which equine viral arteritis was officially reported during the past 6 months prior to dispatch to the Union, uncastrated male equidae may only be introduced into the Union after they have been tested with negative result for equine viral arteritis or have been vaccinated and regularly revaccinated against this disease.
- (5) In addition to the Union requirements for testing or vaccination of uncastrated male equidae intended for entry into the Union, Chapter 12.9 of the Terrestrial Animal Health Code ('the Code') of the World Organisation for Animal Health (OIE), Edition 2017 (4), contains recommendation on testing of uncastrated male equidae for equine viral arteritis.
- Where a semen sample cannot be obtained for testing of a seropositive uncastrated male equid and uninterrupted vaccination cannot be certified, test mating of the male equid to two seronegative mares as described in point 4(a) of Article 12.9.2 of the Code is a suitable alternative protocol to ensure that those uncastrated male equids do not shed equine arteritis virus in their semen.
- Due to shortages in the supply of vaccine against equine viral arteritis, it is necessary to provide a test protocol for equine viral arteritis in line with OIE recommendations and to amend the health certificates set out in Annex II (A) to (E) to Decisions 92/260/EEC and 93/197/EEC accordingly.

<sup>(1)</sup> OJ L 192, 23.7.2010, p. 1.

<sup>(</sup>²) Commission Decision 92/260/EEC of 10 April 1992 on animal health conditions and veterinary certification for temporary admission of registered horses (OJ L 130, 15.5.1992, p. 67).
Commission Decision 93/197/EEC of 5 February 1993 on animal health conditions and veterinary certification for imports of registered

equidae and equidae for breeding and production (OJ L 86, 6.4.1993, p. 16). (4) http://www.oie.int/index.php?id=169&L=0&htmfile=chapitre\_eav.htm

- (8) Decisions 92/260/EEC and 93/197/EEC should therefore be amended accordingly.
- (9) The measures provided for in this Decision are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS DECISION:

# Article 1

Annex II (A) to (E) to Decision 92/260/EEC is amended in accordance with Annex I to this Decision.

### Article 2

Annex II (A) to (E) to Decision 93/197/EEC is amended in accordance with Annex II to this Decision.

# Article 3

This Decision is addressed to the Member States.

Done at Brussels, 10 August 2018.

For the Commission Vytenis ANDRIUKAITIS Member of the Commission

#### ANNEX I

Decision 92/260	/EEC is	amended	as	follows:
-----------------	---------	---------	----	----------

	2/20	60/EEC is amended as follows:
each	ı of	the health certificates in Annex II (A) to (E), point (e)(v) of Section III is replaced by the following:
(v)	in	the case of an uncastrated male animal older than 180 days,
	_	either equine viral arteritis has been officially recorded during the last 6 months (3);
	or	
	_	the animal was tested on a blood sample taken within 21 days prior to export on
		or
		an aliquot of its entire semen taken within 21 days prior to export on
		or
		the animal was subjected to a virus isolation test, polymerase chain reaction (PCR) or real-time PCR for equine viral arteritis carried out with negative result on an aliquot of its entire semen collected after a blood sample of that animal was taken on
		or
		within a period of 6 months prior to the date of dispatch, the male equine animal, previously tested positive for antibodies against the equine arteritis virus or vaccinated against equine viral arteritis, was:
		(a) test mated, on two consecutive days, to at least two mares kept in isolation during the 7 days prior to and until at least 28 days after test mating, which were subjected to two serological tests for equine viral arteritis with negative results at a serum dilution of 1 in 4 on blood samples collected at the time of test mating and at least 28 days after the test mating; and
		(b) subjected to a virus neutralisation test for equine viral arteritis carried out on a blood sample taken within 21 days prior to the date of dispatch on
		— either with positive result at a serum dilution of at least 1 in 4 (3), or
		— with negative result at a serum dilution of 1 in 4 (3);
	or	
	_	the animal was vaccinated on

Instruction: Cross out vaccination programmes that do not apply to the animal described above.

Verify supporting certification on testing before vaccination, on vaccination and re-vaccination.

- (a) Vaccination was carried out on the day a blood sample was taken that subsequently proved negative in a virus neutralisation test at a serum dilution of 1 in 4 (3); or
- (b) Vaccination was carried out during a period of isolation of not more than 15 days under official veterinary supervision, commencing on the day a blood sample was taken that was tested during that time with negative result in a virus neutralisation test at a serum dilution of 1 in 4 (3); or
- (c) Vaccination was carried out when the animal was at an age of 180 to 270 days, during a period of isolation under official veterinary supervision. During the isolation period two blood samples taken at least 10 days apart proved a stable or declining antibody titre in a virus neutralisation test for equine viral arteritis (3); or

- (d) Vaccination was carried out after the animal was subjected to a virus neutralisation test for equine viral arteritis with negative result at a serum dilution of 1 in 4, carried out on a blood sample taken not earlier than 7 days after commencing a period of uninterrupted isolation which lasted until 21 days following vaccination (3); or
- (e) Vaccination was carried out at the age of 180 to 250 days, after the animal was subjected to a virus neutralisation test for equine viral arteritis carried out with negative result at a serum dilution of 1 in 4 or carried out on the same day by the same laboratory with stable or declining titres on two blood samples taken at least 14 days apart (3);

or

- (2) in each of the health certificates in Annex II (A), (B) and (D), footnote 6 is deleted;
- (3) in each of the health certificates in Annex II (C) and (E), footnote 7 is deleted.

#### ANNEX II

3/19//EEC is amended as follows:
h of the health certificates in Annex II (A), (C), (D) and (E), point (e)(v) of Section III is replaced by thing:
in the case of an uncastrated male animal older than 180 days,
— either equine viral arteritis has not been officially recorded during the last 6 months (3);
or
— the animal was tested on a blood sample taken within 21 days prior to export on
or
an aliquot of its entire semen taken within 21 days prior to export on
or
the animal was subjected to a virus isolation test, polymerase chain reaction (PCR) or real-time PCR for equine viral arteritis carried out with negative result on an aliquot of its entire semen collected after the date a blood sample of that animal taken on
or
within a period of 6 months prior to the date of dispatch, the male equine animal, previously tester positive for antibodies against the equine arteritis virus or vaccinated against equine viral arteritis, was:
(a) test mated, on two consecutive days, to at least two mares kept in isolation during the 7 days prio to and until at least 28 days after test mating, which were subjected to two serological tests fo equine viral arteritis with negative results at a serum dilution of 1 in 4 on blood samples collected a the time of test mating and at least 28 days after the test mating; and
(b) subjected to a virus neutralisation test for equine viral arteritis carried out on a blood sample taken within 21 days prior to the date of dispatch on
— either with positive result at a serum dilution of at least 1 in 4 (3), or
— with negative result at a serum dilution of 1 in 4 (3);
or
— the animal was vaccinated on
j

# Programmes for initial vaccination against equine viral arteritis:

Cross out vaccination programmes that do not apply to the animal described above. Instruction:

Verify supporting certification on testing before vaccination, on vaccination and re-vaccination.

- (a) Vaccination was carried out on the day a blood sample was taken that subsequently proved negative in a virus neutralisation test at a serum dilution of 1 in 4 (3); or
- (b) Vaccination was carried out during a period of isolation of not more than 15 days under official veterinary supervision, commencing on the day a blood sample was taken that was tested during that time with negative result in a virus neutralisation test at a serum dilution of 1 in 4 (3); or
- (c) Vaccination was carried out when the animal was at an age of 180 to 270 days, during a period of isolation under official veterinary supervision. During the isolation period two blood samples taken at least 10 days apart proved a stable or declining antibody titre in a virus neutralisation test for equine viral arteritis (3); or

- (d) Vaccination was carried out after the animal was subjected to a virus neutralisation test for equine viral arteritis with negative result at a serum dilution of 1 in 4, carried out on a blood sample taken not earlier than 7 days after commencing a period of uninterrupted isolation which lasted until 21 days following vaccination (3); or
- (e) Vaccination was carried out at the age of 180 to 250 days, after the animal was subjected to a virus neutralisation test for equine viral arteritis carried out with negative result at a serum dilution of 1 in 4, or carried out on the same day by the same laboratory with stable or declining titres on two blood samples taken at least 14 days apart (3);';

(2)	in the	nealt	ch certificate in Annex II (B), point (e)(v) of Section III is replaced by the following:
	'(²) (v)	in	the case of an uncastrated male animal older than 180 days,
		_	either equine viral arteritis has not been officially recorded during the last 6 months (2);
		or	
		_	the animal was tested on a blood sample taken within 21 days prior to export on
			or
			an aliquot of its entire semen taken within 21 days prior to export on
			or
			the animal was subjected to a virus isolation test, polymerase chain reaction (PCR) or real-time PCR for equine viral arteritis carried out with negative result on an aliquot of its entire semen collected after the date a blood sample of that animal taken on
			or
			within a period of 6 months prior to the date of dispatch, the male equine animal, previously tested positive for antibodies against the equine arteritis virus or vaccinated against equine viral arteritis, was:
			(a) test mated, on two consecutive days, to at least two mares kept in isolation during the 7 days prior to and until at least 28 days after test mating, which were subjected to two serological tests for equine viral arteritis with negative results at a serum dilution of 1 in 4 on blood samples collected at the time of test mating and at least 28 days after the test mating; and
			(b) subjected to a virus neutralisation test for equine viral arteritis carried out on a blood sample taken within 21 days prior to the date of dispatch on(4):
			— either with positive result at a serum dilution of at least 1 in 4 (2), or
			— with negative result at a serum dilution of 1 in 4 (2);
		or	
		_	the animal was vaccinated on

### Programmes for initial vaccination against equine viral arteritis:

Instruction: Cross out vaccination programmes that do not apply to the animal described above.

Verify supporting certification on testing before vaccination, on vaccination and re-vaccination.

- (a) Vaccination was carried out on the day a blood sample was taken that subsequently proved negative in a virus neutralisation test at a serum dilution of 1 in 4 (²); or
- (b) Vaccination was carried out during a period of isolation of not more than 15 days under official veterinary supervision, commencing on the day a blood sample was taken that was tested during that time with negative result in a virus neutralisation test at a serum dilution of 1 in 4 (²); or

- (c) Vaccination was carried out when the animal was at an age of 180 to 270 days, during a period of isolation under official veterinary supervision. During the isolation period two blood samples taken at least 10 days apart proved a stable or declining antibody titre in a virus neutralisation test for equine viral arteritis (2); or
- (d) Vaccination was carried out after the animal was subjected to a virus neutralisation test for equine viral arteritis with negative result at a serum dilution of 1 in 4, carried out on a blood sample taken not earlier than 7 days after commencing a period of uninterrupted isolation which lasted until 21 days following vaccination (2); or
- (e) Vaccination was carried out at the age of 180 to 250 days, after the animal was subjected to a virus neutralisation test for equine viral arteritis carried out with negative result at a serum dilution of 1 in 4, or carried out on the same day by the same laboratory with stable or declining titres on two blood samples taken at least 14 days apart (²);'.

# ACTS ADOPTED BY BODIES CREATED BY INTERNATIONAL AGREEMENTS

DECISION No 1/2017 OF THE EPA COMMITTEE ESTABLISHED BY THE INTERIM AGREEMENT ESTABLISHING A FRAMEWORK FOR AN ECONOMIC PARTNERSHIP AGREEMENT BETWEEN THE EASTERN AND SOUTHERN AFRICA STATES, ON THE ONE PART, AND THE EUROPEAN COMMUNITY AND ITS MEMBER STATES, ON THE OTHER PART,

#### of 3 October 2017

regarding the accession of the Republic of Croatia to the European Union and changes in the list of countries and territories associated with the European Union [2018/1144]

THE EPA COMMITTEE,

Having regard to the Interim Agreement establishing a framework for an Economic Partnership Agreement between the Eastern and Southern Africa States, on the one part, and the European Community and its Member States, on the other part (1) (the Agreement'), signed in Grand Baie on 29 August 2009 and provisionally applied since 14 May 2012, and in particular Articles 63, 67 and 70 thereof,

Having regard to the Treaty concerning the accession of the Republic of Croatia to the European Union, and the act of accession to the Agreement deposited by the Republic of Croatia on 22 March 2017,

#### Whereas:

- (1)Pursuant to Article 63 of the Agreement, the Agreement applies, on the one hand, to the territories in which the Treaty on the Functioning of the European Union applies and under the conditions laid down in that Treaty, and, on the other hand, to the territories of the Signatory Eastern and Southern Africa States ('ESA States').
- Pursuant to Article 67(3) of the Agreement, the EPA Committee may decide on any amending measures that (2)might be necessary following the accession of new Member States to the European Union.
- (3) Article 70 of the Agreement provides that the Annexes and Protocols to the Agreement form an integral part thereof and may be reviewed and or amended by the EPA Committee.
- Following the change of status of Mayotte (2) and Saint-Barthélemy (3), and the entry into force of Council (4)Decision 2013/755/EU (4), the list of overseas countries and territories in Annex IX to Protocol 1 to the Agreement should be updated,

HAS ADOPTED THIS DECISION:

## Article 1

The Republic of Croatia, as a a Party to the Agreement, shall, in the same manner as the other Member States of the Union, respectively adopt and take note of the texts of the Agreement, as well as the Annexes, Protocols and Declarations attached thereto.

<sup>(</sup>¹) OJ L 111, 24.4.2012, p. 2. (²) European Council Decision 2012/419/EU of 11 July 2012 amending the status of Mayotte with regard to the European Union (OJ L 204, 31.7.2012, p. 131).

European Council Decision 2010/718/EU of 29 October 2010 amending the status with regard to the European Union of the island of Saint-Barthélemy (OJ L 325, 9.12.2010, p. 4).
Council Decision 2013/755/EU of 25 November 2013 on the association of the overseas countries and territories with the European

Union ('Overseas Association Decision') (OJ L 344, 19.12.2013, p. 1).

#### Article 2

The Agreement is amended as follows:

(1) Article 69 is replaced by the following:

'Article 69

#### **Authentic texts**

This Agreement is drawn up in duplicate in the Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hungarian, Italian, Latvian, Lithuanian, Maltese, Polish, Portuguese, Romanian, Slovak, Slovenian, Spanish and Swedish languages, each of these texts being equally authentic.'.

(2) Annex IV to Protocol 1 is replaced by the following:

#### 'ANNEX IV TO PROTOCOL 1

#### INVOICE DECLARATION

The invoice declaration, the text of which is given below, must be made out in accordance with the footnotes. However, the footnotes do not have to be reproduced.

## Bulgarian version

Износителят на продуктите, обхванати от този документ (митническо разрешение № ... ( $^1$ )) декларира, че освен където е отбелязано друго, тези продукти са с ... преференциален произход ( $^2$ ).

## Spanish version

El exportador de los productos incluidos en el presente documento (autorización aduanera n.º ... (¹)) declara que, salvoindicación en sentido contrario, estos productos gozan de un origen preferencial ... (²).

## Croatian version

Izvoznik proizvoda obuhvaćenih ovom ispravom (carinsko ovlaštenje br ... (¹)) izjavljuje da su, osim ako je drukčije izričito navedeno, ovi proizvodi ... (²) preferencijalnog podrijetla.

# Czech version

Vývozce výrobků uvedených v tomto dokumentu (číslo povolení ... (¹)) prohlašuje, že kromě zřetelně označených mají tyto výrobky preferenční původ v ... (²).

## Danish version

Eksportøren af varer, der er omfattet af nærværende dokument, (toldmyndighedernes tilladelse nr. ... (¹)), erklærer, at varerne, medmindre andet tydeligt er angivet, har præferenceoprindelse i ... (²).

### German version

Der Ausführer (Ermächtigter Ausführer; Bewilligungs-Nr. ... (¹)) der Waren, auf die sich dieses Handelspapier bezieht, erklärt, dass diese Waren, soweit nicht anderes angegeben, präferenzbegünstigte ... (²) Ursprungswaren sind.

## Estonian version

Käesoleva dokumendiga hõlmatud toodete eksportija (tolli kinnitus nr. ... (¹)) deklareerib, et need tooted on ... (²) sooduspäritoluga, välja arvatud juhul, kui on selgelt näidatud teisiti.

### Greek version

Ο εξαγωγέας των προϊόντων που καλύπτονται από το παρόν έγγραφο (άδεια τελωνείου υπ'αριθ. ... (¹)) δηλώνει ότι, εκτός εάν δηλώνεται σαφώς άλλως, τα προϊόντα αυτά είναι προτιμησιακής καταγωγής ... (²).

# English version

The exporter of the products covered by this document (customs authorisation No ... (1)) declares that, except where otherwise clearly indicated, these products are of ... (2) preferential origin.

#### French version

L'exportateur des produits couverts par le présent document (autorisation douanière n° ... (¹)) déclare que, sauf indication claire du contraire, ces produits ont l'origine préférentielle ... (²).

#### Italian version

L'esportatore delle merci contemplate nel presente documento (autorizzazione doganale n. ... (¹)) dichiara che, salvo indicazione contraria, le merci sono di origine preferenziale ... (²).

#### Latvian version

To produktu eksportētājs, kuri ietverti šajā dokumentā (muitas atļauja Nr. ... (¹)), deklarē, ka, izņemot tur, kur ir citādi skaidri noteikts, šiem produktiem ir preferenciāla izcelsme ... (²).

#### Lithuanian version

Šiame dokumente išvardytų prekių eksportuotojas (muitinės liudijimo Nr ... (¹)) deklaruoja, kad, jeigu kitaip nenurodyta, tai yra ... (²) preferencinės kilmės prekės.

#### Hungarian version

A jelen okmányban szereplő áruk exportőre (vámfelhatalmazási szám: ... (¹)) kijelentem, hogy eltérő egyértelmű jelzés hiányában az áruk preferenciális ... (²) származásúak.

#### Maltese version

L-esportatur tal-prodotti koperti b'dan id-dokument (awtorizzazzjoni tad-dwana nru. ... (¹)) jiddikjara li, hlief fejn indikat b'mod ċar li mhux hekk, dawn il-prodotti huma ta' oriġini preferenzjali ... (²).

#### **Dutch** version

De exporteur van de goederen waarop dit document van toepassing is (douanevergunning nr. ... (¹)), verklaart dat, behoudens uitdrukkelijke andersluidende vermelding, deze goederen van preferentiële ... oorsprong zijn (²).

#### Polish version

Eksporter produktów objętych tym dokumentem (upoważnienie władz celnych nr ... (¹)) deklaruje, że z wyjątkiem gdzie jest to wyraźnie określone, produkty te mają ... (²) preferencyjne pochodzenie.

## Portuguese version

O abaixo-assinado, exportador dos produtos abrangidos pelo presente documento (autorização aduaneira n.º ... (¹)), declara que, salvo indicação expressa em contrário, estes produtos são de origem preferencial ... (²).

## Romanian version

Exportatorul produselor ce fac obiectul acestui document (autorizația vamală nr. ... (¹)) declară că, exceptând cazul în care în mod expres este indicat altfel, aceste produse sunt de origine preferențială ... (²).

#### Slovenian version

Izvoznik blaga, zajetega s tem dokumentom (pooblastilo carinskih organov št ... (¹)) izjavlja, da, razen če ni drugače jasno navedeno, ima to blago preferencialno ... (²) poreklo.

#### Slovak version

Vývozca výrobkov uvedených v tomto dokumente (číslo povolenia ... (¹)) vyhlasuje, že okrem zreteľne označených, majú tieto výrobky preferenčný pôvod v ... (²).

## Finnish version

Tässä asiakirjassa mainittujen tuotteiden viejä (tullin lupa n:o ... (¹)) ilmoittaa, että nämä tuotteet ovat, ellei toisin ole selvästi merkitty, etuuskohteluun oikeutettuja ... alkuperätuotteita (²).

#### Swedish version

Exportören av de varor som	omfattas av d	etta dokument	(tullmyndighetens	tillstånd	nr	(1))	försäkrar	att	dessa
varor, om inte annat tydligt n	narkerats, har f	örmånsberättig	ande ursprung (	<sup>2</sup> ).					

	(3)
(Place and date)	
	(4)

(Signature of the exporter; in addition the name of the person signing the declaration has to be indicated in clear script)

#### Notes

- (1) When the invoice declaration is made out by an approved exporter within the meaning of Article 22 of the Protocol, the authorisation number of the approved exporter must be entered in this space. When the invoice declaration is not made out by an approved exporter, the words in brackets shall be omitted or the space left blank.
- (2) Origin of products to be indicated. When the invoice declaration relates in whole or in part, to products originating in Ceuta and Melilla within the meaning of Article 40 of the Protocol, the exporter must clearly indicate them in the document on which the declaration is made out by means of the symbol "CM".
- (3) These indications may be omitted if the information is contained on the document itself.
- (4) See Article 21(5) of the Protocol. In cases where the exporter is not required to sign, the exemption of signature also implies the exemption of the name of the signatory.'.

#### Article 3

The European Union shall communicate to the ESA States the Croatian language version of the Agreement.

#### Article 4

- 1. The Agreement shall be applied to goods exported, from either one of the ESA States to the Republic of Croatia or from the Republic of Croatia to one of the ESA States, which comply with the provisions of Protocol 1 to the Agreement and which on 1 July 2013 were either en route or in temporary storage, in a customs warehouse or in a free zone in one of the ESA States or in the Republic of Croatia.
- 2. In the cases referred to in paragraph 1, preferential treatment shall be granted subject to the submission to the customs authorities of the importing country, within four months of the date of entry into force of this Decision, of a proof of origin issued retrospectively by the customs authorities of the exporting country.

#### Article 5

ESA States shall undertake not to make any claim, request or referral nor to modify or withdraw any concession pursuant to Articles XXIV.6 and XXVIII of the GATT 1994 or Article XXI of the GATS in relation to the accession of the Republic of Croatia to the European Union.

## Article 6

Annex IX to Protocol 1 to the Agreement is replaced by the following:

# 'ANNEX IX TO PROTOCOL 1

## **OVERSEAS COUNTRIES AND TERRITORIES**

Within the meaning of this Protocol, "overseas countries and territories" means the countries and territories referred to in Part Four of the Treaty establishing the European Community listed below:

(This list is without prejudice to the status of these countries and territories, or future changes in their status.)

- 1. Overseas countries and territories that have special relations with the Kingdom of Denmark:
  - Greenland.

201	8 EN Official Journal of the European Union	L 207
2.	Overseas countries and territories that have special relations with the French Republic:	
	— New Caledonia and Dependencies,	
	— French Polynesia,	
	— Saint Pierre and Miquelon,	
	— Saint Barthélemy,	
	— French Southern and Antarctic Territories,	
	— Wallis and Futuna.	
3.	Overseas countries and territories that have special relations with the Kingdom of the Netherlands:	
	— Aruba,	
	— Bonaire,	
	— Curação,	
	— Saba,	
	— Sint Eustatius,	
	— Sint Maarten.	
4.	Overseas countries and territories that have special relations with the United Kingdom of Great Britain and North Ireland:	nern
	— Anguilla,	
	— Bermuda,	
	— Cayman Islands,	
	— Falkland Islands,	
	— South Georgia and the South Sandwich Islands,	
	— Montserrat,	
	— Pitcairn,	
	— Saint Helena and Dependencies,	
	— British Antarctic Territory,	
	— British Indian Ocean Territory,	
	— Turks and Caicos Islands,	
	— British Virgin Islands.'.	
	Article 7	
Τŀ	his Decision shall enter into force on 3 October 2017.	
A	rticles 3 and 4 shall apply with effect from 1 July 2013.	

Done at Antananarivo, on 3 October 2017.

For the signatory ESA States Haymandoyal DILLUM

For the European Union Cecilia MALMSTRÖM



