

Official Journal of the European Union

L 227



English edition

Legislation

Volume 64

28 June 2021

Contents

II *Non-legislative acts*

INTERNATIONAL AGREEMENTS

- ★ **Council Decision (EU) 2021/1050 of 21 June 2021 on the conclusion, on behalf of the European Union and its Member States, of a Protocol to the Euro-Mediterranean Agreement establishing an association between the European Communities and their Member States, of the one part, and the Republic of Tunisia, of the other part, to take account of the accession of the Republic of Croatia to the European Union** 1

REGULATIONS

- ★ **Council Regulation (EU) 2021/1051 of 18 June 2021 amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products** 3
- ★ **Council Regulation (EU) 2021/1052 of 18 June 2021 amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products** 17
- ★ **Commission Implementing Regulation (EU) 2021/1053 of 25 June 2021 repealing the definitive anti-dumping duties on imports of certain seamless pipes and tubes of iron or steel originating in the People's Republic of China imposed by Implementing Regulation (EU) 2015/2272** 35

DECISIONS

- ★ **Council Decision (EU) 2021/1054 of 21 June 2021 on the position to be taken on behalf of the European Union within the Council of Members of the International Olive Council, as regards trade standards applying to olive oils and olive pomace oils and the method of analysis for the determination of the stigmastadienes content in vegetable oils** 37

EN

Acts whose titles are printed in light type are those relating to day-to-day management of agricultural matters, and are generally valid for a limited period.

The titles of all other acts are printed in bold type and preceded by an asterisk.

- ★ Council Decision (EU) 2021/1055 of 21 June 2021 on the position to be taken on behalf of the European Union within the Conference of Contracting Parties to the Convention on the collection, deposit and reception of waste generated during navigation on the Rhine and other inland waterways (CDNI) on the adoption of the resolution aiming to extend the ban on the discharging of domestic wastewater to inland waterways vessels carrying between 12 and 50 passengers 39

II

(Non-legislative acts)

INTERNATIONAL AGREEMENTS

COUNCIL DECISION (EU) 2021/1050

of 21 June 2021

on the conclusion, on behalf of the European Union and its Member States, of a Protocol to the Euro-Mediterranean Agreement establishing an association between the European Communities and their Member States, of the one part, and the Republic of Tunisia, of the other part, to take account of the accession of the Republic of Croatia to the European Union

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 217, in conjunction with Article 218(6)(a) thereof,

Having regard to the Act of Accession of the Republic of Croatia, and in particular Article 6(2) thereof,

Having regard to the proposal from the European Commission,

Having regard to the consent of the European Parliament,

Whereas:

- (1) The Euro-Mediterranean Agreement establishing an association between the European Communities and their Member States, of the one part, and the Republic of Tunisia, of the other part ⁽¹⁾ ('the Agreement'), was signed on 17 July 1995. The Agreement entered into force on 1 March 1998.
- (2) The Republic of Croatia became a Member State of the European Union on 1 July 2013.
- (3) In accordance with Article 6(2) of the Act of Accession of the Republic of Croatia, the accession of the Republic of Croatia to the Agreement is to be agreed by means of a protocol to the Agreement ('the Protocol'). Under a simplified procedure, a protocol is to be concluded between the Council, acting unanimously on behalf of the Member States, and the third country concerned.
- (4) On 14 September 2012, the Council authorised the Commission to open negotiations with the third countries concerned in view of the accession of the Republic of Croatia to the Union. The negotiations with the Republic of Tunisia were concluded successfully on 11 May 2018.
- (5) In accordance with Council Decision (EU) 2020/1420 ⁽²⁾ the Protocol was signed on behalf of the Union and its Member States in Brussels on 27 July 2020, subject to its conclusion at a later date.
- (6) The Protocol should be approved on behalf of the Union and its Member States,

⁽¹⁾ OJ L 97, 30.3.1998, p. 2.

⁽²⁾ Council Decision (EU) 2020/1420 of 15 October 2018 on the signing, on behalf of the European Union and its Member States, and provisional application of a Protocol to the Euro-Mediterranean Agreement establishing an association between the European Communities and their Member States, of the one part, and the Republic of Tunisia, of the other part, to take account of the accession of the Republic of Croatia to the European Union (OJ L 330, 9.10.2020, p. 1).

HAS ADOPTED THIS DECISION:

Article 1

The Protocol to the Euro-Mediterranean Agreement establishing an association between the European Communities and their Member States, of the one part, and the Republic of Tunisia, of the other part, to take account of the accession of the Republic of Croatia to the European Union, is hereby approved on behalf of the Union and its Member States ⁽³⁾.

Article 2

The President of the Council shall, on behalf of the Union and its Member States, give the notification provided for in Article 7(1) of the Protocol.

Article 3

This Decision shall enter into force on the date of its adoption.

Done at Luxembourg, 21 June 2021.

For the Council
The President
J. BORRELL FONTELLES

⁽³⁾ The text of the Protocol has been published in OJ L 330 of 9.10.2020, together with the decision on signature.

REGULATIONS

COUNCIL REGULATION (EU) 2021/1051

of 18 June 2021

amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure a sufficient and uninterrupted supply of certain agricultural and industrial products which are produced in insufficient quantities in the Union and thereby avoid any disturbances in the market for those products, autonomous tariff quotas were opened by Council Regulation (EU) No 1388/2013 ⁽¹⁾. Within those tariff quotas, products can be imported into the Union at reduced or zero duty rates.
- (2) As it is in the Union's interest to ensure an adequate supply of certain industrial products and having regard to the fact that identical, equivalent or substitute products are not produced in sufficient quantities within the Union, it is necessary to open new tariff quotas with order numbers 09.2587, 09.2567, 09.2568, 09.2569 and 09.2570 at zero duty rates for appropriate quantities of those products.
- (3) In relation to tariff quotas with order numbers 09.2589, 09.2668, 09.2683 and 09.2872, the quota volumes should be increased, as an increase is in the interest of the Union.
- (4) As the Union production capacity for certain industrial products has been increased, the volumes of tariff quotas with order number 09.2581 should be decreased.
- (5) As it is no longer in the Union's interest to maintain the tariff quotas with order numbers 09.2584, 09.2631 and 09.2624, those tariff quotas should be closed with effect from 1 July 2021.
- (6) Taking into account the amendments to be made and for the sake of clarity, the Annex to Regulation (EU) No 1388/2013 should be replaced.
- (7) In order to avoid any interruption in the application of the tariff quota scheme and to comply with the guidelines set out in the communication from the Commission of 13 December 2011 concerning autonomous tariff suspensions and quotas, the changes provided for in this Regulation regarding the tariff quotas for the products concerned should apply from 1 July 2021. This Regulation should therefore enter into force as a matter of urgency,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EU) No 1388/2013 is replaced by the text set out in the Annex to this Regulation.

⁽¹⁾ Council Regulation (EU) No 1388/2013 of 17 December 2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010 (OJ L 354, 28.12.2013, p. 319).

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 July 2021.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 18 June 2021.

For the Council
The President
J. LEÃO

ANNEX

‘ANNEX

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2637	ex 0710 40 00 ex 2005 80 00	20 30	Corn cobs (<i>Zea mays</i> var. <i>saccharata</i>) whether or not cut, with a diameter of 10 mm or more, but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking ⁽¹⁾ ⁽²⁾ ⁽³⁾	1.1.-31.12.	550 tonnes	0 % ⁽³⁾
09.2849	ex 0710 80 69	10	Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals ⁽¹⁾ ⁽²⁾	1.1.-31.12.	700 tonnes	0 %
09.2664	ex 2008 60 39	30	Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products ⁽²⁾	1.1.-31.12.	1 000 tonnes	10 %
09.2740	ex 2309 90 31	87	Soya bean protein concentrate containing by weight: — 60 % (± 10 %) of crude protein, — 5 % (± 3 %) of crude fibre, — 5 % (± 3 %) of crude ash, and — 3 % or more but not more than 6,9 % of starch, for use in the manufacture of animal feed products ⁽²⁾	1.1.-31.12.	30 000 tonnes	0 %
09.2913	ex 2401 10 35 ex 2401 10 70 ex 2401 10 95 ex 2401 10 95 ex 2401 10 95 ex 2401 20 35 ex 2401 20 70 ex 2401 20 95 ex 2401 20 95 ex 2401 20 95	91 10 11 21 91 91 10 11 21 91	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than EUR 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 ⁽²⁾	1.1.-31.12.	6 000 tonnes	0 %
09.2587	ex 2710 19 81 ex 2710 19 99	20 40	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: — 90 % or more by weight of saturates, and — not more than 0,03 % by weight of sulphur, and with: — a viscosity index of 80 or more, but less than 120, and a kinematic viscosity of 5,0 cSt at 100 °C or more, but not more than 13,0 cSt at 100 °C	1.7.-31.12.	150 000 tonnes	0 %

09.2828	2712 20 90		Paraffin wax containing by weight less than 0,75 % of oil	1.4.-31.10.	60 000 tonnes	0 %
09.2600	ex 2712 90 39	10	Slack wax (CAS RN 64742-61-6)	1.1.-31.12.	100 000 tonnes	0 %
09.2578	ex 2811 19 80	50	Sulphamidic acid (CAS RN 5329-14-6) with a purity by weight of 95 % or more, whether or not with not more than 5 % addition of the anti-caking agent silicon dioxide (CAS RN 112926-00-8)	1.1.-31.12.	27 000 tonnes	0 %
09.2928	ex 2811 22 00	40	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	1.1.-31.12.	1 700 tonnes	0 %
09.2806	ex 2825 90 40	30	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	1.1.-31.12.	12 000 tonnes	0 %
09.2872	ex 2833 29 80	40	Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of caesium sulphate	1.1.-31.12.	400 tonnes	0 %
09.2567	ex 2903 22 00	10	Trichlorethylene (CAS RN 79-01-6) with a purity by weight of 99 % or more	1.7.-31.12.	5 250 000 kilo-grams	0 %
09.2837	ex 2903 79 30	20	Bromochloromethane (CAS RN 74-97-5)	1.1.-31.12.	600 tonnes	0 %
09.2933	ex 2903 99 80	30	1,3-Dichlorobenzene (CAS RN 541-73-1)	1.1.-31.12.	2 600 tonnes	0 %
09.2700	ex 2905 12 00	10	Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)	1.1.-31.12.	15 000 tonnes	0 %
09.2830	ex 2906 19 00	40	Cyclopropylmethanol (CAS RN 2516-33-8)	1.1.-31.12.	20 tonnes	0 %
09.2851	ex 2907 12 00	10	O-cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight	1.1.-31.12.	20 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	1.1.-31.12.	500 tonnes	0 %
09.2683	ex 2914 19 90	50	Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form ⁽²⁾	1.1.-31.12.	400 tonnes	0 %
09.2852	ex 2914 29 00	60	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.1.-31.12.	300 tonnes	0 %

09.2638	ex 2915 21 00	10	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more	1.1.-31.12.	1 000 000 tonnes	0 %
09.2679	2915 32 00		Vinyl acetate (CAS RN 108-05-4)	1.1.-31.12.	400 000 tonnes	0 %
09.2728	ex 2915 90 70	85	Ethyl trifluoroacetate (CAS RN 383-63-1)	1.1.-31.12.	400 tonnes	0 %
09.2665	ex 2916 19 95	30	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	1.1.-31.12.	8 250 tonnes	0 %
09.2684	ex 2916 39 90	28	2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)	1.1.-31.12.	700 tonnes	0 %
09.2599	ex 2917 11 00	40	Diethyl oxalate (CAS RN 95-92-1)	1.1.-31.12.	500 tonnes	0 %
09.2769	ex 2917 13 90	10	Dimethyl sebacate (CAS RN 106-79-6)	1.1.-31.12.	1 000 tonnes	0 %
09.2634	ex 2917 19 80	40	Dodecanedioic acid (CAS RN 693-23-2), of a purity by weight of more than 98,5 %	1.1.-31.12.	8 000 tonnes	0 %
09.2808	ex 2918 22 00	10	O-acetylsalicylic acid (CAS RN 50-78-2)	1.1.-31.12.	120 tonnes	0 %
09.2646	ex 2918 29 00	75	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) ⁽²⁾	1.1.-31.12.	380 tonnes	0 %
09.2647	ex 2918 29 00	80	Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) with: — a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 110 °C or more, but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) ⁽²⁾	1.1.-31.12.	140 tonnes	0 %
09.2975	ex 2918 30 00	10	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)	1.1.-31.12.	1 000 tonnes	0 %
09.2688	ex 2920 29 00	70	Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)	1.1.-31.12.	6 000 tonnes	0 %

09.2648	ex 2920 90 10	75	Dimethyl Sulphate (CAS RN 77-78-1) with a purity of at least 99 %	1.1.-31.12.	18 000 tonnes	2 %
09.2598	ex 2921 19 99	75	Octadecylamine (CAS RN 124-30-1)	1.1.-31.12.	400 tonnes	0 %
09.2649	ex 2921 29 00	60	Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)	1.1.-31.12.	1 700 tonnes	0 %
09.2682	ex 2921 41 00	10	Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more	1.1.-31.12.	150 000 tonnes	0 %
09.2617	ex 2921 42 00	89	4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)	1.1.-31.12.	500 tonnes	0 %
09.2582	ex 2921 43 00	80	2-Methylaniline (CAS RN 95-53-4) with a purity by weight of at least 99 %	1.1.-31.12.	2 000 tonnes	2 %
09.2602	ex 2921 51 19	10	o-phenylenediamine (CAS RN 95-54-5)	1.1.-31.12.	1 800 tonnes	0 %
09.2730	ex 2921 59 90	85	4,4'-Methanediyl dianiline (CAS RN 101-77-9) with a purity by weight of at least 97 %, in the form of granules, for use in the manufacture of prepolymers ⁽²⁾	1.1.-31.12.	200 tonnes	2 %
09.2591	ex 2922 41 00	10	L-Lysine hydrochloride (CAS RN 657-27-2)	1.1.-31.12.	245 000 tonnes	0 %
09.2592	ex 2922 50 00	25	L-Threonine (CAS RN 72-19-5)	1.1.-31.12.	166 000 tonnes	0 %
09.2575	ex 2923 90 00	87	3-Chloro-2-hydroxypropyl)trimethylammonium chloride (CAS RN 3327-22-8), in the form of an aqueous solution containing by weight 65 % or more but not more than 71 % 3-chloro-2-hydroxypropyl)trimethylammonium chloride	1.1.-31.12.	19 000 tonnes	0 %
09.2854	ex 2924 19 00	85	3-iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6)	1.1.-31.12.	400 tonnes	0 %
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.1.-31.12.	20 000 tonnes	0 %
09.2742	ex 2926 10 00	10	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 ⁽²⁾	1.1.-31.12.	60 000 tonnes	0 %
09.2583	ex 2926 10 00	20	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3906 and 4002 ⁽²⁾	1.1.-31.12.	40 000 tonnes	0 %
09.2856	ex 2926 90 70	84	2-Nitro-4(trifluoromethyl)benzonitrile (CAS RN 778-94-9)	1.1.-31.12.	900 tonnes	0 %

09.2708	ex 2928 00 90	15	Monomethylhydrazine (CAS RN 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 (± 5) %	1.1.-31.12.	900 tonnes	0 %
09.2581	ex 2929 10 00	25	1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of 90 % or more	1.7.-31.12.	95 tonnes	0 %
09.2685	ex 2929 90 00	30	Nitroguanidine (CAS RN 556-88-7)	1.1.-31.12.	6 500 tonnes	0 %
09.2597	ex 2930 90 98	94	Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6)	1.1.-31.12.	6 000 tonnes	0 %
09.2596	ex 2930 90 98	96	2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl) benzoic acid (CAS RN 120100-77-8)	1.1.-31.12.	300 tonnes	0 %
09.2580	ex 2931 90 00	75	Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of at least 95 %, for use in the manufacture of polyethylene (²)	1.1.-31.12.	165 tonnes	0 %
09.2842	2932 12 00		2-Furaldehyde (furfuraldehyde)	1.1.-31.12.	10 000 tonnes	0 %
09.2696	ex 2932 20 90	25	Decan-5-olide (CAS RN 705-86-2)	1.1.-31.12.	6 000 kilograms	0 %
09.2697	ex 2932 20 90	30	Dodecan-5-olide (CAS RN 713-95-1)	1.1.-31.12.	6 000 kilograms	0 %
09.2812	ex 2932 20 90	77	Hexan-6-olide (CAS RN 502-44-3)	1.1.-31.12.	4 000 tonnes	0 %
09.2858	2932 93 00		Piperonal (CAS RN 120-57-0)	1.1.-31.12.	220 tonnes	0 %
09.2673	ex 2933 39 99	43	2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5)	1.1.-31.12.	1 000 tonnes	0 %
09.2880	ex 2933 59 95	39	Ibrutinib (INN) (CAS RN 936563-96-1)	1.1.-31.12.	5 tonnes	0 %
09.2860	ex 2933 69 80	30	1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)	1.1.-31.12.	600 tonnes	0 %
09.2595	ex 2933 99 80	49	1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6)	1.1.-31.12.	40 tonnes	0 %

09.2658	ex 2933 99 80	73	5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)	1.1.-31.12.	400 tonnes	0 %
09.2593	ex 2934 99 90	67	5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)	1.1.-31.12.	45 000 kilograms	0 %
09.2675	ex 2935 90 90	79	4-[[[(2-Methoxybenzoyl)amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)	1.1.-31.12.	1 000 tonnes	0 %
09.2710	ex 2935 90 90	91	2,4,4-trimethylpentan-2-aminium (3R,5S,6E)-7-[2-[(ethylsulfonyl)amino]- 4-(4-fluorophenyl)-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6- enoate (CAS RN 917805-85-7)	1.1.-31.12.	5 000 kilograms	0 %
09.2945	ex 2940 00 00	20	D-Xylose (CAS RN 58-86-6)	1.1.-31.12.	400 tonnes	0 %
09.2686	ex 3204 11 00	75	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight	1.1.-31.12.	250 tonnes	0 %
09.2676	ex 3204 17 00	14	Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight	1.1.-31.12.	50 tonnes	0 %
09.2698	ex 3204 17 00	30	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight	1.1.-31.12.	150 tonnes	0 %
09.2659	ex 3802 90 00	19	Soda flux calcinated diatomaceous earth	1.1.-31.12.	35 000 tonnes	0 %
09.2908	ex 3804 00 00	10	Sodium lignosulphonate (CAS RN 8061-51-6)	1.1.-31.12.	40 000 tonnes	0 %
09.2889	3805 10 90		Sulphate turpentine	1.1.-31.12.	25 000 tonnes	0 %
09.2935	ex 3806 10 00	10	Rosin and resin acids obtained from fresh oleoresins	1.1.-31.12.	280 000 tonnes	0 %
09.2832	ex 3808 92 90	40	Preparation containing 38 % or more but not more than 50 % by weight of pyrrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	1.1.-31.12.	500 tonnes	0 %
09.2876	ex 3811 29 00	55	Additives consisting of reaction products of diphenylamine and branched nonenes containing by weight: — 28 % or more, but not more than 55 % of 4-monononyldiphenylamine, — 45 % or more but not more than 65 % of 4,4'-dinonyldiphenylamine, and — not more than 5 % of 2, 4-dinonyldiphenylamine and 2, 4'-dinonyldiphenylamine, used for the manufacture of lubricating oils (?)	1.1.-31.12.	900 tonnes	0 %

09.2814	ex 3815 90 90	76	Catalyst consisting of titanium dioxide and tungsten trioxide	1.1.-31.12.	3 000 tonnes	0 %
09.2820	ex 3824 79 00	10	Mixtures containing by weight: — 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2), — 8 % or more but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8), — 5 % or more but not more than 23 % of 2-chloropropane (CAS RN 75-29-6), — not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and — not more than 1 % of ethyl chloride (CAS RN 75-00-3)	1.1.-31.12.	6 000 tonnes	0 %
09.2644	ex 3824 99 92	77	Preparation containing by weight: — 55 % or more but not more than 78 % of dimethyl glutarate (CAS RN 1119-40-0), — 10 % or more but not more than 30 % of dimethyl adipate (CAS RN 627-93-0), and — not more than 35 % of dimethyl succinate (CAS RN 106-65-0)	1.1.-31.12.	10 000 tonnes	0 %
09.2681	ex 3824 99 92	85	Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)	1.1.-31.12.	9 000 tonnes	0 %
09.2650	ex 3824 99 92	87	Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 % or more but not more than 90 %	1.1.-31.12.	2 000 tonnes	0 %
09.2888	ex 3824 99 92	89	Mixture of tertiary alkyl dimethyl amines containing by weight: — 60 % or more but not more than 80 % of dodecyl dimethylamine (CAS RN 112-18-5), and — 20 % or more but not more than 30 % of dimethyl(tetradecyl)amine (CAS RN 112-75-4)	1.1.-31.12.	20 000 tonnes	0 %
09.2829	ex 3824 99 93	43	Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics: — a resin acid content not exceeding 30 % by weight, — an acid number not exceeding 110, and — a melting point of 100 °C or more	1.1.-31.12.	1 600 tonnes	0 %
09.2907	ex 3824 99 93	67	Mixture of phytosterols, in the form of powder, containing by weight: — 75 % or more of sterols, — not more than 25 % of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters ⁽²⁾	1.1.-31.12.	2 500 tonnes	0 %
09.2568	ex 3824 99 96	91	Mixture, in pellet form, containing by weight: — 49 % or more but not more than 50 % of bis[3-(triethoxysilyl)propyl] polysulphides (CAS RN 211519-85-6), and — 50 % or more but not more than 51 % of carbon black (CAS RN 1333-86-4), of which 75 % by weight or more pass through a sieve with an aperture of 0,60 mm, but not more than 10 % pass through a sieve with an aperture of 0,25 mm (as determined by the ASTM D1511 method)	1.7.-31.12.	750 tonnes	0 %

09.2639	3905 30 00		Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups	1.1.-31.12.	15 000 tonnes	0 %
09.2671	ex 3905 99 90	81	Poly(vinyl butyral)(CAS RN 63148-65-2): — containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and — with a median particle size (D50) of more than 0,6 mm	1.1.-31.12.	12 500 tonnes	0 %
09.2846	ex 3907 40 00	25	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2)	1.1.-31.12.	2 000 tonnes	0 %
09.2585	ex 3907 99 80	70	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol	1.1.-31.12.	60 000 tonnes	2 %
09.2723	ex 3911 90 19	10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene)	1.1.-31.12.	5 000 tonnes	0 %
09.2816	ex 3912 11 00	20	Cellulose acetate flakes	1.1.-31.12.	75 000 tonnes	0 %
09.2864	ex 3913 10 00	10	Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)	1.1.-31.12.	10 000 tonnes	0 %
09.2641	ex 3913 90 00	87	Sodium hyaluronate, non sterile, with: — a weight average molecular weight (Mw) of not more than 900 000, — an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg, — an ethanol content of not more than 1 % by weight, — an isopropanol content of not more than 0,5 % by weight	1.1.-31.12.	200 kilograms	0 %
09.2661	ex 3920 51 00	50	Sheets of polymethylmethacrylate conforming to standards: — EN 4364 (MIL-P-5425E) and DTD5592A, or — EN 4365 (MIL-P-8184) and DTD5592A	1.1.-31.12.	100 tonnes	0 %
09.2645	ex 3921 14 00	20	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm (± 10 cm) x 100 cm (± 10 cm) x 40 cm (± 5 cm)	1.1.-31.12.	1 700 tonnes	0 %
09.2576	ex 5208 12 16	20	Unbleached woven fabric in plain weave, with: — a width of not more than 145 cm, — a weight of 120 g/m ² or more, but not more than 130 g/m ² , — 30 or more, but not more than 45 wefts per cm, — a tuck-in selvedge on both sides, where from the inside out, the 15 mm (± 2 mm) wide tuck-in selvedge consists of a 6 mm or more but not more than 9 mm wide strip of plain weave and a 6 mm or more but not more than 9 mm wide strip of panama weave	1.1.-31.12.	1 500 000 square meters	0 %

09.2577	ex 5208 12 96	20	Unbleached woven fabric in plain weave, with: — a width of not more than 145 cm, — a weight of more than 130 g/m ² , but not more than 145 g/m ² — 30 or more, but not more than 45 wefts per cm, — a tuck-in selvedge on both sides, where from the inside out, the 15 mm (± 2 mm wide) tuck-in selvedge consists of a 6 mm or more but not more than 9 mm wide strip of plain weave and a 6 mm or more but not more than 9 mm wide strip of panama weave	1.1.-31.12.	2 300 000 square meters	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	1.1.-31.12.	10 000 tonnes	0 %
09.2721	ex 5906 99 90	20	Woven and laminated rubberised textile fabric with the following characteristics: — with three layers, — one outer layer consists of acrylic fabric, — the other outer layer consists of polyester fabric, — the middle layer consists of chlorobutyl rubber, — the middle layer has a weight of 452 g/m ² or more but not more than 569 g/m ² , — the textile fabric has a total weight of 952 g/m ² or more but not more than 1159 g/m ² , and — the textile fabric has a total thickness of 0,8 mm or more but not more than 4 mm, used for the manufacture of the retractable roof of motor vehicles ⁽²⁾	1.1.-31.12.	375 000 square meters	0 %
09.2866	ex 7019 12 00 ex 7019 12 00	06 26	S glass stratifils (rovings): — composed of continuous glass filaments of 9 µm (± 0,5 µm), — measuring 200 tex or more but not more than 680 tex, — not containing any calcium oxide, and — with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09, for use in the manufacture of aeronautics ⁽²⁾	1.1.-31.12.	1 000 tonnes	0 %
09.2628	ex 7019 52 00	10	Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m ² (± 10 g/m ²), of a type used in rolling insect screens with fixed frames	1.1.-31.12.	3 000 000 square meters	0 %
09.2799	ex 7202 49 90	10	Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium	1.1.-31.12.	50 000 tonnes	0 %
09.2652	ex 7409 11 00 ex 7410 11 00	30 40	Refined copper foil and strips, electrolytically manufactured, with a thickness of 0,015 mm or more	1.1.-31.12.	1 020 tonnes	0 %
09.2734	ex 7409 19 00	20	Plates or sheets consisting of: — a layer of a silicon nitride ceramic with a thickness of 0,32 mm (± 0,1 mm) or more but not more than 1,0 mm (± 0,1 mm), — covered on both sides with a foil of refined copper with a thickness of 0,8 mm (± 0,1 mm), and — on one side partially covered with a coating of silver	1.1.-31.12.	7 000 000 pieces	0 %

09.2662	ex 7410 21 00	55	Plates: — consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, — covered on one or both sides with copper foil with a thickness of not more than 0,15 mm, — with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a comparative tracking index (CTI) of 600 or more	1.1.-31.12.	80 000 square meters	0 %
09.2835	ex 7604 29 10	30	Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm	1.1.-31.12.	1 000 tonnes	0 %
09.2736	ex 7607 11 90 ex 7607 11 90	75 77	Aluminium and magnesium alloy strip or foil: — of an alloy conforming to standards 5182-H19 or 5052-H19, — in rolls with an outside diameter of minimum 1 250 mm but not more than 1 350 mm, — of a thickness (tolerance – 0,006 mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm, — of a width (tolerance ± 0,3 mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm, — having a camber tolerance of not more than 0,4 mm/750 mm, — of a flatness measurement: I-unit ± 4, — having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and — of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %, for use in the manufacture of slats for blinds ⁽²⁾	1.1.-31.12.	600 tonnes	0 %
09.2722	8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	1.1.-31.12.	120 000 tonnes	0 %
09.2840	ex 8104 30 00	20	Magnesium powder: — of purity by weight of 98 % or more, but not more than 99,5 %, and — with a particle size of 0,2 mm or more but not more than 0,8 mm	1.1.-31.12.	2 000 tonnes	0 %
09.2629	ex 8302 49 00	91	Aluminium telescopic handle for use in the manufacture of luggage ⁽²⁾	1.1.-31.12.	1 500 000 pieces	0 %
09.2720	ex 8413 91 00	50	Pump head for two cylinder high pressure pump made of forged steel, with: — milled threaded fittings with a diameter of 10 mm or more but not more than 36,8 mm, and — drilled fuel channels with a diameter of 3,5 mm or more but not more than 10 mm, of a kind used in diesel injection systems	1.1.-31.12.	65 000 pieces	0 %

09.2569	ex 8414 90 00	80	Turbocharger wheel housing of cast aluminium alloy or cast iron: — with a heat resistance up to 400 °C, — with a hole of 30 mm or more but not more than 300 mm for the insertion of the compressor wheel, for use in the automotive industry ⁽²⁾	1.7.-31.12.	2 000 000 pieces	0 %
09.2570	ex 8482 91 90	10	Rollers with a logarithmic profile and a diameter of 25 mm or more but not more than 70 mm or balls with a diameter of 30 mm but not more than 100 mm, — made of 100Cr6 steel or 100CrMnSi6-4 steel (ISO 3290), — with a deviation of 0,5 mm or less as determined with the FBH method for use in wind turbine industry ⁽²⁾	1.7.-31.12.	300 000 pieces	0 %
09.2738	ex 8482 99 00	30	Brass cages with the following characteristics: — continuously or centrifugally cast, — turned, — containing by weight 35 % or more, but not more than 38 % of zinc, — containing by weight 0,75 % or more, but not more than 1,25 % of lead, — containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and — with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings	1.1.-31.12.	50 000 pieces	0 %
09.2763	ex 8501 40 20 ex 8501 40 80	40 30	Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (\pm 0,2 mm) but not more than 135 mm (\pm 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners ⁽²⁾	1.1.-31.12.	2 000 000 pieces	0 %
09.2672	ex 8529 90 92 ex 9405 40 39	75 70	Printed circuit board with LED diodes: — whether or not equipped with prisms/lens, and — whether or not fitted with connector(s) for the manufacture of backlight units for goods of heading 8528 ⁽²⁾	1.1.-31.12.	115 000 000 pieces	0 %
09.2574	ex 8537 10 91	73	Multifunctional device (instrument cluster) with: — curved TFT LCD display (radius 750 mm) with touch-sensitive surfaces, — microprocessors and memory chips, — acoustic module and loudspeaker, — connections for CAN, 3 x LIN bus, LVDS and Ethernet, — for operating various functions (e.g. chassis, lighting), and — for situation-related display of vehicle and navigation data (e.g. speed, odometer, charge level of the drive battery), for use in the manufacture of passenger cars powered solely by an electric motor covered by HS subheading 8703 80 ⁽²⁾	1.1.-31.12.	66 900 pieces	0 %

09.2003	ex 8543 70 90	63	Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm	1.1.-31.12.	1 400 000 pieces	0 %
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 ⁽²⁾	1.1.-31.12.	200 000 pieces	0 %
09.2694	ex 8714 10 90	30	Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes	1.1.-31.12.	1 000 000 pieces	0 %
09.2668	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	21 31 75	Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles) ⁽²⁾	1.1.-31.12.	600 000 pieces	0 %
09.2589	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	23 33 70	Frame, constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles (including electric bicycles) ⁽²⁾	1.1.-31.12.	9 600 000 pieces	0 %
09.2579	ex 9029 20 31 ex 9029 90 00	40 40	Clustered instrument panel with: — stepping motors, — analog pointers and dials, — or without microprocessor control board, — or without LED indicators or LCD display, — showing at least: — speed, — engine revolutions, — engine temperature, — the fuel level, — communicating via CAN-BUS and/or K-LINE protocols, for use in the manufacture of goods of Chapter 87 ⁽²⁾	1.1.-31.12.	160 000 pieces	0 %

⁽¹⁾ However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.

⁽²⁾ Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

⁽³⁾ Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.

COUNCIL REGULATION (EU) 2021/1052**of 18 June 2021****amending Regulation (EU) No 1387/2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure a sufficient and uninterrupted supply of certain agricultural and industrial products which are not produced in the Union and thereby avoid any disturbances in the market for those products, Common Customs Tariff duties of the type referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 of the European Parliament and of the Council ⁽¹⁾ ('CCT duties') on those products have been suspended by Council Regulation (EU) No 1387/2013 ⁽²⁾. Those products can be imported into the Union at reduced or zero duty rates.
- (2) The Union production of certain products that are not listed in the Annex to Regulation (EU) No 1387/2013 is inadequate or non-existent. It is therefore in the interest of the Union to grant a complete suspension of the CCT duties on those products.
- (3) With a view to promoting integrated battery production in the Union in accordance with the communication from the Commission of 17 May 2018 entitled 'Europe on the Move – Sustainable Mobility for Europe: safe, connected, and clean', a partial suspension of the CCT duties should be granted in respect of certain products that are not listed in the Annex to Regulation (EU) No 1387/2013. The date for the mandatory review of those suspensions should be 31 December 2021, in order for that review to take into account the evolution of the battery sector in the Union.
- (4) It is necessary to amend the product description and classification for certain CCT duty suspensions listed in the Annex to Regulation (EU) No 1387/2013 in order to take into account technical product developments and economic trends in the market.
- (5) It is no longer in the interest of the Union to maintain the suspension of CCT duties for certain products listed in the Annex to Regulation (EU) No 1387/2013. The suspensions for those products should therefore be deleted. Furthermore, the suspension of CCT duties for certain products listed in that Annex should be deleted as a result of the implementation of the agreement in the form of the Declaration on the Expansion of Trade in Information Technology Products ⁽³⁾, which reduced the duty rate for the products concerned to zero.
- (6) Regulation (EU) No 1387/2013 should therefore be amended accordingly.
- (7) In order to avoid any interruption in the application of the autonomous tariff suspension scheme and to comply with the guidelines set out in the communication from the Commission of 13 December 2011 concerning autonomous tariff suspensions and quotas, the changes provided for in this Regulation regarding the tariff suspensions for the products concerned should apply from 1 July 2021. This Regulation should therefore enter into force as a matter of urgency,

⁽¹⁾ Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

⁽²⁾ Council Regulation (EU) No 1387/2013 of 17 December 2013 suspending the autonomous Common Customs Tariff duties on certain agricultural and industrial products and repealing Regulation (EU) No 1344/2011 (OJ L 354, 28.12.2013, p. 201).

⁽³⁾ OJ L 161, 18.6.2016, p. 4.

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Regulation (EU) No 1387/2013 is amended in accordance with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 July 2021.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 18 June 2021.

For the Council
The President
J. LEÃO

The Annex to Regulation (EU) No 1387/2013 is amended as follows:

(1) the entries with the following serial numbers are deleted: 0.2938, 0.3108, 0.3139, 0.3141, 0.4179, 0.4197, 0.4734, 0.4735, 0.4883, 0.5312 and 0.5470;

(2) the following entries replace those entries that have the same serial numbers:

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.3341	ex 1515 90 99	92	Vegetable oil, refined or semi-refined, containing by weight 35 % or more but not more than 57 % of arachidonic acid or 35 % or more but not more than 50 % of docosahexaenoic acid	0 %	-	31.12.2023
0.7674	ex 2905 32 00	20	(2S)-propane-1,2-diol (CAS RN 4254-15-3) with a purity by weight of 98 % or more	0 %	-	31.12.2023
0.6003	ex 2915 90 70	27	Triethyl orthoformate (CAS RN 122-51-0) with a purity by weight of 99 % or more	0 %	-	31.12.2023
0.3468	ex 2916 13 00	40	Zinc Dimethacrylate (CAS RN 13189-00-9) in the form of powder with a purity by weight of 99 % or more, with not more than 1 % of a stabiliser	0 %	-	31.12.2023
0.2941	ex 2920 19 00	40	Tolclofos-methyl (ISO) (CAS RN 57018-04-9) with a purity by weight of 96 % or more	0 %	-	31.12.2023
0.4298	ex 2930 20 00	40	Prosulfocarb (ISO) (CAS RN 52888-80-9) with purity by weight of 97 % or more	0 %	-	31.12.2022
0.5920	ex 2933 29 90	28	Prochloraz (ISO) (CAS RN 67747-09-5) with purity by weight of 97 % or more	0 %	-	31.12.2023
0.6987	ex 2933 59 95	52	6-Benzyladenine (CAS RN 1214-39-7) with a purity by weight of 97 % or more	0 %	-	31.12.2021
0.7815	ex 2934 99 90	82	Rel-(3aR,12bR)-11-Chloro-2,3,3a,12b-tetrahydro-2-methyl-1H-dibenz[2,3:6,7]oxepino[4,5-c]pyrrol-1-one (CAS RN 129385-59-7) with a purity by weight of 97 % or more	0 %	-	31.12.2024
0.7975	ex 3801 10 00	30	Artificial graphite in powder form, (CAS RN 7782-42-5) with: — with or without coating on the surface, — particle size represented by d50 value of 15 µm (± 4), — specific surface area (measured by BET) less than 3,5 m ² /g, — tap density: 1,3 g/m ³ (± 0,5),	1.8 %	-	31.12.2021

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			— specific Discharge Capacity of 348 mAh/g (± 13), — initial efficiency above 93,0 %			
0.4459	ex 3919 90 80	83	Reflector or diffuser sheets, in rolls, — for protection against ultraviolet or infra-red heat radiation, to be affixed to windows or — for equal transmission and distribution of light, intended for LCD modules	0 %	-	31.12.2022
0.5139	ex 3920 10 89	55	Ethylene vinyl acetate (EVA) film: — with a raised relief surface with embossed undulations, — not laminated, — not cross-linked, and — with a thickness of more than 0,3 mm	0 %	-	31.12.2021
0.5167	ex 3920 20 29	94	Mono-axial oriented, co-extruded film: — consisting of 3 to 5 layers, — each layer mainly consisting of polypropylene and/or polyethylene, — each layer containing not more than 10 % by weight of other polymers, — whether or not containing titanium dioxide in the core layer, — of an overall thickness of not more than 75 μ m	0 %	-	31.12.2022
0.2546	ex 6903 90 90	40	Silicon carbide reactor tubes and holders having a maximum service temperature of 1 370 °C or more	0 %	-	31.12.2023
0.8028	ex 6909 19 00	40	Ceramic-carbon absorption or adsorption cartridges of fuel motor vehicle systems, with the following characteristics: — extruded fired ceramic bound multicellular cylindrical structure, — 5 % or more by weight but not more than 70 % by weight of activated carbon, — 30 % or more by weight but no more than 90 % by weight of ceramic binder, — with a diameter of 29 mm or more but no more than 41 mm, — a length of not more than 150 mm, — fired at temperature of 800 °C or more	0 %	p/st	31.12.2025
0.6680	ex 7326 90 98 ex 7907 00 00	40 10	Iron, steel and/or zinc alloy weights: — with a weight of not more than 500 grams and measuring not more than 107 mm x 107 mm x 11 mm, — whether or not with parts of other material, — whether or not with parts of other metals, — whether or not surface treated,	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			— whether or not printed, of a kind used for the production of remote controls			
0.4050	ex 7607 11 90 ex 7607 11 90	65 67	Plain aluminium foil with the following parameters: — an aluminium content of 99,98 % or more, — a thickness of 0,070 mm or more but not more than 0,125 mm, — with a cubic texture, of a kind used for high voltage etching	3.7 %	-	31.12.2021
0.7966	ex 8104 19 00	10	Unwrought magnesium containing 90 % or more but not more than 99,7 % by weight of magnesium	0 %	-	31.12.2025
0.5097	ex 8104 30 00	35	Magnesium powder: — of purity by weight of more than 99,5 %, and — with a particle size of not more than 0,8 mm	0 %	-	31.12.2025
0.4133	ex 8418 99 10 ex 8418 99 10	71 79	Evaporator made of aluminium for use in the manufacture of air conditioning machines for automobiles (1)	0 %	p/st	31.12.2021
0.6858	ex 8501 10 99	64	DC motor to control angular position of the flap to adjust gas flow in the Air Throttle and EGR valve: — with Ingress Protection (IP) standard of IP69, — with a rotor speed of not more than 6 500 rpm when not loaded, — with a rated voltage of 12,0 V (± 0,1), — of a specified temperature range of – 40 °C or more but not more than + 165 °C, — with or without a connecting pinion, — with or without an engine connector, — with or without a flange, — with a diameter of not more than 40 mm (not including the flange), — with an overall height of not more than 90 mm (from the base to the pinion)	0 %	-	31.12.2021
0.6809	ex 8501 31 00 ex 8501 32 00	43 55	Automotive-ready, brushless and permanently excited direct current motor with: — a specified speed of not more than 4 100 rpm, — a minimum output of 400 W, but not more than 1,3 kW (at 12V), — a flange diameter of 85 mm or more but not more than 200 mm, — a maximum length of 335 mm, measured from the beginning of the shaft to the outer end- ing,	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			<ul style="list-style-type: none"> — a housing length of not more than 265 mm, measured from the flange to the outer ending, — a maximum of two-piece (basic housing including electric components and flange with minimum 2 and maximum 11 bore holes) aluminium diecast or sheet steel housing whether or not with a sealing compound (groove with an O-ring and grease), — a stator with single T-tooth design and single coil windings in 9/6 or 12/8 topology, and — surface magnets, — whether or not with electronic power steering controller, — whether or not with pulley, — whether or not with rotor position sensor 			
0.7641	ex 8507 60 00	58	Prismatic lithium-ion electric accumulator with: <ul style="list-style-type: none"> — a width of 120,0 mm or more but not more than 305,0 mm, — a thickness of 12,0 mm or more but not more than 67,0 mm, — a height of 72,0 mm or more but not more than 126,0 mm, — a nominal voltage of 3,6 V or more but not more than 3,75 V, and — a nominal capacity of 6,9 Ah or more not more than 265 Ah, for use in the manufacture of rechargeable electric vehicle batteries ⁽¹⁾ 	1.3 %	-	31.12.2021
0.5356	ex 8507 60 00	75	Rectangular lithium-ion-accumulator with: <ul style="list-style-type: none"> — a metal casing, — a length of 147,85 mm or more but not more than 173,15 mm, — a width of 17,4 mm or more but not more than 21,1 mm, — a height of 90,85 mm or more but not more than 95,15 mm, — a nominal voltage of 3,3 V or more but not more than 3,65 V, and — a nominal capacity of 17,5 Ah or more 	1.3 %	-	31.12.2021
0.7856	ex 8708 40 20 ex 8708 40 50	70 60	Manual gearbox in cast aluminium housing for transverse installation with: <ul style="list-style-type: none"> — a width of not more than 480 mm, — a height of not more than 400 mm, — a length of not more than 550 mm, — five or six gears, — a differential gear, — an engine torque of 400 Nm or less, for use in the manufacture of motor vehicles of Heading 8703 ⁽¹⁾ 	0 %	-	31.12.2024
0.6583	ex 8708 99 10 ex 8708 99 97	60 50	Aluminium engine bracket, with dimensions of: <ul style="list-style-type: none"> — height of more than 10 mm but not more than 200 mm, — width of more than 10 mm but not more than 250 mm, 	0 %	p/st	31.12.2024

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			<ul style="list-style-type: none"> — length of more than 10 mm but not more than 200 mm, equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: — internal porosity not more than 1 mm, — outer porosity not more than 2 mm, — rockwell hardness HRB 10 or more, — of a kind used in the production of suspensions systems for engines in motor vehicles 			
0.7101	ex 9001 10 90	40	Fibre optic plates: <ul style="list-style-type: none"> — uncoated and unpainted, — of a length of 30 mm or more, but not more than 234,5 mm, — of a width of 7 mm or more, but not more than 28 mm, and — of a height of 0,5 mm or more, but not more than 3 mm, — of a kind used in dental x-ray systems 	0 %	-	31.12.2021
0.7590	ex 9002 11 00	18	Lens assembly consisting of a cylinder-shaped cover made of metal or plastic and optical elements with: <ul style="list-style-type: none"> — a horizontal field of view range to a maximum of 120 deg, — a diagonal field of view range to a maximum of 105 deg, — a focal length to a maximum of 7,50 mm, — a relative aperture of a maximum of F/2,90, — a maximum diameter of 22 mm 	0 %	-	31.12.2023

(¹) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).;

(3) the following entries are added or inserted according to the numerical order of the CN and TARIC codes in the second and third columns:

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8144	ex 2710 12 25	20	Mixture of C6 aliphatic hydrocarbons (CAS RN 92112-69-1), containing by weight 60 % or more but not more than 80 % of n-hexane (CAS RN 110-54-3), with: <ul style="list-style-type: none"> — a specific gravity of 0,666 or more but not more than 0,686, — a total of carbonyl compounds of less than 1 ppm, — a total of acetylenic compounds of less than 2 ppm 	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8076	ex 2903 99 80	45	1-Bromo-4-(<i>trans</i> -4-propylcyclohexyl)benzene (CAS RN 86579-53-5) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8101	ex 2903 99 80	55	1-Bromo-4-(<i>trans</i> -4-ethylcyclohexyl)benzene (CAS RN 91538-82-8) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8042	ex 2910 90 00	40	[(2R)-Oxiran-2-yl]methyl 3-nitrobenzenesulphonate (CAS RN 115314-17-5) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.8073	ex 2912 19 00	20	Acrylaldehyde (CAS RN 107-02-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8147	2912 42 00		Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde)	0 %	-	31.12.2025
0.8058	ex 2914 29 00	45	4-Propylcyclohexan-1-one (CAS RN 40649-36-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8146	ex 2915 90 70	23	Tin bis(2-ethylhexanoate) (CAS RN 301-10-0) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.8057	ex 2916 20 00	45	Cyclopentanecarboxylic acid (CAS RN 3400-45-1) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8039	ex 2916 39 90	78	(2,5-dibromophenyl)acetic acid (CAS RN 203314-28-7) with a purity by weight of 98,0 % or more	0 %	-	31.12.2025
0.8044	ex 2918 19 98	60	(<i>R</i>)- <i>tert</i> -butyl 2'-(1-hydroxyethyl)-3-methyl-[1,1'-biphenyl]-4-carboxylate (CAS RN 1246560-92-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8075	ex 2918 30 00	45	Methyl 5-oxo-6,7,8,9-tetrahydro-5H-benzo[7]annulene-2-carboxylate (CAS RN 150192-89-5) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.8066	ex 2918 99 90	48	2-Bromo-5-methoxybenzoic acid (CAS RN 22921-68-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8045	ex 2921 29 00	15	(2S)-propane-1,2-diamine dihydrochloride (CAS RN 19777-66-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8067	ex 2921 29 00	25	<i>N,N'</i> -Diallylpropane-1,3-diamine dihydrochloride (CAS RN 205041-15-2) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.8059	ex 2921 49 00	65	Bis-(9,9-dimethylfluoren-2-yl)amine (CAS RN 500717-23-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8027	ex 2924 19 00	28	(2S)-2-amino-5-(carbamoylamino)pentanoic acid ; 2-hydroxybutanedioic acid (2:1) (CAS RN 54940-97-5) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8030	ex 2924 19 00	33	(2S)-2-amino-5-(carbamoylamino)pentanoic acid ; 2-hydroxybutanedioic acid (1:1) (CAS RN 70796-17-7) with a purity by weight of 98,5 % or more	0 %	-	31.12.2025
0.8041	ex 2924 19 00	38	Diethyl acetamidomalonate (CAS RN 1068-90-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8049	ex 2924 19 00	43	N6-(<i>tert</i> -butoxycarbonyl)-L-lysine methyl ester hydrochloride (CAS RN 2389-48-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8043	ex 2924 29 70	58	2-chloro-N-[1-(4-chloro-3-fluorophenyl)-2-methylpropan-2-yl]acetamide (CAS RN 787585-35-7) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8060	ex 2924 29 70	78	5-amino-3-(4-chlorophenyl)-5-oxopentanoic acid (CAS RN 1141-23-7) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8033	ex 2925 29 00	60	Formamidine acetate (CAS RN 3473-63-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.8040	ex 2925 29 00	70	Bromomethylidene(dimethyl)azanium bromide (CAS RN 24774-61-6) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.8061	ex 2928 00 90	38	Aqueous solution of methoxyammonium chloride (CAS-RN 593-56-6), containing by weight: — 30 % or more but not more than 40 % of methoxyammonium chloride — not more than 4 % of hydrochloric acid	0 %	-	31.12.2025
0.8093	ex 2928 00 90	43	2-(3-methoxy-3-oxopropyl)-1,1,1-trimethylhydrazinium bromide (CAS RN 106966-25-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.8036	ex 2930 90 98	11	Benzyl (2S)-2-amino-3-[3-(methanesulphonylphenyl)]propanoate hydrochloride (CAS RN 1194550-59-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8047	ex 2930 90 98	14	(E)-N'-(2-Cyano-4-(3-(1-hydroxy-2-methylpropan-2-yl)thioureido)phenyl)-N,N-dimethyl-formimidamide (CAS RN 1429755-57-6) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8050	ex 2930 90 98	19	4-Amino-5-(ethanesulphonyl)-2-methoxybenzoic acid (CAS RN 71675-87-1) with a purity by weight of 98 % or more	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8069	ex 2930 90 98	28	Mesotrione (ISO) (CAS RN 104206-82-8) in form of wet cake or wet paste, with — a purity of 74 % or more but not more than 87 % by weight, and — a maximum water content of 23 % by weight	0 %	-	31.12.2025
0.8051	ex 2931 90 00	23	Ixazomib citrate (INN) (CAS RN 1239908-20-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8063	ex 2931 90 00	28	Triethoxy(3-isocyanatopropyl)silane (CAS RN 24801-88-5) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.8035	ex 2932 99 00	38	1-Benzofuran-6-carboxylic acid (CAS RN 77095-51-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8046	ex 2933 19 90	48	1-(3-iodo-1-isopropyl-1H-pyrazol-4-yl)ethanone (CAS RN 1269440-49-4) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8068	ex 2933 39 99	30	4-amino-3-(4-phenoxyphenyl)-1-[(3R)-piperidin-3-yl]-1,3-dihydro-2H-imidazo[4,5-c]pyridin-2-one (CAS RN 1971921-35-3) mono oxalate with a purity by weight of the free base of 70 % or more	0 %	-	31.12.2025
0.8072	ex 2933 39 99	75	Clodinafop-propargyl (ISO) (CAS RN 105512-06-9) with a purity by weight of 90 % or more	0 %	-	31.12.2025
0.8074	ex 2933 39 99	80	Tert-Butyl (3R)-3-(4-amino-2-oxo-2,3-dihydro-1H-imidazo[4,5-c]pyridin-1-yl)piperidine-1-carboxylate (CAS RN 1971921-33-1) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8096	ex 2933 39 99	89	1-Benzyl-4-phenylpiperidine-4-carbonitrile monohydrochloride (CAS RN 71258-18-9) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8037	ex 2933 49 90	55	2-(tert-butoxycarbonyl)-5,7-dichloro-1,2,3,4-tetrahydroisoquinoline-6-carboxylic acid (CAS RN 851784-82-2) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8056	ex 2933 59 95	42	2-Chloropyrimidine (CAS RN 1722-12-9) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8038	ex 2933 79 00	45	1-phenyl-3H-indol-2-one (CAS RN 3335-98-6) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.8089	ex 2933 99 80	25	6-(4-Benzylamino-3-nitrophenyl)-5-methyl-4,5-dihydro-2H-pyridazin-3-one (CAS RN 77469-62-6) with a purity by weight of 95 % or more	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8032	ex 2933 99 80	65	1,2,4-Triazole (CAS RN 288-88-0) with a purity by weight of 99 % or more	0 %	-	31.12.2025
0.8053	ex 2933 99 80	69	5-Formyl-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (CAS RN 253870-02-9) with a purity by weight of 96 % or more	0 %	-	31.12.2025
0.8054	ex 2933 99 80	76	2-Methylindoline (CAS RN 6872-06-6) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8064	ex 2933 99 80	77	9-[1,1'-Biphenyl]-3-yl-9'-[1,1'-biphenyl]-4-yl-3,3'-bi-9H-carbazole (CAS RN 1643479-47-3) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8094	ex 2934 99 90	40	2,3-Pyrazinedicarboxylic anhydride (CAS RN 4744-50-7) with a purity by weight of 95 % or more	0 %	-	31.12.2025
0.8031	ex 2934 99 90	55	Uridine (CAS RN 58-96-8) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8048	ex 2934 99 90	81	1-(4-aminophenyl)-5-(morpholin-4-yl)-2,3-dihydropyridin-6-one (CAS RN 1267610-26-3) with a purity by weight of 98 % or more	0 %	-	31.12.2025
0.8055	ex 2935 90 90	80	4-Chloro-3-sulphamoylbenzoic acid (CAS RN 1205-30-7) with a purity by weight of 97 % or more	0 %	-	31.12.2025
0.8137	ex 3208 90 19 ex 3911 90 99	13 63	Mixture, containing by weight: — 30 % or more but not more than 40 % of a copolymer of methyl vinyl ether and monobutyl maleate (CAS RN 25119-68-0), — 10 % or more but not more than 20 % of a copolymer of methyl vinyl ether and monoethyl maleate (CAS RN 25087-06-3), — 40 % or more, but not more than 55 % of ethanol (CAS RN 64-17-5), — 1 % or more but not more than 7 % of butan-1-ol (CAS RN 71-36-3)	0 %	-	31.12.2025
0.8083	ex 3824 99 92	92	Solution consisting of: — 50 (± 2) % by weight sodium mentholate (CAS RN 19321-38-1), and — 50 (± 2) % by weight light aliphatic solvent naphtha (petroleum) (CAS RN 64742-89-8)	0 %	-	31.12.2025
0.8121	ex 3824 99 92	93	Solution of not more than 15 % by weight of lithium hexafluorophosphate (CAS RN 21324-40-3) in a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and ethyl methyl carbonate (CAS RN 623-53-0), contains organic carbonate derivatives as additives	3.2 %	-	31.12.2021
0.8062	ex 3824 99 93	51	Tris(hydroxymethyl)phosphine oxide (CAS RN 1067-12-5) with a purity by weight of 85 % or more	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8122	ex 3824 99 96	68	Lithium nickel dioxide (CAS RN 12325-84-7) containing by weight: — less than 5 % of lithium hydroxide (CAS RN 1310-65-2), — less than 5 % of lithium carbonate (CAS RN 554-13-2), and — less than 15 % of nickel oxide (CAS RN 11099-02-8)	3.2 %	-	31.12.2021
0.8125	ex 3902 30 00	20	Hydrogenated block copolymer of styrene and isoprene (CAS RN 68648-89-5), containing by weight less than 37 % of styrene	0 %	-	31.12.2025
0.8126	ex 3905 91 00	50	Aqueous solution consisting by weight of: — 10 % or more but not more than 20 % of a copolymer of vinyl pyrrolidone, N,N-dimethylaminopropyl methacrylamide and 3 (methacryloylamino)propyllauryldimethylammonium chloride (CAS RN 306769-73-3), — not more than 1 % preservatives	0 %	-	31.12.2025
0.8145	ex 3905 91 00	60	Copolymer of vinylpyrrolidone, vinyl caprolactam and dimethylaminoethyl methacrylate (CAS RN 102972-64-5) in solid form, or as an aqueous solution containing by weight: — 27 % or more but not more than 33 % of copolymer, — not more than 1,5 % of ethanol (CAS RN 64-17-5), — not more than 1 % of preservatives	0 %	-	31.12.2025
0.8138	ex 3905 91 00	70	Aqueous solution, containing by weight: — 25 % or more but not more than 35 % of a copolymer of vinyl caprolactam, vinyl pyrrolidone, N,N-dimethylaminopropyl methacrylamide and 3-(methacryloylamino)propyllauryldimethylammonium chloride (CAS RN 748809-45-2), — 10 % or more but not more than 16 % of ethanol (CAS RN 64-17-5) whether or not denatured with tert-butyl alcohol (CAS RN 75-65-0) and/or denatonium benzoate (CAS RN 3734-33-6)	0 %	-	31.12.2025
0.8139	ex 3905 91 00	80	Copolymer of vinylpyrrolidone, acrylic acid and dodecyl methacrylate (CAS RN 83120-95-0)	0 %	-	31.12.2025
0.8097	ex 3910 00 00	75	Copolymer of 80 % dimethylsiloxane, 10 % methyl methacrylate and 10 % butyl acrylate in the form of a white powder	0 %	-	31.12.2025
0.8116	ex 3917 31 00 ex 3917 32 00 ex 3917 39 00	30 20 20	Tubings: — with an outer diameter of 0,33 mm or more but not more than 3,3 mm, — with an inner diameter of 0,01 mm or more but not more than 2,1 mm, — suitable for a maximum working pressure rate from 2,7 MPa up to 70 MPa,	0 %	-	31.12.2021

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			<ul style="list-style-type: none"> — suitable for all solutions used in chromatography, — whether or not with fused silica, — whether or not covered with PEEK, for use in chromatographic system ⁽¹⁾			
0.8117	ex 3917 40 00	20	Plastic fittings (kit of nuts and ferrules or nuts) and connectors: <ul style="list-style-type: none"> — threaded, — supported with or without a stainless steel ring, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, for tubings with: <ul style="list-style-type: none"> — outer diameter of 0,33 mm or more but not more than 3,3 mm, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, — suitable for all solutions used in chromatography, for use in the production of chromatographic systems ⁽¹⁾	0 %	-	31.12.2021
0.8109	ex 3919 10 80	48	Plastic strips of polypropylene, <ul style="list-style-type: none"> — self-adhesive, — unilaterally adhesive-coated with an Acrylic Polymer, — in rolls with a width of 20 cm or less, — with a thickness including adhesion layer of 0,03 mm or less, for use in the manufacturing of lithium-ion electric rechargeable batteries ⁽¹⁾	3.2 %	-	31.12.2021
0.8149	ex 3920 10 89	45	Octene and ethylene copolymer plastic film of a thickness of 0,45 mm or more but not more than 0,75 mm, for use in the manufacture of glass to glass photovoltaic solar panels ⁽¹⁾	0 %	-	31.12.2022
0.8118	ex 3926 90 97	58	Plastic ferrules and/or plugs: <ul style="list-style-type: none"> — supported with or without a stainless steel ring, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, for tubings with: <ul style="list-style-type: none"> — outer diameter of 0,33 mm or more but not more than 3,3 mm, — suitable for a maximum working pressure rate of 2,7 MPa or more but not more than 114 MPa, — suitable for all solutions used in chromatography, for use in the production of chromatographic systems ⁽¹⁾	0 %	-	31.12.2021
0.8108	ex 5403 31 00	10	Continuous viscose rayon filament yarn of 105 dtex or more but not more than 117 dtex, and consisting of 36 monofilaments or more but not more than 40 monofilaments	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8105	ex 8108 90 30	55	Wires of an alloy of titanium: — with a niobium content by weight of 42 % or more but not more than 47 %, — with a diameter of not more than 6 mm, — complying with standard AMS 4982, for use in the production of aerospace fasteners ⁽¹⁾	0 %	-	31.12.2025
0.8148	ex 8412 90 80	20	Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with: — a length of 3,5 m or more but not more than 4,3 m, — a width of 2 m or more but not more than 3,5 m, — a height of 1 m or more but not more than 1,3 m, — a weight of 11 tons or more but not more than 20 tons, — mounting bores for yaw drive, — mounting flange for gearbox support, — drivetrain mount, — different screw sockets	0 %	p/st	31.12.2025
0.8079	ex 8412 90 80	30	Gearbox support used as a support and load-carrying component between the gearbox and the bedplate of a wind turbine, made of solution strengthened ductile iron castings (SSDI), with: — a diameter of 2 m or more, but not more than 5 m, — a weight of 2 tons or more but not more than 7 tons	0 %	p/st	31.12.2025
0.8111	ex 8414 30 20	20	Hermetic reciprocating refrigeration compressor, for isobutane: — with a 3-phase permanent magnet brushless motor, — having left side suction connection and Power Factor Correction (PFC) inverter, — with a maximum cooling capacity of 150 W or more but not more than 240 W, at ASH-RAE conditions	0 %	-	31.12.2025
0.8112	ex 8414 30 20	30	Hermetic reciprocating refrigeration compressor for isobutane as refrigerant: — with a 3-phase permanent magnet brushless motor, — having left side suction connection and Power Factor Correction (PFC) inverter feasible to work from 1 300 rpm up to 4 500 rpm, — with a maximum cooling capacity of 150 W or more but not more than 240 W, at ASH-RAE conditions	0 %	-	31.12.2025
0.8134	ex 8414 30 20	40	Hermetic reciprocating compressor, for isobutane as refrigerant with: — a Resistance Start Capacitor Run (RSCR) single phase motor,	0 %	-	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			<ul style="list-style-type: none"> — a general coefficient of performance factor not lower than 1,93 at ASHRAE conditions, — a maximum cooling capacity of 150 W or more but not more than 180 W, at ASHRAE conditions 			
0.8135	ex 8414 30 20	50	Hermetic reciprocating compressor, for isobutane as refrigerant with: <ul style="list-style-type: none"> — a Resistance Start Capacitor Run (RSCR) single phase motor, — a general coefficient of performance factor not higher than 1,5 at ASHRAE conditions, — a maximum cooling capacity of 150 W or more but not more than 180 W, at ASHRAE conditions 	0 %	-	31.12.2025
0.8133	ex 8414 80 73	40	Hermetic heat pump compressor, for R134A or R450A as refrigerant: <ul style="list-style-type: none"> — with the Single Phase Induction Motor PSC (Permanent Split Capacitor), — having bottom side suction connection and top side discharge connection, — 8,1 cm³ or 8,2 cm³ displacement, — running at 3 000 rpm, — with a cooling capacity of 920 W or higher, but not higher than 970 W in ASHRAE conditions 	0 %	-	31.12.2025
0.8123	ex 8479 89 97	28	Integrated electric brake unit for immediate generation of the hydraulic pressure during braking, full electronic brake control and enabling regenerative braking of motor vehicles with: <ul style="list-style-type: none"> — electronic brake assistants, — hydraulic unit driven by brushless electric motor, — brake fluid reservoir, for use in the manufacture of plug-in hybrid passenger cars ⁽¹⁾	0 %	-	31.12.2025
0.7962	ex 8479 90 70	50	Rotor part of the mechanical unit ensuring the movement of the camshaft compared to the crankshaft: <ul style="list-style-type: none"> — with 4 blades that end in grooves, — made of steel alloy with sintering process 	0 %	-	31.12.2025
0.8098	ex 8482 50 00	20	Axial roller bearing made of steel: <ul style="list-style-type: none"> — the retainer is made of cold-rolled steel with a carbon content of up to 0,25 percent, complying with standard ASTM A109-98, — the rollers are made of anti-friction steel according to ASTM 295-94, — with an external diameter of 63 mm or more but not more than 66 mm, — with an internal diameter of 44 mm or more but not more than 46 mm, 	0 %	p/st	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
			<ul style="list-style-type: none"> — with a weight of 23 g or more but not more than 27 g, — with 36 rollers or more but not more than 38 rollers 			
0.8088	ex 8482 99 00	40	<p>Inner and outer rings made of steel, not grinded, with an internal raceway, with diameters of:</p> <ul style="list-style-type: none"> — 14,66 mm or more but not more than 76,2 mm for the inner ring, and — 26 mm or more but not more than 100 mm for the outer ring 	0 %	-	31.12.2025
0.8100	ex 8483 50 80	20	<p>Pulley blocks of non-cast steel:</p> <ul style="list-style-type: none"> — made of structural carbon steel complying with standard JIS G4051, — with an external diameter of 114 mm or more but not more than 118 mm, — with an internal diameter of 33 mm or more but not more than 37 mm, — with a width of 29 mm or more but not more than 33 mm, — with a weight of 0,6 kg or more but not more than 0,9 kg, — with 6 trapezoidal grooves 	0 %	p/st	31.12.2025
0.8130	ex 8501 62 00	40	<p>AC, 3-phase generator, with:</p> <ul style="list-style-type: none"> — a continuous power of 147 kVA or more but not more than 222 kVA, — a continuous torque of 650 Nm or more but not more than 900 Nm, — a maximum working speed of 2 700 revolutions per minute (rpm), — a liquid cooled system, — a length of 100 mm or more but not more than 200 mm, — a width of 550 mm or more but not more than 650 mm, — a height of 550 mm or more but not more than 650 mm, — weighing of not more than 150 kg 	0 %	-	31.12.2025
0.8095	ex 8505 90 90	20	<p>Electromagnetic clutch coil in a cylindrical metal housing:</p> <ul style="list-style-type: none"> — the metal housing is made of hot-rolled steel complying with standard JIS G 3131 - SPHE, — the coil is made of copper wire, — with a weight of 0,4 kg or more but not more than 0,7 kg, — with a width of 22 mm or more but not more than 25 mm, — with a plate reinforced to the coil (coil backplate) with an internal diameter of 44 mm or more but not more than 46 mm, — with an external diameter of 88 mm or more but not more than 96 mm, — without plunger, — with one connector 	0 %	p/st	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8115	ex 8507 60 00	48	Integrated battery system in a metal case with holders, consisting of: — a lithium-ion battery with a voltage of 36 V or more but not more than 50,4 V and a nominal energy of 0,6 kWh, — Battery Management System, — a power relay, — a cooling system, — four connectors, for use in the manufacture of Mild-hybrid (mHEV) motor vehicles ⁽¹⁾	1.3 %	-	31.12.2021
0.8140	ex 8529 90 92	73	CMOS-Image sensor — with a micro lens on every pixel (micro lens coverage at least 99 % of all pixel), — to capture infra-red light reflected from objects, in order to capture depth images in the cameras built for distance measurements (Time-of-Flight)	0 %	-	31.12.2025
0.8085	ex 8537 10 91	45	Main hybrid system controller, diagnosing and controlling the elements of the hybrid propulsion system, with: — a programmable memory, — a microprocessor, — at least one composite connector, — a voltage of 24 V, — with a length of 350 mm or more but not more than 400 mm, — with a width of 200 mm or more but not more than 250 mm, — with a height of 80 mm or more but not more than 120 mm, — in a metal housing	0 %	-	31.12.2025
0.8132	ex 8537 10 98	80	Propulsion Control System with at least: — a DC/AC inverter, — a power of 190 kW or more but not more than 220 kW, — a high voltage circuits with AC and DC interfaces for connecting a traction motor, generator and energy storage system, — an integral control of all drive motor and generator traction system functions, — a CAN communications interface with System Control Unit, — a liquid cooled system, — a length of 300 mm or more but not more than 950 mm, — a width of 350 mm or more but not more than 600 mm, — a height of 200 mm or more but not more than 350 mm, — a weight of 40 kg or more but not more than 90 kg	0 %	p/st	31.12.2025

Serial number	CN code	TARIC	Description	Rate of autonomous duty	Supplementary Unit	Date foreseen for mandatory review
0.8124	ex 8537 10 98	88	Control panel for car radio and/or navigation control with: — electronic passive components, — at least two switches, — LEDs, — at least one connector, — whether or not warning triangle switch, — for a voltage not exceeding 16 V, for use in the manufacture of goods of Chapter 87 ⁽¹⁾	0 %	-	31.12.2025
0.8127	ex 8708 99 97	28	A set of Type 4 H2 cylinders, in accordance with the EC 79 standard, consisting of two to eight cylinders on aluminum frames: — cylinders made of high density polyethylene (HDPE) composite reinforced with a braid of glass and carbon fibers in epoxy resin, — with an operating pressure of not less than 35 MPa, — with a durability declared by the manufacturer of not less than 20 years, — with a cylinder capacity of 180 liters or more but not more than 375 liters, — equipped with a set of solenoid, manual and safety PRD valves, — with a total width of 1 800 mm or more but not more than 2 300 mm, — with a total height of 400 mm or more but not more than 500 mm, — with a total length of 1 200 mm or more but not more than 3 600 mm	0 %	-	31.12.2025
0.8128	ex 8708 99 97	38	A set of Compressed Natural Gas (CNG) cylinders type CNG-4, in accordance with the ECE R110 standard, consisting of four or five cylinders on aluminum frames: — made of high density polyethylene (HDPE) composite reinforced with a braid of glass and carbon fibers in epoxy resin, — with an operating pressure of not less than 20 MPa, — with a shelf life declared by the manufacturer of not less than 20 years, — with a cylinder capacity of 315 liters or more but not more than 375 liters, — equipped with a set of solenoid, manual and safety PRD valves, — with a total width of 2 200 mm or more but not more than 2 300 mm, — with a total height of 450 mm or more but not more than 460 mm, — with a total length of 3 500 mm or more but not more than 3 600 mm	0 %	-	31.12.2025'

⁽¹⁾ Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).'

COMMISSION IMPLEMENTING REGULATION (EU) 2021/1053**of 25 June 2021****repealing the definitive anti-dumping duties on imports of certain seamless pipes and tubes of iron or steel originating in the People's Republic of China imposed by Implementing Regulation (EU) 2015/2272**

THE EUROPEAN COMMISSION,

Having regard to Regulation (EU) 2016/1036 of the European Parliament and of the Council of 8 June 2016 on protection against dumped imports from countries not members of the European Union ⁽¹⁾, and in particular Article 14(1) thereof,

Whereas:

- (1) Following an anti-dumping investigation in accordance with Article 5 of Council Regulation (EC) No 1225/2009 ⁽²⁾, on 6 October 2009, pursuant to Council Regulation (EC) No 926/2009 ⁽³⁾, a definitive anti-dumping duty was imposed on imports of certain seamless pipes and tubes of iron or steel originating in the People's Republic of China. The measures took the form *ad valorem* duty rates: 17,7 % for Shandong Luxing Steel Pipe Co. Ltd; 27,2 % for other cooperating companies and 39,2 % for all other companies.
- (2) Following an expiry review investigation in accordance with Article 11(2) of Regulation (EC) No 1225/2009, on 8 December 2015, pursuant to Commission Implementing Regulation (EU) 2015/2272, definitive anti-dumping measures were imposed for a further five years ⁽⁴⁾.
- (3) On 29 January 2014, in its judgement of case T-528/09, the General Court annulled Regulation (EC) No 926/2009 in so far as the exports of products produced by Hubei Xinyegang Steel Co. Ltd ('Hubei') were concerned ⁽⁵⁾. This judgement was appealed by the Council.
- (4) By judgment of 7 April 2016 in the joined cases C-186/14 P and C-193/14 P, the Court of Justice (ECJ) upheld the findings of the General Court and confirmed the annulment of the measures insofar as the exporting producer Hubei was concerned ⁽⁶⁾.
- (5) On 9 December 2020, the anti-dumping measures imposed by Implementing Regulation (EU) 2015/2272 expired ⁽⁷⁾.
- (6) On 4 February 2021, the ECJ ruled in case C-324/19, on a request for a preliminary ruling under Article 267 TFEU from the Finanzgericht Hamburg, that Regulation (EC) No 926/2009 is invalid ('the Judgment') ⁽⁸⁾.
- (7) According to Article 266 of the Treaty on the Functioning of the European Union, the Union institutions are obliged to take the necessary steps to comply with the Court's judgments.
- (8) In case C-324/19, the Judgment had the effect of invalidating the original measures *erga omnes* and *ex-tunc*. That means the judgment is applicable to all parties and that Regulation (EC) No 926/2009 is considered invalid from the day it entered into force.

⁽¹⁾ OJ L 176, 30.6.2016, p. 21.

⁽²⁾ Council Regulation (EC) No 1225/2009 of 30 November 2009 on protection against dumped imports from countries not members of the European Community (OJ L 343, 22.12.2009, p. 51).

⁽³⁾ Council Regulation (EC) No 926/2009 of 24 September 2009 imposing a definitive anti-dumping duty and collecting definitively the provisional duty imposed on imports of certain seamless pipes and tubes of iron or steel originating in the People's Republic of China (OJ L 262, 6.10.2009, p. 19).

⁽⁴⁾ Commission Implementing Regulation (EU) 2015/2272 of 7 December 2015 imposing a definitive anti-dumping duty on imports of certain seamless pipes and tubes of iron or steel originating in the People's Republic of China following an expiry review pursuant to Article 11(2) of Council Regulation (EC) No 1225/2009 (OJ L 322, 8.12.2015, p. 21).

⁽⁵⁾ Judgment of 29 January 2014, Hubei Xinyegang Steel v Council, T-528/09, ECLI:EU:T:2014:35.

⁽⁶⁾ Judgment of 7 April 2016, ArcelorMittal Tubular Products Ostrava a.s. and Others v Hubei Xinyegang Steel Co. Ltd and Council of the European Union v Hubei Xinyegang Steel Co. Ltd, joined cases C-186/14 P and C-193/14 P.

⁽⁷⁾ OJ C 424, 8.12.2020, p. 32.

⁽⁸⁾ Judgment of 4 February 2021, Eurocylinder systems AG v Hauptzollamt Hamburg-Stadt, C-324/19, EU:C:2021:94.

- (9) In addition, given the original measure had been extended in 2015, the Judgment also had an indirect impact on Regulation (EU) 2015/2272. This is because, according to the ECJ case law, a 'prolonging regulation is invalid to the same extent as the definitive regulation' ⁽⁹⁾. Furthermore, compliance with the rule of equivalence of form requires that the anti-dumping measures imposed by Implementing Regulation (EU) 2015/2272 should be repealed by means of a Commission regulation ⁽¹⁰⁾.
- (10) As a result of the Judgment declaring Regulation (EC) No 926/2009 is invalid in its entirety, the anti-dumping duties imposed by Implementing Regulation (EU) 2015/2272 should also be repealed *ex tunc*. Furthermore, any definitive duty paid pursuant to Implementing Regulation (EU) 2015/2272 may be repaid or remitted in accordance with the applicable customs legislation. It follows, in particular, that the operator which has paid those duties is able, in principle, to claim their repayment only if and in so far as the three-year period laid down for that purpose in Article 121(1)(a) of the Union Customs Code ⁽¹¹⁾ has not expired. The fact that Regulation (EC) No 926/2009 has been declared invalid (including with *erga omnes* effect) would not represent an unforeseeable circumstance or *force majeure* allowing for an extension of this period under second subparagraph of Article 121(1) of the Union Customs Code. ⁽¹²⁾
- (11) The measures provided for in this Regulation are in accordance with the opinion of the Committee established by Article 15(1) of the basic Regulation,

HAS ADOPTED THIS REGULATION:

Article 1

1. The anti-dumping duties on imports of certain seamless pipes and tubes of iron or steel originating in the People's Republic of China imposed by Implementing Regulation (EU) 2015/2272 are repealed as from 9 December 2015.
2. Any definitive duty paid pursuant to Implementing Regulation (EU) 2015/2272 shall be repaid or remitted in accordance with the applicable customs legislation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 25 June 2021.

For the Commission
The President
Ursula VON DER LEYEN

⁽⁹⁾ Judgment of 4 February 2016, C & J Clark International Ltd v The Commissioners for Her Majesty's Revenue & Customs and Puma SE v Hauptzollamt Nürnberg, joined cases C-659/13 and C-34/14, EU:C: 2016:74, paragraphs 175 to 177.

⁽¹⁰⁾ Judgment of 18 October 2018, ArcelorMittal Tubular Products Ostrava a.s. and Others v European Commission, T-364/16, EU:T:2018:696.

⁽¹¹⁾ Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

⁽¹²⁾ See, in particular judgement of 4 February 2016 in C & J Clark International Ltd v The Commissioners for Her Majesty's Revenue & Customs and Puma SE v Hauptzollamt Nürnberg, joined cases C-659/13 and C-34/14, EU:C:2016:74, paragraphs 186-194; judgement of 14 June 2012, Compagnie internationale pour la vente à distance (CIVAD) SA v Receveur des douanes de Roubaix and Others, C-533/10, EU:C:2012:347, paragraphs 16-35; and judgement of 18 January 2017, Wortmann KG Internationale Schuhproduktionen v Hauptzollamt Bielefeld, C-365/15, EU:C:2017:19, paragraph 34.

DECISIONS

COUNCIL DECISION (EU) 2021/1054

of 21 June 2021

on the position to be taken on behalf of the European Union within the Council of Members of the International Olive Council, as regards trade standards applying to olive oils and olive pomace oils and the method of analysis for the determination of the stigmastadienes content in vegetable oils

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 207(4), first subparagraph, in conjunction with Article 218(9) thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) The International Agreement on Olive Oil and Table Olives, 2015 (the 'Agreement') was signed on behalf of the Union in accordance with Council Decision (EU) 2016/1892 ⁽¹⁾ on 18 November 2016 at the United Nations Headquarters in New York, subject to its conclusion at a later date. The Agreement entered into force provisionally on 1 January 2017 in accordance with Article 31(2) thereof.
- (2) The Agreement was concluded on 17 May 2019 on behalf of the Union by Council Decision (EU) 2019/848 ⁽²⁾.
- (3) Pursuant to Article 7(1) of the Agreement, the Council of Members of the International Olive Council ('the Council of Members') is to adopt decisions amending trade standards applying to olive oils and olive pomace oils.
- (4) During its 113th session from 28 to 30 June 2021, the Council of Members is to adopt decisions amending trade standards applying to olive oils and olive pomace oils (the 'amending decisions').
- (5) It is appropriate to establish the position to be taken on behalf of the Union within the Council of Members, as the amending decisions to be adopted will have legal effects on the Union as regards international trade with the other members of the International Olive Council (IOC) and will be capable of decisively influencing the content of Union law, namely on marketing standards concerning olive oil adopted by the Commission pursuant to Article 75 of Regulation (EU) No 1308/2013 of the European Parliament and of the Council ⁽³⁾.
- (6) The amending decisions to be adopted by the Council of Members concern changing the limits for some chemical parameters of olive oils and olive pomace oils and modifying one method of analysis. Changes to the limits comprise substituting the limit for α -tocopherol in refined oils by a reference to Good Manufacturing Practices, fixing the limit of oleic and palmitic acid in olive oils and olive pomace oils and fixing a limit for erythrodiol in refined oils. The method of analysis refers to the determination of the stigmastadienes content in vegetable oils. The amending decisions have been extensively discussed between scientific and technical experts on olive oil of the Commission and of the Member States. The amending decisions will contribute to the international harmonisation of olive oil standards and will establish a framework which will ensure fair competition in the trading of products of the olive oil sector. The amending decisions should therefore be supported.

⁽¹⁾ Council Decision (EU) 2016/1892 of 10 October 2016 on the signing, on behalf of the European Union, and provisional application of the International Agreement on Olive Oil and Table Olives, 2015 (OJ L 293, 28.10.2016, p. 2).

⁽²⁾ Council Decision (EU) 2019/848 of 17 May 2019 on the conclusion on behalf of the European Union of the International Agreement on Olive Oil and Table Olives, 2015 (OJ L 139, 27.5.2019, p. 1).

⁽³⁾ Regulation (EU) No 1308/2013 of the European Parliament and of the Council of 17 December 2013 establishing a common organisation of the markets in agricultural products and repealing Council Regulations (EEC) No 922/72, (EEC) No 234/79, (EC) No 1037/2001 and (EC) No 1234/2007 (OJ L 347, 20.12.2013, p. 671).

- (7) In case the adoption of the amending decisions during the 113th session of the Council of Members is postponed, as a result of some Members not being in a position to give their approval, the position to support the adoption of the amending decisions should be taken on behalf of the Union within the framework of a possible procedure for adoption by the Council of Members by exchange of correspondence, pursuant to Article 10(6) of the Agreement. The procedure for adoption by exchange of correspondence should be initiated before the next regular session of the Council of Members in November 2021.
- (8) In order to preserve the interest of the Union, if the position to be taken on behalf of the Union is likely to be affected by new scientific or technical information presented before or during the 113th session, the representatives of the Union in the Council of Members should be allowed to request to postpone the adoption of the amending decisions to a later session,

HAS ADOPTED THIS DECISION:

Article 1

The position to be taken on behalf of the Union within the Council of Members during its 113th session from 28 to 30 June 2021 or within the framework of a procedure for adoption of decisions by the Council of Members by an exchange of correspondence to be initiated before its next regular session in November 2021, as regards trade standards applying to olive oils and olive pomace oils, shall be to support the adoption by the Council of Members of the decisions amending the trade standards applying to olive oils and olive pomace oils and the method of analysis for the determination of the stigmastadienes content in vegetable oils ⁽⁴⁾.

Article 2

If the position referred to in Article 1 is likely to be affected by new scientific or technical information presented before or during the 113th session of the Council of Members, the Union shall request that the adoption by the Council of Members of the decisions amending trade standards or methods applying to olive oils and olive pomace oils be postponed until the position of the Union is established on the basis of that new information.

Article 3

This Decision shall enter into force on the date of its adoption.

Done at Brussels, 21 June 2021.

For the Council
The President
J. BORRELL FONTELLES

⁽⁴⁾ See document ST 8638/21 at <http://register.consilium.europa.eu>

COUNCIL DECISION (EU) 2021/1055**of 21 June 2021**

on the position to be taken on behalf of the European Union within the Conference of Contracting Parties to the Convention on the collection, deposit and reception of waste generated during navigation on the Rhine and other inland waterways (CDNI) on the adoption of the resolution aiming to extend the ban on the discharging of domestic wastewater to inland waterways vessels carrying between 12 and 50 passengers

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 91(1), in conjunction with Article 218(9) thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) The Convention on the collection, deposit and reception of waste generated during navigation on the Rhine and other inland waterways (CDNI) of 9 September 1996 entered into force on 1 November 2009.
- (2) Pursuant to Article 19 of the CDNI, the Conference of Contracting Parties may amend the CDNI and its annexes.
- (3) Action by the Union in the sector of inland navigation should aim to ensure uniformity of technical requirements applied in the Union, as regards inland waterway vessels in the Union.
- (4) The Conference of Contracting Parties to the CDNI is to adopt during its meeting on 22 June 2021 a resolution aiming to extend the ban on the discharging of domestic wastewater to inland waterways vessels carrying more than 12 passengers and passenger cabin vessels with more than 12 sleeping berths. The provisions of that resolution will require appropriate equipment to be installed on board vessels falling within the scope of that resolution.
- (5) The technical standard for inland navigation vessels (ES-TRIN 2019/1), adopted by the European Committee for drawing up Standards in Inland Navigation (CESNI) on 8 November 2018, lays down uniform technical requirements necessary to ensure the safety of inland waterway vessels. It includes special provisions regarding specific categories of vessels, such as passenger vessels, provisions regarding the equipment and installations of vessels, including wastewater collection and disposal facilities, as well as instructions for the application of that technical standard.
- (6) It is appropriate to establish the position to be taken on the Union's behalf in the Conference of Contracting Parties to the CDNI, as the provisions of the resolution will be capable of decisively influencing the content of Union law, namely Directive (EU) 2016/1629 of the European Parliament and of the Council ⁽¹⁾.
- (7) The resolution should increase consistency with the requirements set by Union law, mainly in the area of the applicability dates for installing the appropriate equipment for collecting wastewater on inland waterway vessels. Furthermore, the resolution furthers environmental protection initiatives and objectives.

⁽¹⁾ Directive (EU) 2016/1629 of the European Parliament and of the Council of 14 September 2016 laying down technical requirements for inland waterway vessels, amending Directive 2009/100/EC and repealing Directive 2006/87/EC (OJ L 252, 16.9.2016, p. 118).

- (8) The Union is not a Contracting Party to the CDNI. The Union's position is to be expressed by the Member States of the Union that are Contracting Parties to the CDNI, acting jointly in the interest of the Union,

HAS ADOPTED THIS DECISION:

Article 1

The position to be taken on behalf of the European Union within the Conference of Contracting Parties to the Convention on the collection, deposit and reception of waste generated during navigation on the Rhine and other inland waterways (CDNI), at its meeting on 22 June 2021, shall be to agree to the adoption of the resolution aiming to extend the ban on the discharging of domestic wastewater to inland waterway vessels carrying between 12 and 50 passengers.

Article 2

The position referred to in Article 1 shall be expressed by the Member States of the Union that are members of the Conference of Contracting Parties to the CDNI, acting jointly in the interest of the Union.

Article 3

Minor changes to the position set out in Article 1 may be agreed upon without further decision of the Council.

Article 4

This Decision shall enter into force on the date of its adoption.

Done at Luxembourg, 21 June 2021.

For the Council
The President
J. BORRELL FONTELLES

ISSN 1977-0677 (electronic edition)
ISSN 1725-2555 (paper edition)



Publications Office
of the European Union
L-2985 Luxembourg
LUXEMBOURG

EN