



2023/2880

29.12.2023

**COUNCIL REGULATION (EU) 2023/2880**

**of 19 December 2023**

**amending Regulation (EU) 2021/2283 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) In order to ensure a sufficient and uninterrupted supply of certain agricultural and industrial products which are produced in insufficient quantities in the Union and thereby avoid any disturbances on the market for those products, autonomous tariff quotas of the Union ('quotas') were opened by Council Regulation (EU) 2021/2283 <sup>(1)</sup>. Within those quotas, products can be imported into the Union at reduced or zero duty rates.
- (2) As it is in the Union's interest to ensure an adequate supply of a certain industrial product, and having regard to the fact that an identical, equivalent or substitute product is not produced in sufficient quantities within the Union, it is necessary to open a new quota with order number 09.2558 at zero duty rate for an appropriate quantity of that product.
- (3) As is it in the Union's interest to ensure an adequate supply of certain industrial products the volumes of quotas with order numbers 09.2828 and 09.2855 should be increased.
- (4) As the Union production capacity for certain industrial products has been increased the volumes of quotas with order numbers 09.2561, 09.2575, 09.2583, 09.2682, 09.2742 and 09.2857 should be decreased.
- (5) For the quota with order number 09.2562 the quota period should be extended and the quota volume should be adapted on a yearly basis, as the quota was opened for a period of 6 months only and it is still in the Union's interest to maintain it.
- (6) As it is no longer in the Union's interest to maintain the quota with order number 09.2681, that quota should be closed with effect from 1 January 2024.
- (7) Taking into account the amendments to be made and for the sake of clarity, the Annex to Regulation (EU) 2021/2283 should be replaced.
- (8) Regulation (EU) 2021/2283 should therefore be amended accordingly.
- (9) In order to avoid any interruption in the application of the quota scheme and to comply with the guidelines set out in the communication from the Commission of 13 December 2011 concerning autonomous tariff suspensions and quotas, the changes provided for in this Regulation regarding the quotas for the products concerned should apply from 1 January 2024. This Regulation should therefore enter into force as a matter of urgency,

HAS ADOPTED THIS REGULATION:

*Article 1*

The Annex to Regulation (EU) 2021/2283 is replaced by the text set out in the Annex to this Regulation.

<sup>(1)</sup> Council Regulation (EU) 2021/2283 of 20 December 2021 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 1388/2013 (OJ L 458, 22.12.2021, p. 33).

*Article 2*

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2024.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 19 December 2023.

*For the Council*  
*The President*  
T. RIBERA RODRÍGUEZ

---

ANNEX

'ANNEX

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty rate
09.2849	ex 0710 80 69	10	Mushrooms of the species <i>Auricularia polytricha</i> (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals <sup>(1)</sup> <sup>(2)</sup>	1.1.–31.12.	700 tonnes	0 %
09.2664	ex 2008 60 39	30	Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products <sup>(1)</sup>	1.1.–31.12.	1 000 tonnes	10 %
09.2925	ex 2309 90 31 ex 2309 90 31 ex 2309 90 96 ex 2309 90 96	41 49 41 49	Feed additive, consisting on dry weight basis of: — 68 % or more, but not more than 80 % of L-lysine sulphate, and — not more than 32 % of other components such as carbohydrates and other amino acids	1.1.–31.12.	100 000 tonnes	0 %
09.2913	ex 2401 10 35 ex 2401 10 70 ex 2401 10 95 ex 2401 10 95 ex 2401 10 95 ex 2401 20 35 ex 2401 20 70 ex 2401 20 95 ex 2401 20 95 ex 2401 20 95	91 10 11 21 91 91 10 11 21 91	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than EUR 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 <sup>(1)</sup>	1.1.–31.12.	3 000 tonnes	0 %
09.2828	2712 20 90		Paraffin wax containing by weight less than 0,75 % of oil	1.1.–31.12.	180 000 tonnes	0 %
09.2600	ex 2712 90 39	10	Slack wax (CAS RN 64742-61-6)	1.1.–31.12.	100 000 tonnes	0 %
09.2578	ex 2811 19 80	50	Sulphamidic acid (CAS RN 5329-14-6) with a purity by weight of 95 % or more, whether or not with not more than 5 % addition of the anti-caking agent silicon dioxide (CAS RN 112926-00-8)	1.1.–31.12.	27 000 tonnes	0 %
09.2928	ex 2811 22 00	40	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	1.1.–31.12.	1 700 tonnes	0 %
09.2806	ex 2825 90 40	30	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	1.1.–31.12.	12 000 tonnes	0 %

09.2819	ex 2833 25 00	30	Copper hydroxide sulfate (Cu <sub>4</sub> (OH) <sub>6</sub> (SO <sub>4</sub> )), hydrate (CAS RN 1252-76-3) with a purity by weight of 98 % or more	1.1.–31.12.	240 000 kilograms	0 %
09.2872	ex 2833 29 80	40	Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of caesium sulphate	1.1.–31.12.	400 tonnes	0 %
09.2567	ex 2903 22 00	10	Trichloroethylene (CAS RN 79-01-6) with a purity by weight of 99 % or more	1.1.–31.12.	11 885 000 kilograms	0 %
09.2837	ex 2903 79 30	20	Bromochloromethane (CAS RN 74-97-5)	1.1.–31.12.	600 tonnes	0 %
09.2933	ex 2903 99 80	30	1,3-Dichlorobenzene (CAS RN 541-73-1)	1.1.–31.12.	2 600 tonnes	0 %
09.2700	ex 2905 12 00	10	Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)	1.1.–31.12.	15 000 tonnes	0 %
09.2830	ex 2906 19 00	40	Cyclopropylmethanol (CAS RN 2516-33-8)	1.1.–31.12.	20 tonnes	0 %
09.2851	ex 2907 12 00	10	O-cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight	1.1.–31.12.	20 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'-Tetrakis(hydroxymethyl)- 3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	1.1.–31.12.	500 tonnes	0 %
09.2565	ex 2914 19 90	70	Calcium acetylacetonate (CAS RN 19372-44-2) with a purity by weight of 95 % or more	1.1.–31.12.	400 tonnes	0 %
09.2852	ex 2914 29 00	60	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.1.–31.12.	300 tonnes	0 %
09.2638	ex 2915 21 00	10	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more	1.1.–31.12.	1 000 000 tonnes	0 %
09.2679	2915 32 00		Vinyl acetate (CAS RN 108-05-4)	1.1.–31.12.	450 000 tonnes	0 %
09.2728	ex 2915 90 70	85	Ethyl trifluoroacetate (CAS RN 383-63-1)	1.1.–31.12.	400 tonnes	0 %
09.2665	ex 2916 19 95	30	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	1.1.–31.12.	8 250 tonnes	0 %
09.2684	ex 2916 39 90	28	2,5-Dimethylphenylacetyl chloride (CAS RN 55312-97-5)	1.1.–31.12.	700 tonnes	0 %
09.2599	ex 2917 11 00	40	Diethyl oxalate (CAS RN 95-92-1)	1.1.–31.12.	500 tonnes	0 %
09.2769	ex 2917 13 90	10	Dimethyl sebacate (CAS RN 106-79-6)	1.1.–31.12.	1 000 tonnes	0 %
09.2634	ex 2917 19 80	40	Dodecanedioic acid (CAS RN 693-23-2), of a purity by weight of more than 98,5 %	1.1.–31.12.	8 000 tonnes	0 %

09.2808	ex 2918 22 00	10	O-acetylsalicylic acid (CAS RN 50-78-2)	1.1.–31.12.	120 tonnes	0 %
09.2646	ex 2918 29 00	75	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (!)	1.1.–31.12.	380 tonnes	0 %
09.2647	ex 2918 29 00	80	Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) with: — a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 110 °C or more, but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (!)	1.1.–31.12.	140 tonnes	0 %
09.2975	ex 2918 30 00	10	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)	1.1.–31.12.	1 000 tonnes	0 %
09.2598	ex 2921 19 99	75	Octadecylamine (CAS RN 124-30-1)	1.1.–31.12.	400 tonnes	0 %
09.2649	ex 2921 29 00	60	Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)	1.1.–31.12.	1 700 tonnes	0 %
09.2682	ex 2921 41 00	10	Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more	1.1.–31.12.	150 000 tonnes	0 %
09.2617	ex 2921 42 00	89	4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)	1.1.–31.12.	500 tonnes	0 %
09.2602	ex 2921 51 19	10	O-phenylenediamine (CAS RN 95-54-5)	1.1.–31.12.	1 800 tonnes	0 %
09.2921	ex 2922 19 00	22	2-(dimethylamino)ethyl acrylate (CAS RN 2439-35-2) with a purity by weight of 99 % or more	1.1.–31.12.	14 000 tonnes	0 %
09.2563	ex 2922 41 00	20	L-Lysine hydrochloride (CAS RN 657-27-2) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more of L-lysine	1.1.–31.12.	300 000 tonnes	0 %

09.2575	ex 2923 90 00	87	3-Chloro-2-hydroxypropyl)trimethylammonium chloride (CAS RN 3327-22-8), in the form of an aqueous solution containing by weight 65 % or more but not more than 71 % 3-chloro-2-hydroxypropyl)trimethylammonium chloride	1.1.–31.12.	9 500 tonnes	0 %
09.2922	ex 2923 90 00	88	Aqueous solution containing by weight 78 % or more but not more than 82 % of [2-(acryloyloxy)ethyl]trimethylammonium chloride (CAS RN 44992-01-0)	1.1.–31.12.	10 000 tonnes	0 %
09.2854	ex 2924 19 00	85	3-Iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6)	1.1.–31.12.	450 tonnes	0 %
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.1.–31.12.	20 000 tonnes	0 %
09.2742	ex 2926 10 00	10	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 (1)	1.1.–31.12.	30 000 tonnes	0 %
09.2583	ex 2926 10 00	30	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3903, 3906, 3908, 3911 and 4002 (1)	1.1.–31.12.	20 000 tonnes	0 %
09.2856	ex 2926 90 70	84	2-Nitro-4(trifluoromethyl)benzotrile (CAS RN 778-94-9)	1.1.–31.12.	900 tonnes	0 %
09.2685	ex 2929 90 00	30	Nitroguanidine (CAS RN 556-88-7)	1.1.–31.12.	6 500 tonnes	0 %
09.2597	ex 2930 90 98	94	Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6)	1.1.–31.12.	6 000 tonnes	0 %
09.2596	ex 2930 90 98	96	2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl) benzoic acid (CAS RN 120100-77-8)	1.1.–31.12.	300 tonnes	0 %
09.2580	ex 2931 90 00	75	Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of at least 95 %, for use in the manufacture of polyethylene (1)	1.1.–31.12.	165 tonnes	0 %
09.2842	2932 12 00		2-Furaldehyde (furfuraldehyde)	1.1.–31.12.	10 000 tonnes	0 %
09.2696	ex 2932 20 90	25	Decan-5-olide (CAS RN 705-86-2)	1.1.–31.12.	6 000 kilograms	0 %
09.2697	ex 2932 20 90	30	Dodecan-5-olide (CAS RN 713-95-1)	1.1.–31.12.	6 000 kilograms	0 %
09.2812	ex 2932 20 90	77	Hexan-6-olide (CAS RN 502-44-3)	1.1.–31.12.	4 000 tonnes	0 %
09.2858	2932 93 00		Piperonal (CAS RN 120-57-0)	1.1.–31.12.	220 tonnes	0 %
09.2839	ex 2933 39 99	09	2-(2-Pyridyl)ethanol (CAS RN 103-74-2) with a purity by weight of 99 % or more	1.1.–31.12.	700 tonnes	0 %

09.2860	ex 2933 69 80	30	1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)	1.1.–31.12.	600 tonnes	0 %
09.2566	ex 2933 99 80	05	1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6) with a purity by weight of 96 % or more	1.1.–31.12.	60 tonnes	0 %
09.2658	ex 2933 99 80	73	5-(Acetoacetyl amino)benzimidazolone (CAS RN 26576-46-5)	1.1.–31.12.	400 tonnes	0 %
09.2593	ex 2934 99 90	67	5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)	1.1.–31.12.	45 000 kilograms	0 %
09.2675	ex 2935 90 90	79	4-[[2-Methoxybenzoyl]amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)	1.1.–31.12.	1 000 tonnes	0 %
09.2945	ex 2940 00 00	20	D-Xylose (CAS RN 58-86-6)	1.1.–31.12.	400 tonnes	0 %
09.2686	ex 3204 11 00	75	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight	1.1.–31.12.	250 tonnes	0 %
09.2676	ex 3204 17 00	14	Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight	1.1.–31.12.	50 tonnes	0 %
09.2698	ex 3204 17 00	30	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight	1.1.–31.12.	150 tonnes	0 %
09.2659	ex 3802 90 00	19	Soda flux calcinated diatomaceous earth	1.1.–31.12.	35 000 tonnes	0 %
09.2908	ex 3804 00 00	10	Sodium lignosulphonate (CAS RN 8061-51-6)	1.1.–31.12.	40 000 tonnes	0 %
09.2889	3805 10 90		Sulphate turpentine	1.1.–31.12.	25 000 tonnes	0 %
09.2935	ex 3806 10 00	10	Rosin and resin acids obtained from fresh oleoresins	1.1.–31.12.	280 000 tonnes	0 %
09.2832	ex 3808 92 90	40	Preparation containing 38 % or more but not more than 50 % by weight of pyrrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	1.1.–31.12.	500 tonnes	0 %

09.2923	ex 3808 94 20	40	Aqueous solution containing by weight: <ul style="list-style-type: none"> <li>— 10,0 % or more but not more than 11,3 % of 5-chloro-2-methyl-2H-isothiazol-3-one,</li> <li>— 3,0 % or more but not more than 4,1 % of 2-methyl-2H-isothiazol-3-one,</li> <li>— a combined concentration of isothiazolones (CAS RN 55965-84-9) of 13,0 % or more but not more than 15,4 %,</li> <li>— 18 % or more but not more than 22 % of nitrates, calculated as sodium nitrate, and</li> <li>— 5 % or more but not more than 8 % of chlorides, calculated as sodium chloride</li> </ul>	1.1.–31.12.	3 000 tonnes	0 %
09.2926	ex 3811 21 00	31	Additive consisting essentially of: <ul style="list-style-type: none"> <li>— Phosphorodithioic acid, mixed O,O-bis (isobutyl and pentyl) esters, zinc salts (CAS RN 68457-79-4),</li> <li>— 8 % or more by weight but not more than 15 % by weight of mineral oil, for use in the manufacture of blends of additives for lubricating oils (1)</li> </ul>	1.1.–31.12.	700 tonnes	0 %
09.2876	ex 3811 29 00	57	Additives consisting of reaction products of diphenylamine and branched nonenes with: <ul style="list-style-type: none"> <li>— more than 20 % but not more than 50 % by weight 4-monononyldiphenylamine, and</li> <li>— more than 50 % but not more than 80 % by weight 4,4'-diononyldiphenylamine,</li> <li>— a total percentage of 2,4-dinonyldiphenylamine and 2,4'-dinonyldiphenylamine of not more than 15 % by weight, used for the manufacture of lubricating oils (1)</li> </ul>	1.1.–31.12.	900 tonnes	0 %
09.2927	ex 3811 29 00	80	Additives containing: <ul style="list-style-type: none"> <li>— more than 70 % by weight of 2,5-bis(<i>tert</i>-nonyldithio)-[1,3,4]-thiadiazole (CAS RN 89347-09-1), and</li> <li>— more than 15 % by weight of 5-(<i>tert</i>-nonyldithio)-1,3,4-thiadiazole-2(3H)-thione (CAS RN 97503-12-3), for use in the manufacture of lubricating oils (1)</li> </ul>	1.1.–31.12.	500 tonnes	0 %
09.2814	ex 3815 90 90	76	Catalyst consisting of titanium dioxide and tungsten trioxide	1.1.–31.12.	3 000 tonnes	0 %



09.2644	ex 3824 99 92	77	Preparation containing by weight: <ul style="list-style-type: none"> <li>— 55 % or more but not more than 78 % of dimethyl glutarate (CAS RN 1119-40-0),</li> <li>— 10 % or more but not more than 30 % of dimethyl adipate (CAS RN 627-93-0), and</li> <li>— not more than 35 % of dimethyl succinate (CAS RN 106-65-0)</li> </ul>	1.1.–31.12.	10 000 tonnes	0 %
09.2907	ex 3824 99 93	67	Mixture of phytosterols, in the form of powder, containing by weight: <ul style="list-style-type: none"> <li>— 75 % or more of sterols,</li> <li>— not more than 25 % of stanols,</li> </ul> for use in the manufacture of stanols/sterols or stanol/sterol esters <sup>(1)</sup>	1.1.–31.12.	2 500 tonnes	0 %
09.2568	ex 3824 99 96	91	Mixture, in pellet form, containing by weight: <ul style="list-style-type: none"> <li>— 49 % or more but not more than 50 % of bis[3-(triethoxysilyl) propyl] polysulphides (CAS RN 211519-85-6), and</li> <li>— 50 % or more but not more than 51 % of carbon black (CAS RN 1333-86-4),</li> </ul> of which 75 % by weight or more pass through a sieve with an aperture of 0,60 mm, but not more than 10 % pass through a sieve with an aperture of 0,25 mm (as determined by the ASTM D1511 method)	1.1.–31.12.	1 500 tonnes	0 %
09.2820	ex 3827 90 00	10	Mixtures containing by weight: <ul style="list-style-type: none"> <li>— 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2),</li> <li>— 8 % or more but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8),</li> <li>— 5 % or more but not more than 23 % of 2-chloropropane (CAS RN 75-29-6),</li> <li>— not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and</li> <li>— not more than 1 % of ethyl chloride (CAS RN 75-00-3)</li> </ul>	1.1.–31.12.	6 000 tonnes	0 %
09.2671	ex 3905 99 90	81	Poly(vinyl butyral)(CAS RN 63148-65-2): <ul style="list-style-type: none"> <li>— containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and</li> <li>— with a median particle size (D50) of more than 0,6 mm</li> </ul>	1.1.–31.12.	12 500 tonnes	0 %

09.2846	ex 3907 40 00	25	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2)	1.1.–31.12.	2 000 tonnes	0 %
09.2585	ex 3907 99 80	70	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol	1.1.–31.12.	60 000 tonnes	2 %
09.2855	ex 3910 00 00	10	Liquid poly(methylhydrosiloxane) with terminal trimethylsilyl groups (CAS RN 63148-57-2) with a purity by weight of 99,9 % or more	1.1.–31.12.	1 000 tonnes	0 %
09.2931	ex 3911 90 11	10	Poly (oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene) (CAS RN 25135-51-7 and CAS RN 25154-01-2), in one of the forms mentioned in note 6(b) to this chapter containing by weight not more than 20 % of additives	1.1.–31.12.	6 300 tonnes	0 %
09.2723	ex 3911 90 19	35	Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-4,4'-biphenylene) (CAS RNs 25608-64-4 and 25839-81-0) containing by weight not more than 20 % of additives	1.1.–31.12.	5 000 tonnes	0 %
09.2816	ex 3912 11 00	20	Cellulose acetate flakes	1.1.–31.12.	75 000 tonnes	0 %
09.2561	ex 3912 39 85	60	Hypromellose (INN) (CAS RN 9004-65-3), for use in the manufacturing of food supplements or pharmaceuticals <sup>(1)</sup>	1.1.–31.12.	2 750 tonnes	0 %
09.2573	ex 3913 10 00	20	Sodium alginate extracted from brown seaweed (CAS RN 9005-38-3), with — a loss on drying of not more than 15 % by weight (4h at 105 °C), — a water-insoluble fraction of not more than 2 % by weight, calculated on the dry weight	1.1.–31.12.	2 000 tonnes	0 %

09.2641	ex 3913 90 00	87	Sodium hyaluronate, non sterile, with: <ul style="list-style-type: none"> <li>— a weight average molecular weight (<math>M_w</math>) of not more than 900 000,</li> <li>— an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,</li> <li>— an ethanol content of not more than 1 % by weight,</li> <li>— an isopropanol content of not more than 0,5 % by weight</li> </ul>	1.1.–31.12.	300 kilograms	0 %
09.2661	ex 3920 51 00	50	Sheets of polymethylmethacrylate conforming to standards: <ul style="list-style-type: none"> <li>— EN 4364 (MIL-P-5425E) and DTD5592A, or</li> <li>— EN 4365 (MIL-P-8184) and DTD5592A</li> </ul>	1.1.–31.12.	100 tonnes	0 %
09.2645	ex 3921 14 00	20	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm ( $\pm$ 10 cm) x 100 cm ( $\pm$ 10 cm) x 40 cm ( $\pm$ 5 cm)	1.1.–31.12.	1 700 tonnes	0 %
09.2572	ex 5205 26 00 ex 5205 27 00	10 10	Raw white single cotton yarn <ul style="list-style-type: none"> <li>— of combed fibres,</li> <li>— with an average fibre length of 36,5 mm or more,</li> <li>— produced through the compact ring spinning process with pneumatic compression,</li> <li>— with a tear strength of 26,5 cN/tex or more (according to ISO 2062:2009, at a speed of 5 000 mm/min)</li> </ul>	1.1.–31.12.	50 000 tonnes	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	1.1.–31.12.	10 000 tonnes	0 %
09.2721	ex 5906 99 90	20	Woven and laminated rubberised textile fabric with the following characteristics: <ul style="list-style-type: none"> <li>— with three layers,</li> <li>— one outer layer consists of acrylic fabric,</li> <li>— the other outer layer consists of polyester fabric,</li> <li>— the middle layer consists of chlorobutyl rubber,</li> <li>— the middle layer has a weight of 452 g/m<sup>2</sup> or more but not more than 569 g/m<sup>2</sup>,</li> <li>— the textile fabric has a total weight of 952 g/m<sup>2</sup> or more but not more than 1159 g/m<sup>2</sup>, and</li> </ul>	1.1.–31.12.	375 000 square meters	0 %

			— the textile fabric has a total thickness of 0,8 mm or more but not more than 4 mm, used for the manufacture of the retractable roof of motor vehicles <sup>(1)</sup>			
09.2628	ex 7019 66 00	10	Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m <sup>2</sup> (± 10 g/m <sup>2</sup> ), of a type used in rolling insect screens with fixed frames	1.1.–31.12.	3 000 000 square meters	0 %
09.2652	ex 7409 11 00 ex 7410 11 00	30 40	Refined copper foil and strips, electrolytically manufactured, with a thickness of 0,015 mm or more	1.1.–31.12.	1 020 tonnes	0 %
09.2662	ex 7410 21 00	55	Plates: — consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, — covered on one or both sides with copper foil with a thickness of not more than 0,15 mm, — with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, — with a comparative tracking index (CTI) of 600 or more	1.1.–31.12.	80 000 square meters	0 %
09.2835	ex 7604 29 10	30	Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm	1.1.–31.12.	1 000 tonnes	0 %
09.2736	ex 7607 11 90 ex 7607 11 90 ex 7607 11 90 ex 7607 11 90	75 77 78 79	Aluminium and magnesium alloy strip or foil: — of an alloy conforming to standards 5182-H19 or 5052-H19, — in rolls with an outside diameter of minimum 1 250 mm but not more than 1 350 mm, — of a thickness (tolerance - 0,006 mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm, — of a width ( tolerance ± 0,3 mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm, — having a camber tolerance of not more than 0,4 mm/750 mm, — of a flatness measurement: I-unit ±4, — having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and — of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %, for use in the manufacture of slats for blinds <sup>(1)</sup>	1.1.–31.12.	600 tonnes	0 %

09.2722	8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	1.1.–31.12.	120 000 tonnes	0 %
09.2840	ex 8104 30 00	20	Magnesium powder: — of purity by weight of 98 % or more, but not more than 99,5 %, and — with a particle size of 0,2 mm or more but not more than 0,8 mm	1.1.–31.12.	2 000 tonnes	0 %
09.2629	ex 8302 49 00	91	Aluminium telescopic handle for use in the manufacture of luggage (!)	1.1.–31.12.	1 500 000 pieces	0 %
09.2720	ex 8413 91 00	50	Pump head for two cylinder high pressure pump made of forged steel, with: — milled threaded fittings with a diameter of 10 mm or more but not more than 36,8 mm, and — drilled fuel channels with a diameter of 3,5 mm or more but not more than 10 mm, of a kind used in diesel injection systems	1.1.–31.12.	65 000 pieces	0 %
09.2569	ex 8414 90 00	80	Turbocharger wheel housing of cast aluminium alloy or cast iron: — with a heat resistance up to 400 °C, — with a hole of 30 mm or more but not more than 300 mm for the insertion of the compressor wheel, for use in the automotive industry (!)	1.1.–31.12.	4 000 000 pieces	0 %
09.2570	ex 8482 91 90	10	Rollers with a logarithmic profile and a diameter of 25 mm or more but not more than 70 mm or balls with a diameter of 30 mm but not more than 100 mm, — made of 100Cr6 steel or 100CrMnSi6-4 steel (ISO 3290), — with a deviation of 0,5 mm or less as determined with the FBHmethod for use in wind turbine industry (!)	1.1.–31.12.	600 000 pieces	0 %
09.2562	ex 8482 99 00	30	Brass cages with the following characteristics: — continuously or centrifugally cast, — turned, — containing by weight 35 % or more, but not more than 38 % of zinc, — containing by weight 0,75 % or more, but not more than 1,25 % of lead,	1.1.–31.12.	550 000 pieces	0 %

			<ul style="list-style-type: none"> <li>— containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and</li> <li>— with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings</li> </ul>			
09.2857	ex 8482 99 00	60	<p>Inner or outer rings made of steel, not hardened or not grinded, outer ring with internal raceway(s), inner ring with external raceway(s), with external diameters of:</p> <ul style="list-style-type: none"> <li>— 14 mm or more but not more than 77 mm for the inner ring,</li> <li>— 26 mm or more but not more than 101 mm for the outer ring,</li> </ul> <p>for use in the manufacture of bearings <sup>(1)</sup></p>	1.1.–30.6.	9 000 000 kilograms	0 %
09.2924	ex 8501 31 00	80	<p>Electronic actuator consisting of:</p> <ul style="list-style-type: none"> <li>— a DC motor having a power of less than 600 W,</li> <li>— for usage with a supply voltage of 12 V to 48 V,</li> <li>— with motor connection (plug-in connection),</li> <li>— with contactless position sensor,</li> <li>— built in a rectangular housing of a width of less than 100 mm and a length of less than 150 mm, with reduction gear and lever attached to the motor drive shaft or</li> <li>— in a cylindrical housing of a length off less than 150mm and with a diameter of less than 100 mm, with threads integrated into the rotor of the motor for linear movement of the integrated control rod</li> </ul>	1.1.–31.12.	650 000 pieces	0 %
09.2763	ex 8501 40 20 ex 8501 40 80	65 60	<p>Electric AC motor, single-phase, whether or not with commutator</p> <ul style="list-style-type: none"> <li>— with a nominal output of 180 W or more,</li> <li>— with an input power of 150 W or more but not more than 2 700 W,</li> <li>— with an external diameter of more than 120 mm (<math>\pm</math> 0,2 mm) but not more than 135 mm (<math>\pm</math> 0,2 mm),</li> <li>— with a rated speed of more than 10 000 rpm but not more than 50 000 rpm,</li> <li>— whether or not equipped with air-inducting ventilator,</li> <li>— whether or not with mechanical device (pinion, screws, gear connection etc.) on the shaft,</li> </ul> <p>for use in the manufacture of domestic appliances <sup>(1)</sup></p>	1.1.–31.12.	2 000 000 pieces	0 %

09.2574	ex 8537 10 91	73	Multifunctional device (instrument cluster) with: <ul style="list-style-type: none"> <li>— curved TFT LCD display (radius 750 mm) with touch-sensitive surfaces,</li> <li>— microprocessors and memory chips,</li> <li>— acoustic module and loudspeaker,</li> <li>— connections for CAN, 3 x LIN bus, LVDS and Ethernet,</li> <li>— for operating various functions (e.g. chassis, lighting) and</li> <li>— for situation-related display of vehicle and navigation data (e.g. speed, odometer, charge level of the drive battery),</li> </ul> for use in the manufacture of passenger cars powered solely by an electric motor covered by HS subheading 8703 80 (!)	1.1.–31.12.	66 900 pieces	0 %
09.2558	ex 8543 70 90	87	An electronic sound generator, creating an analog signal for a device producing the sound of an engine, containing: <ul style="list-style-type: none"> <li>— a printed circuit board with a microprocessor and a sound amplifier,</li> <li>— a connector,</li> <li>— a plastic housing,</li> <li>— with or without a metal holder,</li> </ul> for use in the manufacture of goods of Chapter 87 (!)	1.1.–31.12.	30 000 pieces	0 %
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 (!)	1.1.–31.12.	200 000 pieces	0 %
09.2668	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	21 31 75	Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles) (!)	1.1.–31.12.	600 000 pieces	0 %
09.2564	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	25 35 77	Frame, constructed from aluminium or aluminium and carbon fibres and artificial resin, for the use in the manufacture of bicycles (including electric bicycles) (!)	1.1.–31.12.	9 600 000 pieces	0 %
09.2579	ex 9029 20 31 ex 9029 90 00	40 40	Clustered instrument panel with: <ul style="list-style-type: none"> <li>— stepping motors,</li> <li>— analog pointers and dials,</li> <li>— or without microprocessor control board,</li> <li>— or without LED indicators or LCD display,</li> <li>— showing at least:</li> </ul>	1.1.–31.12.	160 000 pieces	0 %

			<ul style="list-style-type: none"><li>— speed,</li><li>— engine revolutions,</li><li>— engine temperature,</li><li>— the fuel level,</li><li>— communicating via CAN-BUS and/or K-LINE protocols, for use in the manufacture of goods of Chapter 87 <sup>(1)</sup></li></ul>			
--	--	--	--	--	--	--

<sup>(1)</sup> Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013.

<sup>(2)</sup> However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.’