

COMMISSION OF THE EUROPEAN COMMUNITIES

COM(93) 189 final

Brussels, 10 May 1993

Proposal for a

COUNCIL REGULATION (EEC)

temporarily suspending the autonomous Common Customs Tariff duty on certain industrial products (in the chemical and allied sectors)

(presented by the Commission)

EXPLANATORY MEMORANDUM

1. In the first quarter of this year, the Commission, with the assistance of the Economic Tariff Questions Group, examined all requests, submitted by Member States, for temporary suspension of common customs tariff duties, including the requests for prolongation of the suspensions currently in force.

The attached proposal concerns a number of industrial products in the chemical and allied sectors.

2. The proposals for Regulations temporarily suspending the autonomous common customs tariff duties on agricultural products and on other industrial products, will be presented later to the Council.
3. Requests for suspension relating to the above products were examined in the light of the criteria defined in the Commission communication to the Council and the Member States, concerning autonomous tariff suspensions (cf. O.J. no. C 235 of 13.9.89, p. 2).

As a result of this examination, the Commission deems it justifiable to suspend the duty on those products listed in the Annex to the attached proposal for a Regulation.

4. As stated in Article 1 of the aforementioned proposal for a Regulation, the proposed period of validity is 6 or 12 months, depending on the case.

COUNCIL REGULATION (EEC) No ... /93

of 1993

temporarily suspending the autonomous Common Customs Tariff duty on certain industrial products (in the chemical and allied sectors)

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the proposal from the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest in certain cases to suspend the autonomous Common Customs Tariff duties only partially, particularly because of the existence of Community production, and in other cases to suspend them completely;

Whereas the decision for the suspension of these autonomous duties should be taken by the Community;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic

situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily, by fixing their period of validity by reference to the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables appearing in the Annexes shall be suspended at the level indicated in respect of each of them.

These suspensions shall apply:

- from 1 July to 31 December 1993 for the products listed in the table appearing in Table I,
- from 1 July 1993 to 30 June 1994 for the products listed in the table appearing in Table II.

Article 2

This Regulation shall enter into force on 1 July 1993.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at , 1993.

For the Council

The President

4

ANNEX
TABLE I

CH code	TARIC	Description	Rate of autonomous duty (%)
14 ex28259010		Calcium hydroxide, of a purity of 98% or more calculated on the dry weight, in the form of particles of which: - not more than 1% by weight have a particle-size exceeding 75 micrometres and - not more than 4% by weight have a particle-size of less than 1,3 micrometres	0
15 ex28273900		Copper monochloride of a purity by weight of 98% or more but not exceeding 99%	0
388 ex29036900		1,2-Bis(pentabromophenyl)ethane	0
78 ex29173990	#20	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	0
80 ex29173990	#50	Benzene-1,2,4-tricarbonyl trichloride	0
97 ex29269000	#60	Tetraethyl orthosilicate, of a purity by weight of 99,99% or more and containing: - 1,0 microgram/kg or less of calcium, - 1,0 microgram/kg or less of chromium, - 2,0 micrograms/kg or less of iron and - 2,0 micrograms/kg or less of sodium, for use in the manufacture of goods of heading No8542 (a)	0
103 ex29214910	#20	Pendimethalin (180)	3.5
131 ex29280000	#40	N,N-Diethylhydroxylamine	0
151 ex29310000		Bis(2-chloroethyl) vinylphosphonate	0
182 ex29333900	#06	2,3,5,6-Tetrachloropyridine	0
187 ex29333900	#17	3,5-Dichloro-2,4,6-trifluoropyridine	0
198 ex29336990	#30	1,3,5-Tris[(3,5-di-tert-butyl-4-hydroxyphenyl)methyl]-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	0
220 ex29349000		Hexazotam (INN)	4
238 ex29350000	#00	Methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl)thiophenecarboxylate (Thifensulfuron-methyl)	3.3
250 29393000		Caffeine and its salts	4.1
249 ex29419000		Ivermectin (INN)	2.7
273 ex29419000	#20	Josamycin propionate (INN)	2.7
328 ex32000010 ex39005000	#10 #10	Polyurethane of 2,2'-(tert-butylimino)diethanol and 4,4'-methylenebis(cyclohexyl diisocyanate), in the form of a solution in N,N-dimethylacetamide containing by weight 48% or more of polymer	0
367 ex38159000	#70	Catalyst containing titanium trichloride, in the form of a suspension in hexane containing by weight, in the hexane-free material, 14% or more but not more than 25% of titanium	0
382 ex38239098		Mixture of tris[2-chloro-1-(chloromethyl)ethyl] phosphate and oligomers of methylphosphonic acid and phosphoric acid with ethane-1,2-diol	0
383 ex38239098		Mixture of tris[2-chloro-1-(chloromethyl)ethyl] phosphate and oligomers of 2-chloroethyl phosphate with ethane-1,2-diol	0
389 ex38239098		Tetramethylammonium hydroxide, in the form of an solution in water and propan-2-ol containing: - 1% by weight of tetramethylammonium hydroxide, - 10 micrograms/kg or less of potassium, - 10 micrograms/kg or less of calcium, - 30 micrograms/kg or less of sodium, - 30 micrograms/kg or less of iron and - 100000 particles or less per litre, of a size exceeding 0,5 micrometre, for use in the manufacture of goods of heading No8542 (a)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
411 ex38239998	#44	Mixture of disodium <i>N</i> -benzyloxycarbonyl-L-aspartate and sodium chloride, in the form of a solution in water	0
420 ex39019000	#92	Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid	4
446 ex38069000	#60	Copolymer containing by weight 50% or more of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, whether or not compounded with silica	5
461 ex39119010	#10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in note 6(b) to Chapter 38	3.5
474 ex39199031 ex39206200 ex39219019	#10 #11 #70	Reflecting laminated sheeting, metallized, consisting of one sheet of polyester and at least another sheet of polyester or other plastic material and coated on one side with an adhesive, whether or not protected by a release sheet	0
490 ex39206200	#84	Polyethylene terephthalate film, of a thickness of less than 10 micrometres, for the manufacture of video cassettes with a playing-time of 300 minutes at a tape-speed of 24mm per second, or of digital audio cassettes (a)	0
492 ex39206200	#89	Polyethylene terephthalate film, of a thickness of 100 micrometres or more but not exceeding 150 micrometres, for the manufacture of photopolymer printing plates (a)	0
493 ex39206200	#14	Polyethylene terephthalate film, of a thickness of 20 micrometres or more but not exceeding 30 micrometres, coated on one side with silicone, for use in the manufacture of window safety-film (a)	6.5
494 ex39206200 ex39219019	#15 #25	Film of polyethylene terephthalate, coated or covered on one side or on both sides with a layer of modified polyester, of a total thickness of 7 micrometres or more but not exceeding 11 micrometres, for the manufacture of video tapes with a magnetic layer of metallic pigments and a width of 8mm or of 12,7mm (a)	0
497 ex39206900	#70	Film of a copolymer of ethane-1,2-diol and naphthalene-2,6-dicarboxylic acid, of a thickness of less than 10 micrometres, for the manufacture of video-cassettes with a playing-time of 300 minutes at a tape-speed of 24mm per second (a)	0
498 ex39209100	#91	Polyvinyl butyral film having a graduated coloured band	6
501 ex39209200	#21	Poly(<i>epsilon</i> -caprolactam) film: - of a softening point of 200°C or more and - containing 130mg/kg or more but not more than 170mg/kg of copper, for use during the bonding together, under heat and vacuum, of components of composite articles (a)	0
565b ex70060090		Colour filter, consisting of a glass plate with red, blue and green pixels, having a total thickness of 1,1mm (±0,1mm) and exterior dimensions of 320x352mm or more but not exceeding 320x400mm, for the manufacture of liquid crystal displays with active matrix (a)	0
567 ex70112000		Glass face-plate: - with a diagonal measurement of 360,4mm (±1,5mm) and of dimensions of 240,4x315,4mm (±1,5mm), - with a diagonal measurement of 544,5mm (±1,5mm) and of dimensions of 358x454mm (±1,5mm) or - with a diagonal measurement of 838,2mm (±1,5mm) and of dimensions of 549,9x695,6mm (±1,5mm), and with a raised edge, for the manufacture of colour cathode-ray tubes (a)	0

CH code	TARIC	Description	Rate of autonomous duty (%)
588 70112000		Glass face-plate with a diagonal measurement of 704,1mm (±1,5mm) and of dimensions of 387,1x628,8mm (±1,5mm)	0
569 ex70112000		Glass cone with a diagonal measurement of 698,7mm (±1,5mm) and of dimensions of 381,7x623,4mm (±1,5mm)	0
574 ex70193200 ex70193900	#10 #10	Non-woven product of non-textile glass fibre, for the manufacture of air-filters or of air-filtration products (a)	0
576 ex70199010	#11	Non-textile glass fibres in which fibres of a diameter of less than 3,5 micrometres predominate	0
582 ex81019000	#10	Disk (target) with deposition material, of tungsten or an alloy containing by weight 90% of tungsten and 10% titanium, - containing 100micrograms/kg or less of sodium and - mounted on a copper support, for use in the manufacture of goods of heading No8542 by sputtering (a)	0
588 ex81089000	#02	Disk (target) with deposition material, of titanium, - containing 50micrograms/kg or less of sodium and - mounted on a copper support, for use in the manufacture of goods of heading No8542 by sputtering (a)	0

TABLE II

7

CN code	TARIC	Description	Rate of autonomous duty (%)
1 ex27079911	#10	Crude light oils containing by weight: - 10% or more of vinyltoluenes, - 10% or more of indene and - 1% or more but not more than 5% of naphthalene	0
2 ex27122000	#10	Synthetic paraffin wax of a molecular weight of 400 or more but not exceeding 1500	0
3 ex27120000	#20	Blend of 1-alkenes containing by weight 80% or more of 1-alkenes of a chain-length of 24 carbon atoms or more but not exceeding 28 carbon atoms	0
4 ex28042000	#10	Helium	0
6 ex28053010	#10	Alloy of cerium and other rare-earth metals, containing by weight 47% or more of cerium	0
8 ex28100000	#10	Diboron trioxide	0
9 ex28111000	#10	Sulphamic acid	0
10 ex28112000	#10	Tellurium dioxide	0
11 ex28183000	#10	Aluminium hydroxide oxide in the form of pseudo-boehmite	4
12 ex28190000	#10	Chromium dioxide	0
13 ex28209000	#10	Manganese oxide containing by weight 77% or more of manganese	0
16 ex28276000	#10	Titanium tetraiodide	0
17 ex28369100	#20	Lithium carbonate, in the form of powder and containing one or more of the following impurities at the concentrations indicated: - 2mg/kg or more of arsenic - 200mg/kg or more of calcium - 200mg/kg or more of chlorides - 20mg/kg or more of iron - 150mg/kg or more of magnesium - 20mg/kg or more of heavy metals - 300mg/kg or more of potassium - 300mg/kg or more of sodium - 200mg/kg or more of sulphates, determined according to the methods specified in the European Pharmacopoeia	0
18 28401100 28402010		Borates of sodium, anhydrous	0
19 ex28401000	#10	Disodium tetraborate pentahydrate	0
20 ex28418000	#10	Calcium tungstate (wolframite), for the manufacture of ferro-alloys or decasammonium-41-oxododecawolframite (ammonium paratungstate) (a)	0
21 ex28439000	#10	Carboplatin (INN)	0
22 28451000		Heavy water (deuterium oxide) (Euratom)	0
23 28459010		Deuterium and compounds thereof; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products (Euratom)	0
24 ex29029000	#10	Vinyltoluenes	0
25 ex29029000	#40	p-Cymene	0
26 ex29029000	#60	1,3-Diisopropylbenzene	0
27 ex29029000	#70	1,2,4,5-Tetraethylbenzene (durene)	0
28 ex29033010	#10	Carbon tetrafluoride (tetrafluoroethane)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
29 ex29033039	*10	Dibromomethane	0
30 ex29035900	*10	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1 ^{0,0} .0 ^{2,13} .0 ^{5,10}]octadeca-7,15-diene, for use in the manufacture of polyamide, polyethylene, synthetic rubber or polystyrene (a)	0
31 ex29035900	*20	Hexachlorocyclopentadiene	0
32 ex29036900	*10	Di- or tetrachlorotricyclo[8.2.2.2 ^{4,7}]hexadeca-1(12),4,6,10,13,15-hexaene, mixed isomers	0
33 ex29042090	*10	Nitromethane	0
34 ex29042090	*20	Nitroethane	0
35 ex29042090	*30	1-Nitropropane	0
36 ex29042090	*40	2-Nitropropane	0
38 ex29051600	*10	Octan-2-ol	0
39 ex29051910	*10	Potassium <i>tert</i> -butoxide	0
40 29052100		Allyl alcohol	0
41 ex29053900	*10	Butane-1,3-diol	0
42 ex29053900	*20	2,4,7,9-Tetraethyldec-5-yne-4,7-diol	0
43 ex29055090	*10	2,2-Bis(bromoethyl)propanediol	0
44 29061100		Menthol	0
45 ex29061900	*10	Labd-14-ene-8,13-diol	0
46 ex29062990	*10	2,2'-(<i>m</i> -Phenylene)dipropan-2-ol	0
47 ex29072100	*10	Resorcinol	0
50 ex29091900	*10	1,2-Bis(2-chloroethoxy)ethane	0
51 ex29093030	*10	2-Bromo-6-methoxynaphthalene	0
52 ex29093030	*20	1,2-Bis(2,4,6-tribromophenoxy)ethane, for the manufacture of acrylonitrile-butadiene-styrene (ABS) (a)	0
53 ex29094910	*20	2-(2-Chloroethoxy)ethanol	0
54 ex29109000	*30	2,3-Epoxypropan-1-ol (glycidol)	0
55 ex29109000	*40	Perfluoroepoxypropane	0
56 ex29141900	*10	5-Methylhexan-2-one	0
57 ex29144900	*10	11 α ,17,21-Trihydroxy-16 β -methylpregna-1,4-diene-3,20-dione	0
58a ex29145000		2'-Hydroxyacetophenone	0
58b ex29145000		4'-Hydroxyacetophenone	0
59 ex29146900	*10	1,4-Naphthoquinone	0
60 ex29146900	*30	Ubidecarenone (INN) (coenzyme Q ₁₀)	0
61 ex29146900	*40	Idabenone (INN)	0
62 ex29150010	*10	1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate	0
63 ex29159990	*20	Trimethyl orthoacetate	0
64 ex29161200	*10	2- <i>tert</i> -Butyl-6-(3- <i>tert</i> -butyl-2-hydroxy-5-methylbenzyl)-4-methylphenyl acrylate	0

CN code	TARIC	Description	Rate of autonomous duty (%)
65 ex20161400	#10	2,3-Epoxypropyl methacrylate	0
66 ex20161900	#20	Butyl perchlorocrotonate	0
67 ex20161900	#30	Crotonic acid	0
68 ex20162000	#10	Methyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	0
69 ex20163000	#10	Methyl 3-chlorobenzoate	0
70 ex20163000	#20	3,5-Dichlorobenzoyl chloride	3.6
71 ex20171300	#10	Azelaic acid and sebacic acid	0
72 ex20171900	#20	Sodium 1,2-bis(cyclohexyloxycarbonyl)ethanesulphonate	0
73 ex20171900	#30	Docusate sodium (INN)	0
74 ex20172000	#20	8,9,10-Trinorborn-5-ene-2,3-dicarboxylic anhydride	0
75 ex20173010	#10	Ester or anhydride of tetrabromophthalic acid	0
76 ex20173900		Isophthaloyl dichloride, containing by weight 0,8% or less of terephthaloyl dichloride	0
77 ex20173900	#10	Benzene-1,2,4-tricarboxylic acid	0
79 ex20173900	#30	Tetrachlorophthalic anhydride	0
81 ex20173900	#70	Sodium 3,5-bis(methoxycarbonyl)benzenesulphonate	0
84 ex20181910	#10	Malic acid	0
85 ex20181900	#20	2,2-Bis(hydroxymethyl)propionic acid	0
86 ex20181900	#30	Dinoprost (INN), for the manufacture of human medicaments of heading No 3004 (a)	0
87 ex20181900	#40	Ammonium 3 <i>R</i> ,5 <i>R</i> -7-[(1 <i>S</i> ,2 <i>S</i> ,6 <i>R</i> ,8 <i>S</i> ,8 <i>R</i>)-8-(2,2-dimethylbutyryloxy)-1,2,6,7,8,8a-hexahydro-2,6-dimethyl-1-naphthyl]-3,5-dihydroxyheptanoate	3.5
88 ex20181900	#50	Pravastatin sodium (INN)	3.5
89 ex20182930	#10	2-Ethylhexyl 4-hydroxybenzoate	0
90 ex20189000	#10	Dinoprostone (INN)	0
91 ex20189000	#30	Alprostadil (INN)	0
92 ex20189000	#50	2,6-Dimethoxybenzoic acid	0
93 ex20189000	#60	Trepibutone (INN)	0
94 ex20200010	#10	Diethyl sulphate	0
95 ex20200000	#10	0,0'-Diocladacyl pentaerythritol bis(phosphite)	0
96 ex20200000	#30	0,0'-Bis(2,4-di- <i>tert</i> -butylphenyl)pentaerythritol bis(phosphite)	0
98 ex20211900	#20	1,1,3,3-Tetraethylbutylamine	0
99 ex20211900	#30	Triallylamine	0
100 ex20212000	#10	<i>N,N,N',N'</i> -Tetrabutylhexamethylenediamine	0
101 ex20213000	#10	Cyclohex-1,3-ylenediamine (1,3-diaminocyclohexane)	0
102 ex20214910	#10	<i>α',α',α'</i> -Trifluoro-2,3-xylidine	0
104 ex20215110		<i>m</i> -Phenylenediamine, of a purity by weight of 99% or more and containing: - 1% or less by weight of water, - 200mg/kg or less of <i>o</i> -phenylenediamine and - 450mg/kg or less of <i>p</i> -phenylenediamine	0

CN code	TARIC	Description	Rate of autonomous duty (%)
105 ex29215900	#20	<i>m</i> -Phenylenebis(methylamine)	0
106 ex29215900	#30	2,2'-Dichloro-4,4'-methylenedianiline	0
107 ex29221900	#20	Dinoprost (INN), trometamol (INN) salt	0
108 ex29221900	#30	1-Deoxy-1-(octylamino)-D-glucitol	0
109 ex29221900	#50	Tulobuterol hydrochloride (INN)	0
110 ex29224900	#10	Tranexamic acid (INN)	0
111 ex29224900	#20	β -Alanine	0
113 ex29225000	#20	Metipranolol (INN)	0
114 ex29225000	#60	Nadolol (INN)	0
116 ex29241000	#20	2-Acrylamido-2-methylpropanesulphonic acid and its sodium or ammonium salts	0
117 ex29241000	#30	<i>N</i> -(1,1-Dimethyl-3-oxobutyl)acrylamide	0
118 ex29242900	#60	Ioversol (INN)	0
119 ex29251100	#20	Saccharin and its sodium salt	0
120 29251910		3,3',4,4',5,5',6,6'-Octabromo- <i>N,N'</i> -methylenediphtalimide	0
121 ex29251900	#10	<i>N</i> -Phenylmaleimide	0
122 ex29269000	#20	2-(3-Phenoxyphenyl)propiononitrile	0
123 ex29269000	#30	Isophthalonitrile	0
124 ex29269000	#60	Etocrilene (INN)	0
125 ex29269000	#70	Octocrilene (INN)	0
126 ex29269000	#80	2-Cyanoacetamide	0
127 ex29269000	#85	Ethyl cyanoacetate	0
128 ex29270000	#10	2,2'-Dimethyl-2,2'-azodipropionamide dihydrochloride	0
129 ex29280000		<i>N,N</i> -Bis(2-methoxyethyl)hydroxylamine	0
130 ex29280000	#30	Robenidine hydrochloride (INN)	0
132 ex29280000	#50	3,3'-Bis(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)- <i>N,N'</i> -bi-propionamide	0
133 ex29280000	#60	2,4,6-Trichlorophenylhydrazine	0
134 ex29291000	#20	Methylenedicyclohexyl diisocyanate, mixed isomers	0
135 ex29291000	#40	<i>trans</i> -(Cyclohex-1,4-ylene diisocyanate), for the manufacture of thermoplastic polyurethane elastomers (a)	0
136 ex29291000	#50	3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate	0
137 ex29291000	#60	<i>m</i> -Isopropenyl- α,α -dimethylbenzyl isocyanate	0
138 ex29291000	#70	<i>m</i> -Phenylenediisopropylidene diisocyanate	0
139 ex29309010	#10	Cilastatin sodium (INN)	0
140 ex29309000		3,3'-Thiodi(propionic acid)	0
141 ex29309000	#01	2,2'-Thiodiethyl bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]	0
142 ex29309000	#04	Thiophenol	0

77

CN code	TARIC	Description	Rate of autonomous duty (%)
143 ex29300000	#05	Probucof (INN)	3.8
144 ex29300000	#06	Ethoprophos (I80)	0
145 ex29300000	#07	Metobimin (INN)	0
146 ex29300000	#09	3,3-Dimethyl-1-methylthiobutanone oxime	0
147 ex29300000	#11	Thiophanate-methyl (I80)	0
148 ex29300000	#13	Mixture of isomers consisting of 4-methyl-2,6-bis(methylthio)- <i>m</i> -phenylenediamine and 2-methyl-4,6-bis(methylthio)- <i>m</i> -phenylenediamine	0
149 ex29300000	#15	4-[4-(1-Methylethoxy)phenylsulphonyl]phenol	0
150 ex29310000		Sodium phenylphosphinate	0
152 ex29310000	#30	2-Diphenylphosphinobenzoic acid	0
153 ex29310000	#40	Chlorodiphenylphosphine	0
154 ex29310000	#50	Bis(2-chloroethyl) 2-chloroethylphosphonate	0
155 ex29321100	#10	Tetrahydrofuran, containing not more than 40mg per litre in total of tetrahydro-2-methylfuran and tetrahydro-3-methylfuran, for the manufacture of α -4-hydroxybutyl- ω -hydroxypoly(oxytetramethylene) (a)	0
156 ex29321300	#10	Tetrahydrofurfuryl alcohol	0
157 ex29321900	#40	Furan of a purity by weight of 99% or more	0
158 ex29322900		Methyl 6-dodecyloxy-1-hydroxy-4-[1-(4-hydroxy-3-methyl-1-phenanthryl)-3-oxo-1 <i>H</i> ,3 <i>H</i> -benzo[<i>de</i>]isochroman-1-yl]-6-octadecyloxy-2-naphthoic acid	0
159 ex29322900	#10	Glucurrolactone (INN)	0
160 ex29322900	#15	2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
161 ex29322900	#20	1-Hydroxy-4-[1-(4-hydroxy-3-methoxycarbonyl-1-naphthyl)-3-oxo-1 <i>H</i> ,3 <i>H</i> -benzo[<i>de</i>]isochroman-1-yl]-6-octadecyloxy-2-naphthoic acid	0
163 ex29322900	#30	13,14,15,16-Tetranorlabdano-12,8 α -lactone	0
165 ex29322900	#40	2'-Chloro-6'-cyclohexylaminospiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
166 ex29322900	#45	2'-Anilino-6'-diethylamino-3'-methylspiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
167 ex29322900	#55	2'-(2-Chloroanilino)-6'-dibutylaminospiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
168 ex29322900	#60	6'-(<i>N</i> -Ethyl- <i>p</i> -toluidino)-2'-methylspiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
169 ex29322900	#61	2'-Anilino-3'-methyl-6'-methyl(propyl)aminospiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
170 ex29322900	#62	6'-Diethylamino-3'-methyl-2'-(2,4-xylydino)spiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
171 ex29322900	#65	Lovastatin (INN)	4
172 ex29322900	#70	2'-Anilino-6'-(<i>N</i> -ethyl- <i>p</i> -toluidino)-3'-methylspiro[isobenzofuran-1(3 <i>H</i>),9'-xanthen]-3-one	0
173 ex29322900	#80	Etoposide (INN)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
174 ex29329850		(2S,5R,7S,10R,13S)-4,10-Diacetoxy-2-benzoyloxy-1,7-dihydroxy-9-oxo-5,20-epoxylax-11-en-13-yl (3S)-benzamido-2-hydroxy-3-phenylpropionate (paclitaxel)	0
175 ex29329879	#30	Glucosamine hydrochloride (INN)	0
176 ex29329879	#60	(25R)-Spirost-5-en-3 β -ol (diosgenin) and its esters	0
177 ex29329879	#70	Bendiocarb (ISO)	0
178 ex29332100	#10	Hydantoin	0
179 ex29332990	#10	Enoximone (INN)	0
180 ex29332990	#20	Reaction product consisting of the methyl esters of (+/-)-6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)- <i>m</i> -toluic acid and (+/-)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)- <i>p</i> -toluic acid (Isosmethabenz-methyl)	4
181 ex29333980	#01	Carpipramine dihydrochloride (INN)	0
183 ex29333980	#11	3,6-Dichloropyridine-2-carboxylic acid	0
184 ex29333980	#12	2-Hydroxyethylammonium 3,6-dichloropyridine-2-carboxylate	0
185 ex29333980	#14	(R)-1-[2-(4-Chlorobenzhydryloxy)ethyl]piperidine and its salts	0
186 ex29333980	#15	2-Butoxyethyl (3,5,6-trichloro-2-pyridyloxy)acetate	0
188 ex29333980	#18	Pyridine-2,3-dicarboxylic acid	0
189 ex29333980	#22	Nicorandil (INN)	0
190 ex29333980	#23	5-Methyl-2-pyridylamine	0
191 ex29333980	#24	Fluroxypyr (ISO), methyl ester	4
192 ex29334090	#10	Quinapril hydrochloride (INN)	0
193 ex29335990	#20	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0
194 ex29335990	#30	Amprolium hydrochloride (INN)	0
195 ex29335990	#70	1-Ethyl-6-fluoro-1,4-dihydro-4-oxo-7-piperazin-1-yl-1,8-naphthyridine-3-carboxylic acid and its salts and esters	0
196 ex29336990	#10	2,6-Di- <i>tert</i> -butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-ylamino]phenol	0
197 ex29336990	#20	1,3,5-Tris(4- <i>tert</i> -butyl-3-hydroxy-2,6-dimethylbenzyl)-1,3,5-triazine-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trione	0
199 ex29337900	#20	Carteolol hydrochloride (INN)	0
200 ex29339000	#11	Octrizole (INN)	0
202 ex29339000	#13	(2S)-1-(3-Acetylthio-2-methyl-1-oxopropyl)-L-proline	0
203 ex29339000	#15	2,4-Di- <i>tert</i> -butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
204 ex29339000	#18	Captopril (INN)	0
205 ex29339000	#19	Tryptophan, of a purity by weight not exceeding 98,5%, for the manufacture of goods of heading No 2309 (a)	0
206 ex29339000	#23	2-(2 <i>H</i> -Benzotriazol-2-yl)-4,6-di- <i>tert</i> -butylphenol	0
207 ex29339000	#24	2-(2 <i>H</i> -Benzotriazol-2-yl)-4,6-di- <i>tert</i> -pentylphenol	0
208 ex29339000	#25	Bumetrizole (INN)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
209 ex29339080	#26	Ethacridine lactate (INNM)	0
210 ex29339080	#27	2-(2 <i>H</i> -Benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol	0
211 ex29339080	#28	6,6'-Di-2 <i>H</i> -benzotriazol-2-yl-4,4'-bis(1,1,3,3-tetramethylbutyl)-2,2'-methylenediphenol	0
212 ex29349060	#10	Clotiazepam (INN)	4
213 ex29349060	#30	Teniposide (INN)	0
214 ex29349060	#40	Etizolam (INN)	4
215 ex29349060	#50	Tiquizium bromide (INN)	0
216 ex29349070	#10	Ofloxacin (INN)	0
217 ex29349070	#30	Piranoxine sodium (INNM)	0
218 ex29349099		7-Chloro-5-methyl-2 <i>H</i> -1,4-benzothiazin-3-(4 <i>H</i>)-one	0
219 ex29349099		1-[2-(1,3-Dioxan-2-yl)ethyl]-2-methylpyridinium bromide	0
221 ex29349099	#11	Zolopine (INN)	4
222 ex29349099	#13	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5- <i>g</i>]cinnoline-3-carbonitrile	0
223 ex29349099	#14	2-Chlorodibenz[<i>b,f</i>][1,4]oxazepin-11(10 <i>H</i>)-one	0
224 ex29349099	#16	(6 <i>R</i> ,7 <i>R</i>)-3-Acetoxymethyl-7-[(<i>R</i>)-2-formyloxy-2-phenylacetamido]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts and esters	0
225 ex29349099	#19	Adenosine phosphate (INN)	0
226 ex29349099	#31	<i>p</i> -Methoxybenzyl 3-chloromethyl-7-(2-phenylacetamido)-3-cepha-4-carboxylate	0
227 ex29349099 ex30049099	#34 #15	2',3'-Dideoxyinosine	0
232 ex29350000		3-{1-[7-(Hexadecylsulphonylamino)-1 <i>H</i> -indole-3-yl]-3-oxo-1 <i>H</i> ,3 <i>H</i> -naphtho[1,8- <i>cd</i>]pyran-1-yl}- <i>N,N</i> -dimethyl-1 <i>H</i> -indole-7-sulphonamide	0
233 ex29350000	#30	Sulfathiazole (INN) and its salts	0
234 ex29350000	#50	3-[1-(7-Hexadecane-1-sulphonamidoindol-3-yl)-3-oxo-1 <i>H</i> ,3 <i>H</i> -benz[<i>de</i>]isochroman-1-yl]indole-7-carboxylic acid	0
235 ex29350000	#60	Sulfadimethoxine (INN) and its sodium salt	3.3
236 ex29350000	#70	Methyl 2-[4-methoxy-6-methyl-1,3,5-triazin-2-yl(methyl)carbamoylsulphamoyl]benzoate (Tribenuron-methyl)	3.3
237 ex29350000	#75	Methyl 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulphamoyl)benzoate (Metsulfuron-methyl)	3.3
239 ex29350000	#85	Chlorsulfuron (ISO)	3.3
240 ex29362400	#10	Dexpanthenol (INN)	0
241 ex29362910	#10	Folic acid (INN)	0
242 ex29371090	#10	Protirelin tartrate (INNM)	0
243 ex29372990	#10	Methylprednisolone (INN) and its salts and esters	0
244 ex29372990	#20	Mometasone furoate (INNM)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
245 ex29372900	*30	Alclometasone 17,21-dipropionate (INN)	0
246 ex29379900	*10	Calcitonin (INN) (porcine)	0
247 ex29379900	*20	Calcitonin (INN) (salmon), and its salts	0
248 ex29379900	*30	Des-1-alanine-[125-serine] interleukin-2 (human)	0
251 ex29399900 ex30044000		Irinotecan (INN)	0
252 ex29400000	*30	Ribose	0
253 ex29411000 ex30041010	*20 *10	Piperacillin sodium (INN)	3.6
254 ex29411000	*30	Piperacillin (INN)	4.1
255 ex29415000	*10	Clarithromycin (INN)	2.7
259 ex29419000	*01	Cefactor (INN) and its hydrates, salts and esters	0
260 ex29419000 ex30042090	*02 *10	Amikacin (INN) and its salts	0
261 ex29419000	*03	Amphotericin B (INN)	0
262 ex29419000	*04	Clindamycin (INN) and its salts and esters	0
263 ex29419000	*05	Lincomycin (INN) and its salts and esters, for the manufacture of medicaments of heading No 3003 or 3004 (a)	0
264 ex29419000	*06	Tobramycin (INN) and its salts	0
265 ex29419000	*08	Monensin (INN) and its salts	0
266 ex29419000	*09	Spectinomycin dihydrochloride (INN), pentahydrate	0
267 ex29419000	*13	Midecamycin (INN) and its acetates	2.7
268 ex29419000	*14	Cefoxitin sodium (INN)	0
269 ex29419000	*15	Cefradine (INN)	0
270 ex29419000	*16	Kitasamycin (INN) and its tartrate	0
271 ex29419000	*18	Latanoxef (INN) and its salts and esters	0
272 ex29419000	*19	Josamycin (INN)	2.7
274 ex29419000 ex30042000	*21 *30	Mitomycin (INN)	0
275 ex29419000 ex30042090	*23 *20	Bleomycin sulphate (INN)	0
276 ex29419000	*24	Dibekacin sulphate (INN)	0
277 ex29419000	*25	Sisomicin sulphate (INN)	0
278 ex29419000	*26	Spectinomycin sulphate (INN)	0
279 ex29419000	*27	Netilmycin sulphate (INN)	0
280 ex29419000	*28	Ribostamycin sulphate (INN)	0
281 ex29419000	*29	Neomycin sulphate (INN)	0
282 ex29419000	*31	Aztreonam (INN)	0
283 ex29419000	*32	Imipenem (INN)	0
284 ex29419000	*33	Cefotetan (INN)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
285 ex20419000	#34	Ceftizoxime sodium (INN)	0
286 ex20419000	#35	Kanamycin sulphate (INN)	0
287 ex20419000	#36	Cefotiam dihydrochloride (INN)	0
288 ex20419000	#37	Cefamandole hemihydrochloride (INN)	0
289 ex20419000 ex30042000	#38 #50	Vancomycin (INN) and its salts and esters	0
290 ex20419000	#39	Cefixime (INN)	0
291 ex20419000	#41	Pirarubicin (INN)	0
292 ex20419000	#42	Roxithromycin (INN)	2.7
293 ex20419000	#43	Ceftibuten (INN)	0
294 ex20419000	#44	1-(Isopropoxycarbonyloxy)ethyl ester of cefpodoxime (INN)	0
295 ex30021010	#10	Tetanus-immunoglobulin	0
296 ex30021010	#20	Anti-tetanus immunoplasma	0
297 ex30021010	#60	Rabies immunoplasma	0
298 ex30021091	#10	Anti-haemophilic globulin and anti-Rh ₀ (D)-globulin derived from human blood	0
299 ex30021091	#20	Gamma-globulin, in solution, derived from human blood	0
300 ex30021091	#30	Lyophilized gamma-globulin derived from human blood	0
301 ex30021099	#10	Unsterile blood-serum obtained from the blood of a bovine foetus or non-immunized newly-born calf	0
302 ex30021099	#30	Plasma, frozen, derived from the blood of horses, for the manufacture of serum gonadotrophin (INN) (a)	0
309 ex30029000	#10	Purified lysate of the Human Immunodeficiency Virus, obtained from human T-cells infected with the Gallo HTLV-IIIb strain	0
310 ex30031000	#10	Mixture of piperacillin (INN) and tazobactam (INN)	3.2
311 ex30033900	#10	Mixture of oestrogens of equine origin, in the form of powder	0
312 ex30034000	#10	Granules containing by weight 40% or more but not more than 50% of theophylline	0
313 ex30039000	#10	Granules containing by weight 0.7% or more but not more than 1.2% of glycerol trinitrate	0
314 ex30043900	#10	Preparation containing des-1-alanine-(125-serine) interleukin-2 (human), obtained from genetically-manipulated <i>Escherichia coli</i>	0
315 ex30049019	#10	Purified collagen dispersed in a phosphate physiological saline solution, whether or not containing lidocaine (INN)	3
316 ex30049099	#10	Carboplatin (INN) mixed with mannitol	0
317 ex30051000	#10	Self-adhesive plastic film, coated or covered on one side with glycerol trinitrate mixed with an acrylic adhesive, containing 4g/cm ² or more of glycerol trinitrate, protected by a release sheet, not put up in forms or packings for retail sale	0
318 32012000		Tanning extracts of wattle (mimosa)	0
319 ex32019000	#10	Tanning extracts of eucalyptus	3.2
320 ex32019000	#20	Tanning extracts derived from gambier and myrobalan fruits	0
321 ex32064900	#10	Black preparation of iron-oxide pigments, in liquid form, with a maximum particle-size not exceeding 20 nanometres and containing by weight 25% or more of iron evaluated as Fe ₂ O ₃ , for the manufacture of goods of heading No 3304 or 9608 (a)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
322 ex32074000	#10	Glass, in the form of flakes of a length of 0.1mm or more but not exceeding 3.5mm and of a thickness of 2 micrometres or more but not exceeding 5 micrometres	0
323 ex32074000	#20	Glass, in the form of powder or granules, containing by weight 99% or more of silicon dioxide	0
329 ex32080010 ex39119000	#20 #86	Copolymer of <i>p</i> -cresol and divinylbenzene, in the form of a solution in <i>N,N</i> -dimethylacetamide containing by weight 48% or more of polymer	0
331 ex34021100	#10	Aqueous solution containing by weight 30% or more but not more than 50% of disodium alkyl [oxydi(benzenesulphonate)]	0
332 ex34020010	#20	Mixture of docosate sodium (INN) and sodium benzoate	0
333 ex34020000	#10	Crystalline powder obtained by the reaction of trisodium phosphate with a mixture of sodium hypochlorite and sodium chloride ('chlorinated trisodium phosphate'), containing by weight: - 3.5% or more of available chlorine, measured iodometrically and - 17.8% or more of phosphorus evaluated as P ₂ O ₅	0
334 ex35040000	#10	Purified antigens obtained from genetically-manipulated yeast-cells, for the manufacture of detection-tests for hepatitis-C (a)	0
335 ex35051050	#20	<i>O</i> -(2-Hydroxyethyl)-derivative of hydrolysed waxy maize-starch	0
336 ex35070000	#10	Bromelains (INN)	0
337 ex35070000	#40	Lipoprotein lipase	0
338 ex35070000	#50	Serrapeptase (INN)	0
339 ex35070000	#60	<i>Aspergillus</i> alkaline protease	0
340 ex35070000	#70	Enzymatic preparation based on thermolysine	0
341 ex35070000	#80	L-Lactate: oxygen-2-oxidoreductase, non-decarboxylating	0
342 ex37019000	#10	Plate of quartz or of glass, covered with a film of chromium and coated with a photo-sensitive or electron-sensitive resin, for the manufacture of masks for integrated circuits (a)	0
343 ex37023100	#10	Colour negative film: - of a width of 75mm or more but not exceeding 105mm and - of a length of 100m or more, for the manufacture of instant-picture film-packs (a)	0
344 38051000		Sulphate turpentine	0
345 38052000		Pine oil	1.7
346 ex38069000	#20	Hydroabietyl alcohol	0
347 ex38099100	#10	Mixture of (5-ethyl-2-methyl-2-oxo-1,3,2λ ⁵ -dioxaphosphoran-5-ylmethyl) methyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2λ ⁵ -dioxaphosphoran-5-ylmethyl) methylphosphonate	0
348 ex38112100	#10	Salts of dinonylnaphthalenesulphonic acid, in the form of a solution in mineral oils	0
349 ex38122000	#10	Reaction mixture containing benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate and benzyl 3-isobutyryloxy-2,2,4-trimethylpentyl phthalate	0
350 ex38123000	#10	Tetraaluminium nonamagnesium dicarbonate hexacosahydroxide heptahydrate, coated with a surface-active agent	0

77

CN code	TARIC	Description	Rate of autonomous duty (%)
353 ex38151200	#10	Catalyst, in the form of granules or rings of a diameter of 3mm or more but not exceeding 10mm, consisting of silver on an aluminium-oxide support and containing by weight 8% or more but not more than 20% of silver	0
354 ex38151000	#01	Catalyst, in the form of grains of which 90% or more by weight have a particle-size not exceeding 10 micrometres, consisting of a mixture of oxides on a magnesium-silicate support, containing by weight: - 20% or more but not more than 35% of copper and - 2% or more but not more than 3% of bismuth, and of an apparent specific gravity of 0,2 or more but not exceeding 1,0	0
355 ex38151000	#03	Catalyst, consisting of chromium trioxide or dichromium trioxide fixed on a silicon-dioxide support, of a pore-volume, as determined by the nitrogen-absorption method, of 2cm ³ /g or more	0
356 ex38151000	#11	Catalyst consisting of chromium oxides and titanium dioxide fixed on a support of silicon dioxide, aluminium oxide or aluminium phosphate	0
357 ex38151000	#13	Catalyst consisting of titanium tetrachloride supported on magnesium dichloride, in the form of a suspension in mineral oil, for use in the manufacture of polypropylene (a)	0
358 ex38151000	#14	Catalyst, in the form of spheres of a diameter of 4,2mm or more but not exceeding 8mm, consisting of a mixture of oxides of molybdenum, tungsten, vanadium, copper and strontium, on a support of silicon dioxide and/or aluminium oxide, for use in the manufacture of acrylic acid (a)	0
359 ex38151000	#15	Catalyst consisting of organo-metallic compounds of titanium, magnesium and aluminium on a support of silicon dioxide, in the form of a suspension in tetrahydrofuran	0
360 ex38150000	#15	Catalyst, in the form of rodlets of a diameter of 4mm or more but not exceeding 6mm, consisting of a mixture of oxides containing by weight more than 96% of oxides of molybdenum, vanadium, nickel and antimony, for use in the manufacture of acrylic acid (a)	0
361 ex38150000	#20	Catalyst, in powder form, consisting of a mixture of titanium trichloride and aluminium chloride, containing by weight: - 20% or more but not more than 30% of titanium and - 55% or more but not more than 72% of chlorine	0
362 ex38150000	#25	Catalyst, in the form of rodlets of a diameter of 4mm or more but not exceeding 6mm, consisting of a mixture of oxides containing by weight more than 96% of oxides of molybdenum, bismuth, nickel, iron and silicon, for use in the manufacture of acrylaldehyde (a)	0
363 ex38150000	#35	Catalyst, in the form of a suspension in oil, consisting of titanium trichloride and aluminium trichloride, containing by weight (on an oil-free basis): - 15% or more but not more than 30% of titanium and - 40% or more but not more than 72% of chlorine	0
364 ex38150000	#40	Catalyst consisting of ethyltriphenylphosphonium acetate in the form of a solution in methanol	0
365 ex38150000	#55	Catalyst, in the form of rodlets of a length of 5mm or more but not exceeding 8mm, consisting of a mixture of oxides of iron, molybdenum and bismuth, for use in the manufacture of acrylic acid (a)	0
366 ex38150000	#60	Catalyst, in the form of pellets, consisting of mixed vanadium and phosphorus oxides, containing by weight 0,5% or less of one of the following elements: lithium, potassium, sodium, cadmium or zinc, for use in the manufacture of maleic anhydride from butane (a)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
368 ex38159000	*80	Catalyst, in the form of rodlets, consisting of an acid aluminosilicate (zeolite): - with a mole-ratio of silicon dioxide : dialuminium trioxide of not less than 500 : 1 and - containing by weight 0,2% or more but not more than 0,8% of platinum	0
369 ex38159000	*86	Catalyst based on a mordenite zeolite, in the form of granules, for use in the manufacture of mixtures of methylamines containing by weight 50% or more of diethylamine (a)	0
370 ex38220000	*10	Lyophilized extract of the blood cells of <i>Limulus polyphemus</i> (<i>Limulus amoebocyte lysate</i>)	0
371 ex38239020	*10	Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11% of sodium evaluated as sodium oxide, in the form of rodlets	0
372 ex38239091	*01	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Streptomyces tenebrarius</i> , whether or not dried, for use in the manufacture of human medicaments of No 3884 (a)	0
373 ex38239091	*02	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Micromonospora purpurea</i> , whether or not dried	0
374 ex38239091	*03	Cholic acid and 3 α ,12 α -dihydroxy-5 β -cholestan-24-oic acid (deoxycholic acid), crude	0
375 ex38239091	*04	Products obtained by the N-methylation of sisomicin (INN)	0
376 ex38239091	*05	Intermediate products from the manufacture of monensin salts	0
377 ex38239091	*06	Crude bile acids	0
378 ex38239091	*09	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Micromonospora inyoensis</i> , whether or not dried	0
379 ex38239091	*15	Residues of manufacture containing by weight 40% or more of 11 β ,17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one-21-acetate	0
380 ex38239091	*16	4-(2-Aminoethylthioethyl)-1,3-thiazol-2-ylmethyl dimethylamine, in the form of a solution in toluene	0
387 ex38239098		Mixture of sucrose esters, derived from the esterification of sucrose with industrial stearic acid	0
390 ex38239098	*08	Colloidal diantimony pentoxide	0
391 ex38239098	*13	Mixture of nitroethane and 1,2-epoxybutane	0
392 ex38239098	*17	Tetrakis(2-chloroethyl)ethylene bis(phosphate), not chemically defined	5
393 ex38239098	*18	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight: - 70% or more but not more than 78% of dialuminium trioxide and - 19% or more but not more than 28% of zirconium dioxide	5.2
394 ex38239098	*19	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight: - 54% or more but not more than 62% of dialuminium trioxide and - 36% or more but not more than 44% of zirconium dioxide	5.2
395 ex38239098	*21	Crude lithium hypochlorite	0
396 ex38239098	*23	Mixture of 2-(perfluoroalkyl)ethanethiols of a perfluoroalkyl chain-length of 8 or more carbon atoms but not exceeding 20 carbon atoms	0

CN code	TARIC	Description	Rate of autonomous duty (%)
397 ex38239098	#25	Mixed oxides of barium, titanium and other metals, in the form of powder, containing by weight: - 5% or more of barium and - 15% or more of titanium, for use as dielectric materials in the manufacture of multilayer ceramic capacitors (a)	0
398 ex38239098	#26	Lithium niobate wafers, undoped	0
399 ex38239098	#27	Preparation, in the form of powder, containing by weight 75% or more of zinc bis[3,5-bis(1-phenylethyl)salicylate]	0
400 ex38239098	#31	Fila consisting of the oxides of barium, calcium and either titanium or zirconium, mixed with binding materials	0
401 ex38239098	#32	Mixture of esters derived from dimerized fatty acids, of an average molecular weight of 520 or more but not exceeding 550	0
402 ex38239098	#34	Preparation consisting essentially of alkaline asphalt sulphonate, of: - a specific gravity of 0,9 or more but not exceeding 1,5 and - a solubility in water of 70% by weight or more	0
403 ex38239098	#35	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either: - on a support of mineral wax, whether or not modified chemically, or - in the form of a solution in an organic solvent	0
404 ex38239098	#36	Mixture of lithium diisopropylamide (lithium salt of diisopropylamine) and magnesium bis(diisopropylamide) (magnesium salt of diisopropylamine), in the form of a solution in organic solvents	0
405 ex38239098	#37	Calcined bauxite (refractory grade)	0
406 ex38239098	#38	Magnetisable iron oxide, in the form of powder, containing by weight: - 30% or more but not more than 38% of bivalent iron in relation to the total iron and - 1% or more but not more than 4% of cobalt	0
407 ex38239098	#39	Spent catalyst, in the form of rodlets of diameter of 1mm or more but not exceeding 3mm, containing a mixture of sulphides of tungsten and of nickel on a support of zeolite, containing by weight not more than 10% of tungsten and not more than 10% of nickel, for regeneration as a catalyst for hydrocarbon-cracking (a)	0
408 ex38239098	#40	Mixture containing by weight: - 7% or more but not more than 9% of 2-methyl-1,3-phenylene diisocyanate, - 31% or more but not more than 34% of 4-methyl-1,3-phenylene diisocyanate, - 10% or more but not more than 13% of 2,4'-methylenediphenyl diisocyanate, - 46% or more but not more than 49% of 4,4'-methylenediphenyl diisocyanate	0
409 ex38239098	#42	3-(1-Ethyl-1-methylpropyl)isoxazol-5-ylamine, in the form of a solution in toluene	0
410 ex38239098	#43	Mixture of magnesium bromide 2-oxoperhydroazepin-1-ide and epsilon-caprolactam	0
412 ex38239098	#45	Disodium 9,10-dihydro-9,10-dioxanthracene-2,7-disulphonate, containing by weight 10% or more but not more than 20% of sodium sulphate	0

CN code	TARIC	Description	Rate of autonomous duty (%)
413 ex38239898	#48	Eutectic alloy wholly of potassium and sodium, containing by weight 77% or more but not more than 79% of potassium	0
414 ex38239898	#49	Blend of terephthaloyl dichloride and isophthaloyl dichloride	0
415 ex38239898	#51	Acid-hydrolysed casein, containing by weight: - 8% or more but not more than 11% of nitrogen and - 18% or more but not more than 28% of sodium chloride, for the manufacture of prepared culture media for development of micro-organisms (a)	0
416 ex38239898	#52	Preparation consisting by weight of 98% or more of 3a,4,7,7a-tetrahydro-4,7-methanoindane (dicyclopentadiene), a synthetic rubber and - either an aluminium-alkyl compound - or an organic complex of tungsten	0
417 ex39012000	#10	Polyethylene, in one of the forms mentioned in note 6(b) to Chapter 39, of a specific gravity of 0,945 or more but not exceeding 0,985, for the manufacture of films for typewriter ribbon or similar ribbon (a)	0
418 ex39012000	#20	Polyethylene, containing by weight 35% or more but not more than 45% of silica	0
419 ex39012000	#40	Polyethylene, in one of the forms mentioned in note 6(b) to Chapter 39, of a specific gravity of 0,958 or more at 23°C, containing: - 50mg/kg or less of aluminium, - 2mg/kg or less of calcium, - 2mg/kg or less of chromium, - 2mg/kg or less of iron, - 2mg/kg or less of nickel, - 2mg/kg or less of titanium and - 8mg/kg or less of vanadium, for the manufacture of chlorosulphonated polyethylene (a)	0
421 ex39019000	#93	Ionomer resin consisting of a salt of a terpolymer of ethylene with isobutyl acrylate and methacrylic acid	0
423 ex39020000 ex39039000		A-B Block copolymer of polystyrene and an ethylene-propylene copolymer, containing by weight 48% or less of styrene, in one of the forms mentioned in note 6(b) to Chapter 39	0
424 ex39029000	#96	Polybut-1-ene, a copolymer of but-1-ene with ethylene containing by weight 18% or less of ethylene, or a blend of polybut-1-ene with polyethylene and/or polypropylene containing by weight 18% or less of polyethylene and/or 25% or less of polypropylene, in one of the forms mentioned in note 6(b) to Chapter 39	0
426 ex39039000	#10	Copolymer, solely of styrene with allyl alcohol, of an acetyl value of 175 or more	0
427 ex39039000	#20	Copolymer, entirely of styrene with maleic anhydride, or entirely of styrene with maleic anhydride and an acrylic monomer, whether or not containing a styrene-butadiene block copolymer, in one of the forms mentioned in note 6(b) to Chapter 39, for the manufacture of sheatings for head-liners for cars (a)	0
428 ex39039000	#30	Brominated polystyrene, containing by weight 58% or more but not more than 71% of bromine, in one of the forms mentioned in note 6(b) to Chapter 39	0
429 ex39039000	#40	Copolymer of styrene with 2-ethylhexyl acrylate or with n-butyl acrylate, containing: - 18 mole% or more but not more than 16 mole% of acrylate, - 0,2mg/kg or less of sodium and - 0,1mg/kg or less of calcium	0

CN code	TARIC	Description	Rate of autonomous duty (%)
430 ex39039000 ex39051900	#50 #20	Block copolymer of styrene and vinyl acetate, containing by weight 5% or more but not more than 55% of vinyl acetate	0
431 ex39044000	#91	Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: - 87% or more but not more than 92% of vinyl chloride, - 2% or more but not more than 9% of vinyl acetate and - 1% or more but not more than 8% of vinyl alcohol, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39	0
432 ex39045000	#91	Copolymer of vinylidene chloride with acrylonitrile, in the form of expansible beads of a diameter of 4 micrometres or more but not more than 20 micrometres	0
433 ex39045000	#92	Copolymer of vinylidene chloride with vinyl chloride, containing by weight 70,5% or more of vinylidene chloride, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of fibres, monofilament or strip (a)	0
434 ex39046000	#91	Copolymer of ethylene with chlorotrifluoroethylene and hexafluoro(2-methylpropane), in one of the forms mentioned in note 6(b) to Chapter 39	0
435 ex39046000	#93	Polyvinyl fluoride, in one of the forms mentioned in note 6(b) to Chapter 39	0
436 ex39046000	#95	Copolymer of ethylene with chlorotrifluoroethylene, in one of the forms mentioned in note 6(b) to Chapter 39	0
438 ex39059000	#93	Poly(vinyl formal), in one of the forms mentioned in note 6(b) to Chapter 39, of a molecular weight of 10000 or more but not exceeding 40000 and containing by weight: - 9,5% or more but not more than 13% of acetyl groups evaluated as vinyl acetate and - 5% or more but not more than 8,5% of hydroxy groups evaluated as vinyl alcohol	0
439 ex39061000	#10	Polymethyl methacrylate, in the form of expansible beads containing 2-methylpentene as blowing agent	0
441 ex39069000	#10	Poly[N-(3-hydroxyimino-1,1-dimethylbutyl)acrylamide]	0
442 ex39069000	#20	Copolymer of 2-diisopropylaminoethyl methacrylate with decyl methacrylate, in the form of a solution in N,N-diethylacetamide containing by weight 55% or more of copolymer	0
443 ex39069000	#30	Copolymer of acrylic acid with 2-ethylhexyl acrylate, containing by weight 10% or more but not more than 11% of 2-ethylhexyl acrylate	0
444 ex39069000	#40	Copolymer of acrylonitrile with methyl acrylate, modified with polybutadiene-acrylonitrile (MBR)	0
445 ex39069000	#50	Polymerization product of acrylic acid with alkyl methacrylate and small quantities of other monomers, for use as a thickener in the manufacture of textile printing pastes (a)	0
447 ex39069000	#70	Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for use as a thickener in textile pigment printing pastes or in the manufacture of medicaments of heading No 3003 or 3004 (a)	0
448 ex39069000	#80	Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for use as a stabilizer in emulsions or dispersions with a pH of more than 13 (a)	0
449 ex39072011		Poly(ethylene oxide)	0
450 ex39072090		Bis(2-[ω-hydroxy-poly(ethyleneoxy)]ethyl)hydroxymethylphosphonate	0

CN code	TARIC	Description	Rate of autonomous duty (%)
451 ex39072000	#20	Poly(oxypropylene) having alkoxysilyl end-groups	0
452 ex39072000	#40	Poly[oxy-1,4-phenyleneisopropylidene-1,4-phenyleneoxy-(2-hydroxytrimethylene)], of an average molecular weight of more than 26000, in one of the forms mentioned in note 8(b) to Chapter 39	0
453 ex39072000	#60	α -4-Hydroxybutyl- ω -hydroxypoly(oxytetramethylene), containing less than 1mg/kg of halogen and less than 1mg/kg of metal, and of a colour not exceeding 20 units on the Hazen scale	0
454 ex39072000	#70	Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)	0
455 ex39072000	#80	Copolymer of 1-chloro-2,3-epoxypropane with ethylene oxide	0
456 ex39079100	#10	Diethyl phthalate prepolymer	0
457 ex39079900	#30	Poly(oxy-1,4-phenylenecarbonyl), in the form of powder	0
458 ex39079900	#40	Poly(ethylene naphthalene-2,6-dicarboxylate)	0
459 ex39089000	#10	Poly(iminomethylene-1,3-phenylenemethyleneminoadipoyl), in one of the forms mentioned in note 6(b) to Chapter 39	0
460 ex39094000	#10	Polycondensation product of phenol with formaldehyde, in the form of hollow spheres of a diameter of less than 150 micrometres	0
462 ex39110010	#20	Polyfurfuryl alcohol	0
464 ex39121100	#10	Non-plasticized cellulose triacetate, in the form of flakes, for the manufacture of cellulose triacetate yarn (a)	0
465 ex39123910	#10	Ethylcellulose, not plasticized	0
467 ex39123990	#10	Cellulose, both hydroxyethylated and ethylated, insoluble in water	0
468 ex39123990	#20	Hydroxypropylcellulose	0
469 ex39123990	#40	Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms	0
470 ex39129010	#20	Cellulurate (INN), non-plasticized, in the form of powder: - with a butyryl content by weight of 25% or more, as determined by the ASTM D 817-72 method and - of a viscosity not exceeding 57 poise, as determined by the ASTM D 817-72 method, for use as a binding agent in the manufacture of paints or lacquers for cars and aircraft, or for the manufacture of heat-transfer printing inks (a)	0
471 ex39139000	#30	Chondroitinsulphuric acid, sodium salt	0
472 ex39140000	#20	Colestipol hydrochloride (INN)	0
473 ex39159093 ex39159099	#10 #10	Waste and scrap of photographic (including cinematographic) and X-ray film	0
475 ex39199031 ex39206200 ex39219019	#30 #05 #60	Polyethylene terephthalate film, dyed in the mass, of a thickness not exceeding 25 micrometres and metallized on one side	6
476 ex39199031 ex39206200 ex39206300 ex39206900	#40 #13 #30 #30	Reflecting polyester sheeting embossed in a regular pyramidal pattern, for the manufacture of safety stickers and badges, safety clothing and accessories thereof, or of school satchels, bags or similar containers (a)	0
477 ex39199050	#92	Polyvinyl chloride sheeting, of a thickness of less than 1mm, coated with an adhesive in which are embedded hollow glass balls of a diameter not exceeding 100 micrometres	0

CN code	TARIC	Description	Rate of autonomous duty (%)
478 ex39281021		Film of polyethylene, of a thickness of 20 micrometres or more but not exceeding 45 micrometres, containing calcium carbonate in the mass, for the manufacture of napkins for babies or of sanitary towels or of tampons or of disposable surgical gowns (a)	0
479 ex39281021	#92	Polyethylene film, of a thickness of 20 micrometres or more but not exceeding 40 micrometres, for the production of photo-resist film used in the manufacture of semiconductors or printed circuits (a)	0
480 ex39281021 ex39281029 ex39219060	#94 #93 #26	Laminated sheet or strip consisting of a film composed of a blend of a copolymer of ethylene with vinyl acetate and a modified ethylene-propylene-elastomer (EPN) or a modified ethylene-propylene-diene elastomer (EPDM), coated or covered on both sides with a film of a copolymer of ethylene with vinyl acetate	0
482 ex39281090	#93	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely-branched polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent	0
483 ex39281090	#95	Film of a thickness not exceeding 0,20mm, of a blend of polyethylene and a copolymer of ethylene with oct-1-ene, embossed in a regular rhomboidal pattern, for coating both sides of a layer of unvulcanized rubber (a)	0
484 ex39282090	#91	Synthetic paper pulp, in the form of moist sheets, made from unconnected finely-branched polypropylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent	0
485 ex39283000 ex39219060	#20 #27	Laminated sheet or strip, consisting of a film of a thickness of 100 micrometres or more but not exceeding 200 micrometres, composed of a blend of a thermoplastic elastomer (TPE) of styrene-butadiene-styrene (SBS) with polyethylene or polypropylene, coated or covered on both sides with a film of polypropylene of a thickness not exceeding 20 micrometres	0
486 ex39284211 ex39284291	#92 #92	Reflecting sheeting, consisting solely of a single layer of polyvinyl chloride, wholly embossed on one side in a regular pyramidal pattern	0
487 ex39284291	#93	Sheeting of polyvinyl chloride, stabilized against ultraviolet rays, without any holes, even microscopic, of a thickness of 60 micrometres or more but not exceeding 80 micrometres, containing 30 or more but not more than 40 parts of plasticizer to 100 parts of polyvinyl chloride	0
488 ex39285900	#10	Copolymer of acrylic and methacrylic esters, in the form of film of a thickness not exceeding 150 micrometres	0
489 ex39286200	#83	Polyethylene terephthalate film, of a thickness of 72 micrometres or more but not exceeding 78 micrometres, for the manufacture of flexible magnetic disks (floppy disks) (a)	0
491 ex39286200 ex39286300 ex39219010	#87 #50 #20	Polyester film of a thickness not exceeding 70 micrometres, coated on one side with a substance which becomes coloured in the presence of salicylic acid at a temperature not exceeding 100°C	0
495 ex39286900 ex39219010	#40 #15	Iridescent film of polyester and polymethyl methacrylate	0
496 ex39288900	#50	Polycondensation product of terephthalic acid with a mixture of cyclohex-1,4-ylenedimethanol and ethane-1,2-diol, in the form of a film	0
499 ex39289100	#92	Plasticized film of polyvinyl butyrate, containing by weight: - either 14,5% or more but not more than 17,5% of dihexyl adipate - or 14,5% or more but not more than 20,5% of dibutyl sebacate	0

CN code	TARIC	Description	Rate of autonomous duty (%)
500 ex39209200	#10	Film consisting of poly(<i>epsilon</i> -caprolactam) blended with: - either 10% or less by weight of polyethylene - or 10% or less by weight of ethylene-vinyl acetate copolymer	0
502 ex39209919 ex39219050	#10 #20	Polyimide sheet and strip, uncoated, or coated or covered solely with plastic	0
503 ex39209950	#21	Polyvinyl fluoride sheet	0
504 ex39209950 ex39219060	#22 #25	Ion-exchange membranes of fluorinated plastic material, for use in chlor-alkali electrolytic cells (a)	0
505 ex39209950	#23	Biaxially-orientated polyvinyl alcohol film, containing by weight 97% or more of polyvinyl alcohol, uncoated, of a thickness not exceeding 1mm	0
506 ex39209950	#24	Film entirely of polyvinyl alcohol, of a thickness not exceeding 1mm and containing by weight: - 2% or less of unhydrolysed acetate groups evaluated as vinyl acetate and - 5% or more but not more than 25% of glycerol as plasticizer, for the manufacture of roof-windows (a)	0
507 ex39209950	#26	Poly(1-chlorotrifluoroethylene) film	0
508 ex39209950	#27	Film of a mixture of polyvinylidene fluoride with an acrylic polymer, of a thickness of 40 micrometres or more but not exceeding 60 micrometres	0
509 ex39209950	#28	Film and sheet of a copolymer of ethylene with chlorotrifluoroethylene, of a thickness of 12 micrometres or more but not exceeding 400 micrometres	0
510 ex39209950 ex39219060	#32 #22	Sheet of a thickness of 1mm or more but not exceeding 3mm, consisting of a copolymer of ethylene with chlorotrifluoroethylene, whether or not backed with a woven glass-fibre fabric	0
511 ex39209950	#36	Film entirely of polyvinyl alcohol, of a thickness not exceeding 1mm and of a width of 2,28m or more, with an extension at break, in the transverse direction, of 350% or more	0
512 ex39209950	#37	Biaxially-oriented film of polyvinyl alcohol, coated on both sides, of a total thickness of less than 1mm	0
513 ex39209950 ex39219060	#38 #29	Iridescent film of polyester, polyethylene and an ethylene-vinyl acetate copolymer	0
514 ex39219019	#35	Composite plate of polycarbonate and polybutylene terephthalate, reinforced with glass fibres	0
515 ex39219019	#45	Composite plate of polyethylene terephthalate or of polybutylene terephthalate, reinforced with glass fibres	0
516 ex39219060	#28	Translucent laminated sheet consisting of a polyester film coated on one surface with metal and metal oxides, and covered on both sides with a film of polyvinyl butyral	0
517 ex39209091	#20	Reflecting sheeting or tape, consisting of a facing-strip of polyvinyl chloride embossed in a regular pyramidal pattern, heat-sealed in parallel lines or in a grid-pattern to a backing-strip of plastic material, or of knitted or woven fabric covered on one side with plastic material	0
518 ex41041091 ex41042100	#10 #10	Leather of East India kip, whole, whether or not the heads and legs have been removed, each of a net weight exceeding 4,5kg but not exceeding 8kg, not further prepared than vegetable-tanned, whether or not having undergone certain treatments, but obviously unsuitable for immediate use for the manufacture of leather articles	0

CN code	TARIC	Description	Rate of autonomous duty (%)
519 41051191 41051199 41051210 41051290 41051910 41051990		Sheep or lamb skin leather, without wool on, tanned or retanned but not further prepared, whether or not split, other than leather of heading No 4108 or 4109	0
520 41061100 41061200 41061900		Goat or kid skin leather, without hair on, tanned or retanned but not further prepared, whether or not split, other than leather of heading No 4108 or 4109	0
521 41071010 41072010 41079010		Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading No 4108 or 4109	0
522 ex44160000	#10	Used casks and barrels of oak, whether assembled or not; their staves and heads	0
523 45011000		Natural cork, raw or simply prepared	0
524 ex48112100	#10	Impregnated paper coated or covered with a pressure-sensitive self-adhesive layer, the whole: - of a tensile of 2700N/m or more but not exceeding 3700N/m in the machine direction (as determined by the DIN 53112 method), - of a stretch factor of 1,5X or more but not exceeding 3,0X in the machine direction (as determined by the DIN 53112 method) and - of adhesivity on stainless steel (as determined by the DIN 38646 method) of 50N/m or more but not exceeding 225N/m, at a temperature of 23°C (±3°C) and a relative humidity of 50% (±5%)	0
525 ex48239000	#12	Strips of paper glued to one another to form a honeycomb of a height not exceeding 13cm, for agricultural purposes. (a)	0
526 50020000		Raw silk (not thrown)	0
527 ex50040010 ex50040090	#10 #10	Yarn spun entirely from silk, not put up for retail sale	2.5
528 ex50050010 ex50050090	#10 #10	Yarn spun entirely from silk waste (noil), not put up for retail sale	0
529 ex53061011 ex53061031	#10 #10	Unbleached flax yarn (other than tow yarn) measuring 333,3 decitex or more (not exceeding 30 metric number), for the manufacture of multiple or cabled yarn of the footwear industry or for whipping cables (a)	1.8
530 ex54023010	#10	Texturized yarn of polypropylene, impregnated with silicone-based water-repellant	0
531 ex54024110	#10	Polyamide yarn, not textured, untwisted or with a twist not exceeding 22 turns per metre, of crimpable bicomponent filaments consisting of poly(hexamethylene adipamide) with a copolyamide, for the manufacture of: - knee-length stockings of subheadings 61152011 and 61159330, - women's stockings of subheadings 61152010 and 61159391, or - panty hose (tights) of subheading 61151100 (a)	0
532 ex54024130 ex54024190	#10 #10	Yarn of synthetic textile fibres solely of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	0
534 ex54024999 ex54026990	#10 #20	Yarn of polytetrafluoroethylene	0
535 ex54024999	#30	Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of surgical sutures (a)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
536 ex54024999 ex54025999 ex54026999	#50 #20 #40	Non-textured filament yarn of polyvinyl alcohol, for the manufacture of sleeves for printing rollers (a)	0
537 ex54024999 ex54026999	#60 #10	Yarn wholly of polyglycollic acid	0
538 ex54024999	#70	Synthetic filament yarn, single, containing by weight 85% or more of acrylonitrile, in the form of a wick containing 1000 continuous filaments or more but not more than 25000 continuous filaments, of a weight per metre of 0,12g or more but not exceeding 3,75g and of a length of 100m or more, for the manufacture of carbon-fibre yarn (a)	0
539 ex54041000	#10	Monofilament of polytetrafluoroethylene	0
540 ex54041000	#20	Monofilament of poly(1,4-dioxanone)	0
541 ex54041000	#30	Monofilament of a copolymer of 1,3-dioxan-2-one with 1,4-dioxan-2,5-dione, for the manufacture of surgical sutures (a)	0
542 ex54049000	#10	Strip of polytetrafluoroethylene, with an extension at break not exceeding 25%	0
543 ex54077100	#10	Woven fabrics of polyvinyl alcohol fibres, for machine embroidery	0
544 ex54077100 ex59039099	#20 #10	Woven polytetrafluoroethylene-fibre fabric, coated or covered on one side with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side-chains ending in carboxylic-acid or sulphonic-acid groups in the potassium- or sodium-salt form, whether or not coated on the same side with a metallic inorganic compound	0
545 ex55031019	#10	Textile fibres exclusively of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, for uses other than the manufacture of goods of Chapters 60 to 65 or of materials used in the manufacture of such goods (a)	0
546 ex55031019	#30	Textile fibres containing by weight: - 1% or more but not more than 15% of fibres of poly(<i>p</i> -phenylene terephthalamide) and - 85% or more of fibres of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid	5
547 ex55039010 ex55039099	#10 #30	Acetalized, multicomponent spun fibres with a matrix fibril structure, consisting of emulsion-polymerized polyvinyl alcohol and polyvinyl chloride	0
548 ex55039099	#10	Textile fibres of polytetrafluoroethylene	0
549 ex55039099 ex56013000	#20 #10	Polyvinyl alcohol fibres, whether or not acetalized	0
550 ex55039099	#40	Fibres wholly of poly(thio-1,4-phenylene)	0
551 ex55041000	#10	Fibres entirely of modal (180)	0
552 ex56030010 ex56030091 ex56030093	#10 #10 #10	Polyvinyl alcohol nonwovens, in the piece or cut into rectangles: - of a thickness of 200 micrometres or more but not exceeding 280 micrometres and - of a weight of 20g/m ² or more but not exceeding 50g/m ²	0
553 ex56030010 ex56030093 ex56030095 ex56030099	#20 #30 #30 #10	Nonwovens of aromatic polyamide fibres obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, in the piece or cut into rectangles	0

CN code	TARIC	Description	Rate of autonomous duty (%)
554 ex56030093 ex56030095	#10 #10	Nonwovens of polypropylene consisting of a melt-blown central layer, laminated on each side with spun-bonded fibres, of a thickness not exceeding 550 micrometres and of a weight not exceeding 80g/m ² , in the piece or simply cut into rectangular shape, not impregnated	0
555 ex59031000 ex59032000 ex59039099	#10 #10 #20	Knitted or woven fabrics, coated or covered on one side with artificial plastic material in which are embedded microspheres	0
556 ex59070000	#10	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter not exceeding 75 micrometres, of a weight not exceeding 550g/m ²	0
557 ex59111000	#10	Needle-punched synthetic-fibre felts on a woven synthetic-fibre base not containing polyester, coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products (a)	0
558 ex59119090	#10	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
559 63051010		Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 5303	0
560 ex63059000	#10 #91 #93	Sacks and bags, of a kind used for the packing of goods, used, of flax or of sisal	0
561 ex68159990	#10	Microspheres: - of a diameter of less than 100 micrometres, - of a refractive index of 2,1 or more but not exceeding 2,4 and - containing by weight more than 90% of barium and titanium evaluated as barium oxide and titanium dioxide	0
562 ex69032000	#10	Yarn of continuous ceramic filaments, each filament containing by weight: - 12% or more of diboron trioxide, - 26% or less of silicon dioxide and - 60% or more of dialuminium trioxide	0
563 ex69091000	#20	Plate, of dialuminium trioxide and titanium carbide, of dimensions not exceeding 48x48mm, or of a diameter not exceeding 125mm, for the manufacture of magnetic heads (a)	0
564 ex69091900	#30	Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces, of an overall volume not exceeding 65000ml, having, per 100mm ² of the cross-section, not less than one continuous channel which may be open at both ends or stopped at one end	0
565 ex70060090		Glass plate, coated on one side with chromium and/or with a mixture of diindium trioxide and tin dioxide, of dimensions of 320x352mm or more but not exceeding 320x400mm, and of a thickness of 1,1mm (±0,1mm), with a flatness deviation not exceeding 25 micrometres, for the manufacture of liquid crystal displays with active matrix (a)	0
566 ex70060090		Glass plate, uncoated, of dimensions of 320x352mm or more but not exceeding 320x400mm, and of a thickness of 1,1mm (±0,1mm), with a flatness deviation not exceeding 25 micrometres, for the manufacture of liquid crystal displays with active matrix (a)	0
570 ex70112000	#10	Glass envelopes for monochrome cathode-ray tubes: - of a diagonal screen-measurement of 3,8cm or more but not exceeding 51cm and - of a nominal neck-diameter of 13mm, 20mm, 29mm or 37mm	0
571 ex70191059	#10	Yarn of 33 tex or a multiple thereof, ±7,5%, obtained from continuous spun-glass filaments of a nominal diameter of 3,5 micrometres or of 4,5 micrometres, in which filaments of a diameter of 3 micrometres or more but not exceeding 5,2 micrometres predominate, other than those treated so as to improve their adhesion to elastomers	0

CN code	TARIC	Description	Rate of autonomous duty (%)
572 ex70191059	#30	Varn of 22 tex $\pm 7,5\%$, obtained from continuous spun-glass filaments of a nominal diameter of 5 micrometres, in which filaments of a diameter of 4,2 micrometres or more but not exceeding 5,8 micrometres predominate	0
573 ex70191059	#40	Varn of 33, 34 or 51 tex or a multiple thereof, $\pm 7,5\%$, obtained from continuous spun-glass filaments of a nominal diameter of 6 micrometres, in which filaments of a diameter of 5,1 micrometres or more but not exceeding 6,9 micrometres predominate	0
577 ex72051000		Magnetisable iron alloy, in the form of granules, containing by weight: - 88% or more but not more than 91% of iron and - 4% or less of cobalt	0
578 ex74102100	#10	Sheet or plate of polytetrafluoroethylene, with aluminium oxide or titanium dioxide as a filler or reinforced with glass-fibre fabric, laminated on both sides with copper foil, or sheet of polyimide, laminated on one side or on both sides with copper foil	0
580 76020019		Waste of aluminium, other (including factory rejects)	0
581 ex79050000	#10	Plate of an alloy of zinc, ground and polished on one surface and coated with an epoxide resin on the other surface, of rectangular or square shape, of a length of 300mm or more but not exceeding 2000mm and of a width of 300mm or more but not exceeding 1000mm, and containing: - 10mg/kg or less of iron, - 10mg/kg or less of lead, - 700mg/kg or more but not more than 900mg/kg of aluminium and - 500mg/kg or more but not more than 900mg/kg of magnesium, for the manufacture of sensitised printing plates (a)	0
583 ex81030010	#10	Wire of unalloyed tantalum, of a diameter of 0,2mm or more but not exceeding 0,5mm, for the manufacture of capacitors (a)	0
584 ex81030000	#10	Tube solely of tantalum, or solely of an alloy of tantalum with tungsten containing by weight 2,5% or less of tungsten	0
585 ex81040010	#10	Ground and polished magnesium sheets, of dimensions not exceeding 1500x2000mm, coated on one side with an epoxy resin insensitive to light	0
586 ex81081010	#10	Titanium sponge	0
587 81081000		Waste and scrap titanium	0
589 ex81110011	#10	Electrolytic manganese of a purity by weight of 99,7% or more, for the chemical industry (a)	0
590 ex81120030	#10	Alloy of niobium (columbium) and titanium, in the form of bars and rods	0
591 ex84190000	#10	Immersion-tube (coils) bundles, consisting of an assembly of plastic tubes terminating at each end in a honeycomb-structure (end-fitting) surrounded by a pipe-connector	0
592 ex84210000	#01	Parts of equipment, for the purification of water by reverse osmosis, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, whether or not housed in a cylinder	0
593 ex84210000 ex59110000	#02 #30	Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness not exceeding 4mm, whether or not housed in a cylinder of a wall-thickness of 5mm or more	0

CN code	TARIC	Description	Rate of autonomous duty (%)
594 ex84219980	#93	Components of separators for the separation or purification of gases from gas mixtures, consisting of a bundle of permeable hollow fibres enclosed within a container, whether or not perforated, of an overall length of 300mm or more but not exceeding 3700mm and a diameter not exceeding 500mm	0
595 ex84399910 ex84399980	#10 #10	Suction-roll shells, not drilled, in the form of alloy-steel tubes, of a length of 5207mm or more and an external diameter of 754mm or more, for use in machinery for making paper or paperboard (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

FINANCIAL RECORD

1. Budget line concerned : Chap. 12 Art. 120
2. Title of the tariff measure concerned : Proposal for a Council Regulation, temporarily suspending the autonomous Common Customs Tariff duty on a number of industrial products (in the chemical and allied sectors)
3. Legal basis : Art. 28 of the Treaty
4. Objective : suspension of CCT duties on the abovementioned products
5. Cost of this tariff-measure : to be borne by the EEC-budget :
 - for the same exercise in 1992, the loss of own resources was expected to be of the order of 360 000 000 ecus.
 - for the current exercise, based on the Community statistics available, a reasonable estimate for the cost of the operation for the period covered by the attached proposal for a Regulation would be of the order of 380 000 000 ecus

ISSN 0254-1475

COM(93) 189 final

DOCUMENTS

EN

02

Catalogue number : CB-CO-93-217-EN-C

ISBN 92-77-55610-2
