

COMMISSION OF THE EUROPEAN COMMUNITIES

COM(93) 625 final

Brussels, 1 December 1993

Proposal for a

COUNCIL REGULATION (EC)

*concerning the arrangements applicable to imports into the
Community of products originating in the Republics of
Bosnia-Herzegovina, Croatia and Slovenia and
the former Yugoslav Republic of Macedonia*

*Draft Decision of the Representatives of the Governments
of the Member States meeting within the Council of 1993
concerning the arrangements applicable to imports into the
Community of products covered by the ECSC Treaty
originating in the Republics of Bosnia-Herzegovina,
Croatia and Slovenia and the former Yugoslav Republic of Macedonia*

(presented by the Commission)

EXPLANATORY MEMORANDUM

On 21 December 1992 the Council adopted Regulation (EEC) No 3953/92 concerning the arrangements applicable to the import of products originating in the Republics of Bosnia-Herzegovina, Croatia, Slovenia and the territory of the former Yugoslav Republic of Macedonia.⁽¹⁾

The Regulation maintained preferential trade arrangements in favour of the Republics equivalent to those contained in the EEC-Yugoslavia Cooperation Agreement, denounced by the Community.

Decision 92/607/ECSC of the Representatives of the Governments of the Member States meeting within the Council made similar provisions for products covered by the ECSC Treaty⁽¹⁾.

Since the adoption of the Regulation and Decision, the situation in the former Yugoslav Republics, and particularly in those concerned here, has been in a constant state of flux. While the situation was returning to normal in Slovenia on the domestic front and in its international relations, both the war and the efforts to find a political solution continued in Croatia and Bosnia-Herzegovina. In the meantime, the former Yugoslav Republic of Macedonia, like the other former Yugoslav Republics, was suffering from the effects of a far-reaching economic crisis.

With the conclusion of a cooperation agreement, which entered into force on 1 September 1993, the Community established contractual relations with Slovenia and put the preferential arrangements applying to that country on a contractual basis.

However, insofar as Article 16 of the EEC-Slovenia Agreement and Article 3 of the ECSC-Slovenia Agreement make reference to the autonomous measures drawn up by the Community for the implementation of these preferential arrangements, the provisions of the abovementioned Regulation and Decision need to be retained for 1994. As regards textile products, the agreement initialled on 23 July 1993 has set up tariff ceilings specific to Slovenia. Once the agreement has been concluded by the Council, administration of the ceilings will be dealt with under a special regulation.

The existing trade arrangements in favour of Bosnia-Herzegovina, Croatia and the former Yugoslav Republic of Macedonia should be maintained provided that such measures do not conflict with application of the international sanctions relating to the occupied areas of Croatia and Bosnia-Herzegovina. The tariff ceilings on textiles should

(1) OJ No L 406, 31.12.1992

also be adapted to take account of the new situation resulting from the setting up of ceilings specific to Slovenia.⁽¹⁾

Depending on developments in the political or constitutional situation in these countries or the lifting of the embargo on Serbia and Montenegro, these arrangements could be subject to reconsideration or amendment. Application of the arrangements to Bosnia-Herzegovina, in particular, should be re-examined in the case of a political settlement.

The import arrangements for Bosnia-Herzegovina, Croatia, Slovenia and the former Yugoslav Republic of Macedonia should therefore be maintained in 1994. The only amendments required are either in the drafting or concern adaptation of the tariff ceilings included in the annexes to the EEC Regulation and the ECSC Decision.

Accordingly, the Commission is putting before the Council:

- a proposal for a Council Regulation (EEC) concerning the arrangements applicable to the import into the Community of products originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and the former Yugoslav Republic of Macedonia;
- a draft Decision of the Representatives of the Governments of the Member States, meeting within the Council, concerning the arrangements applicable to the import into the Community of products covered by the ECSC Treaty and originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and the former Yugoslav Republic of Macedonia.

(1) The ceilings applicable to Bosnia-Herzegovina, Croatia and Macedonia will be reduced by 25% compared to the 1993 ceilings.

proposal for a
COUNCIL REGULATION (EC) No/93 of 1993
concerning the arrangements applicable to imports into the
Community of products originating in the Republics of
Bosnia-Herzegovina, Croatia and Slovenia and
the former Yugoslav Republic of Macedonia

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas Council Regulation (EEC) No 3953/92⁽¹⁾ established the arrangements applicable to imports into the Community of products originating in the Republics of Bosnia-Herzegovina, Croatia, Slovenia and the territory of the former Yugoslav Republic of Macedonia;

Whereas these measures should be maintained for 1994, subject to a number of drafting amendments and adaptation of the annexes,

HAS ADOPTED THIS REGULATION:

Article 1

Subject to the special provisions laid down in Articles 2 to 8, products other than those listed in Annex II to the Treaty establishing the European Economic Community and in Annex A to this Regulation, originating in the Republics of Bosnia-Herzegovina, Croatia and Slovenia and the former Yugoslav Republic of Macedonia, shall be admitted for import into the Community without quantitative restrictions or measures having equivalent effect and exempt from customs duties and charges having equivalent effect.

This Article shall be without prejudice to the provisions contained in Article 3 of Council Regulation (EEC) No 990/93 of 26 April 1993, concerning trade between the European Economic Community and the Federal Republic of Yugoslavia (Serbia and Montenegro).

(1) OJ No L 406, 31.12.1992, p. 1.

Article 2

The import duties, namely the customs duties and levies (variable components) applicable on import into the Community of the products listed in Annex B shall be those indicated for each product in the said Annex.

Article 3

1. The import of products listed in Annexes C I, C II, C III, and C IV shall be subject, from 1 January to 31 December, to annual ceilings, indicated for each product, above which the customs duties actually applied in respect of third countries may be reintroduced in accordance with the provisions of paragraph 2.

2. As soon as a ceiling set for the import of a product has been reached, the Commission may reintroduce, by means of a regulation, the levying of the customs duties referred to in paragraph 1 until the end of the calendar year.

Article 4

1. In respect of products listed in Annex D originating in the Republics referred to in this Regulation, customs duties on imports into the Community shall be reduced to the levels indicated in the said Annex for each product.

2. In the case of products for which annual Community tariff quotas are indicated in Annex D, these reduced levels shall be granted within the limits of the quotas.

For quantities imported in excess of the quota, the Community shall apply the customs duties actually applied in respect of third countries.

3. For the purposes of reduction of the customs duties in respect of certain products listed in Annex D originating in the Republics referred to in this Regulation, an annual reference quantity is set out in the said Annex.

4. For tobacco of the 'Prilep' type falling within CN codes ex 2401 10 60 and ex 2401 20 60 originating in and coming from the Republics concerned, paragraphs 1 and 2 shall apply within the limits of an annual Community tariff quota of 1 500 tonnes.

5. For plum spirit marketed under the name of 'Sljivovica' falling within CN code ex 2208 90 33, paragraphs 1 and 2 shall apply within the limits of an annual tariff quota of 5 420 hl.

6. For sweet cherries, clear fleshed, preserved in alcohol and intended for the manufacture of chocolate products, falling within CN code ex 2008 60 39, originating in the Republics concerned, paragraphs 1 and 2 shall apply within the limits of an annual tariff quota of 3 000 tonnes.

Article 5

1. For sour cherries falling within CN codes 0809 20 20, 0809 20 60, ex 0811 90 10, ex 0811 90 30, 0811 90 75, 0812 10 00, 2008 60 51, 2008 60 61, 2008 60 71 or 2008 60 91 originating in the Republics concerned, the customs duties payable shall be those referred to in Annex D.

2. Paragraph 1 shall apply within the limits of ceilings of 3 000 tonnes for sour cherries falling within CN codes 0809 20 20 and 0809 20 60 and 19 900 tonnes for sour cherries falling within the other CN codes referred to therein. Where these ceilings are exceeded, the issuing of the import certificates provided for in respect of the products concerned may be suspended.

Paragraph 1 shall apply to sour cherries falling within CN codes ex 0811 90 10, ex 0811 90 30, 0811 90 75, 2008 60 51, 2008 60 61, 2008 60 71 or 2008 60 91 on condition that the minimum import price set by the Community is applied. Where the minimum price is not applied, a countervailing charge shall be payable.

Article 6

1. For wines of fresh grapes falling within CN codes ex 2204 21 or ex 2204 29 originating in the Republics concerned, import duties shall be reduced to the levels set out in Annex D. This provision shall apply within the limit of an annual Community tariff quota of 545 000 hl. For quantities imported in excess of the quota, the Community shall apply the duty laid down in the common customs tariff.

2. Paragraph 1 shall apply on condition that the price on import into the Community of the wines originating in the Republics concerned, plus the customs duties actually collected, is at all times at least equal to the Community reference prices.

Article 7

The following provisions shall apply to 'baby-beef' products defined in Annex E:

1. Within the limits of an initial annual Community quota of 25 000 tonnes, the amount of levy collected on imports into the Community shall be equivalent to 20% of the basic levy. This provision shall apply on condition that the free-at-frontier offer price, plus customs duty and the reduced levy, is equal to or higher than the Community intervention price for the category AU 3 plus 5%.

2. Within the limits of a second annual Community quota of 25 400 tonnes, to be used after the quota referred to in paragraph 1 is used up, the amount of levy collected on imports into the Community shall be equivalent to 50% of the basic levy. This provision shall apply on condition that the free-at-frontier offer price, plus customs duty and the reduced levy, is equal to or higher than the price resulting from application of the standard levy.

3. To help stabilize the Community's internal market, the Commission shall ensure that each Republic concerned maintains an appropriate delivery rate and shall adopt any measures required to ensure the orderly growth of its exports to the Community, in particular through effective controls on each consignment by means of a certificate stating that the goods originate in and come from the Republic concerned and correspond exactly to the definition in Annex E. The text of this certificate shall be drawn up by the Community.

4. Where the Community market price is less than 98% of the guide price, paragraphs 1 and 2 shall apply within the limit of a volume of 4 200 tonnes per month. Where, during a certain month, this volume has not been entirely used up, the remaining quantity may be carried over only to the following month.

5. The Commission shall ensure that each Republic concerned transmits any relevant information concerning export prices together with the quantities and presentation of the products exported (livestock, carcasses or quarters) to the Community authorities.

Article 8

The Kingdom of Spain and the Portuguese Republic shall apply, *mutatis mutandis*, customs duties calculated in accordance with Regulation (EEC) No 4150/87.⁽¹⁾

Article 9

The ceilings, reference quantities and quotas provided for in this Regulation shall apply as a whole to all the Republics to which this Regulation refers, except for the ceilings in Annex C II, which apply solely to the Republics of Bosnia-Herzegovina, Croatia and the former Yugoslav Republic of Macedonia.

(1) OJ No L 389, 31.12.1987, p. 1.

Article 10

The detailed rules for implementing the agricultural provisions referred to in this Regulation shall be determined by the Commission.

The rules of origin shall be adopted in accordance with the procedure laid down in Article 14 of Council Regulation (EEC) No 802/68 of 27 June 1968 on the common definition of the concept of the origin of goods.⁽¹⁾

Article 11

This Regulation shall enter into force on the day following its publication in the Official Journal of the European Communities.

It shall be applicable from 1 January to 31 December 1994.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

For the Council
The President

(1) OJ No L 148, 28.6.1968, p. 4. Regulation as last amended by Regulation (EEC) No 546/91 (OJ No L 54, 28.2.1991, p. 4).

ANNEX A

concerning the products referred to in Article 1

CN code	Description
0503 00 00	Horsehair and horsehair waste, whether or not put up as a layer with or without supporting material
0507	Ivory, tortoise-shell, whalebone and whalebone hair, horns, antlers, hooves, nails, claws and beaks, unworked or simply prepared but not cut to shape; powder and waste of these products:
0507 10 00	– Ivory; ivory powder and waste
0509 00	Natural sponges of animal origin
1302	Vegetable saps and extracts; pectic substances, pectinates and pectates; agar-agar and other mucilages and thickeners, whether or not modified, derived from vegetable products:
	– Vegetable saps and extracts:
1302 13 00	– – Of hops
1302 20	– Pectic substances, pectinates and pectates:
ex 1302 20 10	– – Dry:
	– – Pectic substances and pectinates
ex 1302 20 90	– – Other:
	– – Pectic substances and pectinates
	– Mucilages and thickeners, whether or not modified, derived from vegetables:
1302 31 00	– – Agar-agar
1302 32	– – Mucilages and thickeners, whether or not modified, derived from locust beans, locust bean seeds or guar seeds:
1302 32 10	– – – Of locust beans or locust bean seeds
1302 32 90	– – – Of guar seeds
1302 39 00	– – Other
1401	Vegetable materials of a kind used primarily for plaiting (for example, bamboos, rattans, reeds, rushes, osier, raffia, cleaned, bleached or dyed cereal straw, and lime bark):
ex 1401 10 00	– Bamboos:
	– Other than unworked or not further worked than split
1401 20 00	– Rattans:
	– Other than unworked or not further worked than split
ex 1401 90 00	– Other:
	– Reeds and the like, rushes and the like, unworked or not further worked than split
1402	Vegetable materials of a kind used primarily as stuffing or as padding (for example, kapok, vegetable hair and eel-grass) whether or not put up as a layer with or without supporting material:
ex 1402 10 00	– Kapok:
	– Put up on a layer or between two layers of other material
	– Other than unworked
	– Other:
ex 1402 91 00	– – Vegetable hair:
	– Put up on a layer or between two layers of other material
	– Other than unworked

CN code	Description
1404 ex 1404 90 00	Vegetable products not elsewhere specified or included: – Other: – Other than raw vegetable materials of a kind used for dyeing or tanning, hard seeds, pips, hulls and nuts, of a kind used for carving (for example, corozo and dom): – Put up on a layer or between two layers of other material
1505	Wool grease and fatty substances derived therefrom (including lanolin)
1515	Other fixed vegetable fats and oil (including jojoba oil) and their fractions, whether or not refined, but not chemically modified:
1515 60	– Jojoba oil and its fractions:
1515 60 90	– – Other:
1518	Animal or vegetable fats and oils and their fractions, boiled, oxidized, dehydrated, sulphurized, blown, polymerized by heat in vacuum or in inert gas or otherwise chemically modified, excluding those of heading No 1516; inedible mixtures or preparations of animal or vegetable fats or oils or of fractions of different fats or oils of this Chapter, not elsewhere specified or included:
1518 00 91	– Animal or vegetable fats and oils and their fractions boiled, oxidized, dehydrated, sulphurized, blown, polymerized by heat in vacuum or in inert gas or otherwise chemically modified, excluding those of heading No 1516 – Other:
1518 00 95	– – Inedible mixtures or preparations of animal or of animal and vegetable fats and oils and their fractions
1518 00 99	– – Other
1520	Glycerol (glycerine), whether or not pure; glycerol waters and glycerol lyes
1521	Vegetable waxes (other than triglycerides), beeswax, other insect waxes and spermaceti, whether or not refined or coloured:
1521 10	– Vegetable waxes:
1521 10 90	– – Other
1521 90	– Other:
1521 90 10	– – Spermaceti, whether or not refined or coloured
1521 90 91 and 99	– – Beeswax and other insect waxes, whether or not refined or coloured
1702	Other sugars, including chemically pure lactose, maltose, glucose and fructose, in solid form; sugar syrups not containing added flavouring or colouring matter; artificial honey, whether or not mixed with natural honey; caramel:
1702 10	– Lactose and lactose syrup:
1702 10 10	– – Containing in the dry state, 99 % or more by weight of the pure product
1702 30	– Glucose and glucose syrup, not containing fructose or containing in the dry state less than 20 % by weight of fructose: – – Other:
1702 30 51 and 59	– – – Containing in the dry state 99 % or more by weight of glucose
1803	Cocoa paste, whether or not defatted
1804	Cocoa butter, fat and oil
1805	Cocoa powder, not containing added sugar or other sweetening matter
1901	Malt extract; food preparations of flour, meal, starch or malt extract, not containing cocoa powder or containing cocoa powder in a proportion by weight of less than 50 %, not elsewhere specified or included; food preparations of goods of heading Nos 0401 to 0404, not containing cocoa powder or containing cocoa powder in proportion by weight of less than 10 %, not elsewhere specified or included:

CN code	Description
ex 1901 10	– Preparations for infant use, put up for retail sale:
	– Excluding those containing cocoa and prepared milk in powder form:
1901 20 00	– Mixes and doughs for the preparation of bakers' wares of heading No 1905
1901 90	– Other:
	– – Malt extract:
1901 90 11	– – – With a dry extract content of 90 % or more by weight
1901 90 19	– – – Other
ex 1901 90 90	– – Other:
	– Excluding those containing cocoa and prepared milk in powder form for dietetic or culinary purposes
1902	Pasta, whether or not cooked or stuffed (with meat or other substances) or otherwise prepared, such as spaghetti, macaroni, noodles, lasagne, gnocchi, ravioli, cannelloni; couscous, whether or not prepared:
	– Uncooked pasta, not stuffed or otherwise prepared:
1902 11	– – Containing eggs
1902 19	– – Other
1902 40	– Couscous:
1902 40 10	– – Unprepared
1903	Tapioca and substitutes therefor prepared from starch, in the form of flakes, grains, pearls, siftings or similar forms
1905	Bread, pastry, cakes, biscuits and other bakers' wares, whether or not containing cocoa; communion wafers, empty cachets of a kind suitable for pharmaceutical use, sealing wafers, rice paper and similar products
2008	Fruit, nuts and other edible parts of plants, otherwise prepared or preserved, whether or not containing added sugar or other sweetening matter or spirit, not elsewhere specified or included:
	– Nuts, ground-nuts and other seeds, whether or not mixed together:
2008 11	– – Ground-nuts:
2008 11 10	– – – Peanut butter
2008 99	– – Other:
ex 2008 99 99	– – – – Other:
	– Vine leaves, hop shoots and similar edible parts of plants
2101	Extracts, essences and concentrates, of coffee, tea or maté, and preparations with a basis of these products or with a basis of coffee, tea or maté; roasted chicory and other roasted coffee substitutes and extracts, essences and concentrates or with a basis of coffee:
2101 10	– Extracts, essences and concentrates, of coffee, and preparations with a basis of these extracts, essences or concentrates or with a basis of coffee:
2101 10 11 and 19	– – Extracts, essences or concentrates
	– – Preparations:
2101 10 91	– – – Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
2101 20	– Extracts, essences and concentrates of tea or maté, and preparations with a basis of these extracts, essences or concentrates or with a basis of tea or maté:

CN code	Description
2101 20 10	– – Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
2101 30	– Roasted chicory and other roasted coffee substitutes, and extracts, essences and concentrates thereof
2102	Yeast (active or inactive); other single-cell micro-organisms, dead (but not including vaccines of heading No 3002); prepared baking powders:
2102 20	– Inactive yeasts; other single-cell micro-organisms, dead:
2102 20 11 and 19	– – Inactive yeasts
2102 30	– Prepared baking powders
2103	Sauces and preparations therefor; mixed condiments and mixed seasonings; mustard flour and meal and prepared mustard
2104	Soups and broths and preparations therefor; homogenized composite food preparations
2106	Food preparations not elsewhere specified or included:
2106 10	– Protein concentrates and textured protein substances:
2106 10 10	– – Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch
2106 90	– Other:
2106 90 30 to 59	– – Flavoured or coloured sugar syrups:
ex 2106 90 91	– – – Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch – Excluding hydrolysates of proteins and autolysates of yeast
2202	Waters, including mineral waters and aerated waters, containing added sugar or other sweetening matter or flavoured, and other non-alcoholic beverages, not including fruit or vegetable juices of heading No 2009
2203	Beer made from malt
2205	Vermouth and other wine of fresh grapes flavoured with plants or aromatic substances
2207	Undenatured ethyl alcohol of an alcoholic strength by volume of less than 80 % vol or higher; ethyl alcohol and other spirits, denatured, of any strength
2208	Undenatured ethyl alcohol of an alcoholic strength by volume of less than 80 % vol; spirits; liqueurs and other spirituous beverages; compound alcoholic preparations of a kind used for the manufacture of beverages
2209	Vinegar and substitutes for vinegar obtained from acetic acid
2402	Cigars, cheroots, cigarillos and cigarettes, of tobacco or of tobacco substitutes
2403	Other manufactured tobacco and manufactured tobacco substitutes; 'homogenized' or 'reconstituted' tobacco; tobacco extracts and essences
2905	Acyclic alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives:
	– Other polyhydric alcohols:
2905 43	– – Mannitol
2905 44	– – D-Glucitol (sorbitol)

CN code	Description
3501	Casein, caseinates and other casein derivatives; casein glues:
3501 10	– Casein
3501 90	– Other:
3501 90 90	– – Other
3502	Albumins, albuminates and other albumin derivatives:
3502 10	– Egg albumin:
3502 10 91 and 99	– – Other
3502 90	– Other:
	– – Albumins, other than egg albumin:
	– – – Other:
3502 90 51 and 59	– – – – Milk albumin (lactalbumin)
3505	Dextrins and other modified starches (for example, pregelatinized or esterified starches); glues based on starches, or on dextrins or other modified starches:
3505 10	– Dextrins and other modified starches:
3505 10 10	– – Dextrins
	– – Other modified starches:
3505 10 90	– – – Other
3505 20	– Glues
3809	Finishing agents, dye carriers to accelerate the dyeing or fixing of dyestuffs and other products and preparations (for example, dressings and mordants), of a kind used in the textile, paper, leather or like industries, not elsewhere specified or included:
3809 10	– With a basis of amylaceous substances
3823	Prepared binders for foundry moulds or cores; chemical products and preparations of the chemical or allied industries (including those consisting of mixtures of natural products), not elsewhere specified or included; residual products of the chemical or allied industries, not elsewhere specified or included:
3823 60	– Sorbitol, other than that of subheading 2905 44

ANNEX B

concerning the tariff arrangements and rules applicable to certain goods resulting from the processing of agricultural products referred to in Article 2

CN code	Description	Rates of duty (%)
0403	Buttermilk; curdled milk and cream, yoghurt, kephir and other fermented or acidified milk and cream, whether or not concentrated or containing added sugar or other sweetening matter or flavoured or containing added fruit or cocoa:	
0403 10	– Yoghurt:	
0403 10 51 to 99	– – Flavoured or containing added fruit or cocoa	MOB
0403 90	– Other:	
0403 90 71 to 99	– – Flavoured or containing added fruit or cocoa	MOB
0710	Vegetables (uncooked or cooked by steaming or boiling in water), frozen:	
0710 40	– Sweet corn	MOB
0711	Vegetables, provisionally preserved (for example by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption:	
0711 90	– Other vegetables; mixtures of vegetables:	
	– – Vegetables:	
0711 90 30	– – – Sweet corn	MOB
1517	Margarine; edible mixtures or preparations of animal or vegetable fats or oils or of fractions of different fats or oils of this Chapter, other than edible fats or oils or their fractions of heading No 1516:	
1517 10	– Margarine, excluding liquid margarine:	
1517 10 10	– – Containing more than 10 % but not more than 15 % by weight of milkfats	MOB
1517 90	– Other:	
1517 90 10	– – Containing more than 10 % but not more than 15 % by weight of milkfats	MOB
1519	Industrial monocarboxylic fatty acids; acid oils from refining; industrial fatty acids:	
	– Industrial monocarboxylic fatty acids:	
1519 11	– – Stearic acid	2 %
1519 12	– – Oleic acid	5 %
1519 20	– Industrial fatty alcohols	6 %
1704	Sugar confectionery (including white chocolate), not containing cocoa:	
1704 10	– Chewing-gum, whether or not sugar coated	MOB max 23 %
1704 90	– Other:	
1704 90 10	– – Liquorice extract containing more than 10 % by weight of sucrose but not containing other added substances	9 %
1704 90 30	– – White chocolate	MOB max 27 % – AD S/Z
1704 90 51 to 99	– – Other	MOB max 27 % – AD S/Z

CN code	Description	Rates of duty (%)
1806	Chocolate and other food preparations containing cocoa:	
1806 10	– Cocoa powder, containing added sugar or other sweetening matter	MOB
1806 20	– Other preparations in blocks or slabs weighing more than 2 kg or in liquid, paste, powder, granular or other bulk form in containers or immediate packings, of a content exceeding 2 kg:	
1806 20 10	– – Containing 31 % or more by weight of cocoa butter or containing a combined weight of 31 % or more of cocoa butter and milk fat	MOB max 27 % + AD S/Z
1806 20 30	– – Containing a combined weight of 25 % or more, but less than 31 % of cocoa butter and milk fat	MOB max 27 % + AD S/Z
	– – Other:	
1806 20 50	– – – Containing 18 % or more by weight of cocoa butter	MOB max 27 % + AD S/Z
1806 20 70	– – – Chocolate milk crumb	6% + MOB
1806 20 80	– – – Chocolate flavour coating	
1806 20 95	– – – Other	MOB max 27 % + AD S/Z
	– Other in blocks, slabs or bars:	
1806 31	– – Filled	MOB max 27 % + AD S/Z
1806 32	– – Not filled	MOB max 27 % + AD S/Z
1806 90	– Other:	
1806 90 11 to 39	– – Chocolate and chocolate products	MOB max 27 % + AD S/Z
1806 90 50	– – Sugar confectionery and substitutes therefor made from sugar substitution products, containing cocoa	MOB max 27 % + AD S/Z
1806 90 60	– – Spreads containing cocoa:	
	– in immediate packings of a net capacity of 1 kg or less	MOB max 27 % + AD S/Z
	– Other	6% + MOB max 27 % + AD S/Z
1806 90 70	– – Preparations containing cocoa for making beverages:	
	– in immediate packings of a net capacity of 1 kg or less	MOB max 27 % + AD S/Z
	– Other	6% + MOB max 27 % + AD S/Z
1806 90 90	– – Other:	
	– in immediate packings of a net capacity of 1 kg or less	MOB max 27 % + AD S/Z
	– Other	6% + MOB max 27 % + AD S/Z

CN code	Description	Rates of duty (%)
1901	Malt extract; food preparations of flour, meal, starch or malt extract, not containing cocoa powder or containing cocoa powder in a proportion by weight of less than 50 %, not elsewhere specified or included; food preparations of goods of headings Nos 0401 to 0404, not containing cocoa powder or containing cocoa powder in a proportion by weight of less than 10 %, not elsewhere specified or included:	
ex 1901 10	– Preparations for infant use, put up for retail sale:	
	– containing cocoa	MOB
	– prepared milk, in powder form	MOB
1901 90	– Other:	
ex 1901 90 90	– – Other:	
	– containing cocoa	MOB
	– prepared milk, in powder form, for dietetic or culinary purposes	MOB
1902	Pasta, whether or not cooked or stuffed (with meat or other substances) or otherwise prepared, such as spaghetti, macaroni, noodles, lasagne, gnocchi, ravioli, cannelloni; couscous, whether or not prepared:	
1902 20	– Stuffed pasta, whether or not cooked or otherwise prepared:	
1902 20 91 to 99	– – Other	MOB
1902 30	– Other pasta	MOB
1902 40	– Couscous:	
1902 40 90	– – Other	MOB
1904	Prepared foods obtained by the swelling or roasting of cereals or cereal products (for example, corn flakes); cereals, other than maize (corn), in grain form, pre-cooked or otherwise prepared	MOB
2001	Vegetables, fruit, nuts and other edible parts of plants, prepared or preserved by vinegar or acetic acid:	
2001 90	– Other	
2001 90 30	– – Sweet corn (<i>Zea mays</i> var. <i>saccharata</i>)	MOB
2001 90 40	– – Yams, sweet potatoes and similar edible parts of plants containing 5 % or more by weight of starch	MOB
2004	Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, frozen:	
2004 10	– Potatoes	
	– – Other	
2004 10 91	– – – In the form of flour, meal or flakes	MOB
2004 90	– Other vegetables and mixtures of vegetables:	
2004 90 10	– – Sweet corn (<i>Zea mays</i> var. <i>saccharata</i>)	MOB
2005	Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, not frozen:	
2005 20	– Potatoes	
2005 20 10	– – In the form of flour, meal or flakes	MOB
2005 80 00	– Sweet corn (<i>Zea mays</i> var. <i>saccharata</i>)	MOB
2008	Fruit, nuts and other edible parts of plants, otherwise prepared or preserved, whether or not containing added sugar or other sweetening matter of spirit, not elsewhere specified or included:	
	– Other, including mixtures other than those of subheading No 2008 19:	
2008 91 00	– – Palm hearts	9 %
2008 92	– – Mixtures:	
	– – – Not containing added spirit:	
2008 92 45	– – – – Preparation of the Müsli type based on unroasted cereal flakes	
2008 99	– – Other:	
	– – – Not containing added spirit:	
	– – – – Not containing added sugar:	
2008 99 85	– – – – – Maize (corn), other than sweet corn (<i>Zea mays</i> var. <i>saccharata</i>)	MOB
2008 99 91	– – – – – Yams, sweet potatoes and similar edible parts of plants containing 5 % or more by weight of starch	MOB

CN code	Description	Rates of duty (%)
2101	Extracts, essences and concentrates, of coffee, tea or maté and preparations with a basis of these products or with a basis of coffee, tea or maté; roasted chicory and other roasted coffee substitutes and extracts, essences or concentrates thereof:	
2101 10	– Extracts, essences and concentrates, of coffee, and preparations with a basis of these extracts, essences or concentrates or with a basis of coffee:	
	– – Preparations:	
2101 10 99	– – – Other	MOB
2101 20	– Extracts, essences and concentrates of tea or maté, and preparations with a basis of these extracts, essences or concentrates or with a basis of tea or maté:	
2101 20 90	– – Other	MOB
2102	Yeasts (active or inactive); other single-cell micro-organisms, dead (but not including vaccines of heading No 3002); prepared baking powders:	
2102 10	– Active yeasts:	
2102 10 10	– – Culture yeasts	8 %
2102 10 31 to 39	– – Bakers' yeast	MOB
2102 10 90	– – Other	10 %
2105	Ice cream and other edible ice, whether or not containing cocoa	MOB max 27 % + AD S/Z
2106	Food preparations not elsewhere specified or included:	
2106 10	– Protein concentrates and textured protein substances:	
2106 10 90	– – Other	MOB
2106 90	– Other:	
2106 90 10	– – Cheese fondues	MOB max ECU 25 100 kg/net
	– – Other:	
ex 2106 90 91	– – – Containing no milkfats, milk proteins, sucrose, isoglucose, glucose or starch or containing less than 1,5 % milkfat, 2,5 % milk proteins, 5 % sucrose or isoglucose, 5 % glucose or starch:	
	– – – Hydrolysates of proteins; autolysates of yeast	6 %
2106 90 99	– – – Other:	
	– – – Containing 26 % or more by weight of milkfats:	
	– – – In immediate packings of a net capacity of 1 kg or less	MOB
	– – – Other	6 % + MOB
	– – – Other	MOB

ANNEX C I (a) (b)

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0010	3102 ⁽¹⁾ 3102 10 10	Mineral or chemical fertilizers, nitrogenous: – – Urea containing more than 45 % by weight of nitrogen on the dry anhydrous product	4736
01.0020	3102 10 90 3102 21 00 3102 29 3102 29 10 3102 29 90 3102 30 3102 30 10 3102 30 90 3102 40 3102 40 10 3102 40 90 3102 50 3102 50 90 3102 60 00 3102 70 00 3102 80 00 3102 90 00	– – Other – – – Other – Ammonium sulphate; double salts and mixtures of ammonium sulphate and ammonium nitrate: – – Ammonium sulphate – – Other: – – – Ammonium sulphate-nitrate – – – Other – Ammonium nitrate, whether or not in aqueous solution: – – In aqueous solution – – Other – Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilizing substances: – – With a nitrogen content not exceeding 28 % by weight – – With a nitrogen content exceeding 28 % by weight – Sodium nitrate: – – Other fertilizers – Double salts and mixtures of calcium nitrate and ammonium nitrate – Calcium cyanamide – Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution – Other, including mixtures not specified in the foregoing subheadings	41591
01.0030	3105 ⁽¹⁾	Mineral or chemical fertilizers containing two or three of the fertilizing elements nitrogen, phosphorus and potassium; other fertilizers; goods of this chapter in tablets or similar forms or in packages of a gross weight not exceeding 10 kg	66085
01.0040	3915 3915 90 3915 90 91 3915 90 99 3916 3916 90 ex 3916 90 90 3917 3917 10 ex 3917 10 90	Waste, parings and scrap, of plastics: – Of other plastics: – – Other: – – – Of epoxide resins – – – Other Monofilament of which any cross-sectional dimension exceeds 1-mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics: – Of other plastics: – – Other: – – Of regenerated cellulose Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics: – Artificial guts (sausage casings) of hardened protein or of cellulosic materials: – – Of cellulose plastic materials – Of regenerated cellulose – Tubes, pipes and hoses, rigid:	1945

⁽¹⁾ Within the limit, with regard to exports to Italy, of quantities consolidated under the GATT.

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(b) See Taric codes in Annex C V.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0040 (cont'd)	3917 29	— — Of other plastics:	1945 (cont'd)
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 29 19	— — — — Other:	
		— Of regenerated cellulose	
	3917 32	— — Other, not reinforced or otherwise combined with other materials, without fittings:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 32 51	— — — — Other:	
		— Of regenerated cellulose	
	3917 39	— — Other:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
	ex 3917 39 19	— — — — Other:	
		— Of regenerated cellulose	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls:	
	3919 10	— In rolls of a width not exceeding 20 cm:	
		— — Other:	
	ex 3919 10 90	— — — Other:	
		— Of regenerated cellulose	
	3919 90	— Other:	
		— — Other:	
	ex 3919 90 90	— — — Other:	
		— Of regenerated cellulose	
01.0050	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials:	1217
		— Of cellulose or its chemical derivatives:	
	3920 71	— — Of regenerated cellulose:	
		— — — Sheets, film or strip, coiled or not, of a thickness of less than 0,75 mm:	
	3920 71 11	— — — — Not printed	
	3920 71 19	— — — — Printed	
	3920 71 90	— — — — Other	
	3921	Other plates, sheets, film, foil and strip, of plastics:	
		— Cellular:	
	3921 14 00	— — Of regenerated cellulose	
	3912	Cellulose and its chemical derivatives, not elsewhere specified or included, in primary forms:	
	3912 20	— Cellulose nitrates (including collodions):	
		— — Non-plasticized:	
	3912 20 11	— — — Collodions and celloidin	
	3912 20 19	— — — Other	
	3912 20 90	— — Plasticized	
	3915	Waste, parings and scrap, of plastics:	
	3915 90	— Of other plastics:	
		— — Other:	
	ex 3915 90 93	— — — Of cellulose and its chemical derivatives	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0050 (cont'd)	3916	Monofilament of which any cross-sectional dimensions exceeds 1 mm, rods, sticks and profile shapes, whether or not surface-worked but not otherwise worked, of plastics:	1217 (cont'd)
	3916 90	— Of other plastics:	
	ex 3916 90 90	— — Other: — Of cellulose nitrates	
	3917	Tubes, pipes and hoses, and fittings therefor (for example, joints, elbows, flanges), of plastics:	
	3917.29	— Tubes, pipes and hoses, rigid:	
	ex 3917 29 19	— — Of other plastics:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
		— — — Other: — Of cellulose nitrates	
	3917 32	— Other tubes, pipes and hoses:	
	ex 3917 32 51	— — Other, not reinforced or otherwise combined with other materials, without fittings:	
		— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
		— — — Other: — Of cellulose nitrates	
	3917 39	— — Other:	
	ex 3917 39 19	— — — Seamless and cut to a length exceeding the maximum cross-sectional dimension, whether or not surface-worked, but not otherwise worked:	
		— — — Other: — Of cellulose nitrates	
		— — — Other:	
	3919	Self-adhesive plates, sheets, film, foil, tape, strip and other flat shapes, of plastics, whether or not in rolls:	
	3919 10	— In rolls of a width not exceeding 20 cm:	
	ex 3919 10 90	— — Other:	
		— — — Other:	
		— Of cellulose nitrates	
	3919 90	— Other:	
	ex 3919 90 90	— — Other:	
		— — — Other:	
		— Of cellulose nitrates	
	3920	Other plates, sheets, film, foil and strip, of plastics, non-cellular and not reinforced, laminated, supported or similarly combined with other materials:	
	3920 72 00	— Of cellulose or its chemical derivatives:	
	3921	— — Of vulcanized fibre	
	3921	Other plates, sheets, film, foil and strip, of plastics:	
	3921 19	— Cellular:	
	3921 19 90	— — Of other plastics:	
	3921 90	— — — Other	
	3921 90 90	— Other:	
	3921 90 90	— — Other	
01.0060	4011	New pneumatic tyres, of rubber:	6355
	4011 10 00	— Of a kind used on motor cars (including station wagons and racing cars)	
	4011 20	— Of a kind used on buses or lorries	
	4011 20 10	— — With a level index not exceeding 121	
	4011 20 90	— — With a level index exceeding 121	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0060 (cont'd)	4011 30	— Of a kind used on aircraft:	6355 (cont'd)
	4011 30 90	— — Other	
		— Other:	
	4011 91 00	— — Having a 'herring-bone' or similar tread	
	4011 91 10	— — — Of a kind used on agricultural and forestry vehicles	
	4011 91 30	— — — Of a kind used on civil engineering vehicles	
	4011 91 90	— — — Other	
	4011 99	— — Other:	
	4011 99 10	— — — Of a kind used on agricultural and forestry vehicles	
	4011 99 30	— — — Of a kind used on civil engineering vehicles	
	4011 99 90	— — — Other	
	4012	Retreaded or used pneumatic tyres of rubber; solid or cushion tyres, interchangeable tyre treads and tyre flaps, of rubber:	
	4012 10	— Retreaded tyres:	
		— — — Other:	
	4012 10 30	— — — Of a kind used on motor cars (including station wagons and racing cars)	
	4012 10 50	— — — Of a kind used on buses or lorries	
	ex 4012 10 80	— — Other:	
		— Other than of the kind used on bicycles or cycles with auxiliary motor, on motor-cycles or motor-scooters	
	4012 20	— Used pneumatic tyres:	
	ex 4012 20 90	— — Other:	
		— Other than of the kind used on bicycles or cycles with auxiliary motor, on motor-cycles or motor-scooters	
	4013	Inner tubes, of rubber:	
	4013 10	— Of a kind used on motor cars (including station wagons and racing cars), buses or lorries:	
	4013 10 10	— — Of the kind used on motor cars (including station wagons and racing cars)	
	4013 10 90	— — Of the kind used on buses or lorries	
		— Other:	
	4013 90 90	— — Other	
01.0080	4203	Articles of apparel and clothing accessories, of leather or of composition leather:	620
	4203 10 00	— Articles of apparel	
		— Gloves, mittens and mitts:	
	4203 21 00	— — Specially designed for use in sports	
		— — Other:	
		— — — Other:	
	4203 29 91	— — — — Men's and Boys'	
	4203 29 99	— — — — Other	
	4203 30 00	— Belts and bandoliers	
	4203 40 00	— Other clothing accessories	
01.0090	4412	Plywood, veneered panels and similar laminated wood:	169220 m ³
	4420	Wood marquetry and inlaid wood; caskets and cases for jewellery or cutlery, and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within Chapter 94:	
	4420 90	— Other:	
		— — Wood marquetry and inlaid wood:	
	4420 90 11	— — — Of tropical woods referred to in Additional Note 2 of this Chapter	
	4420 90 19	— — — Of other woods	
01.0100	4410	Particle board and similar board of wood or other ligneous materials; whether or not agglomerated with resins or other organic binding substances	43599

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0110	6401	Waterproof footwear with outer soles and uppers of rubber or of plastics, the uppers of which are neither fixed to the sole nor assembled by stitching, riveting, nailing, screwing, plugging or similar processes	733
	6402	Other footwear with outer soles and uppers of rubber or plastics	
01.0120	6403	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of leather	866
01.0130	6404	Footwear with outer soles of rubber, plastics, leather or composition leather and uppers of textile materials	361
	6405	Other footwear:	
	6405 90	– Other:	
	6405 90 10	– – With outer soles of rubber, plastics, leather or composition leather	
01.0140	7004	Drawn glass and blown glass, in sheets, whether or not having an absorbent or reflecting layer, but not otherwise worked	9112
	7004 10	– Glass, coloured throughout the mass (body tinted), opacified, flashed or having an absorbent or reflecting layer:	
	7004 10 30	– – Antique glass	
	7004 10 50	– – Horticultural sheet glass	
	7004 10 90	– – Other	
	7004 90	– Other glass:	
	7004 90 50	– – Antique glass	
	7004 90 70	– – Horticultural sheet glass	
		– – Other, of a thickness:	
	7004 90 91	– – – Not exceeding 2,5 mm	
	7004 90 93	– – – Exceeding 2,5 mm but not exceeding 3,5 mm	
	7004 90 95	– – – Exceeding 3,5 mm but not exceeding 4,5 mm	
	7004 90 99	– – – Exceeding 4,5 mm	
01.0150	9405	Lamps and lighting fittings including searchlights and spotlights and parts thereof, not elsewhere specified or included; illuminated signs, illuminated name-plates and the like, having a permanently fixed light source, and parts thereof not elsewhere specified or included:	2841
	9405 91	– Parts:	
		– – Of glass:	
		– – – Articles for electrical lighting fittings (excluding searchlights and spotlights):	
	9405 91 19	– – – – Other (for example, diffusers, ceiling lights, bowls, cups, lampshades, globes, tulip-shaped pieces)	
01.0160	7304	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:	17347
	7304 10	– Line pipe of a kind used for oil or gas pipelines:	
	7304 10 10	– – Of an external diameter not exceeding 168,3 mm	
	7304 10 30	– – Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 10 90	– – Of an external diameter exceeding 406,4 mm	
	7304 20	– Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:	
		– – Other:	
	7304 20 91	– – – Of an external diameter not exceeding 406,4 mm	
	7304 20 99	– – – Of an external diameter exceeding 406,4 mm	
		– Other, of circular cross-section, of iron or non-alloy steel:	
	7304 31	– – Cold-drawn or cold-rolled (cold-reduced):	
		– – – Other:	
	7304 31 91	– – – – Precision tubes	
	7304 31 99	– – – – Other	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0160 (cont'd)	7304 39	-- Other:	17347 (cont'd)
	7304 39 10	-- -- Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses (¹)	
		-- -- -- Other:	
		-- -- -- -- Other:	
		-- -- -- -- -- Other:	
		-- -- -- -- -- Threaded or threadable tubes (gas pipe):	
	7304 39 51	-- -- -- -- -- Plated or coated with zinc	
	7304 39 59	-- -- -- -- -- Other	
		-- -- -- -- -- Other, of an external diameter:	
	7304 39 91	-- -- -- -- -- Not exceeding 168,3 mm	
	7304 39 93	-- -- -- -- -- Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 39 99	-- -- -- -- -- Exceeding 406,4 mm	
		-- Other, of circular cross-section, of stainless steel:	
	7304 41	-- -- Cold-drawn or cold-rolled (cold-reduced):	
	7304 41 90	-- -- -- Other	
	7304 49	-- -- Other:	
	7304 49 10	-- -- -- Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses (¹)	
		-- -- -- Other:	
		-- -- -- -- Other:	
	7304 49 91	-- -- -- -- Of an external diameter not exceeding 406,4 mm	
	7304 49 99	-- -- -- -- Of an external diameter exceeding 406,4 mm	
		-- Other, of circular cross-section, of other alloy steel:	
	7304 51	-- -- Cold-drawn or cold-rolled (cold-reduced):	
		-- -- -- Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:	
	7304 51 11	-- -- -- -- Not exceeding 4,5 m	
	7304 51 19	-- -- -- -- Exceeding 4,5 m	
	-- -- -- Other:	-- -- -- -- Other:	
	7304 51 91	-- -- -- -- Precision tubes	
	7304 51 99	-- -- -- -- Other	
	7304 59	-- -- Other:	
	7304 59 10	-- -- -- Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall thicknesses (¹)	
		-- -- -- Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length:	
	7304 59 31	-- -- -- -- Not exceeding 4,5 m	
	7304 59 39	-- -- -- -- Exceeding 4,5 m	
		-- -- -- Other:	
		-- -- -- -- Other:	
	7304 59 91	-- -- -- -- Of an external diameter not exceeding 168,3 mm	
	7304 59 93	-- -- -- -- Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 59 99	-- -- -- -- Of an external diameter exceeding 406,4 mm	
	7304 90	-- Other:	
	7304 90 90	-- -- Other	

(¹) Entry under this code is subject to conditions laid down in the relevant Community provisions. See also Section II, paragraph B, of the preliminary provisions (combined nomenclature).

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0160 (cont'd)	7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel	17347 (cont'd)
	7306	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:	
	7306 10	– Line pipe of a kind used for oil or gas pipelines:	
		– – Longitudinally welded, of an external diameter of:	
	7306 10 11	– – – Not more than 168,3 mm	
	7306 10 19	– – – More than 168,3 mm, but not more than 406,4 mm	
	7306 10 90	– – Spirally welded	
	7306 20 00	– Casing and tubing of a kind used in drilling for oil or gas	
	7306 30	– Other, welded, of circular cross-section, of iron or non-alloy steel:	
		– Other, welded, of circular cross-section, of iron or non-alloy steel:	
		– – Other:	
		– – – Precision tubes, with a wall thickness:	
	7306 30 21	– – – – Not exceeding 2 mm	
	7306 30 29	– – – – Exceeding 2 mm	
		– – – Other:	
		– – – – Threaded or threadable tubes (gas pipe):	
	7306 30 51	– – – – – Plated or coated with zinc	
	7306 30 59	– – – – – Other	
		– – – – Other, of an external diameter:	
		– – – – – Not exceeding 168,3 mm:	
	7306 30 71	– – – – – Plated or coated with zinc	
	7306 30 78	– – – – – Other	
	7306 30 90	– – – – – Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7306 40	– Other, welded, of circular cross-section, of stainless steel:	
		– – Other:	
	7306 40 91	– – – Cold-drawn or cold-rolled (cold-reduced)	
	7306 40 99	– – – Other	
	7306 50	– Other, welded, of circular cross-section, of other alloy steel:	
		– – Other:	
	7306 50 91	– – – Precision tubes	
	7306 50 99	– – – Other	
	7306 60	– Other, welded, of non-circular cross-section:	
		– – Other:	
		– – – Of rectangular (including square) cross-section, with a wall thickness:	
	7306 60 31	– – – – Not exceeding 2 mm	
	7306 60 39	– – – – Exceeding 2 mm	
	7306 60 90	– – – Of other sections	
	7306 90 00	– Other	
01.0165	7407	Copper bars, rods and profiles:	5373
	ex 7407 10 00	– Of refined copper:	
		– Solid	
		– Of copper alloys:	
	7407 21	– – Of copper-zinc base alloys (brass):	
	7407 21 10	– – – Bars and rods	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0165 (cont'd)	ex 7407 21 90 7407 22 ex 7407 22 10 ex 7407 22 90 ex 7407 29 00 7408	- - - Profiles: - Solid - - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver): - - - Of copper-nickel base alloys (cupro-nickel): - Solid - - - Of copper-nickel-zinc base alloys (nickel silver): - Solid - - Other - Solid Copper wire:	5373 (cont'd)
01.0170	7409	Copper plates, sheets and strip, of a thickness exceeding 0,15 mm:	1433
01.0180	7407 ex 7407 10 00 7407 21 ex 7407 21 90 ex 7407 22 10 ex 7407 22 90 ex 7407 29 00 7411	Copper bars, rods and profiles: - Of refined copper: - Hollow - Of copper alloys: - Of copper-zinc base alloys (brass): - - - Profiles: - Hollow - - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver): - - - Of copper-nickel base alloys (cupro-nickel): - Hollow - - - Of copper-nickel-zinc base alloys (nickel silver): - Hollow - - Other - Hollow Copper tubes and pipes	3985
01.0190	ex 7604 7605	Aluminium bars, rods and profiles, excluding code 7604 21 00 Aluminium wire	2391
01.0200	7606	Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm	5243
01.0210	7903 7905	Zinc dust, powders and flakes Zinc plates, sheets, strip and foil	3947
01.0220	8501 8501 10 8501 10 10 8501 10 91 8501 10 93 8501 10 99 8501 20 8501 20 90 8501 31 8501 31 90 8501 32 8501 32 91 8501 32 99	Electric motors and generators (excluding generating sets): - Motors of an output not exceeding 37,5 W: - - Synchronous motors of an output not exceeding 18 W: - - Other: - - - Universal AC/DC motors - - - AC motors - - - DC motors - Universal AC/DC motors of an output exceeding 37,5 W: - - Other - Other DC motors; DC generators: - - Of an output not exceeding 750 W: - - - Other: - - Of an output exceeding 750 W but not exceeding 75 kW: - - - Other: - - - Of an output exceeding 750 W but not exceeding 7,5 kW - - - Of an output exceeding 7,5 kW but not exceeding 75 kW	7435

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220 (cont'd)	8501 33	-- Of an output exceeding 75 kW but not exceeding 375 kW: -- -- Other:	7435 (cont'd)
	8501 33 91	-- -- -- Traction motors	
	8501 33 99	-- -- -- Other	
	8501 34	-- Of an output exceeding 375 kW: -- -- Other:	
	8501 34 50	-- -- -- Traction motors -- -- -- Other, of an output:	
	8501 34 91	-- -- -- -- Exceeding 375 kW but not exceeding 750 kW	
	8501 34 99	-- -- -- -- Exceeding 750 kW	
	8501 40	-- Other AC motors, single phase: -- -- Other	
	8501 40 91	-- -- -- Of an output not exceeding 750 W	
	8501 40 99	-- -- -- Of an output exceeding 750 W -- Other AC motors, multi-phase:	
	8501 51	-- -- Of an output not exceeding 750 W:	
	8501 51 90	-- -- -- Other:	
	8501 52	-- -- Of an output exceeding 750 W but not exceeding 75 kW: -- -- -- Other:	
	8501 52 91	-- -- -- -- Of an output exceeding 750 W but not exceeding 7,5 kW	
	8501 52 93	-- -- -- -- Of an output exceeding 7,5 kW but not exceeding 37 kW	
	8501 52 99	-- -- -- -- Of an output exceeding 37 kW but not exceeding 75 kW	
	8501 53	-- -- Of an output exceeding 75 kW: -- -- -- Other:	
	8501 53 50	-- -- -- -- Traction motors -- -- -- -- Other, of an output:	
	8501 53 92	-- -- -- -- -- Exceeding 75 kW but not exceeding 375 kW	
	8501 53 94	-- -- -- -- -- Exceeding 375 kW but not exceeding 750 kW -- AC generators (alternators):	
	8501 61	-- -- Of an output not exceeding 75 kVA: -- -- -- Other:	
	8501 61 91	-- -- -- -- Of an output not exceeding 7,5 kVA	
	8501 61 99	-- -- -- -- Of an output exceeding 7,5 kVA but not exceeding 75 kVA	
	8501 62	-- -- Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8501 62 90	-- -- -- Other	
	8501 63	-- -- Of an output exceeding 375 kVA but not exceeding 750 kVA:	
	8501 63 90	-- -- -- Other	
	8501 64 00	-- -- Of an output exceeding 750 kVA	
	8502	Electric generating sets and rotary converters: -- Generating sets with compression-ignition internal combustion piston engines (diesel or semi-diesel engines):	
	8502 11	-- -- Of an output not exceeding 75 kVA: -- -- -- Other:	
	8502 11 91	-- -- -- -- Of an output not exceeding 7,5 kVA	
	8502 11 99	-- -- -- -- Of an output exceeding 7,5 kVA but not exceeding 75 kVA . . .	
	8502 12	-- -- Of an output exceeding 75 kVA but not exceeding 375 kVA:	
	8502 12 90	-- -- -- Other	
	8502 13	-- -- Of an output exceeding 375 kVA: -- -- -- Other:	
	8502 13 91	-- -- -- -- Of an output exceeding 375 kVA but not exceeding 750 kVA	
	8502 13 99	-- -- -- -- Of an output exceeding 750 kVA	
	8502 20	-- Generating sets with spark-ignition internal combustion piston engines -- -- Other:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0220 (cont'd)	8502 20 91	- - - Of an output not exceeding 7,5 kVA	7435 (cont'd)
	8502 20 99	- - - Of an output exceeding 7,5 kVA	
	8502 30	- Other generating sets:	
		- - Other:	
	8502 30 91	- - - Turbo-generators	
	8502 30 99	- - - Other	
	8502 40	- Electric rotary converters:	
	8502 40 90	- - Other	
01.0230	8503 00	Parts suitable for use solely or principally with the machines of code 8501 or 8502	3108
	8504	Electrical transformers, static converters (for example, rectifiers) and inductors:	
	8504 90	- Parts:	
		- - Of transformers and inductors:	
	8504 90 11	- - - Ferrite cores	
	8504 90 19	- - - Other	
	8504 90 90	- - Of static converters	
01.0240	ex 8544	Insulated (including enamelled or anodized) wire, cable (including coaxial cable) and other insulated electric conductors, whether or not fitted with connectors; optical fibre cables, made up of individually sheathed fibres, whether or not assembled with electric conductors or fitted with connectors excluding products of CN codes 8544 30 10 and 8544 70 00	3210
01.0250	8546	Electrical insulators of any material	563
01.0270	8716	Trailers and semi-trailers; other vehicles, not mechanically propelled; parts thereof:	3492
	8716 10	- Trailers and semi-trailers of the caravan type, for housing or camping:	
	8716 10 10	- - Trailer tents	
		- - Other, of a weight:	
	8716 10 91	- - - Not exceeding 750 kg	
	8716 10 93	- - - Exceeding 750 kg but not exceeding 3 500 kg	
	8716 10 99	- - - Exceeding 3 500 kg	
	8716 20	- Self-loading or self-unloading trailers and semi-trailers for agricultural purposes:	
	8716 20 10	- - Manure spreaders	
	8716 20 90	- - Other	
		- Other trailers and semi-trailers for the transport of goods:	
	8716 31 00	- - Tanker trailers and tanker semi-trailers:	
		- - - New:	
	8716 39 30	- - - - Semi-trailers	
		- - - - Other:	
	8716 39 51	- - - - - With a single axle	
	8716 39 59	- - - - - Other	
	8716 39 80	- - - Used	
	8716 40 00	- Other trailers and semi-trailers	
01.0280	9401	Seats (other than those of code 9402), whether or not convertible into beds, and parts thereof:	10844
	9401 30	- Swivel seats with variable height adjustment:	
	9401 30 10	- - Upholstered, with backrest and fitted with castors or glides	
	9401 30 90	- - Other	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
01.0280 (cont'd)	9401 40 00	- Seats other than garden seats or camping equipment, convertible into beds	10844 (cont'd)
	9401 50 00	- Seats of cane, osier, bamboo or similar materials	
		- Other seats, with wooden frames:	
	9401 61 00	- - Upholstered	
	9401 69 00	- - Other	
		- Other seats, with metal frames:	
	9401 71 00	- - Upholstered	
	9401 79 00	- - Other	
	9401 80 00	- Other seats	
	9401 90	- Parts:	
		- - Other :	
	9401 90 30	- - - Of wood	
	9401 90 80	- - - Other	
01.0290	9403	Other furniture and parts thereof:	9542
	9403 10	- Metal furniture of a kind used in offices:	
	9403 10 10	- - Drawing tables (other than those of code 9017)	
		- - Other:	
		- - - Not exceeding 80 cm in height:	
	9403 10 51	- - - - Desks	
	9403 10 59	- - - - Other	
		- - - Exceeding 80 cm in height:	
	9403 10 91	- - - - Cupboards with doors, shutters or flaps	
	9403 10 93	- - - - Filing, card-index and other cabinets	
	9403 10 99	- - - - Other	
	9403 20	- Other metal furniture:	
		- - Other:	
	9403 20 91	- - - Beds	
	9403 20 99	- - - Other	
	9403 30	- Wooden furniture of a kind used in offices:	
		- - Not exceeding 80 cm in height:	
	9403 30 11	- - - Desks	
	9403 30 19	- - - Other	
		- - Exceeding 80 cm in height:	
	9403 30 91	- - - Cupboards with doors, shutters or flaps; filing, card-index and other cabinets	
	9403 30 99	- - - Other	
	9403 40	- Wooden furniture of a kind used in the kitchen :	
	9403 40 10	- - Fitted kitchen units	
	9403 40 90	- - Other	
	9403 50 00	- Wooden furniture of a kind used in the bedroom	
	9403 60	- Other wooden furniture:	
	9403 60 10	- - Wooden furniture of a kind used in the dining room and the living room	
	9403 60 30	- - Wooden furniture of a kind used in shops	
	9403 60 90	- - Other wooden furniture	
	9403 70	- Furniture of plastics:	
	9403 70 90	- - Other	
	9403 80 00	- Furniture of other materials, including cane, osier, bamboo or similar materials	
	9403 90	- Parts:	
	9403 90 10	- - Of metal	
	9403 90 30	- - Of wood	
	9403 90 90	- - Of other materials	

ANNEX C II

Order No (category)	CN code	Description	Ceiling: (c) (a) outward processing traffic (b) direct imports
(1)	(2)	(3)	(4)
02.0010 (1)	5204 11 00 5204 19 00 5205 11 00 5205 12 00 5205 13 00 5205 14 00 5205 15 10 5205 15 90 5205 21 00 5205 22 00 5205 23 00 5205 24 00 5205 25 10 5205 25 30 5205 25 90 5205 31 00 5205 32 00 5205 33 00 5205 34 00 5205 35 10 5205 35 90 5205 41 00 5205 42 00 5205 43 00 5205 44 00 5205 45 10 5205 45 30 5205 45 90 5206 11 00 5206 12 00 5206 13 00 5206 14 00 5206 15 10 5206 15 90 5206 21 00 5206 22 00 5206 23 00 5206 24 00 5206 25 10 5206 25 90 5206 31 00 5206 32 00 5206 33 00 5206 34 00 5206 35 10 5206 35 90 5206 41 00 5206 42 00 5206 43 00 5206 44 00 5206 45 10 5206 45 90 ex 5604 90 00	Cotton yarn not put up for retail sale	(b) 6899 tonnes
02.0020 (2)	5208 11 10 5208 11 90 5208 12 11 5208 12 13	Woven fabrics of cotton, other than gauze, terry fabrics, narrow woven fabrics, pile fabrics, chenille fabrics, tulle and other net fabrics	(b) 8544 tonnes

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of CN code and corresponding description taken together.

(b) See Taric codes in Annex C V.

(c) the ceilings provided for in this Annex, C II, shall apply as a whole to the Republics of Bosnia-Herzegovina, Croatia and the former Yugoslav republic of Macedonia.

(1)	(2)	(3)	(4)
02.0020 (2) (cont'd)	5208 12 15 5208 12 19 5208 12 91 5208 12 93 5208 12 95 5208 12 99 5208 13 00 5208 19 00 5208 21 10 5208 21 90 5208 22 11 5208 22 13 5208 22 15 5208 22 19 5208 22 91 5208 22 93 5208 22 95 5208 22 99 5208 23 00 5208 29 00 5208 31 00 5208 32 11 5208 32 13 5208 32 15 5208 32 19 5208 32 91 5208 32 93 5208 32 95 5208 32 99 5208 33 00 5208 39 00 5208 41 00 5208 42 00 5208 43 00 5208 49 00 5208 51 00 5208 52 10 5208 52 90 5208 53 00 5208 59 00 5209 11 00 5209 12 00 5209 19 00 5209 21 00 5209 22 00 5209 29 00 5209 31 00 5209 32 00 5209 39 00 5209 41 00 5209 42 00 5209 43 00 5209 49 10 5209 49 90 5209 51 00 5209 52 00 5209 59 00 5210 11 10 5210 11 90 5210 12 00 5210 19 00 5210 21 10 5210 21 90 5210 22 00 5210 29 00 5210 31 10 5210 31 90 5210 32 00		(b) 8544 tonnes (cont'd)

(1)	(2)	(3)	(4)
02.0020 (2) (cont'd)	5210 39 00 5210 41 00 5210 42 00 5210 49 00 5210 51 00 5210 52 00 5210 59 00 5211 11 00 5211 12 00 5211 19 00 5211 21 00 5211 22 00 5211 29 00 5211 31 00 5211 32 00 5211 39 00 5211 41 00 5211 42 00 5211 43 00 5211 49 11 5211 49 19 5211 49 90 5211 51 00 5211 52 00 5211 59 00 5212 11 10 5212 11 90 5212 12 10 5212 12 90 5212 13 10 5212 13 90 5212 14 10 5212 14 90 5212 15 10 5212 15 90 5212 21 10 5212 21 90 5212 22 10 5212 22 90 5212 23 10 5212 23 90 5212 24 10 5212 24 90 5212 25 10 5212 25 90 ex 5811 00 00 ex 6308 00 00		(b) 8544 tonnes (cont'd)
02.0025 (2A)	5208 31 00 5208 32 11 5208 32 13 5208 32 15 5208 32 19 5208 32 91 5208 32 93 5208 32 95 5208 32 99 5208 33 00 5208 39 00 5208 41 00 5208 42 00 5208 43 00 5208 49 00 5208 51 00 5208 52 10 5208 52 90 5208 53 00 5208 59 00	Of which other than unbleached or bleached	(b) 1931 tonnes

(1)	(2)	(3)	(4)
02.0025 (2A) (cont'd)	S209 31 00 S209 32 00 S209 39 00 S209 41 00 S209 42 00 S209 43 00 S209 49 10 S209 49 90 S209 51 00 S209 52 00 S209 59 00 S210 31 10 S210 31 90 S210 32 00 S210 39 00 S210 41 00 S210 42 00 S210 49 00 S210 51 00 S210 52 00 S210 59 00 S211 31 00 S211 32 00 S211 39 00 S211 41 00 S211 42 00 S211 43 00 S211 49 11 S211 49 19 S211 49 90 S211 51 00 S211 52 00 S211 59 00 S212 13 10 S212 13 90 S212 14 10 S212 14 90 S212 15 10 S212 15 90 S212 23 10 S212 23 90 S212 24 10 S212 24 90 S212 25 10 S212 25 90 ex 5811 00 00 ex 6308 00 00		(b) 1931 tonnes (cont'd)
02.0030 (3)	S512 11 00 S512 19 10 S512 19 90 S512 21 00 S512 29 10 S512 29 90 S512 91 00 S512 99 10 S512 99 90 S513 11 10 S513 11 30 S513 11 90 S513 12 00 S513 13 00 S513 19 00	Woven fabrics of synthetic fibres (staple or waste) other than narrow woven fabrics, pile fabrics (including terry fabrics) and chenille fabrics	935 tonnes

(1)	(2)	(3)	(4)
02.0030 (3) (cont'd)	5513 21 10 5513 21 30 5513 21 90 5513 22 00 5513 23 00 5513 29 00 5513 31 00 5513 32 00 5513 33 00 5513 39 00 5513 41 00 5513 42 00 5513 43 00 5513 49 00 5514 11 00 5514 12 00 5514 13 00 5514 19 00 5514 21 00 5514 22 00 5514 23 00 5514 29 00 5514 31 00 5514 32 00 5514 33 00 5514 39 00 5514 41 00 5514 42 00 5514 43 00 5514 49 00 5515 11 10 5515 11 30 5515 11 90 5515 12 10 5515 12 30 5515 12 90 5515 13 11 5515 13 19 5515 13 91 5515 13 99 5515 19 10 5515 19 30 5515 19 90 5515 21 10 5515 21 30 5515 21 90 5515 22 11 5515 22 19 5515 22 91 5515 22 99 5515 29 10 5515 29 30 5515 29 90 5515 91 10 5515 91 30 5515 91 90 5515 92 11 5515 92 19 5515 92 91 5515 92 99 5515 99 10 5515 99 30 5515 99 90 5803 90 30 ex 5905 00 70 ex 6308 00 00		935 tonnes (cont'd)

(1)	(2)	(3)	(4)
(a) 02.0050 (b) 02.0055 (5)	6101 10 90 6101 20 90 6101 30 90 6102 10 90 6102 20 90 6102 30 90 6110 10 10 6110 10 31 6110 10 39 6110 10 91 6110 10 99 6110 20 91 6110 20 99 6110 30 91 6110 30 99	Jerseys, pullovers, slipovers, waistcoats, twinsets, cardigans, bed jackets and jumpers (other than jackets and blazers), anoraks, windcheaters, waister jackets and the like, knitted or crocheted	(a) 3691500 pieces (b) 1909500 pieces
(a) 02.0060 (b) 02.0065 (6)	6203 41 10 6203 41 90 6203 42 31 6203 42 33 6203 42 35 6203 42 90 6203 43 19 6203 43 90 6203 49 19 6203 49 50 6204 61 10 6204 62 31 6204 62 33 6204 62 39 6204 63 18 6204 69 18 6211 32 42 6211 33 42 6211 42 42 6211 43 42	Men's or boys' woven breeches, shorts other than swimwear and trousers (including slacks); women's or girls' woven trousers and slacks, of wool, of cotton or of man-made fibres; lower parts of tracksuits with lining, other than category 16 or 29, of cotton or of man-made fibres	(a) 10733250 pieces (b) 954000 pieces
(a) 02.0070 (b) 02.0075 (7)	6106 10 00 6106 20 00 6106 90 10 6206 20 00 6206 30 00 6206 40 00	Women's or girls' blouses, shirts and shirt-blouses, whether or not knitted or crocheted of wool, cotton or man-made fibres	(a) 5496000 pieces (b) 570750 pieces
(a) 02.0080 (b) 02.0085 (8)	6205 10 00 6205 20 00 6205 30 00	Men's or boys' shirts, other than knitted or crocheted, of wool, cotton or man-made fibres	(a) 12888000 pieces (b) 2567250 pieces
02.0090 (9)	5802 11 00 5802 19 00 ex 6302 60 00	Terry towelling and similar woven terry fabrics of cotton; toilet linen and kitchen linen, other than knitted or crocheted, of terry towelling and similar woven terry fabrics, of cotton	(b) 831 tonnes
(a) 02.0150 (b) 02.0155 (15)	6202 11 00 ex 6202 12 10 ex 6202 12 90 ex 6202 13 10 ex 6202 13 90 6204 31 00 6204 32 90 6204 33 90 6204 39 19 6210 30 00	Women's or girls' woven overcoats, raincoats and other coats, cloaks and capes; jackets and blazers, of wool, of cotton or of man-made textile fibres (other than parkas) (of category 21)	(a) 5742750 pieces (b) 744750 pieces

(1)	(2)	(3)	(4)
(a) 02.0160 (b) 02.0165 (16)	6203 11 00 6203 12 00 6203 19 10 6203 19 30 6203 21 00 6203 22 80 6203 23 80 6203 29 18	Men's or boys' suits and ensembles, other than knitted or crocheted, of wool of cotton or of man-made fibres, excluding ski suits	(a) 3176250 pieces (b) 567000 pieces
02.0670 (67)	5807 90 90 6113 00 10 6117 10 00 6117 20 00 6117 80 10 6117 80 90 6117 90 00 6301 20 10 6301 30 10 6301 40 10 6301 90 10 6302 10 10 6302 10 90 6302 40 00 ex 6302 60 00 6303 11 00 6303 12 00 6303 19 00 6304 11 00 6304 91 00 ex 6305 20 00 6305 31 10 ex 6305 39 00 ex 6305 90 00 6307 10 10 6307 90 10	Knitted or crocheted clothing accessories other than for babies, household linen of all kinds, knitted or crocheted; curtains (including drapes) and interior blinds, curtain or bed valances and other furnishing articles knitted or crocheted blankets and travelling rugs, other knitted or crocheted articles including parts of garments or of clothing accessories	(b) 722 tonnes

ANNEX C III

Order No (category)	CN code	Description	Ceiling (tonnes)
03.0010	2710 00	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 % or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations: -- Light oils: -- -- For other purposes: -- -- -- Special spirits: 2710 00 21 -- -- -- White spirit 2710 00 25 -- -- -- Other -- -- -- Other: -- -- -- Motor spirit: 2710 00 26 -- -- -- Aviation spirit -- -- -- Other, with a lead content: -- -- -- -- Not exceeding 0,013 g per litre 2710 00 27 -- -- -- With an octane number of less than 45 2710 00 29 -- -- -- With an octane number of 95 or more but less than 98 2710 00 32 -- -- -- With an octane number of 98 or more -- -- -- Exceeding 0,013 g per litre: 2710 00 34 -- -- -- With an octane number of less than 98 2710 00 36 -- -- -- With an octane number of 98 or more 2710 00 37 -- -- -- Spirit-type jet fuel 2710 00 39 -- -- -- Other light oils -- Medium oils: -- -- For other purposes: -- -- -- Kerosene: 2710 00 51 -- -- -- Jet fuel 2710 00 55 -- -- -- Other 2710 00 59 -- -- -- Other -- Heavy oils: -- -- Gas oil: 2710 00 69 -- -- For other purposes -- -- Fuel oils: -- -- -- For other purposes 2710 00 74 -- -- -- With a sulphur content not exceeding 1 % weight 2710 00 76 -- -- -- With a sulphur content exceeding 1 % by weight but not exceeding 2 % by weight 2710 00 77 -- -- -- With a sulphur content exceeding 2 % by weight but not exceeding 2,8 % by weight 2710 00 78 -- -- -- With a sulphur content exceeding 2,8 % by weight -- -- Lubricating oils; other oils: 2710 00 85 -- -- To be mixed in accordance with the terms of additional note 6 (CN) to this chapter ⁽¹⁾ -- -- -- For other purposes: 2710 00 87 -- -- -- Motor oils, compressor tube oils, turbine tube oils 2710 00 88 -- -- -- Liquids for hydraulic purposes 2710 00 89 -- -- -- White oils, liquid paraffin 2710 00 92 -- -- -- Gear oils and reductor oils 2710 00 94 -- -- -- Metal-working compounds, mould release oils, anti-corrosions oils 2710 00 96 -- -- -- Electrical insulating oils 2710 00 98 -- -- -- Other lubricating oils and other oils	929868

⁽¹⁾ Entry under this code is subject to conditions laid down in the relevant Community provisions.

Order No (category)	CN code	Description	Ceiling (tonnes)
03.0010 (cont'd)	2711	Petroleum gases and other gaseous hydrocarbons:	929868 (cont'd)
		– Liquefied:	
	2711 12	– – Propane:	
		– – – Propane of a purity not less than 99 %:	
	2711 12 11	– – – – For use as a power or heating fuel	
		– – – Other:	
		– – – – For other purposes:	
	2711 12 94	– – – – – Of a purity exceeding 90 % but less than 99 %	
	2711 12 96	– – – – – Mixtures of propane and butane containing more than 50 % but not more than 70 % of propane	
	2711 12 98	– – – – – Other	
	2711 13	– – Butanes:	
		– – – For other purposes:	
	2711 13 91	– – – – Of a purity exceeding 90 % but less than 95 %	
	2711 13 93	– – – – Mixtures of butane and propane containing more than 50 % but not more than 65 % of butane	
	2711 13 98	– – – – Other	
	2712	Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes, and similar products obtained by synthesis or by other processes, whether or not coloured:	
	2712 10	– Petroleum jelly:	
	2712 10 90	– – Other	
	2712 20 00	– Paraffin wax containing by weight less than 0,75 % of oil	
	2712 90	– Other:	
		– – Other:	
		– – – Crude:	
	2712 90 39	– – – – For other purposes	
	2712 90 90	– – – Other	
	2713	Petroleum coke, petroleum bitumen and other residues of petroleum oils or of oils obtained from bituminous minerals:	
	2713 90	– Other residues of petroleum oils or of oils obtained from bituminous minerals:	
	2713 90 90	– – Other	

ANNEX C IV (a) (b)

Order No	CN code	Description	Ceiling (tonnes)
04.0030	7202	Ferro-alloys	9371
		– Ferro-silicon:	
	7202 21	– – Containing by weight more than 55 % of silicon:	
	7202 21 10	– – – Containing by weight more than 55 % but not more than 80 % of silicon	
	7202 21 90	– – – Containing by weight more than 80 % of silicon	
	7202 29 00	– – Other	
04.0040	7202 30 00	– Ferro-silico-manganese	1502
04.0050		– Ferro-chromium:	2310
	7202 41	– – Containing by weight more than 4 % of carbon:	
	7202 41 10	– – – Containing by weight more than 4 % but not more than 6 % of carbon	
		– – – Containing by weight more than 6 % of carbon:	
	7202 41 91	– – – – Containing by weight not more than 60 % of chromium	
	7202 41 99	– – – – Containing by weight more than 60 % of chromium	
	7202 49	– – Other:	
	7202 49 10	– – – Containing by weight not more than 0,05 % of carbon	
	7202 49 50	– – – Containing by weight more than 0,05 % but not more than 0,5 % of carbon	
	7202 49 90	– – – Containing by weight more than 0,5 % but not more than 4 % of carbon	
04.0055		of which:	1152
	ex 7202 49 10 ex 7202 49 50	– Ferro-chromium containing by weight not more than 0,10 % of carbon and more than 30 % but not more than 90 % of chromium (super-refined ferro-chromium), maximum	
04.0090	7901	Unwrought zinc:	3301
		– Zinc, not alloyed:	
	7901 11 00	– – Containing by weight 99,99 % or more of zinc	
	7901 12	– – Containing by weight less than 99,99 % of zinc:	
	7901 12 10	– – – Containing by weight 99,95 % or more but less than 99,99 % of zinc	
	7901 12 30	– – – Containing by weight 98,5 % or more but less than 99,95 % of zinc	
	7901 12 90	– – – Containing by weight 97,5 % or more but less than 98,5 % of zinc	
	7901 20 00	– Zinc alloys	

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of the CN code. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of CN code and corresponding description taken together.

(b) See Taric codes in Annex C V.

ANNEX CV

Taric codes

Order No	CN code	Taric code
01.0040	ex 3916 90 90	3916 90 90 • 10
	ex 3917 10 90	3917 10 90 • 10
	ex 3917 29 19	3917 29 19 • 10
	ex 3917 32 51	3917 32 51 • 10
	ex 3917 39 19	3917 39 19 • 10
	ex 3919 10 90	3919 10 90 • 10
	ex 3919 90 90	3919 90 90 • 10
01.0050	ex 3915 90 93	3915 90 93 • 20
	ex 3916 90 90	3916 90 90 • 20
	ex 3917 29 19	3917 29 19 • 20
	ex 3917 32 51	3917 32 51 • 20
	ex 3917 39 19	3917 39 19 • 20
	ex 3919 10 90	3919 10 90 • 20
	ex 3919 90 90	3919 90 90 • 20
01.0060	ex 4012 10 90	4012 10 90 • 90
	ex 4012 20 90	4012 20 90 • 90
01.0165	ex 7407 10 00	7407 10 00 • 90
	ex 7407 21 90	7407 21 90 • 90
	ex 7407 22 10	7407 22 10 • 90
	ex 7407 22 90	7407 22 90 • 90
	ex 7407 29 00	7407 29 00 • 90
01.0180	ex 7407 10 00	7407 10 00 • 10
	ex 7407 21 90	7407 21 90 • 10
	ex 7407 22 10	7407 22 10 • 10
	ex 7407 22 90	7407 22 90 • 10
	ex 7407 29 00	7407 29 00 • 10
02.0010	ex 5604 90 00	5604 90 00 • 50
02.0020	ex 5811 00 00	5811 00 00 • 91
	ex 6308 00 00	6308 00 00 • 11
02.0025	ex 5811 00 00	5811 00 00 • 92
	ex 6308 00 00	6308 00 00 • 19
02.0030	ex 5905 00 70	5905 00 70 • 10
	ex 6308 00 00	6308 00 00 • 20
02.0090	ex 6302 60 00	6302 60 00 • 90
02.0150 02.0155	ex 6202 12 10	6202 12 10 • 90
	ex 6202 12 90	6202 12 90 • 90
	ex 6202 13 10	6202 13 10 • 90
	ex 6202 13 90	6202 13 90 • 90
02.0670	ex 6302 60 00	6302 60 00 • 10
	ex 6305 20 00	6305 20 00 • 10
	ex 6305 39 00	6305 39 00 • 91
	ex 6305 90 00	6305 90 00 • 20
04.0055	ex 7202 49 10	7202 49 10 • 10
	ex 7202 49 50	7202 49 50 • 10

ANNEX D

Concerning the agricultural products referred to in Articles 4, 5 and 6

CN code	Description	Preferential rate of duty
0101	Live horses, asses, mules and hinnies:	
	– Horses:	
0101 19	– – Other:	
0101 19 10	– – – For slaughter (¹)	0 %
0703	Onions, shallots, garlic, leeks and other alliaceous vegetables, fresh or chilled:	
ex 0703 20 00	– Garlic:	
	– from 1 February to 31 May (²)	0 %
0709	Other vegetables, fresh or chilled:	
	– Mushrooms and truffles:	
0709 51	– – Mushrooms:	
0709 51 30	– – – Chanterelles	0 %
0709 51 50	– – – Flap mushrooms	0 %
0709 51 90	– – – Other, excluding truffles	0 %
0709 60	– Fruits of the genus <i>Capsicum</i> or the genus <i>Pimenta</i> (³):	
0709 60 10	– – Sweet peppers	0 %
0710	Vegetables (uncooked or cooked by steaming or boiling in water), frozen (*):	
	– Leguminous vegetables, shelled or unshelled:	
0710 21 00	– – Peas (<i>Pisum sativum</i>)	0 %
0711	Vegetables provisionally preserved (for example, by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption:	
0711 90	– Other vegetables; mixtures of vegetables:	
	– – Vegetables:	
	– – – Mushrooms:	
ex 0711 90 40	– – – – Of the species <i>Agaricus</i>	
	– – – – Excluding cultivated mushrooms	0 %
ex 0711 90 60	– – – – Other	0 %
	– – – – Excluding cultivated mushrooms	
0712	Dried vegetables, whole, cut, sliced, broken or in powder, but not further prepared:	
0712 20	– Onions	0 %
ex 0712 30	– Mushrooms and truffles:	
	– Excluding cultivated mushrooms	0 %
0713	Dried leguminous vegetables, shelled, whether or not skinned or split:	
	– Beans (<i>Vigna</i> spp., <i>Phaseolus</i> spp.):	
0713 32	– – Small red (<i>Adzuki</i>) beans (<i>Phaseolus</i> or <i>Vigna angularis</i>):	
0713 32 90	– – – Other	0 %
0713 33	– – Kidney beans, including white pea beans (<i>Phaseolus vulgaris</i>):	
0713 33 90	– – – Other	0 %
0713 39	– – Other:	
0713 39 90	– – – Other	0 %

(¹) Entry under this subheading is subject to the conditions laid down in the relevant Community provisions.

(²) Within the limits of an annual tariff quota of 300 tonnes.

(³) Within the limits of an annual tariff quota of 1 200 tonnes.

(*) Within the limits of an annual tariff quota of 1 300 tonnes.

CN code	Description	Preferential rate of duty
0809	Apricots, cherries, peaches (including nectarines), plums and sloes, fresh:	
0809 20	- Cherries:	
	- - From 1 May to 15 July:	
0809 20 20	- - - Sour cherries (<i>Prunus cerasus</i>) ⁽¹⁾	0%
	- - From 16 July to 30 April:	
0809 20 60	- - - Sour cherries (<i>Prunus cerasus</i>) ⁽¹⁾	0%
0810	Other fruit, fresh:	
0810 20	- Raspberries, blackberries, mulberries and loganberries:	
ex 0810 20 10	- - Raspberries:	
	- - From 15 May to 15 June	0%
ex 0810 20 90	- - Other:	
	- - From 15 May to 15 June	0%
0811	Fruit and nuts, uncooked or cooked by steaming or boiling in water, frozen, whether or not containing added sugar or other sweetening matter:	
0811 90	- Other	
	- - Containing added sugar or other sweetening matter:	
ex 0811 90 10	- - - With a sugar content exceeding 13% by weight	
	- - - Sour cherries (<i>Prunus cerasus</i>) ⁽²⁾ ⁽⁴⁾	0%
ex 0811 90 30	- - - Other	
	- - - Sour cherries (<i>Prunus cerasus</i>) ⁽²⁾ ⁽⁴⁾	0%
	- - Other	
	- - - Cherries:	
0811 90 75	- - - - Sour cherries (<i>Prunus cerasus</i>) ⁽²⁾ ⁽⁴⁾	0%
0812	Fruit and nuts, provisionally preserved (for example, by sulphur dioxide gas, in brine, in sulphur water or in other preservative solutions), but unsuitable in that state for immediate consumption:	
0812 10	- Cherries	
ex 0812 10 00	- - Sour cherries (<i>Prunus cerasus</i>) ⁽²⁾	0%
0813	Fruit, dried, other than that of heading Nos 0801 to 0806; mixtures of nuts or dried fruits of this chapter:	
0813 40	- Other fruit	
ex 0813 40 80	- - Other	
	- - Sour cherries	0%
0904	Pepper of the genus <i>Piper</i> ; dried or crushed of ground fruits of the genus <i>Capsicum</i> or of the genus <i>Pimenta</i> :	
	- Pepper:	
0904 12 00	- - Crushed or ground	0%
0904 20	- Fruits of the genus <i>Capsicum</i> or of the genus <i>Pimenta</i> , dried or crushed or ground	
0904 20 10	- - Sweet peppers	0%
0904 20 90	- - Crushed or ground	0%
0909	Seeds of anise, badian, fennel, coriander, cumin or caraway; juniper berries	0%
1209	Seeds, fruit and spores, of a kind used for sowing	0%
2001	Vegetables, fruit, nuts and other edible parts of plants, prepared or preserved by vinegar or acetic acid	
ex 2001 10 00	- Cucumbers and gherkins:	
	- - Cucumbers ⁽³⁾	0%
2001 90	- Other:	
ex 2001 90 80	- - Other:	
	- - Sweet peppers	0%

⁽¹⁾ Within an annual Community ceiling of 3 000 tonnes.

⁽²⁾ Within an annual Community ceiling of 19 900 tonnes.

⁽³⁾ Within the limits of a reference quantity of 3 000 tonnes.

⁽⁴⁾ Subject to a minimum import price set annually by the Community.

CN code	Description	Preferential rate of duty
2004	Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, frozen:	
2004 90	– Other vegetables and mixtures of vegetables:	
ex 2004 90 30	– – Sauerkraut, coppers and olives:	
	– Sauerkraut ⁽¹⁾	0%
	– – Other, including mixtures:	
ex 2004 90 99	– – – Other:	
	– The product known as 'AJVAR', obtained from sweet peppers, to which spices, extracts of spices or distillates of natural spices, and sometimes aubergines and tomatoes, are added, containing at least 9% of dry extracts, used mainly as a salad	0%
2005	Other vegetables prepared or preserved otherwise than by vinegar or acetic acid, not frozen:	
2005 30 00	– Sauerkraut ⁽¹⁾	0%
2005 90	– Other vegetables and mixtures of vegetables:	
ex 2005 90 80	– – Other:	
	– The product known as 'AJVAR', obtained from sweet peppers, to which spices, extracts of spices or distillates of natural spices, and sometimes aubergines and tomatoes, are added, containing at least 9% of dry extracts, used mainly as a salad	0%
2008	Fruit, nuts and other edible parts of plants, otherwise prepared or preserved, whether or not containing added sugar or other sweetening matter or spirit, not elsewhere specified or included:	
2008 60	– Cherries:	
	– – Containing added spirit:	
	– – – Other:	
ex 2008 60 39	– – – – Other:	
	– Sweet cherries, clear fleshed, of a diameter equal to or less than 18,9 mm, stoned, intended for the manufacture of chocolate products ⁽²⁾ ⁽³⁾	0%
2008 60 51	– – – – Sour cherries (<i>Prunus cerasus</i>) ⁽⁴⁾ ⁽⁵⁾	0%
2008 60 61	– – – – Sour cherries (<i>Prunus cerasus</i>) ⁽⁴⁾ ⁽⁵⁾	0%
2008 60 71	– – – – Sour cherries (<i>Prunus cerasus</i>) ⁽⁴⁾ ⁽⁵⁾	0%
2008 60 91	– – – – Sour cherries (<i>Prunus cerasus</i>) ⁽⁴⁾ ⁽⁵⁾	0%
2208	Undenatured ethyl alcohol of an alcoholic strength by volume of less than 80% vol; spirits, liqueurs and other spirituous beverages; compound alcoholic preparations of a kind used for the manufacture of beverages:	
2208 90	– Other:	
	– – Vodka of an alcoholic strength by volume of 45,4% vol. or less and plum, pear or cherry spirit (excluding liqueurs), in containers holding:	
	– – – Two litres or less:	

⁽¹⁾ Within the limits of a reference quantity of 150 tonnes.

⁽²⁾ Within the limits of an annual Community tariff quota of 3 000 tonnes.

⁽³⁾ End use will be monitored in accordance with the relevant Community provisions.

⁽⁴⁾ Within the limits of an annual Community ceiling of 19 900 tonnes.

⁽⁵⁾ Subject to a minimum import price set annually by the Community.

CN code	Description	Preferential rate of duty
ex 2208 90 33	- - - Plum, pear or cherry spirit (excluding liquers) - Plum spirit under the name 'Sljivovica' ⁽¹⁾ ⁽²⁾	0%
2401	Unmanufactured tobacco; tobacco refuse:	
ex 2401 10	- Tobacco, not stemmed/stripped: - - Other:	
ex 2401 10 60	- - - Sun-cured oriental type tobacco - Tobacco of the 'Prilep' ⁽²⁾ ⁽³⁾	0%
ex 2401 20	- Tobacco, partly or wholly stemmed/stripped: - - Other:	
ex 2401 20 60	- - - Sun-cured oriental type tobacco - Tobacco of the 'Prilep' ⁽²⁾ ⁽³⁾	0%
2204	Wine of fresh grapes, including fortified wines: grape must other than that of heading No 2009:	
	- Other wine; grape must with fermentation prevented or arrested by the addition of alcohol:	
2204 21	- - In containers holding two litres or less: - - - Other: - - - - Of an actual alcoholic strength by volume not exceeding 13% vol.: - - - - - Other:	
2204 21 25	- - - - - White	0%
2204 21 29	- - - - - Other	
	- - - - Of an actual alcoholic strength by volume exceeding 13% vol. but not exceeding 15% vol.: - - - - - Other:	
2204 21 35	- - - - - White	0%
2204 21 39	- - - - - Other	
	- - Other: - - - Other: - - - - Of an actual alcoholic strength by volume not exceeding 13% vol.: - - - - - Other:	
2204 29 25	- - - - - White	0%
2204 29 29	- - - - - Other	
	- - - - Of an actual alcoholic strength by volume exceeding 13% vol. but not exceeding 15% vol.: - - - - - Other:	
2204 29 35	- - - - - White	0%
2204 29 39	- - - - - Other	

⁽¹⁾ Within the limits of an annual Community tariff quota of 5 420 hl.

⁽²⁾ Within the limits of an annual Community tariff quota of 1 500 tonnes in respect of both subheadings concerning tobacco of the 'Prilep' type.

⁽³⁾ Entry under this subheading is subject to conditions laid down in the relevant Community provisions.

⁽⁴⁾ Within the limits of an annual Community tariff quota of 545 000 hl, and on condition that the import prices of wines originating in Bosnia-Herzegovina, Croatia, Slovenia and the former Yugoslav Republic of Macedonia, when added to

the amount of customs duties actually collected, are at all times at least equal to the Community's reference prices.

ANNEX E

CN code	Description
0102	Live bovine animals:
0102 90	– Other:
	– – Domestic species:
	– – – Of a weight exceeding 300 kg:
	– – – – Heifers (female bovines that have never calved):
ex 0102 90 51	– – – – – For slaughter:
	– Not yet having any permanent teeth, of a weight of not less than 320 kg but not more than 470 kg (a)
ex 0102 90 59	– – – – – Other:
	– Not yet having any permanent teeth, of a weight of not less than 320 kg but not more than 470 kg (a)
	– – – – Other:
ex 0102 90 71	– – – – – For slaughter:
	– Bulls and steers not yet having permanent teeth, of a weight of not less than 350 kg but not more than 500 kg (a)
ex 0102 90 79	– – – – – Other:
	– Bulls and steers not yet having permanent teeth, of a weight of not less than 350 kg but not more than 500 kg (a)
0201	Meat of bovine animals, fresh or chilled:
ex 0201 10 00	– Carcases and half-carcases:
	– Carcases of a weight of not less than 180 kg but not more than 300 kg, and half carcasses of a weight of not less than 90 kg but not more than 150 kg, with a low degree of ossification of the cartilages (in particular those of the <i>symphysis pubis</i> and the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine texture, is white to light yellow in colour
0201 20	– Other cuts with bone in:
ex 0201 20 20	– – ‘Compensated’ quarters:
	– ‘Compensated’ quarters of a weight of not less than 90 kg but not more than 150 kg, with a low degree of ossification of the cartilages (in particular those of the <i>symphysis pubis</i> and the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine texture, is white to light yellow in colour (a)
ex 0201 20 30	– – Unseparated or separated forequarters:
	– – – Separated forequarters, of a weight of not less than 45 kg but not more than 75 kg, with a low degree of ossification of the cartilages (in particular those of the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine texture, is white to light yellow in colour (a)
ex 0201 20 50	– – Unseparated or separated hindquarters:
	– Separated hindquarters of a weight of not less than 45 kg but not more than 75 kg (but not less than 38 kg and but not more 68 kg in the case of ‘Pistola’ cuts), with a low degree of ossification of the cartilages (in particular those of the vertebral apophyses), the meat of which is a light pink colour and the fat of which, of extremely fine texture, is white to light yellow in colour (a)

(a) Entry under this subheading is subject to conditions laid down in the relevant Community provisions.

*Draft Decision of the Representatives of the Governments
of the Member States meeting within the Council of 1993
concerning the arrangements applicable to imports into the
Community of products covered by the ECSC Treaty
originating in the Republics of Bosnia-Herzegovina,
Croatia and Slovenia and the former Yugoslav Republic of Macedonia*

THE REPRESENTATIVES OF THE GOVERNMENTS OF THE MEMBER STATES MEETING
WITHIN THE COUNCIL,

Having regard to the Treaty establishing the European Coal and Steel
Community,

Whereas Decision No 92/607/ECSC⁽¹⁾ of the Representatives of the
Member States meeting within the Council of 21 December 1993
established the arrangements applicable to imports into the Community
of products covered by the ECSC Treaty originating in the Republics of
Bosnia-Herzegovina, Croatia and Slovenia and the territory of the
former Yugoslav Republic of Macedonia;

Whereas these arrangements should be maintained for 1994, subject to a
number of drafting amendments and adaptation of the annexes,

In agreement with the Commission,

HAVE DECIDED AS FOLLOWS:

Article 1

1. Subject to the special provisions laid down in paragraphs 2 and 4,
products originating in the Republics of Bosnia-Herzegovina, Croatia
and Slovenia and the former Yugoslav Republic of Macedonia shall be
admitted for import into the Community without quantitative
restrictions or measures having equivalent effect and exempt from
customs duties and charges having equivalent effect.

This paragraph shall be without prejudice to the provisions contained
in Article 3 of Decision No 93/235/ECSC⁽²⁾ of the Representatives of
the Governments of the Member States, meeting within the Council of
26 April 1993, concerning trade between the European Coal and Steel
Community and the Federal Republic of Yugoslavia (Serbia and
Montenegro).

(1) OJ No L 406, 31.12.1992, p. 40.

(2) OJ No L 389, 31.12.1987, P. 61.

2. The import of goods referred to in the Annex shall be subject to a system of annual ceilings above which the customs duties actually applied in respect of third countries may be reintroduced in accordance with the provisions of paragraph 3. The ceilings established for 1993 are indicated for each of them. Such ceilings shall apply as a whole to all the Republics to which this Decision refers.

3. As soon as a ceiling set for the import of a product has been reached, the customs duties actually applicable to third countries may again be levied on imports of the product in question until the end of the calendar year.

4. The Kingdom of Spain and the Portuguese Republic shall apply, *mutatis mutandis*, customs duties calculated in accordance with Decision 87/603/ECSC of the Representatives of the Governments of the Member States, meeting within the Council, and of the Commission of 21 December 1987.⁽¹⁾

Article 2

The provisions determining the rules of origin laid down in Regulation (EEC) No 343/92⁽²⁾ shall apply to this Decision.

Article 3

Where the offers made by economic operators in the Republics concerned are likely to cause injury to the operation of the common market and where this injury may be ascribed to a difference as regards prices in the conditions of competition, the Community may adopt such safeguard measures as it considers necessary to avoid or put an end to the injury to the operation of the common market; in particular it may withdraw tariff concessions.

Article 4

This Decision shall enter into force on the day following its publication in the Official Journal of the European Communities.

It shall be applicable from 1 January to 31 December 1994.

Done at Brussels,

The President

(1) OJ No L 102, 28.4.1993, p. 17.

(2) OJ No L 38, 14.2.1992, p. 1.

ANNEX (a)

Order No	CN code (*)	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0010	7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms:	32537
	7201 10	– Non-alloy pig iron containing by weight 0,5 % or less of phosphorus:	
		– – Containing by weight not less than 0,4 % of manganese:	
	7201 10 11	– – – Containing by weight 1 % or less of silicon	
	7201 10 19	– – – Containing by weight more than 1 % of silicon	
	7201 10 30	– – Containing by weight not less than 0,1 % but less than 0,4 % of manganese	
	7201 10 90	– – Containing by weight less than 0,1 % of manganese	
	7201 20 00	– Non-alloy pig iron containing by weight more than 0,5 % of phosphorus	
	7201 30	– Alloy pig iron:	
	7201 30 90	– – Other	
	7201 40 00	– Spiegeleisen	
	7202	Ferro-alloys:	
		– Other:	
	7202 99	– – Other:	
		– – – Ferro-phosphorus:	
	7202 99 11	– – – – Containing by weight more than 3 % but less than 15 % of phosphorus	
	7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms:	
	7203 90 00	– Other	
06.0020	7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	47236
		– In coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7208 11 00	– – Of a thickness exceeding 10 mm	
	7208 12	– – Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 12 10	– – – Intended for re-rolling ⁽¹⁾	
		– – – Other:	
	7208 12 91	– – – – With patterns in relief	
		– – – – Other:	
	7208 12 95	– – – – – Pickled	
	7208 12 98	– – – – – Other	
	7208 13	– – Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 13 10	– – – Intended for re-rolling ⁽¹⁾	
		– – – Other:	
	7208 13 91	– – – – With patterns in relief	
		– – – – Other:	
	7208 13 95	– – – – – Pickled	
	7208 13 98	– – – – – Other	
		– – Of a thickness of less than 3 mm	
	7208 14 10	– – – Intended for re-rolling ⁽¹⁾	
		– – – Other:	
	7208 14 91	– – – – Pickled	

⁽¹⁾ Entry within this code is subject to conditions laid down in the relevant Community provisions.

(a) Notwithstanding the rules for the interpretation of the combined nomenclature, the wording for the designation of the products is to be considered as having no more than an indicative value, the preferential scheme being determined, within the context of this Annex, by the application of CN codes. Where ex CN code positions are indicated, the preferential scheme is to be determined by application of the CN code and corresponding description taken together.

(*) The Taric codes are to be found on the last page of this Annex.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0020 (cont'd)	7208 14 99	- - - - Other	47236 (cont'd)
		- Other, in coils, not further worked than hot-rolled:	
	7208 21	- - Of a thickness exceeding 10 mm:	
	7208 21 10	- - - With patterns in relief	
	7208 21 90	- - - Other	
	7208 22	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm:	
	7208 22 10	- - - Intended for re-rolling ⁽¹⁾	
		- - - Other:	
	7208 22 91	- - - - With patterns in relief	
		- - - - Other:	
	7208 22 95	- - - - - Pickled	
	7208 22 98	- - - - - Other	
	7208 23	- - Of a thickness of 3 mm or more but less than 4,75 mm:	
	7208 23 10	- - - Intended for re-rolling ⁽¹⁾	
		- - - Other:	
	7208 23 91	- - - - With patterns in relief	
		- - - - Other:	
	7208 23 95	- - - - - Pickled	
	7208 23 98	- - - - - Other	
	7208 24	- - Of a thickness of less than 3 mm:	
	7208 24 10	- - - Intended for re-rolling ⁽¹⁾	
		- - - Other:	
	7208 24 91	- - - - - Pickled	
	7208 24 99	- - - - - Other	
	7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:	
		- Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 12	- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 10	- - - Of a width exceeding 500 mm:	
		- ⁽²⁾	
	7211 19	- - Other:	
	ex 7211 19 10	- - - Of a width exceeding 500 mm:	
		- ⁽²⁾	
		- Other, not further worked than hot-rolled:	
	7211 22	- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	- - - Of a width exceeding 500 mm:	
		- ⁽²⁾	
	7211 29	- - Other:	
	ex 7211 29 10	- - - Of a width exceeding 500 mm:	
		- ⁽²⁾	
06.0030	7207	Semi-finished products of iron or non-alloy steel:	31125
		- Containing by weight less than 0,25 % of carbon:	
	7207 19	- - Other:	
		- - - Of circular or polygonal cross-section:	
		- - - - Rolled or obtained by continuous casting:	
		- - - - - Other	
	7207 19 14	- - - - - Obtained by continuous casting	
	7207 19 16	- - - - - Other	
	7207 20	- Containing by weight 0,25 % or more of carbon:	
		- - Of circular or polygonal cross-section:	
		- - - Rolled or obtained by continuous casting:	
		- - - - Other:	

(1) Entry within this code is subject to conditions laid down in the relevant Community provisions.

(2) Flat-rolled products of a weight of 500 kg or more.

Order No.	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0030 (cont'd)	7207 20 55	— — — — — Containing by weight 0,25 % or more but less than 0,6 % of carbon	31125 (cont'd)
	7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel :	
	7213 10 00	— Containing indentations, ribs, grooves or other deformations produced during the rolling process	
		— Other, containing by weight less than 0,25 % of carbon :	
	7213 31	— — Of circular cross-section measuring less than 14 mm in diameter :	
	7213 31 10	— — — Containing by weight 0,06 % or less of carbon	
	7213 31 90	— — — Containing by weight more than 0,06 % of carbon	
	7213 39	— — Other ;	
	7213 39 10	— — — Containing by weight 0,06 % or less of carbon	
	7213 39 90	— — — Containing by weight more than 0,06 % of carbon	
		— Other, containing by weight 0,25 % or more but less than 0,6 % of carbon :	
	7213 41 00	— — Of circular cross-section measuring less than 14 mm in diameter	
	7213 49 00	— — Other	
	7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling :	
	7214 20 00	— Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	
	7214 40	— Other, containing by weight less than 0,25 % of carbon:	
	7214 40 10	— — Of rectangular (other than square) cross-section, rolled on four faces .	
		— — Of circular cross-section measuring in diameter :	
	7214 40 31	— — — 80 mm or more	
	7214 40 39	— — — Less than 80 mm	
	7214 40 90	— — Other	
	7214 50	— Other, containing by weight 0,25 % or more but less than 0,6 % of carbon:	
	7214 50 10	— — Of rectangular (other than square) cross-section, rolled on four faces .	
		— — Of circular cross-section measuring in diameter :	
	7214 50 31	— — — 80 mm or more	
	7214 50 39	— — — Less than 80 mm	
	7214 50 90	— — Other	
	7215	Other bars and rods of iron or non-alloy steel:	
	7215 90	— Other:	
	7215 90 10	— — Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228	Other bars and rods of other alloy steel, angles, shapes and sections of other alloy steel:	
	7228 80	— Hollow drill bars and rods:	
	7228 80 90	— — Of non-alloy steel	

Order No.	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0040	7207	Semi-finished products of iron or non-alloy steel:	4437
		- Containing by weight less than 0,25 % of carbon:	
	7207 19	- - Other:	
		- - - Blanks for angles, shapes and sections:	
	7207 19 31	- - - Rolled or obtained by continuous casting	
	7207 20	- Containing by weight 0,25 % or more of carbon:	
		- - Blanks for angles, shapes and sections:	
	7207 20 71	- - - Rolled or obtained by continuous casting	
	7216	Angles, shapes and sections of iron of non-alloy steel:	
	7216 10 00	- U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm	
	7216 21 00	- L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm	
	7216 22 00	- U-, I- or H-sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more	
	7216 31	- - U-sections	
		- - - Of a height of 80 mm or more but not exceeding 220 mm:	
	ex 7216 31 11	- - - - With parallel flange faces	
		- (1)	
	ex 7216 31 19	- - - - Other	
		- (1)	
		- - - Of a height of more than 220 mm:	
	ex 7216 31 91	- - - - With parallel flange faces	
		- (1)	
	ex 7216 31 99	- - - - Other	
		- (1)	
	7216 32	- - I-sections	
		- - - Of a height of 80 mm or more but not exceeding 220 mm:	
	ex 7216 32 11	- - - - With parallel flange faces	
		- (1)	

(1) Other than products containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0040 (cont'd)	ex 7216 32 19	— — — — Other — (1)	4437 (cont'd)
	ex 7216 32 91	— — — — Of a height of more than 220 mm: — — — — With parallel flange faces — (1)	
	ex 7216 32 99	— — — — Other — (1)	
	7216 33	— — H-sections:	
	ex 7216 33 10	— — — — Of a height of 80 mm or more but not exceeding 180 mm — (1)	
	ex 7216 33 90	— — — — Of a height of more than 180 mm — (1)	
	7216 40 10	— L- or T-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	
	7216 40 90	— Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn	
	7216 50	— — — — Bulb flats	
	7216 50 91	— — — — Other	
	7216 50 99	— Other:	
	7216 90	— — Hot-rolled, hot-drawn or extruded, not further worked than clad	
	7216 90 10	— Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements, welded angles, shapes and sections, of iron or steel:	
	7301	— Sheet piling	
	7301 10 00	— Sheet piling	
06.0050	7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, neither clad, plated or coated: — Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	9177
	7211 12	— — Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 90	— — — — Of a width not exceeding 500 mm: — (1)	
	7211 19	— — Other:	
	ex 7211 19 91	— — — — Of a width not exceeding 500 mm: — — — — Of a thickness of 3 mm or more but less than 4,75 mm: — (2)	
	7211 19 99	— — — — Of a thickness of less than 3 mm: — (1)	
	7211 22	— Other, not further worked than hot-rolled:	
	ex 7211 22 90	— — Other, of a thickness of 4,75 mm or more: — — — — Of a width not exceeding 500 mm: — (1)	
	7211 29	— Other, not further worked than hot-rolled:	
	ex 7211 29 91	— — Other: — — — — Of a width not exceeding 500 mm (ECSC): — — — — Of a thickness of 3 mm or more but less than 4,75 mm: — (1)	
	ex 7211 29 99	— — — — Of a thickness of less than 3 mm: — (1)	
	7211 41	— Other, not further worked than cold-rolled (cold-reduced): — — Containing by weight less than 0,25 % of carbon:	
	7211 41 91	— — — — Of a width not exceeding 500 mm:	
	7212	— — — — In coils intended for the manufacture of tin plate	
	7212 60	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated: — Clad: — — Of a width not exceeding 500 mm: — — — Not further worked than surface-treated:	
	ex 7212 60 91	— — — — Hot-rolled, not further worked than clad: — (1)	

(1) Other than products containing, by weight, not less than 0,60 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060	7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:	56930
		– Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7208 32 10	– – Other, of a thickness exceeding 10 mm	
	7208 32 30		
	7208 32 51		
	7208 32 59		
	7208 32 91		
	7208 32 99		
	7208 33 10	– – Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 33 91		
	7208 33 99		
	7208 34 10	– – Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 34 90		
	7208 35 10	– – Other, of a thickness of less than 3 mm	
	7208 35 90		
		– – Other, not in coils, not further worked than hot-rolled	
		– – Other, of a thickness exceeding 10 mm	
	7208 42 10		
	7208 42 30		
	7208 42 51		
	7208 42 59		
	7208 42 91		
	7208 42 99		
	7208 43 10	– – Other, of a thickness of 4,75 mm or more but not exceeding 10 mm	
	7208 43 91		
	7208 43 99		
	7208 44 10	– – Other, of a thickness of 3 mm or more but less than 4,75 mm	
	7208 44 90		
	7208 45 10	– – Other, of a thickness of less than 3 mm	
	7208 45 90		
	7208 90	– Other:	
	7208 90 10	– – Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced) not clad, plated or coated:	
		– In coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 12 10	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7209 12 90		
	7209 13 10	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 13 90		
	7209 14 10	– – Of a thickness of less than 0,5 mm:	
	7209 14 90	– – Other, in coils not further worked than cold-rolled (cold reduced)	
	7209 22 10	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7209 22 90		
	7209 23 10	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 23 90		
	7209 24 10	– – Of a thickness of less than 0,5 mm	
	7209 24 91		
	7209 24 99		
		– Not in coils, not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7209 32 10	– – Of a thickness exceeding 1 mm but less than 3 mm	
	7209 32 90		
	7209 33 10	– – Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 33 90		
	7209 34 10	– – Of a thickness of less than 0,5 mm	
	7209 34 90		
		– Other, not in coils, not further worked than cold-rolled (cold-reduced):	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7209 42 10	— — Of a thickness exceeding 1 mm but not exceeding 3 mm	56930 (cont'd)
	7209 42 90		
	7209 43 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7209 43 90		
	7209 44 10	— — Of a thickness of less than 0,5 mm	
	7209 44 90		
	7209 90	— Other:	
	7209 90 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:	
		— Plated or coated with tin:	
	7210 11	— — Of a thickness of 0,5 mm or more:	
	7210 11 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 12	— — Of a thickness of less than 0,5 mm:	
	7210 12 11	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 12 19		
	7210 20	— Plated or coated with lead, includingterne-plate:	
	7210 20 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Electrolytically plated or coated with zinc:	
	7210 31	— — Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7210 31 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 39	— — Other:	
	7210 39 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
		— Otherwise plated or coated with zinc:	
	7210 41	— — Corrugated:	
	7210 41 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 49	— — Other:	
	7210 49 10	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 50	— Plated or coated with chromium oxides or with chromium and chromium oxides:	
	7210 50 10	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 60	— Plated or coated with aluminium:	
		— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 60 11	— — — Plated or coated with aluminium-zinc alloys	
	7210 60 19	— — — Other	
	7210 70	— Painted, varnished or plastic coated:	
	7210 70 31	— — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 70 39		
	7210 90	— Other:	
		— — Other:	
	7210 90 31	— — — Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	
	7210 90 33		
	7210 90 35		
	7210 90 39		
	7211	Flat-rolled products of iron or non-alloys steel, of a width of less than 600 mm, not clad, plated or coated:	
		— Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 12	— — Other, of a thickness of 4,75 mm or more:	

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	ex 7211 12 10	- - - Of a width exceeding 500 mm: - (1)	56930 (cont'd)
	7211 19	- - Other:	
	ex 7211 19 10	- - - Of a width exceeding 500 mm: - (1)	
		- Other, not further worked than hot-rolled:	
	7211 22	- - Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 10	- - - Of a width exceeding 500 mm: - (1)	
	7211 29	- - Other:	
	ex 7211 29 10	- - - Of a width exceeding 500 mm: - (1)	
	7211 30	- Not further worked than cold-rolled (cold-reduced) of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	7211 30 10	- - Of a width exceeding 500 mm - Other, not further worked than cold-rolled (cold-reduced):	
	7211 41	- - Containing by weight less than 0,25 % of carbon:	
	7211 41 10	- - - Of a width exceeding 500 mm	
	7211 49	- - Other:	
	7211 49 10	- - - Of a width exceeding 500 mm	
	7211 90	- Other:	
		- - Of a width exceeding 500 mm:	
	7211 90 11	- - - Not further worked than surface-treated	
	7212	Flat-rolled products of iron or non-alloy steel, of a width of less than 500 mm, clad, plated or coated: - Plated or coated with tin:	
	7212 10 10	- - Tin plate, not further worked than surface-treated - - Other:	
		- - - of a width exceeding 500 mm:	
	ex 7212 10 91	- - - Not further worked than surface-treated (2) - Electrolytically plated or coated with zinc:	
	7212 21	- - Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa: - - - Of a width exceeding 500 mm:	
	7212 21 11	- - - Not further worked than surface-treated	
	7212 21 11	- - Other:	
		- - - Of a width exceeding 500 mm:	
	7212 29 11	- - - Not further worked than surface-treated	
	7212 30	- Otherwise plated or coated with zinc: - - Of a width exceeding 500 mm:	
	7212 30 11	- - - Not further worked than surface-treated	
	7212 40	- Painted, varnished or plastic coated:	
	7212 40 10	- - Tin plate, not further worked than varnished - - Other:	
		- - - Of a width exceeding 500 mm:	
	7212 40 91	- - - Not further worked than surface-treated	
	7212 50	- Otherwise plated or coated: - - Of a width exceeding 500 mm: - - - Lead-coated:	

(1) Not including flat-rolled products of a weight of 500 kg or more.

(2) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0060 (cont'd)	7212 50 31	-- -- -- Not further worked than surface-treated	56930 (cont'd)
		-- -- -- Other:	
	7212 50 51	-- -- -- Not further worked than surface-treated	
	7212 60	-- Clad:	
		-- -- Of a width exceeding 500 mm:	
	7212 60 11	-- -- -- Not further worked than surface-treated	
06.0070	7204	Ferrous waste and scrap; remelting scrap ingots of iron or steel:	31012
	7204 50	-- Remelting scrap ingots:	
	7204 50 90	-- -- Other	
	7206	Iron and non-alloy steel in ingots or other primary forms (excluding iron of code 7203):	
	7206 10 00	-- Ingots (ECSC)	
	7207	Semi-finished products of iron or non-alloy steel:	
		-- Containing by weight less than 0,25 % of carbon:	
	7207 11	-- -- Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	
		-- -- -- Rolled or obtained by continuous casting:	
	7207 11 11	-- -- -- Free-cutting steel	
	7207 19	-- -- Other:	
		-- -- -- Of circular or polygonal cross-section:	
		-- -- -- -- Rolled or obtained by continuous casting:	
	7207 19 11	-- -- -- -- Of free-cutting steel	
	7207 20	-- Containing by weight 0,25 % or more of carbon:	
		-- -- Of rectangular (including square) cross-section, the width measuring less than twice the thickness:	
		-- -- -- Rolled or obtained by continuous casting:	
	7207 20 11	-- -- -- Free-cutting steel	
		-- -- -- Other, containing by weight:	
	7207 20 17	-- -- -- -- 0,6 % or more of carbon	
		-- -- Other of rectangular cross-section	
	ex 7207 20 32	-- -- -- Rolled or obtained by continuous casting:	
	7207 20 51	-- -- -- Free-cutting steel	
		-- -- -- Other:	
	7207 20 57	-- -- -- -- Containing by weight 0,6 % of carbon	
	7208	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, not-rolled, and neither clad, plated nor coated:	
		-- Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	ex 7208 31 00	-- -- Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief:	
		-- (1)	
		-- Other, not in coils, not further worked than hot-rolled:	
	ex 7208 41 00	-- -- Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of not less than 4 mm, without patterns in relief:	
		-- (1)	

(1) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling (tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 60 mm, not clad, plated or coated: – Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	31012 (cont'd)
	ex 7211 11 00	– – Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief – (1)	
	7211 12	– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 12 90	– – – Of a width not exceeding 500 mm: – (1)	
	7211 14	– – Other:	
		– – – Of a width not exceeding 500 mm:	
	ex 7211 19 91	– – – – Of a thickness of 3 mm or more but less than 4,75 mm: – (1)	
	ex 7211 19 99	– – – – Of a thickness of less than 3 mm: – (1)	
		– Other, not further worked than hot-rolled:	
	ex 7211 21 00	– – Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief (ECSC) – (1)	
	7211 22	– – Other, of a thickness of 4,75 mm or more:	
	ex 7211 22 90	– – – Of a width not exceeding 500 mm: – (1)	
	7211 24	– – Other:	
		– – – Of a width not exceeding 500 mm:	
	ex 7211 29 91	– – – – Of a thickness of 3 mm or more but less than 4,75 mm: – (1)	
	ex 7211 29 99	– – – – Of a thickness of less than 3 mm: – (1)	
	7212	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:	
	7212 60	– Clad:	
		– – Of a width not exceeding 500 mm:	
		– – – Not further worked than surface-treated:	
	ex 7212 60 91	– – – – Hot-rolled, not further worked than clad: – (1)	
	7213	Bars and rods, hot-rolled, in irregularly wound coils of iron or non-alloy steel:	
	7213 20 00	– Of free-cutting steel	
	7213 50	– Other, containing by weight 0,6 % or more of carbon:	
	ex 7213 50 10	– – Containing by weight 0,6 % or more but not more than 0,75 % of carbon: – (1)	
	ex 7213 50 90	– – Containing by weight more than 0,75 % of carbon: – (1)	
	7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling: – (1)	
	7214 30 00	Of free-cutting steel:	
	7214 60 00	– Other, containing by weight 0,6 % or more of carbon	
	7216	Angles, shapes and sections of iron or non-alloy steel: – U, I or H-sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:	

(1) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	ex 7216 31	- - U-sections:	31012 (cont'd)
		- - - Of a height of 80 mm or more but not exceeding 220 mm:	
	ex 7216 31 11	- - - - With parallel flange faces:	
		- (1)	
	ex 7216 31 19	- - - - Other:	
		- (1)	
		- - - Of a height of more than 220 mm:	
	ex 7216 31 91	- - - - With parallel flange faces:	
		- (1)	
	ex 7216 31 99	- - - - Other:	
		- (1)	
	7216 32	- - I-sections:	
		- - - Of a height of 80 mm or more but not exceeding 220 mm:	
	ex 7216 32 11	- - - - With parallel flange faces:	
		- (1)	
	ex 7216 32 19	- - - - Other:	
		- (1)	
		- - - Of a height of more than 220 mm:	
	ex 7216 32 91	- - - - With parallel flange faces:	
		- (1)	
	ex 7216 32 99	- - - - Other:	
		- (1)	
	7216 33	- - H-sections:	
	ex 7216 33 10	- - - Of a height of 80 mm or more but not exceeding 180 mm:	
		- (1)	
	ex 7216 33 90	- - - Of a height of more than 180 mm:	
		- (1)	
	7218	Stainless steel in ingots or other primary forms, semi-finished products of stainless steel:	
	7218 10 00	- Ingots and other primary forms	
		- Other:	
	7218 90	- - Of rectangular (including square) cross-section:	
	7218 90 11	- - - Rolled or obtained by continuous casting	
	7218 90 13		
	7218 90 15		
	7218 90 19		
		- - Other:	
	7218 90 50	- - - Rolled or obtained by continuous casting	
	7219	Flat-rolled products of stainless steel, of a width of 600 mm or more:	
	7219 11 10	- Not further worked than hot-rolled in coils	
	7219 11 90		
	7219 12 10		
	7219 12 90		
	7219 13 10		
	7219 13 90		
	7219 14 10	- Not further worked than hot-rolled, not in coils	
	7219 14 90		
		- - - Containing by weight 2,5 % or more of nickel, of a thickness:	
	7219 21 11	- - - - Exceeding 13 mm	

(1) Containing, by weight, not less than 0,6 % of carbon and having a content, by weight, less than 0,04 % of phosphorus and sulphur taken separately and less than 0,07 % of these elements taken together.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7219 21 19		
	7219 21 90		
	7219 22 10		
	7219 22 90		
	7219 23 10		
	7219 23 90		
	7219 24 10		
	7219 24 90	— Not further worked than cold-rolled:	
		— — Of a thickness of more than 1 mm but less than 3 mm	
	7219 33 10		
	7219 33 90		
	7219 34 10	— — Of a thickness of 0,5 mm or more but not exceeding 1 mm	
	7219 34 90		
	7219 35 10	— — Of a thickness of less than 0,5 mm	
	7219 35 90		
	7219 90	— Other:	
	7219 90 11	— — Not further worked than surface-treated, including cladding, or simply cut into	
	7219 90 19	— — shapes other than rectangular (including square)	
	7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 11 00	— Not further worked than hot-rolled	
	7220 12 00		
	7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel:	
	7221 00 10	— Containing by weight 2,5 % or more of nickel	
	7221 00 90	— Containing by weight less than 2,5 % of nickel	
	7224	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel:	
	7224 90	— Other:	
		— — Of rectangular (including square) cross-section:	
		— — — Hot-rolled or obtained by continuous casting:	
		— — — — The width measuring less than twice the thickness:	
	7224 90 01	— — — — — Of high-speed steel	
	7224 90 05	— — — — — Containing by weight 0,7 % or less of carbon and 0,5 % or more but no more than 1,7 % of manganese and 0,6 % or more but no more than 2,3 % of silicon; containing by weight 0,0008 % or more of borium and provided that no other element reaches the minimum content specified in note 1 (f) to this chapter	
	7224 90 08	— — — — — Other	
	7224 90 15	— — — — — Other	
	7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more:	
	7225 50	— Other, not further worked than cold-rolled (cold-reduced):	
	ex 7225 50 10	— — Containing by weight less than 0,6 % of silicon and not less than 0,3 % but not more than 1 % of aluminium:	
		— — (1)	
	ex 7225 50 90	— — Other:	
		— — (1)	
	7227 (all numbers)	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel	
	7228	Bars and rods of other alloy steel; angles, shapes and sections of other alloy steel, hollow drill bars and rods, of alloy or non-alloy steel:	
	7228 10 10	— Bars and rods, or alloy or non-alloy steel:	
		— — Not further worked than hot-rolled, hot-drawn or extruded	
		— — Other:	
	7228 10 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	

31012

(cont'd)

(1) With a thickness of less than 3 mm.

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7228 20	— Bars and rods, of silico-manganese steel:	31012 (cont'd)
	7228 20 11	— — Not further worked than hot-rolled, hot-drawn or extruded	
	7228 20 19	— — Other:	
	7228 20 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 30	— Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:	
	7228 30 20	— — Of steel for equipment	
	7228 30 40	— — Containing by weight 0,9% or more but no more than 1,15% carbon, 0,5% or more but not more than 2% of chromium and 0,5% or less of molybdenum	
		— — Other:	
		— — — Of circular cross-section, of a diameter of:	
	7228 30 61	— — — — 80 mm or more	
	7228 30 69	— — — — Less than 80 mm	
	7228 30 70	— — — Of rectangular cross-section, rolled on four faces	
	7228 30 89	— — — Other	
	7228 60	— Other bars and rods:	
	7228 60 10	— — Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 70	— Angles, shapes and sections:	
	7228 70 10	— — Not further worked than hot-rolled hot-drawn or extruded	
	7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:	
	7220 20	Not further worked than cold-rolled (cold-reduced):	
	7220 20 10	— — Of a width exceeding 500 mm	
	7220 90	— Other:	
		— — Of a width exceeding 500 mm:	
	7220 90 11	— — — Not further worked, than surface-treated, including cladding	
		— — Of a width not exceeding 500 mm:	
		— — — Not further worked than surface-treated, including cladding:	
	7220 90 31	— — — — Hot-rolled, not further worked than clad	
	7222	Bars, and rods of stainless steel; shapes and sections of stainless steel:	
	7222 10 11	— Bars and rods, not further worked than hot-rolled, hot-drawn or extruded	
	7222 10 19		
	7222 10 21		
	7222 10 29		
	7222 10 31		
	7222 10 39		
	7222 10 81		
	7222 10 89		
	7222 30	— Other bars and rods:	
	7222 30 10	— — Not further worked than hot-rolled hot-drawn or extruded	
	7222 40	— Angles, shapes and sections:	
	7222 40 11	— — Not further worked than hot-rolled hot-drawn or extruded	
	7222 40 19		
		— — Other:	
	7222 40 30	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	
	7224	Other alloy steel in ingots or other primary forms, semifinished products of other alloy steel:	
	7224 10 00	— Ingots and other primary forms	
	7224 90	— Other:	
		— — Other:	
		— — — Hot-rolled or obtained by continuous casting:	

Order No	CN code	Description	Ceiling amount (in tonnes)
(1)	(2)	(3)	(4)
06.0070 (cont'd)	7224 90 31	— — — — Containing by weight 0,9% or more but no more than 2% of chromium, and 0,5% or less of molybdenum	31012 (cont'd)
	7224 90 39	— — — — Other	
	7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more:	
	7225 10 10	— Of silicon-electrical steel	
	7225 10 91		
	7225 10 99		
	7225 20	— Of high speed steel:	
	7225 20 20	— — Not further worked than hot-rolled; not further worked, than surfaced-treated, including cladding or simply cut into shapes other than rectangular or square	
	7225 30 00	— Other, not further worked than hot-rolled, in coils:	
	7225 40 10	— Other, not further worked than hot-rolled, not incoils	
	7225 40 30		
	7225 40 50		
	7225 40 70		
	7225 40 90		
	7225 90	— Other:	
	7225 90 10	— — Not further worked than surface-treated including cladding or simply cut into shapes other than, rectangular or square	
	7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm:	
	7226 10	— Of silicon-electrical steel:	
	7226 10 10	— — Not further worked than hot-rolled	
		— — Other:	
	7226 10 30	— — — Of a width exceeding 500 mm	
	7226 20	— Of high-speed steel:	
	7226 20 20	— — Not further worked than hot-rolled; of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than cold-rolled or not further worked than surface treated, including cladding	
		— Other:	
	7226 91	— — Not further worked than hot-rolled:	
	7226 91 10	— — — Of a thickness of 4,75 mm or more	
	7226 91 90	— — — Of a thickness of less than 4,75 mm	
	7226 92	— — Not further worked than cold-rolled (cold-reduced):	
	7226 92 10	— — Of a width exceeding 500 mm	
	7226 99	— — Other:	
	7226 99 20	— — — Of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than cold-rolled or not further worked than surface treated, including cladding	
	7228	Bars and rods of other alloy steel; angles, shapes and sections of other alloy steel; hollow drill bars rods of alloy or non-alloy steel:	
	7228 70	— Angles, shapes and sections:	
		— — Other:	
	7228 70 31	— — — Hot-rolled, hot-drawn or extruded not further worked than clad	
	7228 80	— Hollow drill and rods:	
	7228 80 10	— — Of alloy steel	

Taric codes

Order No	CN code -	Taric code
06.0020	ex 7211 12 10	7211 12 10 * 12 7211 12 10 * 91
	ex 7211 19 10	7211 19 10 * 12 7211 19 10 * 14 7211 19 10 * 91
	ex 7211 22 10	7211 22 10 * 12 7211 22 10 * 91
	ex 7211 29 10	7211 29 10 * 12 7211 29 10 * 14 7211 29 10 * 91
06.0040	ex 7216 31 11	7216 31 11 * 10 7216 31 11 * 99
	ex 7216 31 19	7216 31 19 * 10 7216 31 19 * 99
	ex 7216 31 91	7216 31 91 * 10 7216 31 91 * 99
	ex 7216 31 99	7216 31 99 * 10 7216 31 99 * 99
	ex 7216 32 11	7216 32 11 * 10 7216 32 11 * 99
	ex 7216 32 19	7216 32 19 * 10 7216 32 19 * 99
	ex 7216 32 91	7216 32 91 * 10 7216 32 91 * 99
	ex 7216 32 99	7216 32 99 * 10 7216 32 99 * 99
	ex 7216 33 10	7216 33 10 * 90
	ex 7216 33 90	7216 33 90 * 90
06.0050	ex 7211 12 90	7211 12 90 * 90
	ex 7211 19 91	7211 19 91 * 90
	ex 7211 19 99	7211 19 99 * 90
	ex 7211 22 90	7211 22 90 * 90
	ex 7211 29 91	7211 29 91 * 90
	ex 7211 29 99	7211 29 99 * 90
	ex 7212 60 91	7212 60 91 * 90

Order No	CN code	Taric code
06.0060	ex 7211 12 10	7211 12 10 * 18 7211 12 10 * 19 7211 12 10 * 99
	ex 7211 19 10	7211 19 10 * 13 7211 19 10 * 15 7211 19 10 * 17 7211 19 10 * 18 7211 19 10 * 99
	ex 7211 22 10	7211 22 10 * 18 7211 22 10 * 19 7211 22 10 * 99
	ex 7211 29 10	7211 29 10 * 13 7211 29 10 * 15 7211 29 10 * 17 7211 29 10 * 18 7211 29 10 * 99
06.0070	ex 7212 10 91	7212 10 91 * 90
06.0070	ex 7207 20 32	7207 20 32 * 10
	ex 7207 20 32	7207 20 33 * 10
	ex 7208 31 00	7208 31 00 * 10
	ex 7208 41 00	7208 41 00 * 10
	ex 7211 11 00	7211 11 00 * 10
	ex 7211 12 90	7211 12 90 * 10
	ex 7211 19 91	7211 19 91 * 10
	ex 7211 19 99	7211 19 99 * 10
	ex 7211 21 00	7211 21 00 * 10
	ex 7211 22 90	7211 22 90 * 10
	ex 7211 29 91	7211 29 91 * 10
	ex 7211 29 99	7211 29 99 * 10
	ex 7212 60 91	7212 60 91 * 10
	ex 7213 50 10	7213 50 10 * 10
	ex 7213 50 90	7213 50 90 * 10
	ex 7216 31 11	7216 31 11 * 91
	ex 7216 31 19	7216 31 19 * 91
	ex 7216 31 91	7216 31 91 * 91
	ex 7216 31 99	7216 31 99 * 91
	ex 7216 32 11	7216 32 11 * 91
	ex 7216 32 19	7216 32 19 * 91
	ex 7216 32 91	7216 32 91 * 91
	ex 7216 32 99	7216 32 99 * 91
	ex 7216 33 10	7216 33 10 * 10
	ex 7216 33 90	7216 33 90 * 10
	ex 7225 50 10	7225 50 10 * 10
	ex 7225 50 90	7225 50 90 * 10

COM(93) 625 final

DOCUMENTS**EN****11 02**

Catalogue number : CB-CO-93-668-EN-C

ISBN 92-77-62337-3
