



COMMISSION OF THE EUROPEAN COMMUNITIES

Brussels, 7.12.2005  
COM(2005) 638 final

Proposal for a

**COUNCIL REGULATION**

**amending Regulation (EC) No 1255/96 temporarily suspending the autonomous  
common customs tariff duties on certain industrial, agricultural and fishery products**

(presented by the Commission)

## **EXPLANATORY MEMORANDUM**

### **1) CONTEXT OF THE PROPOSAL**

- **Grounds for and objectives of the proposal**

The Commission, assisted by the Economic Tariff Questions Group, has reviewed all the requests for temporary suspension of autonomous common customs tariff duties presented to it by the Member States. The attached proposal concerns certain industrial, agricultural and fishery products. Requests for suspension relating to the above products were examined in the light of the criteria set out in the communication from the Commission concerning autonomous tariff suspensions and quotas (see OJ C 128, 25.4.1998, p. 2). Following this review, the Commission considers that the suspension or the reduction of duties is justified for the products listed in the Annex to the attached proposal for a Regulation. Products for which suspension is no longer in the Community's economic interests have been withdrawn. The annexes to this Regulation list the products for which suspension is proposed, or for which the wording has to be changed, and the products removed from the Annex to Regulation (EC) No 1255/96. The validity period of the measure is 1 January 2006 to 31 December 2008, in order to carry out economic examinations of the individual suspensions in this period. The suspensions, whose cancellation or continuation is considered necessary by the Commission and Economic Tariff Questions Group shall be extended or deleted after this date.

- **General context**

It is in the interest of the Community to suspend partially or totally the autonomous common customs tariff duties for a number of new products not listed in the Annex to Council Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products.

- **Existing provisions in the area of the proposal**

OJ L 158, 29.6.1996, p. 1. Regulation last amended by Regulation (EC) No 989/2005 (OJ L 168, 30.06.2005, p. 1).

- **Consistency with the other policies and objectives of the Union**

In line with agricultural, trade, enterprise, development and external relations policies.

### **2) CONSULTATION OF INTERESTED PARTIES AND IMPACT ASSESSMENT**

- **Consultation of interested parties**

*Consultation methods, main sectors targeted and general profile of respondents*

The Economic Tariff Questions Group representing the industries of each Member State was consulted.

*Summary of responses and how they have been taken into account*

All listed suspensions correspond to the agreement of the discussions inside the group.

- **Collection and use of expertise**

Scientific/expertise domains concerned

Experts representing the MS on the Economic Tariff Questions Group

Methodology used

Open consultation

Main organisations/experts consulted

Experts designated by each of the MS

Summary of advice received and used

The existence of potentially serious risks with irreversible consequences has not been mentioned.

Means used to make the expert advice publicly available

Publication of the Proposal

- **Impact assessment**

Not applicable

Proposal not included in the Commission's Working and Legislative Programme 2005

### 3) LEGAL ELEMENTS OF THE PROPOSAL

- **Summary of the proposed action**

Proposal for a Council Regulation amending Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products

- **Legal basis**

Art 26

- **Subsidiarity principle**

The proposal falls under the exclusive competence of the Community. The subsidiarity principle therefore does not apply.

- **Proportionality principle**

The proposal complies with the proportionality principle for the following reason(s).

The proposed measures are in accordance with the objectives of the "Customs 2007" action programme.

This set of measures is in line with the principles set out to simplify the procedures for the operators engaged in foreign trade and in accordance with the Commission communication concerning autonomous tariff suspensions and quotas.

- **Choice of instruments**

Proposed instruments: regulation.

Other means would not be adequate for the following reason(s).

By virtue of Article 26 of the EC Treaty autonomous tariff suspensions and quotas are approved by the Council acting on a qualified majority on the basis of a Commission proposal.

#### **4) BUDGETARY IMPLICATION**

Uncollected customs duties

#### **5) ADDITIONAL INFORMATION**

- **Simplification**

The proposal provides for simplification of legislation.

In the annex of the proposed regulation a consolidated list of all duty suspensions will be published, therefore it is no longer necessary to consult more than one regulation to find a certain measure.

Proposal for a

## **COUNCIL REGULATION**

**amending Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 26 thereof,

Having regard to the proposal from the Commission<sup>1</sup>,

Whereas:

- (1) It is in the interest of the Community to suspend partially or totally the autonomous common customs tariff duties for a number of new products not listed in the Annex to Council Regulation (EC) No 1255/96<sup>2</sup>.
- (2) A number of products which are referred to in the said Regulation should be withdrawn from the list in the Annex because it is no longer in the Community's interest to maintain suspension of autonomous common customs tariff duties or because the description needs to be altered in order to take account of technical product developments and economic trends on the market.
- (3) Accordingly, products whose description needs to be altered should be regarded as new products.
- (4) For ease of comprehension, in view of the large number of amendments coming into force on 1 January 2006, the Annex to Regulation (EC) No 1255/96 should be replaced by a completely new version with effect from that date.
- (5) The validity period of the measure should be 1 January 2006 to 31 December 2008, in order to be able to carry out economic examinations of the individual suspensions in this period. Eight years of experience have shown the necessity to provide for an expiry date to the suspensions listed in the Annex to this Regulation to ensure account is taken of technological and economic changes. This should not exclude the premature termination of certain measures or their continuation beyond this period, if economic reasons are submitted, in accordance with the principles laid down in the Commission Communication concerning autonomous tariff suspensions and quotas<sup>3</sup>.

---

<sup>1</sup> OJ C[],[],p.[]

<sup>2</sup> OJ L 158, 29.6.1996, p. 1. Regulation as last amended by Regulation (EC) No 989/2005 (OJ L 168, 30.6.2005, p. 1).

<sup>3</sup> OJ C123, 25.4.1998, p.2.

- (6) Regulation (EC) No 1255/96 should therefore be amended accordingly.
- (7) Since this Regulation is to apply from 1 January 2006, it should enter into force immediately,

HAS ADOPTED THIS REGULATION:

*Article 1*

The Annex to Regulation (EC) No 1255/96 is replaced by the Annex to this Regulation.

*Article 2*

The temporary suspensions of the autonomous duties of the Common customs tariff for the products set out in the Annex shall apply from 1 January 2006. They shall expire on 31 December 2008, unless the Council of the European Union decides otherwise.

*Article 3*

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2006.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, [...]

*For the Council*  
*The President*

## ANNEX

| CN code       | TARIC | Description                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 0302 69 99 | 10    | Sturgeons, fresh, chilled or frozen, for processing (1) (3)                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0303 79 98 | 10    |                                                                                                                                          |                         |                      |
| ex 0302 69 99 | 20    | Lump fish ( <i>Cyclopterus lumpus</i> ) with roe, fresh or chilled, for processing (1)                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0302 69 99 | 30    | Red snapper ( <i>Lutjanus purpureus</i> ), fresh, chilled or frozen, for processing (1) (2)                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0303 79 98 | 20    |                                                                                                                                          |                         |                      |
| ex 0302 70 00 | 11    | Hard fish roes, fresh, chilled or frozen                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0302 70 00 | 31    |                                                                                                                                          |                         |                      |
| ex 0302 70 00 | 41    |                                                                                                                                          |                         |                      |
| ex 0302 70 00 | 91    |                                                                                                                                          |                         |                      |
| ex 0303 80 90 | 10    |                                                                                                                                          |                         |                      |
| ex 0303 80 90 | 19    |                                                                                                                                          |                         |                      |
| ex 0303 11 00 | 10    | Pacific salmon ( <i>Oncorhynchus spp.</i> ), frozen and headless, for the processing industry for manufacture into pastes or spreads (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0303 19 00 | 10    |                                                                                                                                          |                         |                      |
| ex 0304 10 38 | 45    | Fillets and meat of dogfish ( <i>Squalus acanthias</i> ), fresh, chilled or frozen                                                       | 6 %                     | 1.1.2006- 31.12.2008 |
| ex 0304 10 98 | 60    |                                                                                                                                          |                         |                      |
| ex 0304 20 61 | 10    |                                                                                                                                          |                         |                      |
| ex 0304 90 97 | 31    |                                                                                                                                          |                         |                      |
| ex 0305 20 00 | 11    | Hard fish roes, salted or in brine                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0305 20 00 | 18    |                                                                                                                                          |                         |                      |
| ex 0305 20 00 | 19    |                                                                                                                                          |                         |                      |
| ex 0305 20 00 | 21    |                                                                                                                                          |                         |                      |
| ex 0305 20 00 | 30    |                                                                                                                                          |                         |                      |
| ex 0306 19 90 | 10    |                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0306 29 90 | 10    | Krill for processing (1)                                                                                                                 |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 0603 90 00 | 10    | Flowers, flower buds, foliage, leaves and other parts of plants, not further prepared than dried, dyed or bleached, for use in the manufacture of pot pourri of subheading 3307 49 00 (1)                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0604 99 90 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 0710 21 00 | 10    | Peas in pods, of the species <i>Pisum sativum</i> of the variety <i>Hortense axiphium</i> , frozen, of a thickness not exceeding 6 mm, to be used, in their pods, in the manufacture of prepared meals (1) (2)                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0710 80 95 | 50    | Bamboo shoots, frozen, not put up for retail sale                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0712 32 00 | 10    | Mushrooms, excluding mushrooms of the genus <i>Agaricus</i> , dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale (1) (2)                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0712 33 00 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 0712 39 00 | 31    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 0804 10 00 | 10    | Dates, fresh or dried, not put up for retail sale                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0810 40 50 | 10    | Fruit of the species <i>Vaccinium macrocarpon</i> , fresh                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0810 90 95 | 10    | Rose-hips, fresh                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| 0811 90 50    | 69    | Fruit of the genus <i>Vaccinium</i> , uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| 0811 90 70    |       |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 0811 90 95 |       |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 0811 90 95 | 20    | Boysenberries, frozen, not containing added sugar, not put up for retail sale                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0811 90 95 | 30    | Pineapple ( <i>Ananas comosus</i> ), in pieces, frozen                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 0811 90 95 | 40    | Rose-hips, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1511 90 19 | 10    | Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:<br>— industrial monocarboxylic fatty acids of subheading 3823 19 10,<br>— mixtures of methyl esters of fatty acids of subheading 3824 90 99,<br>— methyl esters of fatty acids of heading 2915 or 2916,<br>— stearic acid of subheading 3823 11 00 or<br>— goods of heading No 3401 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1511 90 91 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 1513 11 10 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 1513 19 30 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 1513 21 10 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 1513 29 30 | 10    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 1515 90 99 | 92    | Vegetable oil, refined, containing by weight 35 % or more but not more than 50 % of arachidonic acid or 35 % or more but not more than 50 % of docosahexaenoic acid                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 1518 00 91 | 10    | Soya-bean oil, modified with maleic acid, for the manufacture of cosmetic products (1)                                                                                                                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1604 11 00 | 20    | Pacific salmon ( <i>Oncorhynchus spp.</i> ), for the processing industry for manufacture into pastes or spreads (1)                                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1604 20 10 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 1604 30 90 | 10    | Hard fish roes, washed, cleaned of adherent organs and simply salted or in brine, for processing (1)                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1605 10 00 | 11    | Crabs of the species "King" ( <i>Paralithodes camchaticus</i> ), "Hanasaki" ( <i>Paralithodes brevipes</i> ), "Kegani" ( <i>Erimacrus isenbecki</i> ), "Queen" and "Snow" ( <i>Chionoecetes spp.</i> ), "Red" ( <i>Geryon quinquedens</i> ), "Rough stone" ( <i>Neolithodes asperrimus</i> ), <i>Lithodes antarctica</i> , "Mud" ( <i>Scylla serrata</i> ), "Blue" ( <i>Portunus spp.</i> ), simply boiled in water and shelled, whether or not frozen, in immediate packings of a net content of 2 kg or more | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1605 10 00 | 19    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 1605 10 00 | 92    | Crabs of the species <i>Paralomis granulosa</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1605 10 00 | 94    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 1902 30 10 | 10    | Transparent noodles, cut in pieces, obtained from beans ( <i>Vigna radiata</i> (L.) Wilczek), not put up for retail sale                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 1903 00 00 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 2005 90 80 | 70    | Bamboo shoots, prepared or preserved, in immediate packings of a net content exceeding 5 kg                                                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2106 10 20 | 10    | Soya protein isolate, containing by weight 6,6 % or more but not more than 8,6 % of calcium phosphate                                                                                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2309 90 99 | 20    | Calcium sodium phosphate, with a fluorine content of 0,005 % or more but less than 0,2 % by weight on the dry anhydrous product, for use in the manufacture of additives for animal feeding (1)                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2707 99 11 | 10    | Crude light oils containing by weight: <ul style="list-style-type: none"> <li>— 10 % or more of vinyltoluenes,</li> <li>— 10 % or more of indene and</li> <li>— 1 % or more but not more than 5 % of naphthalene</li> </ul>                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2710 11 25 | 10    | Mixture of isomers 2,4,4-trimethylpent-1-ene and 2,4,4-trimethylpent-2-ene                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2805 30 10 | 10    | Alloy of cerium and other rare-earth metals, containing by weight 47 % or more of cerium                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2805 30 10 | 20    | Alloy of lanthanum and other rare-earth metals, containing by weight 43 % or more of lanthanum                                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2805 30 90 | 10    | Lanthanum of a purity by weight of 99 % or more                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2811 19 80 | 10    | Sulfamidic acid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2811 22 00 | 10    | Silicon dioxide in the form of powder, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges (1)                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2811 29 90 | 10    | Tellurium dioxide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2812 90 00 | 10    | Nitrogen trifluoride                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2812 90 00 | 20    | Silicon tetrafluoride                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2818 30 00 | 10    | Aluminium hydroxide oxide in the form of pseudo-boehmite                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4 %                     | 1.1.2006- 31.12.2008 |
| ex 2819 90 90 | 10    | Dichromium trioxide:<br>— of a specific surface of 37 m <sup>2</sup> /g or more (as determined by the BET method),<br>— of a purity by weight of 99,5 % or more calculated on the dry substance,<br>— of a specific gravity of 1,2 g/cm <sup>3</sup> or less,<br>for the manufacture of magnetic chromium dioxide (1)                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2820 90 90 | 10    | Manganese (II,III) oxide containing by weight 70 % or more of manganese                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2821 10 00 | 10    | Diiron trioxide, in the form of powder, of a purity by weight of 99,2 % or more, for the manufacture of goods of heading No 8504 (1)                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2823 00 00 | 10    | Titanium dioxide, of a purity by weight of 99,9 % or more, with an average grain-size of 1,2 µm or more but not exceeding 1,8 µm, for the manufacture of goods of heading No 8532 or 8533(1)                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2825 50 00 | 10    | Copper (I or II) oxide containing by weight 78 % or more of copper and not more than 0,03 % of chloride                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2826 90 90 | 10    | Potassium hexafluorophosphate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2827 39 80 | 10    | Copper monochloride of a purity by weight of 96 % or more but not exceeding 99 %                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2827 60 00 | 10    | Titanium tetraiodide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2830 10 00 | 10    | Disodium tetrasulfide, containing by weight 38 % or less of sodium calculated on the dry weight                                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2830 20 00 | 10    | Zinc sulfide containing:<br>— 20,0 mg/kg or less of chloride,<br>— 0,2 mg/kg or less of copper,<br>— 0,5 mg/kg or less of iron and<br>— 1,0 mg/kg or less of lead                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2833 29 90 | 10    | Manganese sulphate monohydrate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2836 91 00 | 20    | Lithium carbonate, containing one or more of the following impurities at the concentrations indicated:<br>— 2 mg/kg or more of arsenic,<br>— 200 mg/kg or more of calcium,<br>— 200 mg/kg or more of chlorides,<br>— 20 mg/kg or more of iron,<br>— 150 mg/kg or more of magnesium,<br>— 20 mg/kg or more of heavy metals,<br>— 300 mg/kg or more of potassium,<br>— 300 mg/kg or more of sodium,<br>— 200 mg/kg or more of sulfates,<br>determined according to the methods specified in the European Pharmacopœia | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                               | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2836 99 18 | 10    | Zirconium (IV) basic carbonate                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2837 19 00 | 10    | Zinc cyanide                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2837 19 00 | 20    | Copper cyanide                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2839 90 00 | 10    | Lead silicate hydrate, of a lead content by weight of $(84,5 \pm 1,5) \%$ , evaluated as lead monoxide, in the form of powder                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2839 90 00 | 20    | Calcium silicate                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2842 90 90 | 10    | Ammonium sulfamidate                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2843 90 90 | 20    | Palladium monoxide                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2843 90 90 | 30    | Mixture of palladium phthalocyanines                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| 2845 10 00    |       | Heavy water (deuterium oxide) ( <i>Euratom</i> )                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| 2845 90 10    |       | Deuterium and compounds thereof; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products ( <i>Euratom</i> )                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2846 10 00 | 10    | Rare-earth concentrate containing by weight 60 % or more but not more than 95 % of rare-earth oxides and not more than 1 % each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5 % or more by weight | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 48    |                                                                                                                                                                                                                                           |                         |                      |
| ex 2846 10 00 | 20    | Dicerium tricarbonat, whether or not hydrated                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2846 10 00 | 30    | Cerium lanthanum carbonate, whether or not hydrated                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2846 10 00 | 40    | Cerium lanthanum neodymium praseodymium carbonate, whether or not hydrated                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| 2846 90 00    |       | Compounds, inorganic or organic, of rare-earth metals, of yttrium or of scandium or of mixtures of these metals, other than those of subheading 2846 10 00                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2848 00 00 | 10    | Phosphine                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2850 00 20 | 10    | Silane                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2850 00 20 | 20    | Arsine                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 30 80 | 10    | Carbon tetrafluoride (tetrafluoromethane)                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 30 80 | 20    | 1,1,1,2,3,3,3-Heptafluoropropane                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 30 80 | 30    | Perfluoroethane                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 30 80 | 40    | 1,1-Difluoroethane                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 30 80 | 50    | 1,1,1,3,3-Pentafluoropropane                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 30 80 | 60    | Octafluoropropane                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 43 00 | 10    | 1,1,1-Trichlorotrifluoroethane                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 49 10 | 10    | Chloro-1,1,1-trifluoroethane                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2903 59 90 | 10    | 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo=[12.2.1.1 <sup>6,9</sup> .0 <sup>2,13</sup> .0 <sup>5,10</sup> ]octadeca-7,15-diene                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 59 90 | 20    | Hexachlorocyclopentadiene                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 69 90 | 10    | Di- or tetrachlorotricyclo[8.2.2.2 <sup>4,7</sup> ]hexadeca-1(12),4,6,10,13,15-hexaene, mixed isomers                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 69 90 | 20    | 1,2-Bis(pentabromophenyl)ethane                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 69 90 | 40    | 2,6-Dichlorotoluene, of a purity by weight of 99 % or more and containing:<br>— 0,001 mg/kg or less of tetrachlorodibenzodioxines,<br>— 0,001 mg/kg or less of tetrachlorodibenzofurans,<br>— 0,2 mg/kg or less of tetrachlorobiphenyls | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 69 90 | 50    | 1-(Chloromethyl)naphthalene                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2903 69 90 | 60    | $\alpha$ -Chloro(ethyl)toluenes                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 10 00 | 30    | Sodium <i>p</i> -styrenesulfonate                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 20 00 | 10    | Nitromethane                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 20 00 | 20    | Nitroethane                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 20 00 | 30    | 1-Nitropropane                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 20 00 | 40    | 2-Nitropropane                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 20 00 | 50    | 2,2'-dinitro-bibenzyl                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 90 20 | 10    | Tosyl chloride                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 90 40 | 10    | Trichloronitromethane, for the manufacture of goods of subheading 3808 201)                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 90 85 | 10    | Quintozene (ISO)                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2904 90 85 | 20    | 1-Chloro-2,4-dinitrobenzene                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2905 19 00 | 11    | Potassium <i>tert</i> -butanolate (potassium <i>tert</i> -butoxide), whether or not in the form of a solution in tetrahydrofuran                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 56    |                                                                                                                                                                                                                                         |                         |                      |
| ex 2905 19 00 | 30    | 2,6-Dimethylheptan-4-ol                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2905 39 85 | 20    | Hexa-1,5-diene-3,4-diol                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2905 49 10 | 10    | Ethylidynetrimethanol                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| 2906 11 00    |       | Menthol                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2906 19 00 | 10    | Cyclohex-1,4-ylenedimethanol                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2906 19 00 | 20    | 4,4'-Isopropylidenedicyclohexanol                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2906 29 00 | 10    | 2,2'-( <i>m</i> -Phenylene)dipropen-2-ol                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2906 29 00 | 20    | 1-Hydroxymethyl-4-methyl-2,3,5,6-tetrafluorobenzene                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 19 00 | 10    | 2,3,5-Trimethylphenol                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 21 00 | 10    | Resorcinol                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 10    | Disodium 1,4-dihydroanthracene-9,10-diolate, in the form of an aqueous solution                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 20    | 4,4'-(3,3,5-Trimethylcyclohexylidene)diphenol                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 30    | 4,4',4''-Ethylidynetriphenol                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 40    | Mixture of isomers of methylenediphenol                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 50    | 6,6',6''-Tricyclohexyl-4,4',4''-butane-1,1,3-triyltri( <i>m</i> -cresol)                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 60    | 4,4'-(1,3-Phenylenediisopropylidene)diphenol                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 70    | 2,2',2'',6,6',6''-Hexa- <i>tert</i> -butyl- <i>α,α',α''</i> -(mesitylene-2,4,6-triyl)tri- <i>p</i> -cresol               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 80    | Pyrogallol                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2907 29 00 | 85    | Phloroglucinol whether or not hydrated                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2908 20 00 | 10    | Disodium 3-hydroxynaphthalene-2,7-disulfonate                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2908 20 00 | 20    | Dipotassium 7-hydroxynaphthalene-1,3-disulfonate                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2908 20 00 | 30    | 6-Hydroxynaphthalene-2-sulfonic acid and its salts                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 74    |                                                                                                                          |                         |                      |
| ex 2908 90 00 | 10    | 4-Nitroso- <i>o</i> -cresol                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2908 90 00 | 30    | 4-Nitrophenol                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2908 90 00 | 40    | 3-Nitro- <i>p</i> -cresol                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 19 00 | 10    | 1,2-Bis(2-chloroethoxy)ethane                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 19 00 | 20    | Bis(2-chloroethyl) ether                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 19 00 | 30    | Mixture of isomers of nonafluorobutyl methyl ether or nonafluorobutyl ethyl ether, of a purity by weight of 99 % or more | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 30 38 | 10    | Bis(pentabromophenyl) ether                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 30 90 | 10    | 4-( <i>p</i> -Tolyloxy)biphenyl                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 30 90 | 20    | 1,2-Bis( <i>m</i> -tolyloxy)ethane                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 30 90 | 30    | 1,2-Diphenoxyethane                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 44 00 | 10    | 2-Hexyloxyethanol                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 49 19 | 10    | 1- <i>tert</i> -Butoxypropan-2-ol                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2909 50 90 | 10    | 4-(2-Methoxyethyl)phenol                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2909 60 00 | 10    | Bis( $\alpha,\alpha$ -dimethylbenzyl) peroxide                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2910 90 00 | 30    | 2,3-Epoxypropan-1-ol (glycidol)                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2910 90 00 | 40    | Perfluoroepoxypropane                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2910 90 00 | 60    | 1,2-Epoxyoctadecane, of a purity by weight of 82 % or more                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 59    |                                                                             |                         |                      |
| ex 2910 90 00 | 70    | (Epoxyethyl)benzene (styrene oxide)                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2912 29 00 | 10    | Terephthalaldehyde                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2912 49 00 | 10    | 3-Phenoxybenzaldehyde                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 19 90 | 10    | 3,3-Dimethylbutan-2-one                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| 2914 21 00    |       | Camphor                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 29 00 | 10    | Estr-4-ene-3,17-dione                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 29 00 | 20    | Cyclohexadec-8-enone                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 39 00 | 10    | Benz[ <i>de</i> ]anthracen-7-one                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 50 00 | 30    | 2'-Hydroxyacetophenone                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 50 00 | 40    | 4'-Hydroxyacetophenone                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 50 00 | 50    | 6'-Methoxy-2'-acetanaphthone                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 69 90 | 10    | 2-Ethylanthraquinone                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 69 90 | 20    | 2-Pentylanthraquinone                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 69 90 | 30    | 1,4-Dihydroxyanthraquinone                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 69 90 | 40    | 2,3-Dihydro-1,4-dihydroxyanthraquinone                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 69 90 | 50    | 2-Methylanthraquinone                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 70 00 | 10    | 1-Chloro-3,3-dimethylbutan-2-one                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 70 00 | 30    | 4,4'-Dibromobenzil                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 70 00 | 40    | Perfluoro(2-methylpentan-3-one)                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2914 70 00 | 50    | 3'-Chloropropiophenone                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| 2915 24 00    |       | Acetic anhydride                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 29 00 | 10    | Antimony triacetate                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 39 90 | 20    | 5 $\alpha$ -Bromo-6 $\beta$ -hydroxy-17-oxo-androstan-3 $\beta$ -yl acetate | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 39 90 | 30    | But-3-ene-1,2-diyl di(acetate)                                              | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                    | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2915 39 90 | 40    | <i>tert</i> -Butyl acetate                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 39 90 | 50    | 3-Acetylphenyl acetate                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 39 90 | 60    | 1-phenylethyl acetate                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 40 00 | 10    | Vinyl chloroacetate                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 90 80 | 20    | Trimethyl orthoacetate                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 90 80 | 30    | 2-Ethylbutyric acid                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2915 90 80 | 40    | Nonanoic acid (pelargonic acid)                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 12 90 | 10    | 2- <i>tert</i> -Butyl-6-(3- <i>tert</i> -butyl-2-hydroxy-5-methylbenzyl)=methylphenyl acrylate | -4- 0 %                 | 1.1.2006- 31.12.2008 |
| ex 2916 12 90 | 20    | 2-Ethoxyethyl acrylate                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 12 90 | 30    | Isobutyl acrylate                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 13 00 | 10    | Hydroxyzinc methacrylate, in the form of powder                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 13 00 | 20    | Zinc dimethacrylate, in the form of powder                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 14 90 | 10    | 2,3-Epoxypropyl methacrylate                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 19 80 | 20    | Methyl 3,3-dimethylpent-4-enoate                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 20 00 | 10    | Methyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 20 00 | 30    | Empenthrin (ISO)                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 20 00 | 50    | Ethyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 15    | Biphenyl-4-carboxylic acid                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 20    | 3,5-Dichlorobenzoyl chloride                                                                   | 3.6 %                   | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 25    | <i>p</i> -Toluic acid                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 35    | <i>o</i> -Chlorophenylacetic acid                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 40    | Vinyl 4- <i>tert</i> -butylbenzoate                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 50    | 3,5-Dimethylbenzoyl chloride                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 60    | 4-Ethylbenzoyl chloride                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 70    | Ibuprofen (INN)                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 80    | Ethyl 2-(4-nitrophenyl)butyrate                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2916 39 00 | 85    | 2,6-difluorobenzoic acid                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 11 00 | 20    | Bis( <i>p</i> -methylbenzyl) oxalate                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 19 90 | 20    | Sodium 1,2-bis(cyclohexyloxycarbonyl)ethanesulfonate                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 19 90 | 40    | Dodecanedioic acid, of a purity by weight of more than 98,5 %                                  | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2917 19 90 | 50    | Glutaric anhydride                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 19 90 | 60    | Diethyl isobutylmalonate                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 19 90 | 70    | Itaconic acid                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 20 00 | 30    | 1,4,5,6,7,7-Hexachloro-8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 20 00 | 40    | 3-Methyl-1,2,3,6-tetrahydrophthalic anhydride                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 34 00 | 10    | Diallyl phthalate                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 39 80 | 10    | Dimethyl naphthalene-2,6-dicarboxylate                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 39 80 | 20    | Benzene-1,2,4,5-tetracarboxylic acid (pyromellitic acid)                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 39 80 | 30    | Benzene-1,2:4,5-tetracarboxylic dianhydride (pyromellitic dianhydride)                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2917 39 80 | 40    | Biphenyl-3,4:3',4'-tetracarboxylic dianhydride                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 13 00 | 10    | L-(-)-Di- <i>p</i> -toluoyltartaric acid                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 19 80 | 20    | L-Malic acid                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 19 80 | 30    | 2,2-Bis(hydroxymethyl)butyric acid                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 19 80 | 50    | DL-mandelic acid                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 29 10 | 10    | Monohydroxynaphthoic acids                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 29 80 | 10    | Hexamethylene bis[3-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)propionate]                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 29 80 | 20    | Gallic acid, of a purity by weight of 98,5 % or more calculated on the dry weight (measured by acidimetry) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 30 00 | 20    | 2-(4-Ethylbenzoyl)benzoic acid                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 10    | 3,4-Epoxy-cyclohexylmethyl 3,4-epoxycyclohexanecarboxylate                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 20    | Methyl 3-methoxyacrylate                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 30    | Methyl 2-(4-hydroxyphenoxy)propionate                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 40    | <i>trans</i> -4-Hydroxy-3-methoxycinnamic acid                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 50    | Methyl 3,4,5-trimethoxybenzoate                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 60    | 3,4,5-Trimethoxybenzoic acid                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2918 90 90 | 70    | methyl 5-methoxy-3-oxopentanoate                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2919 00 90 | 10    | 2,2'-Methylenebis(4,6-di- <i>tert</i> -butylphenyl) phosphate, monosodium salt                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2919 00 90 | 20    | Diammonium salt of tetramyristoylcardiolipin                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2919 00 90 | 30    | Aluminium hydroxybis[2,2'-methylenebis(4,6-di- <i>tert</i> -butylphenyl)phosphate]                         | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2919 00 90 | 40    | Tri-n-hexylphosphate                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 10 00 | 10    | Fenitrothion (ISO)                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 10 00 | 20    | Tolclofos-methyl (ISO)                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 10 | 10    | Diethyl sulfate                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 10 | 20    | Diallyl 2,2'-oxydiethyl dicarbonate                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 10 | 30    | 4-Ethyl-1,3-dioxolan-2-one                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 10 | 40    | Dimethyl carbonate                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 10 | 50    | Di-tert-butyl dicarbonate                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| 2920 90 30    |       | Trimethyl phosphite                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 85 | 10    | <i>O,O'</i> -Dioctadecyl pentaerythritol bis(phosphite)                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 85 | 40    | Tritolyl phosphite                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2920 90 85 | 50    | tri iso octyl phosphite                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 19 80 | 10    | Triallylamine                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 19 80 | 20    | Ethyl(2-methylallyl)amine                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 19 80 | 30    | Allylamine                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 29 00 | 10    | <i>N,N,N',N'</i> -Tetrabutylhexamethylenediamine                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 29 00 | 20    | Tris[3-(dimethylamino)propyl]amine                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 29 00 | 30    | Bis[3-(dimethylamino)propyl]methylamine                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 29 00 | 40    | <i>N,N'</i> -Di- <i>tert</i> -butylethylenediamine                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 30 99 | 10    | Dicyclohexyl(methyl)amine                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 30 99 | 20    | Cyclohex-1,3-ylenebis(methylamine), for the manufacture of dishwashing products (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 10    | 2,6-Dichloro-4-nitroaniline                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 15    | 4-Amino-3-nitrobenzenesulphonic acid                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 20    | 2-Bromo-4,6-dinitroaniline                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 25    | Sodium hydrogen 2-aminobenzene-1,4-disulphonate                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 30    | 4-Aminobenzene-1,3-disulfonic acid and its salts                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 40    | 2-Bromo-6-chloro-4-nitroaniline                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 50    | 3-Aminobenzenesulfonic acid                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 70    | 2-Aminobenzene-1,4-disulfonic acid                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 42 10 | 80    | 4-Chloro-2-nitroaniline                                                             | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2921 42 10 | 85    | 3,5-dichloroaniline                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 43 00 | 10    | 5-Amino-2-chlorotoluene-4-sulfonic acid                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 43 00 | 20    | 4-Amino-6-chlorotoluene-3-sulfonic acid                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 43 00 | 30    | 3-Nitro- <i>p</i> -toluidine                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 44 00 | 10    | Methyldiphenylamine                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 44 00 | 20    | Diphenylamine                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 45 00 | 10    | Sodium hydrogen 3-aminonaphthalene-1,5-disulfonate                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 45 00 | 20    | 2-Aminonaphthalene-1,5-disulfonic acid and its sodium salts                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 45 00 | 30    | 2-Aminonaphthalene-1-sulfonic acid                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 45 00 | 40    | 1-Naphthylamine                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 49 10 | 20    | Pendimethalin (ISO)                                                                                                                                                                                                                                 | 3.5 %                   | 1.1.2006- 31.12.2008 |
| ex 2921 49 80 | 10    | 8-Anilinonaphthalene-1-sulfonic acid                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 49 80 | 20    | <i>N</i> -1-Naphthylaniline                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 51 19 | 20    | Toluene diamine (TDA), containing by weight 78% or more but not more than 82% of 4-methyl-m-phenylenediamine and 18% or more but not more than 22% of 2-methyl-m-phenylenediamine, and with a residual tar content of not more than 0.23% by weight | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 59 90 | 10    | Mixture of isomers of 3,5-diethyltoluenediamine                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2921 59 90 | 20    | 4-(4-Aminoanilino)-3-nitrobenzenesulfonic acid                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 68    |                                                                                                                                                                                                                                                     |                         |                      |
| ex 2921 59 90 | 40    | 4,4'-diaminostilbene-2,2'-disulphonic acid                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 19 80 | 10    | 4,4-Dimethoxybutylamine                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 19 80 | 30    | <i>N,N,N',N'</i> -Tetramethyl-2,2'-oxybis(ethylamine)                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 19 80 | 40    | 2-Amino-2-methylpropanol, for use in the manufacture of goods of subheadings 3004 90 and 3305 30 (1)                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 19 80 | 50    | 2-(2-Methoxyphenoxy)ethylamine                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 19 80 | 60    | <i>N,N,N'</i> -trimethyl- <i>N'</i> -(2-hydroxy-ethyl) 2,2'-oxybis(ethylamine)                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 21 00 | 10    | 2-Amino-5-hydroxynaphthalene-1,7-disulfonic acid and its salts, of a purity by weight of 60 % or more                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 21 00 | 20    | 4-Hydroxy-7-methylaminonaphthalene-2-sulfonic acid                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 21 00 | 30    | 6-Amino-4-hydroxynaphthalene-2-sulfonic acid                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 21 00 | 40    | 7-Amino-4-hydroxynaphthalene-2-sulfonic acid                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                               | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2922 21 00 | 50    | Sodium hydrogen 4-amino-5-hydroxynaphthalene-2,7-disulphonate                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 22 00 | 10    | Anisidines                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 10    | 2-Methyl- <i>N</i> -phenyl- <i>p</i> -anisidine                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 15    | <i>N</i> -Methyl-2-(3,4-dimethoxyphenyl)ethylamine                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 20    | 3-Aminophenol                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 30    | 4-Amino-5-methoxy-2-methylbenzenesulfonic acid                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 40    | 2-Amino-4- <i>tert</i> -pentyl-6-nitrophenol                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 50    | 6-Methoxy- <i>m</i> -toluidine                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 60    | 3,5-Dichloro-4-(1,1,2,2-tetrafluoroethoxy)aniline                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 70    | 4-Nitro- <i>o</i> -anisidine                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 29 00 | 80    | 3-Diethylaminophenol                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 39 00 | 10    | 1-Amino-4-bromo-9,10-dioxoanthracene-2-sulfonic acid and its salts                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 39 00 | 20    | 1-Aminoanthraquinone                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 39 00 | 30    | 1-Bromo-4-methylaminoanthraquinone                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 39 00 | 40    | 1,4-Diamino-2,3-dichloroanthraquinone                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 39 00 | 50    | 2-Aminoanthraquinone                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 39 00 | 60    | 1,4-Diamino-2,3-dihydroanthraquinone                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 43 00 | 10    | Anthranilic acid                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 49 95 | 10    | Ornithine aspartate (INN)                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 49 95 | 20    | 12-Aminododecanoic acid                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 49 95 | 30    | DL-Aspartic acid                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 49 95 | 40    | Norvaline                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 50 00 | 30    | 2-(3-Amino-4-chlorobenzoyl)benzoic acid                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 50 00 | 50    | 2-(4-Dibutylaminosalicyloyl)benzoic acid                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2922 50 00 | 70    | 2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)ethylammonium acetate                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 10    | Tetramethylammonium hydroxide, in the form of an aqueous solution containing:<br>— (25 ± 0,5) % by weight of tetramethylammonium hydroxide,<br>— 500 mg/kg or less of carbonate,<br>— 200 mg/kg or less of chloride and<br>— 5 mg/kg or less of potassium | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 15    | 3-chloro-2-hydroxypropyldimethyldodecylammoniumchloride in the form of an aqueous solution                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2923 90 00 | 30    | Tetramethylammonium hydroxide pentahydrate, of a purity by weight of 98 % or more                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 40    | Benzyltrimethyl(octadecyl)ammonium salts, for use in the manufacture of toner for photocopiers (1)                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 50    | Tetraethylammonium hydroxide, in the form of an aqueous solution containing: <ul style="list-style-type: none"> <li>— (35 ± 0,5) % by weight of tetraethylammonium hydroxide,</li> <li>— 2 000 mg/kg or less of chloride,</li> <li>— 2 mg/kg or less of iron and</li> <li>— 10 mg/kg or less of potassium</li> </ul>                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 60    | Tetrabutylammonium hydroxide, in the form of an aqueous solution containing by weight: <ul style="list-style-type: none"> <li>— (55 ± 1,0) % of tetrabutylammonium hydroxide,</li> <li>— 0,5 % or less of bromide,</li> <li>— 0,4 % or less of tributylamine,</li> <li>— 0,3 % or less of carbonate and</li> <li>— 0,2 % or less of potassium and sodium taken together</li> </ul>                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 70    | Tetrapropylammonium hydroxide, in the form of an aqueous solution containing: <ul style="list-style-type: none"> <li>— (40 ± 2) % by weight of tetrapropylammonium hydroxide,</li> <li>— 0,3 % by weight or less of carbonate,</li> <li>— 0,1 % by weight or less of tripropylamine,</li> <li>— 500 mg/kg or less of bromide and</li> <li>— 25 mg/kg or less of potassium and sodium taken together</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2923 90 00 | 80    | Diallyldimethylammonium chloride, in the form of an aqueous solution containing by weight 63 % or more but not more than 67 % of diallyldimethylammonium chloride                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 19 00 | 10    | 2-Acrylamido-2-methylpropanesulfonic acid and its sodium or ammonium salts                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 19 00 | 20    | <i>N,N'</i> -Methylenediacylamide                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 19 00 | 30    | Methyl 2-acetamido-3-chloropropionate                                                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 19 00 | 40    | <i>N</i> -(1,1-Dimethyl-3-oxobutyl)acrylamide                                                                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 19 00 | 50    | Acrylamide                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 21 90 | 10    | 4,4'-Dihydroxy-7,7'-ureylenedi(naphthalene-2-sulfonic acid) and its sodium salts                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 62    |                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 2924 29 95 | 10    | Alachlor (ISO)                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 29 95 | 15    | Acetochlor (ISO)                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 29 95 | 20    | 3'-Amino-4'-methoxyacetanilide                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 29 95 | 25    | 3'-Diethylaminoacetanilide                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2924 29 95 | 30    | Propachlor (ISO)                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                      | Rate of autonomous duty    | Validity period      |                      |
|---------------|-------|--------------------------------------------------------------------------------------------------|----------------------------|----------------------|----------------------|
| ex 2924 29 95 | 35    | Diethofencarb (ISO)                                                                              | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 40    | 7-Acetamido-4-hydroxynaphthalene-2-sulfonic acid and its sodium salts                            | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 45    | 3'-Diethylamino-4'-methoxyacetanilide                                                            | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 50    | 5-[N-(2-Acetoxyethyl)acetoxycetamido]-N,N'-bis(2,3-diacetoxy=propyl)-2,4,6-triiodoisophthalamide | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 55    | 4'-Amino-N-methylacetanilide                                                                     | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 60    | Beflubutamid (ISO)                                                                               | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 65    | 2-(4-Hydroxyphenyl)acetamide                                                                     | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 70    | 4-Acetamido-2-aminobenzenesulfonic acid                                                          | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 75    | 3-Amino- <i>p</i> -anisilide                                                                     | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 80    | 5'-Chloro-3-hydroxy-2',4'-dimethoxy-2-naphtanilide                                               | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 85    | <i>p</i> -Aminobenzamide                                                                         | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 91    | 3-hydroxy-2'-methoxy-2-naphthanilide                                                             | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 92    | 3-hydroxy-2-naphthanilide                                                                        | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 93    | 3-hydroxy-2'-methyl-2-naphthanilide                                                              | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 94    | 2'-ethoxy-3-hydroxy-2-naphthanilide                                                              | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 95    | <i>N</i> -{3-[3-(Dimethylamino)prop-2-enoyl]phenyl} - <i>N</i> -ethylacetamide                   | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 96    | 4'-chloro-3-hydroxy-2',5'-dimethoxy-2-naphthanilide                                              | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2924 29 95 | 97    | 1,1-cyclohexanediamic acid monoamide                                                             | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2925 11 00 | 20    | Saccharin and its sodium salt                                                                    | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2925 19 95 | 10    | <i>N</i> -Phenylmaleimide                                                                        | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2925 19 95 | 20    | <i>N</i> -(9-Fluorenylmethoxycarbonyloxy)succinimide                                             | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2925 20 00 | 10    | Dicyclohexylcarbodiimide                                                                         | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2926 90 95 | 10    | Methacrylonitrile                                                                                | 0 %                        | 1.1.2006- 31.12.2008 |                      |
| ex 2926 90 95 | 15    | Cyano(3-phenoxyphenyl)methyl dimethylcyclopropanecarboxylate                                     | 3-(2,2-dichlorovinyl)-2,2- | 0 %                  | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 20    | 2-( <i>m</i> -Benzoylphenyl)propiononitrile                                                      |                            | 0 %                  | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 25    | Aminoacetonitrile hydrochloride                                                                  |                            | 0 %                  | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 30    | 2-Amino-5-nitrobenzonitrile                                                                      |                            | 0 %                  | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 35    | 2-Bromo-2(bromomethyl)pentanedinitrile                                                           |                            | 0 %                  | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 45    | 2-Cyanoacetamide                                                                                 |                            | 0 %                  | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2926 90 95 | 50    | Alkyl or alkoxyalkyl esters of cyanoacetic acid                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 60    | Cyanoacetic acid in crystalline form                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 65    | Malononitrile                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 70    | Tetrachloroterephthalonitrile                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 75    | Ethyl 2-cyano-2-ethyl-3-methylhexanoate                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 80    | Ethyl 2-cyano-2-phenylbutyrate                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 85    | Ethyl 2-allyl-2-cyano-3-methylhexanoate                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 86    | Ethylenediaminetetraacetonitrile                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 87    | Nitrilotriacetonitrile                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 88    | 1,3-Propylenediaminetetraacetonitrile                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2926 90 95 | 89    | Butyronitrile                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2927 00 00 | 10    | 2,2'-Dimethyl-2,2'-azodipropionamidinium dihydrochloride                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2927 00 00 | 20    | 4-Anilino-2-methoxybenzenediazonium hydrogen sulfate                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2927 00 00 | 30    | 4'-Aminoazobenzene-4-sulfonic acid                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 69    |                                                                                             |                         |                      |
| ex 2927 00 00 | 40    | 2-Hydroxynaphthalene-1-diazonium-4-sulfonate                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2927 00 00 | 50    | 2-Hydroxy-6-nitronaphthalene-1-diazonium-4-sulfonate, of a purity by weight of 60 % or more | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 41    |                                                                                             |                         |                      |
| ex 2928 00 90 | 10    | 3,3'-Bis(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)- <i>N,N'</i> -bipropionamide           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2928 00 90 | 20    | 2,4,6-Trichlorophenylhydrazine                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2928 00 90 | 40    | <i>O</i> -Ethylhydroxylamine, in the form of an aqueous solution                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2928 00 90 | 50    | <i>N</i> -Isopropylhydroxylamine, in the form of an aqueous solution                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2928 00 90 | 60    | Adipohydrazide                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2928 00 90 | 70    | Tetrakis(4-methylpentan-2-oximino)silane                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2928 00 90 | 80    | Cyflufenamid (ISO)                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2929 10 90 | 10    | Methylenedicyclohexyl diisocyanates                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2929 10 90 | 30    | 3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2929 10 90 | 40    | <i>m</i> -Isopropenyl- $\alpha,\alpha$ -dimethylbenzyl isocyanate                           | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                      | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2929 10 90 | 50    | <i>m</i> -Phenylenediisopropylidene diisocyanate                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2929 10 90 | 60    | Trimethylhexamethylene diisocyanate, mixed isomers                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2929 10 90 | 70    | 9,9'-(3-Heptyl-4-pentylcyclohex-1,2-ylene)dinonyl diisocyanate                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2929 90 00 | 20    | Ethyl isocyanoacetate                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 10    | Thiophenol                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 15    | Ethoprophos (ISO)                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 20    | 3,3-Dimethyl-1-methylthiobutanone oxime                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 25    | Thiophanate-methyl (ISO)                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 30    | 4-(4-Isopropoxyphenylsulfonyl)phenol                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 40    | 3,3'-Thiodi(propionic acid)                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 45    | 2-[( <i>p</i> -Aminophenyl)sulfonyl]ethyl hydrogen sulfate                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 50    | 2-Chlorophenylsulfonyl isocyanate, in the form of a solution in xylene           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 51    |                                                                                  |                         |                      |
| ex 2930 90 70 | 55    | Methyl 2-(isocyanatosulfonyl)methylbenzoate, in the form of a solution in xylene | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 52    |                                                                                  |                         |                      |
| ex 2930 90 70 | 60    | Methyl phenyl sulfide                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 65    | Diiodomethyl <i>p</i> -tolyl sulfone                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 70    | 2-Aminophenyl phenyl sulfone, of a purity by weight of 75 % or more              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 71    |                                                                                  |                         |                      |
| ex 2930 90 70 | 75    | 4,4'-[Methylenebis(oxyethylenethio)]diphenol                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 80    | Captan (ISO)                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 85    | Mesotrione (ISO)                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 86    | 4-Hydroxybenzenethiol                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 87    | 3-Sulfinobenzoic acid                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2930 90 70 | 88    | Methylene dithiocyanate                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| 2931 00 10    |       | Dimethyl methylphosphonate                                                       | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2931 00 95 | 05    | Butylethylmagnesium, in the form of a solution in heptane                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 10    | 2-Diphenylphosphinobenzoic acid                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 20    | Bis(2-chloroethyl) 2-chloroethylphosphonate                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 25    | Sodium phenylphosphinate                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 30    | Bis(2-chloroethyl) vinylphosphonate                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 35    | Sodium tetraphenylborate                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 40    | <i>N</i> -(Phosphonomethyl)iminodiacetic acid                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 45    | Tributylphosphine                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 50    | Bis(2,4,4-trimethylpentyl)phosphinic acid                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 55    | Dimethyl[dimethylsilyldiindenyl]hafnium                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 60    | Trioctylphosphine oxide                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 65    | Triethylborane                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 70    | <i>N,N</i> -Dimethylanilinium tetrakis(pentafluorophenyl)borate                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 75    | {2,7-Di- <i>tert</i> -butyl-9-[( $\eta^5$ -cyclopentadienyl)bis(4-triethylsilylphenyl)methyl]-4a,4b,8a,9,9a- $\eta$ -fluorene} dimethylhafnium, in the form of a solution in hexane | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 84    | Methylbis(4-methylpentan-2-oximino)vinylsilane                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 85    | Tributyl(tetradecyl)phosphonium chloride, whether or not in the form of an aqueous solution                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 86    | Mixture of the isomers 9-icosyl-9-phosphabicyclo[3.3.1]nonane and 9-icosyl-9-phosphabicyclo[4.2.1]nonane                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 87    | Tris(4-methylpentan-2-oximino)methylsilane                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 88    | Tris(4-methylpentan-2-oximino)vinylsilane                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 89    | Tetrabutylphosphonium acetate, in the form of an aqueous solution                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2931 00 95 | 95    | Trichloro(3-chloropropyl)silane                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 13 00 | 10    | Tetrahydrofurfuryl alcohol                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 19 00 | 40    | Furan of a purity by weight of 99 % or more                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 19 00 | 50    | 2,3-Dihydrofuran                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 19 00 | 70    | Furfurylamine                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 19 00 | 75    | Tetrahydro-2-methylfuran                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 19 00 | 80    | Octafluorotetrahydrofuran                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 10    | 2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran= -1(3 <i>H</i> ),9'-xanthen]-3-one                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2932 29 85 | 15    | 13,14,15,16-Tetranorlabdano-12,8 $\alpha$ -lactone                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 25    | 2'-(2-Chloroanilino)-6'-dibutylaminospiro[isobenzofuran= 1(3H),9'-xanthen]-3-one                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 30    | 2'-Anilino-3'-methyl-6'-methyl(propyl)aminospiro[isobenzofuran= 1(3H),9'-xanthen]-3-one                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 35    | 6'-Diethylamino-3'-methyl-2'-(2,4-xylidino)spiro[isobenzofuran= 1(3H),9'-xanthen]-3-one                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 40    | 2'-Anilino-6'-(N-ethyl-p-toluidino)-3'-methylspiro[isobenzofuran= 1(3H),9'-xanthen]-3-one                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 45    | 2'-Anilino-6'-ethyl(isobutyl)amino-3'-methylspiro[isobenzofuran= 1(3H),9'-xanthen]-3-one                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 50    | 2'-Anilino-6'-cyclohexyl(methyl)amino-3'-methylspiro[isobenzofuran= 1(3H),9'-xanthen]-3-one                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 55    | 6-Dimethylamino-3,3-bis(4-dimethylaminophenyl)phthalide                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 70    | 3',6'-Bis(ethylamino)-2',7'-dimethylspiro[isobenzofuran-1(3H),9'=[9H]-xanthen]-3-one                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 29 85 | 75    | Rofecoxib (INN)                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 70 | 10    | Bendiocarb (ISO)                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 70 | 20    | Androsta-1,4-diene-3,17-dione 17-(2,2-dimethylpropylene) acetal                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 70 | 40    | 1,3:2,4-Bis-O-(3,4-dimethylbenzylidene)-D-glucitol                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 70 | 50    | 5-Propyl-1,3-benzodioxole                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 70 | 60    | Calcium bis[4-O-( $\beta$ -D-galactopyranosyl)-D-gluconate] dihydrate                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 85 | 20    | (2-Butylbenzofuran-3-yl) (4-hydroxy-3,5-diiodophenyl) ketone                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2932 99 85 | 30    | Carbofuran (ISO)                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 19 90 | 10    | 4,5-Diamino-1-(2-hydroxyethyl)-1H-pyrazole sulfate                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 19 90 | 20    | 4-Amino-1-methyl-3-propylpyrazole-5-carboxamide                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 19 90 | 30    | 3-methyl-1-p-tolyl-5-pyrazolone                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 19 90 | 40    | Edaravone (INN)                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 21 00 | 10    | Hydantoin                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 21 00 | 20    | 2-(3-Benzyl-2,5-dioxoimidazolidin-1-yl)-2'-chloro-5'-(3-dodecylsulfonyl-2-methylpropionamido)-4,4-dimethyl-3-oxovaleranilide                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 21 00 | 40    | 1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]=bis(hydroxymethyl)urea                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 29 90 | 20    | Reaction product consisting of the methyl esters of ( $\pm$ )-6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)- <i>m</i> -toluic acid and ( $\pm$ )-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)- <i>p</i> -toluic acid (Imazamethabenz-methyl) | 4 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                       | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2933 29 90 | 40    | Triflumizole (ISO)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 29 90 | 50    | 1,3-Dimethylimidazolidin-2-one                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 10    | Cloperastine fendizoate (INNM)                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 15    | Pyridine-2,3-dicarboxylic acid                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 20    | 5-Methyl-2-pyridylamine                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 25    | Imazethapyr (ISO)                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 30    | 4,4'-Trimethylenedipiperidine                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 35    | Aminopyralid (ISO)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 40    | 2-chloropyridine                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 45    | 3-(carboxymethyl)pyridinium chloride                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 60    | 2-Fluoro-6-(trifluoromethyl)pyridine                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 65    | Acetamiprid (ISO)                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 70    | Etoricoxib (INN)                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 39 99 | 75    | Picolinafen (ISO)                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 49 10 | 10    | Quinmerac (ISO)                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 49 90 | 20    | 5,7-Dichloro-4-(4-fluorophenoxy)quinoline                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 49 90 | 40    | <i>N</i> -Ethyl-5,6,7,8-tetrahydroquinolinium <i>p</i> -toluenesulfonate, in the form of a solution in water                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 49 90 | 50    | Methyl 2-[( <i>S</i> )-3-{( <i>E</i> )-3-[2-(7-chloro-2-quinolyl)vinyl]phenyl}-3-hydroxypropyl]= benzoate monohydrate                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 49 90 | 60    | 5,6,7,8-Tetrahydroquinoline                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 49 90 | 70    | Quinolin-8-ol                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 10    | 1-Ethyl-6-fluoro-1,4-dihydro-4-oxo-7-piperazin-1-yl-1,8-naphthyridine= -3-carboxylic acid and its salts and esters                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 15    | (2 <i>R</i> )-4-Oxo-4-[3-(trifluoromethyl)-5,6-dihydro[1,2,4]triazolo[4,3- <i>a</i> ]= pyrazin-7(8 <i>H</i> )-yl]-1-(2,4,5-trifluorophenyl)butyl-2-ammonium phosphate monohydrate | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 20    | 2,4-Diamino-6-chloropyrimidine                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 25    | 2,5-diamino-4,6-dihoxypyrimidine monohydrate monohydrochloride                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 30    | Mepanipyrim (ISO)                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 40    | Guanine                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 50    | 1-Chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate)                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 60    | 2,6-Dichloro-4,8-dipiperidinopyrimido[5,4- <i>d</i> ]pyrimidine                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                       | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2933 59 95 | 70    | <i>N</i> -(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-phenylglycine                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 80    | <i>N</i> -(4-Ethyl-2,3-dioxopiperazin-1-ylcarbonyl)-D-2-(4-hydroxyphenyl)glycine                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 59 95 | 85    | Adenine                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 69 80 | 20    | 1,3,5-Tris[(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)methyl]-1,3,5-triazine= -2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i> )-trione | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 69 80 | 40    | Cyanazine (ISO)                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 69 80 | 50    | 1,3,5-Tris(2,3-dibromopropyl)-1,3,5-triazinane-2,4,6-trione                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 69 80 | 60    | Hexazinone (ISO)                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 69 80 | 80    | Tris(2-hydroxyethyl)-1,3,5-triazinetriene                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 79 00 | 10    | Ezetimibe (INN)                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 30 | 10    | Azepane, for the manufacture of goods of subheading 3808 30 (1)                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 30 | 20    | 5 <i>H</i> -Dibenz[ <i>b,f</i> ]azepine-5-carbonyl chloride                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 10    | 2-(2 <i>H</i> -Benzotriazol-2-yl)-4,6-di- <i>tert</i> -butylphenol                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 15    | 2-(2 <i>H</i> -Benzotriazol-2-yl)-4,6-di- <i>tert</i> -pentylphenol                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 20    | 2-(2 <i>H</i> -Benzotriazol-2-yl)-4,6-bis(1-methyl-1-phenylethyl)phenol                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 25    | 6,6'-Di-2 <i>H</i> -benzotriazol-2-yl-4,4'-bis(1,1,3,3-tetramethylbutyl)= 2,2'-methylenediphenol                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 30    | Quizalofop-P-ethyl (ISO)                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 35    | Indoline                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 40    | <i>trans</i> -4-Hydroxy-L-proline                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 45    | Maleic hydrazide (ISO)                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 50    | Metconazole (ISO)                                                                                                                 | 3,2 %                   | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 55    | 5-Nitroindole                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 60    | 1,3-Bis(3-isocyanatomethylphenyl)-1,3-diazetidene-2,4-dione (dimeric 2,4-toluene diisocyanate)                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 65    | Candesartan cilexetil (INN)                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 70    | 6,7-Dihydro-5 <i>H</i> -cyclopenta[ <i>b</i> ]pyridine                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 75    | 2,3-Dichloropyrazine                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 80    | 1-Methyltetrazole-5-thiol                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 86    | Pyridaben (ISO)                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 87    | Pyridate (ISO)                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2933 99 90 | 88    | 2,6-dichloroquinoxaline                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                          | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2933 99 90 | 89    | Carbendazim (ISO)                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 10 00 | 10    | Hexythiazox (ISO)                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 10 00 | 20    | 2-(4-Methylthiazol-5-yl)ethanol                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 10 00 | 30    | 5-[(2,4-Dioxo-5-thiazolidinyl)methyl]-2-methoxy- <i>N</i> -{[4-(trifluoromethyl)phenyl]= methyl}benzamide            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 20 80 | 10    | 4-Chloro-1,3-benzothiazol-2(3 <i>H</i> )-one                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 20 80 | 20    | <i>S</i> -(1,3-Benzothiazol-2-yl) (Z)-2-(2-aminothiazol-4-yl)-2-(methoxyimino)thioacetate                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 20 80 | 30    | Benthiavalicarb-isopropyl (ISO)                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 10    | 7-Chloro-5-methyl-2 <i>H</i> -1,4-benzothiazin-3-(4 <i>H</i> )-one                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 15    | Carboxin (ISO)                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 20    | 4-[4-(Tridecyl[branched]oxy)phenyl]-1,4-thiazinane 1,1-dioxide                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 25    | Oxycarboxin (ISO)                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 30    | Etridiazole (ISO)                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 35    | Dimethenamide (ISO)                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 40    | 2,3,5,6-Tetrahydroxy-1,4-diisobutyl-1,4-dioxo-1,4-diphosphinane                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 45    | Tris(2,3-epoxypropyl)-1,3,5-triazinanetrione                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 50    | 1-[2-(1,3-Dioxan-2-yl)ethyl]-2-ethylpyridinium bromide                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 55    | Olmesartan medoxomil (INN)                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 60    | DL-Homocysteine thiolactone hydrochloride                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 65    | Methyl 3-aminothiophene-2-carboxylate                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 72    | 1-[3-(5-Nitro-2-furyl)allylideneamino]imidazolidine-2,4-dione                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 73    | <i>N</i> -(5-Mercapto-1,3,4-thiadiazol-2-yl)acetamide                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2934 99 90 | 80    | Oblimersen sodium (INN)                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 10    | Salts of sulfathiazole (INN)                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 15    | Flupyrsulfuron-methyl-sodium (ISO)                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 20    | Toluenesulfonamides                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 25    | Triflusulfuron-methyl (ISO)                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 30    | Mixture of isomers consisting of <i>N</i> -ethyltoluene-2-sulfonamide and <i>N</i> -ethyltoluene-4-sulfonamide       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 35    | Chlorsulfuron (ISO)                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 40    | 1-(4,6-Dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2- <i>a</i> ]pyridin= -3-ylsulfonyl)urea (sulfosulfuron) | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 2935 00 90 | 45    | Rimsulfuron (ISO)                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 50    | 4,4'-Oxydi(benzenesulfonohydrazide)                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 55    | Thifensulfuron-methyl (ISO)                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 60    | 5-Amino- <i>N</i> -(2,6-dichloro- <i>m</i> -tolyl)-1 <i>H</i> -1,2,4-triazole-3-sulfonamide                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 65    | Tribenuron-methyl (ISO)                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 70    | Methyl 3-aminosulfonylthiophene-2-carboxylate                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 75    | Metsulfuron-methyl (ISO)                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 80    | <i>N</i> -(3-Amino-2-hydroxy-4-phenylbutyl)- <i>N</i> -(2-methylpropyl)-4-amino= benzenesulfonamide                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 85    | <i>N</i> -[4-(Isopropylaminoacetyl)phenyl]methanesulfonamide hydrochloride                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 86    | 4-( <i>m</i> -Tolylamino)pyridine-3-sulfonamide                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 87    | 4'-Sulfamoylacetanilide                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2935 00 90 | 88    | <i>N</i> -(2-(4-amino- <i>N</i> -ethyl- <i>m</i> -toluidino)ethyl)methanesulfonamide sesquisulfate monohydrate      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 2938 90 90 | 10    | Hesperidin                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| 3201 20 00    |       | Wattle extract                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3201 90 90 | 10    | Tanning extracts of eucalyptus                                                                                      | 3.2 %                   | 1.1.2006- 31.12.2008 |
| ex 3201 90 90 | 20    | Tanning extracts derived from gambier and myrobalan fruits                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 15 00 | 10    | Dye C.I. Vat Orange 7                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 15 00 | 20    | Dye C.I. Vat Red 15                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 15 00 | 30    | Dye C.I. Vat Red 14                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 15 00 | 40    | Dye C.I. Vat Brown 57                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 15 00 | 50    | Dye C.I. Vat Blue 47                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 17 00 | 10    | Dye C.I. Pigment Yellow 81                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 10    | Nickel bis{4-methoxy-2-[6-(pentafluoroethylthio)benzothiazol-2-ylazo]= -5-(dipropylamino)benzenesulfonate}          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 15    | 4-{4-[3-(4-Methoxyphenyl)-13,13-dimethyl-3,13-dihydrobenzo= [h]indeno[2,1- <i>f</i> ]chromen-3-yl]phenyl}morpholine | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 20    | 13-Ethyl-3-[4-(morpholino)phenyl]-3-phenyl-3,13-dihydrobenzo= [h]indeno[2,1- <i>f</i> ]chromen-13-ol                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 25    | Cyclohexyl 8-methyl-2,2-diphenyl-2 <i>H</i> -benzo[h]chromene-5-carboxylate                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 30    | 13-Isopropyl-3,3-bis(4-methoxyphenyl)-6,11-dimethyl-3,13-dihydrobenzo= [h]indeno[2,1- <i>f</i> ]chromen-13-ol       | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                  | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3204 19 00 | 35    | 13-Butyl-13-ethoxy-6,11-dimethoxy-3,3-bis(4-methoxyphenyl)-3,13-dihydrobenzo= [h]indeno[2,1-f]chromene                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 40    | Methyl 8'-acetoxy-1,3,3,5,6-pentamethyl-2,3-dihydrospiro[1H-indole= -2,3'-naphtho[2,1-b][1,4]oxazine]-9'-carboxylate                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 45    | 6,7-Dimethoxy-3,3-bis(4-methoxyphenyl)-13,13-dimethyl-3,13-dihydrobenzo= [h]indeno[2,1-f]chromene                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 50    | Methyl 6-(isobutyryloxy)-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 60    | Ethoxycarbonylmethyl 8-methyl-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 65    | 6-Methoxy-7-morpholino-13-ethyl-13-methoxy-3,3-bis-(4-methoxyphenyl)-3,13-dihydrobenzo[h]indeno[2,1-f]chromene                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 70    | Dye C.I. Solvent Red 49                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 75    | 6,7-Dimethoxy-13-ethyl-13-methoxy-3,3-bis-(4-methoxyphenyl)-3,13-dihydrobenzo[h]indeno[2,1-f]chromene                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3204 19 00 | 80    | ((R) and (S) isomers of 6,7-Dimethoxy-13-ethyl-13-[2-(2-methoxyethoxy)-ethoxy]-3-(4-methoxyphenyl)-3-(4-fluorophenyl)-3,13-dihydrobenzo[h]indeno[2,1-f]chromene                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3205 00 00 | 10    | Aluminium lakes prepared from dyes for use in the manufacture of pigments for the pharmaceutical industry (1)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3206 11 00 | 10    | Titanium dioxide coated with isopropoxytitanium triisostearate, containing by weight 1,5 % or more but not more than 2,5 % of isopropoxytitanium triisostearate                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3206 19 00 | 10    | Preparation based on titanium dioxide, containing by weight 66 % or more but not more than 71 % of titanium dioxide and 1 % or more but not more than 2 % of isopropoxytitanium triisostearate                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3206 42 00 | 10    | Lithopone                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3206 49 90 | 10    | Black preparation of iron-oxide pigments, in liquid form, with a maximum particle size not exceeding 20 nanometres and containing by weight 25 % or more of iron evaluated as Fe <sub>2</sub> O <sub>3</sub> , for the manufacture of goods of heading No 3304 or 9608(1)    | 0 %                     | 1.1.2006- 31.12.2008 |
| 3206 50 00    |       | Inorganic products of a kind used as luminophores                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3207 40 80 | 20    | Glass flakes coated with silver, of an average diameter of 40 (± 10) µm                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3207 40 80 | 30    | Glass frit, for use in the manufacture of cathode-ray tubes (1)                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 10 90 | 10    | Anti-reflection coating, consisting of an ester based polymer modified with a chromophore group, in the form of a solution of either 2-methoxy-1-propanol, 2-methoxy-1-methylethyl acetate or methyl-2-hydroxyisobutyrate, containing by weight not more than 10% of polymer | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 90 | 60    |                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3208 20 10 | 10    | Copolymer of N-vinylcaprolactam, N-vinyl-2-pyrrolidone and dimethylaminoethyl methacrylate, in the form of a solution in ethanol containing by weight 34 % or more but not more than 40 % of copolymer                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 20 10 | 20    | Copolymer of vinylpyrrolidone and dimethylaminoethyl methacrylate, partially quaternized by diethyl sulfate, in the form of                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3905 91 00 | 92    | a solution in ethanol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3208 20 10 | 30    | Solution of diundecyl phthalate and a copolymer of dibutyl maleate and isobutyl methacrylate in a hydrocarbon solvent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 19 | 10    | Copolymer of maleic acid and methyl vinyl ether, monoesterified with ethyl and/or isopropyl and/or butyl groups, in the form of a solution in ethanol, ethanol and butanol, isopropanol or isopropanol and butanol                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 35    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3208 90 19 | 15    | Modified, chlorinated polyolefins, whether or not in a solution or dispersion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 90 90 | 94    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3208 90 19 | 20    | Copolymer of polyurethane and silicone, in the form of a solution in a mixture of butanone, toluene and cyclohexanone, containing by weight 13 % or more but not more than 16 % of copolymer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 19 | 30    | Solution containing: <ul style="list-style-type: none"> <li>— (30 ± 5) % by weight of polyamide resin,</li> <li>— (6,5 ± 3,5) % by weight of diazonaphthoquinone,</li> <li>— (55 ± 5) % by weight of 1-methyl-2-pyrrolidone,</li> <li>— 1 000 µg/kg or less of chloride,</li> <li>— 1 000 µg/kg or less of potassium and</li> <li>— 1 000 µg/kg or less of iron</li> </ul>                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 19 | 40    | Polymer of methylsiloxane, in the form of a solution in a mixture of acetone, butanol, ethanol and isopropanol, containing by weight 5 % or more but not more than 11 % of polymer of methylsiloxane                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 19 | 50    | Solution containing by weight: <ul style="list-style-type: none"> <li>— (65 ± 10) % of <math>\gamma</math>-butyrolactone,</li> <li>— (30 ± 10) % of polyamide resin,</li> <li>— (3,5 ± 1,5) % of naphthoquinone ester derivative and</li> <li>— (1,5 ± 0,5) % of arylsilicic acid</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 19 | 85    | Mixture containing by weight : <ul style="list-style-type: none"> <li>— 30~45% Polyamide resin;</li> <li>— 2~10% Diazonaphthoquinone;</li> <li>— 50~65% <math>\gamma</math>-Butyrolactone.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 99 | 10    | Solution based on chemically modified natural polymers, containing two or more of the following dyes: <ul style="list-style-type: none"> <li>— methyl 8'-acetoxy-1,3,3,5,6-pentamethyl-2,3-dihydrospiro[1<i>H</i>-indole=-2,3'-naphtho[2,1-<i>b</i>][1,4]oxazine]-9'-carboxylate,</li> <li>— methyl 6-(isobutyryloxy)-2,2-diphenyl-2<i>H</i>-benzo[<i>h</i>]chromene=-5-carboxylate,</li> <li>— 13-isopropyl-3,3-bis(4-methoxyphenyl)-6,11-dimethyl-3,13-dihydrobenzo= [h]indeno[2,1-<i>f</i>]chromen-13-ol,</li> <li>— ethoxycarbonylmethyl 8-methyl-2,2-diphenyl-2<i>H</i>-benzo[<i>h</i>]chromene-5-carboxylate,</li> <li>— 13-ethyl-3-[4-(morpholino)phenyl]-3-phenyl-3,13-dihydrobenzo= [h]indeno[2,1-<i>f</i>]chromen-13-ol</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3208 90 99 | 20    | Solution based on chemically modified natural polymers, containing two or more of the following dyes: <ul style="list-style-type: none"> <li>— 4-[4-(13,13-dimethyl-3-phenyl-3,13-dihydrobenzo=</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | <ul style="list-style-type: none"> <li>— [h]indeno[2,1-f]chromen-3-yl)phenyl)morpholine,</li> <li>— 4-{4-[3-(4-methoxyphenyl)-13,13-dimethyl-3,13-dihydrobenzo= [h]indeno[2,1-f]chromen-3-yl]phenyl}morpholine,</li> <li>— cyclohexyl 8-methyl-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate,</li> <li>— ethoxycarbonylmethyl 6-acetoxy-2,2-diphenyl-2H-benzo[h]chromene-5-carboxylate,</li> <li>— 2-pentyl-7,7-diphenylbenzo[h]chromeno[6,5-d]-1,3-dioxin-4(7H)-one,</li> <li>— 13-butyl-13-ethoxy-6,11-dimethoxy-3,3-bis(4-methoxyphenyl)-3,13-dihydrobenzo= [h]indeno[2,1-f]chromene,</li> <li>— 3-(4-methoxyphenyl)-13,13-dimethyl-3-phenyl-3,13-dihydrobenzo= [h]indeno[2,1-f]chromene,</li> <li>— 6,7-dimethoxy-3,3-bis(4-methoxyphenyl)-13,13-dimethyl-3,13-dihydrobenzo= [h]indeno[2,1-f]chromene</li> </ul> |                         |                      |
| ex 3215 11 00 | 10    | Printing ink, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13 % of vinyl acrylate copolymer and colour pigments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3215 19 00 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                      |
| ex 3215 90 80 | 10    | Ink formulation, for use in the manufacture of ink-jet cartridges 1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3215 90 80 | 20    | Heat sensitive ink fixed on a plastic film                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3215 90 80 | 30    | Ink preparation, in the form of powder, for use in the manufacture of ink-filled bottles of a kind used in colour digital presses of heading No 8443 (1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| 3301 12 10    |       | Essential oil of orange, not deterpenated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3402 11 90 | 10    | Surfactant mixture, of disodium salts of dodecyl (sulphophenoxy)benzenesulphonic acid and oxybis (dodecylbenzenesulphonic acid)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3402 90 10 | 20    | Mixture of docusate sodium (INN) and sodium benzoate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3402 90 10 | 30    | Non-aqueous surface-active preparation, containing: <ul style="list-style-type: none"> <li>— polyethylene glycol alkylphenyl ether,</li> <li>— 2,4,7,9-tetramethyldec-5-yne-4,7-diol and</li> <li>— phosphoric acid esters</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3402 90 10 | 40    | Amphoteric fluorinated surfactant in a mixture of water and ethanol, containing by weight 25 % or more but not more than 30 % surfactant.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3402 90 90 | 10    | Crystalline powder obtained by the reaction of trisodium phosphate with a mixture of sodium hypochlorite and sodium chloride ("chlorinated trisodium phosphate"), containing by weight: <ul style="list-style-type: none"> <li>— 3,5 % or more of available chlorine, measured iodometrically and</li> <li>— 17,0 % or more of phosphorus evaluated as P<sub>2</sub>O<sub>5</sub></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3403 99 90 | 10    | Cutting-fluid preparation based on an aqueous solution of synthetic polypeptides                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3504 00 00 | 10    | Purified antigens obtained from genetically manipulated yeast cells, for the manufacture of detection tests for hepatitis-C(1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3504 00 00 | 20    | Glycoprotein 160 obtained from Human Immunodeficiency Virus, HIV-1 strain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3505 10 50 | 20    | O-(2-Hydroxyethyl)-derivative of hydrolysed maize starch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                           | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3506 10 00 | 11    | Cartridge containing an adhesive based on a mixture of silicon modified polymer and aluminium hydroxide for use in the manufacture of deflection yokes (1)                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3506 91 00 | 10    | Adhesive based on an aqueous dispersion of a mixture of dimerised rosin and a copolymer of ethylene and vinyl acetate (EVA)                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3506 91 00 | 20    | Heat-activated adhesive based on phenolic resin and rubber, in the form of a film on a release paper, for use in the manufacture of brake pads for the automotive industry (1)                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3507 90 90 | 10    | Asparaginase                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3507 90 90 | 20    | Enzymatic preparation based on thermolysine                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3507 90 90 | 40    | Avian myeloblastosis virus (AMV) reverse transcriptase                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3507 90 90 | 60    | Trypsin certified to be produced in compliance with EC Good Manufacturing Practice (cGMP) and having a specific enzyme activity of 0,45 µkat/mg or more, for the manufacture of goods of heading No 3004 (1)                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3507 90 90 | 70    | Chymotrypsin                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3701 30 00 | 10    | Relief printing plate, of a kind used for printing on newsprint, consisting of a metal substrate coated with a photopolymer layer of a thickness of 0,2 mm or more but not exceeding 0,8 mm, not covered with a release film, of a total thickness not exceeding 1 mm | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3701 99 00 | 10    | Plate of quartz or of glass, covered with a film of chromium and coated with a photosensitive or electron-sensitive resin, for the manufacture of masks for the goods of heading No 8541 or 8542 (1)                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3702 31 99 | 10    | Colour negative film, for the manufacture of instant-picture film-packs (1)                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3702 43 00 | 10    | Photographic film, of a nominal width of 459, 669 or 761 mm, composed of several layers, including two polyester films, a carbon layer, an adhesive layer, whether or not with a layer of a copolymer of styrene with acrylonitrile                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3702 44 00 | 10    |                                                                                                                                                                                                                                                                       |                         |                      |
| ex 3703 90 10 | 10    | Paper sheet, coated with silver halide emulsion, for the manufacture of goods of subheading 3701 20 00 (1)                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 10 00 | 10    | Photosensitive emulsion for the sensitization of silicon discs (1)                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 10 00 | 15    | Sensitising emulsion, consisting of diazooxonaphthalenesulphonic acid ester and phenolic resins, containing by weight not more than 12% of diazooxonaphthalenesulphonic acid ester, in 2-methoxy-1-methylethyl acetate or ethyl lactate                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 10 00 | 20    | Sensitising emulsion, consisting of diazooxonaphthalenesulphonic acid ester and phenolic resins, containing by weight not more than 6 % of diazooxonaphthalenesulphonic acid ester, in 2-methoxy-1-methylethyl acetate                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 10 00 | 25    | Sensitising emulsion containing: <ul style="list-style-type: none"> <li>— phenolic or acrylic resins</li> <li>— a maximum 2% by weight of light sensitive acid precursor,</li> </ul> in a solution containing 2-methoxy-1-methylethyl acetate or ethyl                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | lactate                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3707 90 30 | 10    | Toner, in the form of powder, consisting of a copolymer of styrene and butyl acrylate and either magnetite or carbon black, for use as a developer in the manufacture of cartridges for facsimile machines or computer printers (1)                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 30 | 20    | Toner, based on a polyol resin, in the form of powder                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 30 | 30    | Two-component toner, liquid, in the form of a set consisting of a container containing a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13 % of vinyl acrylate copolymer and colour pigments, and a container containing isoparaffins | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 30 | 40    | Polyester resin based toner, manufactured by a polymerisation process, for use as a developer in the manufacture of computer printer and copier cartridges (1)                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 90 | 10    | Anti-reflection coating, consisting of a modified methacrylic polymer, containing by weight not more than 10 % of polymer, in the form of a solution in 2-methoxy-1-methylethyl acetate and 1-methoxypropan-2-ol                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 90 | 20    | Anti-reflection coating, consisting of a copolymer of hydroxystyrene and methyl methacrylate, modified with chromophore groups, containing by weight not more than 10 % of polymer, in the form of a solution in 1-methoxypropan-2-ol and ethyl lactate                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 90 | 30    | Anti-reflection coating, in the form of an aqueous solution, containing by weight:                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 91    | — not more than 2 % of perhalogenated sulfonic acid derivatives,<br>— not more than 1 % of a vinyl polymer                                                                                                                                                                                              |                         |                      |
| ex 3707 90 90 | 40    | Anti-reflection coating, consisting of amino-resin and modified phenolic resin, in the form of a solution in 1-methoxypropan-2-ol and ethyl lactate, containing by weight 15 % or more but not more than 24 % of both polymers taken together                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3707 90 90 | 50    | Anti-reflection coating, containing by weight:<br>— 30 % or more but not more than 40 % of cyclohexanone,<br>— 30 % or more but not more than 40 % of 1-methyl-2-pyrrolidone,<br>— 20 % or more but not more than 30 % of tetrahydrofurfuryl alcohol                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3801 20 90 | 10    | Colloidal graphite in suspension in water, for use as internal coating in colour cathode-ray tubes (1)                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| 3805 20 00    |       | Pine oil                                                                                                                                                                                                                                                                                                | 1.7 %                   | 1.1.2006- 31.12.2008 |
| ex 3808 10 90 | 10    | Indoxacarb (ISO) and its (R) isomer, fixed on a support of silicon dioxide                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 10 90 | 20    | Preparation containing by weight 2 % or more but not more than 4 % of azadirachtin (ISO), not put up for retail sale                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 10 90 | 30    | Preparation containing endospores and protein crystals derived from the hybrid strain GC 91 of <i>Bacillus thuringiensis</i> Berliner subsp. aizawai and kurstaki                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 10 90 | 40    | Spinosad (ISO)                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 20 80 | 10    | Fungicide in the form of a powder, containing by weight 65 % or more but not more than 75 % of hymexazole (ISO), not put up for                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | retail sale                                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3808 20 80 | 20    | Preparation based on diiodomethyl <i>p</i> -tolyl sulfone, not put up for retail sale                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 20 80 | 30    | Preparation consisting of a suspension of pyrrithione zinc (INN) in water, containing by weight 24 % or more but not more than 26 % of pyrrithione zinc (INN)                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 40 20 | 10    | Preparation containing by weight: <ul style="list-style-type: none"> <li>— 58 % or more but not more than 62 % of 1-bromo-3-chloro-5,5-dimethylhydantoin,</li> <li>— 26 % or more but not more than 29 % of 1,3-dichloro-5,5-dimethylhydantoin,</li> <li>— 10 % or more but not more than 12 % of 1,3-dichloro-5-ethyl-5-methylhydantoin,</li> </ul> for the manufacture of swimming-pool disinfectants (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3808 40 90 | 10    | 1-Dodecylguanidine hydrochloride, in the form of a solution in isopropanol and water, containing by weight 40 % or less of 1-dodecylguanidine hydrochloride                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3809 91 00 | 10    | Mixture of 5-ethyl-2-methyl-2-oxo-1,3,2λ <sup>5</sup> -dioxaphosporan-5-ylmethyl methyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2λ <sup>5</sup> -dioxaphosporan-5-ylmethyl) methylphosphonate                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3809 92 00 | 10    | Paper anti-fading agent, consisting of a mixture of magnesium trisilicate and monosodium salt of 2,2'-methylenebis(4,6-di- <i>tert</i> -butylphenyl) phosphate                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3811 21 00 | 10    | Salts of dinonylnaphthalenesulfonic acid, in the form of a solution in mineral oils                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3811 21 00 | 20    | Additives for lubricating oils, based on complex organic molybdenum compounds, in the form of a solution in mineral oil                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3811 90 00 | 10    | Dinonylnaphthylsulphonic acid salt, in the form of a solution in mineral oil, for use as an additive for distillate fuels and lubricating oils (1)                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3812 30 80 | 20    | Mixture containing predominantly bis(2,2,6,6-tetramethyl-1-octyloxy-4-piperidyl) sebacate                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3812 30 80 | 30    | Compound stabilisers containing by weight 15 % or more but not more than 40 % of sodium perchlorate and not more than 70 % of 2-(2-methoxyethoxy)ethanol                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3814 00 90 | 10    | Mixture containing by weight 25 % or more but not more than 35 % of dimethyl sulfoxide and 65 % or more but not more than 75 % of monoethanolamine                                                                                                                                                                                                                                                          | 3 %                     | 1.1.2006- 31.12.2008 |
| ex 3814 00 90 | 20    | Mixture containing by weight: <ul style="list-style-type: none"> <li>— 69 % or more but not more than 71 % of 1-methoxypropan-2-ol,</li> <li>— 29 % or more but not more than 31 % of 2-methoxy-1-methylethyl acetate</li> </ul>                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3814 00 90 | 30    | Azeotrope mixture containing by weight 30 % or more but not more than 50 % of <i>trans</i> -dichloroethylene and a mixture of isomers of nonafluorobutyl methyl ether or nonafluorobutyl ethyl ether                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3814 00 90 | 40    | Azeotrope mixtures containing isomers of nonafluorobutyl methyl ether and/or nonafluorobutyl ethyl ether                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                   | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3815 12 00 | 10    | Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not exceeding 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8 % or more but not more than 40 % of silver                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 12 00 | 20    | Catalyst, consisting of palladium and rhenium, fixed on a support of active carbon, in the form of powder, containing: <ul style="list-style-type: none"> <li>— 0,5 % or more but not more than 1,5 % by weight of palladium,</li> <li>— 3 % or more but not more than 5 % by weight of rhenium and</li> <li>— 0,1 mole % or more but not more than 1 mole % of alkaline metals,</li> </ul> for use in the manufacture of tetrahydrofuran (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 12 00 | 30    | Catalyst, consisting of platinum and palladium fixed on a support, containing by weight: <ul style="list-style-type: none"> <li>— not more than 1,5 % of platinum,</li> <li>— not more than 1,5 % of palladium and</li> <li>— not more than 0,1 % of alkali metals,</li> </ul> for use in hydrogenation of white oils (1)                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 10    | Catalyst, consisting of chromium trioxide or dichromium trioxide fixed on a support of silicon dioxide, of a pore volume, as determined by the nitrogen absorption method, of 2 cm <sup>3</sup> /g or more                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 15    | Catalyst, in the form of a powder, consisting of a mixture of metal oxides fixed on a support of silicon dioxide, containing by weight 20 % or more but not more than 40 % of molybdenum, bismuth and iron evaluated together, for use in the manufacture of acrylonitrile (1)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 20    | Catalyst consisting of chromium oxides and titanium dioxide fixed on a support of silicon dioxide, aluminium oxide or aluminium phosphate                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 30    | Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polypropylene (1)                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 35    | Catalyst, in the form of rodlets of a length of 5,5 mm or more but not exceeding 6,5 mm, consisting of copper oxide and zinc oxide fixed on a support of aluminium oxide, containing by weight: <ul style="list-style-type: none"> <li>— 55 % or more but not more than 60 % of copper oxide and</li> <li>— 30 % or more but not more than 35 % of zinc oxide</li> </ul>                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 40    | Catalyst, in the form of spheres of a diameter of 4,2 mm or more but not exceeding 9 mm, consisting of a mixture of metals oxides containing predominantly oxides of molybdenum, vanadium and copper, on a support of silicon dioxide and/or aluminium oxide, for use in the manufacture of acrylic acid (1)                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 45    | Catalyst, consisting predominantly of dichromium copper tetraoxide and copper (II) oxide, containing by weight 38 % or more but not more than 48 % of copper, evaluated as copper (II) oxide, fixed on a support of silicon dioxide, for the hydrogenation of acetophenones (1)                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 50    | Catalyst consisting of organo-metallic compounds of titanium, magnesium and aluminium on a support of silicon dioxide, in the form of a suspension in tetrahydrofuran                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 55    | Catalyst consisting of a mixture of metal oxides containing                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | chromium trioxide, fixed on a support of silicon dioxide                                                                                                                                                                                                                                                                    |                         |                      |
| ex 3815 19 90 | 60    | Catalyst consisting of dichromium trioxide, fixed on a support of aluminium oxide                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 65    | Catalyst consisting of phosphoric acid chemically bonded to a support of silicon dioxide                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 70    | Catalyst consisting of organo-metallic compounds of aluminium and zirconium, fixed on a support of silicon dioxide                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 75    | Catalyst consisting of organo-metallic compounds of aluminium and chromium, fixed on a support of silicon dioxide                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 80    | Catalyst consisting of organo-metallic compounds of magnesium and titanium, fixed on a support of silicon dioxide, in the form of a suspension in mineral oil                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 85    | Catalyst consisting of organo-metallic compounds of aluminium, magnesium and titanium, fixed on a support of silicon dioxide, in the form of powder                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 19 90 | 86    | Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polyolefins (1)                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 15    | Catalyst, consisting of a mixture of oxides containing by weight more than 96 % of oxides of molybdenum, vanadium, nickel and antimony, whether or not mixed with porcelain balls, for use in the manufacture of acrylic acid (1)                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 20    | Catalyst, in powder form, consisting of a mixture of titanium trichloride and aluminium chloride, containing by weight: <ul style="list-style-type: none"> <li>— 20 % or more but not more than 30 % of titanium and</li> <li>— 55 % or more but not more than 72 % of chlorine</li> </ul>                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 25    | Catalyst, consisting of a mixture of oxides containing by weight more than 96 % of oxides of molybdenum, bismuth, nickel, iron and silicon, whether or not mixed with porcelain balls, for use in the manufacture of acrylaldehyde (1)                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 30    | Catalyst, in the form of a powder, containing by weight 82 % or more of copper and of a specific surface of 0,5 m <sup>2</sup> /g or more but not exceeding 8 m <sup>2</sup> /g                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 35    | Catalyst, in the form of a suspension in oil, consisting of titanium trichloride and aluminium trichloride, containing by weight (on an oil-free basis): <ul style="list-style-type: none"> <li>— 15 % or more but not more than 30 % of titanium and</li> <li>— 40 % or more but not more than 72 % of chlorine</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 40    | Catalyst, in the form of rodlets of a length of 5 mm or more but not exceeding 8 mm, consisting of a mixture of metals oxides containing predominantly oxides of iron, molybdenum and bismuth, whether or not containing silicon dioxide as filler, for use in the manufacture of acrylic acid (1)                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 50    | Catalyst containing titanium trichloride, in the form of a suspension in hexane or heptane containing by weight, in the hexane- or heptane-free material, 9 % or more but not more than 30 % of titanium                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 60    | Catalyst, in the form of rodlets, consisting of an acid aluminosilicate (zeolite): <ul style="list-style-type: none"> <li>— with a mole-ratio of silicon dioxide : dialuminium trioxide of not less than 500 : 1 and</li> <li>— containing by weight 0,2 % or more but not more than</li> </ul>                             | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | 0,8 % of platinum                                                                                                                                                                                                                                                        |                         |                      |
| ex 3815 90 90 | 65    | Catalyst based on a mordenite zeolite, in the form of granules, for use in the manufacture of mixtures of methylamines containing by weight 50 % or more of dimethylamine (1)                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 70    | Catalyst, consisting of a mixture of (2-hydroxypropyl)trimethylammonium formate and dipropylene glycols                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 75    | Catalyst, consisting of a mixture of 1,4-diazabicyclo[2.2.2]octane, 2-hydroxyethyliminodi(acetic acid) and dibutyltin di(acetate), containing by weight 5 % or more but not more than 10 % of 1,4-diazabicyclo[2.2.2]octane                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 80    | Catalyst consisting predominantly of dinonylnaphthalenedisulfonic acid in the form of a solution in isobutanol                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 81    | Catalyst, containing by weight 69 % or more but not more than 79 % of (2-hydroxy-1-methylethyl)trimethylammonium 2-ethylhexanoate                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 82    | Catalyst, containing by weight 35 % or more but not more than 55 % of (2-hydroxy-1-methylethyl)trimethylammonium formate and formic acid                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 83    | Catalyst, in the form of powder, containing aluminium magnesium hydroxide hydrate, rare-earth metals oxides and divanadium pentaoxide                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 84    | Powder catalyst containing by weight a minimum 96 % of oxides of copper, chromium and iron                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 85    | Catalyst based on aluminosilicate (zeolite), for the transalkylation of alkylaromatic hydrocarbons or the oligomerization of olefins (1)                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 86    | Catalyst, in the form of rodlets, consisting of an aluminosilicate (zeolite), containing by weight 2 % or more but not more than 3 % of rare-earth metals oxides and less than 1 % of disodium oxide                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 87    | Reaction initiator, consisting of diisopropyl peroxydicarbonate, in the form of a solution in diallyl 2,2'-oxydiethyl dicarbonate                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 88    | Catalyst, consisting of titanium tetrachloride and magnesium chloride, containing by weight on an oil- and hexane-free basis :<br>— 4% or more but not more than 10% of titanium and<br>— 10% or more but not more than 20% magnesium                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3815 90 90 | 89    | Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile (1)                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3817 00 80 | 10    | Mixture of alkyl-naphthalenes, containing by weight:<br>— 88 % or more but not more than 98 % of hexadecyl-naphthalene<br>— 2 % or more but not more than 12 % of dihexadecyl-naphthalene                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3823 19 10 | 91    | Mixture of fatty acids containing by weight:<br>— 2 % or more but not more than 6 % of hexanoic acid,<br>— 53 % or more but not more than 60 % of octanoic acid,<br>— 34 % or more but not more than 42 % of decanoic acid and<br>— not more than 2 % of dodecanoic acid | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 15 | 10    | Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11 % of sodium evaluated as sodium oxide, in the form of rodlets                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                         | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3824 90 64 | 01    | Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Micromonospora purpurea</i> , whether or not dried                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 64 | 02    | Cholic acid and 3 $\alpha$ ,12 $\alpha$ -dihydroxy-5 $\beta$ -cholan-24-oic acid (deoxycholic acid), crude                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 64 | 03    | Products obtained by the <i>N</i> -ethylation of sisomycin (INN)                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 64 | 04    | Intermediate products of the antibiotics manufacturing process obtained from the fermentation of <i>Micromonospora inyoensis</i> , whether or not dried                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 64 | 05    | Residues of manufacture containing by weight 40 % or more of 11 $\beta$ ,17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one 21-acetate                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 64 | 06    | Mixture of inosine (INN), dimepranol (INN) and acedoben (INN)                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 01    | Colloidal diantimony pentaoxide                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 02    | Mixture of nitromethane and 1,2-epoxybutane                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 03    | Grains or granules, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight: <ul style="list-style-type: none"> <li>— 70 % or more but not more than 78 % of dialuminium trioxide and</li> <li>— 19 % or more but not more than 26 % of zirconium dioxide</li> </ul>            | 5.2 %                   | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 04    | Crude lithium hypochlorite                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 05    | Polysilicate, modified with phosphoric acid, in the form of a solution in a mixture of ethanol, isopropanol and tetrahydrofuran, containing by weight 3 % or more but not more than 6 % of polysilicate                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 06    | Preparation in the form: <ul style="list-style-type: none"> <li>— of powder, containing by weight 75 % or more of zinc bis[3,5-bis(1-phenylethyl)salicylate] or</li> <li>— of aqueous dispersion, containing by weight 22 % or more but not more than 55 % of zinc bis[3,5-bis(1-phenylethyl)salicylate]</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 07    | Film consisting of the oxides of either barium or calcium and either titanium or zirconium, mixed with binding materials                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 08    | Preparation consisting essentially of alkaline asphalt sulfonate, of: <ul style="list-style-type: none"> <li>— a specific gravity of 0,9 or more but not exceeding 1,5 and</li> <li>— a solubility in water of 70 % by weight or more</li> </ul>                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 09    | Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulfonic acid, either: <ul style="list-style-type: none"> <li>— on a support of mineral wax, whether or not modified chemically, or</li> <li>— in the form of a solution in an organic solvent</li> </ul>                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 10    | Calcined bauxite (refractory grade)                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 11    | Magnetisable iron oxide, in the form of powder, containing by weight: <ul style="list-style-type: none"> <li>— 30 % or more but not more than 38 % of bivalent iron in relation to the total iron and</li> <li>— 1 % or more but not more than 4 % of cobalt</li> </ul>                                             | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                     | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3824 90 99 | 13    | Mixture containing by weight: <ul style="list-style-type: none"> <li>— 7 % or more but not more than 9 % of 2-methyl-1,3-phenylene diisocyanate,</li> <li>— 31 % or more but not more than 34 % of 4-methyl-1,3-phenylene diisocyanate,</li> <li>— 10 % or more but not more than 13 % of 2,4'-methylenediphenyl diisocyanate,</li> <li>— 46 % or more but not more than 49 % of 4,4'-methylenediphenyl diisocyanate</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 14    | Mixture of magnesium bromide 2-oxoperhydroazepin-1-ide and $\epsilon$ -caprolactam                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 15    | Mixture of disodium <i>N</i> -benzyloxycarbonyl-L-aspartate and sodium chloride, in the form of a solution in water                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 16    | Disodium 9,10-dihydro-9,10-dioxoanthracene-2,7-disulfonate, containing by weight 10 % or more but not more than 20 % of sodium sulfate                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 17    | Eutectic alloy wholly of potassium and sodium, containing by weight 77 % or more but not more than 79 % of potassium                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 18    | Blend of terephthaloyl dichloride and isophthaloyl dichloride                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 20    | Preparation consisting by weight of 83 % or more of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), a synthetic rubber, whether or not containing by weight 7 % or more of tricyclopentadiene, and: <ul style="list-style-type: none"> <li>— either an aluminium-alkyl compound,</li> <li>— or an organic complex of tungsten</li> <li>— or an organic complex of molybdenum</li> </ul>                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 21    | Mixture of tris[2-chloro-1-(chloromethyl)ethyl] phosphate and oligomers of methylphosphonic acid and phosphoric acid with ethane-1,2-diol                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 22    | Mixture of tris[2-chloro-1-(chloromethyl)ethyl] phosphate and oligomers of 2-chloroethyl phosphate with ethane-1,2-diol                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 23    | Mixture of sucrose esters, derived from the esterification of sucrose with industrial stearic acid                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 24    | Preparations consisting predominantly of phosphabicyclononanes and <i>P</i> -alkyl derivatives thereof, in the form of a solution in 4- <i>tert</i> -butyltoluene                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 25    | Lithium tantalate wafers, undoped                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 28    | Preparation consisting predominantly of ethylene glycol and <i>N,N</i> -dimethylformamide or ethylene glycol and $\gamma$ -butyrolactone, for the manufacture of electrolytic capacitors (1)                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 29    | Preparation consisting predominantly of $\gamma$ -butyrolactone and quaternary ammonium salts, for the manufacture of electrolytic capacitors (1)                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 30    | 2,4,7,9-Tetramethyldec-5-yne-4,7-diol, hydroxyethylated                                                                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 31    | Copper zinc ferrite, coated with a silicone resin, in the form of granules of a size not exceeding 120 $\mu$ m                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 32    | Styrene oligomer                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                   | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3824 90 99 | 33    | Preparation consisting of $\alpha$ -(4-allyloxycarbonylbenzoyl)- $\omega$ -allyloxypoly= [oxy(2-methylethylene)oxyterephthaloyl] and either diallyl-2,2'-oxydiethyl dicarbonate or diallyl isophthalate                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 35    | Nitrosylsulfuric acid of a purity by weight of 70 % or more but not exceeding 73 %                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 36    | Mixtures of silanol and diphosphorus pentaoxide, in the form of a solution in a mixture of ethanol and ethyl acetate, containing by weight 6 % or more but not more than 10 % of silanol and 0,1 % or more but not more than 0,3 % of diphosphorus pentaoxide                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 37    | Sintered bauxite pellets, of a diameter not exceeding 2 mm                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 39    | Mixture containing by weight 40 % or more but not more than 50 % of 2-hydroxyethyl methacrylate and 40 % or more but not more than 50 % of glycerol ester of boric acid                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 40    | Azelaic acid of a purity by weight of 75 % or more but not exceeding 85 %                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 42    | Mixed metals oxides, in the form of powder, containing by weight: <ul style="list-style-type: none"> <li>— either 5 % or more of barium, neodymium or magnesium and 15 % or more of titanium,</li> <li>— or 30 % or more of lead and 5 % or more of niobium,</li> </ul> for use in the manufacture of dielectric films or for use as dielectric materials in the manufacture of multilayer ceramic capacitors (1)                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 43    | 7-Aminonaphthalene-1,3,6-trisulfonic acid and its salts, of a purity by weight of 65 % or more                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 44    | Mixture containing by weight: <ul style="list-style-type: none"> <li>— 60 % or more of 2-[N-(2-cyanoethyl)anilino]ethyl acetate and</li> <li>— 20 % or more of acetic acid</li> </ul>                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 45    | Preparations consisting predominantly of ethylene glycol and: <ul style="list-style-type: none"> <li>— either diethylene glycol, dodecandioic acid and ammonia water,</li> <li>— or silicon oxide,</li> <li>— or ammonium hydrogen azelate,</li> <li>— or ammonium hydrogen azelate and silicon oxide,</li> <li>— or dodecandioic acid, ammonia water and silicon oxide,</li> </ul> for the manufacture of electrolytic capacitors (1)        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 46    | Carboxylic acid anhydride based hardener for epoxyde resin, in liquid form, of a specific weight at 25 °C of 1,15 g/cm <sup>3</sup> or more but not exceeding 1,18 g/cm <sup>3</sup>                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 49    | Mixed oxides of metals, in the form of powder, containing by weight: <ul style="list-style-type: none"> <li>— 70 % or more but not more than 75 % of iron oxide,</li> <li>— 10 % or more but not more than 20 % of zinc oxide,</li> <li>— 10 % or more but not more than 15 % of magnesium oxide,</li> <li>— 1 % or more but not more than 5 % of manganese oxide and</li> <li>— 1 % or more but not more than 3 % of copper oxide</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 50    | Zeolites consisting of oxides of barium, aluminium and silicon, containing by weight 30 % or more but not more than 40 % of barium oxide, in the form of spheres of which 80 % or more by weight have a diameter of 0,3 mm or more but not more than 1,2 mm                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3824 90 99 | 53    | Sodium 4-hydroxynaphthalene-1-sulfonate, of a purity by weight of 70 % or more but not exceeding 80 %                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 54    | 2-Hydroxybenzonitrile, in the form of a solution in <i>N,N</i> -dimethylformamide, containing by weight 45 % or more but not more than 55 % of 2-hydroxybenzonitrile                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 55    | Mixture containing by weight 75 % or more of pentaerythritol triallyl ether                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 57    | Mixture of trialkylphosphine oxides                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 58    | Platinum oxide fixed on a porous support of aluminium oxide, containing by weight 0,1 % or more but not more than 1 % of platinum and 0,5 % or more but not more than 5 % of ethylaluminium dichloride                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 60    | $\alpha$ -Phenoxycarbonyl- $\omega$ -phenoxypoly[oxy(2,6-dibromo-1,4-phenylene)=isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl]                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 61    | Mixture of metal oxides, in the form of powder, containing by weight: <ul style="list-style-type: none"> <li>— 20 % or more of barium,</li> <li>— 10 % or more of titanium and</li> <li>— 4 % or more of lead or 3 % or more of niobium or 0,7 % or more of zirconium,</li> </ul> for use as dielectric material in the manufacture of multilayer ceramic capacitors (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 63    | Triethylborane, in the form of a solution in tetrahydrofuran                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 64    | Aluminium sodium silicate, in the form of spheres of a diameter of: <ul style="list-style-type: none"> <li>— either 1,6 mm or more but not exceeding 3,4 mm,</li> <li>— or 4 mm or more but not exceeding 6 mm</li> </ul>                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 65    | Mixture of tris(alkoxycarbonylamino)-1,3,5-triazines in which alkoxy groups are methoxy and butoxy                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 66    | Mixture of primary <i>tert</i> -alkylamines                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 67    | Preparation consisting of indium tin oxide dispersed in organic solvents                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 70    | Preparation, in an aqueous solution, of tetramethylammonium hydroxide and a surfactant containing: <ul style="list-style-type: none"> <li>— 2.38% (+/-0.01) by weight of tetramethylammonium hydroxide, and</li> <li>— a surfactant of 100 to 500 ppm.</li> </ul>                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 72    | Solution containing by weight 80 % or more of 2,4,6-trimethylbenzaldehyde in acetone                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 73    | Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges (1)                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 75    | Mixture of 2,2-bis[2-(perfluoroalkyl)ethylthiomethyl]propane-1,3-diols                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 77    | Diethylmethoxyborane, in the form of a solution in tetrahydrofuran                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                          | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3824 90 99 | 80    | Preparation containing by weight 81% or more but not more than 89% bis (3,4-epoxy-cyclohexylmethyl)-adipate                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 81    | Calcium oxide stabilised zirconia in the form of lumps of which 94 % or more by weight is retained on a 16 mm sieve, containing by weight: <ul style="list-style-type: none"> <li>— 92 % or more of zirconium dioxide and</li> <li>— 2 % or more but not more than 6 % of calcium oxide</li> </ul>   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 82    | $\alpha$ -(2,4,6-Tribromophenyl)- $\omega$ -(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl]                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 40 00 | 20    |                                                                                                                                                                                                                                                                                                      |                         |                      |
| ex 3824 90 99 | 83    | Mixture containing: <ul style="list-style-type: none"> <li>— unsaturated, dimerised fatty acids, hydrogenated and polymerized with ethylenediamine and octadecan-1-ol,</li> <li>— white oil,</li> <li>— 2-methylpentane-2,4-diol and</li> <li>— glycerides of decanoic and octanoic acids</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 84    | Reaction product, containing by weight: <ul style="list-style-type: none"> <li>— 1 % or more but not more than 40 % of molybdenum oxide,</li> <li>— 10 % or more but not more than 50 % of nickel oxide,</li> <li>— 30 % or more but not more than 70 % of tungsten oxide</li> </ul>                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 85    | Particles of magnesium sodium silicate on which are ionically bonded chiral complexes of tris(1,10-phenanthroline)ruthenium, for use in the manufacture of high performance liquid chromatography columns (HPLC) (1)                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 88    | Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone and 1,1'-oxybis(2-chloroethane)                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 89    | Oligomer of tetrafluoroethylene, having tetrafluoroiodoethyl end-groups                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 92    | Bis{4-[(5-chloro-2-hydroxyphenyl)azo]-3-hydroxy-N-phenyl-2-naphthalene= carboxyaminate}ferrate with a mixture of ammonium, sodium and hydrogen cations                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 93    | Prepared resin, based on diallyl 2,2'-oxydiethyl dicarbonate and oligomers thereof, containing by weight 42 % or more but not more than 52 % of diallyl 2,2'-oxydiethyl dicarbonate and 33 % or more but not more than 43 % of a copolymer of terephthalic acid, propane-1,2-diol and allyl alcohol  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 94    | Prepared resin, based on diallyl 2,2'-oxydiethyl dicarbonate and oligomers thereof, containing by weight 73 % or more of diallyl 2,2'-oxydiethyl dicarbonate                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 95    | Mixture of phytosterols, in the form of flakes, containing by weight 80 % or more of sterols and not more than 4 % of stanols                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 96    | Zirconium dioxide, stabilised with calcium oxide, in the form of a powder                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3824 90 99 | 97    | Preparation containing by weight either 10% or more but not more than 20% of lithiumfluorophosphate or 5% or more but not more than 10% of lithium perchlorate in mixtures of organic solvents                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3825 69 00 | 10    | Spent catalyst, in the form of rodlets of diameter of 1 mm or more but not exceeding 3 mm, containing a mixture of sulfides of tungsten and of nickel on a support of zeolite, containing by weight not more than 10 % of tungsten and not more than 10 % of nickel, for                             | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | regeneration as a catalyst for hydrocarbon cracking (1)                                                                                                                                                                                                                                                                  |                         |                      |
| ex 3901 10 10 | 10    | Linear polyethylene, of a specific gravity of 0,928 or more but not exceeding 0,935 and of a melt flow index of less than 0,6 g/min, for the manufacture of shrinkmelt binder fibres (1)                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 10 90 | 10    | Polyethylene for the manufacture of photo-resist film for semiconductors or printed circuits (1)                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 10 90 | 20    | Polyethylene, in the form of granules, of a specific gravity of 0,925 ( $\pm 0,0015$ ), a melt flow index of 0,3 g/10 min ( $\pm 0,05$ g/10 min), for the manufacture of blown films of a Haze value not exceeding 6 % and an elongation at break (MD/TD) of 210/340 (1)                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 10 90 | 30    | Polyethylene, in the form of granules, containing by weight not more than 15% of copper, for the purpose of protecting against static charge build up and corrosion                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 20 90 | 10    | Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, of a specific gravity of 0,945 or more but not exceeding 0,985, for the manufacture of films for typewriter ribbon or similar ribbon (1)                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 20 90 | 20    | Polyethylene, containing by weight 35 % or more but not more than 45 % of mica                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 20 90 | 30    | Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, of a specific gravity of 0,940 or more but not exceeding 0,943 and a melt flow index of 27 g/10 min ( $\pm 5$ g/10 min) (MFI 190 °C/2,16 kg as determined by the ISO 1133 method), for the manufacture of bicomponent spunbonded non-wovens (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 81    | Copolymer of ethylene and propylene, modified with maleic anhydride, containing by weight more than 55 % of ethylene and not more than 3 % of maleic anhydride                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 82    | Polyethylene modified with maleic anhydride, containing by weight not more than 4 % of maleic anhydride, for use in the manufacture of fuel tanks for motor vehicles (1)                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 91    | Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid                                                                                                                                                                                                                                      | 4 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 92    | Chlorosulphonated polyethylene                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 93    | Copolymer of ethylene, vinyl acetate and carbon monoxide, for use as a plasticizer in the manufacture of roof sheets (1)                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 94    | Mixtures of A-B block copolymer of polystyrene and ethylene-butylene copolymer and A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight not more than 35 % of styrene                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3901 90 90 | 95    | Copolymer of ethylene and butylene, having hydroxyl or acrylate end-groups, containing by weight 40 % or more but not more than 60 % of butylene                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 90 90 | 95    |                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 3901 90 90 | 96    | Linear A-B block copolymer of polyisoprene, whether or not epoxidized, and either ethylene-butylene copolymer or styrene-ethylene-butylene copolymer, having hydroxyl end-groups                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 90 90 | 96    |                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 3903 90 90 | 50    |                                                                                                                                                                                                                                                                                                                          |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3901 90 90 | 97    | Chlorinated polyethylene, in the form of powder                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 10 00 | 10    | Polypropylene containing no plasticizer and not more than: <ul style="list-style-type: none"> <li>— 7 mg/kg of aluminium,</li> <li>— 2 mg/kg of iron,</li> <li>— 1 mg/kg of magnesium,</li> <li>— 8 mg/kg of chloride</li> </ul>                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 10 00 | 20    | Polypropylene, containing no plasticiser, <ul style="list-style-type: none"> <li>— of a melting point of more than 150 °C (as determined by the ASTM D 3417 method),</li> <li>— of a heat of fusion of 15 J/g or more but not exceeding 70 J/g,</li> <li>— of an elongation at break of 1 000 % or more (as determined by the ASTM D 638 method),</li> <li>— of a tensile modulus of 69 MPa or more but not exceeding 379 MPa (as determined by the ASTM D 638 method)</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 10 00 | 30    | Polypropylene, containing not more than 1 mg/kg of aluminium, 0,05 mg/kg of iron, 1 mg/kg of magnesium and 1 mg/kg of chloride, for use in the manufacture of packaging for disposable contact lenses (1)                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 20 00 | 10    | Polyisobutylene, of an average molecular weight ( $M_n$ ) of 700 or more but not exceeding 800                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 30 00 | 91    | A-B Block copolymer of polystyrene and an ethylene-propylene copolymer, containing by weight 40 % or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 25    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 3902 30 00 | 94    | Chlorinated polypropylene, chemically modified with maleic anhydride, containing by weight 23 % or more but not more than 26 % of chlorine and less than 5 % of epoxy resin                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 90 90 | 92    | Polymers of 4-methylpent-1-ene                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3902 90 90 | 97    | Hydrogenated polyisobutene, in liquid form                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 19 00 | 20    | Polystyrene of a molecular weight ( $M_n$ ) not exceeding 5 000                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 10    | Copolymer, entirely of styrene with maleic anhydride, or entirely of styrene with maleic anhydride and an acrylic monomer, whether or not containing a styrene-butadiene block copolymer, in one of the forms mentioned in note 6 (b) to Chapter 39, for the manufacture of sheetings for head-liners for cars (1)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 15    | Copolymer, entirely of styrene with maleic anhydride, or entirely of styrene with maleic anhydride and an acrylic monomer, also partially esterified, of an average molecular weight ( $M_n$ ) not exceeding 3 000, in one of the forms mentioned in note 6 (a) and (b) to Chapter 39                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 20    | Copolymer of styrene with 2-ethylhexyl acrylate or with <i>n</i> -butyl acrylate, containing: <ul style="list-style-type: none"> <li>— 10 mole % or more but not more than 16 mole % of acrylate,</li> <li>— 0,2 mg/kg or less of sodium and</li> <li>— 0,1 mg/kg or less of calcium</li> </ul>                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 35    | Copolymer of $\alpha$ -methylstyrene and styrene, having a softening point exceeding 113 °C                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 30    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3903 90 90 | 40    | Copolymer of styrene with $\alpha$ -methylstyrene and acrylic acid, of a molecular weight ( $M_n$ ) of 500 or more but not exceeding 6 000                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 40    |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3911 90 99 | 50    |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3903 90 90 | 55    | Copolymer of styrene, methyl methacrylate, butyl acrylate and either acrylic acid or hydroxyethyl methacrylate, of a molecular weight ( $M_n$ ) of 500 or more but not exceeding 6 000                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 45    |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3903 90 90 | 65    | Copolymer of styrene, butyl acrylate, butyl methacrylate, methyl methacrylate and acrylic acid, in the form of powder, containing by weight (81 $\pm$ 1) % of styrene, (6 $\pm$ 1) % of butyl acrylate, (5 $\pm$ 1) % of butyl methacrylate, (7 $\pm$ 1) % of methyl methacrylate and (1 $\pm$ 0,5) % of acrylic acid                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 70    | Ammonium polystyrenesulfonate, in the form of an aqueous solution                                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 75    | Copolymer of styrene and vinyl pyrrolidone, containing by weight not more than 1 % of sodium dodecyl sulfate, in the form of an aqueous emulsion, for the manufacture of goods of subheading 3305 20 00 or of hair dyes of subheading 3305 90 90 (1)                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3903 90 90 | 80    | Granules of copolymer of styrene and divinylbenzene a minimum diameter of 150 $\mu$ m and a maximum 800 $\mu$ m and containing by weight :<br>— minimum 65% styrene,<br>— maximum 25% divinylbenzene<br>for use in the manufacture of ion exchange resins (1)                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 22 00 | 91    | Poly(vinyl chloride), dyed in the mass, in the form of flakes, grains, pebbles or rectangular chips, for use as decorative elements in floor and wall coverings (1)                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 80    |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3904 30 00 | 10    | Copolymer of vinyl chloride with vinyl acetate and maleic acid, containing by weight:<br>— 81,5 % or more but not more than 84,5 % of vinyl chloride,<br>— 13,8 % or more but not more than 16,2 % of vinyl acetate and<br>— 0,8 % or more but not more than 1,2 % of maleic acid,<br>for the manufacture of goods of heading No 3215 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 30 00 | 20    | Copolymer of vinyl chloride with vinyl acetate and maleic acid, containing by weight:<br>— 80.5% or more but not more than 81.5% of vinyl chloride,<br>— 16.5% or more but not more than 17.5% of vinyl acetate and<br>— 1.5% or more but not more than 2.5% of maleic acid,<br>for use in heat-sealing of plastics onto steel substrate for industrial                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | uses (1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3904 40 00 | 91    | Copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: <ul style="list-style-type: none"> <li>— 87 % or more but not more than 92 % of vinyl chloride,</li> <li>— 2 % or more but not more than 9 % of vinyl acetate and</li> <li>— 1 % or more but not more than 8 % of vinyl alcohol,</li> </ul> in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of heading No 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 40 00 | 92    | Copolymer of vinyl chloride, vinyl acetate, hydroxypropyl acrylate and maleic acid, containing by weight 80 % or more but not more than 83 % of vinyl chloride, 1,6 % or more but not more than 2 % of hydroxy groups and 0,25 % or more but not more than 0,38 % of carboxyl groups                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 40 00 | 93    | Copolymer of vinyl chloride and methyl acrylate, containing by weight $(80 \pm 1) \%$ of vinyl chloride and $(20 \pm 1) \%$ of methyl acrylate, in the form of a aqueous emulsion                                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 50 90 | 91    | Copolymer of vinylidene chloride with vinyl chloride, containing by weight 79,5 % or more of vinylidene chloride, in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of fibres, monofilament or strip(1)                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 61 00 | 10    | Mixture of polytetrafluoroethylene and mica, in one of the forms mentioned in note 6 (b) to Chapter 39                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 61 00 | 20    | Copolymer of tetrafluoroethylene and trifluoro(heptafluoropropoxy)ethylene, containing 3,2 % or more but not more than 4,6 % by weight of trifluoro(heptafluoropropoxy)ethylene and less than 1 mg/kg of extractable fluoride ions                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 61 00 | 30    | Polytetrafluoroethylene, in the form of powder, of a specific surface of 8 m <sup>2</sup> /g or more but not exceeding 12 m <sup>2</sup> /g, a particle size distribution of 10 % of less than 10 µm and 90 % of less than 35 µm and an average particle size of 20 µm                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 69 90 | 92    | Copolymer of tetrafluoroethylene and trifluoro(trifluoromethoxy)ethylene                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 69 90 | 93    | Copolymer of ethylene with chlorotrifluoroethylene, in one of the forms mentioned in note 6 (b) to Chapter 39                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 69 90 | 94    | Copolymer of ethylene and tetrafluoroethylene                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 69 90 | 96    | Polychlorotrifluoroethylene, in one of the forms mentioned in note 6 (a) and (b) to Chapter 39                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3904 69 90 | 97    | Copolymer of chlorotrifluoroethylene and vinylidene difluoride                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 29 00 | 91    | Copolymer of vinyl acetate, dibutyl maleate and acrylic acid, in the form of a solution in isopropyl acetate and toluene                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 91 00 | 91    | Copolymer of <i>N</i> -vinylcaprolactam, <i>N</i> -vinyl-2-pyrrolidone and dimethylaminoethyl methacrylate                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 99 90 | 93    | Poly(vinyl acetate phthalate)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 99 90 | 94    | Polymer of vinylpyrrolidone and dimethylaminoethyl methacrylate, containing by weight 97 % or more but not more than 99 % of                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | vinylpyrrolidone, in the form of a solution in water                                                                                                                                                                                                                                                                                                                                                                                                                                     |                         |                      |
| ex 3905 99 90 | 95    | Hexadecylated or eicosylated polyvinylpyrrolidone                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 99 90 | 96    | Polymer of vinyl formal, in one of the forms mentioned in note 6 (b) to Chapter 39, of a molecular weight ( $M_w$ ) of 25 000 or more but not exceeding 150 000 and containing by weight: <ul style="list-style-type: none"> <li>— 9,5 % or more but not more than 13 % of acetyl groups evaluated as vinyl acetate and</li> <li>— 5 % or more but not more than 6,5 % of hydroxy groups evaluated as vinyl alcohol</li> </ul>                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 99 90 | 97    | Povidone (INN)-iodine                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3905 99 90 | 98    | Poly(vinyl pyrrolidone) partially substituted by triacontyl groups, containing by weight 78 % or more but not more than 82 % of triacontyl groups                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 10 00 | 10    | Poly(methyl methacrylate), in the form of expansible beads containing 2-methylpentane as blowing agent                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| 3906 90 60    |       | Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50 % or more of methyl acrylate, whether or not mixed with silicon dioxide                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 10    | Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for the manufacture of medicaments of heading No 3003 or 3004 (1)                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 20    | Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer, for use as a stabilizer in emulsions or dispersions with a pH of more than 13 (1)                                                                                                                                                                                                                                                                                                             | 6 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 30    | Copolymer of styrene with hydroxyethyl methacrylate and 2-ethylhexyl acrylate, of a molecular weight ( $M_n$ ) of 500 or more but not exceeding 6 000                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 50    | Polymers of esters of acrylic acid with one or more of the following monomers in the chain: <ul style="list-style-type: none"> <li>— chloromethyl vinyl ether,</li> <li>— chloroethyl vinyl ether,</li> <li>— chloromethylstyrene,</li> <li>— vinyl chloroacetate,</li> <li>— methacrylic acid,</li> <li>— butenedioic acid monobutyl ester,</li> </ul> containing by weight not more than 5 % of each of the monomeric units, in one of the forms mentioned in note 6 (b) to Chapter 39 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 55    | Mixtures containing copolymers of methyl acrylate and ethylene and polyether-ester copolymers containing terephthalic acid, in the form of granules or pellets                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 60    | Copolymer of butyl acrylate and vinyl chloride, containing by weight ( $58 \pm 1$ ) % of butyl acrylate and ( $42 \pm 1$ ) % of vinyl chloride, in the form of a aqueous emulsion                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 70    | Copolymer of ethylene dimethacrylate with either methyl methacrylate or dodecyl methacrylate                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 75    | Copolymer of <i>N</i> -[4,5-dihydro-5-oxo-1-(2,4,6-trichlorophenyl)(1',4-bi-1 <i>H</i> -pyrazol)-3-yl]= methacrylamide, butyl acrylate and styrene, in the form of powder                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3906 90 90 | 80    | Polydimethylsiloxane-graft-(polyacrylates; polymethacrylates)                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3906 90 90 | 85    | Non aqueous dispersion type polymers of esters of acrylic acid with a hydrolyzable silyl group at one or both polymer ends                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 11 | 10    | Poly(ethylene oxide) of an average molecular weight ( $M_n$ ) of 100 000 or more                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 21 | 10    | Mixture, containing by weight 70 % or more but not more than 80 % of a polymer of glycerol and 1,2-epoxypropane and 20 % or more but not more than 30 % of a copolymer of dibutyl maleate and <i>N</i> -vinyl-2-pyrrolidone | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 29 | 10    | Polymer of dextrose, sorbitol and citric or phosphoric acid, containing by weight 90 % or more of dextrose monomer units                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 29 | 20    | Poly[oxy-1,4-phenyleneisopropylidene-1,4-phenyleneoxy-(2-hydroxytrimethylene)], of an average molecular weight ( $M_w$ ) of more than 26 000, in one of the forms mentioned in note 6 (b) to Chapter 39                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 10    | Bis{2-[ $\omega$ -hydroxy-poly(ethyleneoxy)]ethyl} hydroxymethylphosphonate                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 15    | Poly(oxypropylene) having alkoxysilyl end-groups                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 30    | Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 35    | Polyethylene glycol chemically modified with an isocyanate group containing a carbodiimide group, in the form of a solution in 2-methoxy-1-methylethyl acetate                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 40    | Polydimethylsiloxane grafted with a poly(ethylene oxide) having $C_{20}$ and $C_{22}$ fatty acids ester end-groups                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 45    | Copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 20 99 | 50    | Copolymer of ethylene oxide and propylene oxide, having 2-aminopropyl end-groups                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 30 00 | 20    | Epoxyde resin in the form of powder, containing by weight 44 % or more but not more than 55 % of quartz and 0,5 % or more but not more than 1 % of diantimony trioxide, for the coating of film capacitors (1)              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 30 00 | 30    | Epoxyde resin, without solvent, containing mineral fillers (silica), without glass fibre, of a specific weight at 25 °C of 1,55 g/cm <sup>3</sup> or more but not exceeding 1,60 g/cm <sup>3</sup>                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 30 00 | 40    | Epoxyde resin, containing by weight 70 % or more of silicon dioxide, for the encapsulation of goods of heading No 8533, 8535, 8536, 8541, 8542 or 8548 (1)                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3916 90 15 | 10    |                                                                                                                                                                                                                             |                         |                      |
| ex 3926 90 98 | 70    |                                                                                                                                                                                                                             |                         |                      |
| ex 3907 40 00 | 10    | Copolymer of hexane-1,6-diol, cyclohexane-1,4-dimethanol and ethylene carbonate                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 60 80 | 10    | Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, butane-1,4-diol and hexane-1,6-diol                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                  | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3907 60 80 | 20    | Oxygen binding copolymer (as determined by the ASTM D 1434 and 3985 methods), obtained from benzenedicarboxylic acids, ethylene glycol and polybutadiene substituted by hydroxy groups                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 91 90 | 10    | Diallyl phthalate prepolymer, in the form of powder                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 99 19 | 10    | Poly(oxy-1,4-phenylenecarbonyl), in the form of powder                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 99 99 | 10    |                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3907 99 19 | 20    | Liquid crystal copolyester with a melting point of not less than 270 °C, whether or not containing fillers                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3907 99 19 | 30    | Poly(lactic acid)                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3908 90 00 | 10    | Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the forms mentioned in note 6 (b) to Chapter 39                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3908 90 00 | 20    | Copolymer consisting of hexamethylenediamine, isophthalic acid and terephthalic acid, in one of the forms mentioned in note 6(b) to Chapter 39                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3908 90 00 | 30    | Reaction product of mixtures of octadecanecarboxylic acids polymerised with an aliphatic polyetherdiamine                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3908 90 00 | 40    | Thermoplastic polyamide resin having a fire point of more than 750 °C, for use in the manufacture of deflection yokes of cathode ray tubes (1)                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3909 40 00 | 10    | Polycondensation product of phenol with formaldehyde, in the form of hollow spheres of a diameter of less than 150 µm                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3910 00 00 | 10    | 3-[(2-Aminoethyl)amino]propyl(methyl)cyclosiloxane                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3910 00 00 | 20    | Block copolymer of poly(methyl-3,3,3-trifluoropropylsiloxane) and poly[methyl(vinyl)siloxane]                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 19 | 10    | Poly(oxy-1,4-phenylenesulfonyl-1,4-phenyleneoxy-4,4'-biphenylene)                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 25    | Copolymer of vinyltoluene and $\alpha$ -methylstyrene                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 40    | Mixed calcium and sodium salt of a copolymer of maleic acid and methyl vinyl ether, having a calcium content of 9 % or more but not more than 16 % by weight                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 45    | Copolymer of maleic acid and methyl vinyl ether                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 55    | Solution containing:<br>— (36 ± 0,5) % by weight of polyamide with lateral ester groups,<br>— (2 ± 0,5) % by weight of acrylic ester,<br>— (48 ± 0,5) % by weight of 1-methyl-2-pyrrolidone,<br>— (12 ± 0,5) % by weight of bis(2-methoxyethyl) ether,<br>— 500 µg/kg or less of potassium and<br>— 500 µg/kg or less of iron,<br>for use in the manufacture of goods of heading No 8542 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 60    | Hydrocarbon prepolymer, obtained by the reaction of cyclopentadiene and 1,3-pentadiene                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 65    | Calcium zinc salt of a copolymer of maleic acid and methyl vinyl                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                      | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | ether                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 3911 90 99 | 75    | Microspheres of a copolymer of divinylbenzene and styrene, of an average diameter of 220 µm or more but not exceeding 575 µm                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 75    |                                                                                                                                                                                                                                                                                                                                                                                                                                  |                         |                      |
| ex 3911 90 99 | 80    | Poly[(8-methyl-8-methoxycarbonyltricyclo[5.2.1.0 <sup>2,6</sup> ]decane-3,5-diyl)ethylene]                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3911 90 99 | 85    | Polymer of ethylene and styrene, cross-linked with divinylbenzene, in the form of a suspension                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3912 11 00 | 10    | Non-plasticized cellulose triacetate, in the form of flakes, for the manufacture of cellulose triacetate yarn (1)                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3912 39 10 | 10    | Ethylcellulose, not plasticized                                                                                                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3912 39 10 | 20    | Ethylcellulose, in the form of aqueous dispersion containing hexadecan-1-ol and sodium dodecyl sulfate, containing by weight (27 ± 3) % of ethylcellulose                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3912 39 80 | 10    | Cellulose, both hydroxyethylated and ethylated, insoluble in water                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3912 39 80 | 20    | Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3912 90 10 | 10    | Cellulose acetate propionate, non-plasticised, in the form of powder: <ul style="list-style-type: none"> <li>— containing by weight 25 % or more of propionyl (as determined by the ASTM D 817-72 method) and</li> <li>— of a viscosity not exceeding 120 poise (as determined by the ASTM D 817-72 method),</li> </ul> for the manufacture of printing inks, paints, lacquers and other coatings, and reprographic coatings (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3913 90 00 | 92    | Protein, chemically modified by carboxylation and/or phthalic acid addition, having a molecular weight of 100 000 to 300 000                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3913 90 00 | 95    | Chondroitinsulfuric acid, sodium salt                                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3913 90 00 | 97    | Chitosonium pyrrolidonecarboxylate                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3913 90 00 | 98    | Sodium hyaluronate                                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3915 90 90 | 10    | Waste, parings and scrap of photographic, cinematographic and radiographic films                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3916 90 90 | 10    | Composite profile shape, reinforced with glass fibres, produced by pultrusion, for the manufacture of window frames (1)                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3917 32 10 | 10    | Flexible pipe of silicone foam, with continuous channels, of a Shore A hardness of 7 or more but not exceeding 48 and a density of 0,28 g/cm <sup>3</sup> or more but not exceeding 0,92 g/cm <sup>3</sup>                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3917 32 31 | 91    | Assembly of heat-shrinkable tubing of polyethylene with poly(vinyl acetate), arranged in parallel at equally spaced intervals and attached at one or both ends by perforated plastic strips, in rolls                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3917 32 99 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                  |                         |                      |
| ex 3926 90 98 | 45    |                                                                                                                                                                                                                                                                                                                                                                                                                                  |                         |                      |
| ex 3917 32 39 | 20    | Pipe consisting of a block copolymer of polytetrafluoroethylene and                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                            | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | polyperfluoroalkoxytrifluoroethylene, of a length of not more than 600 mm, a diameter of not more than 85 mm and a wall-thickness of 30 µm or more but not exceeding 110 µm                                                                                                                                                                                                                                                            |                         |                      |
| ex 3919 10 19 | 10    | Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 10 38 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 90 38 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3920 99 28 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 10 31 | 10    | Reflecting laminated sheet, consisting of a film of polycarbonate totally embossed on one side in a regular shaped pattern, covered on both sides with one or more layers of plastic material, whether or not covered on one side with an adhesive layer and a release sheet                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 10 38 | 30    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 90 31 | 50    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3920 61 00 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 10 38 | 10    | Self-adhesive tape of metallised polyurethane containing glass beads for use in the manufacture of marine life-saving equipment (1)                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 10 38 | 40    | Double-sided, self-adhesive modified epoxy resin foil, put up in rolls, 16 cm wide, 140-200 m long and with a total thickness of 20 µm, not for retail sale                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 10 61 | 91    | Reflecting film, consisting of a layer of poly(vinyl chloride), a layer of alkyd polyester, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, only visible by means of a retroreflecting lighting, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 61 | 94    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 10 69 | 91    | Black acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N/cm (as determined by the ASTM D 3330 method)                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 69 | 96    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 10 69 | 95    | Reflecting laminated sheet showing a regular pattern, consisting of a film of poly(methylmethacrylate), followed by a layer of acrylic polymer containing microprisms, a film of poly(methylmethacrylate), an adhesive layer and a release sheet                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 69 | 98    |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 3919 90 10 | 10    | Shaped sheet of plastic, with an adhesive layer containing polyisobutylene and pectin, for the manufacture of colostomy bags (1)                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 31 | 25    | Polyethylene terephthalate film:<br>— laminated on one side with a copper mesh of a line width of 10 to 15 µm,<br>— a coloured adhesive layer on the other,<br>— coated on both sides with a protective film,<br>— with a total thickness of 110–210 µm                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                     | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | for use in the manufacture of optical filters (1)                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3919 90 31 | 35    | Polyethylene terephthalate film, covered on one side with a tinted layer and on the other with an adhesive layer, coated on both sides with a protective film, with an overall thickness of 235 (+/- 5) µm, for the manufacture of optical filters (1)                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 31 | 40    | Reflecting polyester sheeting embossed in a pyramidal pattern, for the manufacture of safety stickers and badges, safety clothing and accessories thereof, or of school satchels, bags or similar containers (1)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 20    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3920 62 90 | 20    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3920 63 00 | 30    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3920 69 00 | 30    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3919 90 31 | 60    | Film consisting of 1 to 3 laminated layers of poly(ethylene terephthalate) and a copolymer of terephthalic acid, sebacic acid and ethylene glycol, coated on one side with an acrylic abrasion resistant coating and on the other side with an acrylic pressure sensitive adhesive, a water soluble methylcellulose coating and a poly(ethylene terephthalate) protective liner | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 31 | 70    | Poly(ethylene terephthalate) sheet, covered on one side with an antistatic layer and a hardcoat layer and on the other side with an adhesive layer and a release sheet, in rolls, for the manufacture of optical filters (1)                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 61 | 92    | Poly(vinyl chloride) sheeting, of a thickness of less than 1 mm, coated with an adhesive in which are embedded glass balls of a diameter not exceeding 100 µm                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 69 | 92    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3919 90 61 | 93    | Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for the protection of the surface of silicon discs (1)                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3919 90 69 | 93    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3920 10 89 | 25    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3919 90 69 | 95    | Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm, whether or not covered on one side with an adhesive layer and a release sheet                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 51 00 | 30    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3920 10 26 | 20    | Film of polyethylene, of a thickness of 20 µm or more but not exceeding 45 µm, containing calcium carbonate in the mass, for the manufacture of napkins for babies or of sanitary towels or of tampons or of disposable surgical gowns (1)                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 10 26 | 30    | Film of a thickness not exceeding 0,20 mm, of a blend of polyethylene and a copolymer of ethylene with oct-1-ene, embossed in a regular rhomboidal pattern, for coating both sides of a layer of unvulcanized rubber (1)                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 10 89 | 20    |                                                                                                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 3920 10 26 | 40    | Film of polyethylene, of a kind used for typewriter ribbon                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3920 10 40 | 91    | Synthetic paper pulp, in the form of moist sheets, made from unconnected finely-branched polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15 %, containing poly(vinyl alcohol) dissolved in water as the moistening agent                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 10 40 | 92    | Laminated sheet or strip consisting of a film composed of a blend of a copolymer of ethylene with vinyl acetate and a modified ethylene-propylene-elastomer (EPM) or a modified ethylene-propylene-diene elastomer (EPDM), coated or covered on both sides with a film of a copolymer of ethylene with vinyl acetate                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 10 89 | 35    | Reflecting film, consisting of a layer of polyethylene, a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, only visible by means of a retroreflecting lighting, and embedded glass beads and, on the other side, a hot-melt adhesive layer, covered on one side or on both sides with a release film                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 20 21 | 30    | Biaxially oriented polypropylene film with a coextruded layer of polyethylene on one side and a total thickness of 11.5 µm or more but not more than 13.5 µm.                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 20 29 | 91    | Mono-axial oriented film, consisting of three layers, each layer consisting of a mixture of polypropylene and a copolymer of ethylene and vinyl acetate, having: <ul style="list-style-type: none"> <li>— a thickness of 55 µm or more but not exceeding 97 µm,</li> <li>— a tensile modulus in the machine direction of 0,75 GPa or more but not exceeding 1,45 GPa and</li> <li>— a tensile modulus in the transverse direction of 0,20 GPa or more but not exceeding 0,55 GPa</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 20 90 | 91    | Synthetic paper pulp, in the form of moist sheets, made from unconnected finely-branched polypropylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15 %, containing poly(vinyl alcohol) dissolved in water as the moistening agent                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 20 90 | 92    | Laminated sheet or strip, consisting of a film of a thickness of 181 µm or more but not exceeding 223 µm composed of a blend of a copolymer of propylene with ethylene and a copolymer of styrene-ethylene-butylene-styrene (SEBS) coated or covered on one side with a layer of a copolymer of styrene-ethylene-butylene-styrene (SEBS) and a layer of polyester                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 20 90 | 93    | Polypropylene sheet, of a thickness of 0,5 mm or more but not exceeding 1,0 mm, having a tensile strength at break of 14,7 MPa or more but not exceeding 21 MPa (as determined by the ASTM D 638 method), in rolls of a width of 3,81 m                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 30 00 | 20    | Laminated sheet or strip, consisting of a film composed of a blend of a thermoplastic elastomer (TPE) of styrene-butadiene-styrene (SBS) with polyethylene or polypropylene, of a thickness of 100 µm or more but not exceeding 200 µm, coated or covered on both sides with a film of polypropylene of a thickness not exceeding 20 µm                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 43 10 | 91    | Reflecting sheeting, consisting solely of a single layer of poly(vinyl chloride), wholly embossed on one side in a regular pyramidal pattern                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 49 10 | 91    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 43 10 | 92    | Sheeting of poly(vinyl chloride), stabilized against ultraviolet rays, without any holes, even microscopic, of a thickness of 60 µm or more but not exceeding 80 µm, containing 30 or more but not more                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | than 40 parts of plasticizer to 100 parts of poly(vinyl chloride)                                                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 3920 43 10 | 93    | Poly(vinyl chloride) sheet, with relief printing, of a kind used in the templates for textile printing                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 43 10 | 94    | Film of a specular gloss of 70 or more, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0,26 mm or more but not exceeding 1,0 mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1 000 mm or more but not exceeding 1 450 mm, for use in the manufacture of goods of heading No 9403 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 49 10 | 93    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 3920 43 10 | 95    | Reflecting laminated sheet, consisting of a film of poly(vinyl chloride) and a film of an other plastic totally embossed in a regular pyramidal pattern, covered on one side with a release sheet                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 49 10 | 92    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 3920 43 10 | 96    | Film, of a specular gloss of 70 or more measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of a layer of poly(ethylene terephthalate) and a layer of colored poly(vinyl chloride), for coating panels and doors of a kind used in the manufacture of domestic appliances (1)                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 43 10 | 97    | Film embossed to a depth of not more than 12 µm, of a specular gloss of 7 or more but not exceeding 17, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of at least two layers of poly(vinyl chloride), of a total thickness not exceeding 0,5 mm, covered on the embossed side with a protective film, in rolls of a width of 1 400 mm or more but not exceeding 1 420 mm, for use in the manufacture of goods of heading No 9403 (1)             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 51 00 | 10    | Poly(methyl methacrylate) plate, with an antistatic coating, of dimensions of 738 × 972 mm (± 1,5 mm)                                                                                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 51 00 | 20    | Plate of poly(methyl methacrylate) containing aluminium trihydroxide, of a thickness of 3,5 mm or more but not exceeding 19 mm                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 61 00 | 10    | Polycarbonate film of a thickness not exceeding 15 µm, for the manufacture of film capacitors(1)                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 01    | Coextruded opaque sheet of poly(ethylene terephthalate), of a thickness of 50 µm or more but not exceeding 350 µm, consisting especially of a layer containing carbon black                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 03    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 3920 62 19 | 04    | Poly(ethylene terephthalate) film, of a thickness of less than 11 µm, for the manufacture of audiodigital tapes for cassettes (1)                                                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 06    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 3920 62 19 | 07    | Poly(ethylene terephthalate) film, not coated with an adhesive, of a thickness not exceeding 25 µm, either:                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 09    | — only dyed in the mass, or<br>— dyed in the mass and metallized on one side                                                                                                                                                                                                                                                                                                                                                                                                                               |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                   | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3920 62 19 | 11    | Film of poly(ethylene terephthalate) only, of a total thickness not exceeding 120 µm, consisting of one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 13    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 14    | Poly(ethylene terephthalate) film, of a thickness of 20 µm or more but not exceeding 30 µm, coated on one side with silicone, for use in the manufacture of window film (1)                                                                                                                                                                   | 3 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 16    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 17    | Laminated film of poly(ethylene terephthalate) only, of a total thickness not exceeding 120 µm, consisting of one layer which is metallised only and one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 19    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 21    | Film of poly(ethylene terephthalate), coated or covered on one side or on both sides with a layer of modified polyester, of a total thickness of 7 µm or more but not exceeding 11 µm, for the manufacture of video tapes with a magnetic layer of metallic pigments and a width of 8 mm or of 12,7 mm (1)                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 23    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 24    | Single ply film of poly(ethylene terephthalate) only, of a thickness not exceeding 120 µm, which only:<br>— contains a colouring and/or UV-absorbing material throughout the mass and<br>— is metallised on one side,<br><br>whether or not coated on one or both sides with a vinyl acrylate polymer but having no other coating or adhesive | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 26    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 27    | Film of poly(ethylene terephthalate), of a total thickness not exceeding 120 µm, of a width of 100 mm or more but not exceeding 115 mm, coated on both sides with one or more layers containing different chemicals, for the manufacture of goods of subheading 3701 20 00 (1)                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 29    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 31    | Film of poly(ethylene terephthalate), on one side metallised and coated with white ink and a protective layer and on the other side coated with a thermosensitive seal layer, of a width of 100 mm or more but not exceeding 150 mm, for the manufacture of goods of subheading 3701 20 00 (1)                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 33    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 34    | Film of poly(ethylene terephthalate), coated on one side with a layer of modified polyester, of a thickness of 20 µm (± 0,7 µm) or of 30 µm (± 0,9 µm), for the manufacture of audio magnetic tapes of a total thickness of 33 µm or more (1)                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 36    |                                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 37    | Poly(ethylene terephthalate) film, of a thickness not exceeding 12 µm, coated on one side with a layer of aluminium oxide of a                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3920 62 19 | 39    | thickness not exceeding 35 nm                                                                                                                                                                                                                                                                                                                               |                         |                      |
| ex 3920 62 19 | 41    | Poly(ethylene terephthalate) film, of a thickness of 18 µm or more but not exceeding 25 µm, having:                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 43    | <ul style="list-style-type: none"> <li>— a shrinkage of <math>(3,4 \pm 0,1)</math> % in the machine direction (as determined by the ASTM D 1204 method) and</li> <li>— a shrinkage of <math>(0,3 \pm 0,2)</math> % in the transverse direction (as determined by the ASTM D 1204 method)</li> </ul>                                                         |                         |                      |
| ex 3920 62 19 | 44    | Poly(ethylene terephthalate) film, of a thickness not exceeding 19 µm or of a weight of 20 g/m <sup>2</sup> or more but not exceeding 26,7 g/m <sup>2</sup> , for use in the manufacture of photo-resist film (1)                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 46    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 47    | Film of poly(ethylene terephthalate), coated on both sides with a layer of epoxy acrylic resin, of a total thickness of 37 µm ( $\pm 3$ µm)                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 49    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 51    | Film of poly(ethylene terephthalate), coated on one side with metal and/or metal oxides, containing by weight less than 0,1 % of aluminium, of a thickness not exceeding 300 µm and having a surface resistivity not exceeding 10 000 ohms (per square) (as determined by the ASTM D 257-93 method)                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 53    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 54    | Matt film of poly(ethylene terephthalate), of a specular gloss of 15 measured at an angle of 45 ° and 18 measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method) and a width of 1 600 mm or more                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 56    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 57    | Film of white poly(ethylene terephthalate), dyed in the mass, of a thickness of 185 µm or more but not exceeding 253 µm, coated on both sides with an antistatic layer                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 59    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 61    | Film of a total thickness of 4,5 µm ( $\pm 0,16$ µm), consisting of a biaxially-oriented poly(ethylene terephthalate) film, of an elastic modulus (in the machine direction) of 12 kg/mm <sup>2</sup> ( $\pm 2$ kg/mm <sup>2</sup> ) and a tensile strength (in the machine direction) of more than 28 kg/mm <sup>2</sup> , and of an anti-adherent coating | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 63    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 67    | Poly(ethylene terephthalate) film, coated with among other a scratch resistant layer based on polyacrylate and a thermoadhesive layer, of a nominal width of 790 mm and a total thickness of 23 µm or more but not exceeding 26 µm                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 69    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 71    | Non-metallised reflecting film, consisting of outside layers of poly(ethylene terephthalate) or poly(ethylene naphthalate) and multiple layers of poly(methyl methacrylate), of a reflectance coefficient of 95 % or more (as determined by the ASTM E 1164-94 and ASTM E 387-95 methods) and a total thickness not exceeding                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 69 00 | 70    |                                                                                                                                                                                                                                                                                                                                                             |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | 70 µm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 3920 62 19 | 72    | Non-metallised reflecting film, consisting of outside layers of poly(ethylene terephthalate) and multiple layers of poly(methyl methacrylate), of a total thickness of 51 µm (± 10 %), for use in the manufacture of laminated solar-reflecting automotive glass (1)                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 73    | Iridescent film of polyester and poly(methyl methacrylate)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 69 00 | 40    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 3920 62 19 | 74    | Multilayer film of a thickness not exceeding 150 µm, consisting of a polyester film coated on one side with polycarbonate resin, metallized on the other side with titanium coated with polycarbonate resin and other layers containing <i>N,N'</i> -diphenyl- <i>N,N'</i> -di- <i>m</i> -tolylbiphenyl-4,4'-ylenediamine                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 19 | 76    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 3920 62 19 | 88    | Laminated sheet, consisting of a biaxially oriented film of poly(ethylene terephthalate), covered on one side or on both sides with a layer of poly(ethylene terephthalate), for use in the manufacture of identity cards, credit cards and similar products (including "smart" cards) (1)                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 90 | 31    | Film of poly(ethylene terephthalate), of a thickness of 500 µm (± 25 µm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 62 90 | 33    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 3920 62 90 | 40    | Strips of poly(ethylene terephthalate), covered on both sides with a layer of chemically modified polyester, of a width not exceeding 16 mm and a thickness of 0,5 mm or more but not exceeding 2 mm, having a tensile strength at break of 0,7 GPa or more (as determined by the ASTM D 638 method)                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 69 00 | 20    | Film of poly(ethylene naphthalene-2,6-dicarboxylate)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 69 00 | 50    | Polycondensation product of terephthalic acid with a mixture of cyclohex-1,4-ylenedimethanol and ethane-1,2-diol, in the form of a film                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 69 00 | 60    | Film of a copolymer of ethylene terephthalate and ethylene isophthalate, of a thickness not exceeding 2 µm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 91 00 | 91    | Poly(vinyl butyral) film having a graduated coloured band                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 3 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 91 00 | 92    | Plasticized film of polyvinyl butyral, containing by weight: <ul style="list-style-type: none"> <li>— either 14,5 % or more but not more than 17,5 % of dihexyl adipate,</li> <li>— or 14,5 % or more but not more than 28,5 % of dibutyl sebacate</li> </ul>                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 91 00 | 93    | Film of poly(ethylene terephthalate), whether or not metallised on one or both sides, or laminated film of poly(ethylene terephthalate) films, metallised on the external sides only, and having the following characteristics: <ul style="list-style-type: none"> <li>— a visible light transmission of 50 % or more,</li> <li>— coated on one or both sides with a layer of poly(vinyl butyral) but not coated with an adhesive or any other material except poly(vinyl butyral),</li> <li>— a total thickness not exceeding 0,2 mm without taking the presence of poly(vinyl butyral) into account,</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                           | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | for use in the manufacture of heat-reflecting or decorative laminated glass (1)                                                                                                                                                                                       |                         |                      |
| ex 3920 99 28 | 10    | Reflecting sheet of metallised polyurethane, containing glass beads, coated with a hot-melt adhesive layer, covered on one or both sides with a release sheet, in rolls of a width of 1 020 mm ( $\pm$ 20 mm), for slitting into safety clothing reflecting strip (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 28 | 30    | Film of polyimide, not containing epoxyde resin and/or glass fibres,:                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 90 55 | 10    | — metallized by sputtering with copper on one side or on both sides,                                                                                                                                                                                                  |                         |                      |
| ex 7410 21 00 | 30    | — metallized by sputtering with copper and plated on one side or on both sides with refined copper or                                                                                                                                                                 |                         |                      |
|               |       | — covered on one side or on both sides with a copper foil                                                                                                                                                                                                             |                         |                      |
| ex 3920 99 28 | 40    | Mono-axially oriented polymer film containing the following monomers:                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
|               |       | — Poly (tetramethylene ether glycol),                                                                                                                                                                                                                                 |                         |                      |
|               |       | — Bis (4-isocyanotocyclohexyl) methane,                                                                                                                                                                                                                               |                         |                      |
|               |       | — 1,4-Butanediol or 1,3-Butanediol,                                                                                                                                                                                                                                   |                         |                      |
|               |       | — with a thickness of 0.25mm or more but not more than 5.0mm,                                                                                                                                                                                                         |                         |                      |
|               |       | — embossed with a regular pattern on one surface,                                                                                                                                                                                                                     |                         |                      |
|               |       | — and covered with a release sheet                                                                                                                                                                                                                                    |                         |                      |
| 3920 99 53    |       | Ion-exchange membranes of fluorinated plastic material                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 55    |                                                                                                                                                                                                                                                                       |                         |                      |
| ex 3920 99 59 | 20    | Film entirely of poly(vinyl alcohol), of a thickness not exceeding 1 mm and containing by weight:                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
|               |       | — 2 % or less of unhydrolysed acetate groups evaluated as vinyl acetate and                                                                                                                                                                                           |                         |                      |
|               |       | — 5 % or more but not more than 25 % of glycerol as plasticizer,                                                                                                                                                                                                      |                         |                      |
|               |       | for the manufacture of roof-windows (1)                                                                                                                                                                                                                               |                         |                      |
| ex 3920 99 59 | 25    | Poly(1-chlorotrifluoroethylene) film                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 30    | Film and sheet of a copolymer of ethylene with chlorotrifluoroethylene, of a thickness of 12 $\mu$ m or more but not exceeding 400 $\mu$ m                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 35    | Film entirely of poly(vinyl alcohol), of a thickness not exceeding 1 mm and of a width of 2,20 m or more, with an extension at break, in the transverse direction, of 350 % or more                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 40    | Biaxially-oriented film of poly(vinyl alcohol), coated on both sides, of a total thickness of less than 1 mm                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 45    | Iridescent film of polyester, polyethylene and an ethylene-vinyl acetate copolymer                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 50    | Polytetrafluoroethylene film, non-microporous, in the form of rolls, of a thickness of 0,019 mm or more but not exceeding 0,14 mm, impermeable to water vapour                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3920 99 59 | 60    | Film of a vinyl alcohol copolymer, soluble in cold water, of a thickness of 34 $\mu$ m or more but not exceeding 90 $\mu$ m, a tensile strength at break of 20 MPa or more but not exceeding 45 MPa and                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | an elongation at break of 250% or more but not exceeding 900%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 3921 13 10 | 10    | Sheet of polyurethane foam, of a thickness of 3 mm ( $\pm 15\%$ ) and of a specific gravity of 0,09435 or more but not exceeding 0,10092                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 14 00 | 10    | Cellular film of regenerated cellulose, of a thickness not exceeding 350 $\mu\text{m}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 19 00 | 91    | Microporous polypropylene film of a thickness not exceeding 100 $\mu\text{m}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 19 00 | 92    | Microporous film consisting of mixtures of cellulose acetate and cellulose nitrate, of a thickness not exceeding 200 $\mu\text{m}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 19 00 | 93    | Strip of microporous polytetrafluoroethylene on a support of a non-woven, for use in the manufacture of filters for kidney dialysis equipment (1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 19 00 | 94    | Polyethylene film, of a thickness of 16 $\mu\text{m}$ or more but not exceeding 24 $\mu\text{m}$ , having: <ul style="list-style-type: none"> <li>— a weight of 19 g/m<sup>2</sup> (<math>\pm 2</math> g/m<sup>2</sup>),</li> <li>— a water vapour transmission rate of 5 000 g/m<sup>2</sup> or more but not exceeding 30 000 g/m<sup>2</sup> per day (as determined by the ASTM D 6701-01 method),</li> <li>— an elongation in the transverse direction of 25 % or more at a load of 500 g or less,</li> <li>— an elongation in the machine direction of 50 % or more but not exceeding 100 % (as determined by the ASTM D 882-91 method),</li> </ul> for use in the manufacture of napkins and napkin liners for babies and similar sanitary articles (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 19 00 | 95    | Film of polyethersulfone, of a thickness not exceeding 200 $\mu\text{m}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 19 00 | 96    | Cellular film, consisting of a layer of polyethylene of a thickness of 90 $\mu\text{m}$ or more but not exceeding 140 $\mu\text{m}$ and a layer of regenerated cellulose of a thickness of 10 $\mu\text{m}$ or more but not exceeding 40 $\mu\text{m}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 90 19 | 35    | Composite plate of polycarbonate and poly(butylene terephthalate), reinforced with glass fibres                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 90 19 | 45    | Composite plate of poly(ethylene terephthalate) or of poly(butylene terephthalate), reinforced with glass fibres                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 90 60 | 91    | Woven polytetrafluoroethylene fabric, coated or covered with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side-chains ending in carboxylic acid or sulfonic acid groups, whether or not in the potassium or sodium salt form                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5407 71 00 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 5903 90 99 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                         |                      |
| ex 3921 90 60 | 92    | Reinforced polypropylene sheet, of a thickness of 0,91 mm or more but not exceeding 1,12 mm, having a breaking strength of 890 N or more but not exceeding 1 500 N (as determined by the ASTM D 751 method), in rolls of a width of 3,81 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3921 90 60 | 93    | Film, of a specular gloss of 30 or more but not exceeding 60 measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of a layer of poly(ethylene terephthalate) and a layer of colored poly(vinyl chloride), joined by a metalized adhesive coating, for coating panels and doors of a kind used in the manufacture of domestic appliances (1)                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                   | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 3921 90 60 | 94    | Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0.8 mm or more but not exceeding 1.2 mm                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 91 | 20    | Reflecting sheeting or tape, consisting of a facing-strip of poly(vinyl chloride) embossed in a regular pyramidal pattern, heat-sealed in parallel lines or in a grid-pattern to a backing-strip of plastic material, or of knitted or woven fabric covered on one side with plastic material | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 10    | Microspheres of polymer of divinylbenzene, of a diameter of 4,5 µm or more but not exceeding 80 µm                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 15    | Glass fibre reinforced plastic traverse leaf spring for use in the manufacture of motor vehicle suspension systems (1)                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 20    | Tape pad, for use in the manufacture of goods of heading No 8523 (1)                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 25    | Unexpandable microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate, of a diameter of 3 µm or more but not exceeding 4,6 µm                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 30    | Guide pin and pole, for use in the manufacture of goods of subheadings 8523 11 00, 8523 12 00 and 8523 13 00 (1)                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 35    | Microspheres of polyalkylsiloxane, on which are covalently bonded organic compounds, of a diameter of 1 µm or more but not exceeding 30 µm                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 3926 90 98 | 55    | Flat product of polyethylene, perforated in opposing directions, of a thickness of 600 µm or more but not exceeding 1 200 µm and of a weight of 21 g/m <sup>2</sup> or more but not exceeding 42 g/m <sup>2</sup>                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 4007 00 00 | 10    | Siliconated vulcanised rubber thread and cord                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 4008 11 00 | 10    | Blocks or sheets of cellular vulcanised rubber of modified ethylene-propylene-diene (EPDM) blended with chloroprene, which satisfy the Underwriters Laboratories Flammability Standard UL94HF-1                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 4016 99 88 | 10    | Soft rubber sealing stoppers for the manufacture of electrolytic capacitors (1)                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| 4105 10 10    |       | Sheep or lamb skin leather, without wool on, tanned or retanned but not further prepared, whether or not split, other than leather of heading No 4114                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| 4105 10 90    |       |                                                                                                                                                                                                                                                                                               |                         |                      |
| 4105 30 91    |       |                                                                                                                                                                                                                                                                                               |                         |                      |
| 4105 30 99    |       |                                                                                                                                                                                                                                                                                               |                         |                      |
| 4106 21 10    |       | Goat or kid skin leather, without hair on, tanned or retanned but not further prepared, whether or not split, other than leather of heading No 4114                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| 4106 21 90    |       |                                                                                                                                                                                                                                                                                               |                         |                      |
| 4106 22 90    |       |                                                                                                                                                                                                                                                                                               |                         |                      |
| 4106 31 10    |       | Leather of other animals, without hair on, not further prepared than tanned, other than leather of heading No 4114                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| 4106 31 90    |       |                                                                                                                                                                                                                                                                                               |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| 4106 32 10    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| 4106 32 90    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| 4106 40 90    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| 4106 91 00    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| 4106 92 00    |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| ex 5004 00 10 | 10    | Yarn spun entirely from silk, not put up for retail sale                                                                                                                                                                                                                                                                                                                                                                                                                  | 2.5 %                   | 1.1.2006- 31.12.2008 |
| ex 5004 00 90 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| ex 5005 00 10 | 10    | Yarn spun entirely from silk waste (noil), not put up for retail sale                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5005 00 90 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| 5208 11 10    |       | Fabrics for the manufacture of bandages, dressings and medical gauzes                                                                                                                                                                                                                                                                                                                                                                                                     | 5.2 %                   | 1.1.2006- 31.12.2008 |
| ex 5402 41 00 | 10    | Polyamide yarn, not textured, untwisted or with a twist not exceeding 22 turns per metre, of crimpable bicomponent filaments consisting of poly(hexamethylene adipamide) with a copolyamide, for the manufacture of: <ul style="list-style-type: none"> <li>— knee-length stockings of subheadings 6115 20 11 and 6115 93 30,</li> <li>— women's stockings of subheadings 6115 20 19 and 6115 93 91 or</li> <li>— panty hose (tights) of subheading 6115 11 00</li> </ul> | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 41 00 | 20    | Yarn of synthetic textile fibres solely of aromatic polyamides obtained by the polycondensation of <i>m</i> -phenylenediamine and isophthalic acid                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 43 00 | 20    | Synthetic bicomponent filament yarn, not textured, untwisted, measuring 1 650 decitex, consisting of 110 filaments each having a core of poly(ethylene terephthalate) and a skin of polyamide-6, containing by weight 75 % or more but not exceeding 77 % of poly(ethylene terephthalate), for use in the manufacture of roofings (1)                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 49 99 | 10    | Multifilaments yarn of polytetrafluoroethylene                                                                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 69 90 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| ex 5402 49 99 | 30    | Yarn of a copolymer of glycollic acid with lactic acid, for the manufacture of surgical sutures(1)                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 49 99 | 50    | Non-textured filament yarn of poly(vinyl alcohol)                                                                                                                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 59 90 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| ex 5402 69 90 | 40    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| ex 5402 49 99 | 60    | Yarn wholly of poly(glycollic acid)                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 69 90 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                         |                      |
| ex 5402 49 99 | 70    | Synthetic filament yarn, single, containing by weight 85 % or more of acrylonitrile, in the form of a wick containing 1 000 continuous filaments or more but not more than 25 000 continuous filaments, of                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | a weight per metre of 0,12 g or more but not exceeding 3,75 g and of a length of 100 m or more, for the manufacture of carbon-fibre yarn(1)                                 |                         |                      |
| ex 5402 49 99 | 80    | Polyethylene filament yarn, untwisted, of either 55, 110, 165 or 1 760 decitex, for the manufacture of goods of heading No 5607 (1)                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5402 49 99 | 85    | Synthetic filament yarn, single, untwisted, wholly of poly(thio-1,4-phenylene)                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5404 10 90 | 10    | Monofilament of polytetrafluoroethylene                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5404 10 90 | 20    | Monofilament of poly(1,4-dioxanone)                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5404 10 90 | 30    | Monofilament of a copolymer of 1,3-dioxan-2-one with 1,4-dioxan-2,5-dione, for the manufacture of surgical sutures (1)                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5404 10 90 | 40    | Monofilaments of a stabilised blend of polyester with polyurethane, of 67 decitex or more and of which no cross-sectional dimension exceeds 1 mm                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5404 10 90 | 50    | Monofilaments of polyester or poly(butylene terephthalate), with crosssectional dimension of 0,5mm or more but not exceeding 1mm, for use in the manufacture of zippers (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5404 90 90 | 20    | Strip of polyimide                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5407 71 00 | 10    | Woven fabrics of poly(vinyl alcohol) fibres, for machine embroidery                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5501 90 90 | 10    | Poly(vinyl alcohol) tow                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5503 10 10 | 10    | Synthetic staple fibres of a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length not exceeding 7 mm                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5601 30 00 | 40    |                                                                                                                                                                             |                         |                      |
| ex 5503 90 10 | 10    | Acetalized, multicomponent spun fibres with a matrix fibril structure, consisting of emulsion-polymerized poly(vinyl alcohol) and poly(vinyl chloride)                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5503 90 90 | 30    |                                                                                                                                                                             |                         |                      |
| ex 5503 90 90 | 20    | Poly(vinyl alcohol) fibres, whether or not acetalized                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5506 90 90 | 10    |                                                                                                                                                                             |                         |                      |
| ex 5601 30 00 | 10    |                                                                                                                                                                             |                         |                      |
| ex 5503 90 90 | 40    | Fibres wholly of poly(thio-1,4-phenylene)                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5601 30 00 | 20    | Polyester fibres, measuring 0,56 decitex, of a length of 3 mm or more but not exceeding 5 mm                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5601 30 00 | 30    | Acrylic fibres, measuring 0,11 and 0,56 decitex, of a length of 3 mm or more but not exceeding 5 mm                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 11 10 | 10    | Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 11 90 | 10    | — of a thickness of 200 µm or more but not exceeding 280 µm and<br>— of a weight of 20 g/m <sup>2</sup> or more but not exceeding 50 g/m <sup>2</sup>                       |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                     | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 5603 12 10 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 12 90 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 91 10 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 91 90 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 92 10 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 92 90 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 11 10 | 20    | Non-wovens, containing spunbonded fibres of polypropylene or of polypropylene and polyethylene, for the manufacture of napkins and napkin liners for babies and similar sanitary articles (1)                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 11 90 | 20    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 12 10 | 20    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 12 90 | 50    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 12 90 | 30    | Non-wovens of aromatic polyamide fibres obtained by polycondensation of <i>m</i> -phenylenediamine and isophthalic acid, in the piece or cut into rectangles                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 13 90 | 30    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 14 90 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 92 90 | 60    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 93 90 | 40    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 94 90 | 30    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 12 90 | 60    | Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m <sup>2</sup> but not exceeding 80 g/m <sup>2</sup> and an air resistance (Gurley) of 8 s or more but not exceeding 36 s (as determined by the ISO 5636/5 method)                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 13 90 | 60    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 12 90 | 70    | Non-wovens of polypropylene, consisting of a meltblown layer, laminated on each side with spunbonded filaments of polypropylene, of a thickness not exceeding 550 µm and of a weight not exceeding 80 g/m <sup>2</sup> , in the piece or simply cut into squares or rectangles, not impregnated | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 13 90 | 70    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 92 90 | 40    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 93 90 | 10    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 13 90 | 40    | Non-wovens consisting of a central layer of polycarbonate fibres, laminated on each side with spunbonded filaments of polyester, of a weight of more than 130 g/m <sup>2</sup> but not exceeding 200 g/m <sup>2</sup>                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 14 90 | 20    |                                                                                                                                                                                                                                                                                                 |                         |                      |
| ex 5603 13 90 | 80    | Polyethylene non-woven, covered on both sides with a non-woven of polypropylene and wood pulp, of a weight of 70 g/m <sup>2</sup> or more but                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 5603 93 90 | 30    | not exceeding 90 g/m <sup>2</sup> , in rolls, for use in the manufacture of wet wipes (1)                                                                                                                                                                               |                         |                      |
| ex 5603 14 90 | 30    | Non-wovens, consisting of a central elastomeric film laminated on each side with spunbonded filaments of polypropylene, of a weight of 200 g/m <sup>2</sup> or more but not exceeding 300 g/m <sup>2</sup>                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 91 90 | 30    | Nonwoven viscose rayon, with a watersoluble starch based binder and having a weight of 12 or more but not more than 18g/m <sup>2</sup>                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 92 90 | 20    | Non-wovens consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 93 90 | 20    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 5603 92 90 | 50    | Non-wovens of staple fibres, in rolls, of a width of 78 mm or more but not exceeding 252 mm, for the manufacture of floppy discs (1)                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 92 90 | 70    | Non-wovens, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene, of a total thickness not exceeding 50 mm | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5603 93 90 | 50    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 5603 94 90 | 40    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 5603 94 90 | 20    | Acrylic fibre rods, having a length of not more than 50 cm, for the manufacture of pen tips (1)                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5604 90 00 | 60    | Strip, of:<br>— a polyester layer, laminated on one or both sides to a polymer layer containing glass beads,<br>— a maximum width of 1.2 mm,<br>— a maximum thickness of 0.05 mm                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5607 50 90 | 10    | Twine, unsterilised, wholly of poly(glycollic acid), plaited or braided, with an inner core, for the manufacture of surgical sutures (1)                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5803 10 00 | 91    | Gauze of cotton, of a width of less than 1 500 mm                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5903 10 90 | 10    | Knitted or woven fabrics, coated or covered on one side with artificial plastic material in which are embedded microspheres                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5903 20 90 | 10    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 5903 90 99 | 20    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 5903 20 90 | 20    | Tape of polyester fabric laminated with a metallised polyurethane film containing glass beads, for use in the manufacture of marine life-saving equipment (1)                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5906 99 90 | 10    | Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and weft yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, <i>p</i> -phenylenediamine and 3,4'-oxybis(phenyleneamine)                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5907 00 90 | 10    | Textile fabrics, coated with adhesive in which are embedded spheres of a diameter not exceeding 75 µm                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 5911 10 00 | 10    | Needle-punched synthetic-fibre felts, not containing polyester, whether or not containing catalytic particles entrapped within the synthetic fibres, coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products (1)                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5911 90 90 | 10    | Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 5911 90 90 | 30    | Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness not exceeding 4 mm, whether or not housed in a cylinder of a wall-thickness of 5 mm or more | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8421 99 00 | 92    |                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| 6305 10 10    |       | Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 5303                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6305 90 00 | 10    | Sacks and bags, of a kind used for the packing of goods, used, of flax or of sisal                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6305 90 00 | 93    |                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 6305 90 00 | 95    |                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 6307 90 10 | 10    | Sterile mesh-implant, consisting of a knitted fabric of polypropylene monofilaments, with rounded edges, in forms covered by a square of dimensions not exceeding 31 × 31 cm                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6813 90 00 | 10    | Friction material, of a thickness of less than 20 mm, not mounted, for the manufacture of friction components of a kind used in automatic transmissions and clutches (1)                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6903 20 90 | 10    | Yarn of continuous ceramic filaments, each filament containing by weight:                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6914 90 90 | 10    | <ul style="list-style-type: none"> <li>— 12 % or more of diboron trioxide,</li> <li>— 26 % or less of silicon dioxide and</li> <li>— 60 % or more of dialuminium trioxide</li> </ul>                                                                                                                                                                                                       |                         |                      |
| ex 6903 90 90 | 10    | Beryllium oxide, of a purity by weight of more than 99 %, in the form of blanks, bars, blocks or plates                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6909 19 00 | 40    |                                                                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 6903 90 90 | 20    | Silicon carbide reactor tubes and holders, of a kind used for insertion into diffusion and oxidation furnaces for production of semiconductor materials                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6909 12 00 | 20    | Plate, of dialuminium trioxide and titanium carbide, of dimensions not exceeding 48 × 48 mm, or of a diameter not exceeding 125 mm, for the manufacture of magnetic heads (1)                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6909 19 00 | 30    | Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces, of an overall volume not exceeding 65 l, having, per cm <sup>2</sup> of the cross-section, not less than one continuous channel which may be open at both ends or stopped at one end                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6909 19 00 | 50    | Ceramic articles made of continuous filaments of ceramic oxides, containing by weight:                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 6914 90 90 | 20    | <ul style="list-style-type: none"> <li>— 2 % or more of diboron trioxide,</li> <li>— 28 % or less of silicon dioxide and</li> <li>— 60 % or more of dialuminium trioxide</li> </ul>                                                                                                                                                                                                                      |                         |                      |
| ex 6909 19 00 | 60    | Supports for catalysts, consisting of porous ceramic pieces, of a blend of silicon carbide and silicon, with a hardness of less than 9 on the Mohs scale, with a total volume not exceeding 65 liters, having per cm <sup>2</sup> of the surface of the cross section one or more closed channels at the tail end                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 6914 90 90 | 30    | Ceramic microspheres, transparent, obtained from silicon dioxide and zirconium dioxide, of a diameter of more than 125 µm                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7002 10 00 | 10    | Balls of E-glass, of a diameter of 20,3 mm or more but not exceeding 26 mm                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7006 00 90 | 10    | Glass plate, coated on one side with chromium and/or with a mixture of diindium trioxide and tin dioxide, of dimensions of 260 × 320 mm or more but not exceeding 400 × 400 mm, of a thickness not exceeding 1,2 mm, for the manufacture of liquid crystal displays (1)                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7006 00 90 | 20    | Colour filter, consisting of a glass plate with red, blue and green pixels, having a total thickness of 1,1 mm (± 0,1 mm) and exterior dimensions of 320 × 352 mm or more but not exceeding 320 × 400 mm, for the manufacture of liquid crystal displays (1)                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7006 00 90 | 30    | Glass plate, uncoated, of dimensions of 320 × 352 mm or more but not exceeding 320 × 400 mm, of a thickness of 0,6 mm or more but not exceeding 1,2 mm, for the manufacture of liquid crystal displays (1)                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7007 19 20 | 10    | Glass plate of a diagonal size of 81,28cm (+/- 1,5cm) or more, but not exceeding 185,42 cm (+/- 1,5 cm), consisting of tempered glass; provided either with a mesh film and a near-infrared absorbing film or a sputtered conductive layer, with optional additional anti-reflex layer on one or two sides, for use in the manufacture of PDP videomonitors or television sets (1)                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7007 29 00 | 10    | Glass plate of a diagonal size of 81,28cm (+/- 1,5cm) or more, but not exceeding 185,42 cm (+/- 1,5 cm), consisting of 2 sandwich plates laminated together; provided either with a mesh film and a near-infrared absorbing film or a sputtered conductive layer, with optional additional anti-reflex layer on one or two sides, for use in the manufacture of PDP videomonitors or television sets (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7011 10 00 | 10    | Glass lenses with a stippled front refractor or with a front refractor composed of prismatic elements, with an external diameter of more than 121 mm but not exceeding 125 mm                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7011 10 00 | 20    | Parabolic glass cup, with an external diameter of more than 121 mm but not exceeding 125 mm                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7011 90 00 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 7011 20 00 | 25    | Glass cone for cathode-ray tube, of a diagonal measurement of 912 mm (± 5 mm) and a distance from seal edge to the end of the neck of 454,3 mm (± 5 mm)                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7011 20 00 | 40    | Glass face-plate: <ul style="list-style-type: none"> <li>— with a diagonal measurement of 366,4 mm (± 1,5 mm) and of dimensions of 246,4 × 315,4 mm (± 1,5 mm),</li> <li>— with a diagonal measurement of 391 mm (± 1,5 mm) and</li> </ul>                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | <p>of dimensions of 261,4 × 326,8 mm (± 1,5 mm),</p> <ul style="list-style-type: none"> <li>— with a diagonal measurement of 442 mm (± 1,5 mm) and of dimensions of 293,4 × 369,2 mm (± 1,5 mm),</li> <li>— with a diagonal measurement of 544,5 mm (± 1,6 mm) and of dimensions of 358 × 454 mm (± 1,6 mm), having a cylindrical curvature,</li> <li>— with a diagonal measurement of 570,5 mm (± 1,6 mm) and of dimensions of 360 × 486 mm (± 1,6 mm),</li> <li>— with a diagonal measurement of 629,8 mm (± 3 mm) and of dimensions of 406,5 × 519 mm (± 2 mm), having a cylindrical curvature, or</li> <li>— with a diagonal measurement of 753 mm (± 1,6 mm) and of dimensions of 471 × 640 mm (± 1,6 mm),</li> </ul> <p>and with a raised edge, for the manufacture of colour cathode-ray tubes (1)</p> |                         |                      |
| ex 7011 20 00 | 75    | <p>Glass face-plate:</p> <ul style="list-style-type: none"> <li>— with a diagonal measurement of 604,5 mm (± 3 mm) and of dimensions of 340 × 541 mm (± 2 mm),</li> <li>— with a diagonal measurement of 639,3 mm (± 3 mm) and of dimensions of 413,6 × 527 mm (± 2 mm),</li> <li>— with a diagonal measurement of 708 mm (± 3 mm) and of dimensions of 404 × 633 mm (± 2 mm),</li> <li>— with a diagonal measurement of 723 mm (± 3 mm) and of dimensions of 477 × 602 mm (± 2 mm), or</li> <li>— with a diagonal measurement of 812,8 mm (± 3 mm) and of dimensions of 463,8 × 725,5 mm (± 2 mm),</li> </ul> <p>having a cylindrical curvature, for the manufacture of colour cathode-ray tubes (1)</p>                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7011 20 00 | 80    | Glass bulb for monochrome cathode-ray tube, of a diagonal measurement of 3,8 cm or more but not exceeding 51 cm and a nominal neck diameter of 13 mm, 20 mm, 29 mm or 37 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7014 00 00 | 10    | Optical elements of glass (other than those of heading No 7015), not optically worked, other than signalling glassware                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 10    | Rovings, measuring 2 600 tex or more but not more than 3 300 tex and of a loss on ignition of 4 % or more but not exceeding 8 % by weight (as determined by the ASTM D 2584-94 method)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 15    | Rovings, measuring 650 tex or more but not more than 2 500 tex, coated with a layer of polyurethane whether or not mixed with other materials                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 30    | Rovings, measuring 1 693 tex (± 10%), coated with a layer of styrene-butadiene rubber (SBR)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 40    | Rovings, measuring 2 040 tex (± 10 %), coated with carbon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 50    | Rovings, measuring 392 tex or more but not more than 2 884 tex, coated with a layer of an acrylic copolymer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 60    | Rovings, measuring 517 tex or more but not more than 3 569 tex, coated with a layer of paraffin                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 12 00 | 70    | Rovings, measuring 417 tex or more but not more than 3 180 tex, coated with a layer of poly(sodium acrylate) and poly(acrylic acid)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 19 10 | 10    | Yarn of 33 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments of a nominal diameter of 3,5 µm or of 4,5 µm, in which filaments of a diameter of 3 µm or more but not exceeding 5,2 µm predominate, other than those treated so as to improve their adhesion to elastomers                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                               | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 7019 19 10 | 30    | Yarn of 22 tex ( $\pm 7,5$ %), obtained from continuous spun-glass filaments of a nominal diameter of 5 $\mu\text{m}$ , in which filaments of a diameter of 4,2 $\mu\text{m}$ or more but not exceeding 5,8 $\mu\text{m}$ predominate                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 19 10 | 40    | Yarn of 33, 34 or 51 tex or a multiple thereof ( $\pm 7,5$ %), obtained from continuous spun-glass filaments of a nominal diameter of 6 $\mu\text{m}$ , in which filaments of a diameter of 5,1 $\mu\text{m}$ or more but not exceeding 6,9 $\mu\text{m}$ predominate                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 19 10 | 50    | Yarn of E-glass of 68 or 74 tex ( $\pm 7$ %), obtained from continuous spun-glass filaments of a nominal diameter of 9 $\mu\text{m}$ , in which filaments of a diameter of 8,1 $\mu\text{m}$ or more but not exceeding 9,9 $\mu\text{m}$ predominate, for the manufacture of woven fabrics for electrical laminates (prepregs) (1)                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 39 00 | 30    | Sheet, consisting of a layer of glass fibres and polypropylene, containing by weight 40 % or more but not more than 60 % of glass fibres of a length of 12,7 mm ( $\pm 0,2$ mm) and a diameter of 16 $\mu\text{m}$ ( $\pm 1$ $\mu\text{m}$ ), covered on one side with a plastic film and on the other side with a plastic layer, of a total thickness not exceeding 1 mm | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 39 00 | 40    | Sheet, consisting of chopped glass fibres and thermoplastic polymer, containing by weight 30 % or more but not more than 70 % of glass fibres of a diameter of 16 $\mu\text{m}$ ( $\pm 1$ $\mu\text{m}$ ), whether or not covered on one or both sides with a protective plastic layer                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 90 10 | 10    | Non-textile glass fibres in which fibres of a diameter of less than 4,6 $\mu\text{m}$ predominate                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 90 10 | 10    | Non-textile glass fibres in which fibres of a diameter of less than 3,5 $\mu\text{m}$ predominate                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 90 10 | 20    | Non-textile E-glass fibres, of a length not exceeding 3 mm and a diameter of 5 $\mu\text{m}$ , for the manufacture of catalysts for the purification of smokes (1)                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 90 99 | 10    | Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde resin and chlorosulfonated polyethylene                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7019 90 99 | 20    | Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde-vinylpyridine resin and an acrylonitrile-butadiene rubber (NBR)                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7116 20 90 | 10    | Disc of silicon on sapphire                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| 7202 50 00    |       | Ferro-silico-chromium                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7202 99 80 | 10    | Ferro-silicon, nitrided, containing by weight 55 % or more of silicon and 25 % or more of nitrogen                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7409 19 00 | 10    | Sheet or plate of polytetrafluoroethylene, with aluminium oxide or titanium dioxide as a filler or reinforced with glass-fibre fabric, laminated on both sides with copper foil                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7410 21 00 | 10    | Sheet or plate of polytetrafluoroethylene, containing aluminium oxide or titanium dioxide as filler or reinforced with glass-fibre fabric, covered on both sides with copper foil                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7410 21 00 | 40    | Sheet or plates <ul style="list-style-type: none"> <li>— consisting of a central layer of paper, laminated on each side with glass-fibre fabric and impregnated with epoxide resin, or</li> <li>— consisting of multiple layers of paper, impregnated with</li> </ul>                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 7419 99 00 | 91    | phenolic resin, coated on one or both sides with a copper film with a maximum thickness of 0,15 mm<br>Disc (target) with deposition material, consisting of molybdenum silicide:                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7616 99 90 | 60    | — containing 1 mg/kg or less of sodium and<br>— mounted on a copper or aluminium support                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                      |
| ex 7419 99 00 | 92    | Disc (target) with deposition material, of tungsten or an alloy containing by weight 90 % of tungsten and 10 % of titanium:                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7616 99 90 | 70    | — containing 100 µg/kg or less of sodium and<br>— mounted on a copper or aluminium support                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                         |                      |
| ex 7419 99 00 | 93    | Disc (target) with deposition material, of titanium:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7616 99 90 | 80    | — containing 50 µg/kg or less of sodium and<br>— mounted on a copper or aluminium support                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                         |                      |
| ex 7605 19 00 | 10    | Not alloyed aluminium wire, of a diameter of 2 mm or more but not exceeding 6 mm, covered with a layer of copper of a thickness of 0,032 mm or more but not exceeding 0,117 mm                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7606 11 10 | 20    | Tape of not alloyed aluminium, with a reflecting film, a transparent polyurethane topcoat, a netting and ceramic anti-skid particles                                                                                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7606 11 91 | 20    | Strip with depth-etching, of band-anodic oxidation treated aluminium of a purity by weight of 99,9 % and a thickness of less than 3 mm, for incorporation in bodies for motor vehicles (1)                                                                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7606 11 93 | 20    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 7613 00 00 | 20    | Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a capacity of 172 l (± 10 %) and an unfilled weight not exceeding 64 kg                                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8708 99 98 | 10    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                         |                      |
| ex 7616 99 90 | 15    | Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7616 99 90 | 50    | Discs of aluminium alloy, of a thickness not exceeding 0,84 mm, for the manufacture of goods of subheading 8523 20 10 (1)                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 7905 00 00 | 10    | Plate of an alloy of zinc, ground and polished on one surface and coated with an epoxide resin on the other surface, of rectangular or square shape, of a length of 300 mm or more but not exceeding 2 000 mm and of a width of 300 mm or more but not exceeding 1 000 mm, and containing:<br><br>— 10 mg/kg or less of iron,<br>— 10 mg/kg or less of lead,<br>— 700 mg/kg or more but not more than 900 mg/kg of aluminium and<br>— 500 mg/kg or more but not more than 900 mg/kg of magnesium,<br><br>for the manufacture of sensitised printing plates (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8103 90 90 | 10    | Welded tube solely of tantalum, or solely of an alloy of tantalum with tungsten containing by weight 3,5 % or less of tungsten                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                           | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| 8104 11 00    |       | Unwrought magnesium, containing at least 99,8 % by weight of magnesium                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8104 90 00 | 10    | Ground and polished magnesium sheets, of dimensions not exceeding 1 500 × 2 000 mm, coated on one side with an epoxy resin insensitive to light                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8104 90 00 | 20    | Sections, of extruded magnesium, of a length of 800 mm or more but not exceeding 2 900 mm and a width of 15 mm or more but not exceeding 70 mm                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8108 20 00 | 10    | Titanium sponge                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8108 30 00 | 10    | Waste and scrap of titanium and titanium alloys, except those containing by weight 1 % or more but not more than 2 % of aluminium                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8108 90 50 | 10    | Alloy of titanium and aluminium, containing by weight 1 % or more but not more than 2 % of aluminium, in sheets or rolls, of a thickness of 0,49 mm or more but not exceeding 3,1 mm, of a width of 1 000 mm or more but not exceeding 1 254 mm, for the manufacture of goods of subheading 8714 19 00 (1)                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8108 90 50 | 20    | Alloy of titanium, aluminium and vanadium, containing by weight 2,5 % or more but not more than 3,5 % of aluminium and 2,0 % or more but not more than 3,0 % of vanadium, in sheets or rolls, of a thickness of 0,6 mm or more but not exceeding 0,9 mm, of a width not exceeding 1 000 mm, for the manufacture of goods of subheading 8714 19 00 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8109 20 00 | 10    | Non-alloy zirconium, in the form of ingots, containing by weight more than 0,01 % of hafnium, for use in the manufacture of tubes for the chemical industry (1)                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8110 10 00 | 10    | Antimony in the form of ingots                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8112 19 00 | 10    | Beryllium, of a purity by weight of 94 % or more, in the form of bars, plates and sheets                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8112 99 30 | 10    | Alloy of niobium (columbium) and titanium, in the form of bars and rods                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8309 90 90 | 10    | Aluminium can ends with so-called "ring pull" full aperture with a diameter of 136,5 mm (± 1 mm)                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8401 30 00 | 20    | Non-irradiated hexagonal fuel modules (elements) for use in nuclear reactors (1)                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8407 31 00 | 10    | Two stroke internal combustion engine, of a cylinder capacity not exceeding 30 cm <sup>3</sup> for use in the manufacture of portable motorised scooters falling within subheading 8711 10 00 (1)                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8407 90 10 | 20    | Two-stroke internal combustion engines, having a cylinder capacity not exceeding 125 cm <sup>3</sup> , for the manufacture of lawnmowers of sub-heading 8433 11 (1)                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8408 90 41 | 20    | Diesel engines of a power not exceeding 15 kW, with 2 or 3 cylinders, for use in the manufacture of vehicle mounted temperature control systems (1)                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8408 90 43 | 20    | Diesel engines of a power not exceeding 30 kW, with 4 cylinders, for use in the manufacture of vehicle mounted temperature control systems (1)                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8414 30 89 | 20    | Open shaft reciprocating compressor, for use in the manufacture of                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                       | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | vehicle mounted temperature control systems (1)                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 8414 59 20 | 20    | Axial fan of 170 mm ( $\pm$ 10 mm) diameter and 50 mm ( $\pm$ 0.10 mm) height, for use in the manufacture of products of CN 8525 (1)                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8414 90 00 | 20    | Aluminium pistons, partially covered with polytetrafluoroethylene, for incorporation into compressors of air conditioning machines of motor vehicles (1)                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8414 90 00 | 30    | Pressure-regulating system, for incorporation into compressors of air conditioning machines of motor vehicles (1)                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8418 99 90 | 91    | Welded cooling micro-elements, of an alloy of aluminium, for the manufacture of condensers (1)                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8419 19 00 | 10    | Heat accumulator for motor vehicles, of a coolant capacity of 4 l or more but not exceeding 10 l                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8419 89 98 | 10    | Immersion-tube (coils) bundles, consisting of an assembly of plastic tubes terminating at each end in a honeycomb-structure (end-fitting) surrounded by a pipe-connector                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8421 99 00 | 91    | Parts of equipment, for the purification of water by reverse osmosis, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, whether or not housed in a cylinder | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8421 99 00 | 93    | Components of separators for the separation or purification of gases from gas mixtures, consisting of a bundle of permeable hollow fibres enclosed within a container, whether or not perforated, of an overall length of 300 mm or more but not exceeding 3 700 mm and a diameter not exceeding 500 mm                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8421 99 00 | 95    | Parts of equipment for the filtration of magnetic dispersions, consisting essentially of nylon-6 fibres, enclosed in a plastic casing of a diameter of 70 mm ( $\pm$ 2 mm) and a length of 520 mm ( $\pm$ 5 mm)                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8422 30 00 | 10    | Machines and apparatus, other than injection moulding machines, for the manufacture of ink-jet printer cartridges (1)                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8479 89 97 | 30    |                                                                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 8439 99 10 | 10    | Suction-roll shells, not drilled, in the form of alloy-steel tubes, of a length of 5 207 mm or more and an external diameter of 754 mm or more, for use in machinery for making paper or paperboard (1)                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8439 99 90 | 10    |                                                                                                                                                                                                                                                                                                                                                   |                         |                      |
| ex 8454 30 10 | 10    | Casting machines for casting under pressure of metal alloys in thixotropic (semi-solid) form                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8455 90 00 | 10    | Helical turn device for cold-rolling mill                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8456 10 90 | 10    | Machine-tool operating by laser beam, for the cutting of slots on the surface of a cylindrical tube for use in the manufacture of endo-vascular prosthesis (so-called "stents") (1)                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8473 40 19 | 20    | Thermal printer head                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8477 80 99 | 10    | Machines for casting or for surface modification of plastic membranes of heading No 3921                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8479 89 97 | 20    | Motor, whether or not mounted on a base plate, for use in the manufacture of products falling within subheading 8525 20 91 or                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8501 10 99 | 78    | 8527 90 92 (1)                                                                                                                                                                                                                                                                                                                             |                         |                      |
| ex 8481 80 59 | 10    | Air control valve, consisting of a stepping motor and a valve pintle, for the regulation of idle air flow in fuel injection engines                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8483 10 95 | 20    | Integrally forged and roughly shaped generator and turbine shafts of a weight exceeding 215 tonnes                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8483 40 51 | 20    | Gear box, having a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51 (1)                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8483 40 59 | 20    | Hydrostatic speed changer, having a hydro pump and a differential with wheel axle, for use in the manufacture of self-propelled lawnmowers with a seat of subheading 8433 11 51 (1)                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8483 40 90 | 20    |                                                                                                                                                                                                                                                                                                                                            |                         |                      |
| ex 8501 10 99 | 54    | DC motor, brushless, with an external diameter not exceeding 25,4 mm, a rated speed of 2 260 ( $\pm 15$ %) or 5 420 ( $\pm 15$ %) rpm, a supply voltage of 1,5 or 3 V                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 59    | DC stepping motor, with an angle of step of $1,8^\circ$ ( $\pm 0,09^\circ$ ), a holding torque of 0,156 Nm or more, a coupling flange the exterior dimensions of which do not exceed $43 \times 43$ mm, a chuck of a diameter of 4 mm ( $\pm 0,1$ mm), a two-phase winding and an output not exceeding 5 W                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 73    | DC motor, whether or not mounted on a base plate, for use in the manufacture of products falling within subheading 8471 70 53 (1)                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 77    | DC motor, with brushes, with a typical running torque of 0,004 Nm ( $\pm 0,001$ Nm), with a coupling flange of a diameter of 32 mm ( $\pm 0,5$ mm) and a chuck of a diameter of 2 mm ( $\pm 0,004$ mm), with an internal rotor, a three-phase winding, a rated speed of 2 800 ( $\pm 10$ %) rpm and a supply voltage of 12 V ( $\pm 15$ %) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 79    | DC motor with brushes and an internal rotor with a three-phase winding, of a specified temperature range covering at least $-20^\circ\text{C}$ to $+70^\circ\text{C}$                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 81    | DC stepping motor, with an angle of step of $18^\circ$ or more, a holding torque of 0.5 mNm or more, a coupling bracket the exterior dimensions of which do not exceed $22 \times 68$ mm, a two phase winding and an output not exceeding 5 W                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 82    | DC motor, brushless, with an external diameter not exceeding 29 mm, a rated speed of 1 500 ( $\pm 15$ %) or 6 800 ( $\pm 15$ %) rpm, a supply voltage of 2 or 8 V                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8501 10 99 | 83    | Multiphase electric motor with D.C. current, without brush, of a normal power drive of 31 W ( $\pm 5$ W) calculated with 600 rpm (revolution per minute), equipped with electronic circuit provided with sensors using Hall effect (electric power steering motor)                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8502 40 00 | 20    | Rotary converter, with a ferrite core, having coils with 2 or 6 windings and a diameter of 0,1 mm, connected to a flexible printed circuit                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8503 00 91 | 31    | Rotor, at the inner side provided with one or two magnetic rings whether or not incorporated in a steel ring                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8503 00 99 | 32    |                                                                                                                                                                                                                                                                                                                                            |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8503 00 99 | 31    | Stamped collector of an electric motor, having an external diameter not exceeding 16 mm                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8504 40 90 | 20    | Direct current to direct current converter                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8504 40 90 | 30    | Static converter comprising a power switch with insulated-gate bipolar transistors (IGBTs), contained in a housing, for use in the manufacture of microwave ovens of subheading 8516 50 00 (1)                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8504 50 95 | 20    | Inductor with an inductance not exceeding 62 mH                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8504 50 95 | 30    | Multilayer monolithic inductors, contained in a housing of the SMD (surface mounted device) type the exterior dimensions of which do not exceed 1,8 × 3,4 mm, for use in the manufacture of products falling within subheading 8517 11 00, 8525 20 91 or 8527 90 92 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8504 90 11 | 10    | Ferrite cores, other than for deflection yokes                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8504 90 18 | 32    | Part of a rotary transformer, comprising a ferrite core provided with circular grooves with copper wire windings                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8505 11 00 | 31    | Ferrite magnet having a remanence of 455 mT (±15 mT)                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8505 11 00 | 33    | Neodymium-magnet discs with a diameter not exceeding 90 mm, whether or not containing a hole in the centre                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8505 19 90 | 31    | Neodymium-ferro ring with an external diameter not exceeding 13 mm, an internal diameter not exceeding 9 mm                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8505 19 90 | 32    | Magnet, for use in the manufacture of deflection yokes (1)                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8505 90 10 | 91    | Solenoid with a plunger, operating at a nominal supply voltage of 24 V at a nominal DC of 0,08 A, for use in the manufacture of products falling within heading No 8517 (1)                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8505 90 10 | 92    | Electro-mechanical throttle plate actuator for automotive engines                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8506 50 90 | 10    | Lithium iodine single cell battery the dimensions of which do not exceed 9 × 23 × 45 mm and a voltage not exceeding 2,8 V                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8506 50 90 | 20    | Unit consisting of not more than 2 lithium batteries embedded in a socket for integrated circuits (battery-buffered socket), with not more than 32 connections and incorporating a control circuit                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8506 50 90 | 30    | Lithium-iodine or lithium-silver vanadium oxide single cell battery of dimensions not exceeding 28 x 45 x 15 mm and a capacity of not less than 1,05 Ah                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8507 30 20 | 20    | Rectangular accumulator, with a length not exceeding 69 mm, a width not exceeding 36 mm and a thickness not exceeding 12 mm, for use in the manufacture of rechargeable batteries (1)                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8507 80 20 | 20    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 8507 80 30 | 20    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 8507 80 80 | 20    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 8507 30 20 | 30    | Cylindrical nickel-cadmium accumulator, with a length of 65,3 mm (±1,5 mm) and a diameter of 14,5 mm (±1 mm), having a nominal capacity of 1 000 mAh or more, for use in the manufacture of rechargeable batteries (1)                                                  | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Rate of autonomous duty | Validity period      |
|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8507 80 20 | 30    | Cylindrical nickel-hydride accumulator, of a diameter not exceeding 14,5 mm, for the manufacture of rechargeable batteries (1)                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8507 80 30 | 30    | Cylindrical lithium-ion accumulator, with a length of 64,6 mm or more and a diameter of 18,1 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries (1)                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8516 90 00 | 31    | Dual diode, consisting of a power rectifying diode connected with a transformer protector diode through a wire, with a peak reverse power rate of 2 J or more, for use in the manufacture of products falling within subheading 8516 50 00 (1)                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8516 90 00 | 33    | Stainless steel soleplate with heating wire, for use in the manufacture of electric irons (1)                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8518 29 95 | 20    | Loudspeaker having a power of 5 W and an impedance of 4 ohms, with a diameter not exceeding 50 mm, for use in the manufacture of portable phones (1)                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8518 30 95 | 20    | Headphone and earphone for hearing aids, contained in a housing the exterior dimensions of which, excluding connecting points, do not exceed 5 × 6 × 8 mm                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8518 40 81 | 20    | Audio-frequency amplifier unit, comprising at least an audio-frequency amplifier, a static converter and a sound generator, for the manufacture of active loudspeaker boxes (1)                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8518 90 00 | 91    | Integrally cold-upset steel core plate, in the form of a disk on one side provided with a cylinder, for use in the manufacture of loudspeakers (1)                                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8520 90 00 | 20    | Drive-unit capable of magneto optical signal recording and optical signal reproducing, comprising at least an optical unit, DC motors and a printed circuit on which are mounted integrated circuits providing drive and signal processing functions for reading optical discs having an external diameter not exceeding 70 mm, not comprising circuits with amplification functions or power supply drive functions                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 49 | 40    | Optical unit consisting of a laser diode with one photodiode, emitting light of a nominal wavelength of 780 nm, contained in a housing with a diameter of not more than 10 mm and a height of not more than 9 mm, with not more than 10 connections and bearing: LDGU LT 022                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 49 | 50    | Electronic assembly for a laser read-head of a compact disc player, comprising: <ul style="list-style-type: none"> <li>— a printed circuit,</li> <li>— a photo-detector, in the form of a monolithic integrated circuit, contained in a housing,</li> <li>— not more than 3 connectors,</li> <li>— not more than 1 transistor,</li> <li>— not more than 3 variable and 4 fixed resistors,</li> <li>— not more than 5 capacitors,</li> </ul> the whole mounted on a support | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 49 | 60    | Printed circuit board mounted with electronic circuits operating at a voltage of 12 V, for use in the manufacture of television sets combined with video units (1)                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 49 | 70    | Assembly, comprising at least a flexible printed circuit, a laser driver integrated circuit and a signal converter integrated circuit                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8522 90 80 | 30    | Thin-film recording and reproducing device, having at least 9 parallel channels for digital signals and at least 2 channels for analogue signals, to which a non-magnetic ceramic substrate is fixed, the whole rounded at one side, for use in the manufacture of magnetic heads for digital sound recording and digital/analogue sound reproducing apparatus of the cassette-type (1)                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 35    | Cassette-deck sub-assembly for sound recording and reproducing apparatus, for use in the manufacture of telephone answering machines (1)                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 40    | Sound reproducing assembly, comprising a tape deck mechanism of the cassette type, comprising a DC motor, for use in the manufacture of products falling within heading No 8519 (1)                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 45    | Roll for magnetic tape guiding and winding, for use in the manufacture of products falling within heading No 8521 or 8522 (1)                                                                                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 50    | Magnetic head for erasing video tapes, for use in the manufacture of products falling within heading No 8521 or 8522 (1)                                                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 55    | Assembly consisting of a driver circuit, a tacho-sensor and a brushless DC motor                                                                                                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 60    | Analogue sound recording and reproducing assembly, comprising a record/playback head and a twin tape deck mechanism of the cassette type, not comprising circuits with amplification functions or power supply drive functions, for use in the manufacture of products falling within subheadings 8527 31 91 and 8527 31 98 (1)                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 65    | Assembly for optical discs, comprising at least an optical unit and DC motors, capable or not of double layer recording                                                                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 70    | Video tape recording/reproducing assembly comprising at least a motor and a printed circuit board containing integrated circuits with driver or control functions, whether or not incorporating a transformer, for use in the manufacture of products falling within heading No 8521 (1)                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 75    | Optical reading head for CD player, consisting of one laser diode, one photo detector integrated circuit and one beam splitter                                                                                                                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 80    | Laser optical drive unit assembly (so called mecha units) for the recording and/or reproduction of digital video and/or audio signals, comprising at least a laser optical reading and/or writing unit, one or more DC motors and not containing a printed circuit board or containing a printed circuit board not capable of signal processing for sounds and images, for use in the manufacture of products falling within headings No 8519, 8520, 8521, 8526, 8527, 8528 or 8543 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 45    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                         |                      |
| ex 8522 90 80 | 85    | Video head drum, with video heads or with video and audio heads and an electric motor, for use in the manufacture of products falling within heading No 8521 (1)                                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8522 90 80 | 90    | Magnetic head for playback of audio tapes, for use in the manufacture of products falling within heading 8519 (1)                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8525 30 90 | 20    | Assembly for television cameras of dimensions not exceeding 10 × 15 × 18 mm, comprising an image sensor, an objective and a colour processor, having an image resolution not exceeding 1024 × 1280 pixel, whether or not fitted with cable and/or housing, for the manufacture of goods of subheading 8525 20 91 (1)                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8525 30 90 | 30    | Compact chassis-type closed circuit television (CCTV) cameras, of a weight of not more than 250 g, contained in a housing of dimensions not exceeding $50 \times 60 \times 89,5$ mm, with a single sensor Charge-Couple Device (CCD), with effective pixels not exceeding 440 000, for use in CCTV surveillance systems (1)                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8528 21 90 | 20    | Liquid crystal display colour video monitor having a DC input voltage of 10 V or more but not exceeding 30 V or a fix DC input voltage of 12 V, with a diagonal measurement of the screen of 33,2 cm or less, suitable for the incorporation into goods of chapters 84 to 90 and 94                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8528 22 00 | 10    | Video monitor comprising: <ul style="list-style-type: none"> <li>— a flat screen monochrome cathode-ray tube with a diagonal measurement of the screen not exceeding 110 mm and equipped with a deflector yoke, and</li> <li>— a printed circuit on which are mounted a deflection unit, a video-amplifier and a transformer,</li> </ul> the whole mounted or not on a chassis, for the manufacture of video entry-phones, video telephones or surveillance (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 20    | Ceramic filter package comprising 2 ceramic filters and 1 ceramic resonator for a frequency of 10,7 MHz ( $\pm 30$ kHz), contained in a housing                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 25    | Ceramic filter for a centre frequency of 10,7 MHz, with a bandwidth not exceeding 330 kHz at 3 dB and not exceeding 950 kHz at 20 dB, contained in a housing                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 30    | Ceramic filters for frequencies of 4,5 MHz or more but not exceeding 6,6 MHz contained in a housing                                                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 35    | Ceramic filter for a centre frequency of 450 kHz or more but not exceeding 470 kHz, with a bandwidth not exceeding 13 kHz at 3 dB, contained in a housing                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 40    | Ceramic filter for a frequency of 450 kHz, with a bandwidth not exceeding 18 kHz at 10 dB, contained in a housing                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 45    | Ceramic filter for a centre frequency of 455 kHz ( $\pm 1,5$ kHz), with a bandwidth not exceeding 25 kHz at 6 dB and not exceeding 60 kHz at 40 dB, contained in a housing                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 50    | Ceramic filter for a centre frequency of 450 kHz ( $\pm 1,5$ kHz) or 455 kHz ( $\pm 1,5$ kHz), with a bandwidth not exceeding 30 kHz at 6 dB and not exceeding 70 kHz at 40 dB, contained in a housing                                                                                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 55    | Radio frequency (RF) signal isolator for frequencies of 890 MHz or more but not exceeding 1 990 MHz, having an insertion loss not exceeding 0,7 dB, contained in a housing                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 60    | Filters, excluding surface acoustic wave filters, for a centre frequency of 485 MHz or more but not exceeding 1 990 MHz with an insertion loss not exceeding 3,5 dB, contained in a housing                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 85 | 65    | Ceramic filter package, excluding surface acoustic wave filters, consisting of: <ul style="list-style-type: none"> <li>— a transmit filter with a centre frequency of 1 747,5 MHz and an insertion loss not exceeding 2,3 dB at a bandwidth of 75 MHz</li> </ul> and <ul style="list-style-type: none"> <li>— a receive filter with a centre frequency of 1 842,5 MHz and an insertion loss not exceeding 3,3 dB at a bandwidth</li> </ul>                      | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | of 75 MHz,<br>the whole contained in a housing                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                         |                      |
| ex 8529 10 85 | 70    | Ceramic filter package, excluding surface acoustic wave filters, comprising 2 filters with one of the following combinations of characteristics:<br>— a transmit centre frequency of 902,5 MHz, a receive centre frequency of 947,5 MHz and an insertion loss not exceeding 3,2 dB at a bandwidth of 25 MHz<br>or<br>— a transmit centre frequency of 1 747,5 MHz, a receive centre frequency of 1 842,5 MHz and an insertion loss not exceeding 3,5 dB at a bandwidth of 75 MHz,<br>the whole contained in a housing | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 10 99 | 20    | Antenna switch, comprising:<br>— a transmit filter with a centre frequency of 942,5 MHz or more but not exceeding 1 990 MHz and<br>— a receive filter with a centre frequency of 847,5 MHz or more but not exceeding 1 990 MHz,<br>the whole contained in a housing                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 60 | 30    | Parts of TV-apparatus, having micro-processor and video-processor functions, comprising at least a micro-controller and a video-processor, mounted on a lead frame and contained in a plastic housing                                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 44    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                      |
| ex 8529 90 60 | 40    | Analogue sound recording and reproducing assembly, comprising a record/playback head, a single tape deck mechanism of the cassette type, a spindle electric motor, a rotation direction change mechanism and a chassis                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 60 | 50    | Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of television sets (1)                                                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 31    | Demagnetisation coils, wrapped with tape, with cables and connectors                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 32    | Optical unit for video projection, comprising a colour separation system, a positioning mechanism and lenses, for use in the manufacture of products falling within heading No 8528 (1)                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 34    | Assembly consisting of a lens unit, having an adjustable focal length of 4 mm or more but not exceeding 69 mm and comprising a zoom encoder, a stepping motor unit, a zoom motor unit, an iris motor unit and a photo interrupter                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 35    | Video recording and reproducing assembly, comprising a tape deck mechanism of the cassette type, comprising a DC motor, for use in the manufacture of products falling within heading No 8525 (1)                                                                                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 36    | Assembly consisting of a monochrome cathode-ray tube with a diagonal measurement of the screen of 143 mm or more but not exceeding 230 mm and a concave focus lens mounted on a liquid-filled cooling armature                                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 37    | Filter, consisting of 2 piezo-electric crystals each with a frequency of 21 MHz or more but not exceeding 30 MHz and separately mounted on a bracket, with not more than 7 connections                                                                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 95 | 40    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8529 90 81 | 40    | Assembly comprising prisms, digital micro mirror device (DMD) chips and electronic control circuits, for the manufacture of television projection equipments or video projectors (1)                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 41    | Digital micro mirror device (DMD)-chips, for use in the manufacture of video projectors (1)                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 42    | Heat sinks and cooling fins of aluminium, for maintaining the operating temperature of transistors and integrated circuits in television sets (1)                                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 43    | Plasma display module incorporating only address and display electrodes, with or without driver and/or control electronics for pixel address only and with or without a power supply                                                                                                                                                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 81 | 44    | LCD modules, solely consisting of one or more TFT glass or plastic cells, not combined with touch screen facilities, with or without backlight unit, with or without inverters and one or more printed circuit boards with control electronics for pixel addressing only                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8529 90 95 | 50    | Video tape recording/reproducing assembly comprising at least a motor and a printed circuit board containing integrated circuits with driver or control functions, mounted on a printed circuit board containing at least integrated circuits for controlling the tape deck mechanism functions, video recording functions and TV-signal processing functions, for use in the manufacture of products falling within heading No 8528 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8531 80 95 | 20    | Indicator lamp, consisting of 4 light-emitting diodes made from silicon-carbide (SiC) semiconductor material, operating at a nominal wavelength of 481, 560 or 630 nm, contained in a housing                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8531 80 95 | 30    | Indicator lamp, consisting of 2 light-emitting diodes made from aluminium-gallium-arsenic (AlGaAs) or gallium-phosphor (GaP) semiconductor material, having a rectangular base, contained in a housing of the SMD (surface mounted device) type and having a lens                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8531 80 95 | 40    | Electro-acoustic transducer                                                                                                                                                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8531 80 95 | 50    | An electromagnetic display, consisting of 7 electromagnetic coils which by means of the residual magnetism in the stators provide that the last indication remains available (set state), and 7 pivoting light-reflecting segments each of which is attached to a bar magnet; assembly comprising such displays                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 30 30 | 11    | Thermo-electric switch with a cut-off current of 50 A or more, comprising a snap action switch, for direct mounting on an electric motor coil, contained in a hermetically sealed housing                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 30 90 | 31    |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 8536 50 80 | 96    |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 8536 41 10 | 91    | Thermal relays contained in a hermetically sealed glass cartridge not exceeding 35 mm in length excluding wires, with a maximum leakage rate of $10^{-6}$ cm <sup>3</sup> He/sec at one bar in the temperature range 0 to 160 °C, to be incorporated into compressors for refrigerating equipment (1)                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 41 90 | 91    |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                      |
| ex 8536 49 00 | 91    |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                              | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8536 50 11 | 31    | Switch of the printed circuit mount type, operating at a force of 4,9 N ( $\pm 0,9$ N), contained in a housing                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 11 | 32    | Mechanical tact switch for connecting electronic circuits, operating at a voltage not exceeding 60 V and at a current strength not exceeding 50 mA, for use in the manufacture of television sets (1)                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 15 | 32    | Rotary switch in form of a wheel with a diameter of between 15 and 16 mm and contacts for closing the circuit, for a rated voltage of 12 V at 50 mA                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 19 | 91    | Hall effect switch, comprising 1 magnet, 1 Hall effect sensor and 2 capacitors, contained in a housing with 3 connections and bearing: 2AV28E 2AV31E 2AV56                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 19 | 92    | Hydraulic pressure switch, incorporating a pressure sensitive snap action disc, operating at a supply voltage of 6 V or more but not exceeding 18 V                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 19 | 93    | Devices, having adjustable controller and switching functions, comprising one or more monolithic integrated circuits whether or not combined with semiconductor elements, mounted together on a lead frame and contained in a plastic housing                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 80 | 97    |                                                                                                                                                                                                                                                                          |                         |                      |
| ex 8536 50 80 | 93    | Switch unit for coaxial cable, comprising 3 electromagnetic switches, with a switching time not exceeding 50 ms and an actuating current not exceeding 500 mA at a voltage of 12 V                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 80 | 95    | Reed switch having a switching power of 20 W or more within the range of 17-43 A.turn, in the form of a glass capsule, not containing mercury, the dimensions of which do not exceed $3 \times 21$ mm, for use in the manufacture of automotive airbag shock-sensors (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 50 80 | 98    | Mechanical push-button switch for connecting electronic circuits, operating at a voltage of 220 V or more but not exceeding 250 V and at a current strength not exceeding 5 A, for use in the manufacture of television sets (1)                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 90 85 | 92    | Metallic stamped frame with connections                                                                                                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 90 85 | 93    | Contact element with a hold-force of more than 3 N, in the form of 2 rectangular plastic frames interconnected by electric conductors                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8536 90 85 | 94    | Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8544 49 80 | 10    |                                                                                                                                                                                                                                                                          |                         |                      |
| ex 8537 10 99 | 92    | Touch sensitive screen panel, consisting of a conductive grid between two glass or plastic plates or sheets, fitted with electric conductors and connectors                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8537 10 99 | 93    | Electronic control units for a voltage of 12 V, for use in the manufacture of vehicle mounted temperature control systems (1)                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8537 10 99 | 94    | Unit consisting of two junction field effect transistors contained in a dual lead frame housing                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 20    |                                                                                                                                                                                                                                                                          |                         |                      |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                      | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8537 10 99 | 95    | Unit consisting of two metal oxide semiconductor field effect transistors contained in a dual lead frame housing                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 25    |                                                                                                                                                                                                                                                                                                  |                         |                      |
| ex 8538 90 99 | 92    | Part of an electrothermal fuse, consisting of a tin coated copper wire attached to a cylindrical casing, the exterior dimensions of which do not exceed 5 × 48 mm                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 11 11 | 91    | Colour cathode-ray tube with a slit or slot mask, equipped with electron guns placed side by side (in-line technology) and with a diagonal measurement of the screen of 12 cm or more but not exceeding 26 cm                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 11 11 | 93    | Colour cathode-ray tube, equipped with one gun with three rays and with a diagonal measurement of the screen of 19 cm or more but not exceeding 26 cm                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 11 13 | 91    | Colour cathode-ray tube with a slit or slot mask, having a distance between stripes of the same colour of less than 0,42 mm and a diagonal measurement of the screen of 49 cm, for use in the manufacture of professional video monitors including security and medical monitor applications (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 11 19 | 91    | Colour cathode-ray tube equipped with electron guns placed side by side (in-line technology), with a diagonal measurement of the screen of 85 cm or more                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 11 91 | 31    | Colour cathode-ray tube with a screen width/height ratio of 16/9 and a diagonal measurement of the screen of 39,8 cm (±0,3 cm)                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 12 00 | 82    | Monochrome cathode-ray tube with a diagonal measurement of the screen of 250 mm or more but not exceeding 320 mm and an anode voltage of 18 kV or more but not exceeding 22 kV                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 12 00 | 83    | Monochrome cathode-ray tube, with a diagonal measurement of the screen of 150 mm or more but not exceeding 182 mm, a neck diameter of less than 30 mm and an anode voltage of 25 kV or more but not exceeding 32 kV                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 12 00 | 84    | Flat screen monochrome cathode-ray tube, with a diagonal measurement of the screen not exceeding 102 mm                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 20 80 | 91    | Photomultiplier consisting of a photocathode tube with 9 dynodes, for light of a wavelength of 160 nm or more but not exceeding 930 nm, of a diameter not exceeding 14 mm and a height not exceeding 94 mm                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 40 00 | 31    | Colour cathode-ray tube with a dot mask, equipped with 3 electron guns placed side by side (in-line technology) or 1 gun with 3 rays, with a diagonal measurement of the screen of more than 72 cm and a distance of less than 0,5 mm between dots of the same colour                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 60 00 | 31    |                                                                                                                                                                                                                                                                                                  |                         |                      |
| ex 8540 40 00 | 32    | Colour cathode-ray tube with a dot mask, equipped with 3 electron guns placed side by side (in-line technology) or 1 gun with 3 rays, having a diagonal measurement of the screen not exceeding 72 cm                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 60 00 | 32    |                                                                                                                                                                                                                                                                                                  |                         |                      |
| ex 8540 40 00 | 33    | Colour cathode-ray tube with a slit or slot mask, having a distance between stripes of the same colour of less than 0,35 mm and a diagonal measurement of the screen not exceeding 53 cm                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8540 40 00 | 34    | Colour cathode-ray tube with a slit or slot mask, having a distance between stripes of the same colour of less than 0,39 mm and a diagonal measurement of the screen of 33 cm or more but not exceeding 38 cm                                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 40 00 | 35    | Colour cathode-ray tube with a slit or slot mask, having a distance between stripes of the same colour of less than 0,35 mm and a diagonal measurement of the screen not exceeding 72 cm, for use in the manufacture of monitors (1)                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 40 00 | 36    | Colour cathode-ray tube with a slit or slot mask, having a distance between stripes of the same colour of less than 0,30 mm and a diagonal measurement of the screen not exceeding 58 cm                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 50 00 | 31    | Flat screen monochrome cathode-ray tube, with a diagonal measurement of the screen of 142 mm or more but not exceeding 190 mm, a luminescence of 300 lumen or more but not exceeding 2 000 lumen, a resolution of 0,06 mm or more but not exceeding 0,1 mm, phosphor types P1 or P22 or P53 or P55 or P56, an anode voltage of more than 34 kV, a focus voltage of more than 7 kV and a cathode current of 3 mA or more                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 60 00 | 33    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                         |                      |
| ex 8540 50 00 | 32    | Monochrome cathode-ray tube with a diagonal measurement of the screen of 176 mm or more but not exceeding 520 mm and a neck diameter not exceeding 21 mm                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 60 00 | 34    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                         |                      |
| ex 8540 71 00 | 20    | Continuous wave magnetron with a fixed frequency of 2460 MHz, packaged magnet, probe output, for use in the manufacture of products falling within subheading 8516 50 00 (1)                                                                                                                                                                                                                                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 89 00 | 91    | Displays in the form of a tube consisting of a glass housing mounted on a board the dimensions of which do not exceed 300 × 350 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallised base which is covered with fluorescent substances or phosphorescent salts which give off light when bombarded with electrons | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 89 00 | 92    | Vacuum fluorescent display tube                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 31    | Electron gun, for use in the manufacture of colour cathode-ray tubes of subheading 8540 40 00 with a diagonal measurement of the screen of 34 cm or more but not exceeding 39 cm (1)                                                                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 32    | Electron gun of colour cathode-ray tubes with an anode voltage of 27,5 kV or more but not exceeding 36 kV                                                                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 36    | Flat masks, with: <ul style="list-style-type: none"> <li>– -a width of 592,8 mm (+/- 0,5 mm)</li> <li>– -a height of 463,1 mm (+/- 0,5 mm)</li> <li>– -a thickness of 250 µm (+/- 10 µm)</li> <li>– -a width of the apertures in the centre of 180 µm (+/- 8 µm)</li> <li>– -a width of the apertures at the edge of 210 µm (+/- 8 µm)</li> </ul>                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 92    | Slit or slot mask, excluding masks with continuously vertical slits, with a diagonal measurement of 39 cm or less                                                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 93    | Electron gun for the production of monochrome cathode-ray tubes with a diagonal measurement of the screen of 7,6 cm or more but not exceeding 30,5 cm (1)                                                                                                                                                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8540 91 00 | 96    | Assembly for cathode-ray tubes with 2 or more but not more than 6 coils, a plastic support and a metal fixing ring, for the adjustment of display sharpness and/or convergence                                                                                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 97    | Slit mask, consisting of continuously vertical slits measuring more than 275 mm in the length                                                                                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 91 00 | 98    | Frame of molybdenum chrome steel, for use in the manufacture of cathode-ray tubes (1)                                                                                                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8540 99 00 | 91    | Anode, cathode or output part, or an assembly comprising these components (magnetron core tube), for the manufacture of magnetrons of subheading 8540 71 00 (1)                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 19 00 | 10    | Electron beam accelerator systems, with an operating voltage not exceeding 1,5 MV and a beam current not exceeding 70 mA                                                                                                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 30    | Amplifier, consisting of active and passive elements mounted on a printed circuit, contained in a housing                                                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 35    | Radio frequency (RF) modulator, operating with a frequency range of 43 MHz or more but not exceeding 870 MHz, capable of switching VHF and UHF signals, consisting of active and passive elements mounted on a printed circuit, contained in a housing                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 40    | Rectifier assembly of power barrier diodes, consisting of 2 diodes with an average forward current not exceeding 600 A and a repetitive reverse peak voltage not exceeding 40 V, each contained in a housing and connected by a common cathode                                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 45    | Piezo-electric crystal oscillator with a fixed frequency, within a frequency range of 1,8 MHz to 67 MHz, contained in a housing                                                                                                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 50    | Mechanical vibratory gyroscope driven by a 25 or 26 kHz oscillator, comprising a differential amplifier and a detector circuit, contained in a housing                                                                                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 55    | Opto-electronic circuit comprising one or more light-emitting diodes (LEDs), whether or not equipped with an integrated driving circuit, and one photodiode with amplifier circuit, whether or not with an integrated logic gate arrays circuit or one or more light-emitting diodes and at least 2 photodiodes with an amplifier circuit, whether or not with an integrated logic gate arrays circuit or other integrated circuits, contained in a housing | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 60    | Oscillator, with a centre frequency of 20 GHz or more but not exceeding 42 GHz, consisting of active and passive elements not mounted on a substrate, contained in a housing                                                                                                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 65    | Audio recording and reproducing circuit, capable of stereo audio data storage and simultaneous record and playback, comprising 2 or 3 monolithic integrated circuits mounted on a printed circuit or a lead frame, contained in a housing                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 70    | Overvoltage suppression assembly, comprising 8 diodes, having a reverse stand-off voltage not exceeding 4,5 V, a reverse leakage current not exceeding 10 µA, a peak pulse current not exceeding 30 A and a nominal capacitance of 50 pF, contained in a housing                                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 75    | Charged coupled device (CCD) scanner assembly, for a real-time film scanning system, having optical functions, illumination functions and signal processing functions                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 80    | Temperature compensated oscillator, comprising a printed circuit on which are mounted at least a piezo-electric crystal and an adjustable                                                                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
|               |       | capacitor, contained in a housing                                                                                                                                                                                                                                       |                         |                      |
| ex 8543 89 97 | 85    | Voltage controlled oscillator (VCO), other than temperature compensated oscillators, consisting of active and passive elements mounted on a printed circuit, contained in a housing                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 89 97 | 90    | Fuel cell module consisting of:<br>-polymer electrolyte membrane fuel cells in a housing with an integrated cooling system,<br>-a voltage monitoring unit and connections,<br>for use in the manufacture of car propulsion systems (1)                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 90 95 | 20    | Stainless steel cathode in the form of a plate with a hanger bar, whether or not with plastic side strips                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8543 90 95 | 30    | Assembly of products falling within heading No 8541 or 8542 mounted on a printed circuit, contained in a housing                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8544 60 10 | 10    | Anode cap cable, for use in the manufacture of fly back transformers (1)                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8545 19 90 | 20    | Carbon electrodes, for use in the manufacture of zinc-carbon batteries (1)                                                                                                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8545 90 90 | 01    | Cell and battery carbon, in the form of rods, with a length of 34 mm or more but not exceeding 160 mm and a diameter not exceeding 12 mm                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8547 10 10 | 10    | Insulated fitting of ceramics, containing by weight 90 % or more of aluminium oxide, metallized, in the form of a hollow cylindrical body of an external diameter of 20 mm or more but not exceeding 250 mm, for the manufacture of vacuum interrupters (1)             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 38    | Parts, for use in the manufacture or the repair of products falling within subheading 8517 21 00 (1)                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 39    | Optical unit, consisting of a laser diode and a photodiode, operating at a typical wavelength of 635 or 670 nm                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 40    | Infrared signal receiver unit, consisting of a photodiode and at least an amplifier in the form of a monolithic integrated circuit, contained in a housing                                                                                                              | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 41    | Unit, consisting of a resonator operating within a frequency range of 1,8 MHz or more but not exceeding 40 MHz and a capacitor, contained in a housing                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 42    | Clock/calendar circuit, consisting of a printed circuit on which are mounted at least a quartz oscillator and a monolithic integrated circuit, the whole contained in a housing                                                                                         | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9110 90 00 | 94    |                                                                                                                                                                                                                                                                         |                         |                      |
| ex 8548 90 90 | 43    | Contact image sensor                                                                                                                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 46    | Optical unit, consisting at least of a laser diode and a photodiode, operating at a typical wavelength of 654 nm or more but not exceeding 787 nm                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 47    | Unit consisting of two or more light emitting diode chips operating at a typical wavelength of 450 nm or more but not exceeding 660 nm, contained in a lead frame housing having a circular opening whose exterior dimensions without fittings – do not exceed 4 x 4 mm | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                                                                                                             | Rate of autonomous duty | Validity period      |
|---------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 8548 90 90 | 48    | Optical unit, consisting at least of a laser diode and a photodiode operating at a typical wavelength of 635 nm or more but not exceeding 815 nm                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8548 90 90 | 49    | LCD modules, solely consisting of one or more TFT glass or plastic cells, combined with touch screen facilities, with or without backlight unit, with or without inverters and one or more printed circuit boards with control electronics for pixel addressing only                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 8711 10 00 | 10    | Portable motorised scooter, presented unassembled or disassembled                                                                                                                                                                                                                                                                                       | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 10 90 | 10    | Image reverser made up from an assembly of optical fibres                                                                                                                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 20 00 | 10    | Material consisting of a polarising film, supported on one or both sides by transparent material                                                                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 20    | Rear projection screen, comprising a Fresnel lens of plastic and a polarising sheet of plastic, for use in the manufacture of products falling within heading No 8528 (1)                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 25    | Lens of plastic, unmounted, having a focal length of 3,86 mm ( $\pm 0,1$ mm) and with a diameter not exceeding 8 mm, for use in the manufacture of compact disc players (1)                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 30    | Optical fibre plate, for use in the manufacture of screens and photocathodes for image intensifiers (1)                                                                                                                                                                                                                                                 | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 35    | Rear projection screen, comprising a lenticular plastic plate                                                                                                                                                                                                                                                                                           | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 40    | Prism for the splitting of light, unmounted, for use in the manufacture of charged-coupled image (CCD) cameras (1)                                                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 45    | Rod of neodymium-doped yttrium-aluminium garnet (YAG) material, polished at both ends                                                                                                                                                                                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9001 90 00 | 50    | Lens of plastic, unmounted, for use in the manufacture of products falling within subheading 9006 40 00 (1)                                                                                                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 11 00 | 10    | Adjustable lens unit, having a focal length of 90 mm or more but not exceeding 180 mm and comprising a combination of between 4 and 8 glass or methacrylic lenses with a diameter of 120 mm or more but not exceeding 180 mm, each lens coated on at least one side with a magnesium fluoride layer, for use in the manufacture of video projectors (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 11 00 | 50    | Lens unit, having a focal length of 25 mm or more but not exceeding 150 mm, consisting of glass or plastic lenses, with a diameter of 60 mm or more but not exceeding 190 mm                                                                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 11 00 | 60    | Optical element, comprising one or more mounted lenses of plastic, for use in the manufacture of products falling within subheading 9006 40 00 (1)                                                                                                                                                                                                      | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 19 00 | 10    | Lens unit, having a focal length of 24,96 mm ( $\pm 0,1$ mm), a diameter of 16 mm and a length of 16 mm, for use in the manufacture of products falling within subheading 8517 21 00 (1)                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 20 00 | 10    | Filter, consisting of a plastic polarising membrane, a glass plate and a transparent protective film, mounted on a metal frame, for use in the manufacture of products falling within heading 8528 (1)                                                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 90 00 | 20    | Lens, mounted, having a fixed focal length of 3,8 mm ( $\pm 0,19$ mm) or 8 mm ( $\pm 0,4$ mm), with a relative aperture of F2.0 and a diameter not exceeding 33 mm, for use in the manufacture of charged-coupled (CCD) cameras (1)                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                     | Rate of autonomous duty | Validity period      |
|---------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 9002 90 00 | 30    | Optical unit, comprising 1 or 2 rows of optical glass fibres in the form of lenses and with a diameter of 0,85 mm or more but not exceeding 1,15 mm, embedded between 2 plastic plates                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 90 00 | 40    | Lens and image gate assembly, for a real-time film scanning system, comprising a lens consisting of 9 or 11 elements and having an illumination function                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9002 90 00 | 50    | Lenses, mounted, for use in the manufacture of projection TV (1)                                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9006 91 90 | 10    | Parts, for use in the manufacture of products falling within subheading 9006 40 00 (1)                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9013 80 90 | 10    | Polarisation insensitive fibre-optic isolator, operating at a wavelength of 1 200 nm or more, contained in a cylindrical housing                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9013 80 90 | 20    | Optical switch, comprising at least one optical input and two optical outputs and with electrical connectors                                                                                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9017 90 90 | 20    | Thermal printer head, comprising at least 7 168 heater elements mounted on 2 or more ceramic supports, the whole contained in a housing the exterior dimensions of which exceed 21 × 39 × 639 mm                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9022 30 00 | 10    | X-ray tube with a target voltage of 4 kV or more but not exceeding 30 kV, a power not exceeding 9 W and a target current not exceeding 2 mA                                                                                                                     | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9027 10 90 | 10    | Sensor element for gas or smoke analysis in motor vehicles, essentially consisting of a zirconium-ceramic element in a metal housing                                                                                                                            | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9031 80 34 | 30    | Apparatus for measuring the angle and direction of rotation of motor vehicles, consisting of at least one yaw rate sensor in the form of a monocrystalline quartz, whether or not combined with one or more measuring sensors, the whole contained in a housing | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9031 80 38 | 30    |                                                                                                                                                                                                                                                                 |                         |                      |
| ex 9031 80 38 | 10    | Acceleration measurement device for automotive applications, comprising one or more active and/or passive elements and one or more sensors, the whole contained in a housing                                                                                    | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9031 80 38 | 20    | Machines and apparatus for the automatic testing of the integrity of ink-jet cartridge housings (1)                                                                                                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9031 90 85 | 20    | Assembly for a laser align sensor, in the form of a printed circuit comprising optical filters and a charge-coupled image (CCD) sensor, the whole contained in a housing                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9032 10 81 | 20    | Thermostat, comprising a snap-action switch, for direct mounting on an electric motor coil, contained in a hermetically sealed housing                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9032 89 00 | 20    | Automotive airbag shock-sensor, comprising a contact capable of switching a current of 12 A at a voltage of 30 V, having a typical contact resistance of 80 mohm                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9032 89 00 | 30    | Electronic controller of electric power steering (EPS controller)                                                                                                                                                                                               | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9106 90 10 | 10    | Timer assembly, for use in the manufacture of goods of subheading 8516 50 00 (1)                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9110 12 00 | 91    | Assembly consisting of a printed circuit on which are mounted one quartz oscillator, at least one watch circuit and, whether or not integrated, at least one capacitor, of a thickness not exceeding 5 mm                                                       | 0 %                     | 1.1.2006- 31.12.2008 |

| CN code       | TARIC | Description                                                                                                                                                                                                                                                  | Rate of autonomous duty | Validity period      |
|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|----------------------|
| ex 9110 90 00 | 92    | Assembly consisting of a printed circuit on which is mounted a watch circuit or a watch circuit and a quartz oscillator, of a thickness not exceeding 5 mm                                                                                                   | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9114 90 00 | 91    |                                                                                                                                                                                                                                                              |                         |                      |
| ex 9110 90 00 | 93    | Assembly consisting of a printed circuit on which is mounted at least one watch circuit, a quartz oscillator and a piezo-electric sound element, with a thickness exceeding 5 mm                                                                             | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9405 40 35 | 10    | Electric light assembly of synthetic material containing 3 fluorescent tubes (RBG) of a diameter of 3,0mm ( $\pm$ 0,2mm), of a length of 420 mm ( $\pm$ 1mm) or more, but not exceeding 600mm ( $\pm$ 1mm), for the manufacture of goods of heading 8528 (1) | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9608 91 00 | 10    | Non-fibrous plastic pen-tips with an internal channel                                                                                                                                                                                                        | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9608 91 00 | 20    | Felt tips and other porous-tips for markers, without internal canal                                                                                                                                                                                          | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9612 10 10 | 10    | Ribbons of plastic with segments of different colours, providing the penetration of dyes by heat into a support (so called dye-sublimation)                                                                                                                  | 0 %                     | 1.1.2006- 31.12.2008 |
| ex 9613 90 00 | 20    | Piezo-electric ignition mechanism, whether or not with complementary elements                                                                                                                                                                                | 0 %                     | 1.1.2006- 31.12.2008 |

(1) Entry under this subheading is subject to conditions laid down in the relevant Community provisions (see Articles 291 to 300 of Commission Regulation (EEC) No. 2454/93 - OJ L 253 11.10.1993 p. 71 and subsequent amendments).

(2) However, the suspension is not allowed where processing is carried out by retail or catering undertakings.

(3) The suspension shall apply to fish intended to undergo any operation unless they are intended to undergo exclusively one or more of the following operations:

- cleaning, gutting, tailing, heading,
- cutting (excluding filleting or cutting of frozen blocks, or splitting of frozen interleaved fillet blocks),
- sampling, sorting,
- labelling,
- packing,
- chilling,
- freezing,
- deep freezing,
- thawing, separation.

The suspension is not allowed for products intended, in addition, to undergo treatment (or operations) qualifying for suspension where such treatment (or operations) is (are) carried out at retail or catering level. The suspension of customs duties shall apply only to fish intended for human consumption.

**LEGISLATIVE FINANCIAL STATEMENT FOR PROPOSALS HAVING A  
BUDGETARY IMPACT EXCLUSIVELY LIMITED TO THE REVENUE SIDE**

**1. NAME OF THE PROPOSAL:**

Proposal for a Council Regulation amending Regulation (EC) No 1255/96 temporarily suspending the autonomous common customs tariff duties on certain industrial, agricultural and fishery products

**2. BUDGET LINES:**

Chapter and Article: Chap. 12 art. 120

Amount budgeted for the years 2006, 2007 and 2008: 11 millions/year

**3. FINANCIAL IMPACT**

☐ Proposal has no financial implications

☒ Proposal has no financial impact on expenditure but has a financial impact on revenue – the effect is as follows:

(€ million to one decimal place)

|             |                                |                             |                               |
|-------------|--------------------------------|-----------------------------|-------------------------------|
|             |                                |                             |                               |
| Budget line | Revenue <sup>4</sup>           | 6 month period,<br>starting | [Year 2006, 2007<br>and 2008] |
| Article 120 | <i>Impact on own resources</i> | 01/01/2006 –<br>31/12/2008  | - 11,0/year                   |

**4. ANTI-FRAUD MEASURES**

Checks on the end-use of some of the products covered by this Council Regulation will be carried out in accordance with Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 laying down provisions for the implementation of the Community Customs Code.

**5. OTHER REMARKS**

In order to reduce the economic problems an expiry date has been set out.

---

<sup>4</sup> Regarding traditional own resources (agricultural duties, sugar levies, customs duties) the amounts indicated must be net amounts, i.e. gross amounts after deduction of 25% of collection costs.

This proposal contains the existing unchanged products as well as the amendments which must be made to the annex to the existing Regulation in order to take account of the following:

1. new requests for suspension which have been presented and accepted;
2. technical product developments and economic trends on the market resulting in the lifting of certain existing suspensions.

Therefore a consolidated annex will be published.

#### Addition

This Annex, in addition to the amendments resulting from changes to CN codes, contains 57 new products. The uncollected duties corresponding to these suspensions, calculated on the basis of expected imports into the requesting Member State for 2006, 2007 and 2008, total MEUR 8.9/year.

On the basis of the existing statistics for the preceding years, it would appear, however, that this amount must be increased by an average factor, estimated at 1.8, to take account of imports into other Member States using the same suspensions. This means **a loss of revenue of some MEUR 16.0/year.**

#### Withdrawal:

4 products have been withdrawn from this annex reflecting the reintroduction of customs duties. This represents **an increase of MEUR 1.3 in resources**, as calculated from requests for suspension or available statistics (2004).

#### Estimated cost of this operation

Taking available statistics (2004) as a basis, the impact on the loss of revenue resulting from this Regulation may therefore be estimated at  $16.0 - 1.3 = \text{MEUR } 14.7$  (gross amount, expenses incurred in collection included)  $\times 0.75 = \text{EUR } 11.0/\text{year for the period 1.1.2006-31.12.2008.}$

The shortfall in traditional own resources will have to be made up by the Member States by topping up the GNP component.