

RÈGLEMENT (CEE) N° 3709/85 DU CONSEIL
du 10 décembre 1985

modifiant le règlement (CEE) n° 2870/82 relatif aux restrictions à l'exportation de certains produits sidérurgiques vers les États-Unis d'Amérique

LE CONSEIL DES COMMUNAUTÉS EUROPÉENNES,

vu le traité instituant la Communauté économique européenne, et notamment son article 113,

vu la proposition de la Commission,

considérant que la Communauté a conclu avec les États-Unis d'Amérique un arrangement prorogeant jusqu'au 30 septembre 1989 et modifiant l'arrangement du 21 octobre 1982 (¹), approuvé par le règlement (CEE) n° 2869/82 (²);

considérant qu'il convient de modifier en conséquence le règlement (CEE) n° 2870/82 (³),

A ARRÊTÉ LE PRÉSENT RÈGLEMENT:

Article premier

Le règlement (CEE) n° 2870/82 est modifié comme suit.

1) À l'article 1^{er} paragraphe 1, le premier alinéa est remplacé par le texte suivant:

«1. Des restrictions communautaires sont imposées, pour la période allant du 1^{er} janvier 1986 au 30 septembre 1989, aux exportations de la Communauté vers les États-Unis d'Amérique (ci-après dénommés «États-Unis») des produits sidérurgiques originaires de la Communauté visés à l'annexe I qui sont réalisées à partir du 1^{er} janvier 1986.»

2) À l'article 2, le paragraphe 1 est remplacé par le texte suivant:

«1. La Commission calcule des plafonds communautaires d'exportation par catégorie de produits pour les années 1986, 1987, 1988 ainsi que pour les neuf premiers mois de 1989 en appliquant les coefficients suivants à la consommation apparente des États-Unis au sens de l'article 5 de l'arrangement:

<i>Catégories de produits</i>	<i>Coefficients (en %)</i>
Tôles laminées à froid	5,35
Tôles fortes	5,53
Profilés et poutrelles	10,25
Barres laminées à chaud	2,48
Tôles revêtues	3,40
Fer blanc	2,394
Rails	8,90
Fer noir	11,78
Tôles et feuillards magnétiques	4,74
<i>Tin free steel</i>	4,04
Feuillards laminés à froid	3,69
Barres parachevées à froid et autres barres	5,44
Profilés de moins de trois pouces	2,41
Éléments de voies ferrées, roues et essieux	1,63
Tôles fortes en acier inoxydable	4,93
Tôles et feuillards en acier inoxydable	3,99

En outre, pour les catégories suivantes, les plafonds communautaires d'exportation sont les suivants:

(en tonnes métriques)

Fils ronds, plats et autres	166 108
Produits de tréfileries	12 294
Fil inoxydable	6 169
Torons	34 368
Câbles	5 171
Autres aciers spéciaux	11 708
Profilés et poutrelles fabriqués	16 547
Barres en acier inoxydable	4 990
Fil machine inoxydable	4 990
Acier à outils allié	8 165

Ces quantités comprennent également les produits des catégories correspondantes visées à l'article 2 de la décision n° 2872/82/CECA de la Commission (¹), modifiée en dernier lieu par la décision 3713/85/CECA (²) de la Commission.

Les plafonds sont réduits proportionnellement pour la période couvrant les neuf premiers mois de 1989 et au cas où l'arrangement ne s'applique pas à partir du 1^{er} janvier 1986 pour les produits visés à l'article 2 point b) de l'arrangement.

(¹) JO n° L 307 du 1. 11. 1982, p. 27.

(²) JO n° L 355 du 31. 12. 1985, p. 155.»

3) À l'article 2, le paragraphe 3 est remplacé par le texte suivant:

«3. Ces plafonds peuvent en outre être ajustés conformément à la procédure visée à l'article 8:

(¹) JO n° L 307 du 1. 11. 1982, p. 13.

(²) JO n° L 307 du 1. 11. 1982, p. 1

(³) JO n° L 307 du 1. 11. 1982, p. 3.

- en cas d'utilisations anticipées ou de reports de licences, y compris les licences émises en application de l'arrangement complémentaire du 6 août 1985⁽¹⁾,
- pour permettre des transferts entre les produits visés par le présent règlement et ceux visés par le règlement (CEE) n° 60/85⁽²⁾,
- pour des suppléments de quotas en cas de pénurie,
- pour tenir compte d'éventuels écarts, au cours des mois de novembre et décembre 1985, par rapport à la structure saisonnière des échanges, dans les conditions prévues par l'arrangement.

⁽¹⁾ JO n° L 215 du 12.8.1985, p. 2.

⁽²⁾ JO n° L 9 du 10.1.1985, p. 13.»

- 4) À l'article 3, le paragraphe 1 est remplacé par le texte suivant:

«1. La Commission répartit les plafonds quantitatifs d'exportations de la Communauté établis et calculés selon la méthode définie à l'article 2 pour les années 1986, 1987, 1988 et pour la période couvrant les neuf premiers mois de 1989 conformément à l'annexe III.»

- 5) À l'article 4, entre les premier et deuxième alinéas, est inséré l'alinéa suivant:

«Cette réserve est en outre constituée par la part des plafonds communautaires d'exportation indiqués à l'annexe III.»

- 6) À l'article 5 paragraphe 1 premier alinéa, les dates du «1^{er} novembre 1982» et «31 décembre 1985» sont remplacées respectivement par celles du «1^{er} janvier 1986» et «30 septembre 1989».

Le présent règlement est obligatoire dans tous ses éléments et directement applicable dans tout État membre.

Fait à Bruxelles, le 10 décembre 1985.

Par le Conseil

Le président

M. FISCHBACH

ANNEX

ANNEX I

This Annex lists, for information purposes, the products which come under the ECSC Treaty and are covered by Article 1 (1) of Decision No 2872/82/ECSC.

Imports by category

Product	NIMEXE code (*)	TS USA number (*)
Hot-rolled sheet and strip	73.08-01 (2, 191)	607.6610
— Carbon	03 (2, 191)	607.6710
	05 (191)	607.6720
	07 (191)	607.6730
	21 (2, 191)	607.6740
	25 (191)	607.8342
	29 (191)	608.1920
	41 (2, 191)	608.2120
	45 (191)	608.2320
	49 (191)	
	73.09-00 (2, 191)	
	73.10-11 (5, 6, 60, 191)	
	15 (1, 82, 191)	
	17 (5, 6, 60, 191)	
	42 (5, 6, 60, 191)	
	49 (!, 7, 82, 191, 193)	
	73.12-11 (2, 191)	
	19 (2, 191)	
	40 (2, 7, 82, 191)	
	51 (5, 7, 60, 191)	
	59 (5, 7, 60, 191)	
	61 (5, 7, 60, 191)	
	63 (5, 7, 60, 191)	
	65 (5, 7, 60, 191)	
	71 (5, 60, 191)	
	81 (5, 7, 60, 191, 193)	
	85 (5, 7, 60, 191, 193)	
	87 (5, 7, 60, 191, 193)	
	88 (2, 7, 82, 191)	
	89 (2, 7, 82, 191, 193)	
	73.13-11 (2, 7, 191)	
	16 (2, 7, 191)	
	17 (2, 191)	
	19 (2, 191)	
	21 (191)	
	23 (191)	
	26 (191)	
	32 (191)	
	34 (191)	
	36 (191)	
	50 (2, 7, 191)	
	62 (2, 7, 50, 191)	
	88 (2, 7, 191)	
	89 (2, 7, 38, 191)	
	73.62-10 (2, 191)	
	30 (2, 191)	
	73.63-21 (5, 6, 60, 191)	
	29 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	79 (1, 7, 82, 191)	
	73.64-20 (2, 191)	
	72 (5, 7, 60, 191, 193)	
	79 (2, 7, 82, 191, 193)	

(*) These numbers are subject to revision when the United States or the EEC adopts modifications to the applicable import or export nomenclature. Subject to technical adjustments to be agreed upon by experts of both parties.

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip <i>(cont'd)</i>	73.65-21 (2, 191) 23 (191) 25 (191) 70 (2, 7, 38, 191)	
— Carbon <i>(cont'd)</i>	73.72-11 (2, 191) 13 (2, 191) 19 (2, 191)	
	73.73-23 (5, 6, 60, 191) 24 (5, 6, 60, 191) 25 (5, 6, 60, 191) 26 (5, 6, 60, 191) 29 (5, 6, 60, 191)	
	73.72-33 (2, 191) 39 (2, 191)	
	73.73-33 (1, 82, 191) 34 (1, 82, 191) 35 (1, 82, 191) 36 (1, 82, 191) 39 (1, 82, 191) 72 (5, 6, 60, 191) 83 (1, 7, 82, 191, 193) 89 (1, 7, 82, 191, 193)	
	73.74-21 (2, 191) 23 (2, 191) 29 (2, 191) 72 (5, 60, 191) 83 (2, 7, 82, 191, 193) 89 (2, 7, 82, 191, 193)	
	73.75-11 (2, 7, 191) 19 (2, 7, 191) 23 (2, 191) 24 (2, 191) 29 (2, 191) 33 (191) 34 (191) 39 (191) 43 (191) 44 (191) 49 (191) 73 (2, 7, 38, 191) 79 (2, 7, 38, 191)	
— Alloy	73.08-01 (4, 5, 45, 68, 190, 209) 03 (4, 5, 45, 68, 190, 209) 05 (4, 45, 68, 190, 209) 07 (4, 45, 68, 190, 209) 21 (4, 5, 45, 68, 190, 209) 25 (4, 45, 68, 190, 209) 29 (4, 45, 68, 190, 209) 41 (4, 5, 45, 68, 190, 198, 209) 45 (4, 45, 68, 190, 198, 209) 49 (4, 45, 68, 190, 198, 209)	607.8100 608.3820 (?) 608.5520 (?) 608.6720 (?)
	73.10-11 (4, 5, 6, 60, 68, 190, 199, 205) 15 (4, 5, 6, 60, 68, 190, 199, 205) 17 (4, 5, 6, 60, 68, 190, 199, 205) 42 (4, 5, 6, 60, 68, 190, 199, 205) 49 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.12-11 (4, 68, 190, 198, 200, 205, 209) 19 (4, 68, 190, 198, 200, 205, 209) 40 (4, 68, 190, 198, 200, 205, 209) 59 (4, 68, 190, 198, 200, 205, 209) 61 (4, 68, 190, 198, 200, 205, 209) 63 (4, 68, 190, 198, 200, 205, 209) 65 (4, 68, 190, 198, 200, 205, 209) 71 (4, 68, 190, 198, 200, 205, 209)	

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip (cont'd)	73.12-81 (4, 68, 190, 193, 198, 200, 205, 209) 85 (4, 68, 190, 193, 198, 200, 205, 209) 87 (4, 68, 190, 193, 198, 200, 205, 209) 88 (4, 68, 190, 198, 200, 205, 209) 89 (4, 68, 190, 193, 198, 200, 205, 209)	
— Alloy (cont'd)	73.13-11 (4, 5, 45, 68, 190, 209) 16 (4, 5, 45, 68, 190, 209) 17 (4, 5, 45, 68, 190, 209) 19 (4, 5, 45, 68, 190, 209) 21 (4, 68, 190, 209) 23 (4, 68, 190, 209) 26 (4, 68, 190, 209) 32 (4, 68, 190, 209) 34 (4, 68, 190, 209) 36 (4, 68, 190, 209) 50 (4, 5, 68, 190, 209) 88 (4, 5, 7, 68, 190, 209) 89 (4, 5, 7, 38, 68, 190, 209)	
	73.62-10 (4, 68, 190, 198, 209)	
	73.63-21 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 79 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.64-20 (4, 68, 190, 198, 200, 205, 209) 79 (4, 7, 68, 190, 193, 198, 200, 205, 209)	
	73.65-21 (4, 5, 45, 68, 198, 209) 23 (4, 5, 45, 68, 190, 209) 25 (4, 5, 45, 68, 190, 209) 70 (4, 5, 7, 38, 45, 68, 190, 209)	
	73.72-11 (4, 68, 190, 198, 209) 13 (4, 68, 190, 198, 209) 19 (4, 68, 190, 198, 209)	
	73.73-23 (4, 5, 6, 60, 68, 190, 199, 205) 24 (4, 5, 6, 60, 68, 190, 199, 205) 25 (4, 5, 6, 60, 68, 190, 199, 205) 26 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 33 (4, 5, 6, 60, 68, 190, 199, 205) 34 (4, 5, 6, 60, 68, 190, 199, 205) 35 (4, 5, 6, 60, 68, 190, 199, 205) 36 (4, 5, 6, 60, 68, 190, 199, 205) 39 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 83 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 89 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.74-21 (4, 68, 190, 198, 200, 205, 209) 23 (4, 68, 190, 198, 200, 205, 209) 29 (4, 68, 190, 198, 200, 205, 209) 72 (4, 68, 190, 198, 200, 205, 209) 83 (4, 7, 68, 190, 193, 198, 200, 205, 209) 89 (4, 7, 68, 190, 193, 198, 200, 205, 209)	
	73.75-11 (4, 5, 7, 45, 68, 190, 209) 19 (4, 5, 7, 45, 68, 190, 209) 23 (4, 5, 45, 68, 190, 209) 24 (4, 5, 45, 68, 190, 209) 29 (4, 5, 45, 68, 190, 209) 33 (4, 5, 45, 68, 190, 209) 34 (4, 5, 45, 68, 190, 209) 39 (4, 5, 45, 68, 190, 209) 43 (4, 5, 45, 68, 190, 209) 44 (4, 5, 45, 68, 190, 209) 49 (4, 5, 45, 68, 190, 209) 73 (4, 5, 7, 38, 45, 68, 190, 209) 79 (4, 5, 7, 38, 45, 68, 190, 209)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet	73.08-01 (87, 191, 202) 03 (87, 191, 202) 05 (191, 202) 07 (191, 202) 21 (87, 191, 202) 25 (191, 202) 29 (191, 202) 41 (87, 191, 202) 45 (191, 202) 49 (191, 202)	607.8320 607.8350 607.8355 707.8360
	73.09-00 (87, 191)	
	73.10-15 (6, 87, 191) 17 (6, 87, 191) 30 (6, 87, 191) 49 (6, 87, 191)	
	73.12-11 (87, 191) 19 (87, 191) 21 (8, 191, 206) 25 (8, 191, 206) 29 (8, 191, 206) 40 (84, 87, 191) 88 (84, 87, 191, 202) 89 (84, 87, 191, 202)	
	73.13-11 (84, 87, 191, 206) 16 (84, 87, 191, 206) 17 (87, 191) 19 (87, 191) 41 (191) 43 (191) 45 (191) 47 (191) 49 (191, 206) 50 (84, 87, 191) 62 (50, 84, 87, 191) 88 (84, 87, 191, 202) 89 (84, 87, 191, 202)	
	73.62-10 (87, 191, 202) 30 (87, 191)	
	73.63-29 (6, 87, 191) 50 (6, 87, 191) 79 (6, 87, 191)	
	73.64-20 (87, 191) 50 (8, 191, 206) 79 (84, 87, 191, 202)	
	73.65-21 (87, 191) 53 (191) 55 (191, 206) 70 (84, 87, 191, 202)	
	73.72-11 (87, 191, 202) 13 (87, 191, 202) 19 (87, 191, 202) 33 (87, 191) 39 (87, 191)	
	73.73-33 (6, 87, 191) 34 (6, 87, 191) 35 (6, 87, 191) 36 (6, 87, 191) 39 (6, 87, 191) 53 (6, 87, 191) 54 (6, 87, 191) 55 (6, 87, 191) 59 (6, 87, 191) 83 (6, 87, 191) 89 (6, 87, 191)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet (cont'd)	<p>73.74-21 (87, 191) 23 (87, 191) 29 (87, 191) 51 (8, 191, 206) 52 (8, 191, 206) 53 (8, 191, 206) 54 (8, 191, 206) 59 (8, 191, 206) 83 (84, 87, 191, 202) 89 (84, 87, 191, 202)</p> <p>73.75-11 (84, 87, 191, 202, 206) 19 (84, 87, 191, 202, 206) 23 (87, 191) 24 (87, 191) 29 (87, 191) 53 (191) 54 (191) 59 (191) 63 (191, 206) 64 (191, 206) 69 (191, 206) 73 (84, 87, 191, 202) 79 (84, 87, 191, 202)</p>	
Alloy cold-rolled sheet	<p>73.08-01 (4, 5, 9, 68, 143, 190, 199) 03 (4, 5, 9, 68, 143, 190, 199) 05 (4, 9, 68, 143, 190, 199) 07 (4, 9, 68, 143, 190, 199) 21 (4, 5, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 29 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199) 45 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199)</p> <p>73.12-11 (4, 5, 8, 9, 68, 143, 190, 199) 19 (4, 5, 8, 9, 68, 143, 190, 199) 21 (4, 5, 8, 9, 68, 143, 190, 199, 206) 25 (4, 5, 8, 9, 68, 143, 190, 199, 206) 29 (4, 5, 8, 9, 68, 143, 190, 199, 206) 40 (4, 5, 8, 9, 68, 143, 190, 199) 88 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 38, 68, 143, 190, 199)</p> <p>73.13-11 (4, 5, 9, 68, 143, 190, 199) 16 (4, 5, 9, 68, 143, 190, 199) 17 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 21 (4, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 26 (4, 9, 68, 143, 190, 199) 32 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 36 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199, 206) 43 (4, 9, 68, 143, 190, 199, 206) 45 (4, 9, 68, 143, 190, 199, 206) 47 (4, 9, 68, 143, 190, 199, 206) 49 (4, 9, 68, 143, 190, 199, 206) 50 (4, 5, 9, 68, 143, 190, 199) 62 (4, 5, 9, 50, 68, 143, 190, 199) 88 (4, 5, 9, 68, 143, 190, 199) 89 (4, 5, 9, 38, 68, 143, 190, 199)</p> <p>73.62-10 (4, 5, 9, 68, 143, 190, 199) 73.64-20 (4, 5, 8, 9, 68, 143, 190, 199) 50 (4, 5, 8, 9, 68, 190, 199, 206) 79 (4, 5, 8, 9, 38, 68, 143, 190, 199, 203)</p>	

Product	NIMEXE code	TS USA number
Alloy cold-rolled sheet (cont'd)	<p>73.65-21 (4, 5, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 55 (4, 9, 68, 190, 199, 206) 70 (4, 5, 9, 38, 68, 143, 190, 199)</p> <p>73.72-11 (4, 5, 9, 68, 143, 190, 199) 13 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199)</p> <p>73.74-21 (4, 5, 8, 9, 68, 143, 190, 199) 23 (4, 5, 8, 9, 68, 143, 190, 199) 29 (4, 5, 8, 9, 68, 143, 190, 199) 51 (4, 5, 8, 9, 68, 190, 199, 206) 52 (4, 5, 8, 9, 68, 190, 199, 206) 53 (4, 5, 8, 9, 68, 190, 199, 206) 54 (4, 5, 8, 9, 68, 190, 199, 206) 59 (4, 5, 8, 9, 68, 190, 199, 206) 83 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 68, 143, 190, 199)</p> <p>73.75-11 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 23 (4, 5, 9, 68, 143, 190, 199) 24 (4, 5, 9, 68, 143, 190, 199) 29 (4, 5, 9, 68, 143, 190, 199) 33 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 39 (4, 9, 68, 143, 190, 199) 43 (4, 9, 68, 143, 190, 199) 44 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 54 (4, 5, 9, 68, 190, 199) 59 (4, 5, 9, 68, 190, 199) 63 (4, 9, 68, 190, 199, 206) 64 (4, 9, 68, 190, 199, 206) 69 (4, 9, 68, 190, 199, 206) 73 (4, 5, 9, 38, 68, 143, 190, 199) 79 (4, 5, 9, 38, 68, 143, 190, 199)</p>	
Carbon plate (including coated, plated and clad plate, and clad sheet)	<p>73.09-00 (12, 13, 45, 191) 73.10-17 (6, 12, 13, 45, 191) 42 (6, 44) 45 (6, 44) 49 (6, 40, 191, 193)</p> <p>73.12-11 (12, 13, 14, 15, 45, 191) 19 (12, 13, 14, 45, 191) 40 (7, 12, 13, 14, 45, 191) 51 (13, 15, 191) 59 (13, 15, 191) 61 (13, 15, 191) 63 (13, 15, 191) 65 (13, 15, 191) 71 (44) 75 (44) 81 (13, 15, 191, 193) 85 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (13, 15, 191) 89 (40, 191, 193)</p> <p>73.13-11 (7, 13, 14, 45, 191) 16 (7, 13, 14, 45, 191) 17 (13, 14, 45, 191) 19 (13, 14, 45, 191) 50 (7, 13, 14, 45, 191) 62 (7, 13, 14, 45, 50, 191)</p>	607.6620 (19) 607.6625 607.9400 608.0710 608.1100

Product	NIMEXE code	TS USA number
Carbon plate (including coated, plated and clad plate, and clad sheet) (cont'd)	73.13-64 (13, 15, 191) 65 (13, 15, 191) 67 (13, 15, 191) 68 (13, 15, 191) 72 (13, 15, 191) 74 (13, 15, 191) 78 (44) 79 84 (13, 15, 191, 193) 86 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (7, 13, 14, 45, 191) 89 (40, 191, 193) 73.62-30 (12, 45, 191) 73.63-29 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 79 (6, 40, 191, 193) 73.64-20 (12, 13, 14, 45, 191) 72 (44) 75 (44) 79 (40, 191, 193) 73.65-21 (13, 14, 45, 191) 70 (40, 44, 193, 211) 73.72-33 (12, 13, 14, 45, 191) 39 (12, 13, 14, 45, 191) 73.73-33 (6, 12, 13, 45, 191) 34 (6, 12, 13, 45, 191) 35 (6, 12, 13, 45, 191) 36 (6, 12, 13, 45, 191) 39 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 83 (6, 40, 191, 193) 89 (6, 40, 191, 193) 73.74-21 (12, 13, 14, 45, 191) 23 (12, 13, 14, 45, 191) 29 (12, 13, 14, 45, 191) 72 (44) 74 (44) 83 (40, 191, 193) 89 (40, 191, 193) 73.75-11 (7, 13, 14, 45, 191) 19 (7, 13, 14, 45, 191) 23 (13, 14, 45, 191) 24 (13, 14, 45, 191) 29 (13, 14, 45, 191) 73 (40, 191, 193) 79 (40, 191, 193)	
Alloy plate (including coated plate)	73.08-01 (4, 13, 68, 190) 03 (4, 13, 68, 190) 21 (4, 13, 68, 190) 41 (4, 13, 68, 190) 73.09-00 (4, 12, 20, 68, 190) 73.10-15 (4, 6, 12, 13, 68, 190) 17 (4, 6, 12, 13, 68, 190) 30 (4, 6, 8, 13, 68, 190) 49 (6, 13, 15, 190, 193, 212) 73.12-11 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 21 (4, 8, 13, 68, 190) 25 (4, 8, 13, 68, 190) 29 (4, 8, 13, 68, 190) 40 (4, 13, 15, 68, 190) 51 (13, 15, 190)	607.7803 (19) 607.7806 607.9100 608.1420

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) (cont'd)	73.12-59 (13, 15, 190) 61 (13, 15, 190) 63 (13, 15, 190) 65 (13, 15, 190) 81 (13, 15, 190, 193) 85 (13, 15, 190, 193) 87 (13, 15, 190, 193) 88 (4, 13, 15, 68, 190) 89 (13, 15, 190, 193, 212) 73.13-11 (4, 13, 68, 190) 16 (4, 13, 68, 190) 17 (4, 13, 68, 190) 19 (4, 13, 68, 190) 41 (4, 13, 68, 190) 50 (4, 13, 68, 190) 62 (4, 13, 50, 68, 190) 64 (13, 190) 65 (13, 190) 67 (13, 190) 68 (13, 190) 72 (13, 190) 74 (13, 190) 84 (13, 190, 193) 86 (13, 190, 193) 87 (13, 190, 193) 88 (4, 13, 68, 190) 89 (13, 190, 193, 212) 73.62-10 (4, 13, 68, 190) 30 (4, 12, 20, 68, 190) 73.63-29 (4, 6, 12, 13, 68, 190) 50 (4, 6, 8, 13, 68, 190) 79 (6, 13, 15, 190, 193, 212) 73.64-20 (4, 12, 13, 68, 190) 50 (4, 8, 13, 68, 190) 79 (13, 15, 190, 212) 73.65-21 (4, 13, 68, 190) 70 (13, 20, 190, 212) 73.72-11 (4, 12, 13, 68, 190) 13 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 33 (4, 12, 13, 20, 68, 190) 39 (4, 12, 13, 20, 68, 190) 73.73-33 (4, 6, 12, 13, 68, 190) 34 (4, 6, 12, 13, 68, 190) 35 (4, 6, 12, 13, 68, 190) 36 (4, 6, 12, 13, 68, 190) 39 (4, 6, 12, 13, 68, 190) 53 (4, 6, 8, 13, 68, 190) 54 (4, 6, 8, 13, 68, 190) 55 (4, 6, 8, 13, 68, 190) 59 (4, 6, 8, 13, 68, 190) 83 (6, 13, 15, 190, 193, 212) 89 (6, 13, 15, 190, 193, 212) 73.74-21 (4, 12, 13, 68, 190) 23 (4, 12, 13, 68, 190) 29 (4, 12, 13, 68, 190) 51 (4, 8, 13, 68, 190) 52 (4, 8, 13, 68, 190) 53 (4, 8, 13, 68, 190) 54 (4, 8, 13, 68, 190) 59 (4, 13, 68, 190) 83 (13, 15, 190, 193, 212) 89 (13, 15, 190, 193, 212)	

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) (<i>cont'd</i>)	73.75-11 (4, 13, 68, 190) 19 (4, 13, 68, 190) 23 (4, 13, 68, 190) 24 (4, 13, 68, 190) 29 (4, 13, 68, 190) 53 (4, 13, 68, 190) 54 (4, 13, 68, 190) 59 (4, 13, 68, 190) 73 (13, 20, 190, 193, 212) 79 (13, 20, 190, 193, 212)	
Carbon structural shapes	73.11-11 (21, 152, 191) 12 (152, 191) 14 (152, 191) 16 (152, 191) 19 (21, 152, 191) 20 (21, 152, 191) 31 (21, 112, 152, 191) 39 (21, 112, 152, 191) 41 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 73.16-11 (21, 112, 152, 191) 73.63-10 (21, 152, 191) 29 (21, 152, 191) 50 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 79 (21, 112, 152, 191) 73.73-13 (21, 152, 191) 14 (21, 152, 191) 19 (21, 152, 191) 33 (21, 152, 191) 34 (21, 152, 191) 35 (21, 152, 191) 36 (21, 152, 191) 39 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 53 (21, 112, 152, 191) 54 (21, 112, 152, 191) 55 (21, 112, 152, 191) 59 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 83 (21, 112, 152, 191) 89 (21, 112, 152, 191)	609.8005 609.8015 609.8035 609.8041 609.8045
Alloy and stainless structural shapes	73.11-11 (152, 190) 12 (152, 190) 14 (152, 190) 16 (152, 190) 19 (152, 190) 20 (152, 190) 31 (112, 152, 190) 39 (112, 152, 190) 41 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 73.16-11 (112, 152, 190) 73.63-10 (152, 190) 29 (152, 190) 50 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 79 (112, 152, 190)	609.8205 609.8210 609.8215 609.8220 609.8225 609.8230 609.8235 609.8240

Product	NIMEXE code	TS USA number
Alloy and stainless structural shapes (cont'd)	73.73-13 (152, 190) 14 (152, 190) 19 (152, 190) 33 (152, 190) 34 (152, 190) 35 (152, 190) 36 (152, 190) 39 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 53 (112, 152, 190) 54 (112, 152, 190) 55 (112, 152, 190) 59 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 83 (112, 152, 190) 89 (112, 152, 190)	
Carbon wire rod	73.10-11 (25, 191) 15 (25, 191) 73.63-21 (25, 191) 29 (25, 191) 73.73-23 (25, 191) 24 (25, 191) 25 (25, 191) 26 (25, 191) 29 (25, 191) 33 (25, 191) 34 (25, 191) 35 (25, 191) 36 (25, 191) 39 (25, 191)	607.1400 607.1700 607.2200 607.2300
Carbon hot-rolled bar	73.07-12 (191, 220) 15 (191, 220) 73.09-00 (32, 97, 191) 73.10-11 (29a, 29b, 29d, 191) 15 (29a, 29b, 29d, 191) 17 (29a, 29b, 29d, 191) 20 (29a, 191) 42 (29a, 29b, 191) 49 (29a, 29b, 31, 97, 191) 73.12-11 (29b, 191) 19 (29b, 191) 40 (29b, 31, 191) 71 (29b, 191) 88 (29b, 191) 89 (29b, 97, 191) 73.61-10 (191, 220, 231) 50 (191, 220, 231) 73.62-30 (32, 97, 191) 73.63-10 (29a, 191) 21 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 79 (29a, 29b, 29d, 31, 97, 191) 73.64-20 (29b, 191) 72 (29b, 191) 79 (29b, 97, 191) 73.71-13 (191, 220, 231) 14 (191, 220, 231) 19 (191, 220, 231)	606.8310 606.8330 606.8350

Product	NIMEXE code	TS USA number
Carbon hot-rolled bar (cont'd)	73.71-53 (191, 220, 231) 54 (191, 220, 231) 55 (191, 220, 231) 56 (191, 220, 231) 59 (191, 220, 231) 73.72-33 (32, 97, 191) 39 (32, 97, 191) 73.73-13 (29a, 191) 14 (29a, 191) 19 (29a, 191) 23 (29a, 29b, 29d, 191) 24 (29a, 29b, 29d, 191) 25 (29a, 29b, 29d, 191) 26 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 191) 33 (29a, 29b, 29d, 72, 191) 34 (29a, 29b, 29d, 72, 191) 35 (29a, 29b, 29d, 72, 191) 36 (29a, 29b, 29d, 72, 191) 39 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 83 (29a, 29b, 29d, 31, 97, 191) 89 (29a, 29b, 29d, 31, 97, 191) 73.74-21 (29b, 191) 23 (29b, 191) 29 (29b, 191) 72 (29b, 191) 83 (29b, 97, 191) 89 (29b, 97, 191)	
Alloy hot-rolled bar	73.07-12 (4, 68, 190, 220) 15 (4, 68, 190, 220) 73.09-00 (4, 32, 68, 190) 73.10-11 (4, 29a, 29b, 29d, 68, 190) 15 (4, 29a, 29b, 29d, 68, 190) 17 (4, 29a, 29b, 29d, 68, 190) 20 (4, 29a, 29d, 68, 190) 42 (4, 29a, 29b, 68, 190) 49 (4, 29a, 29b, 29d, 31, 68, 190) 73.12-11 (4, 29b, 68, 190) 19 (4, 29b, 68, 190) 40 (4, 29b, 68, 190) 51 (4, 29b, 68, 190) 59 (4, 29b, 68, 190) 61 (4, 29b, 68, 190) 63 (4, 29b, 68, 190) 65 (4, 29b, 68, 190) 71 (4, 29b, 68, 190) 77 (4, 29b, 68, 190) 81 (4, 29b, 68, 190) 85 (4, 29b, 68, 190) 87 (4, 29b, 68, 190) 88 (4, 29b, 68, 190) 89 (4, 29b, 68, 190) 73.61-10 (4, 68, 190, 220, 231) 50 (4, 68, 190, 220, 231) 73.62-30 (4, 32, 68, 190) 73.63-10 (4, 29a, 29d, 68, 190) 21 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 79 (4, 29a, 29b, 29d, 31, 68, 190) 73.64-20 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 79 (4, 29b, 68, 190)	606.9700

Product	NIMEXE code	TS USA number
Alloy hot-rolled bar (cont'd)	73.71-13 (4, 68, 190, 220, 231) 14 (4, 68, 190, 220, 231) 19 (4, 68, 190, 220, 231) 53 (4, 68, 190, 220, 231) 54 (4, 68, 190, 220, 231) 55 (4, 68, 190, 220, 231) 56 (4, 68, 190, 220, 231) 59 (4, 68, 190, 220, 231) 73.72-33 (4, 32, 68, 190) 39 (4, 32, 68, 190) 73.73-13 (4, 29a, 29b, 68, 190) 14 (4, 29a, 29b, 68, 190) 19 (4, 29a, 29b, 68, 190) 23 (4, 29a, 29b, 29d, 68, 190) 24 (4, 29a, 29b, 29d, 68, 190) 25 (4, 29a, 29b, 29d, 68, 190) 26 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 190) 33 (4, 29a, 29b, 29d, 68, 72, 190) 34 (4, 29a, 29b, 29d, 68, 72, 190) 35 (4, 29a, 29b, 29d, 68, 72, 190) 36 (4, 29a, 29b, 29d, 68, 72, 190) 39 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 83 (4, 29a, 29b, 29d, 31, 68, 190) 89 (4, 29a, 29b, 29d, 31, 68, 190) 73.74-21 (4, 29b, 68, 190) 23 (4, 29b, 68, 190) 29 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 83 (4, 29b, 68, 190) 89 (4, 29b, 68, 190)	
Carbon coated sheet	73.12-61 (5, 8, 191) 63 (5, 8, 191) 65 (5, 8, 102, 191) 81 (5, 8, 191, 193) 85 (5, 8, 191, 193) 87 (5, 8, 191, 193) 89 (5, 8, 35, 80, 102, 191, 193) 73.13-67 (5, 191) 68 (5, 191) 72 (5, 191) 74 (5, 102, 191) 84 (5, 191, 193) 86 (5, 191, 193) 87 (5, 191, 193) 89 (5, 35, 80, 102, 191, 193) 73.64-79 (5, 8, 35, 80, 102, 191, 193) 73.65-70 (5, 20, 35, 80, 102, 191, 193) 73.74-83 (5, 8, 35, 80, 102, 191, 193) 89 (5, 8, 35, 80, 102, 191, 193) 73.75-73 (5, 20, 35, 80, 102, 191, 193) 79 (5, 20, 35, 80, 102, 191, 193)	608.0730 608.1310 608.1320 608.1330 608.1340 608.1350
Alloy and stainless coated sheet (including terne plate)	73.12-61 (5, 8, 190) 63 (5, 8, 190) 65 (5, 8, 190, 227) 81 (5, 8, 190, 193) 85 (5, 8, 190, 193) 87 (5, 8, 190, 193) 89 (5, 8, 35, 80, 190, 193, 227) 73.13-67 (5, 190) 68 (5, 190) 72 (5, 190)	608.0100 608.1440

Product	NIMEXE code	TS USA number
Alloy and stainless coated sheet (including terne plate) (cont'd)	73.13-74 (5, 190, 227) 84 (5, 190, 193) 86 (5, 190, 193) 87 (5, 190, 193) 89 (5, 35, 80, 190, 193, 227) 73.64-79 (5, 8, 35, 80, 190, 193, 227) 73.65-70 (5, 20, 35, 80, 190, 193, 227) 73.74-83 (5, 8, 35, 80, 190, 193, 227) 89 (5, 8, 35, 80, 190, 193, 227) 73.75-73 (5, 20, 35, 80, 190, 193, 227) 79 (5, 20, 35, 80, 190, 193, 227)	
Tin plate	73.12-51 (5, 79) 59 (5, 79) 89 (5, 79) 73.13-64 (5, 79) 65 (5, 79) 76 (5, 79) 89 (5, 79) 73.64-79 (5, 79) 73.65-70 (5, 79) 73.74-83 (5, 79) 89 (5, 79) 73.75-73 (5, 79) 79 (5, 79)	607.9600 607.9700 607.9900
Rails	73.16-14 16 17 20	610.2010 610.2025 610.2030 610.2100
Sheet piling	73.11-50	609.9600 609.9800
Alloy wire rod	73.10-11 (4, 25, 68, 190) 15 (4, 25, 68, 190) 73.63-21 (4, 25, 68, 190) 29 (4, 25, 68, 190) 73.73-23 (4, 25, 68, 190) 24 (4, 25, 68, 190) 25 (4, 25, 68, 190) 26 (4, 25, 68, 190) 29 (4, 25, 68, 190) 33 (4, 25, 68, 190) 34 (4, 25, 68, 190) 35 (4, 25, 68, 190) 36 (4, 25, 68, 190) 39 (4, 25, 68, 190)	607.4100 607.5900
Round, flat and other wire	73.10-30 (75, 147, 213, 214, 216) 45 (75, 147, 213, 214, 216) 49 (75, 147, 213, 214, 216) 73.12-21 (75, 147, 213, 214) 25 (75, 147, 213, 214) 29 (75, 147, 213, 214) 40 (75, 147, 213, 214) 51 (75, 147, 214) 59 (75, 147, 214) 61 (75, 147, 214) 63 (75, 147, 214) 65 (75, 147, 214) 75 (75, 147, 213, 214) 77 (75, 147, 214) 81 (75, 147, 214) 85 (75, 147, 214)	609.2000 (184) 609.2100 609.2200 609.2500 609.2800 609.3040 609.3340 (184) 609.3500 609.3600 609.3700 609.4010 609.4040 609.4055 609.4065 609.4120 609.4125

Product	NIMEXE code	TS USA number
Round, flat and other wire (cont'd)	73.12-87 (75, 147, 214) 88 (75, 147, 213, 214) 89 (75, 147, 213, 214) 73.14-01 (3, 147, 213, 214, 216) 11 (3, 147, 213, 214, 216) 13 (3, 147, 213, 214, 216) 15 (3, 147, 213, 214, 216) 19 (3, 147, 213, 214, 216) 21 (75, 147, 213, 214, 216) 41 (75, 147, 213, 214, 216) 43 (75, 147, 213, 214, 216) 45 (75, 147, 213, 214, 216) 49 (75, 147, 213, 214, 216) 81 (75, 147, 213, 214, 216) 91 (75, 147, 213, 214, 216) 99 (75, 147, 213, 214, 216) 73.63-50 (75, 147, 213, 214, 216) 74 (75, 147, 213, 214, 216) 79 (75, 147, 213, 214, 216) 73.64-50 (75, 147, 213, 214) 75 (75, 147, 213, 214) 79 (75, 147, 213, 214) 73.66-40 (75, 147, 213, 214, 216) 81 (75, 147, 213, 214, 216) 86 (75, 147, 213, 214, 216) 89 (75, 147, 213, 214, 216) 73.73-53 (75, 147, 213, 214, 216) 54 (75, 147, 213, 214, 216) 55 (75, 147, 213, 214, 216) 59 (75, 147, 213, 214, 216) 74 (75, 147, 213, 214, 216) 83 (75, 147, 213, 214, 216) 89 (75, 147, 213, 214, 216) 73.74-51 (75, 147, 213, 214) 52 (75, 147, 213, 214) 53 (75, 147, 213, 214) 54 (75, 147, 213, 214) 59 (75, 147, 213, 214) 74 (75, 147, 213, 214) 83 (75, 147, 213, 214) 89 (75, 147, 213, 214) 73.76-13 (75, 147, 213, 214, 216) 14 (75, 147, 213, 214, 216) 15 (75, 147, 213, 214, 216) 16 (75, 147, 213, 214, 216) 19 (75, 147, 213, 214, 216)	609.4165 609.4315 609.4365 609.4530 609.4560 609.7000 609.7200 609.7500 609.7600 642.9600 642.9700
Wire products	73.10-30 (148) 45 (148) 49 (148) 73.12-21 (148) 25 (148) 29 (148) 40 (148) 51 (148) 59 (148) 61 (148) 63 (148) 65 (148) 75 (148) 77 (148) 81 (148) 85 (148) 87 (148) 88 (148)	642.0200 642.3510 642.3530 642.3570 642.9000 642.9100 646.2500 646.2622 646.2624 646.2626 646.2628 646.2642 646.2644 646.2646 646.2648 646.3040 646.3200 646.3600 (122)

Product	NIMEXE code	TS USA number
Wire products (cont'd)	73.12-89 (148) 73.14-01 (148) 11 (148) 13 (148) 15 (148) 19 (148) 21 (148) 41 (148) 43 (148) 45 (148) 49 (148) 81 (148) 91 (148) 99 (148) 73.26-00 73.27-20 (28) 31 (28) 41 (28) 91 (28) 73.31-92 (121) 96 (121) 97 (121) 98 (121) 73.63-50 (148) 74 (148) 79 (148) 50 (148) 75 (148) 79 (148) 73.66-40 (148) 81 (148) 86 (148) 89 (148) 73.73-53 (148) 54 (148) 55 (148) 59 (148) 74 (148) 83 (148) 89 (148) 73.74-51 (148) 52 (148) 53 (148) 54 (148) 59 (148) 74 (148) 83 (148) 89 (148) 73.76-13 (148) 14 (148) 15 (148) 16 (148) 19 (148)	
Black plate	73.12-21 (186) 25 (186) 29 (186) 88 (186) 89 (186) 73.13-11 (186) 16 (186) 49 (186) 50 (186) 88 (186) 89 (186)	607.6200 607.6400

Product	NIMEXE code	TS USA number
Black plate (cont'd)	73.64-50 (186) 79 (186) 73.65-55 (186) 70 (186) 73.74-51 (186) 52 (186) 53 (186) 54 (186) 59 (186) 83 (186) 89 (186) 73.75-11 (186) 19 (186) 63 (186) 64 (186) 69 (186) 73 (186) 79 (186)	
Electrical sheet and strip	73.08-01 (51, 124) 03 (51, 124) 05 (51, 124) 07 (51, 124) 21 (51, 124) 25 (51, 124) 29 (51, 124) 41 (51, 124) 45 (51, 124) 49 (51, 124) 73.10-11 (6, 51, 124) 15 (6, 51, 124) 17 (6, 51, 124) 42 (6, 51, 124) 49 (6, 51, 124) 73.12-11 (51, 124) 19 (51, 124) 25 (51, 124, 206) 29 (51, 124, 206) 40 (51, 124) 88 (51, 124) 89 (51, 124, 207) 73.13-11 (51, 124, 206) 16 (51, 124, 206) 17 (51, 124) 19 (51, 124) 21 (51, 124) 23 (51, 124) 26 (51, 124) 32 (51, 124) 34 (51, 124) 36 (51, 124) 41 (51, 124) 43 (51, 124) 45 (51, 124) 47 (51, 124) 49 (51, 124, 206) 50 (51, 124) 62 (50, 51, 124, 207) 88 (51, 124) 89 (51, 124, 207) 73.62-10 (51, 124) 73.63-21 (6, 51, 124) 29 (6, 51, 124) 72 (6, 51, 124) 79 (6, 51, 124)	607.9205 607.9210 608.3900

Product	NIMEXE code	TS USA number
Electrical sheet and strip (cont'd)	73.64-20 (51, 124) 50 (51, 124, 206) 79 (51, 124, 207) 73.65-21 (51, 124) 23 (51, 124) 25 (51, 124) 53 (51, 124) 55 (51, 124, 206) 70 (51, 124, 207) 73.72-11 (51, 124) 19 (51, 124) 73.73-23 (6, 51, 124) 24 (6, 51, 124) 25 (6, 51, 124) 26 (6, 51, 124) 29 (6, 51, 124) 33 (6, 51, 124) 34 (6, 51, 124) 35 (6, 51, 124) 36 (6, 51, 124) 39 (6, 51, 124) 72 (6, 51, 124) 83 (6, 51, 124) 89 (6, 51, 124) 73.74-21 (51, 124) 29 (51, 124) 51 (51, 124, 206) 52 (51, 124, 206) 53 (51, 124, 206) 54 (51, 124, 206) 59 (51, 124, 206) 74 (51, 124, 207) 83 (51, 124, 207) 89 (51, 124, 207) 73.75-89 (51, 124, 207) 11 (51, 124, 206) 19 (51, 124, 206) 29 (51, 124) 39 (51, 124) 49 (51, 124) 59 (51, 124) 69 (51, 124, 206) 73 (51, 124, 207) 79 (51, 124, 207)	
Tin-free steel	73.10-49 (163) 73.12-77 (76) 81 (163) 85 (163) 87 (163) 89 (163) 73.13-82 84 (163) 86 (163) 87 (163) 89 (163) 92 (163) 73.63-79 (163) 73.64-79 (163) 73.65-70 (163) 81 (163) 73.73-83 (163) 89 (163) 73.74-83 (163) 89 (163)	609.1710 609.1790

Product	NIMEXE code	TS USA number
Tin-free steel (cont'd)	73.75-73 (163) 79 (163) 83 (163) 84 (163) 89 (163)	
Cold-rolled strip	73.10-30 (4, 5, 6, 59, 199, 205) 45 (4, 5, 6, 59, 199, 205) 49 (4, 5, 6, 59, 193, 199, 205) 73.12-21 (4, 5, 59, 60, 199, 205) 25 (4, 5, 59, 60, 199, 205) 29 (4, 5, 59, 60, 199, 205) 40 (4, 5, 59, 60, 199, 205) 51 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 61 (4, 5, 59, 60, 199, 205) 63 (4, 5, 59, 60, 199, 205) 65 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 81 (4, 5, 59, 60, 193, 199, 205) 85 (4, 5, 59, 60, 193, 199, 205) 87 (4, 5, 59, 60, 193, 199, 205) 88 (4, 5, 59, 60, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205) 73.63-50 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 79 (4, 5, 6, 59, 193, 199, 205) 73.64-50 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 79 (4, 5, 59, 60, 193, 199, 205) 73.73-53 (4, 5, 6, 59, 199, 205) 54 (4, 5, 6, 59, 199, 205) 55 (4, 5, 6, 59, 199, 205) 59 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 83 (4, 5, 6, 59, 193, 199, 205) 89 (4, 5, 6, 59, 193, 199, 205) 73.74-51 (4, 5, 59, 60, 199, 205) 52 (4, 5, 59, 60, 199, 205) 53 (4, 5, 59, 60, 199, 205) 54 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 74 (4, 5, 59, 60, 199, 205) 83 (4, 5, 59, 60, 193, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205)	608.1940 608.2145 (184) 608.2150 (184) 608.2340 608.3820 (33) 608.5520 (33, 184) 608.6720 (33)
Cold-finished and other bar — Not cold formed	73.09-00 (32, 35, 191) 73.10-49 (29a, 29b, 188, 191) 73.12-51 (29b, 188, 191) 59 (29b, 188, 191) 61 (29b, 188, 191) 63 (29b, 188, 191) 65 (29b, 188, 191) 77 (29b, 188, 191) 81 (29b, 188, 191) 85 (29b, 188, 191) 87 (29b, 188, 191) 89 (29b, 188, 191) 73.62-30 (32, 35, 191) 73.63-79 (29a, 29b, 188, 191) 73.64-79 (29b, 188, 191) 73.72-33 (32, 35, 191) 39 (32, 35, 191)	606.8600

Product	NIMEXE code	TS USA number
Cold-finished and other bar	73.73-83 (29a, 29b, 188, 191)	
— Not cold formed	89 (29a, 29b, 188, 191)	
(cont'd)	73.74-83 (29b, 188, 191)	
	89 (29b, 188, 191)	
— Cold formed	73.10-30 (4, 29a, 29c, 68, 76)	606.8805
	45 (4, 29a, 29c, 68, 76)	606.8815
	49 (4, 29a, 29c, 34, 68, 76)	606.9900
	73.12-21 (4, 29c, 68, 76)	
	25 (4, 29c, 68, 76)	
	29 (4, 29c, 68, 76)	
	40 (4, 29c, 68, 76)	
	51 (4, 29c, 68, 76)	
	59 (4, 29c, 68, 76)	
	61 (4, 29c, 68, 76)	
	63 (4, 29c, 68, 76)	
	65 (4, 29c, 68, 76)	
	75 (4, 29c, 68, 76)	
	77 (4, 29c, 68, 76)	
	81 (4, 29c, 68, 76)	
	85 (4, 29c, 68, 76)	
	87 (4, 29c, 68, 76)	
	88 (4, 29c, 68, 76)	
	89 (4, 29c, 68, 76)	
	73.14-01 (4, 14, 68)	
	11 (4, 14, 68)	
	13 (4, 14, 68)	
	15 (4, 14, 68)	
	19 (4, 14, 68)	
	21 (4, 68, 76)	
	41 (4, 68, 76)	
	43 (4, 68, 76)	
	45 (4, 68, 76)	
	49 (4, 68, 76)	
	81 (4, 68, 76)	
	91 (4, 68, 76)	
	99 (4, 68, 76)	
	73.63-50 (4, 29a, 29c, 68, 76)	
	74 (4, 29a, 29c, 68, 76)	
	79 (4, 29a, 29c, 34, 68, 76)	
	73.64-50 (4, 29c, 68, 76)	
	75 (4, 29c, 68, 76)	
	79 (4, 29c, 68, 76)	
	73.66-40 (4, 68, 76)	
	81 (4, 68, 76)	
	86 (4, 68, 76)	
	89 (4, 68, 76)	
	73.73-53 (4, 29a, 29c, 68, 76)	
	54 (4, 29a, 29c, 68, 76)	
	55 (4, 29a, 29c, 68, 76)	
	59 (4, 29a, 29c, 68, 76)	
	74 (4, 29a, 29c, 68, 76)	
	83 (4, 29a, 29c, 34, 68, 76)	
	89 (4, 29a, 29c, 34, 68, 76)	
	73.74-51 (4, 29c, 68, 76)	
	52 (4, 29c, 68, 76)	
	53 (4, 29c, 68, 76)	
	54 (4, 29c, 68, 76)	
	59 (4, 29c, 68, 76)	
	74 (4, 29c, 68, 76)	
	83 (4, 29c, 68, 76)	
	89 (4, 29c, 68, 76)	
	73.76-13 (4, 68, 76)	
	14 (4, 68, 76)	

Product	NIMEXE code	TS USA number
Cold-finished and other bar (<i>cont'd</i>)	73.76-15 (4, 68, 76) 16 (4, 68, 76) 19 (4, 68, 76)	
— Cold formed		
— Hollow drill steel	73.10-18 (187) 73.63-29 (187) 50 (187) 72 (187) 74 (187) 79 (187) 73.73-13 (187) 14 (187) 19 (187) 33 (187) 34 (187) 35 (187) 39 (187) 53 (187) 54 (187) 55 (187) 59 (187) 72 (187) 74 (187) 83 (187) 89 (187)	607.0500 607.0700 607.0900
Bar shapes under 3 inches	73.11-11 (77, 191) 19 (77, 191) 20 (77, 191) 31 (77, 191) 39 (77, 191) 41 (77, 191) 43 (77, 191) 49 (77, 191) 73.16-11 (77, 191) 73.63-10 (77, 191) 29 (77, 191) 50 (77, 191) 72 (77, 191) 74 (77, 191) 79 (77, 191) 73.73-13 (77, 191) 14 (77, 191) 19 (77, 191) 33 (77, 191) 34 (77, 191) 35 (77, 191) 36 (77, 191) 39 (77, 191) 43 (77, 191) 49 (77, 191) 53 (77, 191) 54 (77, 191) 55 (77, 191) 59 (77, 191) 72 (77, 191) 74 (77, 191) 83 (77, 191) 89 (77, 191)	609.8050 609.8070 609.8090
Concrete reinforcing bars	73.10-12 14	606.7900 606.8100

Product	NIMEXE code	TS USA number
Concrete reinforcing bars (cont'd)	73.63-29 (71) 73.73-33 (71) 34 (71) 35 (71) 36 (71) 39 (71)	
Rail products	73.16-40 (151) 51 (151) 95 (151) 99 (151) 73.31-97 (26) 98 (26) 86.09-51 59	610.2500 610.2600 646.3020 690.2500 690.3000
Stainless wire	73.10-30 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 73.12-21 (57, 75, 147, 215) 25 (57, 75, 147, 215) 29 (57, 75, 147, 215) 40 (57, 75, 147, 215) 75 (57, 75, 147, 215) 88 (57, 75, 147, 215) 89 (57, 75, 147, 215) 73.14-01 (3, 147, 215) 11 (3, 147, 215) 13 (3, 147, 215) 15 (3, 147, 215) 19 (3, 147, 215) 21 (75, 147, 215) 41 (75, 147, 215) 43 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 81 (75, 147, 215) 91 (75, 147, 215) 99 (75, 147, 215) 73.63-50 (75, 147, 215) 74 (75, 147, 215) 79 (75, 147, 215) 73.64-50 (57, 75, 147, 215) 75 (57, 75, 147, 215) 79 (57, 75, 147, 215) 73.66-40 (75, 147, 215) 81 (75, 147, 215) 86 (75, 147, 215) 89 (75, 147, 215) 73.73-53 (75, 147, 215) 54 (75, 147, 215) 55 (75, 147, 215) 59 (75, 147, 215) 74 (75, 147, 215) 83 (75, 147, 215) 89 (75, 147, 215) 73.74-51 (57, 75, 147, 215) 52 (57, 75, 147, 215) 53 (57, 75, 147, 215) 54 (57, 75, 147, 215) 59 (57, 75, 147, 215) 74 (57, 75, 147, 215) 83 (57, 75, 147, 215) 89 (57, 75, 147, 215)	609.3020 609.3320 609.4502 609.4504 609.4542 609.4544

Product	NIMEXE code	TS USA number
Stainless wire (cont'd)	73.76-13 (75, 147, 215) 14 (75, 147, 215) 15 (75, 147, 215) 16 (75, 147, 215) 19 (75, 147, 215)	
Wire strand	73.25-11 (103) 21 (103) 31 (103) 35 (103) 39 (103) 51 (103) 55 (103) 59 (103) 98 (103)	642.0800 642.1105 642.1120 642.1142 642.1144 642.1146
Wire rope	73.25-11 (104) 21 (104) 31 (104) 35 (104) 39 (104) 51 (104) 55 (104) 59 (104) 98 (104)	642.1200 642.1400 642.1610 642.1650
Other speciality steel	73.07-12 (201, 220) 15 (201, 220) 73.08-01 (201, 204) 03 (201, 204) 05 (201, 204) 07 (201, 204) 21 (201, 204) 25 (201, 204) 29 (201, 204) 41 (201, 204) 45 (201, 204) 49 (201, 204) 73.09-00 (201) 73.10-11 (201) 15 (201, 204) 17 (201, 204) 20 (201, 204) 30 (76, 201, 204) 42 (201, 204) 45 (76, 201, 204) 49 (76, 193, 201, 204) 73.12-11 (201, 204) 19 (201, 204) 21 (76, 201, 204) 25 (76, 201, 204) 29 (76, 201, 204) 40 (76, 201, 204) 59 (76, 201, 204, 234) 61 (76, 201, 204, 234) 63 (76, 201, 204, 234) 65 (76, 201, 204, 234) 71 (201, 204, 234) 75 (76, 201, 204, 234) 77 (29b, 29c, 76, 201) 81 (76, 193, 201, 204, 234) 85 (76, 193, 201, 204, 234) 87 (76, 193, 201, 204, 234) 88 (76, 201, 204) 89 (76, 193, 201, 204, 234)	606.9105 606.9110 607.3200 607.4800 607.6900 607.8600 607.9315 608.3100 608.3810 608.4700 608.5510 608.5900 608.6710

Product	NIMEXE code	TS USA number
Other speciality steel (cont'd)		
	73.13-11 (201, 204) 16 (201, 204) 17 (201, 204) 19 (201, 204) 21 (201, 204) 23 (201, 204) 26 (201, 204) 32 (201, 204) 34 (201, 204) 36 (201, 204) 41 (201, 204) 43 (201, 204) 45 (201, 204) 47 (201, 204) 49 (201, 204) 50 (201, 204) 62 (50, 201, 204) 88 (201, 204) 89 (38, 201, 204)	
	73.14-01 (14, 201) 11 (14, 201) 13 (14, 201) 15 (14, 201) 19 (14, 201) 21 (76, 201) 41 (76, 201) 43 (76, 201) 45 (76, 201) 49 (76, 201) 81 (76, 201) 91 (76, 201) 99 (76, 201)	
	73.61-10 (201, 220, 231) 50 (201, 220, 231)	
	73.62-10 (201, 204) 30 (201)	
	73.63-10 (201) 21 (201, 204) 29 (201, 204) 50 (76, 201, 204) 72 (201, 204) 74 (76, 201, 204) 79 (76, 193, 201, 204)	
	73.64-20 (201, 204) 50 (76, 201, 204) 72 (201, 204, 234) 75 (76, 201, 204, 234) 79 (76, 193, 201, 204, 234)	
	73.65-21 (201, 204) 23 (201, 204) 25 (201, 204) 53 (201, 204) 55 (201, 204) 70 (38, 201, 204)	
	73.66-40 (76, 201) 81 (76, 201) 86 (76, 201) 89 (76, 201)	
	73.71-13 (201, 220, 231) 14 (201, 220, 231) 19 (201, 220, 231) 53 (201, 220, 231) 54 (201, 220, 231) 55 (201, 220, 231) 56 (201, 220, 231) 59 (201, 220, 231)	

Product	NIMEXE code	TS USA number
Other speciality steel (cont'd)	73.72-11 (201, 204) 13 (201, 204) 19 (201, 204) 33 (201) 39 (201) 73.73-13 (201) 14 (201) 19 (201) 23 (201, 204) 24 (201, 204) 25 (201, 204) 26 (201, 204) 29 (201, 204) 33 (201, 204) 34 (201, 204) 35 (201, 204) 36 (201, 204) 39 (201, 204) 53 (76, 201, 204) 54 (76, 201, 204) 55 (76, 201, 204) 59 (76, 201, 204) 72 (201, 204, 234) 74 (76, 201, 204, 234) 83 (76, 193, 201, 204, 234) 89 (76, 193, 201, 204, 234) 73.74-21 (201, 204) 23 (201, 204) 29 (201, 204) 51 (76, 201, 204) 52 (76, 201, 204) 53 (76, 201, 204) 54 (76, 201, 204) 59 (76, 201, 204) 72 (201, 204, 234) 74 (76, 201, 204, 234) 83 (76, 193, 201, 204, 234) 89 (76, 193, 201, 204, 234) 73.75-11 (201, 204) 19 (201, 204) 23 (201, 204) 24 (201, 204) 29 (201, 204) 33 (201, 204) 34 (201, 204) 39 (201, 204) 43 (201, 204) 44 (201, 204) 49 (201, 204) 53 (201, 204) 54 (201, 204) 59 (201, 204) 63 (201, 204) 64 (201, 204) 69 (201, 204) 73 (38, 201, 204) 79 (38, 201, 204) 73.76-13 (76, 201) 14 (76, 201) 15 (76, 201) 16 (76, 201) 19 (76, 201)	
Fabricated structurals	73.11-11 (172) 12 (172)	609.8400 609.8600

Product	NIMEXE code	TS USA number
Fabricated structurals (cont'd)		
	73.11-14 (172) 16 (172) 19 (172) 20 (172) 31 (172) 39 (172) 41 (172) 43 (172) 49 (172)	609.8800 609.9000 652.9400 652.9600 653.0000
	73.21-10 (109) 20 (109) 40 (109) 50 (109) 60 70 (109) 99 (109)	
	73.63-10 (172) 29 (172) 50 (172) 72 (172) 74 (172) 79 (172)	
	73.73-13 (172) 14 (172) 19 (172) 33 (172) 34 (172) 35 (172) 36 (172) 39 (172) 43 (172) 49 (172) 53 (172) 54 (172) 55 (172) 59 (172) 72 (172) 74 (172) 83 (172) 89 (172)	
Stainless steel sheet and strip		
	73.08-01 (5, 54, 55, 56, 61) 03 (5, 54, 55, 56, 61) 05 (54, 55, 56, 61) 07 (54, 55, 56, 61) 21 (5, 54, 55, 56, 61) 25 (54, 55, 56, 61) 29 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 45 (54, 55, 56, 61) 49 (54, 55, 56, 61)	607.7610 (54, 55, 56) 607.9010 (54, 55, 56) 607.9020 (54, 55, 56) 608.2900 (54, 55, 58) 608.4300 (54, 55, 58) 608.5700 (54, 55)
	73.10-11 (6, 54, 55, 57, 58, 61, 226) 15 (6, 54, 55, 57, 58, 61, 226) 17 (6, 54, 55, 57, 58, 61, 226) 30 (6, 54, 55, 57, 58, 61, 226) 42 (6, 54, 55, 57, 58, 61, 226) 45 (6, 54, 55, 57, 58, 61, 226) 49 (6, 54, 55, 57, 58, 61, 226)	
	73.12-11 (5, 8, 54, 55, 56, 57, 58, 61, 226) 19 (5, 8, 54, 55, 56, 57, 58, 61, 226) 21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 25 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 40 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
<p>Stainless steel sheet and strip (cont'd)</p> <p>73.12-59 (54, 55, 57, 58, 61, 226) 61 (54, 55, 57, 58, 61, 226) 63 (54, 55, 57, 58, 61, 226) 65 (54, 55, 57, 58, 61, 226) 71 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 81 (54, 55, 57, 58, 61, 193, 226) 85 (54, 55, 57, 58, 61, 193, 226) 87 (54, 55, 57, 58, 61, 193, 226) 88 (5, 8, 54, 55, 56, 57, 58, 61, 226) 89 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226)</p> <p>73.13-11 (5, 54, 55, 56, 61) 16 (5, 54, 55, 56, 61) 17 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 21 (54, 55, 56, 61) 23 (54, 55, 56, 61) 26 (54, 55, 56, 61) 32 (54, 55, 56, 61) 34 (54, 55, 56, 61) 36 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 43 (54, 55, 56, 61) 45 (54, 55, 56, 61) 47 (54, 55, 56, 61) 49 (54, 55, 56, 61) 50 (5, 54, 55, 56, 61) 62 (5, 50, 54, 55, 56, 61) 88 (5, 54, 55, 56, 61) 89 (5, 54, 55, 56, 61, 119)</p> <p>73.62-10 (5, 54, 55, 56, 61)</p> <p>73.63-21 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 50 (6, 54, 55, 57, 58, 61, 226) 72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 79 (6, 54, 55, 57, 58, 61, 193, 226)</p> <p>73.64-20 (5, 8, 54, 55, 56, 57, 58, 61, 226) 50 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 79 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226)</p> <p>73.65-21 (5, 54, 55, 56, 61) 23 (54, 55, 56, 61) 25 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 55 (54, 55, 56, 61) 70 (5, 54, 55, 56, 61, 119)</p> <p>73.72-11 (5, 54, 55, 56, 61) 13 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61)</p> <p>73.73-23 (6, 54, 55, 57, 58, 61, 226) 24 (6, 54, 55, 57, 58, 61, 226) 25 (6, 54, 55, 57, 58, 61, 226) 26 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 33 (6, 54, 55, 57, 58, 61, 226) 34 (6, 54, 55, 57, 58, 61, 226) 35 (6, 54, 55, 57, 58, 61, 226) 36 (6, 54, 55, 57, 58, 61, 226) 39 (6, 54, 55, 57, 58, 61, 226) 53 (6, 54, 55, 57, 58, 61, 226) 54 (6, 54, 55, 57, 58, 61, 226) 55 (6, 54, 55, 57, 58, 61, 226) 59 (6, 54, 55, 57, 58, 61, 226)</p>		

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip (cont'd)	73.73-72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 83 (6, 54, 55, 57, 58, 61, 193, 226) 89 (6, 54, 55, 57, 58, 61, 193, 226) 73.74-21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 23 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (5, 8, 54, 55, 56, 57, 58, 61, 226) 52 (5, 8, 54, 55, 56, 57, 58, 61, 226) 53 (5, 8, 54, 55, 56, 57, 58, 61, 226) 54 (5, 8, 54, 55, 56, 57, 58, 61, 226) 59 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 74 (54, 55, 57, 58, 61, 226) 83 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 89 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 73.75-11 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 23 (5, 54, 55, 56, 61) 24 (5, 54, 55, 56, 61) 29 (5, 54, 55, 56, 61) 33 (54, 55, 56, 61) 34 (54, 55, 56, 61) 39 (54, 55, 56, 61) 43 (54, 55, 56, 61) 44 (54, 55, 56, 61) 49 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 54 (5, 54, 55, 56, 61) 59 (5, 54, 55, 56, 61) 63 (54, 55, 56, 61) 64 (54, 55, 56, 61) 69 (54, 55, 56, 61) 73 (5, 54, 55, 56, 61, 119) 79 (5, 54, 55, 56, 61, 119)	
Stainless plate		
	73.08-01 (13, 54, 55, 61) 03 (13, 54, 55, 61) 21 (13, 54, 55, 61) 41 (13, 54, 55, 61)	607.7603 (19, 54, 55) 607.7606 (54, 55) 607.9005 (54, 55)
	73.09-00 (12, 54, 55, 61)	
	73.10-15 (6, 12, 13, 54, 55, 61) 17 (6, 12, 13, 54, 55, 61) 30 (6, 8, 13, 54, 55, 61) 49 (6, 13, 15, 38, 54, 55, 61)	
	73.12-11 (12, 13, 54, 55, 61) 19 (12, 13, 54, 55, 61) 21 (8, 13, 54, 55, 61) 25 (8, 13, 54, 55, 61) 29 (8, 13, 54, 55, 61) 40 (13, 15, 54, 55, 61) 88 (13, 15, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61)	
	73.13-11 (13, 54, 55, 61) 16 (13, 54, 55, 61) 17 (13, 54, 55, 61) 19 (13, 54, 55, 61) 41 (13, 54, 55, 61) 50 (13, 54, 55, 61) 62 (13, 50, 54, 55, 61) 88 (13, 54, 55, 61) 89 (13, 38, 54, 55, 61)	
	73.62-10 (13, 54, 55, 61) 30 (12, 54, 55, 61)	

Product	NIMEXE code	TS USA number
<p>Stainless plate (cont'd)</p> <p>73.63-29 (6, 12, 13, 54, 55, 61) 50 (6, 8, 13, 54, 55, 61) 79 (6, 13, 15, 38, 54, 55, 61)</p> <p>73.64-20 (12, 13, 54, 55, 61) 50 (8, 13, 54, 55, 61) 79 (13, 15, 38, 54, 55, 61)</p> <p>73.65-21 (13, 54, 55, 61) 53 (13, 54, 55, 61) 70 (13, 38, 54, 55, 61)</p> <p>73.72-11 (13, 54, 55, 61) 13 (13, 54, 55, 61) 19 (13, 54, 55, 61) 33 (12, 54, 55, 61) 39 (12, 54, 55, 61)</p> <p>73.73-33 (6, 12, 13, 54, 55, 61) 34 (6, 12, 13, 54, 55, 61) 35 (6, 12, 13, 54, 55, 61) 36 (6, 12, 13, 54, 55, 61) 39 (6, 12, 13, 54, 55, 61) 53 (6, 8, 13, 54, 55, 61) 54 (6, 8, 13, 54, 55, 61) 59 (6, 8, 13, 54, 55, 61) 83 (6, 13, 15, 38, 54, 55, 61) 89 (6, 13, 15, 38, 54, 55, 61)</p> <p>73.74-21 (12, 13, 54, 55, 61) 23 (12, 13, 54, 55, 61) 29 (12, 13, 54, 55, 61) 51 (8, 13, 54, 55, 61) 52 (8, 13, 54, 55, 61) 53 (8, 13, 54, 55, 61) 54 (8, 13, 54, 55, 61) 59 (8, 13, 54, 55, 61) 83 (13, 15, 38, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61)</p> <p>73.75-11 (13, 54, 55, 61) 19 (13, 54, 55, 61) 23 (13, 54, 55, 61) 24 (13, 54, 55, 61) 29 (13, 54, 55, 61) 53 (13, 54, 55, 61) 54 (13, 54, 55, 61) 59 (13, 54, 55, 61) 73 (13, 38, 54, 55, 61) 79 (13, 38, 54, 55, 61)</p>		
<p>Stainless bar</p> <p>73.07-12 (61, 220) 15 (61, 220)</p> <p>73.09-00 (32, 61)</p> <p>73.10-11 (29a, 29b, 29d, 61) 15 (29a, 29b, 29d, 61) 17 (29a, 29b, 29d, 61) 20 (29a, 29d, 61) 30 (29a, 29c, 61, 76) 42 (29a, 29b, 61) 45 (29a, 29c, 61, 76) 49 (29a, 29b, 29c, 29d, 61, 76)</p> <p>73.12-11 (29b, 61) 19 (29b, 61) 21 (29c, 61, 76) 25 (29c, 61, 76) 29 (29c, 61, 76) 40 (29b, 29c, 61, 76) 51 (29b, 29c, 61, 76) 59 (29b, 29c, 61, 76)</p>	<p>606.9005</p> <p>606.9015</p> <p>606.9020</p>	

Product	NIMEXE code	TS USA number
<p>Stainless bar <i>(cont'd)</i></p> <p>73.12-61 (29b, 29c, 61, 76) 63 (29b, 29c, 61, 76) 65 (29b, 29c, 61, 76) 71 (29b, 61) 75 (29c, 61, 76) 77 (29b, 29c, 61, 76) 81 (29b, 29c, 61, 76) 85 (29b, 29c, 61, 76) 87 (29b, 29c, 61, 76) 88 (29b, 29c, 61, 76) 89 (29b, 29c, 61, 76)</p> <p>73.14-01 (14, 61) 11 (14, 61) 13 (14, 61) 15 (14, 61) 19 (14, 61) 21 (61, 76) 41 (61, 76) 43 (61, 76) 45 (61, 76) 49 (61, 76) 81 (61, 76) 91 (61, 76) 99 (61, 76)</p> <p>73.61-10 (61, 220, 231) 50 (61, 220, 231)</p> <p>73.62-30 (32, 61)</p> <p>73.63-10 (29a, 29d, 61) 21 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 50 (29c, 61, 76) 72 (29a, 29b, 29d, 61) 74 (29c, 61, 76) 79 (29a, 29b, 29c, 29d, 61, 76)</p> <p>73.64-20 (29b, 61) 50 (29c, 61, 76) 72 (29b, 61) 75 (29c, 61, 76) 79 (29b, 29c, 61, 76)</p> <p>73.66-40 (61, 76) 81 (61, 76) 86 (61, 76) 89 (61, 76)</p> <p>73.71-13 (61, 220, 231) 14 (61, 220, 231) 19 (61, 220, 231)</p> <p>73.72-33 (32, 61) 39 (32, 61)</p> <p>73.73-13 (29a, 29d, 61) 14 (29a, 29d, 61) 19 (29a, 29d, 61) 23 (29a, 29b, 29d, 61) 24 (29a, 29b, 29d, 61) 25 (29a, 29b, 29d, 61) 26 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 33 (29a, 29b, 29d, 61) 34 (29a, 29b, 29d, 61) 35 (29a, 29b, 29d, 61) 36 (29a, 29b, 29d, 61) 39 (29a, 29b, 29d, 61) 53 (29a, 29c, 61, 76) 54 (29a, 29c, 61, 76) 55 (29a, 29c, 61, 76) 59 (29a, 29c, 61, 76)</p>		

Product	NIMEXE code	TS USA number
Stainless bar (cont'd)	73.73-72 (29a, 29b, 29d, 61) 74 (29a, 29c, 61, 76) 83 (29a, 29b, 29c, 29d, 61, 76) 89 (29a, 29b, 29c, 29d, 61, 76) 73.74-21 (29b, 61) 23 (29b, 61) 29 (29b, 61) 51 (29c, 61, 76) 52 (29c, 61, 76) 53 (29c, 61, 76) 54 (29c, 61, 76) 59 (29c, 61, 76) 72 (29b, 61) 74 (29c, 61, 76) 83 (29b, 29c, 61, 76) 73.76-13 (61, 76) 14 (61, 76) 15 (61, 76) 16 (61, 76) 19 (61, 76)	
Stainless steel wire rod	73.10-11 (25, 61) 15 (25, 61) 73.63-21 (25, 61) 29 (25, 61) 73.73-23 (25, 61) 24 (25, 61) 25 (25, 61) 26 (25, 61) 29 (25, 61) 33 (25, 61) 34 (25, 61) 35 (25, 61) 36 (25, 61) 39 (25, 61)	607.2600 607.4300
Alloy tool steel	73.07-12 (203, 220) 15 (203, 220) 73.08-01 (203) 03 (203) 05 (203) 07 (203) 21 (203) 25 (203) 29 (203) 41 (203) 45 (203) 49 (203) 73.09-00 (203) 73.10-11 (203) 15 (203) 17 (203) 20 (203) 30 (203, 233) 42 (203) 45 (203, 233) 49 (193, 203, 233) 73.12-11 (203) 19 (203) 21 (76, 203) 25 (76, 203) 29 (76, 203) 40 (76, 203) 51 (76, 203, 234)	606.9300 606.9400 606.9505 606.9512 606.9514 606.9520 606.9525 606.9535 606.9542 606.9544 606.9546 606.9548 607.2800 607.3405 607.3420 607.4600 607.5405 607.5420 607.7205 607.7210 (19) 607.7220 607.7225 607.8805 607.8820 608.3405 608.3420 608.4905 608.4020

Product	NIMEXE code	TS USA number
Alloy tool steel (cont'd)	73.12-59 (76, 203, 234) 61 (76, 203, 234) 63 (76, 203, 234) 65 (76, 203, 234) 71 (203, 234) 75 (76, 203, 234) 77 (29b, 29c, 76, 203) 81 (76, 193, 203, 234) 85 (76, 193, 203, 234) 87 (76, 193, 203, 234) 88 (76, 203) 89 (76, 193, 203, 234)	608.6405 608.6420 609.4520 609.4550
	73.13-11 (203) 16 (203) 17 (203) 19 (203) 21 (203) 23 (203) 26 (203) 32 (203) 34 (203) 36 (203) 41 (203) 43 (203) 45 (203) 47 (203) 49 (203) 50 (203) 62 (50, 203) 88 (203) 89 (38, 203)	
	73.14-01 (233) 11 (233) 13 (233) 15 (233) 19 (233) 21 (233) 41 (233) 43 (233) 45 (233) 49 (233) 81 (233) 91 (233) 99 (233)	
	73.61-10 (203, 220, 231) 50 (203, 220, 231)	
	73.62-10 (203) 30 (203)	
	73.63-10 (203) 21 (203) 29 (203) 50 (203, 233) 72 (203) 74 (203, 233) 79 (193, 203, 233)	
	73.64-20 (203) 50 (76, 203) 72 (203, 234) 75 (76, 203, 234) 79 (76, 193, 203, 234)	
	73.65-21 (203) 23 (203) 25 (203) 53 (203) 55 (203) 70 (38, 203)	

Product	NIMEXE code	TS USA number
Alloy tool steel (cont'd)	73.66-40 (233) 81 (233) 86 (233) 89 (233) 73.71-13 (203, 220, 231) 14 (203, 220, 231) 19 (203, 220, 231) 53 (203, 220, 231) 54 (203, 220, 231) 55 (203, 220, 231) 56 (203, 220, 231) 59 (203, 220, 231) 73.72-11 (203) 13 (203) 19 (203) 33 (203) 39 (203) 73.73-13 (203) 14 (203) 19 (203) 23 (203) 24 (203) 25 (203) 26 (203) 29 (203) 33 (203) 34 (203) 35 (203) 36 (203) 39 (203) 53 (203, 233) 54 (203, 233) 55 (203, 233) 59 (203, 233) 72 (203) 74 (203, 233) 83 (193, 203, 233) 89 (193, 203, 233) 73.74-21 (203) 23 (203) 29 (203) 51 (76, 203) 52 (76, 203) 53 (76, 203) 54 (76, 203) 59 (76, 203) 72 (203, 234) 74 (76, 203, 234) 83 (76, 193, 203, 234) 89 (76, 193, 203, 234) 73.75-11 (203) 19 (203) 23 (203) 24 (203) 29 (203) 33 (203) 34 (203) 39 (203) 43 (203) 44 (203) 49 (203) 53 (203) 54 (203) 59 (203)	

Product	NIMEXE code	TS USA number
Alloy tool steel <i>(cont'd)</i>	73.75-63 (203) 64 (203) 69 (203) 73 (38, 203) 79 (38, 203) 73.76-13 (233) 14 (233) 15 (233) 16 (233) 19 (233)	

Footnotes

- (¹) Covered if of rectangular section. If $\frac{3}{16}$ inch or over in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.
- (²) If $\frac{3}{16}$ inch or more in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.
- (³) Covered if in coil.
- (⁴) Excluding 'tool steel', 'high-speed-tool steel', 'tool steel of the type described in headnote 2 (H) (vii)', and 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (H), (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.
- (⁵) Covered if less than $\frac{3}{16}$ inch in thickness.
- (⁶) Covered if of rectangular section.
- (⁷) Covered if hot-rolled.
- (⁸) Covered if over 12 inches in width.
- (¹²) Covered if over 8 inches in width.
- (¹³) Covered if $\frac{3}{16}$ inch or more in thickness.
- (¹⁴) Covered if not in coil.
- (¹⁵) Covered if hot-rolled and over 8 inches in width or if cold-rolled and over 12 inches in width.
- (¹⁷) Covered if semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.
- (¹⁹) Excluding semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.
- (²⁰) Excluded if clad.
- (²¹) Covered if structural shape having a maximum cross-sectional dimension of 3 inches or more.
- (²⁵) Covered if hot rolled, semi-finished, of approximately circular section, in coil and not under 0,20 inch nor over 0,74 inch in diameter.
- (²⁶) Covered if railway track spikes.
- (²⁸) Covered if galvanized wire fencing 'wholly of round iron or teel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, whether or not such wire is covered with plastic'. Excluded if welded galvanized wire fencing other than chain link fencing.
- (^{29a}) Covered if cross-section in the form of circles, segments of circles, ovals, triangles, rectangles, hexagons, or octagons.
- (^{29b}) Covered if of rectangular section, hot-rolled, $\frac{3}{16}$ inch or more in thickness and 8 inches or less in width.
- (^{29c}) Covered if of rectangular section, cold-rolled, $\frac{3}{16}$ inch or more in thickness and 12 inches or less in width.
- (^{29d}) If of approximately circular section and hot-rolled, excluded if in coils, not under 0,20 inch in diameter and not over 0,74 inch in diameter.
- (³¹) Excluded if cold-formed or cold-finished.
- (³²) Covered if 8 inches or less in width.
- (³³) Covered if cold-rolled.
- (³⁴) Covered if cold-formed or cold-finished.
- (³⁵) Covered if coated or plated with metal.
- (³⁸) Excluded if coated, plated or clad with metal.

- (⁴⁰) If plated or coated with metal and $\frac{3}{16}$ inch or more in thickness, covered if over 8 inches in width when hot-rolled and if over 12 inches in width when cold-rolled. If not plated or coated with metal covered if not in coils, if $\frac{3}{16}$ inch or more in thickness, not pickled and over 8 inches in width and hot-rolled.
- (⁴⁴) Covered if clad, and either less than $\frac{3}{16}$ inch in thickness and over 12 inches in width; or $\frac{3}{16}$ inch or more in thickness, over 8 inches in width and hot-rolled or if over 12 inches in width and cold-rolled.
- (⁴⁵) Excluded if pickled.
- (⁵⁰) Excluded if silvered, gilded or platinum plated.
- (⁵¹) Covered if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated.
- (⁵⁴) Excluding cladding grade 434 stainless steel certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel clad aluminium automobile trim.
- (⁵⁵) Excluding grade 253 MA and 254 SMO stainless steel.
- (⁵⁶) Excluding stainless steel sheet over 71 inches in width.
- (⁵⁷) Excluding 'razor blade steel', i.e., stainless steel strip or flat wire not over 0,01 inch in thickness and not over 0,9 inch in width, containing by weight not less than 0,6 % and not over 0,75 % carbon, and containing by weight not less than 11,5 % and not over 14,7 % chromium, certified at the time of entry to be used in the manufacture of razor blades.
- (⁵⁸) Excluding stainless steel strip not over 0,05 inch in thickness certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel flapper valves for compressors.
- (⁵⁹) Covered if over 0,5 inch in width and cold-rolled.
- (⁶⁰) Covered if 12 inches or under in width.
- (⁶¹) Covered if containing by weight less than 1 % carbon and over 11,5 % chromium.
- (⁶⁸) Covered if containing by weight 11,5 % or less chromium or 1 % or more carbon.
- (⁷¹) Covered if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.
- (⁷²) Excluded if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.
- (⁷⁵) Covered if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.
- (⁷⁶) Excluded if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.
- (⁷⁷) Covered if structural shape having a maximum cross-sectional dimension of less than 3 inches. Excluded if drilled, punched or otherwise advanced. If cold-formed, excluded if weighing 0,29 pound or less per linear foot.
- (⁷⁹) Covered if coated or plated with tin and greater than 12 inches in width.
- (⁸⁰) Excluded if coated or plated with tin.
- (⁸²) Covered if hot-rolled and either less than $\frac{3}{16}$ inch in thickness and 12 inches or under in width, or less than $\frac{3}{16}$ inch in thickness, over 12 inches in width and not coated, plated or clad with metal.
- (⁸⁴) Covered if cold-rolled, less than $\frac{3}{16}$ inch in thickness, over 12 inches in width and not coated, plated or clad with metal.
- (⁸⁷) Covered if cold-rolled, $\frac{3}{16}$ inch or over in thickness, over 12 inches in width and not coated, plated or clad with metal. Also covered if over $\frac{3}{16}$ inch in thickness, hot-rolled and pickled, over 8 inches in width and not coated, plated or clad with metal.
- (⁹⁷) Excluded if coated or plated with metal.

- (¹⁰²) Excluded if coated or plated with a lead-tin alloy.
- (¹⁰³) Covered if wire strand, i.e., a plurality of round or shaped wires helically laid in one or more layers.
- (¹⁰⁴) Covered if other than wire strand.
- (¹⁰⁹) Excluded if door and window frames. Also excluded if columns, pillars, posts, beams, girders, and similar structural units made in part of stainless steel, or of cast-iron.
- (¹¹²) Excluded if cold-formed and weighing not over 0,29 pound per linear foot.
- (¹¹⁹) Excluded if coated, plated or clad with metal and over 12 inches in width.
- (¹²¹) Excluded if thumb tacks; drive pins, studs and other fasteners suitable for use in power-actuated hand tools; staples in strip form; corrugated fasteners, glaziers point, hook nails and ring nails; or railway track spikes. Also excluded if cut nails or if coated or plated with precious metals.
- (¹²²) Covered if made from wire of iron or steel with heads of ferrous or non-ferrous metals.
- (¹²⁴) Covered if pickled or cold-rolled and over 12 inches in width and less than $\frac{3}{16}$ inch in thickness. Also covered if not over 12 inches in width and over 0,01 inch, but not over 0,05 inch, in thickness. Also, if cold-rolled, product must be over 0,5 inch in width.
- (¹⁴³) Covered if pickled or cold-rolled.
- (¹⁴⁷) Excluded if bale ties with or without buckles or fastenings.
- (¹⁴⁸) Covered if bale ties with or without buckles or fastenings.
- (¹⁵¹) Covered if tie plates and joint bars as defined in schedule 6, part 2, subpart B, 3 (l) and (m) of the Tariff Schedules of the United States Annotated.
- (¹⁵²) Excluded if drilled, punched or otherwise advanced.
- (¹⁶³) Covered if plates, sheets or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with chromium oxide or with chromium and chromium oxide or with other base metal other than tin, lead, or zinc.
- (¹⁷²) Covered either if cold-formed and weighing not over 0,29 pound per linear foot or if drilled, punched or otherwise advanced.
- (¹⁸⁴) Excluded if band-saw steel defined as follows: (a) 'metal cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:
 - carbon: not less than 1,18 and not more than 1,32 %;
 - chromium: not less than 0,15 and not more than 0,32 %;
 - manganese: not less than 0,10 and not more than 0,40 %;
 certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:
 - carbon: not less than 0,70 nor more than 0,81 %;
 - manganese: not less than 0,30 nor more than 0,55 %;
 - silicon: not less than 0,20 nor more than 0,35 %;
 - nickel: not less than 1,60 nor more than 2,70 %;
 - chromium: none, or not more than 0,50 %;
 - phosphorus: none, or not more than 0,03 %; and
 - sulphur: none, or not more than 0,15 %;
 or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:
 - carbon: not less than 0,70 nor more than 0,81 %;
 - manganese: not less than 0,30 nor more than 0,50 %;
 - silicon: not less than 0,20 nor more than 0,35 %;
 - chromium: none, or not more than 0,50 %; and
 - phosphorus: none, or not more than 0,03 %; and
 - sulphur: none, or not more than 0,15 %,
 certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.
- (¹⁸⁶) Covered if 'black plate', as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

- (¹⁸⁷) Covered if 'hollow drill steel' as defined in schedule 6, part 2, subpart B, 3 (e) of the Tariff Schedules of the United States Annotated.
- (¹⁸⁸) Covered if hot-rolled and coated or plated with metal.
- (¹⁸⁹) Covered if current-conducting third rails.
- (¹⁹⁰) Covered if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.
- (¹⁹¹) Excluded if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.
- (¹⁹³) Excluded if plates, sheets, or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with base metal other than tin, lead or zinc.
- (¹⁹⁸) Covered if under $\frac{3}{16}$ inch in thickness and hot-rolled, and if either over 12 inches in width and not pickled and not coated, plated or clad with metal or if 12 inches or under in width.
- (¹⁹⁹) Excluded if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated.
- (²⁰⁰) Excluded if 'heat-resisting steel' as described in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated and 12 inches or under in width.
- (²⁰¹) Covered if 'tool steel of the type described in headnote 2 (h) (vii)' in schedule 6, part 2, subpart B of the Tariff Schedules of the United States Annotated.
- (²⁰²) Covered if less than $\frac{3}{16}$ inch in thickness, over 12 inches in width, pickled or cold-rolled and either painted or varnished.
- (²⁰³) Covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.
- (²⁰⁴) Covered if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated, less than $\frac{3}{16}$ inch in thickness, and either over 12 inches in width, pickled or cold-rolled and not coated, plated or clad with metal, or 12 inches or under in width.
- (²⁰⁵) Excluded if strip as defined in schedule 6, part 2, subpart B, 3 (h) and if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated and over 0,01 inch but not over 0,05 inch in thickness.
- (²⁰⁶) Excluded if 'black plate' as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.
- (²⁰⁷) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) of the Tariff Schedules of the United States Annotated, excluded if coated, plated or clad with metal.
- (²⁰⁹) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) and 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated, covered if hot-rolled and not pickled.
- (²¹¹) If not clad with metal, excluded if 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.
- (²¹²) If not coated or plated with metal, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) or 'tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.
- (²¹³) It flat wire and not coated or plated with metal or if round wire, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.
- (²¹⁴) If milliners' wire or other wire covered with textile or other material not wholly of metal, covered whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.
- (²¹⁵) If flat wire and not coated or plated with metal or if round wire, covered if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.
- (²¹⁶) Excluded if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated.
- (²²⁰) Excluded if ingots, blooms, billets, or sheet bars as defined in schedule 6, part 2, subpart B, 3 (a), (b) and (c) of the Tariff Schedules of the United States Annotated.

- (²²⁶) Covered if cold-rolled and over 0,5 inch and 12 inches or under in width or if hot-rolled and 12 inches or under in width.
- (²²⁷) Whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated covered if coated or plated with a lead-tin alloy.
- (²²⁸) If 'tool steel of the type described in headnote 2 (h) (vii)' of the Tariff Schedules of the United States Annotated, covered if under $\frac{3}{16}$ inch in thickness, over 12 inches in width and either pickled or cold-rolled or if $\frac{3}{16}$ inch or more in thickness and either over 8 inches in width, pickled and hot-rolled or over 12 inches in width and cold-rolled. Excluded if coated, plated or clad with metal.
- (²³¹) Excluded if slabs as defined in schedule 6, part 2, subpart B, 3 (c) of the Tariff Schedules of the United States Annotated.
- (²³²) Covered if band-saw steel defined as follows: (a) 'metal-cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:
- carbon: not less than 1,18 and not more than 1,32 %;
- chromium: not less than 0,15 and not more than 0,32 %;
- manganese: not less than 0,10 and not more than 0,40 %;
- certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:
- carbon: not less than 0,70 nor more than 0,81 %;
- manganese: not less than 0,30 nor more than 0,55 %;
- silicon: not less than 0,20 nor more than 0,35 %;
- nickel: not less than 1,60 nor more than 2,70 %;
- chromium: none, or not more than 0,50 %;
- phosphorus: none, or not more than 0,03 %; and
- sulphur: none, or not more than 0,15 %;
- or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:
- carbon: not less than 0,70 nor more than 0,81 %;
- manganese: not less than 0,30 nor more than 0,50 %;
- silicon: not less than 0,20 nor more than 0,35 %;
- chromium: none, or not more than 0,50 %; and
- phosphorus: none, or not more than 0,03 %; and
- sulphur: none, or not more than 0,15 %,
- certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.
- (²³³) If 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated, covered only if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated. If not wire, covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.
- (²³⁴) Excluded if coated, plated or clad with metal, under $\frac{3}{16}$ inch in thickness and over 12 inches in width. Also excluded if coated, plated or clad with metal, $\frac{3}{16}$ inch or more in thickness and either over 8 inches in width and hot-rolled or over 12 inches in width and cold-rolled.

*ANNEXE III***Répartition entre les États membres**

	D	F	I	NL	B	L	UK	GR	DK	IRL	Réserve
Tôles laminées à froid	42,80	15,51	9,55	15,74	8,73	0,27	2,30	5,10	—	—	—
Tôles fortes	22,52	3,61	10,35	0,90	47,21	—	13,65	—	1,76	—	—
Profilés et poutrelles	22,42	11,06	0,64	—	24,72	17,71	23,45	—	—	—	—
Barres laminées à chaud	8,47	13,60	3,35	0,29	5,34	19,35	49,60	—	—	—	—
Tôles revêtues	57,17	23,22	8,67	4,13	3,86	0,43	2,52	—	—	—	—
Fer blanc	48,76	35,24	—	11,63	3,62	—	0,75	—	—	—	—
Rails	58,54	14,36	—	—	—	20,77	6,33	—	—	—	—
Fils ronds, plats et autres	14,82	27,15	4,03	1,15	39,39	—	12,41	—	0,09	—	0,96
Produits de la tréfilerie	4,80	6,85	2,26	5,18	60,85	—	9,84	—	9,22	—	1,00
Fer noir	11,60	10,64	—	16,54	30,66	—	0,16	29,40	—	—	1,00
Tôles et feuillards magnétiques	47,12	1,02	45,65	—	1,22	—	3,99	—	—	—	1,00
Tin free steel	77,92	18,71	—	0,88	0,98	—	0,51	—	—	—	1,00
Feuillards laminés à froid	66,44	8,08	0,50	0,17	5,11	—	10,96	7,87	—	—	0,87
Barres parachevées à froid et autres barres	8,13	53,23	4,52	0,10	0,76	—	32,32	—	—	—	0,94
Profilés de moins de 3"	12,43	1,99	1,24	1,37	54,95	19,56	7,58	—	—	—	0,88

	D	F	I	NL	B	L	UK	GR	DK	IRL	Réserve
Éléments de voies ferrées, roues et essieux	10,57	75,83	4,25	0,13	0,76	0,79	6,67	—	—	—	1,00
Fil inoxydable	7,00	23,18	29,80	0,51		20,28	19,23	—	—	—	—
Profilés et poutrelles fabriqués	11,62	4,32	40,51	3,27	—	17,44	19,62	—	3,22	—	—
Torons	12,49	15,55	39,95	13,88		7,06	11,06	—	0,01	—	—
Câbles	25,23	27,50	11,44	9,80		5,24	19,35	—	1,44	—	—
Autres aciers spéciaux	12,91	33,86	49,86	0,15	0,94	—	2,28	—	—	—	—
Tôles fortes en acier inoxydable	55,90	3,88	0,77	0,03	9,63	—	29,79	—	—	—	—
Tôles et feuillards en acier inoxydable	25,26	55,23	7,33	0,03	5,03	—	7,12	—	—	—	—
Barres en acier inoxydable	20,45	41,46	20,46	0,08	0,19	—	17,18	—	0,18	—	—
Fil machine en acier inoxydable	15,53	46,23	26,65	0,04	11,18	—	0,29	—	0,08	—	—
Acier à outil allié	64,02	9,32	14,21	0,54	0,46	—	10,95	—	—	—	—