

CATÁLOGO COMUM DE VARIEDADES DE ESPÉCIES HORTÍCOLAS

Suplemento 2022/8

(Texto relevante para efeitos do EEE)

(2022/C 338/02)

SUMARIO

	Página
Legenda	21
Lista das espécies hortícolas	22
1. <i>Allium cepa</i> L.	22
1.1. <i>Allium cepa</i> L. Grupo aggregatum - Chalota	22
1.2. <i>Allium cepa</i> L. Grupo cepa - Cebola, “Echalion”	22
2. <i>Allium fistulosum</i> L. Cebolinha-comum	22
3. <i>Allium porrum</i> L. Alho-porro	22
4. <i>Allium sativum</i> L. Alho	23
7. <i>Apium graveolens</i> L. Aipo	23
7.1. <i>Apium graveolens</i> L. Grupo Aipo	23
7.2. <i>Apium graveolens</i> L. Grupo Aipo-rábano	23
9. <i>Beta vulgaris</i> L.	23
9.1. <i>Beta vulgaris</i> L. Grupo Beterraba, incluindo Cheltenham beet	23
9.2. <i>Beta vulgaris</i> L. Grupo Beterraba, incluindo	23
10. <i>Brassica oleracea</i> L.	23
10.1. <i>Brassica oleracea</i> L. Grupo Couve-frisada	23
10.2. <i>Brassica oleracea</i> L. Grupo Couve-flor	24
10.3. <i>Brassica oleracea</i> L. Grupo Brócolo (tipo calabrese e tipo couve-brócolo)	24
10.4. <i>Brassica oleracea</i> L. Grupo Couve-de-Bruxelas	24
10.5. <i>Brassica oleracea</i> L. Grupo Couve-lombarda	24
10.6. <i>Brassica oleracea</i> L. Grupo capitata (Couve-repolho)	24
10.7. <i>Brassica oleracea</i> L. Grupo capitata (Couve-roxa)	25
10.8. <i>Brassica oleracea</i> L. Grupo Couve-rábano	25
10.9. <i>Brassica oleracea</i> L. Grupo Couve-palmeira	25
10.10. <i>Brassica oleracea</i> L. Grupo tronchuda (couve-portuguesa)	25
11. <i>Brassica rapa</i> L.	27
11.1. <i>Brassica rapa</i> L. Grupo Couve-chinesa	27
11.2. <i>Brassica rapa</i> L. Grupo Nabo	27
12. <i>Capsicum annuum</i> L. Pimento	27
13. <i>Cichorium endivia</i> L. Chicória	28
13.1. <i>Cichorium endivia</i> L. Chicória-frisada	28
13.2. <i>Cichorium endivia</i> L. Escarola	28
14. <i>Cichorium intybus</i> L. Almirão	28
14.1. <i>Cichorium intybus</i> L. Grupo Chicória	28

	Página
14.2. <i>Cichorium intybus</i> L. Grupo Chicória com folhas largas/Chicória italiana	28
14.3. <i>Cichorium intybus</i> L. Grupo Chicória para café	28
15. <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai Melancia	29
16. <i>Cucumis melo</i> L. Melão	30
17. <i>Cucumis sativus</i> L. Pepinos	32
17.1. <i>Cucumis sativus</i> L. Grupo Pepino	32
17.2. <i>Cucumis sativus</i> L. Grupo Pepininhos	32
18. <i>Cucurbita Maxima</i> Duchesne Abóbora-menina	32
19. <i>Cucurbita pepo</i> L. Abóbora-porqueira e aboborinha	33
20. <i>Cynara cardunculus</i> L.	34
20.1. <i>Cynara cardunculus</i> L. Grupo Alcachofra	34
20.2. <i>Cynara cardunculus</i> L. Grupo Cardo	34
21. <i>Daucus carota</i> L. Cenoura	34
21.1. <i>Daucus carota</i> L. Cenoura	34
21.2. <i>Daucus carota</i> L. Cenoura forrageira	34
22. <i>Foeniculum vulgare</i> Mill. Funcho - Grupo Azoricum	34
23. <i>Lactuca sativa</i> L. Alface	35
24. <i>Solanum lycopersicum</i> L. Tomate	37
25. <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill Salsa	40
27. <i>Phaseolus vulgaris</i> L. Feijões	40
27.1. <i>Phaseolus vulgaris</i> L. Grupo Feijão anão	40
27.2. <i>Phaseolus vulgaris</i> L. Grupo Feijão de trepar	40
28. <i>Pisum sativum</i> L. (partim) Ervilha	41
28.1. <i>Pisum sativum</i> L. (partim) Grupo Ervilha rugosa	41
28.2. <i>Pisum sativum</i> L. (partim) Grupo Ervilha lisa	41
28.3. <i>Pisum sativum</i> L. (partim) Grupo Ervilha torta	41
29. <i>Raphanus sativus</i> L.	41
29.1. <i>Raphanus sativus</i> L. Grupo Rabanete	41
29.2. <i>Raphanus sativus</i> L. Grupo Rábano	42
32. <i>Solanum melongena</i> L. Beringela	42
33. <i>Spinacia oleracea</i> L. Espinafre	42
34. <i>Valerianella locusta</i> (L.) Laterr. Alface-de-cordeiro	42
36. <i>Zea mays</i> L. (partim)	43
36.1. <i>Zea mays</i> L. Grupo Milho doce	43
36.2. <i>Zea mays</i> L. Grupo Milho pipoca	43
37. Espécies e cruzamentos interespecíficos para utilização como porta-enxertos	43
37.1. <i>Cucurbita ficifolia</i> Bouché	43
37.2. <i>Cucurbita maxima</i> Duch. x <i>C. moschata</i> Duch.	43
37.3. <i>Lagenaria siceraria</i> (Mol.) Standl.	43
37.4. <i>Lycopersicon esculentum</i> L. x <i>S. habrochaites</i>	43
37.5. <i>Solanum lycopersicum</i> L. x <i>S. pimpinellifolium</i>	43

	Página
37.6. <i>Sicyos angulatus</i>	43
37.7. <i>Cucurbita moschata</i>	43
37.8. <i>Solanum torvum</i> Sw.	43
37.9. <i>Solanum melongena</i> x <i>Solanum torvum</i>	44
37.10. <i>Solanum lycopersicum</i> L. x <i>S. peruvianum</i>	44
37.11. <i>Solanum lycopersicum</i> L.	44
37.12. <i>Solanum aethiopicum</i>	44
37.13. <i>Capsicum annuum</i>	44
37.14. <i>Citrullus lanatus</i>	44
37.15. <i>Cucumis melo flexuosus</i> x <i>Cucumis melo melo</i>	44
37.16. <i>Solanum melongena</i> x <i>Solanum aethiopicum</i>	44
37.17. <i>Solanum lycopersicum</i> L. x <i>S. cheesmaniae</i>	44

LEGENDA

1. Este suplemento à versão consolidada de 2021 do catálogo comum de variedades de espécies hortícolas ⁽¹⁾ integra as modificações que foi necessário aditar para ter em conta as informações que a Comissão recebeu dos Estados-Membros.
2. O presente suplemento segue a subdivisão adotada na versão consolidada de 2021. Poderá ser feita referência à legenda dessa edição.
3. Este suplemento abrange as notificações recebidas entre 1 de e 30 de junho de 2022.
4. As modificações introduzidas em relação à versão consolidada de 2021 são indicadas na coluna 4, da seguinte forma:
 - (add.): designa uma nova posição introduzida no catálogo comum,
 - (mod.): designa uma modificação a uma posição já existente. As indicações referentes a esta posição no presente suplemento substituem as da versão consolidada de 2021,
 - (del.): significa que a posição e todas as indicações que lhe dizem respeito são suprimidas do catálogo comum.
5. O presente suplemento diz respeito às variedades notificadas às quais se aplicam as disposições do artigo 16.º, n.º 1, da Diretiva 2002/55/CE do Conselho ⁽²⁾.
6. Quando o número de código de um responsável pela seleção de conservação não constar da versão consolidada de 2021, o seu nome e endereço podem ser obtidos junto da autoridade indicada na lista do Estado-Membro ou do país da EFTA em causa.

⁽¹⁾ Versão consolidada de 13 de dezembro de 2021:

https://ec.europa.eu/food/plant/plant_propagation_material/plant_variety_catalogues_databases_en

⁽²⁾ JO L 193 de 20.7.2002, p. 33.

1. Allium cepa L. -

1	2	3	4
1	Allium cepa L. - Aggregatum Group - Shallot		
2	Allium cepa L. - Cepa Group - Onion, Echalion		
Bello Blanco	a FR S15350		(mod.)
Mikado	b CY 14		H (mod.)
Printanier parisien			f: 30.6.2024
Talismo			f: 30.6.2024

1. Allium cepa L. - Varieties developed for growing under particular conditions

1	2	3	4
1	Allium cepa L. - Aggregatum Group - Shallot		
2	Allium cepa L. - Cepa Group - Onion, Echalion		
Fiola	b DE 4676		(add.)

2. Allium fistulosum L. - Japanese bunching onion / Welsh onion

1	2	3	4
Eristar	a FR S11516		(add.)
Katana	a FR S15350		H (mod.)
Kincho 3	a FR S14549		(add.)
Yoda	a FR S15350		H (mod.)

3. Allium porrum L. - Leek

1	2	3	4

3. Allium porrum L. - Leek - Varieties developed for growing under particular conditions

1	2	3	4
Prelat	b DE 4676		(add.)

4. *Allium sativum* L. - Garlic

1	2	3	4

4. *Allium sativum* L. - Garlic - Varieties developed for growing under particular conditions

1	2	3	4
Křimický	a CZ 1666		(add.) V

7. *Apium graveolens* L. - Celery

1	2	3	4
1	<i>Apium graveolens</i> L. - Celery Group		
Antares	a FR S15050		H (add.)
Centauri	a FR S15050		H (add.)
2	<i>Apium graveolens</i> L. - Celeriac Group		
Fargo			(del.)
Zeta			(del.)

9. *Beta vulgaris* L. -

1	2	3	4
1	<i>Beta vulgaris</i> L. - Garden Beet Group (Beetroot, including Cheltenham beet)		
Cardeal	a FR S15350		H (mod.)
Cylindra	a CZ x, b ES 31, b NL x		(mod.)
Golden eye	a FR S15350		(mod.)
Red Hawk	a FR S15350		H (mod.)
2	<i>Beta vulgaris</i> L. - Leaf Beet Group (Spinach beet or Chard)		
Destiny	a FR S15350		H (mod.)
Seren	a FR S15350		H (mod.)

10. *Brassica oleracea* L. -

1	2	3	4
1	<i>Brassica oleracea</i> L. - Kale Group		
Flash	a FR S15350		H (mod.)
Lerchenzungen			(del.)

10. Brassica oleracea L. -

1	2	3	4
2	Brassica oleracea L. - Cauliflower Group		
Alston	a FR S15350		(mod.)
Aquilon			f: 30.6.2024
Arzel	a FR S14502		(add.)
CFLT 3218			f: 30.6.2024
Denton	a FR S15350		(mod.)
Dinard	a NL 8		H (add.)
Jericho	a FR S15350		H (mod.)
Karneval	a FR S15350		H (mod.)
Kastor	a FR S15350		H (mod.)
Locarno	a NL 8		(add.)
Merton	a FR S15350		H (mod.)
Thabor			f: 30.6.2025
White Jack	a FR S15350		H (mod.)
Whiton	a FR S15350		(mod.)
3	Brassica oleracea L. - Broccoli Group (Calabrese type and sprouting type)		
Ares	a FR S15350		H (mod.)
Chouia			f: 30.6.2024
Eos	a FR S15350		H (mod.)
Gea	a FR S15350		H (mod.)
Leonidas	a FR S15350		H (add.)
Mykonos	a FR S15350		H (mod.)
Perseus	a FR S15350		H (mod.)
Rubens	a FR S15350		H (mod.)
Thassos	a FR S15350		H (mod.)
Triton	a FR S15350		H (mod.)
4	Brassica oleracea L. - Brussels Sprouts Group		
5	Brassica oleracea L. - Savoy Cabbage Group		
6	Brassica oleracea L. - Capitata Group - White cabbage		
Annelisa	a FR S15350		H (mod.)
Cape Verde	a FR S15350		H (add.)
Conquistador	a FR S15350		H (mod.)
Felicity	a FR S15350		(mod.)
Fighter	a FR S15350		H (mod.)

10. Brassica oleracea L. -

1	2	3	4
Goldenslam	a FR S15350		(mod.)
Hypoo	a FR S15350		H (mod.)
Kajak	a FR S15350		H (mod.)
Marloo	a FR S15350		H (mod.)
Monroo	a FR S15350		H (mod.)
Shani	a FR S15350		H (mod.)
Splash Ball	a FR S14549		H (add.)
Viscount	a FR S15050		H (add.)
Zyklop	a FR S15350		H (mod.)
7	Brassica oleracea L. - Capitata Group - Red cabbage		
8	Brassica oleracea L. - Kohlrabi Group		
Cavoro			(del.)
Nalon			(del.)
Soton			(del.)
9	Brassica oleracea L. - Palm Kale Group		
10	Brassica oleracea L. - Tronchuda Group (Portuguese cabbage)		

10. Brassica oleracea L. - - Conservation varieties

1	2	3	4
1	Brassica oleracea L. - Kale Group		
2	Brassica oleracea L. - Cauliflower Group		
3	Brassica oleracea L. - Broccoli Group (Calabrese type and sprouting type)		
4	Brassica oleracea L. - Brussels Sprouts Group		
5	Brassica oleracea L. - Savoy Cabbage Group		
6	Brassica oleracea L. - Capitata Group - White cabbage		

10. Brassica oleracea L. - - Conservation varieties

1	2	3	4
Nadanjeselsko	b SI x		(add.) Region of origin: Slovenia
7	Brassica oleracea L. - Capitata Group - Red cabbage		
8	Brassica oleracea L. - Kohlrabi Group		
9	Brassica oleracea L. - Palm Kale Group		
10	Brassica oleracea L. - Tronchuda Group (Portuguese cabbage)		

10. Brassica oleracea L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Brassica oleracea L. - Kale Group		
Theodor	b DE 9646		(add.)
2	Brassica oleracea L. - Cauliflower Group		
3	Brassica oleracea L. - Broccoli Group (Calabrese type and sprouting type)		
4	Brassica oleracea L. - Brussels Sprouts Group		
5	Brassica oleracea L. - Savoy Cabbage Group		
6	Brassica oleracea L. - Capitata Group - White cabbage		
7	Brassica oleracea L. - Capitata Group - Red cabbage		
8	Brassica oleracea L. - Kohlrabi Group		
9	Brassica oleracea L. - Palm Kale Group		
10	Brassica oleracea L. - Tronchuda Group (Portuguese cabbage)		

11. Brassica rapa L. -

1	2	3	4
1	Brassica rapa L. - Chinese Cabbage Group		
Kiseki	a FR S15350		H (mod.)
Natsuki	a FR S15350		H (mod.)
Spectrum	b ES 6381		H (add.)
2	Brassica rapa L. - Vegetable Turnip Group		
Graceland	a DE 9777		(add.)
Sully	a FR S15050		H (add.)
Sweetbell	a FR S15350		H (mod.)

12. Capsicum annuum L. - Chili, Pepper

1	2	3	4
Antinema	a FR S15350		H (mod.)
Awakino	a FR S15050		H (add.)
Bambino	a FR S15350		H (mod.)
Belfagor	a FR S15050		H (add.)
Bellyr			f: 30.6.2025
Bernini			f: 30.6.2024
Black Bullet	a FR S15350		H (mod.)(4)
Bondarmon	a FR S15350		H (mod.)
Calibello	a FR S15350		H (mod.)
Canario Real	a FR 45213		H (add.)
Deliver			f: 30.6.2025
Espartano	a FR S15350		H (mod.)
Felipe			f: 30.6.2025
Fision	a FR S15050		H (add.)
Fudji	a FR S15350		H (mod.)(4)
Iriarte	a FR S15200		H (add.)
Kawazaki			f: 30.6.2025
Lambda	a FR S15350		H (mod.)
Liragold	a FR S15350		H (mod.)
PA15 178	b NL 50		H (add.)(1)
Polo	a FR S15350		H (mod.)
Quijano	b ES 63		H (add.)
Rap	a FR S15350		H (mod.)
Ribatejo	a FR S15350		H (mod.)
Rio Cuatro	b ES 10		H (add.)

12. *Capsicum annuum* L. - Chili, Pepper

1	2	3	4
Rumbada			(del.)
Sibeliuss			(del.)
Tabaluga			(del.)
Tamesis			f: 30.6.2024
Tequileo	a NL 8		H (add.)
Topgear	a NL 108		H (add.)
TP2206	b NL 730		(add.)(1)
Tractor	a FR S15350		H (mod.)
Trionfo	a FR S15200		H (add.)
Varela	a FR S15200		H (add.)
Yate			(del.)
Zierto	b ES 6283		H (add.)

13. *Cichorium endivia* L. - Endive

1	2	3	4
1	Cichorium endivia L. - Curled-leaved endive		
2	Cichorium endivia L. - Plain-leaved endive		
Astenal	a FR S9759		(add.)
Lizzy	a FR S15050		(add.)
Makeba	a FR S15050		(add.)
Willy	a FR S15050		(add.)

14. *Cichorium intybus* L. - Chicory

1	2	3	4
1	Cichorium intybus L. - Witloof Chicory Group		
Prestance			f: 30.6.2025
Zoom			f: 30.6.2025
2	Cichorium intybus L. - Leaf Chicory Group (Large-leaved chicory / Italian chicory)		
3	Cichorium intybus L. - Industrial (Root) Chicory Group		
Abia	a NL 650		(add.)
Adamantine	b FR S8444, a NL 241		(mod.)

14. *Cichorium intybus* L. - Chicory

1	2	3	4
Cabira	a NL 650		(add.)
Orenda	a NL 650		(add.)

14. *Cichorium intybus* L. - Chicory - Varieties developed for growing under particular conditions

1	2	3	4
1	<i>Cichorium intybus</i> L. - Witloof Chicory Group		
2	<i>Cichorium intybus</i> L. - Leaf Chicory Group (Large-leaved chicory / Italian chicory)		
Rossa Italia			(del.)
3	<i>Cichorium intybus</i> L. - Industrial (Root) Chicory Group		

15. *Citrullus lanatus* (Thunb.) Matsum. et Nakai - Watermelon

1	2	3	4
Atena	b CY 33		H (add.)
Bomb	b CY 33		H (add.)
Capitol	a FR S15350		H (mod.)
Celest	a FR S15350		H (add.)
Crescendo	a FR S15050		H (add.)
El Wafi	a FR S15350		H (mod.)
Fire Ball	a FR S15350		H (mod.)
Leonardo	a FR S15350		H (mod.)
Leptis	a FR S15350		H (mod.)
Nimbus	b CY 33		H (add.)
Podium	a FR S15350		H (mod.)
Sensei	a FR S15350		H (mod.)
Songhai	a FR S15350		H (mod.)
Splendor	a FR S15350		H (mod.)
Sunlove	a FR S15050		H (add.)
Yellow Buttercup	a FR S15350		H (add.)

16. Cucumis melo L. - Melon

1	2	3	4
Adagio	a FR S14063		H (add.)
Amadeo	a FR S15350		H (mod.)
Arago	a FR S15050		H (mod.)
Arlequin	a FR S12567		H (add.)
ASL 20 01	a FR 45349		H (add.)(1)
ASL 20 02	a FR 45349		H (add.)(1)
ASL 20 03	a FR 45349		H (add.)(1)
Asturia	a FR S15350		H (mod.)
Atero			f: 30.6.2024
Atos	a FR S15050		H (add.)
Aztec	a FR S15350		H (mod.)
Banzai			f: 30.6.2024
Barriol			f: 30.6.2024
Belcanto	a FR S14063		H (add.)
Cadence	a FR S14063		H (add.)
Calima	a FR S15050		H (add.)
Carpa	a FR 45377		H (add.)
Cordial	a FR S15350		H (mod.)
Dibango	a FR S9759		H (add.)
Djazzeo	a FR S9759		H (add.)
Don Quixote	a FR S15350		H (mod.)
Eliodoro	a FR S15050		H (add.)
Enduro	a FR S15350		H (mod.)
Etchabi	a FR S9759		H (add.)
Etrusko	a FR S9759		H (add.)
Exelor	a FR S15350		H (mod.)
Faraon	a FR S12821		H (add.)
Festival	a FR S15350		H (mod.)
Genio			f: 30.6.2024
Gibson	a FR S9759		H (add.)
Gili	b CY 33		H (add.)
Graffio	a FR S15050		H (add.)
Granato	a FR S15050		H (add.)
Grand calero	a FR S15350		H (mod.)
Grand Cortes	a FR S15350		H (mod.)
Grand Infinity	a FR S15350		H (mod.)
Grand Riado	a FR S15350		H (mod.)

16. Cucumis melo L. - Melon

1	2	3	4
Grand Rivero	a FR S15350		H (mod.)
HMC464851	a FR S15050		H (add.)(1)
Jasper Ors	b CY 33		H (add.)
Jemadar			f: 30.6.2024
Jokari	a FR S15050		H (add.)
Jubilo	a FR S12821		H (add.)
Karakal	a FR S15050		H (add.)
Korrigan	a FR S15050		H (add.)
Kyriel	a FR S15050		H (add.)
Lelika	a FR S9759		H (add.)
Luz	b CY 33		H (add.)
MEL02092	a FR S15350		H (mod.)(1)
Melgic	a FR S15350		H (mod.)
Meliance	a FR S15350		H (add.)
Melixis	a FR S15350		H (mod.)
Melzano	a FR S15350		H (add.)
Menphis	a FR S15050		H (add.)
Mexel	a FR S15350		H (add.)
Miguelito	a FR S15350		H (mod.)
Mirlo	a FR S15050		H (add.)
Norko	a FR S12567		H (add.)
Nubian	a FR S9759		H (add.)
Orange Beauty			f: 30.6.2024
Pearlgem	a FR S9759		H (add.)
Pistolero	a FR S15350		H (mod.)
Porthos	a FR S15050		H (add.)
Quijano	a FR S15350		H (mod.)
Ronaldo	a FR S15050		H (add.)
Rotary			f: 30.6.2024
Sainz	a FR S15050		H (add.)
San Jose	a FR S15350		H (add.)
Signol			f: 30.6.2024
Sugarmoon	a FR S14063		H (add.)
Talisman	a FR S15350		H (mod.)
Tenor	a FR S15350		H (mod.)
Tezac			f: 30.6.2024
Tilouka	a FR S9759		H (add.)

16. *Cucumis melo* L. - Melon

1	2	3	4
Tripudio	a FR S15050		H (add.)
Urkan	a FR S15050		H (add.)
Valdemar	a FR S15050		H (add.)
Valdeoro	a FR S15050		H (add.)
Xian			f: 30.6.2025
Zinasol	a FR S9759		H (add.)

16. *Cucumis melo* L. - Melon - Varieties developed for growing under particular conditions

1	2	3	4
Prity			H (mod.)

17. *Cucumis sativus* L. - Cucumber/Gherkin

1	2	3	4
1	<i>Cucumis sativus</i> L. - Cucumber Group		
Dacu	a FR S15350		H (mod.)
Dundee			(del.)
Gabri	a FR S15350		H (mod.)
Inga	b CY 33		H (add.)
Marvi	a FR S15350		H (mod.)
Oribarkan	b CY 33		H (add.)
Pharo	a FR S15350		H (mod.)
Roxanna			(del.)
Triunfo	a FR S15350		H (mod.)
2	<i>Cucumis sativus</i> L. - Gherkin Group		

18. *Cucurbita Maxima* Duchesne - Gourd

1	2	3	4
Colinky	a FR S15350		H (add.)
Marmito	a FR S11516		H (add.)

18. Cucurbita Maxima Duchesne - Gourd - Varieties developed for growing under particular conditions

1	2	3	4
Cally	None FR S11516		(add.)
Chestnut Bush			(del.)
Delicious golden			(del.)
Niçaise			(del.)

19. Cucurbita pepo L. - Marrow or Courgette

1	2	3	4
Alessio	a FR S15350		H (mod.)
Ascona	a FR S15350		H (mod.)
Boomer	a FR S15350		H (mod.)
Camelia	a FR S15050		H (add.)
Corinto	a FR S15350		H (mod.)
Devon	a NL 108		H (add.)
Flynn	a FR S15350		H (mod.)
Graffiti	a FR S15350		H (mod.)
Grimsey	a NL 108		H (add.)
Hiba	a FR S15350		H (mod.)
Imperator	a FR S15350		H (mod.)
Jupiter	a FR S12821		H (add.)
Kiwi	a FR S15350		H (mod.)
Lemona	a FR S15350		H (mod.)
Marsili	a FR S15350		H (add.)
Noah	a FR S15350		H (mod.)
Ofeq	b CY 33		H (add.)
Pietra	a FR S15050		H (add.)
Pleiades	a FR S15350		H (mod.)
Primavera	a FR S15350		H (mod.)
Spyro	a FR S15350		H (mod.)
SQ11009	a FR S15350		H (mod.)(1)
Terrafin	a FR S15350		H (mod.)
Trilogy	a FR S15350		H (mod.)
Verdi			f: 30.6.2024
Zagora			f: 30.6.2025

20. Cynara cardunculus L. -

1	2	3	4
1	Cynara cardunculus L. - Globe Artichoke Group		
2	Cynara cardunculus L. - Cardoon Group		

20. Cynara cardunculus L. - - Varieties developed for growing under particular conditions

1	2	3	4
1	Cynara cardunculus L. - Globe Artichoke Group		
2 Epineux Argenté de Plainpalais	Cynara cardunculus L. - Cardoon Group		(del.)

21. Daucus carota L. - Carrot

1	2	3	4
1	Daucus carota L. - Carrot		
Berlicum 2			= Berlikumer 2
Berlikumer 2	a CZ x, a PL x		(mod.) Lunga rossa ottusa 2 IT Venus 2 IT
- Berlicum 2	b IT x, a HU x		
Jacinto	b NL 95a		H (add.)
Lange rote stumpfe ohne Herz 2			(del.) = Berlikumer 2
Lunga rossa ottusa 2			= Berlikumer 2
Olanca	b NL 95a		H (add.)
Sirkana	a NL 60		H (mod.)
Venus 2			= Berlikumer 2
2	Daucus carota L. - Fodder carrot		

22. Foeniculum vulgare Mill. - Fennel - Azoricum Group

1	2	3	4
Bramante	a FR S15050		H (add.)

23. *Lactuca sativa* L. - Lettuce

1	2	3	4
Abbice			f: 30.6.2024
Accordi			f: 30.6.2024
Adantia			(del.)
Adaption	a FR S9759		(add.)
Ainoha	a NL 108		(add.)
Antaine	a FR S9759		(add.)
Arusha			(del.)
Attirai			f: 30.6.2024
Azohia	a FR S15200		(add.)
Bambera	a FR S15200		(add.)
Beltran			(del.)
Cannelina			f: 30.6.2024
Caracola	a FR S14063		(add.)
Carousel	a FR S12821		(add.)
Chicago			(del.)
Choupac	a FR 45305		(add.)
Concretion	a FR S9759		(add.)
Contention	a FR S9759		(add.)
Definie			f: 30.6.2024
Donertie			f: 30.6.2024
Fortessa	a FR S15200		(add.)
Frillasti	a FR 45305		(add.)
Funsong			f: 30.6.2025
Gaudenti	a FR S15200		(add.)
Gibbard	a NL 108		(add.)
Gonzaga	a FR S12821		(add.)
Haluvion	a FR S9759		(add.)
Ice Chic			(del.)
Jamaï			f: 30.6.2024
Jamie	a FR S9759		(add.)
Judita			f: 30.6.2024
Kenzie	a FR S9759		(add.)
Kiber			f: 30.6.2024
Kiesel	a FR S9759		(add.)
Kilervi			f: 30.6.2024
Kimky	a FR S9759		(add.)

23. Lactuca sativa L. - Lettuce

1	2	3	4
Kineta	a FR S9759		(add.)
Kistro			f: 30.6.2024
Kuduro	a FR S15200		(add.)
Lasydo			f: 30.6.2025
Lovanice	a FR S12821		(add.)
Marilac	a FR 45305		(add.)
Marmarina			f: 30.6.2024
Micole	a FR S15200		(add.)
Myamar	a FR S15200		(add.)
Nicolina	a FR S9759		(add.)
Norala	a FR 45305		(add.)
Nuria			(del.)
Paratie			f: 30.6.2024
Patati	a FR S15200		(add.)
Patrobas	a FR S15200		(add.)
Pianti	a NL 79		(add.)
Pitice			f: 30.6.2024
Printinas			(del.)
Quelio			f: 30.6.2024
Quione	a FR S15200		(add.)
Ray			(del.)
Redigo 2	a FR S12821		(add.)
Rocambole	a FR S15200		(add.)
Rubygo 2	a FR S12821		(add.)
Sparta			f: 30.6.2024
SV2820LA			f: 30.6.2024
SV2858LK			f: 30.6.2024
Torimbina	a FR S15200		(add.)
Uppercut			f: 30.6.2024
Vespac	a FR 45305		(add.)
Vestia	a NL 108		(add.)
Vestigio			(del.)
Vicary	a FR S12821		(add.)
Wapitti			f: 30.6.2024
Whisper	a FR S12821		(add.)
Wismar			f: 30.6.2024

23. *Lactuca sativa* L. - Lettuce - Varieties developed for growing under particular conditions

1	2	3	4
Bruine Trotskop			(del.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Adelade	a FR S12821		H (add.)
Amantyno	a FR S12821		H (add.)
Amerigo	a FR S15350		H (mod.)
Anfora	b ES 538		H (add.)
Anissia	a FR S15050		H (add.)
Araldino	a NL 108		H (add.)
Ascari			(del.)
Bellastar	a FR S15350		H (mod.)
Bellemar	a FR S12821		H (add.)
Bellogia	a FR S15050		H (add.)
Belmandia	a FR S15050		H (add.)
Betania	a FR S15350		H (mod.)
Bronzy	a NL 10a		(add.)
BS802	b BG 30		H (add.)
Buckers			(del.)
Buffalopink	a FR S15050		H (add.)
Camelot	b ES 6313		H (add.)
Canova	a FR S15050		H (add.)
Cartujano	a FR S15350		H (mod.)
Cherrystar	a FR S15350		H (mod.)
Chocostar	a FR S15350		H (mod.)
Chromis	a NL 108		H (add.)
Cladostar	a FR S15350		H (mod.)
Delybeef	a FR S15350		H (mod.)
Destina	a FR S15350		H (mod.)
Diletto	a FR S15050		H (add.)
Dormaplum	b ES 6229		H (add.)
Dossimo	a FR S15050		H (add.)
Dovizio	a FR S15050		H (add.)
Dutchman			(del.)
Feytor	b NL 26a		H (add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Flavortom	b ES 6229		H (add.)
Fulvio	b ES 538		H (add.)
Gourami	a NL 108		H (add.)
Gourmansun	a FR S15050		H (add.)
Gourmelito	a FR S15350		H (mod.)
Gyongyi	a FR S15350		H (mod.)
Hayet	a FR S15350		H (mod.)
HMC37961	a FR S15050		H (add.)(1)
Jampakt	a FR S15350		H (mod.)
Kaito			(del.)
Kandys	a FR S15350		H (mod.)
Kinkanstar	a FR S15350		H (add.)
Klymon	a FR S15350		H (mod.)
Laureade	a FR S12821		H (add.)
Leamioso			(del.)
Lemonstar	a FR S15350		H (mod.)
Leon			f: 30.6.2024
Leslie	a FR S15350		H (mod.)
Licorna	a FR S12821		H (add.)
Loara	a FR S15050		H (add.)
Luciestar	a FR S15350		H (add.)
Macxize	a NL 99		H (add.)
Marcador			f: 30.6.2024
Marsunny	a FR S12821		H (add.)
Medina			f: 30.6.2024
Oceano	a FR S15350		H (mod.)
Olmedo	a FR S15200		H (add.)
Olympiada	a FR S15350		H (mod.)
Orange Drop	b ES 6229		H (add.)
Oranjestar	a FR S15350		H (mod.)
Oribustar	a FR S15350		H (mod.)
Oriental Dream	a FR S15350		H (mod.)
Oriental Kiss	a FR S15350		H (mod.)
Oriental Magic	a FR S15350		H (mod.)
Oriental Rise	a FR S15350		H (mod.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Oxid	a FR S15200		H (add.)
Paoline	a FR S15050		H (add.)
Pink Bomb	a FR S15350		H (mod.)
Pink Dream	a FR S15350		H (mod.)
Pink Impression	a FR S15350		H (mod.)
Pink Magic	a FR S15350		H (mod.)
Pink Moon	a FR S15350		H (mod.)
Pink Pioneer	a FR S15350		H (mod.)
Pink Wand	a FR S15350		H (mod.)
Rafoly	a FR S12821		H (add.)
Rasbora	a NL 108		H (add.)
Roman Striped	a FR S15016		(add.)
Rosalin	a FR S15350		H (mod.)
Rotando			f: 30.6.2024
Royalstar	a FR S15350		H (mod.)
Rozestar	a FR S15350		H (mod.)
Saada	a FR S15350		H (mod.)
Saneh			f: 30.6.2024
Santa Victoria	a FR S15350		H (mod.)
Sargento	a FR S15050		H (add.)
Savoryna			(del.)
Silvine	a FR S15350		H (mod.)
Starlor	a FR S12821		H (add.)
Sweet ball	a FR S15350		H (mod.)
Sweet Star	a FR S15350		H (mod.)
TM 10552	a FR S15350		H (mod.)(1)
TM10857	a FR S15350		H (mod.)(1)
TOM02133	a FR S15350		H (add.)(1)
TOM02406	a FR S15350		H (mod.)(1)
TOM02407	a FR S15350		H (mod.)(1)
Tomatina	a FR S15350		H (mod.)
Unidarkwin	b ES 538		H (add.)
V 610	a FR S15350		H (mod.)(1)
V 611	a FR S15350		H (mod.)(1)
V 622	a FR S15350		H (mod.)(1)
V 623	a FR S15350		H (mod.)(1)
Vertion	a NL 60		H (add.)

24. *Solanum lycopersicum* L. - Tomato

1	2	3	4
Xito	a FR S15350		H (mod.)
Yety	a FR S15350		H (mod.)

24. *Solanum lycopersicum* L. - Tomato - Varieties developed for growing under particular conditions

1	2	3	4
Amana Orange			(del.)
Delice	None FR S13332		(add.)
Fline	None FR S13332		(add.)
Great White Beefsteak			(del.)
Moon Glow			(del.)
Romitel	None FR S13332		(add.)
Watermelon Beefsteak			(del.)
White Beefsteak			(del.)

25. *Petroselinum crispum* (Mill.) Nyman ex A. W. Hill - Parsley

1	2	3	4
Cabrera de Mar	b ES 10		(add.)

27. *Phaseolus vulgaris* L. - French bean

1	2	3	4
1	Phaseolus vulgaris L. - Dwarf French Bean Group		
Caruso			f: 30.6.2025
Chicago	a FR S15200		(add.)
Comper			f: 30.6.2024
Massira			f: 30.6.2024
Olympus			f: 30.6.2024
Serin			f: 30.6.2024
2	Phaseolus vulgaris L. - Climbing French Bean Group		
Fasili			(del.)
Mantra			(del.)

27. *Phaseolus vulgaris* L. - French bean - Varieties developed for growing under particular conditions

1	2	3	4
1 Jacob's Cattle	Phaseolus vulgaris L. - Dwarf French Bean Group		(del.)
2 Kiflček Milan	Phaseolus vulgaris L. - Climbing French Bean Group b SI 489		(add.)

28. *Pisum sativum* L. - Pea

1	2	3	4
1 Atasiska Bering Cash Digit Ganga Kotzebue Lakeshore Logic Marabout Namrata Nandou Roitelet Valdivia	Pisum sativum L. (partim) - Wrinkled Pea Group a FR S8415 a FR S8415 a FR S15050 a FR S8415 a FR S8415 a FR S8415 a FR S8415 a FR S8415 a FR 12925 a FR S8415 a FR 12925		(add.) (add.) (mod.) (add.) f: 30.6.2024 (add.) (add.) (add.) (add.) (add.) (add.) f: 30.6.2024 (add.) f: 30.6.2024
2 Splenda	Pisum sativum L. (partim) - Round Pea Group		f: 30.6.2024
3	Pisum sativum L. (partim) - Sugar Pea Group		

29. *Raphanus sativus* L. -

1	2	3	4
1 Crunchy king Crunchy Royale Ellis Irene Norham	Raphanus sativus L. - Radish Group a FR S15350 a FR S15350 a DE 8863		(mod.) (mod.) H (mod.) (del.) (del.)

29. *Raphanus sativus* L. -

1	2	3	4
Rapid Red 2	a CZ x, b IT 1412, b NL 79, a PL 1040 Raphanus sativus L. - Black Radish Group		= Saxa 2
Rosso tondo precocissimo 2			= Saxa 2
Saxa 2			(mod.) Rapid Red 2 IT Rosso tondo precocissimo 2 IT Saxa da forzare 2 IT
Saxa da forzare 2			= Saxa 2
2			
GV 54082			(add.)(1)
Misato Rose Flesh			(mod.)
Snowbird			H (add.)
Tambo	a FR S9875		(add.)

32. *Solanum melongena* L. - Aubergine / Egg plant

1	2	3	4
Romanov	a FR S15350		H (mod.)

33. *Spinacia oleracea* L. - Spinach

1	2	3	4
Brolga	b NL 108		H (add.)
Efsun	a FR S15200		(add.)
Helios	a FR S15350		H (mod.)
Parrot			(del.)
Soyuz	a FR S15350		H (mod.)
Sputnik	a FR S15350		H (mod.)

34. *Valerianella locusta* (L.) Laterr. - Corn salad / Lamb's lettuce

1	2	3	4
Dali	a FR S15141		(add.)
Matisse	a FR S15141		(add.)
Olympia	a FR S15050		(add.)

36. *Zea mays* L. -

1	2	3	4
1	<i>Zea mays</i> L. - Sweet Corn Group		
Azlan	a FR S15050		(add.)
Kelly	a FR S15050		(add.)
Ketama	a FR S15050		(add.)
2	<i>Zea mays</i> L. - Popcorn Group		
MZX1	a FR S13540		(add.)(1)
R283	a SK 832		H (add.)(1)
W2017	a FR S15110, a RO 2211		(mod.)(1)
W3020	a FR S15110, a RO 2211		(mod.)(1)
W7026	a FR S15110, a RO 2211		(mod.)(1)

37. Species and interspecific crossings for use as rootstocks

1	2	3	4
1	<i>Cucurbita ficifolia</i> Bouché -		
2	<i>Cucurbita maxima</i> Duch. x <i>C. moschata</i> Duch. -		
3	<i>Lagenaria siceraria</i> (Mol.) Standl. -		
4	<i>Solanum lycopersicum</i> L. x <i>S. habrochaites</i>		
Araucaria	a FR S15350		H (add.)
Auroch	a FR S15350		H (mod.)
Ficus	a FR S15350		H (add.)
Giant Sequoia	a FR S15350		H (add.)
Sequoia	a FR S15350		H (mod.)
Sponsor	a FR S15050		H (add.)
5	<i>Solanum lycopersicum</i> L. x <i>S. pimpinellifolium</i> -		
Sycamore	a FR S15350		H (add.)
6	<i>Sicyos angulatus</i> -		
7	<i>Cucurbita moschata</i> -		
8	<i>Solanum torvum</i> Sw. -		

37. Species and interspecific crossings for use as rootstocks

1	2	3	4
9	Solanum melongena x Solanum torvum -		
10	Solanum lycopersicum L. x S. peruvianum -		
11	Solanum lycopersicum L. -		
12	Solanum aethiopicum -		
13	Capsicum annuum -		
14	Citrullus lanatus -		
15	Cucumis melo flexuosus x Cucumis melo melo -		
16	Solanum melongena x Solanum aethiopicum -		
17	Solanum lycopersicum L. x S. cheesmaniae		

37. Species and interspecific crossings for use as rootstocks - Varieties developed for growing under particular conditions

1	2	3	4
1	Cucurbita ficifolia Bouché -		
2	Cucurbita maxima Duch. x C. moschata Duch. -		
3	Lagenaria siceraria (Mol.) Standl. -		
4	Solanum lycopersicum L. x S. habrochaites		
5	Solanum lycopersicum L. x S. pimpinellifolium -		
6	Sicyos angulatus -		
7	Cucurbita moschata -		

37. Species and interspecific crossings for use as rootstocks - Varieties developed for growing under particular conditions

1	2	3	4
8	Solanum torvum Sw. -		
9	Solanum melongena x Solanum torvum -		
10	Solanum lycopersicum L. x S. peruvianum -		
11	Solanum lycopersicum L. -		
Clarita	b DE 7480		(add.)
Zebranelle	b DE 8847		(add.)
12	Solanum aethiopicum -		
13	Capsicum annuum -		
14	Citrullus lanatus -		
15	Cucumis melo flexuosus x Cucumis melo melo -		
16	Solanum melongena x Solanum aethiopicum -		
17	Solanum lycopersicum L. x S. cheesmaniae		